

2016

Fertility Clinic Tables

ALABAMA-HAWAII



ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Janet M. Bouknight, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	39%	Tubal factor	24%	Uterine factor	6%	Multiple Factors: Female factors only 18% Female & male factors 33%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	32%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	15%	
				Endometriosis	21%	Unknown factor	1%	

2016 ART SUCCESS RATES ^{c,d}	Type of Cycle	Total number of cycles ^d : 92 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
	Number of cycles	29	11	12	1	0
	Percentage of cancellations before retrieval (%)	20.7	6 / 11	3 / 12	0 / 1	
	Number of transfers	22	5	9	1	0
	Average number of embryos transferred	2.0	2.0	2.6	2.0	
	Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 4	0 / 9	0 / 1	
Outcomes per Cycle						
	Percentage of cycles resulting in pregnancies (%)	27.6	2 / 11	2 / 12	0 / 1	
	Percentage of cycles resulting in live births (%)	27.6	1 / 11	2 / 12	0 / 1	
	Percentage of cycles resulting in singleton live births (%)	20.7	1 / 11	1 / 12	0 / 1	
	Percentage of cycles resulting in twin live births (%)	6.9	0 / 11	1 / 12	0 / 1	
	Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.2	1 / 11	1 / 12	0 / 1	
Outcomes per Transfer						
	Percentage of embryos transferred resulting in implantation (%)	22.2	1 / 7	21.7	0 / 2	
	Percentage of transfers resulting in pregnancies (%)	36.4	2 / 5	2 / 9	0 / 1	
	Percentage of transfers resulting in live births (%)	36.4	1 / 5	2 / 9	0 / 1	
	Percentage of transfers resulting in singleton live births (%)	27.3	1 / 5	1 / 9	0 / 1	
	Percentage of transfers resulting in twin live births (%)	9.1	0 / 5	1 / 9	0 / 1	
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	1 / 5	1 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
	Number of cycles	9	9	5	0	0
	Number of transfers	9	8	5	0	0
	Estimated average number of transfers per retrieval	1.8	4.0	1.3		
	Average number of embryos transferred	2.1	1.8	2.6		
	Percentage of embryos transferred resulting in implantation (%)	6 / 19	2 / 12	3 / 13		
	Percentage of transfers resulting in pregnancies (%)	4 / 9	2 / 8	3 / 5		
	Percentage of transfers resulting in live births (%)	4 / 9	1 / 8	3 / 5		
	Percentage of transfers resulting in singleton live births (%)	2 / 9	0 / 8	3 / 5		
	Percentage of transfers resulting in twin live births (%)	2 / 9	1 / 8	0 / 5		
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9	0 / 8	2 / 5		
Number of Egg or Embryo Banking Cycles						
	Number of fertility preservation cycles	1	0	0	0	0
		1	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
	Number of cycles	4	1	4	6	
	Number of transfers	4	1	4	5	
	Average number of embryos transferred	2.0	2.0	2.0	1.6	
	Percentage of embryos transferred resulting in implantation (%)	4 / 8	0 / 2	1 / 8	1 / 8	
	Percentage of transfers resulting in pregnancies (%)	2 / 4	0 / 1	1 / 4	1 / 5	
	Percentage of transfers resulting in live births (%)	2 / 4	0 / 1	1 / 4	1 / 5	
	Percentage of transfers resulting in singleton live births (%)	2 / 4	0 / 1	1 / 4	1 / 5	
	Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 4	0 / 5	
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	0 / 1	1 / 4	1 / 5	

CURRENT SERVICES & PROFILE		Current Name: Alabama Fertility Specialists					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Virginia L. Houserman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	27%	Uterine factor	3%	Multiple Factors: Female factors only 15% Female & male factors 54%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	8%	Male factor	70%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	56%	
				Endometriosis	21%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 376
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	36	21	4	3
Percentage of cancellations before retrieval (%)	5.7	13.9	33.3	0 / 4	2 / 3
Number of transfers	65	24	11	4	1
Average number of embryos transferred	1.7	1.9	2.1	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	14.5	0.0	0 / 9	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	44.4	19.0	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	29.9	36.1	14.3	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.5	16.7	14.3	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	9.2	16.7	0.0	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	13.9	9.5	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.5	60.5	21.7	0 / 10	0 / 2
Percentage of transfers resulting in pregnancies (%)	44.6	66.7	4 / 11	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	40.0	54.2	3 / 11	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.2	25.0	3 / 11	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	12.3	25.0	0 / 11	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.6	20.8	2 / 11	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	64	25	18	5	3
Number of transfers	57	17	16	4	2
Estimated average number of transfers per retrieval	1.4	0.9	1.5	1.0	0.7
Average number of embryos transferred	1.6	1.6	1.9	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	36.0	29.6	17.9	2 / 8	1 / 6
Percentage of transfers resulting in pregnancies (%)	47.4	6 / 17	5 / 16	2 / 4	1 / 2
Percentage of transfers resulting in live births (%)	35.1	6 / 17	4 / 16	1 / 4	1 / 2
Percentage of transfers resulting in singleton live births (%)	24.6	5 / 17	3 / 16	1 / 4	1 / 2
Percentage of transfers resulting in twin live births (%)	8.8	1 / 17	1 / 16	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.1	3 / 17	1 / 16	0 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	15	10	2	3
	2	4	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	8	28	12	
Number of transfers	6	7	23	9	
Average number of embryos transferred	2.0	2.0	1.5	1.9	
Percentage of embryos transferred resulting in implantation (%)	5 / 12	5 / 14	25.7	3 / 17	
Percentage of transfers resulting in pregnancies (%)	4 / 6	3 / 7	34.8	2 / 9	
Percentage of transfers resulting in live births (%)	3 / 6	1 / 7	26.1	2 / 9	
Percentage of transfers resulting in singleton live births (%)	2 / 6	0 / 7	21.7	1 / 9	
Percentage of transfers resulting in twin live births (%)	1 / 6	1 / 7	4.3	1 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 7	13.0	1 / 9	

CURRENT SERVICES & PROFILE

Current Name: ART Fertility Program of Alabama

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF ALABAMA AT BIRMINGHAM
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
BIRMINGHAM, ALABAMA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by G. Wright Bates, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	21%	Uterine factor	5%	Multiple Factors: Female factors only 16% Female & male factors 18%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	17%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	9%	
				Endometriosis	13%	Unknown factor	17%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 289 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	56	12	10	5	2
Percentage of cancellations before retrieval (%)	10.7	0 / 12	2 / 10	0 / 5	1 / 2
Number of transfers	28	4	5	2	0
Average number of embryos transferred	1.3	1.8	2.0	3.0	
Percentage of elective single embryo transfers (eSET) (%)	67.9	0 / 3	0 / 4	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	0 / 12	4 / 10	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	25.0	0 / 12	3 / 10	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	23.2	0 / 12	2 / 10	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	1.8	0 / 12	1 / 10	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.4	0 / 12	1 / 10	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.5	0 / 7	6 / 10	0 / 6	
Percentage of transfers resulting in pregnancies (%)	50.0	0 / 4	4 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	0 / 4	3 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	46.4	0 / 4	2 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.6	0 / 4	1 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9	0 / 4	1 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	69	35	18	4	0
Number of transfers	57	32	14	2	0
Estimated average number of transfers per retrieval	1.3	1.3	1.2	1.0	
Average number of embryos transferred	1.2	1.2	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	55.7	45.9	9 / 18	0 / 3	
Percentage of transfers resulting in pregnancies (%)	66.7	53.1	9 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	56.1	46.9	6 / 14	0 / 2	
Percentage of transfers resulting in singleton live births (%)	54.4	43.8	6 / 14	0 / 2	
Percentage of transfers resulting in twin live births (%)	1.8	3.1	0 / 14	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.1	37.5	4 / 14	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	18	11	2	0
	4	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	2	14	0	
Number of transfers	5	1	14	0	
Average number of embryos transferred	1.4	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 7	1 / 1	57.1		
Percentage of transfers resulting in pregnancies (%)	4 / 5	1 / 1	10 / 14		
Percentage of transfers resulting in live births (%)	4 / 5	1 / 1	9 / 14		
Percentage of transfers resulting in singleton live births (%)	4 / 5	1 / 1	7 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1	2 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	1 / 1	6 / 14		

CURRENT SERVICES & PROFILE		Current Name: University of Alabama at Birmingham, Reproductive Endocrinology and Infertility					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HUNTSVILLE REPRODUCTIVE MEDICINE, PC
MADISON, ALABAMA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by George T. Koulianos, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	18%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 8%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	16%	Male factor	38%	
Used gestational carrier	3%			Diminished ovarian reserve	14%	Other factor	6%	
				Endometriosis	15%	Unknown factor	3%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 324 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		76	32	20	7	0
Percentage of cancellations before retrieval (%)		5.3	25.0	5.0	5 / 7	
Number of transfers		43	17	13	1	0
Average number of embryos transferred		1.4	1.8	2.2	1.0	
Percentage of elective single embryo transfers (eSET) (%)		55.0	2 / 15	0 / 11		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		27.6	31.3	30.0	0 / 7	
Percentage of cycles resulting in live births (%)		25.0	25.0	30.0	0 / 7	
Percentage of cycles resulting in singleton live births (%)		18.4	18.8	20.0	0 / 7	
Percentage of cycles resulting in twin live births (%)		6.6	6.3	10.0	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		17.1	15.6	15.0	0 / 7	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		41.7	42.3	32.1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		48.8	10 / 17	6 / 13	0 / 1	
Percentage of transfers resulting in live births (%)		44.2	8 / 17	6 / 13	0 / 1	
Percentage of transfers resulting in singleton live births (%)		32.6	6 / 17	4 / 13	0 / 1	
Percentage of transfers resulting in twin live births (%)		11.6	2 / 17	2 / 13	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		30.2	5 / 17	3 / 13	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		71	19	20	3	3
Number of transfers		70	19	19	3	2
Estimated average number of transfers per retrieval		1.2	1.5	1.2	0.3	0.4
Average number of embryos transferred		1.5	1.4	1.8	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)		44.0	36.0	36.4	2 / 6	1 / 3
Percentage of transfers resulting in pregnancies (%)		54.3	8 / 19	10 / 19	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)		47.1	7 / 19	7 / 19	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)		37.1	5 / 19	4 / 19	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)		10.0	2 / 19	3 / 19	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		32.9	5 / 19	4 / 19	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		21	5	8	10	5
		5	2	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		0	16	8	0	
Number of transfers		0	11	8	0	
Average number of embryos transferred			1.5	1.8		
Percentage of embryos transferred resulting in implantation (%)			5 / 15	1 / 11		
Percentage of transfers resulting in pregnancies (%)			6 / 11	3 / 8		
Percentage of transfers resulting in live births (%)			5 / 11	1 / 8		
Percentage of transfers resulting in singleton live births (%)			5 / 11	1 / 8		
Percentage of transfers resulting in twin live births (%)			0 / 11	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			4 / 11	1 / 8		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Medicine					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Botros M. Rizk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	33%	Uterine factor	54%	Multiple Factors: Female factors only 44% Female & male factors 44%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	39%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	10%	
				Endometriosis	18%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 39
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	7	3	5	2
Percentage of cancellations before retrieval (%)	2 / 15	2 / 7	0 / 3	0 / 5	0 / 2
Number of transfers	10	5	1	4	2
Average number of embryos transferred	2.8	2.4	2.0	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	0 / 4	0 / 1	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 15	1 / 7	0 / 3	0 / 5	1 / 2
Percentage of cycles resulting in live births (%)	5 / 15	1 / 7	0 / 3	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	3 / 15	1 / 7	0 / 3	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	2 / 15	0 / 7	0 / 3	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 15	1 / 7	0 / 3	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	25.0	1 / 12	0 / 2	0 / 7	1 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 10	1 / 5	0 / 1	0 / 4	1 / 2
Percentage of transfers resulting in live births (%)	5 / 10	1 / 5	0 / 1	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 10	1 / 5	0 / 1	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 5	0 / 1	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 10	1 / 5	0 / 1	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	0	1	1	0
Number of transfers	5	0	1	1	0
Estimated average number of transfers per retrieval	1.7			1.0	
Average number of embryos transferred	2.4		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 12		0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		0 / 1	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW DIRECTION FERTILITY CENTERS GILBERT, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark Amols, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 36% Female & male factors 21%
Unstimulated	0%	PGD/PGS	52%	Ovulatory dysfunction	14%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	98%	
				Endometriosis	9%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 795
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	1	0	0	1
Percentage of cancellations before retrieval (%)	0 / 3	0 / 1			0 / 1
Number of transfers	3	0	0	0	1
Average number of embryos transferred	1.7				4.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2				0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 3	0 / 1			0 / 1
Percentage of cycles resulting in live births (%)	3 / 3	0 / 1			0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 3	0 / 1			0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 1			0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 3	0 / 1			0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 5				0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 3				0 / 1
Percentage of transfers resulting in live births (%)	3 / 3				0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 3				0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3				0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3				0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	184	66	30	8	7
Number of transfers	184	64	30	7	7
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.2	0.2
Average number of embryos transferred	1.7	1.6	1.7	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	58.5	51.0	51.0	4 / 9	5 / 10
Percentage of transfers resulting in pregnancies (%)	72.3	64.1	73.3	3 / 7	4 / 7
Percentage of transfers resulting in live births (%)	64.1	59.4	56.7	3 / 7	4 / 7
Percentage of transfers resulting in singleton live births (%)	42.4	42.2	43.3	2 / 7	3 / 7
Percentage of transfers resulting in twin live births (%)	21.2	17.2	13.3	1 / 7	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.9	29.7	30.0	2 / 7	2 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	235	111	58	38	42
	9	8	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	6	1	
Number of transfers	2	1	6	1	
Average number of embryos transferred	2.0	2.0	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 4	2 / 2	9 / 11	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 1	6 / 6	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1	6 / 6	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1	3 / 6	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 2	1 / 1	3 / 6	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 1	2 / 6	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: New Direction Fertility Centers

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TROCHÉ FERTILITY CENTERS GLENDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vladimir Troché, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	17%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	19%	Male factor	80%	
Used gestational carrier	3%			Diminished ovarian reserve	41%	Other factor	6%	
				Endometriosis	4%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				55%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 215
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	27	14	2	5
Percentage of cancellations before retrieval (%)	0.0	7.4	0 / 14	0 / 2	1 / 5
Number of transfers	30	25	13	2	4
Average number of embryos transferred	1.7	2.2	2.2	5.0	2.8
Percentage of elective single embryo transfers (eSET) (%)	33.3	8.0	0 / 10	0 / 2	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.2	59.3	3 / 14	1 / 2	1 / 5
Percentage of cycles resulting in live births (%)	47.2	51.9	1 / 14	1 / 2	0 / 5
Percentage of cycles resulting in singleton live births (%)	25.0	29.6	0 / 14	1 / 2	0 / 5
Percentage of cycles resulting in twin live births (%)	22.2	22.2	1 / 14	0 / 2	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.2	22.2	0 / 14	1 / 2	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.1	40.4	12.0	1 / 10	2 / 11
Percentage of transfers resulting in pregnancies (%)	56.7	64.0	3 / 13	1 / 2	1 / 4
Percentage of transfers resulting in live births (%)	56.7	56.0	1 / 13	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	30.0	32.0	0 / 13	1 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	26.7	24.0	1 / 13	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.7	24.0	0 / 13	1 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	14	11	2	6
Number of transfers	40	12	11	2	5
Estimated average number of transfers per retrieval	2.1	1.1	2.8	2.0	1.3
Average number of embryos transferred	1.6	1.5	1.7	2.5	2.2
Percentage of embryos transferred resulting in implantation (%)	22.0	5 / 18	7 / 14	1 / 5	3 / 11
Percentage of transfers resulting in pregnancies (%)	32.5	5 / 12	8 / 11	1 / 2	2 / 5
Percentage of transfers resulting in live births (%)	25.0	5 / 12	5 / 11	1 / 2	2 / 5
Percentage of transfers resulting in singleton live births (%)	20.0	5 / 12	5 / 11	1 / 2	1 / 5
Percentage of transfers resulting in twin live births (%)	5.0	0 / 12	0 / 11	0 / 2	1 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.0	5 / 12	5 / 11	1 / 2	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	8	1	1	3
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	0	21	4	
Number of transfers	9	0	19	3	
Average number of embryos transferred	1.7		1.6	1.7	
Percentage of embryos transferred resulting in implantation (%)	6 / 15		23.3	3 / 5	
Percentage of transfers resulting in pregnancies (%)	3 / 9		5 / 19	2 / 3	
Percentage of transfers resulting in live births (%)	3 / 9		5 / 19	2 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 9		4 / 19	1 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 9		0 / 19	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9		3 / 19	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Troché Fertility Centers

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Drew V. Moffitt, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}			
IVF	100%	With ICSI	66%	Tubal factor	19%	Uterine factor	3%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	17%	Male factor	46%
Used gestational carrier	2%			Diminished ovarian reserve	47%	Other factor	9%
				Endometriosis	10%	Unknown factor	4%
						Multiple Factors:	
						Female factors only	16%
						Female & male factors	29%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 398 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	1	0	0	1	1	
Percentage of cancellations before retrieval (%)	0 / 1			0 / 1	0 / 1	
Number of transfers	1	0	0	1	1	
Average number of embryos transferred	1.0			5.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 1			0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	0 / 1			1 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	0 / 1			1 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 1			1 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 1			0 / 1	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1			1 / 1	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	0 / 1			1 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1			1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1			1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1			1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1			1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	101	52	30	6	11	
Number of transfers	96	49	27	6	10	
Estimated average number of transfers per retrieval	1.4	1.3	0.9	0.5	0.6	
Average number of embryos transferred	1.5	1.4	1.5	1.2	1.5	
Percentage of embryos transferred resulting in implantation (%)	39.4	35.5	44.7	2 / 6	4 / 15	
Percentage of transfers resulting in pregnancies (%)	47.9	44.9	59.3	2 / 6	4 / 10	
Percentage of transfers resulting in live births (%)	40.6	32.7	48.1	1 / 6	4 / 10	
Percentage of transfers resulting in singleton live births (%)	33.3	28.6	37.0	0 / 6	4 / 10	
Percentage of transfers resulting in twin live births (%)	6.3	4.1	11.1	1 / 6	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	24.5	37.0	0 / 6	3 / 10	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	66	39	31	12	18	
	4	3	1	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	4	1	21	2		
Number of transfers	4	1	20	2		
Average number of embryos transferred	1.3	1.0	1.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 5	0 / 1	52.2	1 / 4		
Percentage of transfers resulting in pregnancies (%)	3 / 4	0 / 1	55.0	1 / 2		
Percentage of transfers resulting in live births (%)	3 / 4	0 / 1	45.0	1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 4	0 / 1	40.0	1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 1	5.0	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	0 / 1	35.0	1 / 2		

CURRENT SERVICES & PROFILE		Current Name: Arizona Reproductive Medicine Specialists					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GONDRA CENTER FOR REPRODUCTIVE CARE & ADVANCED GYNECOLOGY PHOENIX, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Maria M. Gondra, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	91%	Tubal factor	18%	Uterine factor	18%	Multiple Factors: Female factors only 18% Female & male factors 55%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	0%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	0%	
				Endometriosis	55%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 12
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	0	0	1	0
Percentage of cancellations before retrieval (%)	0 / 3			0 / 1	
Number of transfers	2	0	0	1	0
Average number of embryos transferred	2.0			3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2			0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3			1 / 1	
Percentage of cycles resulting in live births (%)	2 / 3			1 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 3			1 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 3			0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3			1 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4			1 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 1	
Percentage of transfers resulting in live births (%)	2 / 2			1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2			1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2			1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	0	2	0
Number of transfers	1	1	0	2	0
Estimated average number of transfers per retrieval	0.5	1.0		2.0	
Average number of embryos transferred	2.0	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 2		0 / 4	
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1		0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	1	0	0	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	2	0	0	
Number of transfers	0	2	0	0	
Average number of embryos transferred		1.5			
Percentage of embryos transferred resulting in implantation (%)		1 / 3			
Percentage of transfers resulting in pregnancies (%)		1 / 2			
Percentage of transfers resulting in live births (%)		1 / 2			
Percentage of transfers resulting in singleton live births (%)		1 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2			

CURRENT SERVICES & PROFILE

Current Name: Gondra Center for Reproductive Care & Advanced Gynecology

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sujatha Gunnala, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 9% Female & male factors 24%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	17%	Male factor	35%	
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	7%	
				Endometriosis	12%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 122
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	6	10	2	4
Percentage of cancellations before retrieval (%)	4.2	0 / 6	3 / 10	0 / 2	0 / 4
Number of transfers	19	5	5	2	4
Average number of embryos transferred	1.7	2.0	2.4	2.5	3.3
Percentage of elective single embryo transfers (eSET) (%)	8 / 19	0 / 4	0 / 5	0 / 2	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.7	1 / 6	1 / 10	1 / 2	0 / 4
Percentage of cycles resulting in live births (%)	29.2	1 / 6	1 / 10	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	20.8	0 / 6	1 / 10	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	8.3	1 / 6	0 / 10	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.7	0 / 6	1 / 10	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.7	2 / 10	1 / 12	1 / 5	0 / 13
Percentage of transfers resulting in pregnancies (%)	10 / 19	1 / 5	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in live births (%)	7 / 19	1 / 5	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 19	0 / 5	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	2 / 19	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 19	0 / 5	1 / 5	0 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	10	6	2	4
Number of transfers	15	10	6	2	4
Estimated average number of transfers per retrieval	1.9	1.3	1.5	0.4	0.7
Average number of embryos transferred	1.7	1.9	1.7	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	38.5	8 / 17	4 / 10	1 / 4	2 / 7
Percentage of transfers resulting in pregnancies (%)	8 / 15	7 / 10	3 / 6	1 / 2	2 / 4
Percentage of transfers resulting in live births (%)	7 / 15	6 / 10	3 / 6	1 / 2	1 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 15	5 / 10	2 / 6	1 / 2	1 / 4
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 10	1 / 6	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15	3 / 10	2 / 6	0 / 2	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	6	4	4	6
	1	1	2	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	8	2	
Number of transfers	3	0	8	1	
Average number of embryos transferred	1.7		2.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		6 / 17	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3		4 / 8	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		3 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		2 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3		1 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		2 / 8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Southwest Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE, PLLC SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Frederick W. Larsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	55%	Tubal factor	15%	Uterine factor	16%	Multiple Factors: Female factors only 14% Female & male factors 37%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	14%	Male factor	50%	
Used gestational carrier	1%			Diminished ovarian reserve	40%	Other factor	24%	
				Endometriosis	5%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 430
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	82	53	25	14	3
Percentage of cancellations before retrieval (%)	3.7	15.1	24.0	6 / 14	0 / 3
Number of transfers	73	41	15	7	3
Average number of embryos transferred	1.4	1.5	2.1	2.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	54.4	34.4	0 / 13	0 / 6	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	48.8	41.5	24.0	3 / 14	1 / 3
Percentage of cycles resulting in live births (%)	34.1	37.7	20.0	2 / 14	1 / 3
Percentage of cycles resulting in singleton live births (%)	31.7	28.3	16.0	2 / 14	1 / 3
Percentage of cycles resulting in twin live births (%)	2.4	9.4	4.0	0 / 14	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.5	22.6	16.0	1 / 14	1 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.6	43.5	22.6	4 / 16	1 / 8
Percentage of transfers resulting in pregnancies (%)	54.8	53.7	6 / 15	3 / 7	1 / 3
Percentage of transfers resulting in live births (%)	38.4	48.8	5 / 15	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	35.6	36.6	4 / 15	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	2.7	12.2	1 / 15	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	29.3	4 / 15	1 / 7	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	57	35	15	4	0
Number of transfers	54	30	14	3	0
Estimated average number of transfers per retrieval	1.2	0.9	0.5	0.4	0.0
Average number of embryos transferred	1.3	1.2	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	73.1	57.1	13 / 16	2 / 4	
Percentage of transfers resulting in pregnancies (%)	74.1	66.7	13 / 14	2 / 3	
Percentage of transfers resulting in live births (%)	63.0	56.7	11 / 14	2 / 3	
Percentage of transfers resulting in singleton live births (%)	51.9	56.7	10 / 14	2 / 3	
Percentage of transfers resulting in twin live births (%)	11.1	0.0	1 / 14	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.6	46.7	9 / 14	2 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	27	25	7	2
	2	3	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	13	14	17	9	
Number of transfers	9	11	16	9	
Average number of embryos transferred	1.4	1.5	1.3	1.1	
Percentage of embryos transferred resulting in implantation (%)	6 / 13	7 / 17	52.4	4 / 10	
Percentage of transfers resulting in pregnancies (%)	5 / 9	5 / 11	9 / 16	4 / 9	
Percentage of transfers resulting in live births (%)	5 / 9	4 / 11	8 / 16	4 / 9	
Percentage of transfers resulting in singleton live births (%)	4 / 9	2 / 11	7 / 16	4 / 9	
Percentage of transfers resulting in twin live births (%)	1 / 9	2 / 11	1 / 16	0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 11	5 / 16	3 / 9	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Care, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ketan S. Patel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 15%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	7%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	22%	
				Endometriosis	4%	Unknown factor	27%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 257
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	10	10	4	3
Percentage of cancellations before retrieval (%)	25.9	1 / 10	0 / 10	1 / 4	1 / 3
Number of transfers	13	6	4	2	1
Average number of embryos transferred	1.6	1.5	2.0	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	2 / 5	0 / 4		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.9	1 / 10	2 / 10	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	22.2	1 / 10	2 / 10	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	18.5	1 / 10	2 / 10	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	3.7	0 / 10	0 / 10	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.5	1 / 10	2 / 10	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.1	1 / 9	3 / 8	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	70	34	25	5	2
Number of transfers	68	27	24	5	2
Estimated average number of transfers per retrieval	1.9	1.6	1.5	2.5	0.7
Average number of embryos transferred	1.3	1.1	1.3	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	61.8	64.5	41.9	3 / 6	1 / 2
Percentage of transfers resulting in pregnancies (%)	69.1	59.3	50.0	3 / 5	1 / 2
Percentage of transfers resulting in live births (%)	58.8	44.4	33.3	3 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	47.1	33.3	29.2	3 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	11.8	11.1	4.2	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.7	33.3	29.2	3 / 5	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	28	14	15	2	3
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	4	0	
Number of transfers	1	0	4	0	
Average number of embryos transferred	1.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		2 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 1		2 / 4		
Percentage of transfers resulting in live births (%)	1 / 1		1 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 1		1 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		1 / 4		

CURRENT SERVICES & PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ARIZONA CENTER FOR FERTILITY STUDIES
(ACFS)
SCOTTSDALE, ARIZONA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jay S. Nemiro, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	8%	Uterine factor	11%	Multiple Factors: Female factors only 65% Female & male factors 26%
Unstimulated		PGD/PGS	92%	Ovulatory dysfunction	0%	Male factor	26%	
Used gestational carrier	7%			Diminished ovarian reserve	47%	Other factor	90%	
				Endometriosis	10%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 113
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	13	8	8	3
Number of transfers	13	13	8	6	3
Estimated average number of transfers per retrieval	0.9	1.4	0.7	0.9	0.3
Average number of embryos transferred	1.8	1.8	2.1	1.8	1.7
Percentage of embryos transferred resulting in implantation (%)	41.7	41.7	13 / 17	6 / 11	5 / 5
Percentage of transfers resulting in pregnancies (%)	7 / 13	8 / 13	8 / 8	4 / 6	3 / 3
Percentage of transfers resulting in live births (%)	7 / 13	7 / 13	6 / 8	3 / 6	2 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 13	6 / 13	2 / 8	1 / 6	1 / 3
Percentage of transfers resulting in twin live births (%)	3 / 13	1 / 13	4 / 8	2 / 6	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	4 / 13	2 / 8	1 / 6	1 / 3
Number of Egg or Embryo Banking Cycles	14	9	12	7	9
Number of fertility preservation cycles	2	0	0	1	0
Donor Eggs^f	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	13	4	
Number of transfers	0	0	13	4	
Average number of embryos transferred			1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)			66.7	3 / 8	
Percentage of transfers resulting in pregnancies (%)			12 / 13	3 / 4	
Percentage of transfers resulting in live births (%)			10 / 13	3 / 4	
Percentage of transfers resulting in singleton live births (%)			8 / 13	3 / 4	
Percentage of transfers resulting in twin live births (%)			2 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			5 / 13	3 / 4	

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Fertility Studies, (ACFS)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLOOM REPRODUCTIVE INSTITUTE SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Millie A. Behera, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	6%	Uterine factor	11%	Multiple Factors: Female factors only 17% Female & male factors 12%
Unstimulated	3%	PGD/PGS	45%	Ovulatory dysfunction	29%	Male factor	19%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	12%	
				Endometriosis	10%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 485
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	20	22	8	19
Percentage of cancellations before retrieval (%)	0.0	15.0	18.2	5 / 8	5 / 19
Number of transfers	15	11	9	1	6
Average number of embryos transferred	1.5	1.5	1.4	1.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	5 / 12	2 / 8	1 / 4		0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.0	35.0	22.7	0 / 8	2 / 19
Percentage of cycles resulting in live births (%)	30.0	35.0	18.2	0 / 8	1 / 19
Percentage of cycles resulting in singleton live births (%)	25.0	30.0	13.6	0 / 8	0 / 19
Percentage of cycles resulting in twin live births (%)	5.0	5.0	4.5	0 / 8	1 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	25.0	9.1	0 / 8	0 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.8	8 / 17	6 / 13	0 / 1	3 / 14
Percentage of transfers resulting in pregnancies (%)	6 / 15	7 / 11	5 / 9	0 / 1	2 / 6
Percentage of transfers resulting in live births (%)	6 / 15	7 / 11	4 / 9	0 / 1	1 / 6
Percentage of transfers resulting in singleton live births (%)	5 / 15	6 / 11	3 / 9	0 / 1	0 / 6
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 11	1 / 9	0 / 1	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 15	5 / 11	2 / 9	0 / 1	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	84	41	24	9	1
Number of transfers	83	41	22	9	1
Estimated average number of transfers per retrieval	0.8	0.7	0.6	0.4	0.3
Average number of embryos transferred	1.7	1.8	1.5	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	51.4	62.1	40.7	4 / 16	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.1	75.6	59.1	5 / 9	0 / 1
Percentage of transfers resulting in live births (%)	54.2	65.9	36.4	4 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.9	36.6	31.8	4 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	18.1	29.3	4.5	0 / 9	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.9	26.8	22.7	1 / 9	0 / 1
Number of Egg or Embryo Banking Cycles					
	97	52	36	23	4
Number of fertility preservation cycles	14	22	17	14	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	7	15	0	
Number of transfers	3	7	15	0	
Average number of embryos transferred	1.3	1.6	1.7		
Percentage of embryos transferred resulting in implantation (%)	3 / 4	8 / 11	22.7		
Percentage of transfers resulting in pregnancies (%)	2 / 3	5 / 7	7 / 15		
Percentage of transfers resulting in live births (%)	2 / 3	5 / 7	5 / 15		
Percentage of transfers resulting in singleton live births (%)	2 / 3	2 / 7	5 / 15		
Percentage of transfers resulting in twin live births (%)	0 / 3	3 / 7	0 / 15		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 7	1 / 15		

CURRENT SERVICES & PROFILE

Current Name: Bloom Reproductive Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE ARIZONA CENTER SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alan Penzias, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	19%	Uterine factor	7%	Multiple Factors: Female factors only 30% Female & male factors 21%
Unstimulated	4%	PGD/PGS	45%	Ovulatory dysfunction	28%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	64%	Other factor	7%	
				Endometriosis	9%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 215
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	8	9	2	9
Percentage of cancellations before retrieval (%)	0 / 17	3 / 8	2 / 9	2 / 2	4 / 9
Number of transfers	9	1	3	0	2
Average number of embryos transferred	1.1	2.0	2.7		2.5
Percentage of elective single embryo transfers (eSET) (%)	5 / 6	0 / 1	0 / 3		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 17	1 / 8	2 / 9	0 / 2	0 / 9
Percentage of cycles resulting in live births (%)	2 / 17	1 / 8	2 / 9	0 / 2	0 / 9
Percentage of cycles resulting in singleton live births (%)	1 / 17	0 / 8	2 / 9	0 / 2	0 / 9
Percentage of cycles resulting in twin live births (%)	1 / 17	1 / 8	0 / 9	0 / 2	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 17	0 / 8	2 / 9	0 / 2	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 10	2 / 2	2 / 8		0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 9	1 / 1	2 / 3		0 / 2
Percentage of transfers resulting in live births (%)	2 / 9	1 / 1	2 / 3		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 9	0 / 1	2 / 3		0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 1	0 / 3		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	0 / 1	2 / 3		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	26	6	4	0
Number of transfers	47	23	5	4	0
Estimated average number of transfers per retrieval	1.0	0.9	0.3	0.8	0.0
Average number of embryos transferred	1.1	1.1	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	54.9	53.8	5 / 8	1 / 3	
Percentage of transfers resulting in pregnancies (%)	61.7	56.5	3 / 5	2 / 4	
Percentage of transfers resulting in live births (%)	48.9	52.2	2 / 5	1 / 4	
Percentage of transfers resulting in singleton live births (%)	44.7	52.2	2 / 5	1 / 4	
Percentage of transfers resulting in twin live births (%)	4.3	0.0	0 / 5	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.4	47.8	2 / 5	1 / 4	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	21	16	4	3
	2	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	3	0	
Number of transfers	0	0	3	0	
Average number of embryos transferred			1.7		
Percentage of embryos transferred resulting in implantation (%)			5 / 5		
Percentage of transfers resulting in pregnancies (%)			3 / 3		
Percentage of transfers resulting in live births (%)			2 / 3		
Percentage of transfers resulting in singleton live births (%)			0 / 3		
Percentage of transfers resulting in twin live births (%)			2 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 3		

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Arizona Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PHOENIX SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John L. Couvaras, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 8%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	4%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	14%	
				Endometriosis	2%	Unknown factor	33%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 178
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	20	17	8	3
Percentage of cancellations before retrieval (%)	8.6	15.0	3 / 17	0 / 8	0 / 3
Number of transfers	9	7	3	0	1
Average number of embryos transferred	1.7	1.9	2.3		1.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 6	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5.7	5.0	1 / 17	0 / 8	0 / 3
Percentage of cycles resulting in live births (%)	2.9	5.0	1 / 17	0 / 8	0 / 3
Percentage of cycles resulting in singleton live births (%)	0.0	5.0	1 / 17	0 / 8	0 / 3
Percentage of cycles resulting in twin live births (%)	2.9	0.0	0 / 17	0 / 8	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	5.0	1 / 17	0 / 8	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 15	1 / 13	1 / 7		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 9	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in live births (%)	1 / 9	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 9	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 7	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9	1 / 7	1 / 3		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	12	6	3	0
Number of transfers	20	12	6	3	0
Estimated average number of transfers per retrieval	0.7	0.8	0.5	0.6	0.0
Average number of embryos transferred	1.5	1.6	1.5	1.3	
Percentage of embryos transferred resulting in implantation (%)	16.7	6 / 19	4 / 9	1 / 4	
Percentage of transfers resulting in pregnancies (%)	25.0	3 / 12	3 / 6	1 / 3	
Percentage of transfers resulting in live births (%)	25.0	3 / 12	1 / 6	1 / 3	
Percentage of transfers resulting in singleton live births (%)	25.0	0 / 12	0 / 6	1 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	3 / 12	1 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	0 / 12	0 / 6	0 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	8	11	4	4
	2	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	5	0	
Number of transfers	0	0	5	0	
Average number of embryos transferred			1.6		
Percentage of embryos transferred resulting in implantation (%)			3 / 8		
Percentage of transfers resulting in pregnancies (%)			2 / 5		
Percentage of transfers resulting in live births (%)			2 / 5		
Percentage of transfers resulting in singleton live births (%)			1 / 5		
Percentage of transfers resulting in twin live births (%)			1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 5		

CURRENT SERVICES & PROFILE

Current Name: IVF Phoenix

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER, PC TEMPE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by H. Randall Craig, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	5%	Uterine factor	5%	Multiple Factors: Female factors only 7% Female & male factors 5%
Unstimulated	10%	PGD/PGS	11%	Ovulatory dysfunction	12%	Male factor	17%	
Used gestational carrier	1%			Diminished ovarian reserve	48%	Other factor	6%	
				Endometriosis	2%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 538
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	13	19	16	18
Percentage of cancellations before retrieval (%)	6 / 17	6 / 13	11 / 19	8 / 16	8 / 18
Number of transfers	3	1	2	0	1
Average number of embryos transferred	1.7	2.0	2.5		2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 1	0 / 2		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 17	1 / 13	1 / 19	0 / 16	0 / 18
Percentage of cycles resulting in live births (%)	0 / 17	1 / 13	1 / 19	0 / 16	0 / 18
Percentage of cycles resulting in singleton live births (%)	0 / 17	0 / 13	0 / 19	0 / 16	0 / 18
Percentage of cycles resulting in twin live births (%)	0 / 17	1 / 13	0 / 19	0 / 16	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 17	0 / 13	0 / 19	0 / 16	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 3	2 / 2	3 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1	1 / 2		0 / 1
Percentage of transfers resulting in live births (%)	0 / 3	1 / 1	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 1	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 1	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	90	56	42	17	9
Number of transfers	88	50	41	17	9
Estimated average number of transfers per retrieval	1.1	1.0	0.9	1.1	0.8
Average number of embryos transferred	2.0	2.2	2.0	2.2	2.4
Percentage of embryos transferred resulting in implantation (%)	45.3	38.2	31.7	21.1	1 / 18
Percentage of transfers resulting in pregnancies (%)	65.9	66.0	58.5	7 / 17	2 / 9
Percentage of transfers resulting in live births (%)	59.1	48.0	34.1	5 / 17	1 / 9
Percentage of transfers resulting in singleton live births (%)	37.5	32.0	26.8	5 / 17	1 / 9
Percentage of transfers resulting in twin live births (%)	21.6	16.0	7.3	0 / 17	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	28.0	24.4	4 / 17	1 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	68	46	44	13	11
	1	4	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	21	38	
Number of transfers	0	0	19	37	
Average number of embryos transferred			1.9	2.1	
Percentage of embryos transferred resulting in implantation (%)			47.1	44.3	
Percentage of transfers resulting in pregnancies (%)			12 / 19	64.9	
Percentage of transfers resulting in live births (%)			11 / 19	51.4	
Percentage of transfers resulting in singleton live births (%)			8 / 19	35.1	
Percentage of transfers resulting in twin live births (%)			3 / 19	13.5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			7 / 19	27.0	

CURRENT SERVICES & PROFILE

Current Name: Fertility Treatment Center, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Timothy J. Gelety, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	36%	Tubal factor	19%	Uterine factor	7%	Multiple Factors: Female factors only 12% Female & male factors 14%
Unstimulated	<1%	PGD/PGS	5%	Ovulatory dysfunction	19%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	12%	
				Endometriosis	17%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 258
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	27	24	9	8
Percentage of cancellations before retrieval (%)	1.6	3.7	8.3	0 / 9	1 / 8
Number of transfers	56	24	20	7	7
Average number of embryos transferred	1.9	2.4	2.6	2.7	1.9
Percentage of elective single embryo transfers (eSET) (%)	2.0	0.0	0 / 18	0 / 6	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.7	33.3	12.5	1 / 9	2 / 8
Percentage of cycles resulting in live births (%)	47.5	22.2	8.3	1 / 9	1 / 8
Percentage of cycles resulting in singleton live births (%)	34.4	14.8	4.2	1 / 9	1 / 8
Percentage of cycles resulting in twin live births (%)	11.5	7.4	4.2	0 / 9	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	32.8	14.8	4.2	1 / 9	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.6	21.8	7.7	2 / 19	2 / 13
Percentage of transfers resulting in pregnancies (%)	60.7	37.5	15.0	1 / 7	2 / 7
Percentage of transfers resulting in live births (%)	51.8	25.0	10.0	1 / 7	1 / 7
Percentage of transfers resulting in singleton live births (%)	37.5	16.7	5.0	1 / 7	1 / 7
Percentage of transfers resulting in twin live births (%)	12.5	8.3	5.0	0 / 7	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.7	16.7	5.0	1 / 7	1 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	28	10	1	3
Number of transfers	56	25	10	1	3
Estimated average number of transfers per retrieval	2.4	1.9	1.7		1.5
Average number of embryos transferred	2.1	2.4	2.5	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)	21.2	23.3	20.0	0 / 2	2 / 7
Percentage of transfers resulting in pregnancies (%)	39.3	44.0	5 / 10	0 / 1	2 / 3
Percentage of transfers resulting in live births (%)	33.9	32.0	5 / 10	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.4	24.0	5 / 10	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	3.6	4.0	0 / 10	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	20.0	5 / 10	0 / 1	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	3	3	0	2
	2	1	3	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	7	0	
Number of transfers	5	0	7	0	
Average number of embryos transferred	2.0		2.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 10		3 / 16		
Percentage of transfers resulting in pregnancies (%)	4 / 5		2 / 7		
Percentage of transfers resulting in live births (%)	4 / 5		1 / 7		
Percentage of transfers resulting in singleton live births (%)	2 / 5		0 / 7		
Percentage of transfers resulting in twin live births (%)	2 / 5		1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH CENTER TUCSON, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Scot M. Hutchison, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	93%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 14%
Unstimulated	0%	PGD/PGS	57%	Ovulatory dysfunction	16%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	4%	
				Endometriosis	7%	Unknown factor	32%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 229
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	49	21	15	9	4
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 15	0 / 9	0 / 4
Number of transfers	3	5	0	0	0
Average number of embryos transferred	1.0	1.8			
Percentage of elective single embryo transfers (eSET) (%)	2 / 2	1 / 4			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2.0	19.0	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	2.0	14.3	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	2.0	9.5	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	4.8	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2.0	4.8	0 / 15	0 / 9	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 3	5 / 9			
Percentage of transfers resulting in pregnancies (%)	1 / 3	4 / 5			
Percentage of transfers resulting in live births (%)	1 / 3	3 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	1 / 5			
Frozen Embryos from Nondonor Eggs					
Number of cycles	60	17	14	3	1
Number of transfers	58	17	14	3	1
Estimated average number of transfers per retrieval	2.0	1.4	2.0	1.5	
Average number of embryos transferred	1.1	1.2	1.1	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.6	3 / 18	4 / 13	1 / 6	1 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 17	5 / 14	1 / 3	1 / 1
Percentage of transfers resulting in live births (%)	37.9	1 / 17	3 / 14	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	37.9	1 / 17	2 / 14	1 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 17	1 / 14	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.5	1 / 17	2 / 14	1 / 3	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	1	0	0	0
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	9	12	8	
Number of transfers	1	7	12	8	
Average number of embryos transferred	2.0	1.1	1.1	1.3	
Percentage of embryos transferred resulting in implantation (%)		2 / 8	6 / 13	4 / 9	
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 7	6 / 12	5 / 8	
Percentage of transfers resulting in live births (%)	0 / 1	1 / 7	6 / 12	4 / 8	
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 7	6 / 12	4 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 7	0 / 12	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 7	6 / 12	1 / 8	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIVERE ARIZONA REPRODUCTIVE INSTITUTE TUCSON, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christine W. Mansfield, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	5%	Uterine factor	<1%	Multiple Factors: Female factors only 10% Female & male factors 12%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	15%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	24%	
				Endometriosis	8%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 321
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	68	42	14	5	11
Percentage of cancellations before retrieval (%)	1.5	4.8	2 / 14	0 / 5	1 / 11
Number of transfers	35	28	4	2	2
Average number of embryos transferred	1.9	2.0	2.8	3.5	1.5
Percentage of elective single embryo transfers (eSET) (%)	9.1	4.2	0 / 4	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.5	23.8	1 / 14	1 / 5	0 / 11
Percentage of cycles resulting in live births (%)	17.6	16.7	0 / 14	0 / 5	0 / 11
Percentage of cycles resulting in singleton live births (%)	16.2	16.7	0 / 14	0 / 5	0 / 11
Percentage of cycles resulting in twin live births (%)	1.5	0.0	0 / 14	0 / 5	0 / 11
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.2	9.5	0 / 14	0 / 5	0 / 11
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.8	14.8	0 / 9	0 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	45.7	35.7	1 / 4	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)	34.3	25.0	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.4	25.0	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	2.9	0.0	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.7	14.3	0 / 4	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	67	26	15	5	2
Number of transfers	67	26	15	5	2
Estimated average number of transfers per retrieval	1.2	1.1	0.8	0.5	0.2
Average number of embryos transferred	1.8	1.7	2.1	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	45.1	30.8	23.3	1 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	65.7	50.0	5 / 15	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	53.7	38.5	3 / 15	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	40.3	34.6	1 / 15	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	13.4	3.8	2 / 15	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	15.4	1 / 15	1 / 5	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	11	10	7	10
	6	3	3	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	2	2	0	
Number of transfers	3	2	2	0	
Average number of embryos transferred	2.0	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 2	0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 2	0 / 2		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Arizona Reproductive Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKANSAS FERTILITY CENTER LITTLE ROCK, ARKANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Dean M. Moutos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	23%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 15%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	17%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	4%	
				Endometriosis	13%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 293
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	103	45	16	4	1
Percentage of cancellations before retrieval (%)	6.8	11.1	3 / 16	1 / 4	0 / 1
Number of transfers	79	36	11	3	1
Average number of embryos transferred	1.7	1.9	2.0	1.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	29.2	10.3	0 / 8	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.6	31.1	7 / 16	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	37.9	24.4	5 / 16	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.2	17.8	4 / 16	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	9.7	4.4	1 / 16	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.2	11.1	3 / 16	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.0	25.0	33.3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	59.5	38.9	7 / 11	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	49.4	30.6	5 / 11	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.7	22.2	4 / 11	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	12.7	5.6	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	13.9	3 / 11	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	25	12	3	0
Number of transfers	54	22	8	3	0
Estimated average number of transfers per retrieval	1.7	2.2	2.7	1.5	
Average number of embryos transferred	1.4	1.6	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)	18.2	29.0	1 / 11	2 / 4	
Percentage of transfers resulting in pregnancies (%)	20.4	45.5	1 / 8	2 / 3	
Percentage of transfers resulting in live births (%)	20.4	27.3	1 / 8	2 / 3	
Percentage of transfers resulting in singleton live births (%)	16.7	18.2	1 / 8	2 / 3	
Percentage of transfers resulting in twin live births (%)	3.7	9.1	0 / 8	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	14.8	18.2	1 / 8	2 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	1	3	2	0
	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	1	3	2	
Number of transfers	7	1	3	2	
Average number of embryos transferred	1.3	1.0	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	7 / 9	1 / 1	1 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	6 / 7	1 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 7	1 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 7	1 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 1	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	1 / 1	1 / 3	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Arkansas Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Anita P. Singh, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	15%	Tubal factor	15%	Uterine factor	23%	Multiple Factors: Female factors only 31% Female & male factors 15%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	15%	Male factor	54%	
Used gestational carrier	8%			Diminished ovarian reserve	39%	Other factor	8%	
				Endometriosis	8%	Unknown factor	0%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 21 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		1	0	2	0	2
Percentage of cancellations before retrieval (%)		0 / 1		1 / 2		0 / 2
Number of transfers		1	0	1	0	2
Average number of embryos transferred		2.0		2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)		0 / 1		0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		1 / 1		1 / 2		0 / 2
Percentage of cycles resulting in live births (%)		1 / 1		1 / 2		0 / 2
Percentage of cycles resulting in singleton live births (%)		1 / 1		1 / 2		0 / 2
Percentage of cycles resulting in twin live births (%)		0 / 1		0 / 2		0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 1		1 / 2		0 / 2
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		1 / 2		1 / 2		0 / 4
Percentage of transfers resulting in pregnancies (%)		1 / 1		1 / 1		0 / 2
Percentage of transfers resulting in live births (%)		1 / 1		1 / 1		0 / 2
Percentage of transfers resulting in singleton live births (%)		1 / 1		1 / 1		0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 1		0 / 1		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1		1 / 1		0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles		3	2	0	0	0
Number of transfers		3	2	0	0	0
Estimated average number of transfers per retrieval		1.5	2.0	0.0	0.0	0.0
Average number of embryos transferred		1.0	1.0			
Percentage of embryos transferred resulting in implantation (%)		2 / 3	2 / 2			
Percentage of transfers resulting in pregnancies (%)		2 / 3	2 / 2			
Percentage of transfers resulting in live births (%)		2 / 3	2 / 2			
Percentage of transfers resulting in singleton live births (%)		2 / 3	2 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 3	1 / 2			
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		2	1	2	1	2
		0	1	2	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		1	0	1	1	
Number of transfers		1	0	1	1	
Average number of embryos transferred		2.0		1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)				0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)		1 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1		0 / 1	0 / 1	

CURRENT SERVICES & PROFILE		Current Name: LifeStart Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ryszard J. Chetkowski, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	7%	Uterine factor	13%	Multiple Factors: Female factors only 11% Female & male factors 7%
Unstimulated	0%	PGD/PGS	38%	Ovulatory dysfunction	2%	Male factor	11%	
Used gestational carrier	18%			Diminished ovarian reserve	24%	Other factor	51%	
				Endometriosis	11%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 63
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	0	5	2	0
Percentage of cancellations before retrieval (%)	1 / 2		2 / 5	1 / 2	
Number of transfers	0	0	3	0	0
Average number of embryos transferred			1.3		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 5	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			0 / 4		
Percentage of transfers resulting in pregnancies (%)			0 / 3		
Percentage of transfers resulting in live births (%)			0 / 3		
Percentage of transfers resulting in singleton live births (%)			0 / 3		
Percentage of transfers resulting in twin live births (%)			0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	6	1	0	2
Number of transfers	9	6	1	0	2
Estimated average number of transfers per retrieval	1.1	1.5	0.3	0.0	1.0
Average number of embryos transferred	1.4	1.3	1.0		1.5
Percentage of embryos transferred resulting in implantation (%)	5 / 13	3 / 7	1 / 1		2 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 9	3 / 6	1 / 1		2 / 2
Percentage of transfers resulting in live births (%)	5 / 9	3 / 6	1 / 1		2 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 9	3 / 6	1 / 1		2 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 6	0 / 1		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 9	3 / 6	1 / 1		2 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	4	4	2	2
	1	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	17	0	
Number of transfers	1	0	15	0	
Average number of embryos transferred	2.0		1.4		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		12 / 19		
Percentage of transfers resulting in pregnancies (%)	0 / 1		10 / 15		
Percentage of transfers resulting in live births (%)	0 / 1		7 / 15		
Percentage of transfers resulting in singleton live births (%)	0 / 1		6 / 15		
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 15		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		6 / 15		

CURRENT SERVICES & PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY
(CRH&G)
BEVERLY HILLS, CALIFORNIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Sam Najmabadi, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 24% Female & male factors 22%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	0%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	46%	
				Endometriosis	2%	Unknown factor	2%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 104 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		7	5	8	3	4
Percentage of cancellations before retrieval (%)		1 / 7	0 / 5	2 / 8	0 / 3	1 / 4
Number of transfers		5	5	6	3	3
Average number of embryos transferred		1.8	2.0	1.8	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)		1 / 5	0 / 5	1 / 6	1 / 3	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		4 / 7	4 / 5	4 / 8	1 / 3	2 / 4
Percentage of cycles resulting in live births (%)		3 / 7	3 / 5	4 / 8	1 / 3	1 / 4
Percentage of cycles resulting in singleton live births (%)		1 / 7	2 / 5	3 / 8	1 / 3	1 / 4
Percentage of cycles resulting in twin live births (%)		2 / 7	1 / 5	1 / 8	0 / 3	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		1 / 7	2 / 5	2 / 8	0 / 3	1 / 4
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		6 / 9	5 / 10	5 / 11	1 / 6	1 / 5
Percentage of transfers resulting in pregnancies (%)		4 / 5	4 / 5	4 / 6	1 / 3	2 / 3
Percentage of transfers resulting in live births (%)		3 / 5	3 / 5	4 / 6	1 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)		1 / 5	2 / 5	3 / 6	1 / 3	1 / 3
Percentage of transfers resulting in twin live births (%)		2 / 5	1 / 5	1 / 6	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 5	2 / 5	2 / 6	0 / 3	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles		5	6	2	0	1
Number of transfers		5	6	2	0	0
Estimated average number of transfers per retrieval		0.5	1.0	0.1	0.0	0.0
Average number of embryos transferred		1.6	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)		4 / 8	4 / 9	3 / 3		
Percentage of transfers resulting in pregnancies (%)		3 / 5	3 / 6	2 / 2		
Percentage of transfers resulting in live births (%)		3 / 5	3 / 6	2 / 2		
Percentage of transfers resulting in singleton live births (%)		2 / 5	2 / 6	1 / 2		
Percentage of transfers resulting in twin live births (%)		1 / 5	1 / 6	1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 5	2 / 6	1 / 2		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		10	6	15	8	10
		10	6	13	8	7
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		6	0	6	2	
Number of transfers		6	0	5	2	
Average number of embryos transferred		1.8		1.6	2.5	
Percentage of embryos transferred resulting in implantation (%)		4 / 11		4 / 8	2 / 5	
Percentage of transfers resulting in pregnancies (%)		4 / 6		3 / 5	2 / 2	
Percentage of transfers resulting in live births (%)		3 / 6		3 / 5	2 / 2	
Percentage of transfers resulting in singleton live births (%)		3 / 6		2 / 5	2 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 6		1 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 6		2 / 5	2 / 2	

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Health & Gynecology, (CRH&G)					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark W. Surrey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	2%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 7%
Unstimulated	0%	PGD/PGS	70%	Ovulatory dysfunction	4%	Male factor	11%	
Used gestational carrier	7%			Diminished ovarian reserve	7%	Other factor	74%	
				Endometriosis	2%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,183
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	8	14	13	16
Percentage of cancellations before retrieval (%)	0 / 13	0 / 8	1 / 14	0 / 13	0 / 16
Number of transfers	8	2	2	1	1
Average number of embryos transferred	1.4	1.0	2.0	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 8	1 / 1	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 13	0 / 8	2 / 14	1 / 13	0 / 16
Percentage of cycles resulting in live births (%)	3 / 13	0 / 8	0 / 14	1 / 13	0 / 16
Percentage of cycles resulting in singleton live births (%)	3 / 13	0 / 8	0 / 14	1 / 13	0 / 16
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 8	0 / 14	0 / 13	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 13	0 / 8	0 / 14	1 / 13	0 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 11	0 / 2	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 2	2 / 2	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 8	0 / 2	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 2	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	0 / 2	0 / 2	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	150	59	69	30	24
Number of transfers	149	59	68	29	24
Estimated average number of transfers per retrieval	0.7	0.4	0.4	0.3	0.3
Average number of embryos transferred	1.2	1.3	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	59.6	55.4	46.8	51.5	31.0
Percentage of transfers resulting in pregnancies (%)	60.4	61.0	57.4	62.1	41.7
Percentage of transfers resulting in live births (%)	55.7	57.6	47.1	58.6	37.5
Percentage of transfers resulting in singleton live births (%)	44.3	50.8	45.6	58.6	37.5
Percentage of transfers resulting in twin live births (%)	11.4	6.8	1.5	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.3	47.5	41.2	51.7	25.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	216	167	190	96	80
	115	110	128	56	53
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	33	0	
Number of transfers	5	0	33	0	
Average number of embryos transferred	1.2		1.4		
Percentage of embryos transferred resulting in implantation (%)	3 / 6		38.1		
Percentage of transfers resulting in pregnancies (%)	2 / 5		51.5		
Percentage of transfers resulting in live births (%)	1 / 5		39.4		
Percentage of transfers resulting in singleton live births (%)	0 / 5		36.4		
Percentage of transfers resulting in twin live births (%)	1 / 5		3.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5		24.2		

CURRENT SERVICES & PROFILE

Current Name: Southern California Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Changnin T. Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	>99%	Tubal factor	11%	Uterine factor	5%	Multiple Factors: Female factors only 51% Female & male factors 25%
Unstimulated	0%	PGD/PGS	77%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	13%			Diminished ovarian reserve	28%	Other factor	94%	
				Endometriosis	4%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 219
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	1
Percentage of cancellations before retrieval (%)					0 / 1
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					0 / 1
Percentage of cycles resulting in live births (%)					0 / 1
Percentage of cycles resulting in singleton live births (%)					0 / 1
Percentage of cycles resulting in twin live births (%)					0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	19	16	13	9
Number of transfers	33	19	15	12	8
Estimated average number of transfers per retrieval	1.2	1.0	0.6	0.7	0.3
Average number of embryos transferred	1.3	1.3	1.4	1.1	1.8
Percentage of embryos transferred resulting in implantation (%)	59.1	83.3	50.0	5 / 12	3 / 10
Percentage of transfers resulting in pregnancies (%)	63.6	16 / 19	8 / 15	6 / 12	4 / 8
Percentage of transfers resulting in live births (%)	51.5	15 / 19	7 / 15	5 / 12	3 / 8
Percentage of transfers resulting in singleton live births (%)	39.4	12 / 19	4 / 15	5 / 12	3 / 8
Percentage of transfers resulting in twin live births (%)	12.1	3 / 19	3 / 15	0 / 12	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.4	9 / 19	3 / 15	2 / 12	3 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	20	27	17	23
	0	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	11	2	
Number of transfers	1	0	11	1	
Average number of embryos transferred	1.0		1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		8 / 11	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1		9 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		6 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		5 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		3 / 11	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility Care of Orange County

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL CALIFORNIA IVF PROGRAM WOMEN'S SPECIALTY AND FERTILITY CENTER CLOVIS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by H. Michael Synn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	19%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 15%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	16%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	44%	Other factor	<1%	
				Endometriosis	3%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 303
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	72	39	24	8	6
Percentage of cancellations before retrieval (%)	4.2	10.3	12.5	2 / 8	1 / 6
Number of transfers	64	34	21	6	4
Average number of embryos transferred	1.8	2.0	2.3	1.7	1.8
Percentage of elective single embryo transfers (eSET) (%)	16.7	3.3	1 / 19	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.8	35.9	29.2	1 / 8	0 / 6
Percentage of cycles resulting in live births (%)	37.5	28.2	16.7	0 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	29.2	25.6	16.7	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	8.3	2.6	0.0	0 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.0	20.5	12.5	0 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.3	19.7	14.0	0 / 9	0 / 7
Percentage of transfers resulting in pregnancies (%)	51.6	41.2	33.3	1 / 6	0 / 4
Percentage of transfers resulting in live births (%)	42.2	32.4	19.0	0 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	32.8	29.4	19.0	0 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	9.4	2.9	0.0	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.1	23.5	14.3	0 / 6	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	22	19	6	2
Number of transfers	45	21	17	3	1
Estimated average number of transfers per retrieval	2.1	1.6	2.1	3.0	
Average number of embryos transferred	1.6	1.6	1.7	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	31.7	28.6	23.1	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	51.1	42.9	8 / 17	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	35.6	28.6	5 / 17	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.9	23.8	5 / 17	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	6.7	4.8	0 / 17	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.4	23.8	5 / 17	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	4	4	1	0
	1	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	7	14	0	
Number of transfers	7	7	11	0	
Average number of embryos transferred	1.7	1.9	1.6		
Percentage of embryos transferred resulting in implantation (%)	4 / 12	4 / 13	4 / 18		
Percentage of transfers resulting in pregnancies (%)	3 / 7	3 / 7	3 / 11		
Percentage of transfers resulting in live births (%)	2 / 7	3 / 7	2 / 11		
Percentage of transfers resulting in singleton live births (%)	2 / 7	2 / 7	1 / 11		
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 7	1 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7	2 / 7	0 / 11		

CURRENT SERVICES & PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA IVF FERTILITY CENTER DAVIS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Ernest J. Zeringue, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	34%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 24% Female & male factors 22%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	11%	Male factor	34%	
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	53%	
				Endometriosis	5%	Unknown factor	6%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 715 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)
---------------------------------------	--

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	9	9	8	6
Percentage of cancellations before retrieval (%)	0 / 17	1 / 9	1 / 9	2 / 8	1 / 6
Number of transfers	15	5	6	5	3
Average number of embryos transferred	1.7	1.6	1.7	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 13	0 / 3	0 / 4	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 17	0 / 9	2 / 9	3 / 8	0 / 6
Percentage of cycles resulting in live births (%)	5 / 17	0 / 9	0 / 9	2 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	3 / 17	0 / 9	0 / 9	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	2 / 17	0 / 9	0 / 9	2 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 17	0 / 9	0 / 9	0 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	0 / 8	1 / 8	5 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 15	0 / 5	2 / 6	3 / 5	0 / 3
Percentage of transfers resulting in live births (%)	5 / 15	0 / 5	0 / 6	2 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 15	0 / 5	0 / 6	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 15	0 / 5	0 / 6	2 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15	0 / 5	0 / 6	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	93	60	37	9	5
Number of transfers	91	59	37	9	5
Estimated average number of transfers per retrieval	1.2	1.0	1.2	0.5	0.3
Average number of embryos transferred	1.7	1.7	1.7	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	46.5	47.9	36.8	5 / 19	2 / 10
Percentage of transfers resulting in pregnancies (%)	54.9	69.5	59.5	5 / 9	1 / 5
Percentage of transfers resulting in live births (%)	45.1	54.2	48.6	4 / 9	0 / 5
Percentage of transfers resulting in singleton live births (%)	26.4	45.8	43.2	4 / 9	0 / 5
Percentage of transfers resulting in twin live births (%)	18.7	8.5	5.4	0 / 9	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.9	37.3	32.4	3 / 9	0 / 5
Number of Egg or Embryo Banking Cycles					
	69	54	27	18	15
Number of fertility preservation cycles	9	11	5	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	64	0	207	5	
Number of transfers	64	0	206	5	
Average number of embryos transferred	1.7		1.6	1.4	
Percentage of embryos transferred resulting in implantation (%)	54.8		44.9	0 / 7	
Percentage of transfers resulting in pregnancies (%)	67.2		61.7	0 / 5	
Percentage of transfers resulting in live births (%)	56.3		45.6	0 / 5	
Percentage of transfers resulting in singleton live births (%)	34.4		35.0	0 / 5	
Percentage of transfers resulting in twin live births (%)	21.9		10.7	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3		27.7	0 / 5	

CURRENT SERVICES & PROFILE		Current Name: California IVF Fertility Center	
----------------------------	--	---	--

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lori L. Arnold, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	4%	Uterine factor	17%	Multiple Factors: Female factors only 10% Female & male factors 6%
Unstimulated	0%	PGD/PGS	72%	Ovulatory dysfunction	10%	Male factor	9%	
Used gestational carrier	56%			Diminished ovarian reserve	14%	Other factor	52%	
				Endometriosis	1%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 120
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	2	0	0
Percentage of cancellations before retrieval (%)	0 / 1		1 / 2		
Number of transfers	1	0	1	0	0
Average number of embryos transferred	2.0		2.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1		1 / 2		
Percentage of cycles resulting in live births (%)	0 / 1		1 / 2		
Percentage of cycles resulting in singleton live births (%)	0 / 1		1 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 2		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 2		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 2		1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	7	6	0	1
Number of transfers	17	7	6	0	1
Estimated average number of transfers per retrieval	1.1	0.7	0.7	0.0	0.1
Average number of embryos transferred	1.2	1.4	1.0		1.0
Percentage of embryos transferred resulting in implantation (%)	52.4	5 / 10	5 / 6		0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 17	5 / 7	4 / 6		0 / 1
Percentage of transfers resulting in live births (%)	8 / 17	5 / 7	3 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 17	5 / 7	2 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 7	1 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 17	4 / 7	0 / 6		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	10	9	6	8
	1	0	1	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	35	0	
Number of transfers	2	0	34	0	
Average number of embryos transferred	1.5		1.4		
Percentage of embryos transferred resulting in implantation (%)	2 / 3		75.5		
Percentage of transfers resulting in pregnancies (%)	2 / 2		79.4		
Percentage of transfers resulting in live births (%)	2 / 2		70.6		
Percentage of transfers resulting in singleton live births (%)	2 / 2		44.1		
Percentage of transfers resulting in twin live births (%)	0 / 2		26.5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		32.4		

CURRENT SERVICES & PROFILE

Current Name: California Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey Steinberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	67%	Ovulatory dysfunction	1%	Male factor	3%	
Used gestational carrier	13%			Diminished ovarian reserve	3%	Other factor	95%	
				Endometriosis	<1%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 213
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	30	22	2	2
Percentage of cancellations before retrieval (%)	5.7	0.0	4.5	0 / 2	0 / 2
Number of transfers	30	29	16	1	2
Average number of embryos transferred	1.5	1.6	1.3	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	31.8	36.4	2 / 7		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.0	30.0	36.4	1 / 2	1 / 2
Percentage of cycles resulting in live births (%)	17.1	30.0	36.4	1 / 2	1 / 2
Percentage of cycles resulting in singleton live births (%)	8.6	26.7	27.3	1 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	8.6	3.3	9.1	0 / 2	1 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.6	16.7	22.7	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.2	22.2	47.6	1 / 1	2 / 4
Percentage of transfers resulting in pregnancies (%)	23.3	31.0	8 / 16	1 / 1	1 / 2
Percentage of transfers resulting in live births (%)	20.0	31.0	8 / 16	1 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	10.0	27.6	6 / 16	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	10.0	3.4	2 / 16	0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	10.0	17.2	5 / 16	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	4	11	3	1
Number of transfers	15	4	11	3	1
Estimated average number of transfers per retrieval	0.8	0.2	0.4	0.8	0.1
Average number of embryos transferred	1.5	1.0	1.5	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	13.6	3 / 4	2 / 17	2 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 15	3 / 4	2 / 11	2 / 3	0 / 1
Percentage of transfers resulting in live births (%)	0 / 15	2 / 4	1 / 11	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 15	2 / 4	1 / 11	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 4	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 15	2 / 4	1 / 11	2 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	16	30	3	9
	7	6	11	2	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	1	7	0	
Number of transfers	7	1	6	0	
Average number of embryos transferred	1.7	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 12	0 / 2	2 / 9		
Percentage of transfers resulting in pregnancies (%)	5 / 7	0 / 1	2 / 6		
Percentage of transfers resulting in live births (%)	4 / 7	0 / 1	2 / 6		
Percentage of transfers resulting in singleton live births (%)	4 / 7	0 / 1	2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 1	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	0 / 1	1 / 6		

CURRENT SERVICES & PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael A. Feinman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	79%	Tubal factor	2%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 4%
Unstimulated	0%	PGD/PGS	57%	Ovulatory dysfunction	3%	Male factor	11%	
Used gestational carrier	9%			Diminished ovarian reserve	29%	Other factor	44%	
				Endometriosis	2%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,024
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	105	80	79	44	38
Percentage of cancellations before retrieval (%)	0.0	1.3	7.6	6.8	13.2
Number of transfers	64	37	34	20	10
Average number of embryos transferred	1.6	1.7	2.0	2.3	2.2
Percentage of elective single embryo transfers (eSET) (%)	44.1	37.5	12.5	2 / 15	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.7	21.3	24.1	9.1	5.3
Percentage of cycles resulting in live births (%)	37.1	20.0	20.3	6.8	2.6
Percentage of cycles resulting in singleton live births (%)	28.6	15.0	16.5	6.8	2.6
Percentage of cycles resulting in twin live births (%)	8.6	5.0	2.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.7	12.5	12.7	6.8	2.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.9	33.3	33.9	6.8	4.8
Percentage of transfers resulting in pregnancies (%)	75.0	45.9	55.9	20.0	2 / 10
Percentage of transfers resulting in live births (%)	60.9	43.2	47.1	15.0	1 / 10
Percentage of transfers resulting in singleton live births (%)	46.9	32.4	38.2	15.0	1 / 10
Percentage of transfers resulting in twin live births (%)	14.1	10.8	5.9	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.8	27.0	29.4	15.0	1 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	87	80	72	30	23
Number of transfers	84	77	66	28	18
Estimated average number of transfers per retrieval	1.2	1.0	1.0	0.8	0.4
Average number of embryos transferred	1.6	1.5	1.6	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	62.4	54.4	50.0	21.6	40.7
Percentage of transfers resulting in pregnancies (%)	76.2	71.4	74.2	35.7	10 / 18
Percentage of transfers resulting in live births (%)	70.2	57.1	60.6	25.0	9 / 18
Percentage of transfers resulting in singleton live births (%)	48.8	42.9	51.5	21.4	8 / 18
Percentage of transfers resulting in twin live births (%)	21.4	14.3	9.1	3.6	1 / 18
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9	40.3	40.9	21.4	8 / 18
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	23	39	40	27	41
	1	9	10	3	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	100	4	107	3	
Number of transfers	60	4	106	3	
Average number of embryos transferred	1.5	1.3	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	55.3	3 / 5	56.3	2 / 3	
Percentage of transfers resulting in pregnancies (%)	73.3	3 / 4	69.8	2 / 3	
Percentage of transfers resulting in live births (%)	63.3	3 / 4	61.3	2 / 3	
Percentage of transfers resulting in singleton live births (%)	51.7	3 / 4	49.1	2 / 3	
Percentage of transfers resulting in twin live births (%)	11.7	0 / 4	12.3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.7	3 / 4	41.5	2 / 3	

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Encino

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOS ANGELES REPRODUCTIVE CENTER (LARC) ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nurit Winkler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	8%	Uterine factor	6%	Multiple Factors: Female factors only 28% Female & male factors 23%
Unstimulated	17%	PGD/PGS	59%	Ovulatory dysfunction	15%	Male factor	26%	
Used gestational carrier	15%			Diminished ovarian reserve	38%	Other factor	57%	
				Endometriosis	4%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 128
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	0	1	0
Percentage of cancellations before retrieval (%)		0 / 1		0 / 1	
Number of transfers	0	1	0	0	0
Average number of embryos transferred		1.0			
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		0 / 1		0 / 1	
Percentage of cycles resulting in live births (%)		0 / 1		0 / 1	
Percentage of cycles resulting in singleton live births (%)		0 / 1		0 / 1	
Percentage of cycles resulting in twin live births (%)		0 / 1		0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 1		0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 1			
Percentage of transfers resulting in pregnancies (%)		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	8	13	3	5
Number of transfers	14	7	12	3	4
Estimated average number of transfers per retrieval	0.7	0.4	0.5	0.8	0.3
Average number of embryos transferred	1.4	1.4	1.3	1.0	1.8
Percentage of embryos transferred resulting in implantation (%)	50.0	4 / 8	7 / 13	1 / 3	4 / 7
Percentage of transfers resulting in pregnancies (%)	9 / 14	6 / 7	6 / 12	1 / 3	2 / 4
Percentage of transfers resulting in live births (%)	9 / 14	4 / 7	3 / 12	1 / 3	2 / 4
Percentage of transfers resulting in singleton live births (%)	8 / 14	4 / 7	2 / 12	1 / 3	1 / 4
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 7	1 / 12	0 / 3	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14	3 / 7	2 / 12	1 / 3	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	18	22	4	12
	3	5	8	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	3	0	
Number of transfers	3	0	2	0	
Average number of embryos transferred	1.3		2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4		1 / 4		
Percentage of transfers resulting in pregnancies (%)	3 / 3		1 / 2		
Percentage of transfers resulting in live births (%)	2 / 3		1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 3		1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Los Angeles Reproductive Center (LARC)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTERN FERTILITY INSTITUTE ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ashim V. Kumar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	<1%	Uterine factor	<1%	Multiple Factors: Female factors only 24% Female & male factors 3%
Unstimulated	11%	PGD/PGS	94%	Ovulatory dysfunction	0%	Male factor	3%	
Used gestational carrier	56%			Diminished ovarian reserve	2%	Other factor	69%	
				Endometriosis	2%	Unknown factor	53%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 383
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	2	1	2	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 2	0 / 1	0 / 2	
Number of transfers	1	1	0	0	0
Average number of embryos transferred	1.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 2	1 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	1 / 2	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 2	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 2	0 / 2	0 / 1	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	27	18	11	5
Number of transfers	38	25	16	11	5
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.3	0.1
Average number of embryos transferred	1.4	1.1	1.1	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	75.0	85.2	11 / 18	8 / 13	5 / 7
Percentage of transfers resulting in pregnancies (%)	84.2	88.0	10 / 16	7 / 11	4 / 5
Percentage of transfers resulting in live births (%)	73.7	68.0	10 / 16	5 / 11	4 / 5
Percentage of transfers resulting in singleton live births (%)	52.6	60.0	9 / 16	3 / 11	3 / 5
Percentage of transfers resulting in twin live births (%)	21.1	8.0	1 / 16	2 / 11	1 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.7	44.0	7 / 16	3 / 11	2 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	34	29	25	38	38
	0	1	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	108	0	
Number of transfers	1	0	105	0	
Average number of embryos transferred	1.0		1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		72.3		
Percentage of transfers resulting in pregnancies (%)	1 / 1		80.0		
Percentage of transfers resulting in live births (%)	1 / 1		60.0		
Percentage of transfers resulting in singleton live births (%)	1 / 1		44.8		
Percentage of transfers resulting in twin live births (%)	0 / 1		15.2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		28.6		

CURRENT SERVICES & PROFILE

Current Name: Western Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christo G. Zouves, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	6%	Uterine factor	7%	Multiple Factors: Female factors only 4% Female & male factors 16%
Unstimulated		PGD/PGS	90%	Ovulatory dysfunction	25%	Male factor	34%	
Used gestational carrier	14%			Diminished ovarian reserve	29%	Other factor	10%	
				Endometriosis	10%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 806
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	91	74	57	21	15
Number of transfers	90	71	53	20	14
Estimated average number of transfers per retrieval	0.7	0.7	0.4	0.3	0.2
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	45.7	44.4	52.7	8 / 19	7 / 17
Percentage of transfers resulting in pregnancies (%)	46.7	49.3	56.6	45.0	7 / 14
Percentage of transfers resulting in live births (%)	36.7	40.8	52.8	25.0	6 / 14
Percentage of transfers resulting in singleton live births (%)	34.4	39.4	52.8	25.0	6 / 14
Percentage of transfers resulting in twin live births (%)	2.2	1.4	0.0	0.0	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	35.2	49.1	20.0	6 / 14
Number of Egg or Embryo Banking Cycles	125	96	128	66	58
Number of fertility preservation cycles	18	20	18	9	4
Donor Eggs^f	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	10	65	0	
Number of transfers	0	10	63	0	
Average number of embryos transferred		1.8	1.3		
Percentage of embryos transferred resulting in implantation (%)		11 / 18	38.0		
Percentage of transfers resulting in pregnancies (%)		7 / 10	42.9		
Percentage of transfers resulting in live births (%)		5 / 10	33.3		
Percentage of transfers resulting in singleton live births (%)		3 / 10	27.0		
Percentage of transfers resulting in twin live births (%)		2 / 10	6.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 10	20.6		

CURRENT SERVICES & PROFILE

Current Name: Zouves Fertility Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTER FOUNTAIN VALLEY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David G. Diaz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	26%	Uterine factor	8%	Multiple Factors: Female factors only 28% Female & male factors 13%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	20%	Male factor	21%	
Used gestational carrier	7%			Diminished ovarian reserve	43%	Other factor	23%	
				Endometriosis	4%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 180
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	4	5	4	2	0
Percentage of cancellations before retrieval (%)	0 / 4	0 / 5	0 / 4	0 / 2	
Number of transfers	3	3	3	2	0
Average number of embryos transferred	1.7	1.7	2.3	2.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 2	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 4	2 / 5	1 / 4	1 / 2	
Percentage of cycles resulting in live births (%)	1 / 4	2 / 5	1 / 4	1 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 4	1 / 5	0 / 4	1 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 5	1 / 4	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 4	0 / 5	0 / 4	1 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 5	5 / 5	2 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 3	1 / 3	1 / 2	
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	1 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 3	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 3	0 / 3	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	29	7	13	4	5
Number of transfers	29	7	10	3	3
Estimated average number of transfers per retrieval	0.9	0.5	0.5	0.3	0.4
Average number of embryos transferred	1.4	1.9	1.5	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	30.8	3 / 13	3 / 15	0 / 5	0 / 6
Percentage of transfers resulting in pregnancies (%)	41.4	3 / 7	3 / 10	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	37.9	3 / 7	2 / 10	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.5	3 / 7	2 / 10	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	3.4	0 / 7	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	2 / 7	2 / 10	0 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	30	13	19	9	8
	30	13	17	7	8
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	4	14	0	
Number of transfers	8	3	12	0	
Average number of embryos transferred	1.3	1.0	1.6		
Percentage of embryos transferred resulting in implantation (%)	5 / 9	3 / 3	5 / 19		
Percentage of transfers resulting in pregnancies (%)	5 / 8	3 / 3	5 / 12		
Percentage of transfers resulting in live births (%)	4 / 8	3 / 3	4 / 12		
Percentage of transfers resulting in singleton live births (%)	3 / 8	3 / 3	4 / 12		
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 3	0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	3 / 3	3 / 12		

CURRENT SERVICES & PROFILE

Current Name: West Coast Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

XPert FERTILITY CARE OF CALIFORNIA MINH N. HO, MD, FACOG FOUNTAIN VALLEY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Minh N. Ho, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	10%	Uterine factor	3%	Multiple Factors: Female factors only 0% Female & male factors 20%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	13%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	0%	
				Endometriosis	0%	Unknown factor	23%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 30
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	2	5	3	4
Percentage of cancellations before retrieval (%)	0 / 7	0 / 2	0 / 5	0 / 3	0 / 4
Number of transfers	7	2	4	3	4
Average number of embryos transferred	2.3	3.0	2.8	3.3	3.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 2	0 / 4	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 7	1 / 2	2 / 5	1 / 3	0 / 4
Percentage of cycles resulting in live births (%)	4 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Percentage of cycles resulting in singleton live births (%)	4 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 2	0 / 5	0 / 3	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 16	1 / 6	2 / 11	1 / 10	0 / 14
Percentage of transfers resulting in pregnancies (%)	6 / 7	1 / 2	2 / 4	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)	4 / 7	0 / 2	2 / 4	1 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	4 / 7	0 / 2	2 / 4	1 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 2	0 / 4	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 7	0 / 2	2 / 4	1 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	1	1	1	0
Number of transfers	2	1	1	1	0
Estimated average number of transfers per retrieval	1.0	1.0	1.0		
Average number of embryos transferred	2.5	3.0	3.0	4.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 5	0 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 1	1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 1	0 / 1	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	2	0	
Number of transfers	1	0	2	0	
Average number of embryos transferred	4.0		3.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 4		2 / 7		
Percentage of transfers resulting in pregnancies (%)	1 / 1		2 / 2		
Percentage of transfers resulting in live births (%)	1 / 1		1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 1		1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lisa Farah-Eways, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	7%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 19%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	14%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	11%	
				Endometriosis	1%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,262
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	268	184	136	66	41
Percentage of cancellations before retrieval (%)	7.8	3.8	9.6	16.7	17.1
Number of transfers	220	163	96	46	29
Average number of embryos transferred	1.2	1.4	1.9	2.2	2.4
Percentage of elective single embryo transfers (eSET) (%)	75.7	57.0	15.4	2.8	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	54.1	46.7	35.3	30.3	19.5
Percentage of cycles resulting in live births (%)	47.4	34.2	27.9	21.2	19.5
Percentage of cycles resulting in singleton live births (%)	43.3	31.0	23.5	16.7	17.1
Percentage of cycles resulting in twin live births (%)	4.1	3.3	4.4	4.5	2.4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	38.8	27.2	22.1	13.6	9.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	59.5	40.9	31.6	25.3	12.9
Percentage of transfers resulting in pregnancies (%)	65.9	52.8	50.0	43.5	27.6
Percentage of transfers resulting in live births (%)	57.7	38.7	39.6	30.4	27.6
Percentage of transfers resulting in singleton live births (%)	52.7	35.0	33.3	23.9	24.1
Percentage of transfers resulting in twin live births (%)	5.0	3.7	6.3	6.5	3.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.3	30.7	31.3	19.6	13.8
Frozen Embryos from Nondonor Eggs					
Number of cycles	120	107	84	25	14
Number of transfers	118	106	77	23	13
Estimated average number of transfers per retrieval	1.6	1.5	1.1	0.7	1.9
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	66.2	53.5	58.2	53.8	5 / 13
Percentage of transfers resulting in pregnancies (%)	70.3	60.4	67.5	56.5	7 / 13
Percentage of transfers resulting in live births (%)	63.6	54.7	53.2	52.2	4 / 13
Percentage of transfers resulting in singleton live births (%)	56.8	49.1	49.4	47.8	4 / 13
Percentage of transfers resulting in twin live births (%)	6.8	5.7	2.6	4.3	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	51.7	41.5	44.2	43.5	4 / 13
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	40	49	30	7
	5	2	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	27	0	24	1	
Number of transfers	26	0	22	1	
Average number of embryos transferred	1.0		1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	92.6		81.8	1 / 1	
Percentage of transfers resulting in pregnancies (%)	92.3		81.8	1 / 1	
Percentage of transfers resulting in live births (%)	88.5		54.5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	84.6		40.9	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.8		13.6	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	69.2		31.8	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FERTILITY GLENDALE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rudy Quintero, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	23%	Uterine factor	<1%	Multiple Factors: Female factors only 13% Female & male factors 2%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	7%	Male factor	19%	
Used gestational carrier	5%			Diminished ovarian reserve	27%	Other factor	28%	
				Endometriosis	1%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 421
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	22	18	8	15
Percentage of cancellations before retrieval (%)	2 / 19	18.2	2 / 18	1 / 8	5 / 15
Number of transfers	9	8	6	4	5
Average number of embryos transferred	1.6	1.9	2.3	2.0	2.6
Percentage of elective single embryo transfers (eSET) (%)	1 / 6	0 / 7	0 / 6	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 19	18.2	1 / 18	0 / 8	0 / 15
Percentage of cycles resulting in live births (%)	4 / 19	18.2	1 / 18	0 / 8	0 / 15
Percentage of cycles resulting in singleton live births (%)	3 / 19	9.1	1 / 18	0 / 8	0 / 15
Percentage of cycles resulting in twin live births (%)	1 / 19	9.1	0 / 18	0 / 8	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 19	9.1	1 / 18	0 / 8	0 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 14	6 / 15	1 / 14	0 / 8	0 / 13
Percentage of transfers resulting in pregnancies (%)	5 / 9	4 / 8	1 / 6	0 / 4	0 / 5
Percentage of transfers resulting in live births (%)	4 / 9	4 / 8	1 / 6	0 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)	3 / 9	2 / 8	1 / 6	0 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)	1 / 9	2 / 8	0 / 6	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 8	1 / 6	0 / 4	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	40	37	11	12
Number of transfers	59	36	28	10	11
Estimated average number of transfers per retrieval	1.1	1.3	0.6	0.7	0.7
Average number of embryos transferred	1.7	1.6	1.6	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	47.4	38.9	46.7	5 / 16	2 / 19
Percentage of transfers resulting in pregnancies (%)	64.4	55.6	64.3	5 / 10	2 / 11
Percentage of transfers resulting in live births (%)	52.5	38.9	50.0	5 / 10	2 / 11
Percentage of transfers resulting in singleton live births (%)	39.0	27.8	39.3	5 / 10	2 / 11
Percentage of transfers resulting in twin live births (%)	13.6	11.1	10.7	0 / 10	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.9	27.8	39.3	4 / 10	1 / 11
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	48	24	42	13	15
	11	7	11	2	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	6	14	0	
Number of transfers	1	4	13	0	
Average number of embryos transferred	2.0	1.3	1.4		
Percentage of embryos transferred resulting in implantation (%)		1 / 4	10 / 18		
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 4	7 / 13		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 4	6 / 13		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 4	3 / 13		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 4	3 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 4	2 / 13		

CURRENT SERVICES & PROFILE

Current Name: CARE Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

MARIN FERTILITY CENTER GREENBRAE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter S. Uzelac, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	18%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 18%
Unstimulated	0%	PGD/PGS	48%	Ovulatory dysfunction	18%	Male factor	34%	
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	19%	
				Endometriosis	10%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 316
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	7	4	2	4
Percentage of cancellations before retrieval (%)	0 / 14	0 / 7	0 / 4	0 / 2	0 / 4
Number of transfers	6	3	3	1	2
Average number of embryos transferred	1.5	2.7	2.0	2.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 6	1 / 3	0 / 2	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	1 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 14	0 / 7	0 / 4	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 9	1 / 8	1 / 6	0 / 2	0 / 8
Percentage of transfers resulting in pregnancies (%)	2 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 3	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	47	33	17	13	3
Number of transfers	44	32	15	13	3
Estimated average number of transfers per retrieval	1.1	0.7	0.6	0.4	0.1
Average number of embryos transferred	1.4	1.2	1.5	1.2	3.3
Percentage of embryos transferred resulting in implantation (%)	57.4	51.5	43.5	7 / 12	0 / 10
Percentage of transfers resulting in pregnancies (%)	65.9	56.3	8 / 15	10 / 13	0 / 3
Percentage of transfers resulting in live births (%)	50.0	46.9	8 / 15	6 / 13	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.9	40.6	8 / 15	6 / 13	0 / 3
Percentage of transfers resulting in twin live births (%)	9.1	6.3	0 / 15	0 / 13	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	21.9	8 / 15	6 / 13	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	33	42	25	34	22
	3	6	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	13	0	
Number of transfers	2	1	12	0	
Average number of embryos transferred	1.5	1.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	2 / 3	1 / 1	4 / 18		
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	5 / 12		
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1	2 / 12		
Percentage of transfers resulting in singleton live births (%)	2 / 2	1 / 1	2 / 12		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 2	0 / 1	2 / 12		

CURRENT SERVICES & PROFILE

Current Name: Marin Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lawrence B. Werlin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	7%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	47%	Ovulatory dysfunction	6%	Male factor	21%	
Used gestational carrier	6%			Diminished ovarian reserve	42%	Other factor	18%	
				Endometriosis	2%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 371
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	16	8	10	2	1
Percentage of cancellations before retrieval (%)	0 / 16	2 / 8	8 / 10	0 / 2	0 / 1
Number of transfers	4	3	0	1	0
Average number of embryos transferred	2.3	2.3		2.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 3		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 16	2 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	1 / 16	2 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 16	1 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 16	1 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 16	1 / 8	0 / 10	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 9	3 / 7		0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	1 / 4	2 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	1 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	51	29	20	5	2
Number of transfers	47	26	19	5	2
Estimated average number of transfers per retrieval	0.5	0.6	0.5	0.7	0.2
Average number of embryos transferred	1.8	1.7	1.7	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	21.4	34.9	28.1	1 / 6	2 / 2
Percentage of transfers resulting in pregnancies (%)	36.2	53.8	9 / 19	1 / 5	2 / 2
Percentage of transfers resulting in live births (%)	21.3	38.5	6 / 19	0 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	19.1	34.6	6 / 19	0 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	2.1	3.8	0 / 19	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.1	19.2	5 / 19	0 / 5	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	91	45	39	7	9
	64	6	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	25	3	
Number of transfers	6	0	24	3	
Average number of embryos transferred	2.2		1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 13		27.3	2 / 6	
Percentage of transfers resulting in pregnancies (%)	3 / 6		41.7	2 / 3	
Percentage of transfers resulting in live births (%)	3 / 6		29.2	2 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 6		20.8	2 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 6		8.3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6		16.7	2 / 3	

CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ilene E. Hatch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	16%	Uterine factor	9%	Multiple Factors: Female factors only 23% Female & male factors 19%
Unstimulated	0%	PGD/PGS	51%	Ovulatory dysfunction	18%	Male factor	28%	
Used gestational carrier	4%			Diminished ovarian reserve	43%	Other factor	20%	
				Endometriosis	10%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 231
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	6	6	4	2
Percentage of cancellations before retrieval (%)	1 / 7	0 / 6	1 / 6	1 / 4	1 / 2
Number of transfers	1	3	1	1	1
Average number of embryos transferred	1.0	2.0	4.0	3.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	0 / 2	0 / 1	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 7	2 / 6	1 / 6	0 / 4	1 / 2
Percentage of cycles resulting in live births (%)	1 / 7	2 / 6	0 / 6	0 / 4	1 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 7	1 / 6	0 / 6	0 / 4	1 / 2
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 6	0 / 6	0 / 4	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 7	1 / 6	0 / 6	0 / 4	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1	5 / 6	1 / 4	0 / 3	1 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 3	1 / 1	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	1 / 1	2 / 3	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 3	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	1 / 3	0 / 1	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	27	21	18	5
Number of transfers	26	25	18	17	5
Estimated average number of transfers per retrieval	1.0	1.1	0.9	0.9	0.6
Average number of embryos transferred	1.2	1.3	1.2	1.2	1.6
Percentage of embryos transferred resulting in implantation (%)	79.3	69.0	63.6	10 / 19	3 / 8
Percentage of transfers resulting in pregnancies (%)	76.9	76.0	13 / 18	10 / 17	3 / 5
Percentage of transfers resulting in live births (%)	65.4	68.0	12 / 18	9 / 17	2 / 5
Percentage of transfers resulting in singleton live births (%)	53.8	56.0	11 / 18	8 / 17	2 / 5
Percentage of transfers resulting in twin live births (%)	11.5	12.0	1 / 18	1 / 17	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	53.8	56.0	10 / 18	6 / 17	2 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	22	16	19	8
	2	4	2	3	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	16	3	
Number of transfers	0	0	15	3	
Average number of embryos transferred			1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)			14 / 18	2 / 4	
Percentage of transfers resulting in pregnancies (%)			12 / 15	2 / 3	
Percentage of transfers resulting in live births (%)			10 / 15	2 / 3	
Percentage of transfers resulting in singleton live births (%)			8 / 15	2 / 3	
Percentage of transfers resulting in twin live births (%)			2 / 15	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			7 / 15	2 / 3	

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Southern California

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HOPE IVF AND FERTILITY CENTER
IRVINE, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LIFE IVF CENTER IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Frank D. Yelian, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	11%	Uterine factor	15%	Multiple Factors: Female factors only 26% Female & male factors 26%
Unstimulated	75%	PGD/PGS	53%	Ovulatory dysfunction	8%	Male factor	29%	
Used gestational carrier	17%			Diminished ovarian reserve	50%	Other factor	20%	
				Endometriosis	14%	Unknown factor	27%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,991
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	4	5	5	2	4
Percentage of cancellations before retrieval (%)	0 / 4	0 / 5	0 / 5	0 / 2	0 / 4
Number of transfers	4	5	5	2	4
Average number of embryos transferred	1.3	1.0	1.2	1.0	1.3
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 4	1 / 5	1 / 5	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 5	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	1 / 5	0 / 5	0 / 2	0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 5	1 / 5	0 / 2	0 / 4
Percentage of transfers resulting in live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	104	137	63	100
Number of transfers	104	104	135	63	99
Estimated average number of transfers per retrieval	0.4	0.4	0.3	0.2	0.1
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.3
Percentage of embryos transferred resulting in implantation (%)	64.2	60.5	52.0	51.5	23.1
Percentage of transfers resulting in pregnancies (%)	71.2	65.4	58.5	58.7	28.3
Percentage of transfers resulting in live births (%)	62.5	56.7	48.9	42.9	21.2
Percentage of transfers resulting in singleton live births (%)	57.7	51.9	46.7	41.3	16.2
Percentage of transfers resulting in twin live births (%)	4.8	4.8	2.2	1.6	5.1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	53.8	46.2	40.0	33.3	15.2
Number of Egg or Embryo Banking Cycles					
	297	290	480	370	944
Number of fertility preservation cycles	6	5	8	6	13
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	80	2	
Number of transfers	0	0	80	2	
Average number of embryos transferred			1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)			57.6	1 / 2	
Percentage of transfers resulting in pregnancies (%)			66.3	1 / 2	
Percentage of transfers resulting in live births (%)			55.0	0 / 2	
Percentage of transfers resulting in singleton live births (%)			47.5	0 / 2	
Percentage of transfers resulting in twin live births (%)			7.5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			37.5	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Life IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER LINFERTILITY FAMILY FOUNDATION IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James P. Lin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	98%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 10% Female & male factors 5%
Unstimulated	11%	PGD/PGS	61%	Ovulatory dysfunction	3%	Male factor	25%	
Used gestational carrier	6%			Diminished ovarian reserve	35%	Other factor	22%	
				Endometriosis	1%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 819
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	8	8	2	2
Percentage of cancellations before retrieval (%)	0 / 14	0 / 8	0 / 8	0 / 2	1 / 2
Number of transfers	14	8	7	2	1
Average number of embryos transferred	1.7	1.8	1.6	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 14	1 / 7	0 / 4	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 14	6 / 8	2 / 8	1 / 2	0 / 2
Percentage of cycles resulting in live births (%)	8 / 14	2 / 8	1 / 8	1 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	5 / 14	2 / 8	1 / 8	1 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 14	0 / 8	0 / 8	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4 / 14	1 / 8	0 / 8	1 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.8	5 / 12	2 / 11	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	8 / 14	6 / 8	2 / 7	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	8 / 14	2 / 8	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 14	2 / 8	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 8	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14	1 / 8	0 / 7	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	126	77	41	15	14
Number of transfers	126	77	41	15	14
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.4	0.2
Average number of embryos transferred	1.5	1.6	1.5	1.3	1.9
Percentage of embryos transferred resulting in implantation (%)	57.6	47.0	43.3	5 / 17	48.1
Percentage of transfers resulting in pregnancies (%)	63.5	59.7	63.4	7 / 15	10 / 14
Percentage of transfers resulting in live births (%)	54.8	50.6	51.2	5 / 15	5 / 14
Percentage of transfers resulting in singleton live births (%)	38.1	41.6	48.8	5 / 15	4 / 14
Percentage of transfers resulting in twin live births (%)	15.1	9.1	2.4	0 / 15	1 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	37.7	36.6	5 / 15	3 / 14
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	143	92	84	40	90
	1	2	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	1	54	0	
Number of transfers	3	1	54	0	
Average number of embryos transferred	2.0	1.0	1.4		
Percentage of embryos transferred resulting in implantation (%)	3 / 4		59.7		
Percentage of transfers resulting in pregnancies (%)	3 / 3	0 / 1	70.4		
Percentage of transfers resulting in live births (%)	2 / 3	0 / 1	53.7		
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1	44.4		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 1	9.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 1	40.7		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Fertility Center, LinFertility Family Foundation

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LA JOLLA IVF
LA JOLLA, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPRODUCTIVE PARTNERS FERTILITY CENTER-SAN DIEGO LA JOLLA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by V. Gabriel Garzo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}					
IVF	100%	With ICSI	62%	Tubal factor	6%	Uterine factor	4%	Multiple Factors:	
Unstimulated	0%	PGD/PGS	53%	Ovulatory dysfunction	7%	Male factor	26%	Female factors only	2%
Used gestational carrier	4%			Diminished ovarian reserve	27%	Other factor	16%	Female & male factors	2%
				Endometriosis	4%	Unknown factor	14%		

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 900
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	56	50	23	26
Percentage of cancellations before retrieval (%)	9.2	12.5	30.0	17.4	42.3
Number of transfers	0	1	0	0	0
Average number of embryos transferred		1.0			
Percentage of elective single embryo transfers (eSET) (%)		1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	1.8	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	0.0	1.8	0.0	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	1.8	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0.0	0.0	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		2 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 1			
Percentage of transfers resulting in live births (%)		1 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		1 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	142	106	92	48	24
Number of transfers	120	87	81	38	18
Estimated average number of transfers per retrieval	1.3	1.2	1.2	1.0	0.6
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	72.6	62.8	60.5	39.5	11 / 18
Percentage of transfers resulting in pregnancies (%)	75.8	63.2	64.2	47.4	10 / 18
Percentage of transfers resulting in live births (%)	63.3	50.6	48.1	34.2	8 / 18
Percentage of transfers resulting in singleton live births (%)	60.8	46.0	46.9	34.2	8 / 18
Percentage of transfers resulting in twin live births (%)	2.5	4.6	1.2	0.0	0 / 18
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	58.3	41.4	42.0	34.2	6 / 18
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	48	35	24	28
	23	27	16	4	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	69	3	
Number of transfers	3	0	53	3	
Average number of embryos transferred	1.0		1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 3		70.0	2 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 3		69.8	2 / 3	
Percentage of transfers resulting in live births (%)	2 / 3		52.8	2 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 3		52.8	2 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 3		0.0	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		37.7	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Partners Fertility Center-San Diego

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ACACIO FERTILITY CENTER
LAGUNA NIGUEL, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John D. Jacobson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	18%	Uterine factor	17%	Multiple Factors: Female factors only 22% Female & male factors 35%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	28%	Male factor	43%	
Used gestational carrier	3%			Diminished ovarian reserve	46%	Other factor	12%	
				Endometriosis	13%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 312
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	63	43	30	12	4
Percentage of cancellations before retrieval (%)	1.6	16.3	23.3	3 / 12	2 / 4
Number of transfers	48	31	14	6	1
Average number of embryos transferred	2.0	2.1	2.1	2.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	6.3	6.9	4 / 11	0 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.0	41.9	10.0	1 / 12	0 / 4
Percentage of cycles resulting in live births (%)	39.7	30.2	3.3	1 / 12	0 / 4
Percentage of cycles resulting in singleton live births (%)	27.0	27.9	3.3	1 / 12	0 / 4
Percentage of cycles resulting in twin live births (%)	12.7	2.3	0.0	0 / 12	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.4	25.6	0.0	1 / 12	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.7	28.8	10.3	1 / 16	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.4	58.1	3 / 14	1 / 6	0 / 1
Percentage of transfers resulting in live births (%)	52.1	41.9	1 / 14	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.4	38.7	1 / 14	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	16.7	3.2	0 / 14	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	35.5	0 / 14	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	25	24	5	3
Number of transfers	38	20	20	4	3
Estimated average number of transfers per retrieval	1.5	1.0	1.5	0.6	1.0
Average number of embryos transferred	1.8	2.0	2.2	2.0	2.7
Percentage of embryos transferred resulting in implantation (%)	34.8	30.8	19.0	1 / 8	0 / 8
Percentage of transfers resulting in pregnancies (%)	55.3	55.0	40.0	1 / 4	0 / 3
Percentage of transfers resulting in live births (%)	42.1	50.0	10.0	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.2	45.0	10.0	1 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	7.9	5.0	0.0	0 / 4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	40.0	10.0	1 / 4	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	12	5	4	2
	5	7	3	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	11	11	
Number of transfers	3	0	11	9	
Average number of embryos transferred	1.7		1.8	2.4	
Percentage of embryos transferred resulting in implantation (%)	5 / 5		5.0	18.2	
Percentage of transfers resulting in pregnancies (%)	3 / 3		1 / 11	4 / 9	
Percentage of transfers resulting in live births (%)	1 / 3		1 / 11	1 / 9	
Percentage of transfers resulting in singleton live births (%)	1 / 3		1 / 11	1 / 9	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 11	0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		1 / 11	1 / 9	

CURRENT SERVICES & PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard P. Marrs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	9%	Uterine factor	32%	Multiple Factors: Female factors only 40% Female & male factors 23%
Unstimulated	0%	PGD/PGS	44%	Ovulatory dysfunction	5%	Male factor	26%	
Used gestational carrier	33%			Diminished ovarian reserve	50%	Other factor	66%	
				Endometriosis	8%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,372
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	46	47	42	42	54
Percentage of cancellations before retrieval (%)	15.2	19.1	38.1	50.0	53.7
Number of transfers	26	22	10	8	10
Average number of embryos transferred	1.5	1.4	1.7	1.8	1.4
Percentage of elective single embryo transfers (eSET) (%)	35.0	7 / 16	2 / 7	0 / 5	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	12.8	9.5	2.4	9.3
Percentage of cycles resulting in live births (%)	26.1	8.5	7.1	2.4	7.4
Percentage of cycles resulting in singleton live births (%)	19.6	4.3	4.8	2.4	7.4
Percentage of cycles resulting in twin live births (%)	6.5	4.3	2.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	4.3	4.8	2.4	5.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.2	32.3	5 / 17	1 / 14	5 / 14
Percentage of transfers resulting in pregnancies (%)	53.8	27.3	4 / 10	1 / 8	5 / 10
Percentage of transfers resulting in live births (%)	46.2	18.2	3 / 10	1 / 8	4 / 10
Percentage of transfers resulting in singleton live births (%)	34.6	9.1	2 / 10	1 / 8	4 / 10
Percentage of transfers resulting in twin live births (%)	11.5	9.1	1 / 10	0 / 8	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.9	9.1	2 / 10	1 / 8	3 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	74	69	90	41	71
Number of transfers	62	61	69	34	57
Estimated average number of transfers per retrieval	0.7	0.6	0.6	0.3	0.4
Average number of embryos transferred	1.3	1.3	1.4	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	58.8	44.7	43.0	51.2	41.7
Percentage of transfers resulting in pregnancies (%)	62.9	52.5	53.6	61.8	57.9
Percentage of transfers resulting in live births (%)	58.1	44.3	40.6	58.8	52.6
Percentage of transfers resulting in singleton live births (%)	48.4	41.0	33.3	58.8	49.1
Percentage of transfers resulting in twin live births (%)	9.7	3.3	7.2	0.0	3.5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.5	34.4	31.9	50.0	43.9
Number of Egg or Embryo Banking Cycles					
	83	96	114	115	153
Number of fertility preservation cycles	15	25	11	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	38	4	183	9	
Number of transfers	25	4	159	7	
Average number of embryos transferred	1.7	1.5	1.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	54.8	2 / 6	52.6	5 / 10	
Percentage of transfers resulting in pregnancies (%)	68.0	1 / 4	61.6	5 / 7	
Percentage of transfers resulting in live births (%)	68.0	1 / 4	54.7	3 / 7	
Percentage of transfers resulting in singleton live births (%)	48.0	0 / 4	45.9	2 / 7	
Percentage of transfers resulting in twin live births (%)	20.0	1 / 4	7.5	1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	0 / 4	34.0	0 / 7	

CURRENT SERVICES & PROFILE

Current Name: California Fertility Partners

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Margareta D. Pisarska, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	16%	Uterine factor	22%	Multiple Factors: Female factors only 13% Female & male factors 33%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	8%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	18%	
				Endometriosis	2%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 125
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	4	8	5	10	2
Percentage of cancellations before retrieval (%)	0 / 4	2 / 8	0 / 5	3 / 10	1 / 2
Number of transfers	3	3	3	5	1
Average number of embryos transferred	1.3	1.3	1.3	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 3	2 / 3	1 / 2	1 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 4	3 / 8	1 / 5	1 / 10	0 / 2
Percentage of cycles resulting in live births (%)	1 / 4	2 / 8	1 / 5	1 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 4	2 / 8	0 / 5	1 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 8	1 / 5	0 / 10	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 4	2 / 8	0 / 5	1 / 10	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 4	3 / 4	2 / 4	1 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 3	3 / 3	1 / 3	1 / 5	0 / 1
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	1 / 3	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 3	0 / 3	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	1 / 3	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 3	0 / 3	1 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	2	8	1	2
Number of transfers	12	2	8	1	2
Estimated average number of transfers per retrieval	0.5	0.2	0.5	0.1	2.0
Average number of embryos transferred	1.1	1.5	1.1	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	6 / 13	1 / 3	5 / 9	2 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	6 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 2	0 / 8	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	11	16	13	0
	9	4	7	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	0	2	0	
Number of transfers	5	0	2	0	
Average number of embryos transferred	1.2		1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 6		1 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 5		2 / 2		
Percentage of transfers resulting in live births (%)	2 / 5		1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 5		1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joshua J. Berger, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 4%
Unstimulated	5%	PGD/PGS	49%	Ovulatory dysfunction	3%	Male factor	19%	
Used gestational carrier	1%			Diminished ovarian reserve	48%	Other factor	12%	
				Endometriosis	3%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 306
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	10	6	2	6
Percentage of cancellations before retrieval (%)	0 / 8	0 / 10	1 / 6	1 / 2	1 / 6
Number of transfers	3	4	2	1	2
Average number of embryos transferred	2.3	1.8	1.5	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 8	1 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in live births (%)	3 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in singleton live births (%)	0 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in twin live births (%)	3 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 7	1 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	3 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	44	21	15	5	3
Number of transfers	44	19	14	5	3
Estimated average number of transfers per retrieval	1.4	0.7	0.7	0.4	0.1
Average number of embryos transferred	1.7	1.6	1.5	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	49.3	48.4	42.9	5 / 8	2 / 4
Percentage of transfers resulting in pregnancies (%)	61.4	14 / 19	9 / 14	3 / 5	2 / 3
Percentage of transfers resulting in live births (%)	54.5	12 / 19	8 / 14	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births (%)	38.6	11 / 19	8 / 14	1 / 5	2 / 3
Percentage of transfers resulting in twin live births (%)	13.6	1 / 19	0 / 14	2 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.1	10 / 19	8 / 14	1 / 5	2 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	28	24	20	12	26
	4	9	2	6	9
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	1	66	0	
Number of transfers	2	1	65	0	
Average number of embryos transferred	1.5	2.0	1.9		
Percentage of embryos transferred resulting in implantation (%)	2 / 3	3 / 2	46.7		
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	63.1		
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1	61.5		
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 1	38.5		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	23.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 2	0 / 1	26.2		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: CHA Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CMD FERTILITY LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Catherine M. DeUgarte, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	6%	Uterine factor	<1%	Multiple Factors: Female factors only 15% Female & male factors 9%
Unstimulated	0%	PGD/PGS	62%	Ovulatory dysfunction	11%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	36%	
				Endometriosis	0%	Unknown factor	23%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 203
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	8	16	5	4
Percentage of cancellations before retrieval (%)	0 / 3	0 / 8	0 / 16	0 / 5	0 / 4
Number of transfers	3	7	12	1	2
Average number of embryos transferred	1.7	1.3	1.5	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	1 / 3	1 / 7		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 3	2 / 8	5 / 16	0 / 5	0 / 4
Percentage of cycles resulting in live births (%)	1 / 3	1 / 8	4 / 16	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 8	4 / 16	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 8	0 / 16	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 8	4 / 16	0 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	2 / 9	5 / 18	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 7	5 / 12	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 3	1 / 7	4 / 12	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 7	4 / 12	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 7	0 / 12	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 7	4 / 12	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	19	19	3	2
Number of transfers	21	19	18	3	2
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.3	0.2
Average number of embryos transferred	1.2	1.3	1.3	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	52.0	58.3	47.6	4 / 4	2 / 2
Percentage of transfers resulting in pregnancies (%)	57.1	11 / 19	10 / 18	3 / 3	2 / 2
Percentage of transfers resulting in live births (%)	52.4	11 / 19	7 / 18	3 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	47.6	8 / 19	5 / 18	2 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	4.8	3 / 19	2 / 18	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9	4 / 19	5 / 18	2 / 3	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	21	29	9	10
	12	12	18	7	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	7	0	
Number of transfers	3	0	7	0	
Average number of embryos transferred	1.7		1.7		
Percentage of embryos transferred resulting in implantation (%)	1 / 5		7 / 12		
Percentage of transfers resulting in pregnancies (%)	1 / 3		4 / 7		
Percentage of transfers resulting in live births (%)	1 / 3		4 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 3		3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 3		1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		3 / 7		

CURRENT SERVICES & PROFILE

Current Name: CMD Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LA IVF CLINIC
LOS ANGELES, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vicken Sahakian, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	5%	Uterine factor	3%	Multiple Factors: Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	73%	Ovulatory dysfunction	1%	Male factor	21%	
Used gestational carrier	24%			Diminished ovarian reserve	5%	Other factor	41%	
				Endometriosis	2%	Unknown factor	28%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 366
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	2	3	2	2
Percentage of cancellations before retrieval (%)	0 / 3	0 / 2	0 / 3	0 / 2	0 / 2
Number of transfers	3	1	2	2	2
Average number of embryos transferred	2.0	2.0	1.0	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 1		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3	0 / 2	1 / 3	2 / 2	1 / 2
Percentage of cycles resulting in live births (%)	1 / 3	0 / 2	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 3	0 / 2	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 2	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 2	1 / 3	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 4	0 / 2	1 / 2	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 3	0 / 1	1 / 2	2 / 2	1 / 2
Percentage of transfers resulting in live births (%)	1 / 3	0 / 1	1 / 2	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1	1 / 2	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 1	1 / 2	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	36	9	4	5
Number of transfers	51	34	9	4	5
Estimated average number of transfers per retrieval	0.8	0.6	0.3	0.3	0.2
Average number of embryos transferred	1.6	1.6	1.7	1.5	1.2
Percentage of embryos transferred resulting in implantation (%)	51.9	51.9	4 / 11	1 / 3	2 / 6
Percentage of transfers resulting in pregnancies (%)	68.6	67.6	5 / 9	2 / 4	2 / 5
Percentage of transfers resulting in live births (%)	51.0	58.8	2 / 9	1 / 4	2 / 5
Percentage of transfers resulting in singleton live births (%)	37.3	44.1	2 / 9	1 / 4	2 / 5
Percentage of transfers resulting in twin live births (%)	13.7	14.7	0 / 9	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	17.6	20.6	1 / 9	1 / 4	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	60	57	28	15	27
	3	10	1	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	52	0	
Number of transfers	3	0	47	0	
Average number of embryos transferred	1.7		1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 5		54.4		
Percentage of transfers resulting in pregnancies (%)	1 / 3		66.0		
Percentage of transfers resulting in live births (%)	1 / 3		48.9		
Percentage of transfers resulting in singleton live births (%)	1 / 3		34.0		
Percentage of transfers resulting in twin live births (%)	0 / 3		14.9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		2.1		

CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kathleen M. Brennan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	<1%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 10%
Unstimulated	0%	PGD/PGS	37%	Ovulatory dysfunction	21%	Male factor	23%	
Used gestational carrier	2%			Diminished ovarian reserve	2%	Other factor	38%	
				Endometriosis	11%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 232
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	2	5	2	4
Percentage of cancellations before retrieval (%)		1 / 2	2 / 5	0 / 2	0 / 4
Number of transfers	0	0	3	2	4
Average number of embryos transferred			1.7	1.5	2.8
Percentage of elective single embryo transfers (eSET) (%)			1 / 3	0 / 1	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		0 / 2	2 / 5	0 / 2	1 / 4
Percentage of cycles resulting in live births (%)		0 / 2	1 / 5	0 / 2	1 / 4
Percentage of cycles resulting in singleton live births (%)		0 / 2	1 / 5	0 / 2	1 / 4
Percentage of cycles resulting in twin live births (%)		0 / 2	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 2	1 / 5	0 / 2	1 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			2 / 5	0 / 3	1 / 11
Percentage of transfers resulting in pregnancies (%)			2 / 3	0 / 2	1 / 4
Percentage of transfers resulting in live births (%)			1 / 3	0 / 2	1 / 4
Percentage of transfers resulting in singleton live births (%)			1 / 3	0 / 2	1 / 4
Percentage of transfers resulting in twin live births (%)			0 / 3	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 3	0 / 2	1 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	21	10	6	5
Number of transfers	48	16	9	6	5
Estimated average number of transfers per retrieval	1.3	0.7	0.5	0.3	0.3
Average number of embryos transferred	1.1	1.3	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	61.5	8 / 19	6 / 10	4 / 7	1 / 7
Percentage of transfers resulting in pregnancies (%)	66.7	7 / 16	7 / 9	3 / 6	1 / 5
Percentage of transfers resulting in live births (%)	56.3	6 / 16	6 / 9	3 / 6	1 / 5
Percentage of transfers resulting in singleton live births (%)	54.2	5 / 16	6 / 9	2 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)	2.1	1 / 16	0 / 9	1 / 6	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.9	4 / 16	6 / 9	2 / 6	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	24	17	20	16
	1	12	2	6	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	9	0	
Number of transfers	0	0	9	0	
Average number of embryos transferred			1.1		
Percentage of embryos transferred resulting in implantation (%)			5 / 10		
Percentage of transfers resulting in pregnancies (%)			5 / 9		
Percentage of transfers resulting in live births (%)			5 / 9		
Percentage of transfers resulting in singleton live births (%)			5 / 9		
Percentage of transfers resulting in twin live births (%)			0 / 9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			4 / 9		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: UCLA Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC FERTILITY LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard J. Paulson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	6%	Uterine factor	6%	Multiple Factors: Female factors only 14% Female & male factors 38%
Unstimulated	<1%	PGD/PGS	10%	Ovulatory dysfunction	11%	Male factor	43%	
Used gestational carrier	3%			Diminished ovarian reserve	61%	Other factor	20%	
				Endometriosis	8%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 783
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	68	85	84	53	44
Percentage of cancellations before retrieval (%)	0.0	4.7	6.0	0.0	4.5
Number of transfers	51	68	70	48	35
Average number of embryos transferred	1.8	2.3	2.7	3.3	2.9
Percentage of elective single embryo transfers (eSET) (%)	15.6	3.3	3.1	2.2	3.2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.6	35.3	39.3	26.4	9.1
Percentage of cycles resulting in live births (%)	36.8	28.2	26.2	17.0	2.3
Percentage of cycles resulting in singleton live births (%)	27.9	21.2	23.8	13.2	2.3
Percentage of cycles resulting in twin live births (%)	8.8	7.1	2.4	3.8	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.0	20.0	15.5	7.5	2.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.4	26.6	19.0	9.0	2.1
Percentage of transfers resulting in pregnancies (%)	56.9	44.1	47.1	29.2	11.4
Percentage of transfers resulting in live births (%)	49.0	35.3	31.4	18.8	2.9
Percentage of transfers resulting in singleton live births (%)	37.3	26.5	28.6	14.6	2.9
Percentage of transfers resulting in twin live births (%)	11.8	8.8	2.9	4.2	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	25.0	18.6	8.3	2.9
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	29	25	11	19
Number of transfers	48	29	25	10	19
Estimated average number of transfers per retrieval	0.6	0.3	0.3	0.3	0.8
Average number of embryos transferred	1.7	1.6	2.1	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	38.8	34.1	30.4	2 / 18	17.1
Percentage of transfers resulting in pregnancies (%)	56.3	51.7	64.0	2 / 10	6 / 19
Percentage of transfers resulting in live births (%)	50.0	31.0	36.0	2 / 10	4 / 19
Percentage of transfers resulting in singleton live births (%)	39.6	31.0	32.0	2 / 10	3 / 19
Percentage of transfers resulting in twin live births (%)	10.4	0.0	4.0	0 / 10	1 / 19
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	31.0	32.0	1 / 10	2 / 19
Number of Egg or Embryo Banking Cycles					
	65	71	63	33	18
Number of fertility preservation cycles	63	63	56	28	13
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	24	14	21	0	
Number of transfers	17	14	21	0	
Average number of embryos transferred	1.6	1.9	1.6		
Percentage of embryos transferred resulting in implantation (%)	61.5	23.8	52.9		
Percentage of transfers resulting in pregnancies (%)	12 / 17	7 / 14	66.7		
Percentage of transfers resulting in live births (%)	7 / 17	3 / 14	57.1		
Percentage of transfers resulting in singleton live births (%)	4 / 17	2 / 14	42.9		
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 14	14.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 17	1 / 14	38.1		

CURRENT SERVICES & PROFILE

Current Name: USC Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CARE FOR THE BAY AREA
LOS GATOS, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

INNOVATIVE FERTILITY CENTER MANHATTAN BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark J. Rispler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	98%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 0%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	0%	Male factor	15%	
Used gestational carrier	2%			Diminished ovarian reserve	11%	Other factor	57%	
				Endometriosis	0%	Unknown factor	28%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 133
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1			
Number of transfers	0	1	0	0	0
Average number of embryos transferred		1.0			
Percentage of elective single embryo transfers (eSET) (%)		1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		1 / 1			
Percentage of cycles resulting in live births (%)		1 / 1			
Percentage of cycles resulting in singleton live births (%)		1 / 1			
Percentage of cycles resulting in twin live births (%)		0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		1 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 1			
Percentage of transfers resulting in live births (%)		1 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	8	14	3	3
Number of transfers	11	8	14	3	3
Estimated average number of transfers per retrieval	0.7	0.4	0.5	0.3	0.2
Average number of embryos transferred	1.3	1.3	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	10 / 14	6 / 10	43.5	0 / 4	3 / 6
Percentage of transfers resulting in pregnancies (%)	9 / 11	6 / 8	9 / 14	0 / 3	2 / 3
Percentage of transfers resulting in live births (%)	9 / 11	6 / 8	8 / 14	0 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 11	6 / 8	7 / 14	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 8	1 / 14	0 / 3	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 11	5 / 8	7 / 14	0 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	18	28	10	14
	13	15	24	7	11
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	4	0	
Number of transfers	3	0	4	0	
Average number of embryos transferred	2.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 6		3 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 3		3 / 4		
Percentage of transfers resulting in live births (%)	2 / 3		2 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 3		2 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3		2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Innovative Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY AND GYNECOLOGY CENTER MONTEREY BAY IVF MONTEREY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Edward J. Ramirez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	21%	Uterine factor	0%	Multiple Factors: Female factors only 20% Female & male factors 20%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	35%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	28%	
				Endometriosis	1%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 107
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	11	10	8	2
Percentage of cancellations before retrieval (%)	0 / 18	0 / 11	2 / 10	1 / 8	0 / 2
Number of transfers	18	9	6	3	1
Average number of embryos transferred	1.7	2.1	3.7	3.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 14	2 / 9	0 / 5	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 18	4 / 11	2 / 10	0 / 8	0 / 2
Percentage of cycles resulting in live births (%)	5 / 18	3 / 11	2 / 10	0 / 8	0 / 2
Percentage of cycles resulting in singleton live births (%)	3 / 18	3 / 11	1 / 10	0 / 8	0 / 2
Percentage of cycles resulting in twin live births (%)	2 / 18	0 / 11	1 / 10	0 / 8	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 18	2 / 11	1 / 10	0 / 8	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 19	13.6	0 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	7 / 18	4 / 9	2 / 6	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	5 / 18	3 / 9	2 / 6	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 18	3 / 9	1 / 6	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	0 / 9	1 / 6	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 18	2 / 9	1 / 6	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	11	4	3	1
Number of transfers	9	11	4	3	1
Estimated average number of transfers per retrieval	0.9	1.0	0.6	1.5	1.0
Average number of embryos transferred	1.7	1.6	1.0	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 15	6 / 18	2 / 4	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 9	5 / 11	2 / 4	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	6 / 9	4 / 11	2 / 4	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 9	3 / 11	2 / 4	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 11	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	3 / 11	2 / 4	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	6	5	2	0
	1	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	1	0	
Number of transfers	9	0	1	0	
Average number of embryos transferred	1.8		2.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 15		0 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 9		0 / 1		
Percentage of transfers resulting in live births (%)	5 / 9		0 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 9		0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 9		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 9		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: The Fertility and Gynecology Center, Monterey Bay IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION MOUNTAIN VIEW, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard J. Schmidt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	24%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 27% Female & male factors 12%
Unstimulated	0%	PGD/PGS	39%	Ovulatory dysfunction	20%	Male factor	17%	
Used gestational carrier	2%			Diminished ovarian reserve	51%	Other factor	13%	
				Endometriosis	18%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 702
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	26	17	20	7	6
Percentage of cancellations before retrieval (%)	3.8	0 / 17	10.0	0 / 7	0 / 6
Number of transfers	2	1	2	0	2
Average number of embryos transferred	2.0	1.0	2.5		4.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2		0 / 2		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7.7	0 / 17	10.0	0 / 7	1 / 6
Percentage of cycles resulting in live births (%)	7.7	0 / 17	10.0	0 / 7	1 / 6
Percentage of cycles resulting in singleton live births (%)	7.7	0 / 17	10.0	0 / 7	1 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0 / 17	0.0	0 / 7	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 17	5.0	0 / 7	1 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 4	0 / 1	2 / 5		1 / 8
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1	2 / 2		1 / 2
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1	2 / 2		1 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 1	2 / 2		1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 1	1 / 2		1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	74	53	27	16
Number of transfers	73	74	53	27	16
Estimated average number of transfers per retrieval	0.8	0.7	0.5	0.6	0.3
Average number of embryos transferred	1.6	1.4	1.9	2.9	4.4
Percentage of embryos transferred resulting in implantation (%)	45.6	57.4	35.7	18.8	3.1
Percentage of transfers resulting in pregnancies (%)	60.3	71.6	56.6	59.3	4 / 16
Percentage of transfers resulting in live births (%)	53.4	63.5	49.1	33.3	1 / 16
Percentage of transfers resulting in singleton live births (%)	43.8	56.8	39.6	33.3	1 / 16
Percentage of transfers resulting in twin live births (%)	9.6	6.8	9.4	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.7	51.4	34.0	22.2	1 / 16
Number of Egg or Embryo Banking Cycles					
	73	98	91	42	45
Number of fertility preservation cycles	44	55	57	28	27
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	27	0	
Number of transfers	7	0	27	0	
Average number of embryos transferred	1.6		1.6		
Percentage of embryos transferred resulting in implantation (%)	2 / 11		41.9		
Percentage of transfers resulting in pregnancies (%)	2 / 7		66.7		
Percentage of transfers resulting in live births (%)	1 / 7		55.6		
Percentage of transfers resulting in singleton live births (%)	1 / 7		55.6		
Percentage of transfers resulting in twin live births (%)	0 / 7		0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7		48.1		

CURRENT SERVICES & PROFILE

Current Name: Nova In Vitro Fertilization

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CCRM OC FERTILITY-FASHION ISLAND NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sharon E. Moayeri, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	4%	Uterine factor	6%	Multiple Factors: Female factors only 3% Female & male factors 8%
Unstimulated	0%	PGD/PGS	80%	Ovulatory dysfunction	1%	Male factor	34%	
Used gestational carrier	2%			Diminished ovarian reserve	0%	Other factor	24%	
				Endometriosis	1%	Unknown factor	40%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 219
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	1	1	0	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 1	0 / 1		
Number of transfers	1	0	0	0	0
Average number of embryos transferred	1.0				
Percentage of elective single embryo transfers (eSET) (%)	1 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 1	0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1				
Percentage of transfers resulting in live births (%)	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1				
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	15	20	5	3
Number of transfers	41	15	20	5	3
Estimated average number of transfers per retrieval	1.1	0.5	0.7	0.4	0.2
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	63.3	13 / 17	72.7	5 / 6	3 / 4
Percentage of transfers resulting in pregnancies (%)	65.9	11 / 15	80.0	4 / 5	3 / 3
Percentage of transfers resulting in live births (%)	53.7	11 / 15	75.0	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births (%)	43.9	10 / 15	70.0	2 / 5	2 / 3
Percentage of transfers resulting in twin live births (%)	9.8	1 / 15	5.0	1 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	8 / 15	45.0	1 / 5	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	31	28	30	14	17
	8	14	18	9	10
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	7	0	
Number of transfers	0	0	7	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			7 / 7		
Percentage of transfers resulting in pregnancies (%)			7 / 7		
Percentage of transfers resulting in live births (%)			6 / 7		
Percentage of transfers resulting in singleton live births (%)			6 / 7		
Percentage of transfers resulting in twin live births (%)			0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			2 / 7		

CURRENT SERVICES & PROFILE

Current Name: CCRM OC Fertility-Fashion Island

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ORANGE COUNTY NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel A. Potter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	7%	Uterine factor	9%	Multiple Factors: Female factors only 14% Female & male factors 26%
Unstimulated	0%	PGD/PGS	73%	Ovulatory dysfunction	12%	Male factor	42%	
Used gestational carrier	7%			Diminished ovarian reserve	31%	Other factor	43%	
				Endometriosis	3%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,058
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	215	105	110	42	40
Percentage of cancellations before retrieval (%)	1.4	1.0	10.0	9.5	17.5
Number of transfers	130	58	58	16	6
Average number of embryos transferred	1.3	1.2	1.3	1.4	1.3
Percentage of elective single embryo transfers (eSET) (%)	67.0	69.8	56.8	2 / 8	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.4	40.0	34.5	19.0	5.0
Percentage of cycles resulting in live births (%)	37.7	35.2	30.0	19.0	2.5
Percentage of cycles resulting in singleton live births (%)	32.6	25.7	27.3	19.0	2.5
Percentage of cycles resulting in twin live births (%)	5.1	8.6	2.7	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.3	19.0	22.7	16.7	2.5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	62.1	73.5	55.1	34.8	2 / 8
Percentage of transfers resulting in pregnancies (%)	68.5	72.4	65.5	8 / 16	2 / 6
Percentage of transfers resulting in live births (%)	62.3	63.8	56.9	8 / 16	1 / 6
Percentage of transfers resulting in singleton live births (%)	53.8	46.6	51.7	8 / 16	1 / 6
Percentage of transfers resulting in twin live births (%)	8.5	15.5	5.2	0 / 16	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.5	34.5	43.1	7 / 16	1 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	117	66	37	18	29
Number of transfers	112	65	36	15	23
Estimated average number of transfers per retrieval	1.1	1.0	0.8	0.4	1.2
Average number of embryos transferred	1.3	1.3	1.2	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	67.1	64.6	54.8	10 / 19	48.1
Percentage of transfers resulting in pregnancies (%)	78.6	70.8	63.9	9 / 15	69.6
Percentage of transfers resulting in live births (%)	69.6	61.5	55.6	7 / 15	47.8
Percentage of transfers resulting in singleton live births (%)	59.8	47.7	50.0	5 / 15	47.8
Percentage of transfers resulting in twin live births (%)	8.9	13.8	5.6	2 / 15	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.5	41.5	44.4	4 / 15	30.4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	49	38	31	23	17
	7	7	7	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	68	3	34	13	
Number of transfers	46	3	34	13	
Average number of embryos transferred	1.4	2.3	1.2	1.2	
Percentage of embryos transferred resulting in implantation (%)	71.0	2 / 5	66.7	13 / 15	
Percentage of transfers resulting in pregnancies (%)	84.8	3 / 3	73.5	11 / 13	
Percentage of transfers resulting in live births (%)	73.9	2 / 3	61.8	11 / 13	
Percentage of transfers resulting in singleton live births (%)	58.7	2 / 3	52.9	9 / 13	
Percentage of transfers resulting in twin live births (%)	15.2	0 / 3	8.8	2 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.7	2 / 3	41.2	6 / 13	

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Orange County

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWPORT FERTILITY CENTER NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark T. Kan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	18%	Tubal factor	6%	Uterine factor	18%	Multiple Factors: Female factors only 43% Female & male factors 16%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	11%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	49%	Other factor	58%	
				Endometriosis	11%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 241
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	38	35	19	16
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0 / 19	0 / 16
Number of transfers	19	13	13	7	5
Average number of embryos transferred	1.5	1.3	1.5	1.6	1.6
Percentage of elective single embryo transfers (eSET) (%)	4 / 12	1 / 5	1 / 7	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.2	21.1	25.7	3 / 19	2 / 16
Percentage of cycles resulting in live births (%)	18.4	18.4	20.0	2 / 19	2 / 16
Percentage of cycles resulting in singleton live births (%)	18.4	15.8	17.1	2 / 19	2 / 16
Percentage of cycles resulting in twin live births (%)	0.0	2.6	2.9	0 / 19	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	15.8	14.3	2 / 19	2 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.8	9 / 17	9 / 17	3 / 11	2 / 8
Percentage of transfers resulting in pregnancies (%)	13 / 19	8 / 13	9 / 13	3 / 7	2 / 5
Percentage of transfers resulting in live births (%)	7 / 19	7 / 13	7 / 13	2 / 7	2 / 5
Percentage of transfers resulting in singleton live births (%)	7 / 19	6 / 13	6 / 13	2 / 7	2 / 5
Percentage of transfers resulting in twin live births (%)	0 / 19	1 / 13	1 / 13	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 19	6 / 13	5 / 13	2 / 7	2 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	14	8	0	0
Number of transfers	11	14	8	0	0
Estimated average number of transfers per retrieval	1.2	0.8	0.7	0.0	0.0
Average number of embryos transferred	1.5	1.5	1.3		
Percentage of embryos transferred resulting in implantation (%)	15 / 17	75.0	6 / 8		
Percentage of transfers resulting in pregnancies (%)	10 / 11	12 / 14	7 / 8		
Percentage of transfers resulting in live births (%)	9 / 11	10 / 14	6 / 8		
Percentage of transfers resulting in singleton live births (%)	4 / 11	7 / 14	6 / 8		
Percentage of transfers resulting in twin live births (%)	5 / 11	3 / 14	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	7 / 14	6 / 8		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	14	9	11	8
	5	13	9	7	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	11	0	
Number of transfers	4	0	11	0	
Average number of embryos transferred	1.3		1.1		
Percentage of embryos transferred resulting in implantation (%)	3 / 5		6 / 10		
Percentage of transfers resulting in pregnancies (%)	3 / 4		7 / 11		
Percentage of transfers resulting in live births (%)	3 / 4		5 / 11		
Percentage of transfers resulting in singleton live births (%)	3 / 4		5 / 11		
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 4		5 / 11		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: CCRM OC Fertility-Jamboree

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE SPECIALTY MEDICAL CENTER
NEWPORT BEACH, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert E. Anderson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	11%	Uterine factor	6%	Multiple Factors: Female factors only 34% Female & male factors 21%
Unstimulated	0%	PGD/PGS	80%	Ovulatory dysfunction	9%	Male factor	30%	
Used gestational carrier	6%			Diminished ovarian reserve	38%	Other factor	66%	
				Endometriosis	5%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 773
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	6	11	12	10
Percentage of cancellations before retrieval (%)	1 / 7	2 / 6	7 / 11	3 / 12	8 / 10
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in live births (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in singleton live births (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	124	92	74	24	17
Number of transfers	115	88	67	24	17
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.6	0.5
Average number of embryos transferred	1.0	1.0	1.0	1.0	1.1
Percentage of embryos transferred resulting in implantation (%)	72.1	66.7	75.0	68.2	7 / 16
Percentage of transfers resulting in pregnancies (%)	72.2	68.2	74.6	66.7	9 / 17
Percentage of transfers resulting in live births (%)	67.8	61.4	65.7	58.3	7 / 17
Percentage of transfers resulting in singleton live births (%)	67.0	61.4	62.7	54.2	7 / 17
Percentage of transfers resulting in twin live births (%)	0.9	0.0	3.0	4.2	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	60.0	54.5	50.7	54.2	7 / 17
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	84	85	82	41	35
	8	11	3	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	56	6	
Number of transfers	0	0	47	4	
Average number of embryos transferred			1.0	1.3	
Percentage of embryos transferred resulting in implantation (%)			54.3	4 / 5	
Percentage of transfers resulting in pregnancies (%)			55.3	3 / 4	
Percentage of transfers resulting in live births (%)			48.9	3 / 4	
Percentage of transfers resulting in singleton live births (%)			48.9	2 / 4	
Percentage of transfers resulting in twin live births (%)			0.0	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			38.3	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Southern California Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LANE FERTILITY INSTITUTE NOVATO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Danielle E. Lane, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	20%	Tubal factor	4%	Uterine factor	0%	Multiple Factors: Female factors only 15% Female & male factors 7%
Unstimulated	0%	PGD/PGS	57%	Ovulatory dysfunction	7%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	28%	
				Endometriosis	4%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 134
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	1	1
Percentage of cancellations before retrieval (%)			0 / 1	0 / 1	1 / 1
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 1	0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	7	11	3	2
Number of transfers	13	7	10	1	2
Estimated average number of transfers per retrieval	0.4	0.7	0.4	0.1	0.3
Average number of embryos transferred	1.4	1.6	1.6	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	12 / 18	5 / 11	7 / 16	0 / 1	1 / 4
Percentage of transfers resulting in pregnancies (%)	11 / 13	4 / 7	6 / 10	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	8 / 13	4 / 7	4 / 10	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	8 / 13	3 / 7	3 / 10	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 13	1 / 7	1 / 10	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 13	1 / 7	3 / 10	0 / 1	1 / 2
Number of Egg or Embryo Banking Cycles					
	31	10	28	11	8
Number of fertility preservation cycles	29	10	28	11	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	5	0	
Number of transfers	1	0	5	0	
Average number of embryos transferred	1.0		1.2		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		2 / 6		
Percentage of transfers resulting in pregnancies (%)	1 / 1		2 / 5		
Percentage of transfers resulting in live births (%)	1 / 1		2 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 1		2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		2 / 5		

CURRENT SERVICES & PROFILE

Current Name: Lane Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN REPRODUCTIVE CENTERS PALM SPRINGS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Maher A. Abdallah, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	95%	Tubal factor	18%	Uterine factor	9%	Multiple Factors: Female factors only 16% Female & male factors 16%
Unstimulated	3%	PGD/PGS	40%	Ovulatory dysfunction	8%	Male factor	32%	
Used gestational carrier	1%			Diminished ovarian reserve	43%	Other factor	14%	
				Endometriosis	7%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 219
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	64	28	35	11	3
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0 / 11	0 / 3
Number of transfers	50	24	25	7	0
Average number of embryos transferred	1.9	1.8	1.8	2.1	
Percentage of elective single embryo transfers (eSET) (%)	2.3	0 / 17	0 / 17	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	46.4	14.3	2 / 11	0 / 3
Percentage of cycles resulting in live births (%)	31.3	42.9	14.3	2 / 11	0 / 3
Percentage of cycles resulting in singleton live births (%)	18.8	32.1	14.3	2 / 11	0 / 3
Percentage of cycles resulting in twin live births (%)	12.5	10.7	0.0	0 / 11	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.8	25.0	11.4	1 / 11	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.5	38.6	10.9	2 / 15	
Percentage of transfers resulting in pregnancies (%)	46.0	54.2	20.0	2 / 7	
Percentage of transfers resulting in live births (%)	40.0	50.0	20.0	2 / 7	
Percentage of transfers resulting in singleton live births (%)	24.0	37.5	20.0	2 / 7	
Percentage of transfers resulting in twin live births (%)	16.0	12.5	0.0	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	29.2	16.0	1 / 7	
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	9	3	1	1
Number of transfers	20	9	3	0	1
Estimated average number of transfers per retrieval	1.6	0.8	0.6	0.0	0.3
Average number of embryos transferred	1.9	1.8	1.7		2.0
Percentage of embryos transferred resulting in implantation (%)	48.6	5 / 16	0 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	60.0	5 / 9	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	60.0	5 / 9	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 9	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	20.0	0 / 9	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	4 / 9	0 / 3		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	12	4	2	4
	0	0	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	4	2	
Number of transfers	4	0	4	1	
Average number of embryos transferred	1.8		2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 7		2 / 8	0 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 4		2 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 4		1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 4		1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4		1 / 4	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: American Reproductive Centers

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAY IVF CENTER PALO ALTO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Francis Polansky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	22%	Uterine factor	7%	Multiple Factors: Female factors only 11% Female & male factors 37%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	22%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	6%	
				Endometriosis	1%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 201
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	21	30	9	1
Percentage of cancellations before retrieval (%)	10.5	0.0	13.3	0 / 9	0 / 1
Number of transfers	17	9	10	4	0
Average number of embryos transferred	1.6	1.6	1.6	1.3	
Percentage of elective single embryo transfers (eSET) (%)	5 / 14	4 / 9	5 / 10	3 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.3	19.0	13.3	0 / 9	0 / 1
Percentage of cycles resulting in live births (%)	26.3	19.0	6.7	0 / 9	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.7	14.3	6.7	0 / 9	0 / 1
Percentage of cycles resulting in twin live births (%)	2.6	4.8	0.0	0 / 9	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	9.5	3.3	0 / 9	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.3	5 / 14	4 / 16	0 / 5	
Percentage of transfers resulting in pregnancies (%)	10 / 17	4 / 9	4 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	10 / 17	4 / 9	2 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	9 / 17	3 / 9	2 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 9	0 / 10	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 17	2 / 9	1 / 10	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	27	23	22	7	3
Number of transfers	27	23	22	7	3
Estimated average number of transfers per retrieval	1.2	2.1	1.2	1.8	3.0
Average number of embryos transferred	1.4	1.6	1.7	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	57.6	42.4	33.3	1 / 13	1 / 5
Percentage of transfers resulting in pregnancies (%)	70.4	60.9	50.0	1 / 7	1 / 3
Percentage of transfers resulting in live births (%)	51.9	43.5	40.9	0 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.7	30.4	31.8	0 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	11.1	13.0	9.1	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	30.4	13.6	0 / 7	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	2	5	1	0
	0	0	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	2	0	
Number of transfers	1	1	2	0	
Average number of embryos transferred	1.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1		2 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	2 / 2		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	2 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	2 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Bay IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STANFORD MEDICINE FERTILITY & REPRODUCTIVE HEALTH PALO ALTO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Valerie L. Baker, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}			
IVF	100%	With ICSI	53%	Tubal factor	4%	Uterine factor	<1%
Unstimulated	<1%	PGD/PGS	44%	Ovulatory dysfunction	8%	Male factor	66%
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	22%
				Endometriosis	6%	Unknown factor	12%
						Multiple Factors:	
						Female factors only	4%
						Female & male factors	41%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 1,339 (includes 9 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	112	98	114	75	65	
Percentage of cancellations before retrieval (%)	5.4	3.1	10.5	20.0	32.3	
Number of transfers	41	36	31	17	7	
Average number of embryos transferred	1.3	1.4	1.7	2.4	3.3	
Percentage of elective single embryo transfers (eSET) (%)	62.1	46.4	4 / 19	0 / 14	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	13.4	11.2	5.3	4.0	0.0	
Percentage of cycles resulting in live births (%)	12.5	10.2	3.5	1.3	0.0	
Percentage of cycles resulting in singleton live births (%)	12.5	9.2	3.5	1.3	0.0	
Percentage of cycles resulting in twin live births (%)	0.0	1.0	0.0	0.0	0.0	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.8	8.2	3.5	1.3	0.0	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	27.5	25.5	9.6	5.4	0.0	
Percentage of transfers resulting in pregnancies (%)	36.6	30.6	19.4	3 / 17	0 / 7	
Percentage of transfers resulting in live births (%)	34.1	27.8	12.9	1 / 17	0 / 7	
Percentage of transfers resulting in singleton live births (%)	34.1	25.0	12.9	1 / 17	0 / 7	
Percentage of transfers resulting in twin live births (%)	0.0	2.8	0.0	0 / 17	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	22.2	12.9	1 / 17	0 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	149	110	87	30	35	
Number of transfers	125	93	72	24	26	
Estimated average number of transfers per retrieval	0.7	0.6	0.5	0.5	0.9	
Average number of embryos transferred	1.1	1.0	1.2	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	53.5	48.9	39.0	40.0	21.9	
Percentage of transfers resulting in pregnancies (%)	57.6	48.4	44.4	45.8	42.3	
Percentage of transfers resulting in live births (%)	48.0	45.2	33.3	45.8	19.2	
Percentage of transfers resulting in singleton live births (%)	46.4	41.9	29.2	41.7	19.2	
Percentage of transfers resulting in twin live births (%)	1.6	3.2	4.2	4.2	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.6	36.6	27.8	33.3	15.4	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	120	114	104	47	23	
	72	81	64	22	9	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	18	1	19	9		
Number of transfers	13	1	17	8		
Average number of embryos transferred	1.3	1.0	1.2	1.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 17	1 / 1	30.0	5 / 8		
Percentage of transfers resulting in pregnancies (%)	7 / 13	1 / 1	7 / 17	5 / 8		
Percentage of transfers resulting in live births (%)	7 / 13	1 / 1	6 / 17	5 / 8		
Percentage of transfers resulting in singleton live births (%)	4 / 13	1 / 1	6 / 17	5 / 8		
Percentage of transfers resulting in twin live births (%)	3 / 13	0 / 1	0 / 17	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	1 / 1	5 / 17	4 / 8		

CURRENT SERVICES & PROFILE		Current Name: Stanford Medicine Fertility & Reproductive Health					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John G. Wilcox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	3%	Uterine factor	5%	Multiple Factors: Female factors only 7% Female & male factors 5%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	3%	Male factor	14%	
Used gestational carrier	20%			Diminished ovarian reserve	39%	Other factor	34%	
				Endometriosis	2%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,327
(includes 11 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	193	121	106	47	109
Percentage of cancellations before retrieval (%)	5.7	8.3	14.2	25.5	39.4
Number of transfers	88	64	39	17	9
Average number of embryos transferred	1.8	1.7	1.8	1.8	2.3
Percentage of elective single embryo transfers (eSET) (%)	20.0	26.8	16.7	3 / 13	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.4	29.8	12.3	8.5	0.9
Percentage of cycles resulting in live births (%)	21.8	25.6	10.4	6.4	0.0
Percentage of cycles resulting in singleton live births (%)	17.1	17.4	9.4	6.4	0.0
Percentage of cycles resulting in twin live births (%)	4.7	8.3	0.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.0	16.5	7.5	4.3	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.2	44.1	20.9	11.1	0 / 17
Percentage of transfers resulting in pregnancies (%)	53.4	56.3	33.3	4 / 17	1 / 9
Percentage of transfers resulting in live births (%)	47.7	48.4	28.2	3 / 17	0 / 9
Percentage of transfers resulting in singleton live births (%)	37.5	32.8	25.6	3 / 17	0 / 9
Percentage of transfers resulting in twin live births (%)	10.2	15.6	2.6	0 / 17	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.0	31.3	20.5	2 / 17	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	337	209	131	64	87
Number of transfers	294	182	110	45	46
Estimated average number of transfers per retrieval	0.7	0.6	0.4	0.3	0.1
Average number of embryos transferred	1.5	1.5	1.4	1.2	1.7
Percentage of embryos transferred resulting in implantation (%)	46.3	46.3	37.0	52.0	23.9
Percentage of transfers resulting in pregnancies (%)	61.2	63.2	47.3	64.4	41.3
Percentage of transfers resulting in live births (%)	51.4	55.5	40.0	53.3	32.6
Percentage of transfers resulting in singleton live births (%)	42.9	50.0	31.8	51.1	28.3
Percentage of transfers resulting in twin live births (%)	8.2	5.5	8.2	2.2	4.3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.7	40.1	30.0	40.0	17.4
Number of Egg or Embryo Banking Cycles					
	355	263	261	167	324
Number of fertility preservation cycles	33	31	20	11	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	159	2	361	20	
Number of transfers	49	2	348	20	
Average number of embryos transferred	1.8	1.5	1.4	1.4	
Percentage of embryos transferred resulting in implantation (%)	63.8	0 / 1	42.7	39.3	
Percentage of transfers resulting in pregnancies (%)	81.6	1 / 2	54.6	40.0	
Percentage of transfers resulting in live births (%)	75.5	0 / 2	44.8	40.0	
Percentage of transfers resulting in singleton live births (%)	49.0	0 / 2	37.1	25.0	
Percentage of transfers resulting in twin live births (%)	26.5	0 / 2	7.8	15.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.8	0 / 2	25.6	20.0	

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Pasadena

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-BEVERLY HILLS, REDONDO BEACH & WESTMINSTER REDONDO BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bill Yee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 4%
Unstimulated	3%	PGD/PGS	31%	Ovulatory dysfunction	7%	Male factor	16%	
Used gestational carrier	3%			Diminished ovarian reserve	26%	Other factor	32%	
				Endometriosis	3%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,953
(includes 15 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	51	71	96	79	58
Percentage of cancellations before retrieval (%)	13.7	31.0	36.5	26.6	25.9
Number of transfers	26	30	29	27	16
Average number of embryos transferred	1.7	2.3	2.5	3.0	3.9
Percentage of elective single embryo transfers (eSET) (%)	34.8	0.0	8.0	0.0	0 / 15
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.4	15.5	9.4	13.9	5.2
Percentage of cycles resulting in live births (%)	25.5	12.7	4.2	7.6	3.4
Percentage of cycles resulting in singleton live births (%)	21.6	12.7	4.2	7.6	3.4
Percentage of cycles resulting in twin live births (%)	3.9	0.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.6	9.9	2.1	5.1	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.2	16.7	10.9	10.4	6.5
Percentage of transfers resulting in pregnancies (%)	57.7	36.7	31.0	40.7	3 / 16
Percentage of transfers resulting in live births (%)	50.0	30.0	13.8	22.2	2 / 16
Percentage of transfers resulting in singleton live births (%)	42.3	30.0	13.8	22.2	2 / 16
Percentage of transfers resulting in twin live births (%)	7.7	0.0	0.0	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.6	23.3	6.9	14.8	2 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	225	189	155	61	37
Number of transfers	196	171	133	54	32
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.4	0.5
Average number of embryos transferred	1.3	1.4	1.4	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	56.1	52.6	35.9	33.0	17.0
Percentage of transfers resulting in pregnancies (%)	64.3	62.6	52.6	53.7	34.4
Percentage of transfers resulting in live births (%)	55.1	55.6	39.8	38.9	21.9
Percentage of transfers resulting in singleton live births (%)	48.0	48.5	39.1	35.2	21.9
Percentage of transfers resulting in twin live births (%)	6.6	6.4	0.8	3.7	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.3	42.1	33.1	29.6	21.9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	194	193	208	118	64
	37	50	56	11	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	38	86	5	
Number of transfers	5	34	74	4	
Average number of embryos transferred	1.2	1.5	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 5	48.9	44.7	2 / 8	
Percentage of transfers resulting in pregnancies (%)	5 / 5	64.7	54.1	2 / 4	
Percentage of transfers resulting in live births (%)	4 / 5	50.0	37.8	2 / 4	
Percentage of transfers resulting in singleton live births (%)	4 / 5	41.2	32.4	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 5	8.8	5.4	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 5	35.3	24.3	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Partners-Beverly Hills, Redondo Beach & Westminster

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael Murray, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 18% Female & male factors 36%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	16%	Male factor	49%	
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	28%	
				Endometriosis	12%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 734
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	152	61	59	24	16
Percentage of cancellations before retrieval (%)	3.9	6.6	11.9	8.3	3 / 16
Number of transfers	110	43	38	13	9
Average number of embryos transferred	1.7	1.7	2.1	2.5	1.7
Percentage of elective single embryo transfers (eSET) (%)	22.1	15.2	9.1	2 / 10	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.5	29.5	25.4	25.0	2 / 16
Percentage of cycles resulting in live births (%)	31.6	23.0	16.9	4.2	2 / 16
Percentage of cycles resulting in singleton live births (%)	27.0	16.4	16.9	0.0	2 / 16
Percentage of cycles resulting in twin live births (%)	4.6	6.6	0.0	4.2	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.3	14.8	11.9	0.0	2 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.7	29.0	18.6	18.8	2 / 15
Percentage of transfers resulting in pregnancies (%)	49.1	41.9	39.5	6 / 13	2 / 9
Percentage of transfers resulting in live births (%)	43.6	32.6	26.3	1 / 13	2 / 9
Percentage of transfers resulting in singleton live births (%)	37.3	23.3	26.3	0 / 13	2 / 9
Percentage of transfers resulting in twin live births (%)	6.4	9.3	0.0	1 / 13	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	20.9	18.4	0 / 13	2 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	106	53	49	13	7
Number of transfers	105	53	49	13	7
Estimated average number of transfers per retrieval	1.4	1.2	1.1	0.6	0.9
Average number of embryos transferred	1.6	1.6	1.5	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	50.6	39.2	45.8	4 / 12	6 / 8
Percentage of transfers resulting in pregnancies (%)	60.0	54.7	55.1	6 / 13	7 / 7
Percentage of transfers resulting in live births (%)	52.4	45.3	49.0	4 / 13	5 / 7
Percentage of transfers resulting in singleton live births (%)	38.1	37.7	40.8	4 / 13	5 / 7
Percentage of transfers resulting in twin live births (%)	14.3	7.5	8.2	0 / 13	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.3	34.0	26.5	4 / 13	5 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	30	34	14	8
	2	4	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	39	0	33	7	
Number of transfers	35	0	33	7	
Average number of embryos transferred	1.6		1.5	1.7	
Percentage of embryos transferred resulting in implantation (%)	52.9		50.0	5 / 12	
Percentage of transfers resulting in pregnancies (%)	68.6		54.5	3 / 7	
Percentage of transfers resulting in live births (%)	54.3		42.4	3 / 7	
Percentage of transfers resulting in singleton live births (%)	40.0		30.3	1 / 7	
Percentage of transfers resulting in twin live births (%)	14.3		12.1	2 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.4		30.3	1 / 7	

CURRENT SERVICES & PROFILE

Current Name: Northern California Fertility Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sae Sohn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	10%	Uterine factor	6%	Multiple Factors: Female factors only 8% Female & male factors 17%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	19%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	9%	
				Endometriosis	6%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 656
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	239	104	91	26	13
Percentage of cancellations before retrieval (%)	1.3	5.8	11.0	0.0	0 / 13
Number of transfers	198	91	74	24	13
Average number of embryos transferred	1.3	1.5	1.8	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	58.0	38.6	11.5	0 / 18	3 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	49.0	49.0	38.5	42.3	3 / 13
Percentage of cycles resulting in live births (%)	39.3	38.5	30.8	30.8	1 / 13
Percentage of cycles resulting in singleton live births (%)	34.7	33.7	25.3	30.8	1 / 13
Percentage of cycles resulting in twin live births (%)	4.6	4.8	5.5	0.0	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.0	27.9	19.8	30.8	1 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.2	45.1	32.1	25.5	15.4
Percentage of transfers resulting in pregnancies (%)	59.1	56.0	47.3	45.8	3 / 13
Percentage of transfers resulting in live births (%)	47.5	44.0	37.8	33.3	1 / 13
Percentage of transfers resulting in singleton live births (%)	41.9	38.5	31.1	33.3	1 / 13
Percentage of transfers resulting in twin live births (%)	5.6	5.5	6.8	0.0	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.4	31.9	24.3	33.3	1 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	69	39	23	2	2
Number of transfers	66	39	21	2	2
Estimated average number of transfers per retrieval	1.1	1.7	1.4	0.5	0.7
Average number of embryos transferred	1.3	1.3	1.5	1.0	2.5
Percentage of embryos transferred resulting in implantation (%)	58.3	63.3	45.2	1 / 1	1 / 5
Percentage of transfers resulting in pregnancies (%)	62.1	74.4	66.7	2 / 2	1 / 2
Percentage of transfers resulting in live births (%)	48.5	61.5	66.7	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.4	56.4	66.7	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	6.1	5.1	0.0	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.4	48.7	52.4	1 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	6	9	3	1
	3	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	7	0	
Number of transfers	7	0	7	0	
Average number of embryos transferred	1.3		1.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 9		5 / 9		
Percentage of transfers resulting in pregnancies (%)	5 / 7		4 / 7		
Percentage of transfers resulting in live births (%)	5 / 7		2 / 7		
Percentage of transfers resulting in singleton live births (%)	5 / 7		1 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 7		1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 7		0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health-Sacramento

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Arlene J. Morales, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	14%	Uterine factor	9%	Multiple Factors: Female factors only 7% Female & male factors 23%
Unstimulated	0%	PGD/PGS	34%	Ovulatory dysfunction	12%	Male factor	43%	
Used gestational carrier	3%			Diminished ovarian reserve	41%	Other factor	8%	
				Endometriosis	4%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 529
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	26	17	11	3
Percentage of cancellations before retrieval (%)	9.7	26.9	4 / 17	5 / 11	2 / 3
Number of transfers	9	8	5	3	1
Average number of embryos transferred	1.3	1.8	2.0	1.7	4.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	2 / 7	0 / 4	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	9.7	19.2	1 / 17	0 / 11	0 / 3
Percentage of cycles resulting in live births (%)	9.7	15.4	1 / 17	0 / 11	0 / 3
Percentage of cycles resulting in singleton live births (%)	6.5	15.4	0 / 17	0 / 11	0 / 3
Percentage of cycles resulting in twin live births (%)	3.2	0.0	1 / 17	0 / 11	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	15.4	0 / 17	0 / 11	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 12	4 / 11	2 / 10	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 9	5 / 8	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	3 / 9	4 / 8	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 9	4 / 8	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 8	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9	4 / 8	0 / 5	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	92	58	32	7	3
Number of transfers	92	58	30	7	3
Estimated average number of transfers per retrieval	1.2	1.1	0.6	0.4	0.3
Average number of embryos transferred	1.2	1.3	1.3	1.0	1.3
Percentage of embryos transferred resulting in implantation (%)	49.0	34.7	33.3	4 / 7	1 / 2
Percentage of transfers resulting in pregnancies (%)	56.5	41.4	33.3	4 / 7	2 / 3
Percentage of transfers resulting in live births (%)	47.8	34.5	23.3	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	44.6	34.5	16.7	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	3.3	0.0	6.7	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.1	31.0	16.7	2 / 7	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	51	42	46	20	8
	4	11	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	12	48	11	
Number of transfers	8	11	48	11	
Average number of embryos transferred	1.1	1.4	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	5 / 9	6 / 15	43.5	7 / 17	
Percentage of transfers resulting in pregnancies (%)	4 / 8	6 / 11	54.2	5 / 11	
Percentage of transfers resulting in live births (%)	2 / 8	6 / 11	35.4	5 / 11	
Percentage of transfers resulting in singleton live births (%)	1 / 8	6 / 11	31.3	5 / 11	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 11	4.2	0 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	5 / 11	25.0	5 / 11	

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists Medical Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HANABUSA IVF SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lyndon Chang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 31% Female & male factors 4%
Unstimulated	20%	PGD/PGS	52%	Ovulatory dysfunction	4%	Male factor	10%	
Used gestational carrier	23%			Diminished ovarian reserve	22%	Other factor	69%	
				Endometriosis	0%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 311
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	1	4	8	10
Percentage of cancellations before retrieval (%)	0 / 1	0 / 1	0 / 4	2 / 8	1 / 10
Number of transfers	1	1	1	2	3
Average number of embryos transferred	1.0	2.0	1.0	1.5	1.7
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	0 / 1		0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1	1 / 1	0 / 4	0 / 8	2 / 10
Percentage of cycles resulting in live births (%)	0 / 1	1 / 1	0 / 4	0 / 8	1 / 10
Percentage of cycles resulting in singleton live births (%)	0 / 1	1 / 1	0 / 4	0 / 8	1 / 10
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1	0 / 4	0 / 8	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 1	0 / 4	0 / 8	1 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 2	0 / 1	0 / 3	1 / 3
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	0 / 1	0 / 2	2 / 3
Percentage of transfers resulting in live births (%)	0 / 1	1 / 1	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 1	0 / 1	0 / 2	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	8	11	7	6
Number of transfers	11	7	7	7	3
Estimated average number of transfers per retrieval	0.8	0.3	0.2	0.1	0.0
Average number of embryos transferred	1.1	1.1	1.0	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 11	4 / 8	4 / 6	2 / 8	1 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 11	4 / 7	4 / 7	2 / 7	2 / 3
Percentage of transfers resulting in live births (%)	2 / 11	4 / 7	3 / 7	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 11	4 / 7	2 / 7	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 7	1 / 7	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 11	3 / 7	1 / 7	2 / 7	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	21	41	59	93
	2	3	4	4	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	12	0	
Number of transfers	0	0	12	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			6 / 11		
Percentage of transfers resulting in pregnancies (%)			7 / 12		
Percentage of transfers resulting in live births (%)			6 / 12		
Percentage of transfers resulting in singleton live births (%)			6 / 12		
Percentage of transfers resulting in twin live births (%)			0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			5 / 12		

CURRENT SERVICES & PROFILE

Current Name: Hanabusa IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NAVAL MEDICAL CENTER SAN DIEGO INFERTILITY CLINIC SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Larry R. Laufer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	99%	Tubal factor	23%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 2%
Unstimulated	2%	PGD/PGS	4%	Ovulatory dysfunction	18%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	6%	Other factor	8%	
				Endometriosis	8%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	62	30	19	8	0
Percentage of cancellations before retrieval (%)	1.6	0.0	1 / 19	0 / 8	
Number of transfers	34	22	9	3	0
Average number of embryos transferred	1.4	1.7	1.8	2.3	
Percentage of elective single embryo transfers (eSET) (%)	51.6	27.3	1 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.9	40.0	4 / 19	0 / 8	
Percentage of cycles resulting in live births (%)	24.2	23.3	2 / 19	0 / 8	
Percentage of cycles resulting in singleton live births (%)	19.4	20.0	1 / 19	0 / 8	
Percentage of cycles resulting in twin live births (%)	4.8	3.3	1 / 19	0 / 8	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.4	16.7	1 / 19	0 / 8	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.2	36.8	5 / 16	0 / 7	
Percentage of transfers resulting in pregnancies (%)	61.8	54.5	4 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	44.1	31.8	2 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	35.3	27.3	1 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	8.8	4.5	1 / 9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.3	22.7	1 / 9	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	92	34	10	4	3
Number of transfers	89	33	9	3	3
Estimated average number of transfers per retrieval	3.7	3.7	3.0	3.0	
Average number of embryos transferred	1.4	1.4	1.7	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	46.8	52.2	10 / 15	2 / 5	3 / 5
Percentage of transfers resulting in pregnancies (%)	55.1	54.5	8 / 9	2 / 3	2 / 3
Percentage of transfers resulting in live births (%)	38.2	39.4	7 / 9	2 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	32.6	33.3	5 / 9	2 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	5.6	6.1	2 / 9	0 / 3	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.6	21.2	4 / 9	2 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	1	
Number of transfers	0	0	1	1	
Average number of embryos transferred			1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)			1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)			0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)			0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Naval Medical Center San Diego Infertility Clinic

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCES MEDICAL CENTER SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Samuel H. Wood, MD, PhD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}			
IVF	100%	With ICSI	79%	Tubal factor	2%	Uterine factor	9%
Unstimulated	0%	PGD/PGS	92%	Ovulatory dysfunction	4%	Male factor	22%
Used gestational carrier	44%			Diminished ovarian reserve	6%	Other factor	68%
				Endometriosis	0%	Unknown factor	7%
						Multiple Factors:	
						Female factors only	4%
						Female & male factors	11%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 432 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	2	0	3	3	3	
Percentage of cancellations before retrieval (%)	0 / 2		0 / 3	1 / 3	1 / 3	
Number of transfers	0	0	1	0	1	
Average number of embryos transferred			2.0		2.0	
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	0 / 2		1 / 3	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	0 / 2		1 / 3	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	0 / 2		1 / 3	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	0 / 2		0 / 3	0 / 3	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 2		1 / 3	0 / 3	0 / 3	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)			2 / 2		0 / 2	
Percentage of transfers resulting in pregnancies (%)			1 / 1		0 / 1	
Percentage of transfers resulting in live births (%)			1 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)			1 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 1		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 1		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	46	22	17	9	6	
Number of transfers	46	22	17	9	5	
Estimated average number of transfers per retrieval	0.6	0.5	0.4	0.3	0.1	
Average number of embryos transferred	1.6	1.4	1.5	1.0	1.4	
Percentage of embryos transferred resulting in implantation (%)	31.4	66.7	30.4	5 / 8	1 / 7	
Percentage of transfers resulting in pregnancies (%)	43.5	72.7	7 / 17	5 / 9	1 / 5	
Percentage of transfers resulting in live births (%)	34.8	59.1	4 / 17	3 / 9	0 / 5	
Percentage of transfers resulting in singleton live births (%)	32.6	40.9	4 / 17	3 / 9	0 / 5	
Percentage of transfers resulting in twin live births (%)	2.2	18.2	0 / 17	0 / 9	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.6	31.8	4 / 17	3 / 9	0 / 5	
Number of Egg or Embryo Banking Cycles						
	71	48	45	35	75	
Number of fertility preservation cycles	2	4	1	1	8	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	3	3	38	0		
Number of transfers	3	0	37	0		
Average number of embryos transferred	2.0		1.4			
Percentage of embryos transferred resulting in implantation (%)	2 / 6		44.0			
Percentage of transfers resulting in pregnancies (%)	1 / 3		45.9			
Percentage of transfers resulting in live births (%)	0 / 3		40.5			
Percentage of transfers resulting in singleton live births (%)	0 / 3		35.1			
Percentage of transfers resulting in twin live births (%)	0 / 3		5.4			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		27.0			

CURRENT SERVICES & PROFILE		Current Name: Reproductive Sciences Medical Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SAN DIEGO FERTILITY CENTER SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sandy Chuan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	10%	Uterine factor	19%	Multiple Factors: Female factors only 31% Female & male factors 26%
Unstimulated	3%	PGD/PGS	38%	Ovulatory dysfunction	19%	Male factor	32%	
Used gestational carrier	16%			Diminished ovarian reserve	64%	Other factor	26%	
				Endometriosis	8%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,749
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	39	63	33	23
Percentage of cancellations before retrieval (%)	13.2	15.4	25.4	18.2	26.1
Number of transfers	20	20	20	5	1
Average number of embryos transferred	1.7	2.0	1.7	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 17	0 / 17	2 / 14	2 / 5	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10.5	15.4	12.7	0.0	0.0
Percentage of cycles resulting in live births (%)	9.2	12.8	7.9	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	7.9	10.3	7.9	0.0	0.0
Percentage of cycles resulting in twin live births (%)	1.3	2.6	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	6.6	10.3	4.8	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.4	18.9	28.1	0 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	40.0	30.0	40.0	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	35.0	25.0	25.0	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.0	20.0	25.0	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	5.0	5.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	20.0	15.0	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	207	104	95	33	17
Number of transfers	187	95	79	32	14
Estimated average number of transfers per retrieval	1.0	0.7	0.6	0.4	0.1
Average number of embryos transferred	1.6	1.5	1.6	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	41.9	39.2	37.1	23.9	5 / 18
Percentage of transfers resulting in pregnancies (%)	53.5	48.4	53.2	34.4	5 / 14
Percentage of transfers resulting in live births (%)	42.8	43.2	43.0	28.1	2 / 14
Percentage of transfers resulting in singleton live births (%)	33.7	36.8	35.4	25.0	2 / 14
Percentage of transfers resulting in twin live births (%)	9.1	6.3	7.6	3.1	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.8	30.5	30.4	18.8	2 / 14
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	148	126	105	64	109
	17	17	11	9	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	90	5	396	13	
Number of transfers	70	3	355	12	
Average number of embryos transferred	1.7	1.7	1.6	1.8	
Percentage of embryos transferred resulting in implantation (%)	54.5	3 / 5	36.5	7 / 18	
Percentage of transfers resulting in pregnancies (%)	65.7	2 / 3	50.1	7 / 12	
Percentage of transfers resulting in live births (%)	57.1	1 / 3	39.4	5 / 12	
Percentage of transfers resulting in singleton live births (%)	32.9	0 / 3	29.0	4 / 12	
Percentage of transfers resulting in twin live births (%)	24.3	1 / 3	10.4	1 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	0 / 3	22.5	4 / 12	

CURRENT SERVICES & PROFILE

Current Name: San Diego Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WILLIAMS OB/GYN & ASSOCIATES
SAN DIMAS, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Collin B. Smikle, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	12%	Uterine factor	10%	Multiple Factors: Female factors only 8% Female & male factors 11%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	22%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	20%	Other factor	8%	
				Endometriosis	4%	Unknown factor	23%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 322
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	37	14	7	7	5
Percentage of cancellations before retrieval (%)	0.0	0 / 14	1 / 7	1 / 7	0 / 5
Number of transfers	32	10	5	4	4
Average number of embryos transferred	1.5	1.8	2.0	2.5	3.8
Percentage of elective single embryo transfers (eSET) (%)	43.3	1 / 9	0 / 5	1 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.5	6 / 14	0 / 7	1 / 7	0 / 5
Percentage of cycles resulting in live births (%)	32.4	4 / 14	0 / 7	1 / 7	0 / 5
Percentage of cycles resulting in singleton live births (%)	29.7	3 / 14	0 / 7	1 / 7	0 / 5
Percentage of cycles resulting in twin live births (%)	2.7	1 / 14	0 / 7	0 / 7	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.3	2 / 14	0 / 7	1 / 7	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.7	7 / 16	0 / 10	1 / 10	0 / 15
Percentage of transfers resulting in pregnancies (%)	46.9	6 / 10	0 / 5	1 / 4	0 / 4
Percentage of transfers resulting in live births (%)	37.5	4 / 10	0 / 5	1 / 4	0 / 4
Percentage of transfers resulting in singleton live births (%)	34.4	3 / 10	0 / 5	1 / 4	0 / 4
Percentage of transfers resulting in twin live births (%)	3.1	1 / 10	0 / 5	0 / 4	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.1	2 / 10	0 / 5	1 / 4	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	52	32	30	15	4
Number of transfers	49	28	29	14	3
Estimated average number of transfers per retrieval	1.4	1.0	0.8	1.3	1.0
Average number of embryos transferred	1.5	1.5	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	57.1	45.0	45.5	8 / 17	2 / 4
Percentage of transfers resulting in pregnancies (%)	63.3	53.6	51.7	8 / 14	2 / 3
Percentage of transfers resulting in live births (%)	53.1	46.4	34.5	7 / 14	1 / 3
Percentage of transfers resulting in singleton live births (%)	34.7	35.7	31.0	7 / 14	1 / 3
Percentage of transfers resulting in twin live births (%)	16.3	10.7	3.4	0 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.6	32.1	27.6	4 / 14	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	20	26	35	8	3
	6	10	13	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	3	18	2	
Number of transfers	3	3	17	2	
Average number of embryos transferred	2.0	2.3	1.2	1.5	
Percentage of embryos transferred resulting in implantation (%)	0 / 4	3 / 7	10 / 19	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 3	9 / 17	1 / 2	
Percentage of transfers resulting in live births (%)	0 / 3	2 / 3	7 / 17	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 3	5 / 17	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 3	2 / 17	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 3	4 / 17	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Laurel Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Philip E. Chenette, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	35%	Tubal factor	5%	Uterine factor	11%	Multiple Factors: Female factors only 20% Female & male factors 19%
Unstimulated	0%	PGD/PGS	61%	Ovulatory dysfunction	14%	Male factor	27%	
Used gestational carrier	6%			Diminished ovarian reserve	51%	Other factor	22%	
				Endometriosis	7%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,056
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	23	37	35	32
Percentage of cancellations before retrieval (%)	14.3	43.5	45.9	28.6	46.9
Number of transfers	20	8	9	9	5
Average number of embryos transferred	1.2	1.3	1.8	2.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	80.0	5 / 7	1 / 7	1 / 7	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.7	8.7	13.5	5.7	6.3
Percentage of cycles resulting in live births (%)	28.6	4.3	5.4	0.0	6.3
Percentage of cycles resulting in singleton live births (%)	28.6	0.0	5.4	0.0	6.3
Percentage of cycles resulting in twin live births (%)	0.0	4.3	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.6	0.0	5.4	0.0	6.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.4	3 / 10	3 / 13	12.0	2 / 10
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 8	5 / 9	2 / 9	2 / 5
Percentage of transfers resulting in live births (%)	40.0	1 / 8	2 / 9	0 / 9	2 / 5
Percentage of transfers resulting in singleton live births (%)	40.0	0 / 8	2 / 9	0 / 9	2 / 5
Percentage of transfers resulting in twin live births (%)	0.0	1 / 8	0 / 9	0 / 9	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	0 / 8	2 / 9	0 / 9	2 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	177	160	166	74	43
Number of transfers	168	146	158	69	40
Estimated average number of transfers per retrieval	0.7	0.6	0.6	0.6	0.4
Average number of embryos transferred	1.0	1.0	1.0	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)	62.0	64.7	54.8	51.4	41.5
Percentage of transfers resulting in pregnancies (%)	60.7	64.4	57.6	56.5	47.5
Percentage of transfers resulting in live births (%)	55.4	53.4	53.2	44.9	30.0
Percentage of transfers resulting in singleton live births (%)	51.2	50.0	52.5	42.0	30.0
Percentage of transfers resulting in twin live births (%)	4.2	3.4	0.6	2.9	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.8	46.6	46.8	39.1	30.0
Number of Egg or Embryo Banking Cycles					
	214	243	274	113	105
Number of fertility preservation cycles	107	148	136	33	16
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	26	288	2	
Number of transfers	11	26	264	2	
Average number of embryos transferred	1.1	1.3	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 11	40.6	46.7	1 / 2	
Percentage of transfers resulting in pregnancies (%)	7 / 11	46.2	51.5	1 / 2	
Percentage of transfers resulting in live births (%)	5 / 11	38.5	39.8	1 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 11	30.8	37.9	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 11	7.7	1.9	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	26.9	29.9	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPRING FERTILITY SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nam D. Tran, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	11%	Uterine factor	7%	Multiple Factors: Female factors only 2% Female & male factors 7%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	2%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	0%	Other factor	42%	
				Endometriosis	7%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 218
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	6	6	5	4
Percentage of cancellations before retrieval (%)	0 / 6	1 / 6	0 / 6	0 / 5	0 / 4
Number of transfers	4	5	4	3	1
Average number of embryos transferred	1.5	2.4	2.5	5.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 4	0 / 5	0 / 3	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Percentage of cycles resulting in live births (%)	3 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	2 / 6	0 / 6	0 / 6	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 6	4 / 12	0 / 10	1 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	3 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 5	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	8	5	1	2
Number of transfers	11	8	5	1	2
Estimated average number of transfers per retrieval	0.1	0.2	0.2	0.1	0.2
Average number of embryos transferred	1.0	1.4	1.0	4.0	4.5
Percentage of embryos transferred resulting in implantation (%)	5 / 11	5 / 11	4 / 5	0 / 4	0 / 9
Percentage of transfers resulting in pregnancies (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 8	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
	79	40	26	9	9
Number of fertility preservation cycles	66	35	20	7	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	0	0	
Number of transfers	1	0	0	0	
Average number of embryos transferred	1.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1				
Percentage of transfers resulting in live births (%)	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1				

CURRENT SERVICES & PROFILE

Current Name: Spring Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Marcelle I. Cedars, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}			
IVF	100%	With ICSI	61%	Tubal factor	8%	Uterine factor	2%
Unstimulated	<1%	PGD/PGS	17%	Ovulatory dysfunction	5%	Male factor	16%
Used gestational carrier	3%			Diminished ovarian reserve	48%	Other factor	15%
				Endometriosis	3%	Unknown factor	17%
				Multiple Factors:			
						Female factors only	6%
						Female & male factors	6%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,612
(includes 16 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	191	172	272	162	99
Percentage of cancellations before retrieval (%)	11.5	16.9	19.9	23.5	27.3
Number of transfers	134	113	164	84	52
Average number of embryos transferred	1.4	1.6	2.5	3.4	3.9
Percentage of elective single embryo transfers (eSET) (%)	59.7	40.0	6.2	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	35.5	27.6	13.6	7.1
Percentage of cycles resulting in live births (%)	34.0	28.5	19.9	8.6	4.0
Percentage of cycles resulting in singleton live births (%)	31.4	23.3	15.4	8.0	3.0
Percentage of cycles resulting in twin live births (%)	2.6	5.2	4.0	0.6	1.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.2	19.2	13.2	5.6	2.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.5	41.2	22.4	8.4	4.2
Percentage of transfers resulting in pregnancies (%)	55.2	54.0	45.7	26.2	13.5
Percentage of transfers resulting in live births (%)	48.5	43.4	32.9	16.7	7.7
Percentage of transfers resulting in singleton live births (%)	44.8	35.4	25.6	15.5	5.8
Percentage of transfers resulting in twin live births (%)	3.7	8.0	6.7	1.2	1.9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.8	29.2	22.0	10.7	3.8
Frozen Embryos from Nondonor Eggs					
Number of cycles	137	152	198	94	74
Number of transfers	130	136	186	82	66
Estimated average number of transfers per retrieval	0.5	0.5	0.7	0.6	0.7
Average number of embryos transferred	1.3	1.4	1.5	1.8	3.6
Percentage of embryos transferred resulting in implantation (%)	54.4	46.4	38.7	30.8	10.9
Percentage of transfers resulting in pregnancies (%)	61.5	57.4	54.3	56.1	37.9
Percentage of transfers resulting in live births (%)	52.3	46.3	47.3	46.3	25.8
Percentage of transfers resulting in singleton live births (%)	45.4	41.2	44.1	45.1	24.2
Percentage of transfers resulting in twin live births (%)	6.9	5.1	3.2	1.2	1.5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.2	33.1	36.6	35.4	19.7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	203	220	224	117	75
	126	150	98	29	24
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	63	17	121	5	
Number of transfers	48	16	119	5	
Average number of embryos transferred	1.2	1.2	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	64.7	7 / 18	50.4	2 / 5	
Percentage of transfers resulting in pregnancies (%)	70.8	8 / 16	55.5	2 / 5	
Percentage of transfers resulting in live births (%)	56.3	6 / 16	43.7	2 / 5	
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 16	39.5	2 / 5	
Percentage of transfers resulting in twin live births (%)	6.3	0 / 16	4.2	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	5 / 16	30.3	2 / 5	

CURRENT SERVICES & PROFILE

Current Name: UCSF Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 2 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALO ALTO MEDICAL FOUNDATION FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by G. David Adamson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 17%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	12%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	35%	Other factor	13%	
				Endometriosis	9%	Unknown factor	19%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 891 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
	Number of cycles	103	92	86	63	46
	Percentage of cancellations before retrieval (%)	5.8	8.7	16.3	27.0	32.6
	Number of transfers	64	70	62	39	22
	Average number of embryos transferred	1.2	1.5	2.1	2.6	3.4
	Percentage of elective single embryo transfers (eSET) (%)	77.0	49.3	20.7	2.9	0.0
Outcomes per Cycle						
	Percentage of cycles resulting in pregnancies (%)	28.2	35.9	32.6	9.5	4.3
	Percentage of cycles resulting in live births (%)	26.2	28.3	16.3	9.5	0.0
	Percentage of cycles resulting in singleton live births (%)	23.3	25.0	15.1	6.3	0.0
	Percentage of cycles resulting in twin live births (%)	2.9	3.3	1.2	3.2	0.0
	Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	20.7	15.1	4.8	0.0
Outcomes per Transfer						
	Percentage of embryos transferred resulting in implantation (%)	40.8	33.0	23.1	7.9	1.4
	Percentage of transfers resulting in pregnancies (%)	45.3	47.1	45.2	15.4	9.1
	Percentage of transfers resulting in live births (%)	42.2	37.1	22.6	15.4	0.0
	Percentage of transfers resulting in singleton live births (%)	37.5	32.9	21.0	10.3	0.0
	Percentage of transfers resulting in twin live births (%)	4.7	4.3	1.6	5.1	0.0
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.7	27.1	21.0	7.7	0.0
Frozen Embryos from Nondonor Eggs						
	Number of cycles	100	88	68	25	23
	Number of transfers	99	86	66	25	23
	Estimated average number of transfers per retrieval	1.2	1.5	1.1	1.3	1.2
	Average number of embryos transferred	1.2	1.3	1.5	1.6	1.7
	Percentage of embryos transferred resulting in implantation (%)	47.7	37.4	33.3	26.8	11.4
	Percentage of transfers resulting in pregnancies (%)	54.5	46.5	43.9	36.0	30.4
	Percentage of transfers resulting in live births (%)	42.4	40.7	40.9	36.0	13.0
	Percentage of transfers resulting in singleton live births (%)	39.4	39.5	37.9	28.0	13.0
	Percentage of transfers resulting in twin live births (%)	3.0	1.2	3.0	8.0	0.0
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.3	31.4	34.8	24.0	4.3
Number of Egg or Embryo Banking Cycles						
	Number of fertility preservation cycles	39	26	42	14	13
		19	15	18	4	2
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
	Number of cycles	23	5	30	3	
	Number of transfers	20	5	30	3	
	Average number of embryos transferred	1.1	1.0	1.1	1.0	
	Percentage of embryos transferred resulting in implantation (%)	52.4	3 / 4	26.5	3 / 3	
	Percentage of transfers resulting in pregnancies (%)	60.0	4 / 5	30.0	2 / 3	
	Percentage of transfers resulting in live births (%)	45.0	3 / 5	23.3	1 / 3	
	Percentage of transfers resulting in singleton live births (%)	45.0	3 / 5	23.3	1 / 3	
	Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	0.0	0 / 3	
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	3 / 5	16.7	1 / 3	

CURRENT SERVICES & PROFILE		Current Name: Palo Alto Medical Foundation Fertility Physicians of Northern California					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALEX STEINLEITNER, MD, INC. SAN LUIS OBISPO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alex J. Steinleitner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	44%	Tubal factor	10%	Uterine factor	7%	Multiple Factors: Female factors only 4% Female & male factors 16%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	13%	Male factor	50%	
Used gestational carrier	3%			Diminished ovarian reserve	10%	Other factor	11%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 241
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	16	8	9	6
Percentage of cancellations before retrieval (%)	11.1	2 / 16	3 / 8	3 / 9	4 / 6
Number of transfers	20	9	2	5	2
Average number of embryos transferred	1.8	1.9	1.5	3.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	30.0	1 / 9	0 / 1	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	19.4	4 / 16	1 / 8	2 / 9	1 / 6
Percentage of cycles resulting in live births (%)	19.4	3 / 16	1 / 8	1 / 9	1 / 6
Percentage of cycles resulting in singleton live births (%)	19.4	1 / 16	1 / 8	0 / 9	1 / 6
Percentage of cycles resulting in twin live births (%)	0.0	2 / 16	0 / 8	1 / 9	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	1 / 16	0 / 8	0 / 9	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.9	5 / 15	1 / 3	3 / 15	1 / 8
Percentage of transfers resulting in pregnancies (%)	35.0	4 / 9	1 / 2	2 / 5	1 / 2
Percentage of transfers resulting in live births (%)	35.0	3 / 9	1 / 2	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	35.0	1 / 9	1 / 2	0 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	2 / 9	0 / 2	1 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	1 / 9	0 / 2	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	39	5	7	2
Number of transfers	30	36	3	6	2
Estimated average number of transfers per retrieval	0.9	2.3	0.3	1.5	0.3
Average number of embryos transferred	1.6	1.9	1.3	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	24.4	19.0	0 / 4	0 / 17	0 / 6
Percentage of transfers resulting in pregnancies (%)	36.7	33.3	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	30.0	22.2	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	26.7	19.4	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	3.3	2.8	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	13.3	5.6	0 / 3	0 / 6	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	12	9	1	7
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	14	4	
Number of transfers	5	0	11	4	
Average number of embryos transferred	2.0		1.6	2.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 10		7 / 18	6 / 10	
Percentage of transfers resulting in pregnancies (%)	1 / 5		5 / 11	4 / 4	
Percentage of transfers resulting in live births (%)	1 / 5		5 / 11	4 / 4	
Percentage of transfers resulting in singleton live births (%)	1 / 5		3 / 11	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 5		2 / 11	2 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		3 / 11	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Alex Steinleitner, MD, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Louis N. Weckstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	12%	Uterine factor	6%	Multiple Factors: Female factors only 27% Female & male factors 19%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	16%	Male factor	27%	
Used gestational carrier	5%			Diminished ovarian reserve	36%	Other factor	44%	
				Endometriosis	7%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,073
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	255	137	100	32	12
Percentage of cancellations before retrieval (%)	11.0	8.8	35.0	31.3	1 / 12
Number of transfers	155	83	38	12	5
Average number of embryos transferred	1.3	1.4	1.8	1.9	3.0
Percentage of elective single embryo transfers (eSET) (%)	72.5	56.6	10.0	0 / 10	1 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.4	36.5	19.0	12.5	2 / 12
Percentage of cycles resulting in live births (%)	34.1	29.2	14.0	12.5	1 / 12
Percentage of cycles resulting in singleton live births (%)	31.0	27.0	11.0	12.5	1 / 12
Percentage of cycles resulting in twin live births (%)	3.1	2.2	3.0	0.0	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.9	22.6	11.0	12.5	1 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.5	47.6	28.1	21.7	1 / 13
Percentage of transfers resulting in pregnancies (%)	63.2	60.2	50.0	4 / 12	2 / 5
Percentage of transfers resulting in live births (%)	56.1	48.2	36.8	4 / 12	1 / 5
Percentage of transfers resulting in singleton live births (%)	51.0	44.6	28.9	4 / 12	1 / 5
Percentage of transfers resulting in twin live births (%)	5.2	3.6	7.9	0 / 12	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.4	37.3	28.9	4 / 12	1 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	335	222	171	70	38
Number of transfers	297	204	146	51	26
Estimated average number of transfers per retrieval	1.4	1.2	0.9	0.7	0.7
Average number of embryos transferred	1.2	1.3	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	63.5	60.2	65.5	61.0	47.1
Percentage of transfers resulting in pregnancies (%)	69.4	68.1	74.0	62.7	61.5
Percentage of transfers resulting in live births (%)	59.9	59.3	64.4	56.9	42.3
Percentage of transfers resulting in singleton live births (%)	54.2	52.5	61.0	51.0	34.6
Percentage of transfers resulting in twin live births (%)	5.4	6.9	3.4	5.9	7.7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.8	45.1	51.4	41.2	34.6
Number of Egg or Embryo Banking Cycles					
	116	119	135	70	30
Number of fertility preservation cycles	23	24	18	9	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	76	13	131	4	
Number of transfers	68	12	102	3	
Average number of embryos transferred	1.1	1.6	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	69.4	10 / 19	61.0	1 / 4	
Percentage of transfers resulting in pregnancies (%)	72.1	9 / 12	69.6	1 / 3	
Percentage of transfers resulting in live births (%)	61.8	8 / 12	60.8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	57.4	7 / 12	53.9	1 / 3	
Percentage of transfers resulting in twin live births (%)	4.4	1 / 12	6.9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.6	7 / 12	43.1	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by René B. Allen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	5%	Uterine factor	10%	Multiple Factors: Female factors only 15% Female & male factors 10%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	3%	Male factor	21%	
Used gestational carrier	1%			Diminished ovarian reserve	43%	Other factor	26%	
				Endometriosis	0%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 163
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	25	18	7	34
Percentage of cancellations before retrieval (%)	0.0	8.0	2 / 18	1 / 7	14.7
Number of transfers	42	21	15	5	24
Average number of embryos transferred	1.5	2.0	2.5	2.2	2.2
Percentage of elective single embryo transfers (eSET) (%)	30.3	1 / 18	0 / 11	0 / 4	2 / 15
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	32.0	7 / 18	3 / 7	11.8
Percentage of cycles resulting in live births (%)	33.3	28.0	4 / 18	1 / 7	8.8
Percentage of cycles resulting in singleton live births (%)	24.4	24.0	2 / 18	1 / 7	8.8
Percentage of cycles resulting in twin live births (%)	8.9	4.0	2 / 18	0 / 7	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.4	20.0	1 / 18	1 / 7	8.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.4	22.0	26.5	3 / 7	7.7
Percentage of transfers resulting in pregnancies (%)	42.9	38.1	7 / 15	3 / 5	16.7
Percentage of transfers resulting in live births (%)	35.7	33.3	4 / 15	1 / 5	12.5
Percentage of transfers resulting in singleton live births (%)	26.2	28.6	2 / 15	1 / 5	12.5
Percentage of transfers resulting in twin live births (%)	9.5	4.8	2 / 15	0 / 5	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.2	23.8	1 / 15	1 / 5	12.5
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	0	3	0	0
Number of transfers	2	0	2	0	0
Estimated average number of transfers per retrieval	0.2	0.0	0.5	0.0	0.0
Average number of embryos transferred	1.5		1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3		1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2		1 / 2		
Percentage of transfers resulting in live births (%)	1 / 2		1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 2		1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		1 / 2		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	3	4	2	2
	4	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	6	0	
Number of transfers	3	0	6	0	
Average number of embryos transferred	1.7		1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 5		3 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 3		4 / 6		
Percentage of transfers resulting in live births (%)	2 / 3		3 / 6		
Percentage of transfers resulting in singleton live births (%)	1 / 3		3 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 3		0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		2 / 6		

CURRENT SERVICES & PROFILE

Current Name: Santa Barbara Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John K. Jain, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	>99%	Tubal factor	1%	Uterine factor	0%	Multiple Factors: Female factors only 14% Female & male factors 3%
Unstimulated	0%	PGD/PGS	30%	Ovulatory dysfunction	0%	Male factor	4%	
Used gestational carrier	14%			Diminished ovarian reserve	14%	Other factor	96%	
				Endometriosis	<1%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 254
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1		
Number of transfers	0	0	1	0	0
Average number of embryos transferred			1.0		
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			1 / 1		
Percentage of cycles resulting in live births (%)			1 / 1		
Percentage of cycles resulting in singleton live births (%)			1 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			1 / 1		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	4	6	4	2
Number of transfers	9	4	6	4	2
Estimated average number of transfers per retrieval	0.8	0.3	0.3	0.3	0.1
Average number of embryos transferred	1.0	1.5	1.7	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 8	4 / 6	7 / 10	4 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	8 / 9	3 / 4	5 / 6	3 / 4	1 / 2
Percentage of transfers resulting in live births (%)	7 / 9	3 / 4	3 / 6	3 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 9	2 / 4	3 / 6	2 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	1 / 4	0 / 6	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 9	2 / 4	3 / 6	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	14	22	15	38
	6	10	15	6	10
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	29	10	89	0	
Number of transfers	29	10	89	0	
Average number of embryos transferred	1.1	1.6	1.1		
Percentage of embryos transferred resulting in implantation (%)	82.8	6 / 16	78.0		
Percentage of transfers resulting in pregnancies (%)	89.7	5 / 10	83.1		
Percentage of transfers resulting in live births (%)	65.5	5 / 10	77.5		
Percentage of transfers resulting in singleton live births (%)	65.5	4 / 10	73.0		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 10	4.5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	55.2	4 / 10	57.3		

CURRENT SERVICES & PROFILE

Current Name: Santa Monica Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA UCLA GYN SUBSPECIALTIES GROUP SANTA MONICA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ingrid A. Rodi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 15%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	28%	Male factor	21%	
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	34%	
				Endometriosis	4%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 226
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	11	12	5	4
Percentage of cancellations before retrieval (%)	1 / 15	1 / 11	4 / 12	2 / 5	2 / 4
Number of transfers	2	3	5	0	1
Average number of embryos transferred	1.5	2.3	2.2		2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	0 / 3	0 / 5		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 15	1 / 11	3 / 12	0 / 5	0 / 4
Percentage of cycles resulting in live births (%)	1 / 15	1 / 11	2 / 12	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	0 / 15	0 / 11	2 / 12	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 15	1 / 11	0 / 12	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 15	0 / 11	2 / 12	0 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 3	2 / 7	2 / 9		0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 3	3 / 5		0 / 1
Percentage of transfers resulting in live births (%)	1 / 2	1 / 3	2 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 3	2 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	1 / 3	0 / 5		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 3	2 / 5		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	22	11	3	2
Number of transfers	28	20	8	3	2
Estimated average number of transfers per retrieval	0.7	0.5	0.3	0.4	0.7
Average number of embryos transferred	1.1	1.2	1.1	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	53.6	39.1	6 / 9	1 / 4	2 / 3
Percentage of transfers resulting in pregnancies (%)	64.3	45.0	5 / 8	1 / 3	2 / 2
Percentage of transfers resulting in live births (%)	46.4	40.0	5 / 8	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	46.4	40.0	4 / 8	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0.0	1 / 8	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	30.0	3 / 8	1 / 3	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	33	33	28	5	3
	12	21	10	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	4	2	
Number of transfers	0	0	4	2	
Average number of embryos transferred			1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)			2 / 4	1 / 3	
Percentage of transfers resulting in pregnancies (%)			2 / 4	1 / 2	
Percentage of transfers resulting in live births (%)			2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)			2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)			0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 4	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Santa Monica UCLA GYN Subspecialties Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	19%	Uterine factor	1%	Multiple Factors: Female factors only 21% Female & male factors 25%
Unstimulated	1%	PGD/PGS	7%	Ovulatory dysfunction	10%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	60%	Other factor	6%	
				Endometriosis	7%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 188
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	19	13	12	2
Percentage of cancellations before retrieval (%)	10.0	0 / 19	1 / 13	6 / 12	0 / 2
Number of transfers	32	17	9	5	2
Average number of embryos transferred	1.9	2.4	2.9	2.6	4.0
Percentage of elective single embryo transfers (eSET) (%)	12.9	2 / 16	0 / 9	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.5	9 / 19	5 / 13	1 / 12	1 / 2
Percentage of cycles resulting in live births (%)	40.0	7 / 19	3 / 13	1 / 12	1 / 2
Percentage of cycles resulting in singleton live births (%)	15.0	5 / 19	2 / 13	1 / 12	1 / 2
Percentage of cycles resulting in twin live births (%)	25.0	2 / 19	1 / 13	0 / 12	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.0	4 / 19	2 / 13	1 / 12	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.3	31.7	21.7	1 / 13	1 / 8
Percentage of transfers resulting in pregnancies (%)	53.1	9 / 17	5 / 9	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	50.0	7 / 17	3 / 9	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	18.8	5 / 17	2 / 9	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	31.3	2 / 17	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.8	4 / 17	2 / 9	1 / 5	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	17	8	2	6
Number of transfers	22	16	8	2	5
Estimated average number of transfers per retrieval	1.5	2.3	1.3	0.3	0.7
Average number of embryos transferred	1.8	2.6	2.3	2.5	3.6
Percentage of embryos transferred resulting in implantation (%)	40.5	23.1	6 / 18	0 / 5	0 / 18
Percentage of transfers resulting in pregnancies (%)	54.5	6 / 16	5 / 8	0 / 2	0 / 5
Percentage of transfers resulting in live births (%)	45.5	4 / 16	5 / 8	0 / 2	0 / 5
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 16	4 / 8	0 / 2	0 / 5
Percentage of transfers resulting in twin live births (%)	18.2	2 / 16	1 / 8	0 / 2	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	2 / 16	4 / 8	0 / 2	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	3	4	6	5
	2	2	1	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	0	8	5	
Number of transfers	7	0	8	4	
Average number of embryos transferred	1.9		1.8	1.5	
Percentage of embryos transferred resulting in implantation (%)	6 / 13		5 / 12	2 / 6	
Percentage of transfers resulting in pregnancies (%)	4 / 7		5 / 8	1 / 4	
Percentage of transfers resulting in live births (%)	4 / 7		4 / 8	1 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 7		4 / 8	0 / 4	
Percentage of transfers resulting in twin live births (%)	2 / 7		0 / 8	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7		3 / 8	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY CENTER FOR REPRODUCTIVE HEALTH, INC.
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Tina B. Koopersmith, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	14%	Uterine factor	11%	Multiple Factors: Female factors only 14% Female & male factors 13%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	16%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	18%	
				Endometriosis	10%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 101
 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	4	3	2	4
Percentage of cancellations before retrieval (%)	0 / 6	0 / 4	0 / 3	0 / 2	1 / 4
Number of transfers	3	2	3	1	2
Average number of embryos transferred	1.3	1.0	2.0	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	2 / 2	0 / 3	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 6	1 / 4	0 / 3	1 / 2	0 / 4
Percentage of cycles resulting in live births (%)	2 / 6	1 / 4	0 / 3	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 6	1 / 4	0 / 3	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 6	0 / 4	0 / 3	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 4	0 / 3	1 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 2	0 / 6	1 / 2	0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 2	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 2	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 2	0 / 3	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	8	10	4	1
Number of transfers	13	8	10	4	1
Estimated average number of transfers per retrieval	0.9	1.1	1.0	0.5	0.3
Average number of embryos transferred	1.2	1.5	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	10 / 15	7 / 12	3 / 14	3 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	9 / 13	6 / 8	3 / 10	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	8 / 13	6 / 8	3 / 10	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 13	5 / 8	3 / 10	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 8	0 / 10	1 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 13	5 / 8	2 / 10	1 / 4	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	5	10	8	3
	1	2	5	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	6	0	
Number of transfers	0	0	6	0	
Average number of embryos transferred			1.2		
Percentage of embryos transferred resulting in implantation (%)			4 / 7		
Percentage of transfers resulting in pregnancies (%)			4 / 6		
Percentage of transfers resulting in live births (%)			4 / 6		
Percentage of transfers resulting in singleton live births (%)			4 / 6		
Percentage of transfers resulting in twin live births (%)			0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			4 / 6		

CURRENT SERVICES & PROFILE

Current Name: Valley Center for Reproductive Health, Inc., West Coast Women's Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael Vermesh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	4%	Uterine factor	1%	Multiple Factors: Female factors only 14% Female & male factors 15%
Unstimulated	11%	PGD/PGS	41%	Ovulatory dysfunction	4%	Male factor	25%	
Used gestational carrier	3%			Diminished ovarian reserve	46%	Other factor	42%	
				Endometriosis	<1%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 345
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	11	15	13	29
Percentage of cancellations before retrieval (%)	0.0	0 / 11	1 / 15	0 / 13	3.4
Number of transfers	22	9	9	12	19
Average number of embryos transferred	1.8	1.9	1.6	2.2	1.9
Percentage of elective single embryo transfers (eSET) (%)	19.0	1 / 9	2 / 7	0 / 10	1 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.3	4 / 11	3 / 15	2 / 13	10.3
Percentage of cycles resulting in live births (%)	40.0	4 / 11	2 / 15	2 / 13	6.9
Percentage of cycles resulting in singleton live births (%)	23.3	3 / 11	1 / 15	2 / 13	6.9
Percentage of cycles resulting in twin live births (%)	13.3	1 / 11	1 / 15	0 / 13	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.7	2 / 11	1 / 15	2 / 13	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	64.7	5 / 17	4 / 14	11.5	5.7
Percentage of transfers resulting in pregnancies (%)	72.7	4 / 9	3 / 9	2 / 12	3 / 19
Percentage of transfers resulting in live births (%)	54.5	4 / 9	2 / 9	2 / 12	2 / 19
Percentage of transfers resulting in singleton live births (%)	31.8	3 / 9	1 / 9	2 / 12	2 / 19
Percentage of transfers resulting in twin live births (%)	18.2	1 / 9	1 / 9	0 / 12	0 / 19
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	2 / 9	1 / 9	2 / 12	1 / 19
Frozen Embryos from Nondonor Eggs					
Number of cycles	35	14	13	13	4
Number of transfers	35	14	13	13	4
Estimated average number of transfers per retrieval	0.8	0.8	0.4	0.6	0.1
Average number of embryos transferred	1.5	1.4	1.5	1.8	2.8
Percentage of embryos transferred resulting in implantation (%)	49.1	60.0	8 / 17	37.5	0 / 11
Percentage of transfers resulting in pregnancies (%)	65.7	10 / 14	9 / 13	7 / 13	0 / 4
Percentage of transfers resulting in live births (%)	45.7	9 / 14	8 / 13	6 / 13	0 / 4
Percentage of transfers resulting in singleton live births (%)	40.0	7 / 14	8 / 13	4 / 13	0 / 4
Percentage of transfers resulting in twin live births (%)	5.7	2 / 14	0 / 13	2 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.3	6 / 14	8 / 13	4 / 13	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	35	17	32	18	29
	9	8	17	9	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	0	26	0	
Number of transfers	3	0	26	0	
Average number of embryos transferred	2.0		1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 6		58.5		
Percentage of transfers resulting in pregnancies (%)	3 / 3		65.4		
Percentage of transfers resulting in live births (%)	2 / 3		57.7		
Percentage of transfers resulting in singleton live births (%)	2 / 3		30.8		
Percentage of transfers resulting in twin live births (%)	0 / 3		26.9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3		30.8		

CURRENT SERVICES & PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TREE OF LIFE CENTER FOR FERTILITY SNUNIT BEN-OZER, MD TARZANA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Snunit Ben-Ozer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	11%	Uterine factor	6%	Multiple Factors: Female factors only 11% Female & male factors 33%
Unstimulated	0%	PGD/PGS	67%	Ovulatory dysfunction	11%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	28%	
				Endometriosis	0%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 45
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	1	0
Percentage of cancellations before retrieval (%)				0 / 1	
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)				0 / 1	
Percentage of cycles resulting in live births (%)				0 / 1	
Percentage of cycles resulting in singleton live births (%)				0 / 1	
Percentage of cycles resulting in twin live births (%)				0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)				0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	7	4	1	0
Number of transfers	4	7	4	1	0
Estimated average number of transfers per retrieval	0.6	1.2	0.4	1.0	0.0
Average number of embryos transferred	1.5	1.7	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 6	7 / 12	3 / 7	3 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 4	5 / 7	2 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	4 / 4	4 / 7	2 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4	2 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 4	2 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	2 / 7	1 / 4	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	6	10	1	3
	5	4	4	0	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	0	
Number of transfers	0	0	1	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)				1 / 1	
Percentage of transfers resulting in live births (%)				0 / 1	
Percentage of transfers resulting in singleton live births (%)				0 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gary Hubert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	7%	Uterine factor	5%	Multiple Factors: Female factors only 13% Female & male factors 13%
Unstimulated	0%	PGD/PGS	69%	Ovulatory dysfunction	9%	Male factor	22%	
Used gestational carrier	11%			Diminished ovarian reserve	62%	Other factor	17%	
				Endometriosis	5%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,233
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	20	26	18	34
Percentage of cancellations before retrieval (%)	1 / 14	0.0	15.4	5 / 18	20.6
Number of transfers	4	0	0	1	3
Average number of embryos transferred	1.3			3.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 1			0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 14	0.0	0.0	0 / 18	5.9
Percentage of cycles resulting in live births (%)	1 / 14	0.0	0.0	0 / 18	2.9
Percentage of cycles resulting in singleton live births (%)	1 / 14	0.0	0.0	0 / 18	2.9
Percentage of cycles resulting in twin live births (%)	0 / 14	0.0	0.0	0 / 18	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 14	0.0	0.0	0 / 18	2.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5			0 / 3	2 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 4			0 / 1	2 / 3
Percentage of transfers resulting in live births (%)	1 / 4			0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 4			0 / 1	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4			0 / 1	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	134	145	101	72	28
Number of transfers	128	131	91	67	26
Estimated average number of transfers per retrieval	1.2	1.1	0.8	0.8	0.3
Average number of embryos transferred	1.2	1.3	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	62.6	60.1	57.8	38.2	43.3
Percentage of transfers resulting in pregnancies (%)	66.4	69.5	67.0	47.8	50.0
Percentage of transfers resulting in live births (%)	57.8	55.7	56.0	34.3	34.6
Percentage of transfers resulting in singleton live births (%)	50.8	48.9	53.8	34.3	30.8
Percentage of transfers resulting in twin live births (%)	6.3	6.9	2.2	0.0	3.8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.3	41.2	39.6	23.9	19.2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	108	117	111	75	79
	12	18	11	4	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	3	134	8	
Number of transfers	2	1	124	7	
Average number of embryos transferred	1.5	1.0	1.3	1.1	
Percentage of embryos transferred resulting in implantation (%)	1 / 3	0 / 1	58.0	6 / 8	
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 1	66.1	5 / 7	
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1	50.8	5 / 7	
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1	43.5	4 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	7.3	1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	0 / 1	29.0	4 / 7	

CURRENT SERVICES & PROFILE

Current Name: Fertility and Surgical Associates of California

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rifaat Salem, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	15%	Uterine factor	7%	Multiple Factors: Female factors only 18% Female & male factors 12%
Unstimulated	4%	PGD/PGS	31%	Ovulatory dysfunction	20%	Male factor	35%	
Used gestational carrier	1%			Diminished ovarian reserve	28%	Other factor	18%	
				Endometriosis	6%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 310
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	40	36	20	19
Percentage of cancellations before retrieval (%)	3.2	10.0	13.9	25.0	2 / 19
Number of transfers	91	35	29	12	16
Average number of embryos transferred	1.8	2.0	2.2	2.7	2.4
Percentage of elective single embryo transfers (eSET) (%)	3.9	6.5	0.0	0 / 11	0 / 13
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	61.1	42.5	44.4	15.0	4 / 19
Percentage of cycles resulting in live births (%)	56.8	40.0	30.6	10.0	1 / 19
Percentage of cycles resulting in singleton live births (%)	33.7	32.5	27.8	10.0	1 / 19
Percentage of cycles resulting in twin live births (%)	23.2	7.5	2.8	0.0	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.4	30.0	25.0	10.0	1 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.3	35.8	29.7	6.9	10.3
Percentage of transfers resulting in pregnancies (%)	63.7	48.6	55.2	3 / 12	4 / 16
Percentage of transfers resulting in live births (%)	59.3	45.7	37.9	2 / 12	1 / 16
Percentage of transfers resulting in singleton live births (%)	35.2	37.1	34.5	2 / 12	1 / 16
Percentage of transfers resulting in twin live births (%)	24.2	8.6	3.4	0 / 12	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	34.3	31.0	2 / 12	1 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	13	10	5	4
Number of transfers	16	13	7	3	2
Estimated average number of transfers per retrieval	1.1	1.0	1.0	0.4	0.2
Average number of embryos transferred	2.1	1.8	2.0	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	30.3	33.3	1 / 14	2 / 8	1 / 4
Percentage of transfers resulting in pregnancies (%)	7 / 16	8 / 13	1 / 7	2 / 3	1 / 2
Percentage of transfers resulting in live births (%)	6 / 16	5 / 13	1 / 7	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 16	5 / 13	1 / 7	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 13	0 / 7	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 16	3 / 13	1 / 7	2 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	10	4	8	11
	4	6	2	6	8
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	2	0	
Number of transfers	4	0	2	0	
Average number of embryos transferred	2.0		2.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 8		3 / 5		
Percentage of transfers resulting in pregnancies (%)	3 / 4		2 / 2		
Percentage of transfers resulting in live births (%)	3 / 4		2 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 4		1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 4		1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4		1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Pacific Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Omid A. Khorram, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	43%	Tubal factor	22%	Uterine factor	<1%	
Unstimulated	1%	PGD/PGS	9%	Ovulatory dysfunction	11%	Male factor	18%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	16%	
				Endometriosis	3%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				3%

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 229 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	31	41	19	6
Percentage of cancellations before retrieval (%)	0.0	6.5	7.3	1 / 19	0 / 6
Number of transfers	31	24	29	15	6
Average number of embryos transferred	2.1	2.3	2.3	2.5	2.7
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 11	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.1	38.7	29.3	1 / 19	0 / 6
Percentage of cycles resulting in live births (%)	34.1	32.3	26.8	0 / 19	0 / 6
Percentage of cycles resulting in singleton live births (%)	14.6	25.8	17.1	0 / 19	0 / 6
Percentage of cycles resulting in twin live births (%)	17.1	6.5	9.8	0 / 19	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.8	6.5	9.8	0 / 19	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	57.4	25.9	25.8	2.7	0 / 16
Percentage of transfers resulting in pregnancies (%)	74.2	50.0	41.4	1 / 15	0 / 6
Percentage of transfers resulting in live births (%)	45.2	41.7	37.9	0 / 15	0 / 6
Percentage of transfers resulting in singleton live births (%)	19.4	33.3	24.1	0 / 15	0 / 6
Percentage of transfers resulting in twin live births (%)	22.6	8.3	13.8	0 / 15	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	12.9	8.3	13.8	0 / 15	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	8	14	5	3
Number of transfers	23	8	14	5	3
Estimated average number of transfers per retrieval	1.4	1.3	1.8	1.3	1.5
Average number of embryos transferred	2.3	2.4	2.4	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	46.3	6 / 16	22.6	2 / 14	1 / 7
Percentage of transfers resulting in pregnancies (%)	60.9	5 / 8	6 / 14	2 / 5	1 / 3
Percentage of transfers resulting in live births (%)	39.1	4 / 8	3 / 14	1 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	8.7	2 / 8	2 / 14	1 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	30.4	2 / 8	1 / 14	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4.3	1 / 8	2 / 14	0 / 5	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	2	2	3	2
	4	1	2	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	1	8	1	
Number of transfers	9	1	8	1	
Average number of embryos transferred	2.2	2.0	2.4	3.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	1 / 2	6 / 14	1 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 1	6 / 8	1 / 1	
Percentage of transfers resulting in live births (%)	5 / 9	1 / 1	3 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 9	1 / 1	2 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 9	0 / 1	1 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9	1 / 1	1 / 8	0 / 1	

CURRENT SERVICES & PROFILE		Current Name: University Fertility Center	
Donor eggs?	Yes	Embryo cryopreservation?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes
		Single women?	Yes
		Gestational carriers?	Yes
		SART member?	No
		Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH REPRODUCTIVE FERTILITY CENTER WEST HOLLYWOOD, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Peyman Saadat, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	10%	Uterine factor	5%	
Unstimulated	2%	PGD/PGS	8%	Ovulatory dysfunction	9%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	37%	
				Endometriosis	4%	Unknown factor	5%	
						Multiple Factors:		
						Female factors only	12%	
						Female & male factors	25%	
2016 ART SUCCESS RATES ^{c,d}				Total number of cycles ^d : 752 (includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient							
	<35	35–37	38–40	41–42	>42			
Fresh Embryos from Fresh Nondonor Eggs								
Number of cycles	24	25	35	21	24			
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	0.0			
Number of transfers	22	23	25	14	16			
Average number of embryos transferred	2.1	2.0	2.4	3.1	2.4			
Percentage of elective single embryo transfers (eSET) (%)	0.0	5.0	0.0	0 / 12	2 / 14			
Outcomes per Cycle								
Percentage of cycles resulting in pregnancies (%)	58.3	48.0	31.4	19.0	12.5			
Percentage of cycles resulting in live births (%)	45.8	24.0	22.9	4.8	8.3			
Percentage of cycles resulting in singleton live births (%)	33.3	16.0	17.1	4.8	8.3			
Percentage of cycles resulting in twin live births (%)	8.3	8.0	5.7	0.0	0.0			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.2	16.0	11.4	0.0	4.2			
Outcomes per Transfer								
Percentage of embryos transferred resulting in implantation (%)	44.4	34.1	20.4	9.8	5.3			
Percentage of transfers resulting in pregnancies (%)	63.6	52.2	44.0	4 / 14	3 / 16			
Percentage of transfers resulting in live births (%)	50.0	26.1	32.0	1 / 14	2 / 16			
Percentage of transfers resulting in singleton live births (%)	36.4	17.4	24.0	1 / 14	2 / 16			
Percentage of transfers resulting in twin live births (%)	9.1	8.7	8.0	0 / 14	0 / 16			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	17.4	16.0	0 / 14	1 / 16			
Frozen Embryos from Nondonor Eggs								
Number of cycles	104	70	63	26	11			
Number of transfers	104	70	62	26	10			
Estimated average number of transfers per retrieval	1.2	0.9	0.8	0.6	0.2			
Average number of embryos transferred	1.8	1.8	2.1	1.7	2.8			
Percentage of embryos transferred resulting in implantation (%)	49.7	38.3	30.7	24.4	21.4			
Percentage of transfers resulting in pregnancies (%)	62.5	54.3	54.8	42.3	6 / 10			
Percentage of transfers resulting in live births (%)	53.8	42.9	41.9	30.8	5 / 10			
Percentage of transfers resulting in singleton live births (%)	36.5	31.4	35.5	30.8	5 / 10			
Percentage of transfers resulting in twin live births (%)	17.3	11.4	6.5	0.0	0 / 10			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.8	28.6	32.3	26.9	3 / 10			
Number of Egg or Embryo Banking Cycles								
Number of fertility preservation cycles	84	73	74	43	40			
	23	20	25	14	9			
Donor Eggs^f								
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos				
Number of cycles	7	1	21	0				
Number of transfers	7	1	21	0				
Average number of embryos transferred	1.7	2.0	1.8					
Percentage of embryos transferred resulting in implantation (%)	7 / 10	0 / 2	45.5					
Percentage of transfers resulting in pregnancies (%)	5 / 7	0 / 1	57.1					
Percentage of transfers resulting in live births (%)	3 / 7	0 / 1	38.1					
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 1	14.3					
Percentage of transfers resulting in twin live births (%)	2 / 7	0 / 1	23.8					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	0 / 1	9.5					
CURRENT SERVICES & PROFILE				Current Name: California Center for Reproductive Health, Reproductive Fertility Center				
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes	
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes	

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul C. Magarelli, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	5%	Tubal factor	22%	Uterine factor	0%	Multiple Factors: Female factors only 7% Female & male factors 17%
Unstimulated	0%	PGD/PGS	63%	Ovulatory dysfunction	12%	Male factor	48%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	13%	
				Endometriosis	7%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 490
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	1	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 1			
Number of transfers	1	1	0	0	0
Average number of embryos transferred	2.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1	0 / 1			
Percentage of cycles resulting in live births (%)	1 / 1	0 / 1			
Percentage of cycles resulting in singleton live births (%)	1 / 1	0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	127	43	20	8	3
Number of transfers	126	42	20	8	3
Estimated average number of transfers per retrieval	0.9	0.7	0.6	0.4	0.2
Average number of embryos transferred	1.5	1.4	1.6	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	36.4	49.1	35.7	4 / 10	0 / 4
Percentage of transfers resulting in pregnancies (%)	52.4	61.9	50.0	4 / 8	0 / 3
Percentage of transfers resulting in live births (%)	36.5	52.4	35.0	3 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	29.4	45.2	25.0	2 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	6.3	7.1	10.0	1 / 8	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.8	35.7	15.0	1 / 8	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	138	59	33	22	14
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	14	5	
Number of transfers	0	1	14	5	
Average number of embryos transferred		2.0	1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)		1 / 2	7 / 19	1 / 9	
Percentage of transfers resulting in pregnancies (%)		1 / 1	6 / 14	1 / 5	
Percentage of transfers resulting in live births (%)		1 / 1	5 / 14	1 / 5	
Percentage of transfers resulting in singleton live births (%)		1 / 1	4 / 14	1 / 5	
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 14	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	4 / 14	1 / 5	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: HQA Fertility Centers

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
DENVER, COLORADO**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Edward H. Illions, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	12%	Uterine factor	4%	Multiple Factors: Female factors only 21% Female & male factors 22%
Unstimulated	0%	PGD/PGS	34%	Ovulatory dysfunction	14%	Male factor	32%	
Used gestational carrier	6%			Diminished ovarian reserve	41%	Other factor	39%	
				Endometriosis	5%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}		Total number of cycles ^d : 248 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	29	7	0	1	0	
Percentage of cancellations before retrieval (%)	0.0	1 / 7		1 / 1		
Number of transfers	10	4	0	0	0	
Average number of embryos transferred	1.6	2.0				
Percentage of elective single embryo transfers (eSET) (%)	3 / 9	0 / 4				
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	10.3	3 / 7		0 / 1		
Percentage of cycles resulting in live births (%)	3.4	3 / 7		0 / 1		
Percentage of cycles resulting in singleton live births (%)	0.0	3 / 7		0 / 1		
Percentage of cycles resulting in twin live births (%)	3.4	0 / 7		0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	3 / 7		0 / 1		
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	4 / 16	3 / 8				
Percentage of transfers resulting in pregnancies (%)	3 / 10	3 / 4				
Percentage of transfers resulting in live births (%)	1 / 10	3 / 4				
Percentage of transfers resulting in singleton live births (%)	0 / 10	3 / 4				
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 4				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 10	3 / 4				
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	25	17	8	0	
Number of transfers	54	25	16	8	0	
Estimated average number of transfers per retrieval	1.0	1.2	1.3	4.0		
Average number of embryos transferred	1.2	1.4	1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)	55.6	21.2	9 / 19	3 / 9		
Percentage of transfers resulting in pregnancies (%)	66.7	36.0	10 / 16	4 / 8		
Percentage of transfers resulting in live births (%)	59.3	20.0	9 / 16	3 / 8		
Percentage of transfers resulting in singleton live births (%)	57.4	20.0	9 / 16	3 / 8		
Percentage of transfers resulting in twin live births (%)	1.9	0.0	0 / 16	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.3	20.0	5 / 16	2 / 8		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	36	17	12	2	0	
	10	5	1	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	1	9	25	3		
Number of transfers	0	9	25	3		
Average number of embryos transferred		1.6	1.2	1.7		
Percentage of embryos transferred resulting in implantation (%)		2 / 14	30.8	2 / 5		
Percentage of transfers resulting in pregnancies (%)		2 / 9	44.0	2 / 3		
Percentage of transfers resulting in live births (%)		2 / 9	32.0	2 / 3		
Percentage of transfers resulting in singleton live births (%)		2 / 9	32.0	2 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 9	0.0	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 9	16.0	2 / 3		

CURRENT SERVICES & PROFILE		Current Name: Advanced Reproductive Medicine, University of Colorado					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Susan W. Trout, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	13%	Tubal factor	17%	Uterine factor	3%	Multiple Factors: Female factors only 17% Female & male factors 13%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	25%	Male factor	32%	
Used gestational carrier	6%			Diminished ovarian reserve	37%	Other factor	7%	
				Endometriosis	3%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d} Total number of cycles^d: 99 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	21	15	7	3	1
Percentage of cancellations before retrieval (%)	0.0	1 / 15	0 / 7	1 / 3	0 / 1
Number of transfers	14	9	3	1	0
Average number of embryos transferred	1.5	1.8	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	5 / 12	0 / 7	0 / 2		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	9.5	1 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	9.5	1 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	4.8	1 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	4.8	0 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4.8	1 / 15	0 / 7	0 / 3	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	14.3	1 / 16	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 14	1 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 14	1 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 14	1 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 14	1 / 9	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	8	7	4	1
Number of transfers	7	7	6	3	1
Estimated average number of transfers per retrieval	1.4	1.2	2.0	0.8	
Average number of embryos transferred	1.6	1.6	1.5	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 11	4 / 11	2 / 9	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 7	4 / 7	2 / 6	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	2 / 7	2 / 7	2 / 6	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 7	2 / 7	2 / 6	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 7	0 / 6	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	2 / 7	1 / 6	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	0	3	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	4	5	
Number of transfers	2	0	3	5	
Average number of embryos transferred	2.0		1.0	1.8	
Percentage of embryos transferred resulting in implantation (%)	4 / 4		1 / 3	3 / 9	
Percentage of transfers resulting in pregnancies (%)	2 / 2		1 / 3	3 / 5	
Percentage of transfers resulting in live births (%)	1 / 2		1 / 3	3 / 5	
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 3	3 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 2		0 / 3	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		1 / 3	2 / 5	

CURRENT SERVICES & PROFILE Current Name: Colorado Reproductive Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DENVER FERTILITY-ALBRECHT WOMEN'S CARE ENGLEWOOD, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE Data verified by Bruce H. Albrecht, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	16%	Uterine factor	2%	Multiple Factors: Female factors only 14% Female & male factors 18%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	16%	Male factor	31%	
Used gestational carrier	2%			Diminished ovarian reserve	48%	Other factor	10%	
				Endometriosis	7%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d} Total number of cycles^d: 151 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	15	14	6	0
Percentage of cancellations before retrieval (%)	4.3	3 / 15	4 / 14	2 / 6	
Number of transfers	12	5	6	3	0
Average number of embryos transferred	1.8	1.6	1.8	2.0	
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	0 / 3	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.5	4 / 15	3 / 14	1 / 6	
Percentage of cycles resulting in live births (%)	34.8	3 / 15	2 / 14	0 / 6	
Percentage of cycles resulting in singleton live births (%)	26.1	3 / 15	2 / 14	0 / 6	
Percentage of cycles resulting in twin live births (%)	8.7	0 / 15	0 / 14	0 / 6	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.1	3 / 15	2 / 14	0 / 6	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	61.9	3 / 7	2 / 9	0 / 4	
Percentage of transfers resulting in pregnancies (%)	10 / 12	4 / 5	3 / 6	1 / 3	
Percentage of transfers resulting in live births (%)	8 / 12	3 / 5	2 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 12	3 / 5	2 / 6	0 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 5	0 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 12	3 / 5	2 / 6	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	12	10	0	2
Number of transfers	25	10	10	0	2
Estimated average number of transfers per retrieval	1.7	1.4	5.0		0.7
Average number of embryos transferred	1.4	1.5	1.0		1.0
Percentage of embryos transferred resulting in implantation (%)	38.7	4 / 13	3 / 8		1 / 2
Percentage of transfers resulting in pregnancies (%)	52.0	4 / 10	5 / 10		1 / 2
Percentage of transfers resulting in live births (%)	36.0	3 / 10	2 / 10		1 / 2
Percentage of transfers resulting in singleton live births (%)	32.0	2 / 10	2 / 10		1 / 2
Percentage of transfers resulting in twin live births (%)	4.0	1 / 10	0 / 10		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	2 / 10	2 / 10		1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	4	2	0	3
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	1	15	0	
Number of transfers	9	1	13	0	
Average number of embryos transferred	1.0	1.0	1.2		
Percentage of embryos transferred resulting in implantation (%)	2 / 7	0 / 1	2 / 16		
Percentage of transfers resulting in pregnancies (%)	4 / 9	0 / 1	2 / 13		
Percentage of transfers resulting in live births (%)	2 / 9	0 / 1	2 / 13		
Percentage of transfers resulting in singleton live births (%)	2 / 9	0 / 1	2 / 13		
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 1	0 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	0 / 1	1 / 13		

CURRENT SERVICES & PROFILE Current Name: Denver Fertility-Albrecht Women's Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin E. Bachus, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	22%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 16%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	6%	
				Endometriosis	9%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 99
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	16	9	2	0
Percentage of cancellations before retrieval (%)	4.2	0 / 16	0 / 9	0 / 2	
Number of transfers	21	16	8	2	0
Average number of embryos transferred	1.9	2.1	2.8	3.5	
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	0 / 16	0 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	54.2	6 / 16	4 / 9	0 / 2	
Percentage of cycles resulting in live births (%)	54.2	6 / 16	2 / 9	0 / 2	
Percentage of cycles resulting in singleton live births (%)	33.3	4 / 16	1 / 9	0 / 2	
Percentage of cycles resulting in twin live births (%)	20.8	1 / 16	1 / 9	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	33.3	2 / 16	1 / 9	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.7	26.5	4 / 19	0 / 7	
Percentage of transfers resulting in pregnancies (%)	61.9	6 / 16	4 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	61.9	6 / 16	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	38.1	4 / 16	1 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	23.8	1 / 16	1 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	2 / 16	1 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	11	7	1	1
Number of transfers	14	11	7	1	1
Estimated average number of transfers per retrieval	3.5	2.2	2.3	0.5	
Average number of embryos transferred	1.8	1.6	1.9	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	28.0	8 / 18	7 / 12	0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	5 / 14	6 / 11	5 / 7	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	3 / 14	4 / 11	4 / 7	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 14	2 / 11	3 / 7	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 14	2 / 11	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 14	2 / 11	3 / 7	0 / 1	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	4	0	
Number of transfers	9	0	4	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	13 / 18		3 / 8		
Percentage of transfers resulting in pregnancies (%)	8 / 9		2 / 4		
Percentage of transfers resulting in live births (%)	8 / 9		1 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 9		0 / 4		
Percentage of transfers resulting in twin live births (%)	5 / 9		1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9		0 / 4		

CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO LITTLETON, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Mark R. Bush, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	98%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 27% Female & male factors 33%
Unstimulated	0%	PGD/PGS	86%	Ovulatory dysfunction	19%	Male factor	43%	
Used gestational carrier	4%			Diminished ovarian reserve	40%	Other factor	48%	
				Endometriosis	5%	Unknown factor	8%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 1,143 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		13	4	2	2	0
Percentage of cancellations before retrieval (%)		1 / 13	0 / 4	0 / 2	0 / 2	
Number of transfers		10	2	1	2	0
Average number of embryos transferred		1.4	2.0	1.0	1.5	
Percentage of elective single embryo transfers (eSET) (%)		5 / 9	0 / 2	1 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		6 / 13	2 / 4	1 / 2	0 / 2	
Percentage of cycles resulting in live births (%)		6 / 13	2 / 4	1 / 2	0 / 2	
Percentage of cycles resulting in singleton live births (%)		5 / 13	2 / 4	1 / 2	0 / 2	
Percentage of cycles resulting in twin live births (%)		1 / 13	0 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		4 / 13	1 / 4	1 / 2	0 / 2	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		7 / 14	2 / 4	1 / 1	0 / 3	
Percentage of transfers resulting in pregnancies (%)		6 / 10	2 / 2	1 / 1	0 / 2	
Percentage of transfers resulting in live births (%)		6 / 10	2 / 2	1 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)		5 / 10	2 / 2	1 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 10	1 / 2	1 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles		240	109	71	22	8
Number of transfers		239	106	71	22	8
Estimated average number of transfers per retrieval		0.9	0.8	0.6	0.6	0.2
Average number of embryos transferred		1.2	1.2	1.1	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)		73.8	74.6	67.1	100.0	5 / 9
Percentage of transfers resulting in pregnancies (%)		74.9	77.4	70.4	90.9	4 / 8
Percentage of transfers resulting in live births (%)		68.2	64.2	62.0	86.4	3 / 8
Percentage of transfers resulting in singleton live births (%)		58.2	55.7	59.2	68.2	2 / 8
Percentage of transfers resulting in twin live births (%)		9.2	7.5	2.8	18.2	1 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		51.0	38.7	47.9	59.1	2 / 8
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		248	138	118	34	35
		3	2	4	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	9	85	3	
Number of transfers		0	9	82	3	
Average number of embryos transferred			1.1	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)			7 / 8	66.7	0 / 3	
Percentage of transfers resulting in pregnancies (%)			9 / 9	68.3	0 / 3	
Percentage of transfers resulting in live births (%)			5 / 9	61.0	0 / 3	
Percentage of transfers resulting in singleton live births (%)			5 / 9	57.3	0 / 3	
Percentage of transfers resulting in twin live births (%)			0 / 9	2.4	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			4 / 9	34.1	0 / 3	

CURRENT SERVICES & PROFILE		Current Name: Conceptions Reproductive Associates of Colorado					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William B. Schoolcraft, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	5%	Uterine factor	11%	Multiple Factors: Female factors only 22% Female & male factors 15%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	14%	Male factor	22%	
Used gestational carrier	4%			Diminished ovarian reserve	49%	Other factor	21%	
				Endometriosis	9%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,740
(includes 42 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	66	62	43	63
Percentage of cancellations before retrieval (%)	10.4	28.8	29.0	41.9	23.8
Number of transfers	38	13	5	0	0
Average number of embryos transferred	1.6	1.8	1.6		
Percentage of elective single embryo transfers (eSET) (%)	39.5	2 / 11	1 / 4		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.6	15.2	6.5	0.0	0.0
Percentage of cycles resulting in live births (%)	20.9	10.6	4.8	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	16.5	9.1	4.8	0.0	0.0
Percentage of cycles resulting in twin live births (%)	4.3	1.5	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.9	6.1	4.8	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.3	9 / 19	4 / 8		
Percentage of transfers resulting in pregnancies (%)	68.4	10 / 13	4 / 5		
Percentage of transfers resulting in live births (%)	63.2	7 / 13	3 / 5		
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 13	3 / 5		
Percentage of transfers resulting in twin live births (%)	13.2	1 / 13	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.1	4 / 13	3 / 5		
Frozen Embryos from Nondonor Eggs					
Number of cycles	474	357	307	159	113
Number of transfers	462	350	299	149	102
Estimated average number of transfers per retrieval	1.0	1.0	0.7	0.6	0.5
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	66.4	65.5	72.8	59.3	55.9
Percentage of transfers resulting in pregnancies (%)	73.8	72.0	78.6	64.4	60.8
Percentage of transfers resulting in live births (%)	63.9	62.9	68.2	57.0	54.9
Percentage of transfers resulting in singleton live births (%)	50.0	50.6	52.8	48.3	43.1
Percentage of transfers resulting in twin live births (%)	13.4	12.0	13.7	8.7	10.8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9	43.4	46.2	38.3	40.2
Number of Egg or Embryo Banking Cycles					
	408	344	403	242	222
Number of fertility preservation cycles	90	86	104	72	81
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	67	23	215	15	
Number of transfers	36	15	215	15	
Average number of embryos transferred	1.5	1.7	1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	71.4	66.7	58.6	55.6	
Percentage of transfers resulting in pregnancies (%)	83.3	10 / 15	71.6	10 / 15	
Percentage of transfers resulting in live births (%)	69.4	7 / 15	57.2	8 / 15	
Percentage of transfers resulting in singleton live births (%)	52.8	4 / 15	46.5	4 / 15	
Percentage of transfers resulting in twin live births (%)	16.7	3 / 15	10.7	4 / 15	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	2 / 15	39.5	4 / 15	

CURRENT SERVICES & PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN FERTILITY CENTER PARKER, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Deborah L. Smith, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	97%	Tubal factor	20%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	10%	Male factor	28%	
Used gestational carrier	3%			Diminished ovarian reserve	40%	Other factor	10%	
				Endometriosis	7%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				5%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 144 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		32	18	8	1	0
Percentage of cancellations before retrieval (%)		0.0	0 / 18	0 / 8	0 / 1	
Number of transfers		31	15	7	0	0
Average number of embryos transferred		1.9	1.9	1.9		
Percentage of elective single embryo transfers (eSET) (%)		7.1	2 / 15	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		50.0	9 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in live births (%)		40.6	8 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)		34.4	7 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)		6.3	1 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		31.3	7 / 18	0 / 8	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		32.1	33.3	0 / 13		
Percentage of transfers resulting in pregnancies (%)		51.6	9 / 15	0 / 7		
Percentage of transfers resulting in live births (%)		41.9	8 / 15	0 / 7		
Percentage of transfers resulting in singleton live births (%)		35.5	7 / 15	0 / 7		
Percentage of transfers resulting in twin live births (%)		6.5	1 / 15	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		32.3	7 / 15	0 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles		16	19	3	2	0
Number of transfers		15	18	3	2	0
Estimated average number of transfers per retrieval		1.0	1.6	0.6	1.0	0.0
Average number of embryos transferred		1.6	1.7	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)		50.0	65.4	1 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)		9 / 15	16 / 18	3 / 3	1 / 2	
Percentage of transfers resulting in live births (%)		8 / 15	12 / 18	0 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)		5 / 15	9 / 18	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)		3 / 15	3 / 18	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 15	8 / 18	0 / 3	1 / 2	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		12	6	4	1	1
		0	1	2	0	1
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		10	1	7	0	
Number of transfers		8	1	6	0	
Average number of embryos transferred		1.8	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		10 / 14	1 / 2	2 / 8		
Percentage of transfers resulting in pregnancies (%)		7 / 8	1 / 1	2 / 6		
Percentage of transfers resulting in live births (%)		6 / 8	1 / 1	1 / 6		
Percentage of transfers resulting in singleton live births (%)		3 / 8	1 / 1	1 / 6		
Percentage of transfers resulting in twin live births (%)		3 / 8	0 / 1	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 8	1 / 1	1 / 6		

CURRENT SERVICES & PROFILE		Current Name: Rocky Mountain Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CT FERTILITY BRIDGEPORT, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Melvin H. Thornton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	31%	Tubal factor	<1%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 4%
Unstimulated	3%	PGD/PGS	40%	Ovulatory dysfunction	3%	Male factor	7%	
Used gestational carrier	68%			Diminished ovarian reserve	28%	Other factor	71%	
				Endometriosis	<1%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 632
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	16	11	6	8
Percentage of cancellations before retrieval (%)	2 / 18	5 / 16	2 / 11	4 / 6	1 / 8
Number of transfers	15	9	8	1	6
Average number of embryos transferred	1.7	1.8	2.0	2.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	4 / 15	3 / 8	0 / 7	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Percentage of cycles resulting in live births (%)	1 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Percentage of cycles resulting in singleton live births (%)	1 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Percentage of cycles resulting in twin live births (%)	0 / 18	0 / 16	0 / 11	0 / 6	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11.5	1 / 16	2 / 16	0 / 2	0 / 10
Percentage of transfers resulting in pregnancies (%)	3 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Percentage of transfers resulting in live births (%)	1 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Percentage of transfers resulting in singleton live births (%)	1 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 9	0 / 8	0 / 1	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	15	12	7	3
Number of transfers	13	15	11	6	3
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.1
Average number of embryos transferred	1.5	1.5	1.5	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	3 / 18	30.4	1 / 15	4 / 12	0 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 13	6 / 15	2 / 11	3 / 6	0 / 3
Percentage of transfers resulting in live births (%)	2 / 13	4 / 15	1 / 11	2 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 13	4 / 15	1 / 11	2 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 15	0 / 11	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 13	3 / 15	0 / 11	2 / 6	0 / 3
Number of Egg or Embryo Banking Cycles					
	17	23	20	14	39
Number of fertility preservation cycles	2	1	2	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	102	22	269	15	
Number of transfers	84	17	227	14	
Average number of embryos transferred	1.7	3.1	1.5	2.1	
Percentage of embryos transferred resulting in implantation (%)	44.8	7.1	28.7	10.3	
Percentage of transfers resulting in pregnancies (%)	54.8	5 / 17	38.8	3 / 14	
Percentage of transfers resulting in live births (%)	34.5	2 / 17	25.6	2 / 14	
Percentage of transfers resulting in singleton live births (%)	19.0	1 / 17	21.1	2 / 14	
Percentage of transfers resulting in twin live births (%)	14.3	1 / 17	4.0	0 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	14.3	1 / 17	18.9	1 / 14	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: CT Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE SERVICES FARMINGTON, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John C. Nulsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	68%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 10% Female & male factors 14%
Unstimulated	2%	PGD/PGS	9%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	24%	
				Endometriosis	8%	Unknown factor	22%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,553
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	400	178	154	67	37
Percentage of cancellations before retrieval (%)	11.3	14.0	25.3	35.8	29.7
Number of transfers	291	128	89	33	21
Average number of embryos transferred	1.3	1.7	2.0	2.5	2.1
Percentage of elective single embryo transfers (eSET) (%)	61.0	22.7	8.2	3.6	1 / 15
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.3	40.4	24.7	16.4	8.1
Percentage of cycles resulting in live births (%)	37.8	33.7	17.5	7.5	2.7
Percentage of cycles resulting in singleton live births (%)	33.3	25.8	12.3	7.5	2.7
Percentage of cycles resulting in twin live births (%)	4.3	7.9	5.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.5	19.1	10.4	4.5	2.7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.7	40.7	27.5	13.2	4.8
Percentage of transfers resulting in pregnancies (%)	60.8	56.3	42.7	33.3	14.3
Percentage of transfers resulting in live births (%)	51.9	46.9	30.3	15.2	4.8
Percentage of transfers resulting in singleton live births (%)	45.7	35.9	21.3	15.2	4.8
Percentage of transfers resulting in twin live births (%)	5.8	10.9	9.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.8	26.6	18.0	9.1	4.8
Frozen Embryos from Nondonor Eggs					
Number of cycles	213	104	61	27	10
Number of transfers	198	97	55	27	8
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.5	0.4
Average number of embryos transferred	1.4	1.4	1.4	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	61.0	55.3	60.0	43.2	2 / 11
Percentage of transfers resulting in pregnancies (%)	68.2	66.0	72.7	63.0	2 / 8
Percentage of transfers resulting in live births (%)	61.1	57.7	56.4	33.3	2 / 8
Percentage of transfers resulting in singleton live births (%)	47.5	44.3	50.9	33.3	2 / 8
Percentage of transfers resulting in twin live births (%)	13.6	13.4	5.5	0.0	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9	40.2	45.5	25.9	2 / 8
Number of Egg or Embryo Banking Cycles					
	58	36	45	50	17
Number of fertility preservation cycles	2	1	1	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	45	22	18	
Number of transfers	5	43	21	16	
Average number of embryos transferred	1.2	1.5	1.2	1.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 5	48.4	42.3	37.5	
Percentage of transfers resulting in pregnancies (%)	3 / 5	58.1	42.9	8 / 16	
Percentage of transfers resulting in live births (%)	2 / 5	51.2	42.9	7 / 16	
Percentage of transfers resulting in singleton live births (%)	2 / 5	44.2	33.3	6 / 16	
Percentage of transfers resulting in twin live births (%)	0 / 5	7.0	9.5	1 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	39.5	33.3	6 / 16	

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Services

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Barry R. Witt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}					
IVF	100%	With ICSI	33%	Tubal factor	4%	Uterine factor	2%	Multiple Factors:	
Unstimulated	0%	PGD/PGS	34%	Ovulatory dysfunction	10%	Male factor	18%	Female factors only	8%
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	15%	Female & male factors	8%
				Endometriosis	2%	Unknown factor	29%		

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 602
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	68	39	42	19	22
Percentage of cancellations before retrieval (%)	5.9	10.3	19.0	3 / 19	22.7
Number of transfers	50	30	19	4	7
Average number of embryos transferred	1.2	1.3	1.6	2.0	1.4
Percentage of elective single embryo transfers (eSET) (%)	80.5	56.5	2 / 11	0 / 4	1 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	35.9	19.0	1 / 19	18.2
Percentage of cycles resulting in live births (%)	30.9	28.2	11.9	0 / 19	18.2
Percentage of cycles resulting in singleton live births (%)	30.9	25.6	11.9	0 / 19	18.2
Percentage of cycles resulting in twin live births (%)	0.0	2.6	0.0	0 / 19	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.9	20.5	9.5	0 / 19	18.2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.1	35.9	19.2	0 / 6	4 / 10
Percentage of transfers resulting in pregnancies (%)	50.0	46.7	8 / 19	1 / 4	4 / 7
Percentage of transfers resulting in live births (%)	42.0	36.7	5 / 19	0 / 4	4 / 7
Percentage of transfers resulting in singleton live births (%)	42.0	33.3	5 / 19	0 / 4	4 / 7
Percentage of transfers resulting in twin live births (%)	0.0	3.3	0 / 19	0 / 4	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.0	26.7	4 / 19	0 / 4	4 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	91	64	32	10	6
Number of transfers	85	58	27	7	6
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.3	0.5
Average number of embryos transferred	1.2	1.1	1.0	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	59.4	63.9	65.4	4 / 8	3 / 6
Percentage of transfers resulting in pregnancies (%)	62.4	63.8	66.7	4 / 7	3 / 6
Percentage of transfers resulting in live births (%)	52.9	51.7	51.9	3 / 7	2 / 6
Percentage of transfers resulting in singleton live births (%)	45.9	41.4	51.9	3 / 7	2 / 6
Percentage of transfers resulting in twin live births (%)	7.1	10.3	0.0	0 / 7	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.2	34.5	44.4	3 / 7	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	54	51	43	26	11
	10	2	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	16	7	0	
Number of transfers	1	16	7	0	
Average number of embryos transferred	2.0	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	9 / 15	3 / 7		
Percentage of transfers resulting in pregnancies (%)	0 / 1	9 / 16	3 / 7		
Percentage of transfers resulting in live births (%)	0 / 1	7 / 16	3 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 1	6 / 16	3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 16	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	6 / 16	2 / 7		

CURRENT SERVICES & PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Pasquale Patrizio, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	12%	Uterine factor	8%	Multiple Factors: Female factors only 14% Female & male factors 10%
Unstimulated	<1%	PGD/PGS	12%	Ovulatory dysfunction	13%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	17%	
				Endometriosis	5%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 719
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	130	74	66	45	32
Percentage of cancellations before retrieval (%)	11.5	16.2	12.1	40.0	31.3
Number of transfers	87	46	44	14	18
Average number of embryos transferred	1.4	1.7	2.0	2.1	2.3
Percentage of elective single embryo transfers (eSET) (%)	52.4	31.1	8.1	0 / 11	0 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.5	31.1	36.4	8.9	12.5
Percentage of cycles resulting in live births (%)	36.9	25.7	28.8	6.7	3.1
Percentage of cycles resulting in singleton live births (%)	28.5	21.6	24.2	4.4	3.1
Percentage of cycles resulting in twin live births (%)	8.5	4.1	4.5	2.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.8	20.3	24.2	4.4	3.1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.0	41.8	34.1	16.7	9.8
Percentage of transfers resulting in pregnancies (%)	62.1	50.0	54.5	4 / 14	4 / 18
Percentage of transfers resulting in live births (%)	55.2	41.3	43.2	3 / 14	1 / 18
Percentage of transfers resulting in singleton live births (%)	42.5	34.8	36.4	2 / 14	1 / 18
Percentage of transfers resulting in twin live births (%)	12.6	6.5	6.8	1 / 14	0 / 18
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.6	32.6	36.4	2 / 14	1 / 18
Frozen Embryos from Nondonor Eggs					
Number of cycles	78	35	50	15	7
Number of transfers	78	34	49	15	7
Estimated average number of transfers per retrieval	0.9	0.9	0.9	0.5	0.6
Average number of embryos transferred	1.5	1.6	1.6	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	48.7	44.9	46.7	33.3	3 / 12
Percentage of transfers resulting in pregnancies (%)	59.0	64.7	55.1	9 / 15	3 / 7
Percentage of transfers resulting in live births (%)	50.0	50.0	44.9	6 / 15	3 / 7
Percentage of transfers resulting in singleton live births (%)	38.5	41.2	30.6	5 / 15	3 / 7
Percentage of transfers resulting in twin live births (%)	11.5	8.8	14.3	1 / 15	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	38.2	24.5	5 / 15	3 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	50	24	40	23	8
	25	11	0	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	0	18	4	
Number of transfers	16	0	17	4	
Average number of embryos transferred	1.4		1.5	1.3	
Percentage of embryos transferred resulting in implantation (%)	70.0		36.0	2 / 4	
Percentage of transfers resulting in pregnancies (%)	14 / 16		7 / 17	3 / 4	
Percentage of transfers resulting in live births (%)	11 / 16		6 / 17	2 / 4	
Percentage of transfers resulting in singleton live births (%)	10 / 16		4 / 17	2 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 16		2 / 17	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 16		4 / 17	2 / 4	

CURRENT SERVICES & PROFILE

Current Name: Yale Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark P. Leondires, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	8%	Uterine factor	9%	Multiple Factors: Female factors only 30% Female & male factors 18%
Unstimulated	2%	PGD/PGS	33%	Ovulatory dysfunction	16%	Male factor	25%	
Used gestational carrier	7%			Diminished ovarian reserve	40%	Other factor	49%	
				Endometriosis	5%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,535
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	127	66	86	53	47
Percentage of cancellations before retrieval (%)	7.1	6.1	31.4	34.0	36.2
Number of transfers	83	42	25	19	9
Average number of embryos transferred	1.7	1.6	1.5	1.6	1.4
Percentage of elective single embryo transfers (eSET) (%)	28.9	25.0	5 / 18	1 / 13	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.9	28.8	10.5	22.6	2.1
Percentage of cycles resulting in live births (%)	26.8	24.2	8.1	18.9	0.0
Percentage of cycles resulting in singleton live births (%)	20.5	18.2	8.1	17.0	0.0
Percentage of cycles resulting in twin live births (%)	6.3	6.1	0.0	1.9	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.9	15.2	5.8	15.1	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.1	33.3	21.6	41.4	1 / 13
Percentage of transfers resulting in pregnancies (%)	45.8	45.2	36.0	12 / 19	1 / 9
Percentage of transfers resulting in live births (%)	41.0	38.1	28.0	10 / 19	0 / 9
Percentage of transfers resulting in singleton live births (%)	31.3	28.6	28.0	9 / 19	0 / 9
Percentage of transfers resulting in twin live births (%)	9.6	9.5	0.0	1 / 19	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.9	23.8	20.0	8 / 19	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	214	141	118	32	13
Number of transfers	185	124	94	29	10
Estimated average number of transfers per retrieval	1.0	0.9	0.5	0.5	0.2
Average number of embryos transferred	1.4	1.3	1.3	1.2	1.2
Percentage of embryos transferred resulting in implantation (%)	63.8	55.0	41.5	52.9	5 / 12
Percentage of transfers resulting in pregnancies (%)	69.2	63.7	47.9	65.5	5 / 10
Percentage of transfers resulting in live births (%)	58.4	46.8	40.4	51.7	4 / 10
Percentage of transfers resulting in singleton live births (%)	44.3	37.9	33.0	48.3	4 / 10
Percentage of transfers resulting in twin live births (%)	13.0	8.9	7.4	3.4	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.5	32.3	25.5	41.4	4 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	122	117	153	55	50
	11	19	20	5	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	24	14	103	0	
Number of transfers	21	11	84	0	
Average number of embryos transferred	1.7	1.8	1.3		
Percentage of embryos transferred resulting in implantation (%)	48.5	30.0	55.0		
Percentage of transfers resulting in pregnancies (%)	71.4	5 / 11	58.3		
Percentage of transfers resulting in live births (%)	52.4	5 / 11	51.2		
Percentage of transfers resulting in singleton live births (%)	47.6	4 / 11	39.3		
Percentage of transfers resulting in twin live births (%)	4.8	1 / 11	11.9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	4 / 11	31.0		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gad Lavy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	2%	Uterine factor	<1%	Multiple Factors: Female factors only 1% Female & male factors 2%
Unstimulated	0%	PGD/PGS	39%	Ovulatory dysfunction	0%	Male factor	5%	
Used gestational carrier	43%			Diminished ovarian reserve	10%	Other factor	15%	
				Endometriosis	0%	Unknown factor	71%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 423
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	12	17	7	3
Percentage of cancellations before retrieval (%)	0 / 18	0 / 12	0 / 17	0 / 7	0 / 3
Number of transfers	18	12	17	7	3
Average number of embryos transferred	1.8	2.2	2.1	3.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 17	0 / 12	0 / 13	0 / 7	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12 / 18	5 / 12	3 / 17	1 / 7	1 / 3
Percentage of cycles resulting in live births (%)	9 / 18	5 / 12	2 / 17	1 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	7 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 18	1 / 12	0 / 17	1 / 7	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	6 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.9	23.1	6.1	9.5	0 / 2
Percentage of transfers resulting in pregnancies (%)	12 / 18	5 / 12	3 / 17	1 / 7	1 / 3
Percentage of transfers resulting in live births (%)	9 / 18	5 / 12	2 / 17	1 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	7 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 12	0 / 17	1 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	36	18	24	10	8
Number of transfers	31	16	22	9	6
Estimated average number of transfers per retrieval	0.8	0.5	0.4	0.8	0.1
Average number of embryos transferred	1.6	1.9	1.5	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	46.8	61.5	36.7	4 / 13	2 / 8
Percentage of transfers resulting in pregnancies (%)	67.7	14 / 16	50.0	3 / 9	3 / 6
Percentage of transfers resulting in live births (%)	58.1	12 / 16	36.4	3 / 9	2 / 6
Percentage of transfers resulting in singleton live births (%)	51.6	9 / 16	27.3	2 / 9	2 / 6
Percentage of transfers resulting in twin live births (%)	6.5	2 / 16	9.1	1 / 9	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.7	8 / 16	27.3	1 / 9	2 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	28	44	12	41
	4	8	6	1	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	10	51	35	
Number of transfers	8	9	51	29	
Average number of embryos transferred	1.9	1.8	1.5	1.4	
Percentage of embryos transferred resulting in implantation (%)	8 / 15	5 / 16	53.6	21.1	
Percentage of transfers resulting in pregnancies (%)	5 / 8	4 / 9	64.7	34.5	
Percentage of transfers resulting in live births (%)	4 / 8	3 / 9	56.9	27.6	
Percentage of transfers resulting in singleton live births (%)	2 / 8	3 / 9	41.2	27.6	
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 9	15.7	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	3 / 9	35.3	20.7	

CURRENT SERVICES & PROFILE

Current Name: New England Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Frances W. Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	40%	Tubal factor	30%	Uterine factor	20%	Multiple Factors: Female factors only 30% Female & male factors 20%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	0%	
				Endometriosis	0%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 11
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	5	1	0	0
Percentage of cancellations before retrieval (%)	0 / 3	2 / 5	0 / 1		
Number of transfers	3	3	1	0	0
Average number of embryos transferred	2.0	2.0	1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 3	2 / 5	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 3	2 / 5	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 3	2 / 5	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 5	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 5	0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	2 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	0	0	0	0
Number of transfers	1	0	0	0	0
Estimated average number of transfers per retrieval				0.0	
Average number of embryos transferred	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 1				
Percentage of transfers resulting in live births (%)	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1				
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	1	0
	0	0	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Andrew J. Levi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	6%	Uterine factor	<1%	Multiple Factors: Female factors only 3% Female & male factors 6%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	2%	Male factor	23%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	5%	
				Endometriosis	6%	Unknown factor	47%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 222
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	28	29	13	9
Percentage of cancellations before retrieval (%)	6.8	14.3	17.2	3 / 13	6 / 9
Number of transfers	30	15	15	8	3
Average number of embryos transferred	1.2	1.5	1.6	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	11 / 18	3 / 10	0 / 9	0 / 6	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	17.9	10.3	1 / 13	1 / 9
Percentage of cycles resulting in live births (%)	50.0	14.3	10.3	1 / 13	0 / 9
Percentage of cycles resulting in singleton live births (%)	38.6	10.7	6.9	1 / 13	0 / 9
Percentage of cycles resulting in twin live births (%)	9.1	3.6	3.4	0 / 13	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.3	10.7	6.9	1 / 13	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	78.4	31.8	16.7	1 / 14	0 / 4
Percentage of transfers resulting in pregnancies (%)	73.3	5 / 15	3 / 15	1 / 8	1 / 3
Percentage of transfers resulting in live births (%)	73.3	4 / 15	3 / 15	1 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	56.7	3 / 15	2 / 15	1 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	13.3	1 / 15	1 / 15	0 / 8	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	3 / 15	2 / 15	1 / 8	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	7	8	2	3
Number of transfers	17	6	7	2	3
Estimated average number of transfers per retrieval	1.4	0.9	0.4	0.2	0.3
Average number of embryos transferred	1.2	1.5	1.4	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	70.0	5 / 7	5 / 10	1 / 4	1 / 4
Percentage of transfers resulting in pregnancies (%)	12 / 17	5 / 6	5 / 7	1 / 2	1 / 3
Percentage of transfers resulting in live births (%)	9 / 17	4 / 6	4 / 7	1 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 17	3 / 6	4 / 7	1 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 6	0 / 7	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 17	2 / 6	3 / 7	1 / 2	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	6	10	4	10
	0	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	26	0	
Number of transfers	0	0	25	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			65.4		
Percentage of transfers resulting in pregnancies (%)			64.0		
Percentage of transfers resulting in live births (%)			52.0		
Percentage of transfers resulting in singleton live births (%)			48.0		
Percentage of transfers resulting in twin live births (%)			4.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			44.0		

CURRENT SERVICES & PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey B. Russell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	42%	Uterine factor	1%	Multiple Factors: Female factors only 29% Female & male factors 2%
Unstimulated	0%	PGD/PGS	63%	Ovulatory dysfunction	5%	Male factor	10%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	27%	
				Endometriosis	26%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 335
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	54	26	21	8	10
Percentage of cancellations before retrieval (%)	5.6	0.0	14.3	0 / 8	2 / 10
Number of transfers	0	2	0	0	0
Average number of embryos transferred		1.5			
Percentage of elective single embryo transfers (eSET) (%)		1 / 2			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in live births (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in singleton live births (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0.0	0.0	0 / 8	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 3			
Percentage of transfers resulting in pregnancies (%)		0 / 2			
Percentage of transfers resulting in live births (%)		0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of cycles	68	36	26	3	0
Number of transfers	67	32	24	3	0
Estimated average number of transfers per retrieval	1.1	1.3	1.0	0.4	0.0
Average number of embryos transferred	1.2	1.2	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	51.3	45.5	30.4	1 / 3	
Percentage of transfers resulting in pregnancies (%)	56.7	56.3	45.8	1 / 3	
Percentage of transfers resulting in live births (%)	38.8	31.3	20.8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	31.3	31.3	20.8	1 / 3	
Percentage of transfers resulting in twin live births (%)	7.5	0.0	0.0	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.4	18.8	12.5	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	8	12	4	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	16	28	
Number of transfers	0	0	16	26	
Average number of embryos transferred			1.1	1.1	
Percentage of embryos transferred resulting in implantation (%)			9 / 17	60.0	
Percentage of transfers resulting in pregnancies (%)			8 / 16	69.2	
Percentage of transfers resulting in live births (%)			6 / 16	38.5	
Percentage of transfers resulting in singleton live births (%)			5 / 16	38.5	
Percentage of transfers resulting in twin live births (%)			1 / 16	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			5 / 16	26.9	

CURRENT SERVICES & PROFILE

Current Name: Delaware Institute for Reproductive Medicine, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ronald F. Feinberg, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	40%	Uterine factor	56%	Multiple Factors: Female factors only 41% Female & male factors 42%
Unstimulated	0%	PGD/PGS	36%	Ovulatory dysfunction	26%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	28%	
				Endometriosis	38%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 724
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	66	12	24	10	7
Percentage of cancellations before retrieval (%)	21.2	1 / 12	50.0	4 / 10	3 / 7
Number of transfers	32	5	4	1	1
Average number of embryos transferred	1.0	1.2	1.0	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	96.7	4 / 5	4 / 4		1 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.3	2 / 12	4.2	0 / 10	1 / 7
Percentage of cycles resulting in live births (%)	25.8	2 / 12	4.2	0 / 10	0 / 7
Percentage of cycles resulting in singleton live births (%)	25.8	2 / 12	4.2	0 / 10	0 / 7
Percentage of cycles resulting in twin live births (%)	0.0	0 / 12	0.0	0 / 10	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.2	2 / 12	4.2	0 / 10	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.5	2 / 6	1 / 4	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	56.3	2 / 5	1 / 4	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	53.1	2 / 5	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	53.1	2 / 5	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	50.0	2 / 5	1 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	164	74	67	6	8
Number of transfers	154	72	63	6	8
Estimated average number of transfers per retrieval	1.1	2.2	1.2	0.5	1.1
Average number of embryos transferred	1.0	1.0	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	61.5	55.4	39.7	2 / 6	5 / 8
Percentage of transfers resulting in pregnancies (%)	63.6	56.9	46.0	2 / 6	5 / 8
Percentage of transfers resulting in live births (%)	51.9	47.2	31.7	1 / 6	4 / 8
Percentage of transfers resulting in singleton live births (%)	50.0	47.2	31.7	1 / 6	4 / 8
Percentage of transfers resulting in twin live births (%)	1.9	0.0	0.0	0 / 6	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.5	36.1	27.0	1 / 6	4 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	106	28	44	11	7
	1	1	1	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	23	55	7	
Number of transfers	3	19	50	7	
Average number of embryos transferred	1.0	1.0	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	7 / 18	48.0	2 / 6	
Percentage of transfers resulting in pregnancies (%)	3 / 3	8 / 19	48.0	3 / 7	
Percentage of transfers resulting in live births (%)	3 / 3	7 / 19	36.0	2 / 7	
Percentage of transfers resulting in singleton live births (%)	3 / 3	7 / 19	36.0	2 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 19	0.0	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 3	5 / 19	36.0	2 / 7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Associates of Delaware

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Safa Rifka, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	53%	Tubal factor	5%	Uterine factor	6%	Multiple Factors: Female factors only 14% Female & male factors 13%
Unstimulated	2%	PGD/PGS	16%	Ovulatory dysfunction	9%	Male factor	27%	
Used gestational carrier	5%			Diminished ovarian reserve	20%	Other factor	56%	
				Endometriosis	4%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 840
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	85	103	90	68	79
Percentage of cancellations before retrieval (%)	4.7	6.8	5.6	8.8	20.3
Number of transfers	67	65	52	37	37
Average number of embryos transferred	1.5	1.6	1.6	2.1	1.9
Percentage of elective single embryo transfers (eSET) (%)	31.0	9.5	16.7	3.8	4.3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.3	19.4	11.1	7.4	7.6
Percentage of cycles resulting in live births (%)	32.9	16.5	11.1	4.4	6.3
Percentage of cycles resulting in singleton live births (%)	28.2	14.6	11.1	4.4	3.8
Percentage of cycles resulting in twin live births (%)	4.7	1.9	0.0	0.0	2.5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	11.7	8.9	1.5	1.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.7	21.0	12.2	5.4	11.4
Percentage of transfers resulting in pregnancies (%)	44.8	30.8	19.2	13.5	16.2
Percentage of transfers resulting in live births (%)	41.8	26.2	19.2	8.1	13.5
Percentage of transfers resulting in singleton live births (%)	35.8	23.1	19.2	8.1	8.1
Percentage of transfers resulting in twin live births (%)	6.0	3.1	0.0	0.0	5.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.8	18.5	15.4	2.7	2.7
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	47	41	13	11
Number of transfers	35	40	35	12	11
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.4
Average number of embryos transferred	1.2	1.3	1.3	1.3	1.1
Percentage of embryos transferred resulting in implantation (%)	43.6	25.0	42.9	4 / 15	5 / 12
Percentage of transfers resulting in pregnancies (%)	48.6	30.0	57.1	3 / 12	5 / 11
Percentage of transfers resulting in live births (%)	37.1	17.5	37.1	3 / 12	5 / 11
Percentage of transfers resulting in singleton live births (%)	31.4	15.0	34.3	2 / 12	5 / 11
Percentage of transfers resulting in twin live births (%)	5.7	2.5	2.9	1 / 12	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	15.0	28.6	2 / 12	5 / 11
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	45	42	61	25	21
	24	18	34	9	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	5	42	4	
Number of transfers	5	4	38	4	
Average number of embryos transferred	1.4	2.0	1.5	2.3	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	1 / 8	28.1	2 / 9	
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 4	36.8	1 / 4	
Percentage of transfers resulting in live births (%)	2 / 5	1 / 4	26.3	1 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 4	23.7	0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	2.6	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	1 / 4	13.2	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Columbia Fertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David Frankfurter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	2%	Uterine factor	0%	Multiple Factors: Female factors only 2% Female & male factors 6%
Unstimulated	<1%	PGD/PGS	16%	Ovulatory dysfunction	4%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	20%	
				Endometriosis	<1%	Unknown factor	32%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 479
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	26	30	31	18	6
Percentage of cancellations before retrieval (%)	15.4	36.7	25.8	4 / 18	3 / 6
Number of transfers	16	10	17	10	3
Average number of embryos transferred	1.4	1.6	2.0	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	3 / 10	4 / 9	0 / 12	0 / 6	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.5	10.0	6.5	2 / 18	0 / 6
Percentage of cycles resulting in live births (%)	11.5	6.7	6.5	0 / 18	0 / 6
Percentage of cycles resulting in singleton live births (%)	11.5	6.7	3.2	0 / 18	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0.0	3.2	0 / 18	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.5	6.7	0.0	0 / 18	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	13.0	2 / 13	8.8	1 / 18	0 / 7
Percentage of transfers resulting in pregnancies (%)	3 / 16	3 / 10	2 / 17	2 / 10	0 / 3
Percentage of transfers resulting in live births (%)	3 / 16	2 / 10	2 / 17	0 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 16	2 / 10	1 / 17	0 / 10	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 10	1 / 17	0 / 10	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 16	2 / 10	0 / 17	0 / 10	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	47	57	49	22	10
Number of transfers	44	49	42	17	7
Estimated average number of transfers per retrieval	1.1	0.7	0.9	0.7	0.9
Average number of embryos transferred	1.2	1.2	1.4	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	35.3	48.3	32.7	17.6	5 / 14
Percentage of transfers resulting in pregnancies (%)	40.9	51.0	47.6	7 / 17	4 / 7
Percentage of transfers resulting in live births (%)	34.1	49.0	35.7	5 / 17	2 / 7
Percentage of transfers resulting in singleton live births (%)	34.1	42.9	35.7	5 / 17	1 / 7
Percentage of transfers resulting in twin live births (%)	0.0	6.1	0.0	0 / 17	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	42.9	33.3	5 / 17	1 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	28	64	40	18	7
	5	22	5	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	4	15	0	
Number of transfers	0	3	10	0	
Average number of embryos transferred		1.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		2 / 3	2 / 13		
Percentage of transfers resulting in pregnancies (%)		2 / 3	2 / 10		
Percentage of transfers resulting in live births (%)		2 / 3	1 / 10		
Percentage of transfers resulting in singleton live births (%)		2 / 3	1 / 10		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 3	1 / 10		

CURRENT SERVICES & PROFILE

Current Name: George Washington University Medical Faculty Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JAMES A. SIMON, MD, PC WASHINGTON, DISTRICT OF COLUMBIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James A. Simon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	0%	Uterine factor	50%	Multiple Factors: Female factors only 0% Female & male factors 100%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	100%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	1	0	0
Percentage of cancellations before retrieval (%)	0 / 1		0 / 1		
Number of transfers	1	0	1	0	0
Average number of embryos transferred	2.0		1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of cycles resulting in live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: James A. Simon, MD, PC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY BOCA RATON, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Moshe (Maurice) R. Peress, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	20%	Tubal factor	3%	Uterine factor	9%	Multiple Factors: Female factors only 24% Female & male factors 20%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	13%	Male factor	33%	
Used gestational carrier	12%			Diminished ovarian reserve	58%	Other factor	25%	
				Endometriosis	6%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 198
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	25	13	15	4	4
Percentage of cancellations before retrieval (%)	4.0	1 / 13	0 / 15	0 / 4	0 / 4
Number of transfers	6	3	4	1	1
Average number of embryos transferred	1.3	1.3	2.0	3.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 5	1 / 2	0 / 3	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12.0	1 / 13	2 / 15	0 / 4	0 / 4
Percentage of cycles resulting in live births (%)	8.0	1 / 13	1 / 15	0 / 4	0 / 4
Percentage of cycles resulting in singleton live births (%)	4.0	1 / 13	1 / 15	0 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	4.0	0 / 13	0 / 15	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4.0	1 / 13	1 / 15	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 8	1 / 4	2 / 8	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	3 / 6	1 / 3	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	2 / 6	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	1 / 3	1 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	15	13	7	5
Number of transfers	22	13	13	6	4
Estimated average number of transfers per retrieval	1.3	1.1	0.9	1.2	0.3
Average number of embryos transferred	1.3	1.4	1.3	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	53.6	6 / 17	6 / 17	2 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	63.6	6 / 13	6 / 13	2 / 6	0 / 4
Percentage of transfers resulting in live births (%)	59.1	5 / 13	5 / 13	2 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 13	5 / 13	2 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	9.1	1 / 13	0 / 13	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	3 / 13	5 / 13	1 / 6	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	6	10	2	8
	7	6	10	2	8
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	0	28	0	
Number of transfers	10	0	23	0	
Average number of embryos transferred	1.6		1.6		
Percentage of embryos transferred resulting in implantation (%)	10 / 16		44.4		
Percentage of transfers resulting in pregnancies (%)	7 / 10		56.5		
Percentage of transfers resulting in live births (%)	6 / 10		43.5		
Percentage of transfers resulting in singleton live births (%)	3 / 10		26.1		
Percentage of transfers resulting in twin live births (%)	3 / 10		17.4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 10		17.4		

CURRENT SERVICES & PROFILE

Current Name: BocaFertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark S. Denker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	18%	Uterine factor	9%	Multiple Factors: Female factors only 16% Female & male factors 38%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	14%	Male factor	49%	
Used gestational carrier	14%			Diminished ovarian reserve	52%	Other factor	19%	
				Endometriosis	8%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 157
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	34	20	8	5	1
Percentage of cancellations before retrieval (%)	8.8	5.0	0 / 8	0 / 5	0 / 1
Number of transfers	22	13	8	4	1
Average number of embryos transferred	1.5	1.8	2.0	1.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 18	1 / 11	0 / 5	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.4	25.0	3 / 8	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	29.4	25.0	2 / 8	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.5	20.0	2 / 8	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	2.9	5.0	0 / 8	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.6	15.0	2 / 8	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.2	25.0	3 / 16	0 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 13	3 / 8	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	45.5	5 / 13	2 / 8	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.4	4 / 13	2 / 8	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	4.5	1 / 13	0 / 8	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	3 / 13	2 / 8	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	3	6	1	0
Number of transfers	7	3	5	1	0
Estimated average number of transfers per retrieval	0.7	0.4	0.8	1.0	0.0
Average number of embryos transferred	1.6	2.0	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 11	3 / 6	2 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 7	1 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 3	0 / 5	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	7	5	1	8
	2	5	1	1	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	19	1	23	0	
Number of transfers	16	0	22	0	
Average number of embryos transferred	1.5		1.6		
Percentage of embryos transferred resulting in implantation (%)	58.3		37.1		
Percentage of transfers resulting in pregnancies (%)	11 / 16		45.5		
Percentage of transfers resulting in live births (%)	10 / 16		45.5		
Percentage of transfers resulting in singleton live births (%)	7 / 16		31.8		
Percentage of transfers resulting in twin live births (%)	3 / 16		13.6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16		22.7		

CURRENT SERVICES & PROFILE

Current Name: Palm Beach Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

POLCZ FERTILITY CENTER BOYNTON BEACH, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Tibor E. Polcz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	29%	Uterine factor	7%	Multiple Factors: Female factors only 14% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	7%	
				Endometriosis	7%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 14
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	3	4	0	0
Percentage of cancellations before retrieval (%)	0 / 7	0 / 3	0 / 4		
Number of transfers	7	3	4	0	0
Average number of embryos transferred	2.3	2.3	2.3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 7	0 / 2	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 7	2 / 3	3 / 4		
Percentage of cycles resulting in live births (%)	4 / 7	1 / 3	2 / 4		
Percentage of cycles resulting in singleton live births (%)	3 / 7	0 / 3	2 / 4		
Percentage of cycles resulting in twin live births (%)	1 / 7	1 / 3	0 / 4		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 3	2 / 4		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 16	4 / 7	3 / 9		
Percentage of transfers resulting in pregnancies (%)	6 / 7	2 / 3	3 / 4		
Percentage of transfers resulting in live births (%)	4 / 7	1 / 3	2 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	2 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 7	1 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 3	2 / 4		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Polcz Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark D. Sanchez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	17%	Uterine factor	2%	Multiple Factors: Female factors only 18% Female & male factors 34%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	22%	Male factor	52%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	29%	
				Endometriosis	8%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 228
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	57	24	26	5	1
Percentage of cancellations before retrieval (%)	0.0	16.7	11.5	1 / 5	0 / 1
Number of transfers	55	18	20	3	1
Average number of embryos transferred	1.6	1.8	1.9	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	25.6	0 / 13	0 / 14	1 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.1	29.2	30.8	1 / 5	0 / 1
Percentage of cycles resulting in live births (%)	36.8	20.8	23.1	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	31.6	12.5	23.1	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	5.3	8.3	0.0	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.8	12.5	23.1	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.1	23.3	19.4	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.6	7 / 18	40.0	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	38.2	5 / 18	30.0	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	32.7	3 / 18	30.0	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	5.5	2 / 18	0.0	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.9	3 / 18	30.0	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	15	13	4	0
Number of transfers	42	13	12	4	0
Estimated average number of transfers per retrieval	2.5	3.3	6.0	4.0	
Average number of embryos transferred	1.7	1.8	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	35.8	26.1	16.7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	45.2	6 / 13	3 / 12	1 / 4	
Percentage of transfers resulting in live births (%)	38.1	4 / 13	3 / 12	1 / 4	
Percentage of transfers resulting in singleton live births (%)	21.4	4 / 13	2 / 12	1 / 4	
Percentage of transfers resulting in twin live births (%)	16.7	0 / 13	1 / 12	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	14.3	3 / 13	1 / 12	0 / 4	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	3	1	0	0
	2	1	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	4	18	0	
Number of transfers	3	3	14	0	
Average number of embryos transferred	2.0	1.7	1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 4	2 / 5	40.9		
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 3	8 / 14		
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	8 / 14		
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 3	8 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	0 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 3	7 / 14		

CURRENT SERVICES & PROFILE

Current Name: Florida Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jacob L. Glock, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	49%	Tubal factor	22%	Uterine factor	22%	Multiple Factors: Female factors only 17% Female & male factors 6%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	14%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	5%	
				Endometriosis	6%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 84
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	5	5	6	4
Percentage of cancellations before retrieval (%)	0 / 13	0 / 5	0 / 5	1 / 6	0 / 4
Number of transfers	12	5	4	5	3
Average number of embryos transferred	2.0	1.8	1.8	1.4	2.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 3	0 / 2	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 13	3 / 5	0 / 5	0 / 6	1 / 4
Percentage of cycles resulting in live births (%)	5 / 13	3 / 5	0 / 5	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	3 / 13	3 / 5	0 / 5	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	2 / 13	0 / 5	0 / 5	0 / 6	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 13	1 / 5	0 / 5	0 / 6	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.2	3 / 9	0 / 7	0 / 7	1 / 8
Percentage of transfers resulting in pregnancies (%)	5 / 12	3 / 5	0 / 4	0 / 5	1 / 3
Percentage of transfers resulting in live births (%)	5 / 12	3 / 5	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 12	3 / 5	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 5	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 12	1 / 5	0 / 4	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	7	12	7	4
Number of transfers	12	6	9	5	2
Estimated average number of transfers per retrieval	6.0		4.5	1.0	
Average number of embryos transferred	2.3	2.5	2.6	2.2	1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 15	21.7	1 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 12	2 / 6	4 / 9	1 / 5	0 / 2
Percentage of transfers resulting in live births (%)	7 / 12	2 / 6	4 / 9	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 12	0 / 6	3 / 9	1 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 12	2 / 6	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 12	0 / 6	0 / 9	0 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	1	4	0
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	1	0	
Number of transfers	3	0	1	0	
Average number of embryos transferred	2.3		2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 7		1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 3		1 / 1		
Percentage of transfers resulting in live births (%)	1 / 3		1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Southwest Florida Fertility Center, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA EMBRYO DONATION INTERNATIONAL, PL FORT MYERS, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Craig R. Sweet, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	17%	Uterine factor	2%	Multiple Factors: Female factors only 18% Female & male factors 10%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	9%	Male factor	16%	
Used gestational carrier	8%			Diminished ovarian reserve	50%	Other factor	12%	
				Endometriosis	24%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 179
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	17	9	4	0
Percentage of cancellations before retrieval (%)	0.0	2 / 17	1 / 9	0 / 4	
Number of transfers	34	14	7	2	0
Average number of embryos transferred	2.0	2.1	2.7	2.5	
Percentage of elective single embryo transfers (eSET) (%)	21.2	2 / 14	0 / 7	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.5	10 / 17	2 / 9	2 / 4	
Percentage of cycles resulting in live births (%)	42.5	7 / 17	1 / 9	1 / 4	
Percentage of cycles resulting in singleton live births (%)	27.5	4 / 17	1 / 9	1 / 4	
Percentage of cycles resulting in twin live births (%)	15.0	3 / 17	0 / 9	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.5	4 / 17	1 / 9	1 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.6	44.8	2 / 19	2 / 5	
Percentage of transfers resulting in pregnancies (%)	55.9	10 / 14	2 / 7	2 / 2	
Percentage of transfers resulting in live births (%)	50.0	7 / 14	1 / 7	1 / 2	
Percentage of transfers resulting in singleton live births (%)	32.4	4 / 14	1 / 7	1 / 2	
Percentage of transfers resulting in twin live births (%)	17.6	3 / 14	0 / 7	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.5	4 / 14	1 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	9	3	0	0
Number of transfers	15	5	3	0	0
Estimated average number of transfers per retrieval	1.3	0.8	0.8	0.0	0.0
Average number of embryos transferred	2.0	1.6	1.7		
Percentage of embryos transferred resulting in implantation (%)	32.1	1 / 8	1 / 5		
Percentage of transfers resulting in pregnancies (%)	9 / 15	1 / 5	1 / 3		
Percentage of transfers resulting in live births (%)	7 / 15	1 / 5	1 / 3		
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 5	1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 5	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 15	1 / 5	1 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	4	2	1	2
	0	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	15	41	
Number of transfers	11	0	14	39	
Average number of embryos transferred	1.9		2.2	2.5	
Percentage of embryos transferred resulting in implantation (%)	33.3		24.1	31.5	
Percentage of transfers resulting in pregnancies (%)	5 / 11		7 / 14	59.0	
Percentage of transfers resulting in live births (%)	3 / 11		2 / 14	38.5	
Percentage of transfers resulting in singleton live births (%)	2 / 11		2 / 14	20.5	
Percentage of transfers resulting in twin live births (%)	1 / 11		0 / 14	15.4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 11		1 / 14	17.9	

CURRENT SERVICES & PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA, Embryo Donation International, PL

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UF HEALTH REPRODUCTIVE MEDICINE AT SPRINGHILL GAINESVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alice S. Rhoton-Vlasak, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	7%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 20%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	22%	Male factor	41%	
Used gestational carrier	1%			Diminished ovarian reserve	22%	Other factor	13%	
				Endometriosis	12%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 94
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	21	14	9	2	3
Percentage of cancellations before retrieval (%)	4.8	1 / 14	2 / 9	0 / 2	0 / 3
Number of transfers	13	9	5	2	2
Average number of embryos transferred	1.4	2.3	2.8	2.5	4.0
Percentage of elective single embryo transfers (eSET) (%)	8 / 12	1 / 9	0 / 5	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.8	4 / 14	2 / 9	1 / 2	1 / 3
Percentage of cycles resulting in live births (%)	23.8	4 / 14	2 / 9	1 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.0	4 / 14	2 / 9	1 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	4.8	0 / 14	0 / 9	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.0	4 / 14	1 / 9	1 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 18	19.0	2 / 14	1 / 5	1 / 8
Percentage of transfers resulting in pregnancies (%)	5 / 13	4 / 9	2 / 5	1 / 2	1 / 2
Percentage of transfers resulting in live births (%)	5 / 13	4 / 9	2 / 5	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 13	4 / 9	2 / 5	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 9	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 13	4 / 9	1 / 5	1 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	7	3	0	1
Number of transfers	17	7	3	0	1
Estimated average number of transfers per retrieval	1.5	1.8	1.5		
Average number of embryos transferred	1.5	1.7	2.3		1.0
Percentage of embryos transferred resulting in implantation (%)	60.0	7 / 12	3 / 7		1 / 1
Percentage of transfers resulting in pregnancies (%)	12 / 17	5 / 7	2 / 3		1 / 1
Percentage of transfers resulting in live births (%)	11 / 17	5 / 7	2 / 3		1 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 17	4 / 7	1 / 3		1 / 1
Percentage of transfers resulting in twin live births (%)	3 / 17	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 17	4 / 7	1 / 3		1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	2	1	0	0
	3	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	7	0	
Number of transfers	0	3	7	0	
Average number of embryos transferred		1.7	1.3		
Percentage of embryos transferred resulting in implantation (%)		3 / 5	5 / 9		
Percentage of transfers resulting in pregnancies (%)		2 / 3	4 / 7		
Percentage of transfers resulting in live births (%)		2 / 3	4 / 7		
Percentage of transfers resulting in singleton live births (%)		1 / 3	4 / 7		
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 3	3 / 7		

CURRENT SERVICES & PROFILE

Current Name: UF Health Reproductive Medicine at Springhill

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Marwan M. Shaykh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 10% Female & male factors 17%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	22%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	14%	
				Endometriosis	4%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 112
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	8	12	4	0
Percentage of cancellations before retrieval (%)	3.7	0 / 8	2 / 12	0 / 4	
Number of transfers	13	5	8	2	0
Average number of embryos transferred	2.4	2.4	2.1	4.0	
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	0 / 4	1 / 6	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.2	2 / 8	2 / 12	1 / 4	
Percentage of cycles resulting in live births (%)	18.5	1 / 8	0 / 12	1 / 4	
Percentage of cycles resulting in singleton live births (%)	14.8	0 / 8	0 / 12	1 / 4	
Percentage of cycles resulting in twin live births (%)	3.7	1 / 8	0 / 12	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	0 / 8	0 / 12	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.0	2 / 10	1 / 16	1 / 8	
Percentage of transfers resulting in pregnancies (%)	6 / 13	2 / 5	2 / 8	1 / 2	
Percentage of transfers resulting in live births (%)	5 / 13	1 / 5	0 / 8	1 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 13	0 / 5	0 / 8	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 5	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	0 / 5	0 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	28	1	5	1	2
Number of transfers	26	1	5	1	2
Estimated average number of transfers per retrieval	2.0	1.0	1.3	1.0	2.0
Average number of embryos transferred	1.8	2.0	2.2	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	23.3	1 / 2	3 / 11		0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	1 / 1	2 / 5	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	30.8	1 / 1	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	30.8	1 / 1	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 1	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	11.5	0 / 1	0 / 5	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	1	4	1	
Number of transfers	12	1	4	1	
Average number of embryos transferred	1.8	2.0	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 18	2 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 1	1 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	2 / 12	1 / 1	0 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 1	0 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 1	0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 12	1 / 1	0 / 4	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Assisted Fertility Program

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROWN FERTILITY JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel E. Brown, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	96%	Tubal factor	18%	Uterine factor	4%	Multiple Factors: Female factors only 30% Female & male factors 12%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	20%	Male factor	21%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	18%	
				Endometriosis	23%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 609
(includes 9 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	144	66	44	16	8
Percentage of cancellations before retrieval (%)	8.3	9.1	4.5	0 / 16	0 / 8
Number of transfers	108	48	29	6	7
Average number of embryos transferred	1.3	2.0	1.9	2.8	2.4
Percentage of elective single embryo transfers (eSET) (%)	68.9	17.0	13.8	0 / 6	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	39.4	20.5	0 / 16	3 / 8
Percentage of cycles resulting in live births (%)	32.6	33.3	15.9	0 / 16	1 / 8
Percentage of cycles resulting in singleton live births (%)	28.5	19.7	13.6	0 / 16	1 / 8
Percentage of cycles resulting in twin live births (%)	4.2	13.6	2.3	0 / 16	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.5	18.2	13.6	0 / 16	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.8	37.5	17.3	0 / 17	2 / 13
Percentage of transfers resulting in pregnancies (%)	49.1	54.2	31.0	0 / 6	3 / 7
Percentage of transfers resulting in live births (%)	43.5	45.8	24.1	0 / 6	1 / 7
Percentage of transfers resulting in singleton live births (%)	38.0	27.1	20.7	0 / 6	1 / 7
Percentage of transfers resulting in twin live births (%)	5.6	18.8	3.4	0 / 6	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.0	25.0	20.7	0 / 6	1 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	110	52	46	14	5
Number of transfers	109	52	46	14	3
Estimated average number of transfers per retrieval	2.1	2.7	2.3	2.0	1.5
Average number of embryos transferred	1.9	2.0	2.1	1.8	2.7
Percentage of embryos transferred resulting in implantation (%)	28.4	21.4	23.2	28.0	0 / 8
Percentage of transfers resulting in pregnancies (%)	43.1	30.8	37.0	6 / 14	0 / 3
Percentage of transfers resulting in live births (%)	33.9	26.9	21.7	5 / 14	0 / 3
Percentage of transfers resulting in singleton live births (%)	22.9	21.2	17.4	5 / 14	0 / 3
Percentage of transfers resulting in twin live births (%)	11.0	5.8	4.3	0 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.0	19.2	15.2	5 / 14	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	0	0
	2	0	0	0	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	24	4	56	9	
Number of transfers	21	2	50	9	
Average number of embryos transferred	1.5	2.0	1.9	2.1	
Percentage of embryos transferred resulting in implantation (%)	51.6	0 / 4	31.1	4 / 19	
Percentage of transfers resulting in pregnancies (%)	57.1	0 / 2	44.0	3 / 9	
Percentage of transfers resulting in live births (%)	52.4	0 / 2	34.0	1 / 9	
Percentage of transfers resulting in singleton live births (%)	33.3	0 / 2	22.0	1 / 9	
Percentage of transfers resulting in twin live births (%)	19.0	0 / 2	12.0	0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	0 / 2	18.0	1 / 9	

CURRENT SERVICES & PROFILE

Current Name: Brown Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin L. Winslow, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 13% Female & male factors 23%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	15%	Male factor	46%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	16%	
				Endometriosis	13%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,096
(includes 8 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	121	37	23	9	2
Percentage of cancellations before retrieval (%)	5.8	2.7	8.7	0 / 9	0 / 2
Number of transfers	26	20	9	7	1
Average number of embryos transferred	1.6	1.5	1.4	1.9	3.0
Percentage of elective single embryo transfers (eSET) (%)	39.1	5 / 15	1 / 5	1 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.2	18.9	8.7	2 / 9	0 / 2
Percentage of cycles resulting in live births (%)	12.4	16.2	4.3	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	9.9	13.5	4.3	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	2.5	2.7	0.0	0 / 9	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.1	13.5	4.3	0 / 9	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.8	30.0	2 / 13	2 / 13	0 / 3
Percentage of transfers resulting in pregnancies (%)	61.5	35.0	2 / 9	2 / 7	0 / 1
Percentage of transfers resulting in live births (%)	57.7	30.0	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	46.2	25.0	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	11.5	5.0	0 / 9	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.3	25.0	1 / 9	0 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	283	117	59	27	9
Number of transfers	274	108	51	22	8
Estimated average number of transfers per retrieval	1.3	1.5	1.4	0.7	1.0
Average number of embryos transferred	1.4	1.4	1.6	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	50.8	43.3	34.6	33.3	3 / 16
Percentage of transfers resulting in pregnancies (%)	60.6	48.1	43.1	50.0	3 / 8
Percentage of transfers resulting in live births (%)	51.1	38.0	39.2	40.9	2 / 8
Percentage of transfers resulting in singleton live births (%)	39.1	32.4	27.5	36.4	2 / 8
Percentage of transfers resulting in twin live births (%)	12.0	4.6	11.8	4.5	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.6	27.8	23.5	31.8	1 / 8
Number of Egg or Embryo Banking Cycles					
	124	52	29	26	8
Number of fertility preservation cycles	41	6	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	40	56	65	
Number of transfers	0	33	48	62	
Average number of embryos transferred		1.4	1.2	1.6	
Percentage of embryos transferred resulting in implantation (%)		34.9	42.9	45.2	
Percentage of transfers resulting in pregnancies (%)		45.5	50.0	54.8	
Percentage of transfers resulting in live births (%)		39.4	37.5	43.5	
Percentage of transfers resulting in singleton live births (%)		36.4	35.4	33.9	
Percentage of transfers resulting in twin live births (%)		3.0	2.1	9.7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		30.3	27.1	25.8	

CURRENT SERVICES & PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Michael D. Fox, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	29%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	11%	Male factor	8%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	5%	
				Endometriosis	36%	Unknown factor	0%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 310 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		69	32	17	10	4
Percentage of cancellations before retrieval (%)		11.6	15.6	3 / 17	1 / 10	0 / 4
Number of transfers		42	18	9	6	0
Average number of embryos transferred		1.5	1.4	1.4	1.7	
Percentage of elective single embryo transfers (eSET) (%)		38.2	4 / 12	2 / 6	1 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		30.4	28.1	3 / 17	1 / 10	0 / 4
Percentage of cycles resulting in live births (%)		27.5	25.0	2 / 17	0 / 10	0 / 4
Percentage of cycles resulting in singleton live births (%)		18.8	18.8	2 / 17	0 / 10	0 / 4
Percentage of cycles resulting in twin live births (%)		8.7	6.3	0 / 17	0 / 10	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		17.4	15.6	2 / 17	0 / 10	0 / 4
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		44.3	46.2	3 / 13	1 / 10	
Percentage of transfers resulting in pregnancies (%)		50.0	9 / 18	3 / 9	1 / 6	
Percentage of transfers resulting in live births (%)		45.2	8 / 18	2 / 9	0 / 6	
Percentage of transfers resulting in singleton live births (%)		31.0	6 / 18	2 / 9	0 / 6	
Percentage of transfers resulting in twin live births (%)		14.3	2 / 18	0 / 9	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		28.6	5 / 18	2 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles		38	22	15	5	1
Number of transfers		37	21	14	4	1
Estimated average number of transfers per retrieval		1.0	0.9	0.9	0.4	0.5
Average number of embryos transferred		1.4	1.6	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)		5.8	21.2	0 / 18	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)		8.1	33.3	1 / 14	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)		8.1	19.0	0 / 14	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)		8.1	14.3	0 / 14	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)		0.0	4.8	0 / 14	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		8.1	14.3	0 / 14	2 / 4	0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		17	17	9	8	2
		6	6	1	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		20	2	21	1	
Number of transfers		17	2	21	1	
Average number of embryos transferred		1.3	1.5	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)		33.3	2 / 3	19.2	1 / 1	
Percentage of transfers resulting in pregnancies (%)		7 / 17	1 / 2	28.6	1 / 1	
Percentage of transfers resulting in live births (%)		6 / 17	1 / 2	23.8	1 / 1	
Percentage of transfers resulting in singleton live births (%)		5 / 17	0 / 2	23.8	1 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 17	1 / 2	0.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 17	0 / 2	23.8	1 / 1	

CURRENT SERVICES & PROFILE		Current Name: Jacksonville Center for Reproductive Medicine					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
LUTZ, FLORIDA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

**FERTILITY CENTER OF ORLANDO
MAITLAND, FLORIDA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

IVF FLORIDA REPRODUCTIVE ASSOCIATES MARGATE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David I. Hoffman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	18%	Uterine factor	5%	Multiple Factors: Female factors only 14% Female & male factors 12%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	15%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	20%	
				Endometriosis	8%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,493
(includes 16 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	242	124	174	66	35
Percentage of cancellations before retrieval (%)	4.5	10.5	16.1	15.2	14.3
Number of transfers	158	94	115	42	20
Average number of embryos transferred	1.6	1.9	2.4	3.0	2.6
Percentage of elective single embryo transfers (eSET) (%)	39.2	9.3	1.0	0.0	0 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.7	37.9	15.5	12.1	0.0
Percentage of cycles resulting in live births (%)	23.6	33.1	12.1	10.6	0.0
Percentage of cycles resulting in singleton live births (%)	19.4	25.8	8.6	10.6	0.0
Percentage of cycles resulting in twin live births (%)	4.1	7.3	3.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.4	21.8	5.7	10.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.9	32.4	11.6	8.7	0.0
Percentage of transfers resulting in pregnancies (%)	42.4	50.0	23.5	19.0	0.0
Percentage of transfers resulting in live births (%)	36.1	43.6	18.3	16.7	0.0
Percentage of transfers resulting in singleton live births (%)	29.7	34.0	13.0	16.7	0.0
Percentage of transfers resulting in twin live births (%)	6.3	9.6	5.2	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.6	28.7	8.7	16.7	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	213	85	86	32	29
Number of transfers	209	84	83	30	23
Estimated average number of transfers per retrieval	1.2	1.0	0.8	0.8	0.9
Average number of embryos transferred	1.3	1.4	1.6	1.4	1.9
Percentage of embryos transferred resulting in implantation (%)	46.0	36.4	37.4	28.9	11.6
Percentage of transfers resulting in pregnancies (%)	55.0	46.4	50.6	40.0	21.7
Percentage of transfers resulting in live births (%)	45.0	33.3	39.8	26.7	13.0
Percentage of transfers resulting in singleton live births (%)	38.8	27.4	33.7	23.3	13.0
Percentage of transfers resulting in twin live births (%)	6.2	6.0	6.0	3.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.1	25.0	31.3	16.7	13.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	78	49	63	29	21
	22	16	14	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	84	49	0	
Number of transfers	13	72	46	0	
Average number of embryos transferred	1.5	1.7	1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 19	31.3	50.8		
Percentage of transfers resulting in pregnancies (%)	3 / 13	47.2	60.9		
Percentage of transfers resulting in live births (%)	3 / 13	38.9	52.2		
Percentage of transfers resulting in singleton live births (%)	3 / 13	33.3	43.5		
Percentage of transfers resulting in twin live births (%)	0 / 13	5.6	8.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 13	27.8	37.0		

CURRENT SERVICES & PROFILE

Current Name: IVF Florida Reproductive Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIERA FERTILITY CENTER MELBOURNE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Diran J. Chamoun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	43%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 18% Female & male factors 32%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	21%	Male factor	52%	
Used gestational carrier	2%			Diminished ovarian reserve	46%	Other factor	12%	
				Endometriosis	6%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 77
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	25	8	8	2	3
Percentage of cancellations before retrieval (%)	12.0	0 / 8	2 / 8	0 / 2	0 / 3
Number of transfers	13	4	5	1	2
Average number of embryos transferred	1.8	1.5	2.6	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 2	0 / 5		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.0	1 / 8	1 / 8	1 / 2	0 / 3
Percentage of cycles resulting in live births (%)	20.0	0 / 8	1 / 8	1 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	12.0	0 / 8	1 / 8	1 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	8.0	0 / 8	0 / 8	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4.0	0 / 8	1 / 8	1 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	0 / 4	1 / 13	1 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)	8 / 13	1 / 4	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	5 / 13	0 / 4	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 13	0 / 4	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 13	0 / 4	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 13	0 / 4	1 / 5	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	5	0	0	0
Number of transfers	5	4	0	0	0
Estimated average number of transfers per retrieval	0.8	0.6	0.0		
Average number of embryos transferred	1.6	1.5			
Percentage of embryos transferred resulting in implantation (%)	3 / 8	1 / 6			
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 4			
Percentage of transfers resulting in live births (%)	2 / 5	0 / 4			
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 4			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	5	1	0	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	7	0	
Number of transfers	5	0	7	0	
Average number of embryos transferred	1.2		1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 5		2 / 10		
Percentage of transfers resulting in pregnancies (%)	2 / 5		2 / 7		
Percentage of transfers resulting in live births (%)	1 / 5		0 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 5		0 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5		0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Viera Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS FLORIDA: CENTER FOR FERTILITY AND GENETICS MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Armando E. Hernandez-Rey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	25%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 7%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	5%	Male factor	19%	
Used gestational carrier	<1%			Diminished ovarian reserve	52%	Other factor	17%	
				Endometriosis	8%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 257
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	48	27	37	16	10
Percentage of cancellations before retrieval (%)	6.3	25.9	8.1	4 / 16	0 / 10
Number of transfers	26	12	20	9	6
Average number of embryos transferred	2.0	1.8	1.9	2.0	2.2
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 11	1 / 17	0 / 8	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.8	18.5	13.5	1 / 16	2 / 10
Percentage of cycles resulting in live births (%)	18.8	18.5	8.1	1 / 16	0 / 10
Percentage of cycles resulting in singleton live births (%)	14.6	18.5	5.4	1 / 16	0 / 10
Percentage of cycles resulting in twin live births (%)	4.2	0.0	2.7	0 / 16	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.5	14.8	5.4	1 / 16	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.4	22.7	13.9	1 / 18	1 / 11
Percentage of transfers resulting in pregnancies (%)	38.5	5 / 12	25.0	1 / 9	2 / 6
Percentage of transfers resulting in live births (%)	34.6	5 / 12	15.0	1 / 9	0 / 6
Percentage of transfers resulting in singleton live births (%)	26.9	5 / 12	10.0	1 / 9	0 / 6
Percentage of transfers resulting in twin live births (%)	7.7	0 / 12	5.0	0 / 9	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.1	4 / 12	10.0	1 / 9	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	7	16	5	1
Number of transfers	22	7	14	5	1
Estimated average number of transfers per retrieval	0.9	0.5	0.6	1.0	1.0
Average number of embryos transferred	1.9	1.9	1.7	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	30.8	4 / 11	29.2	4 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 7	6 / 14	3 / 5	0 / 1
Percentage of transfers resulting in live births (%)	40.9	3 / 7	5 / 14	3 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.3	3 / 7	5 / 14	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	13.6	0 / 7	0 / 14	1 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	3 / 7	5 / 14	1 / 5	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	10	17	3	0
	4	6	4	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	22	2	2	0	
Number of transfers	18	2	2	0	
Average number of embryos transferred	1.7	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	83.9	2 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	17 / 18	1 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	17 / 18	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	10 / 18	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	7 / 18	1 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 18	0 / 2	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Conceptions Florida: Center for Fertility and Genetics

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael H. Jacobs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	10%	Uterine factor	9%	Multiple Factors: Female factors only 31% Female & male factors 22%
Unstimulated	2%	PGD/PGS	40%	Ovulatory dysfunction	15%	Male factor	30%	
Used gestational carrier	7%			Diminished ovarian reserve	33%	Other factor	63%	
				Endometriosis	6%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 688
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	27	40	11	22
Percentage of cancellations before retrieval (%)	14.6	7.4	22.5	2 / 11	22.7
Number of transfers	15	8	14	2	7
Average number of embryos transferred	1.9	1.5	2.1	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	2 / 14	2 / 6	0 / 11	1 / 2	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.6	11.1	15.0	1 / 11	0.0
Percentage of cycles resulting in live births (%)	12.2	11.1	10.0	1 / 11	0.0
Percentage of cycles resulting in singleton live births (%)	9.8	7.4	7.5	1 / 11	0.0
Percentage of cycles resulting in twin live births (%)	2.4	3.7	2.5	0 / 11	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7.3	7.4	7.5	1 / 11	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	5 / 12	25.0	1 / 4	0 / 16
Percentage of transfers resulting in pregnancies (%)	6 / 15	3 / 8	6 / 14	1 / 2	0 / 7
Percentage of transfers resulting in live births (%)	5 / 15	3 / 8	4 / 14	1 / 2	0 / 7
Percentage of transfers resulting in singleton live births (%)	4 / 15	2 / 8	3 / 14	1 / 2	0 / 7
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 8	1 / 14	0 / 2	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15	2 / 8	3 / 14	1 / 2	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	115	75	44	24	26
Number of transfers	106	72	41	23	25
Estimated average number of transfers per retrieval	1.2	1.2	0.9	0.8	0.7
Average number of embryos transferred	1.4	1.6	1.5	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)	48.4	50.9	45.2	46.7	31.0
Percentage of transfers resulting in pregnancies (%)	57.5	55.6	53.7	56.5	40.0
Percentage of transfers resulting in live births (%)	45.3	50.0	53.7	47.8	24.0
Percentage of transfers resulting in singleton live births (%)	35.8	34.7	41.5	43.5	16.0
Percentage of transfers resulting in twin live births (%)	9.4	15.3	12.2	4.3	8.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	27.8	29.3	43.5	12.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	68	52	41	26	34
	9	6	3	4	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	4	20	9	
Number of transfers	6	3	20	9	
Average number of embryos transferred	2.0	2.0	1.6	1.9	
Percentage of embryos transferred resulting in implantation (%)	6 / 12	4 / 6	76.7	8 / 15	
Percentage of transfers resulting in pregnancies (%)	3 / 6	2 / 3	95.0	7 / 9	
Percentage of transfers resulting in live births (%)	3 / 6	1 / 3	70.0	5 / 9	
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 3	50.0	3 / 9	
Percentage of transfers resulting in twin live births (%)	2 / 6	1 / 3	20.0	2 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 3	45.0	3 / 9	

CURRENT SERVICES & PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

FLORIDA

2016 ART CYCLE PROFILE

Data verified by George R. Attia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	28%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 8%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	<1%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	29%	Other factor	5%	
				Endometriosis	<1%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 255
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	36	29	8	8
Percentage of cancellations before retrieval (%)	10.5	5.6	6.9	1 / 8	2 / 8
Number of transfers	32	32	26	7	5
Average number of embryos transferred	2.0	2.0	2.2	1.9	3.2
Percentage of elective single embryo transfers (eSET) (%)	6.7	7.1	4.2	0 / 4	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.3	27.8	31.0	3 / 8	1 / 8
Percentage of cycles resulting in live births (%)	52.6	19.4	10.3	3 / 8	0 / 8
Percentage of cycles resulting in singleton live births (%)	26.3	16.7	10.3	3 / 8	0 / 8
Percentage of cycles resulting in twin live births (%)	23.7	2.8	0.0	0 / 8	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.8	13.9	10.3	2 / 8	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.4	17.7	19.6	3 / 13	2 / 16
Percentage of transfers resulting in pregnancies (%)	65.6	31.3	34.6	3 / 7	1 / 5
Percentage of transfers resulting in live births (%)	62.5	21.9	11.5	3 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	31.3	18.8	11.5	3 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	28.1	3.1	0.0	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.8	15.6	11.5	2 / 7	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	17	13	5	5
Number of transfers	22	15	12	3	5
Estimated average number of transfers per retrieval	0.7	0.8	0.7	0.3	1.0
Average number of embryos transferred	1.8	1.6	1.8	2.3	2.2
Percentage of embryos transferred resulting in implantation (%)	56.4	41.7	7 / 19	3 / 7	2 / 11
Percentage of transfers resulting in pregnancies (%)	72.7	8 / 15	5 / 12	3 / 3	2 / 5
Percentage of transfers resulting in live births (%)	50.0	6 / 15	4 / 12	3 / 3	2 / 5
Percentage of transfers resulting in singleton live births (%)	40.9	4 / 15	1 / 12	3 / 3	2 / 5
Percentage of transfers resulting in twin live births (%)	9.1	2 / 15	3 / 12	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	2 / 15	1 / 12	3 / 3	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	12	13	9	4
	10	4	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	5	0	0	
Number of transfers	0	5	0	0	
Average number of embryos transferred		1.8			
Percentage of embryos transferred resulting in implantation (%)		5 / 9			
Percentage of transfers resulting in pregnancies (%)		3 / 5			
Percentage of transfers resulting in live births (%)		3 / 5			
Percentage of transfers resulting in singleton live births (%)		1 / 5			
Percentage of transfers resulting in twin live births (%)		2 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 5			

CURRENT SERVICES & PROFILE

Current Name: University of Miami Infertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randall A. Loy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 7%
Unstimulated	2%	PGD/PGS	19%	Ovulatory dysfunction	35%	Male factor	16%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	14%	
				Endometriosis	11%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,416
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	79	71	43	27
Percentage of cancellations before retrieval (%)	5.8	21.5	25.4	27.9	33.3
Number of transfers	19	11	9	5	2
Average number of embryos transferred	1.2	1.5	1.6	2.4	3.5
Percentage of elective single embryo transfers (eSET) (%)	7 / 11	2 / 8	1 / 4	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5.8	6.3	5.6	0.0	0.0
Percentage of cycles resulting in live births (%)	5.0	5.1	4.2	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	5.0	5.1	2.8	0.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	0.0	1.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3.6	3.8	1.4	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.4	5 / 17	4 / 11	0 / 12	0 / 7
Percentage of transfers resulting in pregnancies (%)	8 / 19	5 / 11	4 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	7 / 19	4 / 11	3 / 9	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 19	4 / 11	2 / 9	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 11	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 19	3 / 11	1 / 9	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	233	141	120	32	11
Number of transfers	203	122	104	26	7
Estimated average number of transfers per retrieval	0.8	1.4	1.0	0.6	0.4
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	47.7	42.6	35.7	35.1	1 / 8
Percentage of transfers resulting in pregnancies (%)	57.6	54.9	45.2	46.2	2 / 7
Percentage of transfers resulting in live births (%)	46.8	45.1	29.8	42.3	0 / 7
Percentage of transfers resulting in singleton live births (%)	42.4	42.6	26.0	34.6	0 / 7
Percentage of transfers resulting in twin live births (%)	4.4	2.5	3.8	7.7	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.4	36.9	21.2	26.9	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	163	66	80	40	19
	10	10	17	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	57	87	0	
Number of transfers	1	27	65	0	
Average number of embryos transferred	2.0	2.1	1.3		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	18.9	46.9		
Percentage of transfers resulting in pregnancies (%)	0 / 1	44.4	60.0		
Percentage of transfers resulting in live births (%)	0 / 1	33.3	47.7		
Percentage of transfers resulting in singleton live births (%)	0 / 1	33.3	43.1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0.0	4.6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	29.6	32.3		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE ORLANDO, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

FLORIDA

2016 ART CYCLE PROFILE

Data verified by Fernando L. Gomez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	36%	Uterine factor	0%	Multiple Factors: Female factors only 55% Female & male factors 13%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	81%	Male factor	13%	
Used gestational carrier	15%			Diminished ovarian reserve	17%	Other factor	62%	
				Endometriosis	6%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 56
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	6	10	1	2
Percentage of cancellations before retrieval (%)	0 / 13	0 / 6	0 / 10	0 / 1	0 / 2
Number of transfers	11	4	7	0	2
Average number of embryos transferred	2.0	2.0	2.0		3.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 4	0 / 5		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 13	0 / 6	2 / 10	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	3 / 13	0 / 6	2 / 10	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	0 / 13	0 / 6	1 / 10	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 13	0 / 6	1 / 10	0 / 1	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 13	0 / 6	0 / 10	0 / 1	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.0	0 / 8	3 / 14		0 / 7
Percentage of transfers resulting in pregnancies (%)	5 / 11	0 / 4	2 / 7		0 / 2
Percentage of transfers resulting in live births (%)	3 / 11	0 / 4	2 / 7		0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 11	0 / 4	1 / 7		0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 11	0 / 4	1 / 7		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 11	0 / 4	0 / 7		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	2	0	0	0
Number of transfers	5	2	0	0	0
Estimated average number of transfers per retrieval	1.0	1.0	0.0	0.0	
Average number of embryos transferred	2.2	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 11	2 / 4			
Percentage of transfers resulting in pregnancies (%)	1 / 5	2 / 2			
Percentage of transfers resulting in live births (%)	1 / 5	2 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	0 / 2			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	0	2	3	0
	1	0	0	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	1	3	
Number of transfers	3	0	1	3	
Average number of embryos transferred	2.0		2.0	2.3	
Percentage of embryos transferred resulting in implantation (%)	3 / 6		0 / 2	1 / 7	
Percentage of transfers resulting in pregnancies (%)	3 / 3		0 / 1	1 / 3	
Percentage of transfers resulting in live births (%)	3 / 3		0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	3 / 3		0 / 1	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 1	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		0 / 1	0 / 3	

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN FERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Barry A. Ripps, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	21%	Uterine factor	<1%	
Unstimulated	<1%	PGD/PGS	4%	Ovulatory dysfunction	10%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%	
				Endometriosis	13%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				11%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 251 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	101	37	23	12	10	
Percentage of cancellations before retrieval (%)	7.9	10.8	26.1	5 / 12	1 / 10	
Number of transfers	89	29	13	5	5	
Average number of embryos transferred	1.5	1.7	1.8	1.8	1.4	
Percentage of elective single embryo transfers (eSET) (%)	35.7	14.3	1 / 9	0 / 4	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	45.5	51.4	21.7	0 / 12	0 / 10	
Percentage of cycles resulting in live births (%)	38.6	40.5	17.4	0 / 12	0 / 10	
Percentage of cycles resulting in singleton live births (%)	30.7	27.0	17.4	0 / 12	0 / 10	
Percentage of cycles resulting in twin live births (%)	7.9	13.5	0.0	0 / 12	0 / 10	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.7	27.0	17.4	0 / 12	0 / 10	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	41.5	47.9	26.1	0 / 9	0 / 7	
Percentage of transfers resulting in pregnancies (%)	51.7	65.5	5 / 13	0 / 5	0 / 5	
Percentage of transfers resulting in live births (%)	43.8	51.7	4 / 13	0 / 5	0 / 5	
Percentage of transfers resulting in singleton live births (%)	34.8	34.5	4 / 13	0 / 5	0 / 5	
Percentage of transfers resulting in twin live births (%)	9.0	17.2	0 / 13	0 / 5	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	34.5	4 / 13	0 / 5	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	7	3	0	1	
Number of transfers	29	7	3	0	1	
Estimated average number of transfers per retrieval	1.6	1.2	1.0		1.0	
Average number of embryos transferred	1.7	1.6	1.3		1.0	
Percentage of embryos transferred resulting in implantation (%)	46.5	3 / 11	0 / 4		1 / 1	
Percentage of transfers resulting in pregnancies (%)	55.2	3 / 7	0 / 3		1 / 1	
Percentage of transfers resulting in live births (%)	44.8	3 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	24.1	3 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	20.7	0 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.7	3 / 7	0 / 3		0 / 1	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	6	3	3	0	1	
	1	1	0	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	0	15	0	0		
Number of transfers	0	10	0	0		
Average number of embryos transferred		1.6				
Percentage of embryos transferred resulting in implantation (%)		8 / 16				
Percentage of transfers resulting in pregnancies (%)		7 / 10				
Percentage of transfers resulting in live births (%)		7 / 10				
Percentage of transfers resulting in singleton live births (%)		6 / 10				
Percentage of transfers resulting in twin live births (%)		1 / 10				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		5 / 10				

CURRENT SERVICES & PROFILE		Current Name: New Leaders in Fertility & Endocrinology, LLC					
Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS PLANTATION, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mick Abaé, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	36%	Uterine factor	34%	Multiple Factors: Female factors only 19% Female & male factors 64%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	15%	Male factor	72%	
Used gestational carrier	1%			Diminished ovarian reserve	44%	Other factor	16%	
				Endometriosis	22%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 212
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	19	23	7	1
Percentage of cancellations before retrieval (%)	8.3	1 / 19	0.0	0 / 7	0 / 1
Number of transfers	24	15	18	5	0
Average number of embryos transferred	1.5	1.4	1.7	1.8	
Percentage of elective single embryo transfers (eSET) (%)	7 / 19	2 / 8	1 / 13	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.6	5 / 19	21.7	1 / 7	0 / 1
Percentage of cycles resulting in live births (%)	16.7	5 / 19	13.0	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	11.1	5 / 19	13.0	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	5.6	0 / 19	0.0	0 / 7	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	5 / 19	13.0	0 / 7	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	23.8	20.0	1 / 9	
Percentage of transfers resulting in pregnancies (%)	45.8	5 / 15	5 / 18	1 / 5	
Percentage of transfers resulting in live births (%)	25.0	5 / 15	3 / 18	0 / 5	
Percentage of transfers resulting in singleton live births (%)	16.7	5 / 15	3 / 18	0 / 5	
Percentage of transfers resulting in twin live births (%)	8.3	0 / 15	0 / 18	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.7	5 / 15	3 / 18	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of cycles	27	20	14	5	2
Number of transfers	27	19	14	4	2
Estimated average number of transfers per retrieval	1.0	2.1	0.7	0.6	1.0
Average number of embryos transferred	1.3	1.6	1.3	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	25.7	36.7	9 / 18	1 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	33.3	9 / 19	8 / 14	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	25.9	7 / 19	7 / 14	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.9	7 / 19	7 / 14	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 19	0 / 14	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.9	6 / 19	4 / 14	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	4	18	6	2
	3	0	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	7	0	
Number of transfers	10	0	7	0	
Average number of embryos transferred	1.6		1.4		
Percentage of embryos transferred resulting in implantation (%)	5 / 16		5 / 10		
Percentage of transfers resulting in pregnancies (%)	4 / 10		4 / 7		
Percentage of transfers resulting in live births (%)	3 / 10		4 / 7		
Percentage of transfers resulting in singleton live births (%)	2 / 10		4 / 7		
Percentage of transfers resulting in twin live births (%)	1 / 10		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 10		4 / 7		

CURRENT SERVICES & PROFILE

Current Name: Fertility & Genetics

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER & APPLIED GENETICS OF FLORIDA SARASOTA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Julio E. Pabon, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	97%	Tubal factor	7%	Uterine factor	8%	Multiple Factors: Female factors only 64% Female & male factors 26%
Unstimulated	0%	PGD/PGS	92%	Ovulatory dysfunction	6%	Male factor	28%	
Used gestational carrier	8%			Diminished ovarian reserve	63%	Other factor	93%	
				Endometriosis	15%	Unknown factor	2%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 210 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		2	1	1	0	0
Percentage of cancellations before retrieval (%)		0 / 2	0 / 1	0 / 1		
Number of transfers		0	1	1	0	0
Average number of embryos transferred			1.0	2.0		
Percentage of elective single embryo transfers (eSET) (%)				0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		0 / 2	0 / 1	1 / 1		
Percentage of cycles resulting in live births (%)		0 / 2	0 / 1	1 / 1		
Percentage of cycles resulting in singleton live births (%)		0 / 2	0 / 1	1 / 1		
Percentage of cycles resulting in twin live births (%)		0 / 2	0 / 1	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 2	0 / 1	1 / 1		
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)			0 / 1	2 / 2		
Percentage of transfers resulting in pregnancies (%)			0 / 1	1 / 1		
Percentage of transfers resulting in live births (%)			0 / 1	1 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1	1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles		31	18	16	5	1
Number of transfers		30	14	15	3	1
Estimated average number of transfers per retrieval		0.8	0.6	0.4	0.3	0.1
Average number of embryos transferred		1.1	1.2	1.0	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)		56.3	10 / 16	6 / 14	2 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)		60.0	10 / 14	7 / 15	2 / 3	1 / 1
Percentage of transfers resulting in live births (%)		53.3	9 / 14	5 / 15	2 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)		53.3	8 / 14	5 / 15	2 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)		0.0	1 / 14	0 / 15	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		43.3	8 / 14	5 / 15	1 / 3	0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		38	23	34	11	15
		0	2	0	2	1
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	0	13	1	
Number of transfers		0	0	12	1	
Average number of embryos transferred				1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)				11 / 12	1 / 1	
Percentage of transfers resulting in pregnancies (%)				11 / 12	1 / 1	
Percentage of transfers resulting in live births (%)				8 / 12	1 / 1	
Percentage of transfers resulting in singleton live births (%)				8 / 12	1 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				8 / 12	1 / 1	

CURRENT SERVICES & PROFILE		Current Name: Fertility Center & Applied Genetics of Florida					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Juergen Eisermann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 18% Female & male factors 31%
Unstimulated	<1%	PGD/PGS	16%	Ovulatory dysfunction	16%	Male factor	42%	
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	29%	
				Endometriosis	12%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,432
(includes 12 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	224	110	107	79	14
Percentage of cancellations before retrieval (%)	8.9	10.9	22.4	31.6	3 / 14
Number of transfers	115	46	55	25	4
Average number of embryos transferred	1.6	1.7	1.7	1.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	33.0	23.1	4.7	0 / 18	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.5	27.3	19.6	2.5	1 / 14
Percentage of cycles resulting in live births (%)	25.0	24.5	12.1	1.3	0 / 14
Percentage of cycles resulting in singleton live births (%)	16.5	17.3	8.4	1.3	0 / 14
Percentage of cycles resulting in twin live births (%)	7.6	7.3	3.7	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	15.5	6.5	1.3	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.4	51.3	24.4	2.4	0 / 6
Percentage of transfers resulting in pregnancies (%)	57.4	65.2	38.2	8.0	1 / 4
Percentage of transfers resulting in live births (%)	48.7	58.7	23.6	4.0	0 / 4
Percentage of transfers resulting in singleton live births (%)	32.2	41.3	16.4	4.0	0 / 4
Percentage of transfers resulting in twin live births (%)	14.8	17.4	7.3	0.0	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.6	37.0	12.7	4.0	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	189	96	90	41	23
Number of transfers	181	88	86	37	22
Estimated average number of transfers per retrieval	1.1	0.8	0.7	0.8	1.7
Average number of embryos transferred	1.4	1.5	1.5	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	62.2	59.4	55.5	30.6	62.1
Percentage of transfers resulting in pregnancies (%)	72.4	73.9	70.9	48.6	68.2
Percentage of transfers resulting in live births (%)	64.1	62.5	54.7	32.4	59.1
Percentage of transfers resulting in singleton live births (%)	50.3	50.0	41.9	32.4	50.0
Percentage of transfers resulting in twin live births (%)	13.8	12.5	12.8	0.0	9.1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.6	45.5	34.9	32.4	40.9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	94	69	93	37	11
	29	24	28	5	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	90	44	0	
Number of transfers	6	67	42	0	
Average number of embryos transferred	1.5	1.5	1.4		
Percentage of embryos transferred resulting in implantation (%)	6 / 9	63.6	61.8		
Percentage of transfers resulting in pregnancies (%)	5 / 6	79.1	69.0		
Percentage of transfers resulting in live births (%)	5 / 6	62.7	50.0		
Percentage of transfers resulting in singleton live births (%)	4 / 6	46.3	35.7		
Percentage of transfers resulting in twin live births (%)	1 / 6	16.4	14.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 6	40.3	26.2		

CURRENT SERVICES & PROFILE

Current Name: IVFMD/South Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Timothy R. Yeko, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	20%	Uterine factor	3%	Multiple Factors: Female factors only 10% Female & male factors 14%
Unstimulated	0%	PGD/PGS	54%	Ovulatory dysfunction	14%	Male factor	38%	
Used gestational carrier	2%			Diminished ovarian reserve	14%	Other factor	16%	
				Endometriosis	9%	Unknown factor	14%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 950 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		50	17	9	9	3
Percentage of cancellations before retrieval (%)		10.0	4 / 17	5 / 9	3 / 9	3 / 3
Number of transfers		33	9	0	1	0
Average number of embryos transferred		1.2	1.7		3.0	
Percentage of elective single embryo transfers (eSET) (%)		80.0	3 / 9		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		40.0	4 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)		36.0	4 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)		36.0	3 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)		0.0	1 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		26.0	2 / 17	0 / 9	0 / 9	0 / 3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		51.4	5 / 15		0 / 3	
Percentage of transfers resulting in pregnancies (%)		60.6	4 / 9		0 / 1	
Percentage of transfers resulting in live births (%)		54.5	4 / 9		0 / 1	
Percentage of transfers resulting in singleton live births (%)		54.5	3 / 9		0 / 1	
Percentage of transfers resulting in twin live births (%)		0.0	1 / 9		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		39.4	2 / 9		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		191	100	71	19	4
Number of transfers		182	97	65	17	3
Estimated average number of transfers per retrieval		1.0	1.0	0.9	0.4	0.1
Average number of embryos transferred		1.2	1.2	1.1	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)		62.3	63.6	58.9	9 / 19	2 / 3
Percentage of transfers resulting in pregnancies (%)		64.8	67.0	61.5	9 / 17	2 / 3
Percentage of transfers resulting in live births (%)		56.6	60.8	52.3	6 / 17	2 / 3
Percentage of transfers resulting in singleton live births (%)		48.9	55.7	50.8	6 / 17	2 / 3
Percentage of transfers resulting in twin live births (%)		7.7	5.2	1.5	0 / 17	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		44.0	46.4	43.1	5 / 17	2 / 3
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		162	89	74	42	23
		3	4	1	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		19	0	68	0	
Number of transfers		13	0	64	0	
Average number of embryos transferred		1.2		1.2		
Percentage of embryos transferred resulting in implantation (%)		12 / 15		44.3		
Percentage of transfers resulting in pregnancies (%)		11 / 13		50.0		
Percentage of transfers resulting in live births (%)		9 / 13		43.8		
Percentage of transfers resulting in singleton live births (%)		8 / 13		40.6		
Percentage of transfers resulting in twin live births (%)		1 / 13		3.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		6 / 13		34.4		

CURRENT SERVICES & PROFILE		Current Name: The Reproductive Medicine Group					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Shayne M. Plosker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	15%	Uterine factor	6%	
Unstimulated	<1%	PGD/PGS	7%	Ovulatory dysfunction	7%	Male factor	46%	
Used gestational carrier	7%			Diminished ovarian reserve	31%	Other factor	8%	
				Endometriosis	6%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				22%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 423
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	48	34	27	6
Percentage of cancellations before retrieval (%)	6.3	6.3	5.9	7.4	1 / 6
Number of transfers	77	38	29	17	5
Average number of embryos transferred	1.7	2.1	2.6	3.1	3.6
Percentage of elective single embryo transfers (eSET) (%)	28.8	15.8	0.0	0 / 15	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.9	35.4	29.4	7.4	0 / 6
Percentage of cycles resulting in live births (%)	36.8	31.3	20.6	3.7	0 / 6
Percentage of cycles resulting in singleton live births (%)	28.4	25.0	14.7	3.7	0 / 6
Percentage of cycles resulting in twin live births (%)	8.4	4.2	5.9	0.0	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.2	25.0	14.7	0.0	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.4	27.5	17.1	3.8	0 / 18
Percentage of transfers resulting in pregnancies (%)	46.8	44.7	34.5	2 / 17	0 / 5
Percentage of transfers resulting in live births (%)	45.5	39.5	24.1	1 / 17	0 / 5
Percentage of transfers resulting in singleton live births (%)	35.1	31.6	17.2	1 / 17	0 / 5
Percentage of transfers resulting in twin live births (%)	10.4	5.3	6.9	0 / 17	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	31.6	17.2	0 / 17	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	52	30	18	11	7
Number of transfers	48	27	15	8	7
Estimated average number of transfers per retrieval	0.9	1.0	1.7	0.9	3.5
Average number of embryos transferred	1.6	1.5	1.5	1.6	1.9
Percentage of embryos transferred resulting in implantation (%)	52.6	53.7	27.3	2 / 13	2 / 13
Percentage of transfers resulting in pregnancies (%)	58.3	70.4	4 / 15	2 / 8	1 / 7
Percentage of transfers resulting in live births (%)	56.3	55.6	3 / 15	2 / 8	0 / 7
Percentage of transfers resulting in singleton live births (%)	33.3	48.1	2 / 15	2 / 8	0 / 7
Percentage of transfers resulting in twin live births (%)	22.9	7.4	1 / 15	0 / 8	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	44.4	2 / 15	0 / 8	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	34	14	8	7	2
	19	6	2	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	3	20	0	
Number of transfers	5	3	16	0	
Average number of embryos transferred	1.8	2.0	1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 9	0 / 6	40.0		
Percentage of transfers resulting in pregnancies (%)	4 / 5	0 / 3	7 / 16		
Percentage of transfers resulting in live births (%)	4 / 5	0 / 3	5 / 16		
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 3	4 / 16		
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 3	1 / 16		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 5	0 / 3	4 / 16		

CURRENT SERVICES & PROFILE

Current Name: University of South Florida IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

F.I.R.S.T. FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES WESTON, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Minna R. Selub, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	7%	Uterine factor	25%	Multiple Factors: Female factors only 18% Female & male factors 39%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	21%	Male factor	43%	
Used gestational carrier	7%			Diminished ovarian reserve	50%	Other factor	16%	
				Endometriosis	5%	Unknown factor	2%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 47 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		10	5	3	1	0
Percentage of cancellations before retrieval (%)		0 / 10	0 / 5	0 / 3	0 / 1	
Number of transfers		9	3	3	1	0
Average number of embryos transferred		1.7	2.0	1.3	2.0	
Percentage of elective single embryo transfers (eSET) (%)		1 / 7	0 / 3	1 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		1 / 10	1 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)		1 / 10	1 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)		0 / 10	0 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)		1 / 10	1 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 10	0 / 5	0 / 3	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		2 / 15	2 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)		1 / 9	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)		1 / 9	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 9	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 9	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 9	0 / 3	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		2	1	4	0	0
Number of transfers		2	1	3	0	0
Estimated average number of transfers per retrieval		1.0	1.0	0.8	0.0	
Average number of embryos transferred		1.5	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 3	1 / 1	2 / 6		
Percentage of transfers resulting in pregnancies (%)		1 / 2	1 / 1	1 / 3		
Percentage of transfers resulting in live births (%)		1 / 2	1 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)		1 / 2	1 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1	1 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 2	1 / 1	0 / 3		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		0	1	1	1	0
		0	1	1	1	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		11	0	7		0
Number of transfers		11	0	7		0
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation (%)		20.0		2 / 13		
Percentage of transfers resulting in pregnancies (%)		4 / 11		2 / 7		
Percentage of transfers resulting in live births (%)		4 / 11		1 / 7		
Percentage of transfers resulting in singleton live births (%)		4 / 11		1 / 7		
Percentage of transfers resulting in twin live births (%)		0 / 11		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 11		1 / 7		

CURRENT SERVICES & PROFILE		Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE SPECIALISTS, LLC WINTER PARK, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	28%	Tubal factor	25%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	0%	
				Endometriosis	22%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 42
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	6	4	2	0
Percentage of cancellations before retrieval (%)	1 / 8	2 / 6	0 / 4	0 / 2	
Number of transfers	4	1	1	1	0
Average number of embryos transferred	1.3	2.0	1.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	4	0	0
Number of transfers	1	2	3	0	0
Estimated average number of transfers per retrieval	0.5	0.4	1.0		0.0
Average number of embryos transferred	2.0	1.5	1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 3	0 / 5		
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	0 / 1	1 / 2	0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 2	0 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	2	1	0	2
	1	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	9	0	
Number of transfers	0	0	8	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 8		
Percentage of transfers resulting in pregnancies (%)			1 / 8		
Percentage of transfers resulting in live births (%)			0 / 8		
Percentage of transfers resulting in singleton live births (%)			0 / 8		
Percentage of transfers resulting in twin live births (%)			0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 8		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Specialists, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE THE IVF CENTER WINTER PARK, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark P. Trolice, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 18%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	28%	Male factor	32%	
Used gestational carrier	7%			Diminished ovarian reserve	25%	Other factor	14%	
				Endometriosis	9%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 270
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	21	15	4	1
Percentage of cancellations before retrieval (%)	5.6	4.8	1 / 15	0 / 4	0 / 1
Number of transfers	6	1	1	1	1
Average number of embryos transferred	1.0	1.0	1.0	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 5	1 / 1		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8.3	0.0	0 / 15	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	8.3	0.0	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	8.3	0.0	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.3	0.0	0 / 15	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 6	0 / 1	0 / 1	2 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 6	0 / 1	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 6	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 6	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 6	0 / 1	0 / 1	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	62	35	35	4	2
Number of transfers	57	35	31	4	2
Estimated average number of transfers per retrieval	1.4	1.5	1.8	1.0	2.0
Average number of embryos transferred	1.2	1.2	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	55.6	39.5	18.0	3 / 8	0 / 4
Percentage of transfers resulting in pregnancies (%)	59.6	48.6	19.4	3 / 4	0 / 2
Percentage of transfers resulting in live births (%)	49.1	42.9	16.1	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.9	42.9	6.5	2 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	5.3	0.0	9.7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.9	40.0	6.5	2 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	4	6	2	1
	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	1	24	1	
Number of transfers	1	1	23	1	
Average number of embryos transferred	1.0	1.0	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1	1 / 1	54.2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1	56.5	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1	47.8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 1	47.8	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	1 / 1	47.8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility CARE, The IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James P. Toner, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 6%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	16%	Male factor	17%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	22%	
				Endometriosis	4%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,270
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	193	82	73	35	27
Percentage of cancellations before retrieval (%)	5.7	17.1	27.4	22.9	25.9
Number of transfers	129	33	21	5	4
Average number of embryos transferred	1.1	1.5	1.9	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	84.7	42.3	0 / 15	0 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.6	19.5	13.7	2.9	0.0
Percentage of cycles resulting in live births (%)	26.9	15.9	8.2	2.9	0.0
Percentage of cycles resulting in singleton live births (%)	25.9	14.6	6.8	2.9	0.0
Percentage of cycles resulting in twin live births (%)	1.0	1.2	1.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.8	13.4	6.8	2.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.2	35.6	28.9	1 / 10	0 / 12
Percentage of transfers resulting in pregnancies (%)	48.8	48.5	47.6	1 / 5	0 / 4
Percentage of transfers resulting in live births (%)	40.3	39.4	28.6	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	38.8	36.4	23.8	1 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	1.6	3.0	4.8	0 / 5	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.1	33.3	23.8	1 / 5	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	204	107	68	18	8
Number of transfers	196	97	62	18	5
Estimated average number of transfers per retrieval	1.4	1.1	0.7	0.5	1.0
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	52.9	58.8	54.4	11 / 19	2 / 7
Percentage of transfers resulting in pregnancies (%)	56.6	62.9	54.8	11 / 18	2 / 5
Percentage of transfers resulting in live births (%)	44.9	51.5	38.7	7 / 18	2 / 5
Percentage of transfers resulting in singleton live births (%)	39.8	49.5	33.9	6 / 18	2 / 5
Percentage of transfers resulting in twin live births (%)	4.1	2.1	4.8	1 / 18	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	44.3	30.6	5 / 18	1 / 5
Number of Egg or Embryo Banking Cycles					
	76	79	81	35	4
Number of fertility preservation cycles	12	15	9	4	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	47	125	1	
Number of transfers	5	43	108	1	
Average number of embryos transferred	1.4	1.0	1.1	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	53.3	49.1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 5	55.8	51.9	1 / 1	
Percentage of transfers resulting in live births (%)	2 / 5	48.8	40.7	1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 5	48.8	39.8	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 5	0.0	0.9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	34.9	33.3	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer F. Kawwass, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	24%	Uterine factor	10%	Multiple Factors: Female factors only 24% Female & male factors 21%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	17%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	15%	
				Endometriosis	12%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 488
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	118	67	53	23	22
Percentage of cancellations before retrieval (%)	6.8	7.5	9.4	13.0	22.7
Number of transfers	97	54	45	16	13
Average number of embryos transferred	1.5	1.8	2.6	2.8	2.1
Percentage of elective single embryo transfers (eSET) (%)	51.7	16.3	7.3	0 / 13	2 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.9	50.7	32.1	39.1	18.2
Percentage of cycles resulting in live births (%)	51.7	44.8	24.5	26.1	18.2
Percentage of cycles resulting in singleton live births (%)	44.1	32.8	17.0	26.1	18.2
Percentage of cycles resulting in twin live births (%)	7.6	11.9	7.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	36.4	26.9	13.2	21.7	18.2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.5	44.2	21.7	26.7	14.8
Percentage of transfers resulting in pregnancies (%)	68.0	63.0	37.8	9 / 16	4 / 13
Percentage of transfers resulting in live births (%)	62.9	55.6	28.9	6 / 16	4 / 13
Percentage of transfers resulting in singleton live births (%)	53.6	40.7	20.0	6 / 16	4 / 13
Percentage of transfers resulting in twin live births (%)	9.3	14.8	8.9	0 / 16	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.3	33.3	15.6	5 / 16	4 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	25	23	11	3
Number of transfers	41	20	22	9	2
Estimated average number of transfers per retrieval	0.8	0.7	0.8	0.9	0.4
Average number of embryos transferred	1.4	1.6	2.0	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	42.6	48.4	22.5	4 / 17	1 / 4
Percentage of transfers resulting in pregnancies (%)	53.7	60.0	36.4	5 / 9	1 / 2
Percentage of transfers resulting in live births (%)	39.0	55.0	31.8	3 / 9	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.7	45.0	22.7	3 / 9	0 / 2
Percentage of transfers resulting in twin live births (%)	7.3	10.0	9.1	0 / 9	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	35.0	9.1	2 / 9	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	17	18	4	2
	23	16	6	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	5	11	0	
Number of transfers	11	5	10	0	
Average number of embryos transferred	1.1	1.4	1.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 11	3 / 7	8 / 11		
Percentage of transfers resulting in pregnancies (%)	7 / 11	3 / 5	9 / 10		
Percentage of transfers resulting in live births (%)	6 / 11	2 / 5	7 / 10		
Percentage of transfers resulting in singleton live births (%)	5 / 11	2 / 5	7 / 10		
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 5	0 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	1 / 5	4 / 10		

CURRENT SERVICES & PROFILE

Current Name: Emory Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC

ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark Perloe, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	52%	Tubal factor	26%	Uterine factor	5%	Multiple Factors: Female factors only 23% Female & male factors 20%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	26%	Male factor	28%	
Used gestational carrier	4%			Diminished ovarian reserve	38%	Other factor	17%	
				Endometriosis	8%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 581
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	28	11	7	4
Percentage of cancellations before retrieval (%)	6.8	21.4	1 / 11	2 / 7	1 / 4
Number of transfers	31	11	7	4	2
Average number of embryos transferred	1.2	1.5	2.0	2.3	2.5
Percentage of elective single embryo transfers (eSET) (%)	74.1	2 / 7	0 / 6	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.5	7.1	3 / 11	1 / 7	0 / 4
Percentage of cycles resulting in live births (%)	34.1	7.1	1 / 11	1 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	34.1	3.6	1 / 11	1 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	3.6	0 / 11	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.5	0.0	1 / 11	1 / 7	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.8	4 / 16	3 / 14	1 / 9	0 / 5
Percentage of transfers resulting in pregnancies (%)	64.5	2 / 11	3 / 7	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	48.4	2 / 11	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	48.4	1 / 11	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	1 / 11	0 / 7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.9	0 / 11	1 / 7	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	67	67	13	10
Number of transfers	99	62	62	10	9
Estimated average number of transfers per retrieval	1.4	1.3	1.6	0.6	0.6
Average number of embryos transferred	1.1	1.3	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	56.3	44.2	50.7	3 / 7	4 / 12
Percentage of transfers resulting in pregnancies (%)	60.6	48.4	58.1	6 / 10	4 / 9
Percentage of transfers resulting in live births (%)	44.4	40.3	45.2	3 / 10	3 / 9
Percentage of transfers resulting in singleton live births (%)	41.4	32.3	43.5	3 / 10	3 / 9
Percentage of transfers resulting in twin live births (%)	3.0	8.1	1.6	0 / 10	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.4	29.0	35.5	2 / 10	2 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	57	38	37	17	15
	3	2	3	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	19	27	10	
Number of transfers	3	14	26	10	
Average number of embryos transferred	1.3	1.1	1.2	1.5	
Percentage of embryos transferred resulting in implantation (%)	3 / 4	9 / 14	48.1	5 / 15	
Percentage of transfers resulting in pregnancies (%)	3 / 3	10 / 14	50.0	4 / 10	
Percentage of transfers resulting in live births (%)	3 / 3	7 / 14	38.5	4 / 10	
Percentage of transfers resulting in singleton live births (%)	3 / 3	7 / 14	30.8	4 / 10	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 14	7.7	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 3	5 / 14	30.8	3 / 10	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Shady Grove Fertility-Atlanta

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE BIOLOGY ASSOCIATES ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel B. Shapiro, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 20% Female & male factors 20%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	10%	Male factor	30%	
Used gestational carrier	4%			Diminished ovarian reserve	51%	Other factor	30%	
				Endometriosis	5%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,094
(includes 20 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	92	49	37	10	15
Percentage of cancellations before retrieval (%)	9.8	32.7	18.9	1 / 10	6 / 15
Number of transfers	77	27	22	7	4
Average number of embryos transferred	1.2	1.6	2.0	2.1	3.0
Percentage of elective single embryo transfers (eSET) (%)	76.7	37.5	2 / 19	1 / 6	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.1	18.4	21.6	2 / 10	1 / 15
Percentage of cycles resulting in live births (%)	32.6	14.3	18.9	2 / 10	1 / 15
Percentage of cycles resulting in singleton live births (%)	31.5	14.3	16.2	1 / 10	1 / 15
Percentage of cycles resulting in twin live births (%)	1.1	0.0	2.7	1 / 10	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.3	8.2	16.2	1 / 10	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.2	20.0	23.3	3 / 15	1 / 12
Percentage of transfers resulting in pregnancies (%)	46.8	33.3	36.4	2 / 7	1 / 4
Percentage of transfers resulting in live births (%)	39.0	25.9	31.8	2 / 7	1 / 4
Percentage of transfers resulting in singleton live births (%)	37.7	25.9	27.3	1 / 7	1 / 4
Percentage of transfers resulting in twin live births (%)	1.3	0.0	4.5	1 / 7	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.8	14.8	27.3	1 / 7	1 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	329	184	146	58	34
Number of transfers	323	179	142	55	33
Estimated average number of transfers per retrieval	0.8	1.1	1.0	1.2	1.7
Average number of embryos transferred	1.3	1.3	1.6	1.9	1.5
Percentage of embryos transferred resulting in implantation (%)	55.1	53.2	40.1	25.5	22.9
Percentage of transfers resulting in pregnancies (%)	64.4	63.7	62.0	45.5	39.4
Percentage of transfers resulting in live births (%)	50.5	50.8	45.8	32.7	24.2
Percentage of transfers resulting in singleton live births (%)	42.7	44.7	41.5	29.1	24.2
Percentage of transfers resulting in twin live births (%)	7.7	5.6	4.2	3.6	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.5	36.3	35.9	21.8	24.2
Number of Egg or Embryo Banking Cycles					
	387	149	126	40	17
Number of fertility preservation cycles	37	48	22	7	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	175	177	49	
Number of transfers	0	172	170	49	
Average number of embryos transferred		1.1	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)		56.3	45.8	47.5	
Percentage of transfers resulting in pregnancies (%)		59.3	54.1	51.0	
Percentage of transfers resulting in live births (%)		48.3	45.9	44.9	
Percentage of transfers resulting in singleton live births (%)		44.8	43.5	34.7	
Percentage of transfers resulting in twin live births (%)		3.5	2.4	10.2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		37.2	38.2	30.6	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Biology Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES

AUGUSTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Larisa Gavrilova-Jordan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	34%	Uterine factor	6%	Multiple Factors: Female factors only 25% Female & male factors 16%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	14%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	7%	
				Endometriosis	20%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 119
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	13	9	6	3
Percentage of cancellations before retrieval (%)	6.8	1 / 13	1 / 9	0 / 6	1 / 3
Number of transfers	36	12	7	4	2
Average number of embryos transferred	1.6	1.8	2.4	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	42.4	2 / 11	1 / 7	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	59.1	8 / 13	2 / 9	3 / 6	0 / 3
Percentage of cycles resulting in live births (%)	50.0	6 / 13	2 / 9	3 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	40.9	3 / 13	0 / 9	3 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	6.8	3 / 13	2 / 9	0 / 6	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	36.4	2 / 13	0 / 9	2 / 6	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	57.4	10 / 19	4 / 17	3 / 9	0 / 6
Percentage of transfers resulting in pregnancies (%)	72.2	8 / 12	2 / 7	3 / 4	0 / 2
Percentage of transfers resulting in live births (%)	61.1	6 / 12	2 / 7	3 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 12	0 / 7	3 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	8.3	3 / 12	2 / 7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.4	2 / 12	0 / 7	2 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	5	4	3	1
Number of transfers	21	5	4	3	1
Estimated average number of transfers per retrieval	1.9	2.5	0.7	1.5	
Average number of embryos transferred	1.9	1.4	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	62.9	2 / 7	2 / 7	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	76.2	2 / 5	2 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	52.4	2 / 5	1 / 4	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	19.0	2 / 5	1 / 4	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	33.3	0 / 5	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	9.5	2 / 5	1 / 4	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	2	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	0	1	
Number of transfers	0	2	0	1	
Average number of embryos transferred		1.5		1.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 3		1 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 2		1 / 1	
Percentage of transfers resulting in live births (%)		1 / 2		1 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 2		1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 2		1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY MASSEY FERTILITY INSTITUTE SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY AUGUSTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Edouard J. Servy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	14%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 15%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	13%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	17%	
				Endometriosis	6%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 388
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	93	68	56	22	39
Percentage of cancellations before retrieval (%)	7.5	10.3	14.3	13.6	10.3
Number of transfers	68	50	40	14	30
Average number of embryos transferred	1.8	2.0	2.0	2.0	1.9
Percentage of elective single embryo transfers (eSET) (%)	5.0	4.5	3.0	0 / 12	1 / 19
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	22.1	33.9	27.3	15.4
Percentage of cycles resulting in live births (%)	34.4	16.2	17.9	22.7	12.8
Percentage of cycles resulting in singleton live births (%)	30.1	10.3	12.5	18.2	10.3
Percentage of cycles resulting in twin live births (%)	4.3	4.4	5.4	4.5	2.6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.6	7.4	8.9	18.2	10.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.1	20.2	26.7	26.9	12.5
Percentage of transfers resulting in pregnancies (%)	52.9	30.0	47.5	6 / 14	20.0
Percentage of transfers resulting in live births (%)	47.1	22.0	25.0	5 / 14	16.7
Percentage of transfers resulting in singleton live births (%)	41.2	14.0	17.5	4 / 14	13.3
Percentage of transfers resulting in twin live births (%)	5.9	6.0	7.5	1 / 14	3.3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.9	10.0	12.5	4 / 14	13.3
Frozen Embryos from Nondonor Eggs					
Number of cycles	27	26	7	5	2
Number of transfers	27	25	7	5	2
Estimated average number of transfers per retrieval	1.2	2.1	1.0	1.0	2.0
Average number of embryos transferred	1.7	1.7	1.9	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	45.2	40.5	5 / 12	2 / 8	0 / 4
Percentage of transfers resulting in pregnancies (%)	55.6	48.0	5 / 7	2 / 5	0 / 2
Percentage of transfers resulting in live births (%)	29.6	36.0	3 / 7	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	18.5	24.0	3 / 7	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	11.1	8.0	0 / 7	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	14.8	16.0	3 / 7	2 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	4	4	1	0
	3	2	1	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	4	15	0	
Number of transfers	7	4	15	0	
Average number of embryos transferred	1.6	1.8	1.8		
Percentage of embryos transferred resulting in implantation (%)	3 / 9	3 / 7	48.1		
Percentage of transfers resulting in pregnancies (%)	3 / 7	2 / 4	10 / 15		
Percentage of transfers resulting in live births (%)	2 / 7	2 / 4	8 / 15		
Percentage of transfers resulting in singleton live births (%)	1 / 7	1 / 4	5 / 15		
Percentage of transfers resulting in twin live births (%)	1 / 7	1 / 4	3 / 15		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	1 / 4	4 / 15		

CURRENT SERVICES & PROFILE

Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Prakash J. Thiruppathi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	42%	Uterine factor	19%	Multiple Factors: Female factors only 27% Female & male factors 67%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	89%	Male factor	67%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	6%	
				Endometriosis	24%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 138
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	8	11	4	1
Percentage of cancellations before retrieval (%)	13.1	2 / 8	1 / 11	2 / 4	0 / 1
Number of transfers	43	5	8	1	1
Average number of embryos transferred	1.9	1.4	1.8	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	10.3	1 / 3	0 / 6	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.7	0 / 8	4 / 11	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	29.5	0 / 8	3 / 11	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.3	0 / 8	3 / 11	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	8.2	0 / 8	0 / 11	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.4	0 / 8	3 / 11	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.8	0 / 7	3 / 12	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	53.5	0 / 5	4 / 8	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	41.9	0 / 5	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.2	0 / 5	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	11.6	0 / 5	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.3	0 / 5	3 / 8	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	7	5	1	0
Number of transfers	26	7	4	1	0
Estimated average number of transfers per retrieval	1.5	3.5	1.0	1.0	
Average number of embryos transferred	1.9	1.7	1.8	3.0	
Percentage of embryos transferred resulting in implantation (%)	31.3	4 / 10	3 / 5	2 / 3	
Percentage of transfers resulting in pregnancies (%)	46.2	4 / 7	3 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	38.5	3 / 7	2 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	26.9	2 / 7	1 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	11.5	1 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.2	1 / 7	1 / 4	1 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	0	3	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	1	2	
Number of transfers	3	0	1	2	
Average number of embryos transferred	2.0		2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 6		0 / 2	2 / 4	
Percentage of transfers resulting in pregnancies (%)	3 / 3		0 / 1	2 / 2	
Percentage of transfers resulting in live births (%)	3 / 3		0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 3		0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	3 / 3		0 / 1	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		0 / 1	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Patrick L. Blohm, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	14%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	11%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	12%	
				Endometriosis	13%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				30%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 203 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		74	31	17	8	1
Percentage of cancellations before retrieval (%)		5.4	12.9	4 / 17	2 / 8	0 / 1
Number of transfers		70	27	13	6	1
Average number of embryos transferred		1.9	1.9	2.0	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)		3.0	0.0	0 / 13	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		66.2	58.1	3 / 17	3 / 8	0 / 1
Percentage of cycles resulting in live births (%)		58.1	48.4	1 / 17	3 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)		33.8	35.5	0 / 17	3 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)		23.0	12.9	1 / 17	0 / 8	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		28.4	35.5	0 / 17	2 / 8	0 / 1
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		55.6	46.0	12.5	3 / 12	0 / 2
Percentage of transfers resulting in pregnancies (%)		70.0	66.7	3 / 13	3 / 6	0 / 1
Percentage of transfers resulting in live births (%)		61.4	55.6	1 / 13	3 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)		35.7	40.7	0 / 13	3 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)		24.3	14.8	1 / 13	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		30.0	40.7	0 / 13	2 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles		22	15	6	4	5
Number of transfers		22	15	5	4	5
Estimated average number of transfers per retrieval		1.5	3.8	2.5	4.0	
Average number of embryos transferred		1.8	1.5	1.4	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)		17.9	23.8	0 / 7	1 / 4	0 / 9
Percentage of transfers resulting in pregnancies (%)		31.8	5 / 15	0 / 5	2 / 4	0 / 5
Percentage of transfers resulting in live births (%)		27.3	3 / 15	0 / 5	1 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)		27.3	2 / 15	0 / 5	1 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)		0.0	1 / 15	0 / 5	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		27.3	2 / 15	0 / 5	1 / 4	0 / 5
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		3	0	0	0	0
		0	0	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		15	1	1	0	
Number of transfers		15	1	1	0	
Average number of embryos transferred		1.9	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		72.4	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)		14 / 15	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)		14 / 15	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)		7 / 15	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)		7 / 15	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 15	0 / 1	0 / 1		

CURRENT SERVICES & PROFILE		Current Name: The Georgia Center for Reproductive Medicine					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christopher T. Huang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	17%	Uterine factor	0%	Multiple Factors: Female factors only <1% Female & male factors 30%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	0%	Male factor	82%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	10%	
				Endometriosis	9%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 225
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	14	14	10	8
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in live births (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	37	19	24	16	10
Number of transfers	34	18	21	14	10
Estimated average number of transfers per retrieval	1.1	1.5	1.2	1.2	1.7
Average number of embryos transferred	1.2	1.8	2.0	2.2	3.2
Percentage of embryos transferred resulting in implantation (%)	52.5	31.0	39.5	21.4	0.0
Percentage of transfers resulting in pregnancies (%)	64.7	8 / 18	61.9	6 / 14	1 / 10
Percentage of transfers resulting in live births (%)	52.9	5 / 18	57.1	4 / 14	0 / 10
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 18	52.4	4 / 14	0 / 10
Percentage of transfers resulting in twin live births (%)	2.9	2 / 18	4.8	0 / 14	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.1	3 / 18	42.9	2 / 14	0 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	2	8	5	0
	0	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	10	0	
Number of transfers	0	1	8	0	
Average number of embryos transferred		2.0	1.4		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	5 / 10		
Percentage of transfers resulting in pregnancies (%)		0 / 1	4 / 8		
Percentage of transfers resulting in live births (%)		0 / 1	2 / 8		
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 8		
Percentage of transfers resulting in twin live births (%)		0 / 1	2 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	0 / 8		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John L. Frattarelli, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	23%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 34%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	10%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	3%	
				Endometriosis	8%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 470
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	49	29	14	7	4
Percentage of cancellations before retrieval (%)	4.1	0.0	1 / 14	0 / 7	1 / 4
Number of transfers	13	4	4	3	3
Average number of embryos transferred	1.5	1.8	2.3	1.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 11	0 / 3	0 / 4	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.3	6.9	2 / 14	1 / 7	0 / 4
Percentage of cycles resulting in live births (%)	12.2	6.9	1 / 14	1 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	10.2	3.4	1 / 14	1 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	2.0	3.4	0 / 14	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.2	0.0	1 / 14	1 / 7	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.0	3 / 7	2 / 9	1 / 4	0 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 13	2 / 4	2 / 4	1 / 3	0 / 3
Percentage of transfers resulting in live births (%)	6 / 13	2 / 4	1 / 4	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 13	1 / 4	1 / 4	1 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 4	0 / 4	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 13	0 / 4	1 / 4	1 / 3	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	88	46	34	9	6
Number of transfers	88	46	34	9	6
Estimated average number of transfers per retrieval	1.2	1.2	1.0	0.8	0.8
Average number of embryos transferred	1.5	1.5	1.6	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	52.8	47.0	50.0	6 / 10	2 / 7
Percentage of transfers resulting in pregnancies (%)	61.4	60.9	70.6	7 / 9	3 / 6
Percentage of transfers resulting in live births (%)	46.6	43.5	61.8	4 / 9	2 / 6
Percentage of transfers resulting in singleton live births (%)	33.0	32.6	50.0	4 / 9	2 / 6
Percentage of transfers resulting in twin live births (%)	12.5	10.9	11.8	0 / 9	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	30.4	41.2	4 / 9	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	58	25	30	11	8
	58	25	30	11	8
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	13	13	24	2	
Number of transfers	0	13	24	2	
Average number of embryos transferred		1.4	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)		10 / 18	63.3	3 / 3	
Percentage of transfers resulting in pregnancies (%)		8 / 13	83.3	2 / 2	
Percentage of transfers resulting in live births (%)		7 / 13	62.5	2 / 2	
Percentage of transfers resulting in singleton live births (%)		5 / 13	62.5	1 / 2	
Percentage of transfers resulting in twin live births (%)		2 / 13	0.0	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 13	50.0	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF HAWAII HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Benton H. Chun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	94%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 10% Female & male factors 77%
Unstimulated	3%	PGD/PGS	5%	Ovulatory dysfunction	26%	Male factor	86%	
Used gestational carrier	<1%			Diminished ovarian reserve	50%	Other factor	19%	
				Endometriosis	36%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 183
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	25	29	11	12
Percentage of cancellations before retrieval (%)	9.1	12.0	13.8	1 / 11	1 / 12
Number of transfers	11	9	14	7	9
Average number of embryos transferred	1.5	1.9	2.1	2.7	4.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 11	1 / 9	1 / 12	1 / 6	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.3	28.0	24.1	2 / 11	4 / 12
Percentage of cycles resulting in live births (%)	22.7	24.0	17.2	1 / 11	3 / 12
Percentage of cycles resulting in singleton live births (%)	13.6	16.0	6.9	1 / 11	3 / 12
Percentage of cycles resulting in twin live births (%)	9.1	8.0	10.3	0 / 11	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.1	16.0	6.9	1 / 11	3 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	8 / 16	9 / 17	33.3	2 / 19	9.1
Percentage of transfers resulting in pregnancies (%)	6 / 11	7 / 9	7 / 14	2 / 7	4 / 9
Percentage of transfers resulting in live births (%)	5 / 11	6 / 9	5 / 14	1 / 7	3 / 9
Percentage of transfers resulting in singleton live births (%)	3 / 11	4 / 9	2 / 14	1 / 7	3 / 9
Percentage of transfers resulting in twin live births (%)	2 / 11	2 / 9	3 / 14	0 / 7	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 11	4 / 9	2 / 14	1 / 7	3 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	11	17	4	2
Number of transfers	23	10	17	4	1
Estimated average number of transfers per retrieval	3.8	1.4	1.1	2.0	0.3
Average number of embryos transferred	1.2	1.8	1.9	1.8	5.0
Percentage of embryos transferred resulting in implantation (%)	54.5	9 / 18	22.6	0 / 4	1 / 5
Percentage of transfers resulting in pregnancies (%)	69.6	6 / 10	8 / 17	2 / 4	1 / 1
Percentage of transfers resulting in live births (%)	47.8	6 / 10	6 / 17	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births (%)	43.5	3 / 10	6 / 17	0 / 4	1 / 1
Percentage of transfers resulting in twin live births (%)	4.3	3 / 10	0 / 17	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.8	1 / 10	4 / 17	0 / 4	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	6	1	3
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	13	0	
Number of transfers	0	0	13	0	
Average number of embryos transferred			1.4		
Percentage of embryos transferred resulting in implantation (%)			10 / 18		
Percentage of transfers resulting in pregnancies (%)			10 / 13		
Percentage of transfers resulting in live births (%)			10 / 13		
Percentage of transfers resulting in singleton live births (%)			10 / 13		
Percentage of transfers resulting in twin live births (%)			0 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			7 / 13		

CURRENT SERVICES & PROFILE

Current Name: IVF Hawaii

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Thomas S. Kosasa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	14%	Uterine factor	1%	Multiple Factors: Female factors only 7% Female & male factors 39%
Unstimulated	1%	PGD/PGS	8%	Ovulatory dysfunction	5%	Male factor	51%	
Used gestational carrier	2%			Diminished ovarian reserve	43%	Other factor	5%	
				Endometriosis	36%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 509
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	37	25	27	21
Percentage of cancellations before retrieval (%)	7.1	5.4	12.0	7.4	9.5
Number of transfers	19	18	12	15	13
Average number of embryos transferred	2.0	2.5	2.6	2.5	2.6
Percentage of elective single embryo transfers (eSET) (%)	1 / 16	0 / 17	0 / 10	0 / 13	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.9	13.5	8.0	7.4	4.8
Percentage of cycles resulting in live births (%)	11.9	10.8	4.0	3.7	4.8
Percentage of cycles resulting in singleton live births (%)	9.5	8.1	4.0	3.7	4.8
Percentage of cycles resulting in twin live births (%)	2.4	2.7	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7.1	5.4	4.0	3.7	4.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	18.4	12.2	3.6	2.8	2.9
Percentage of transfers resulting in pregnancies (%)	5 / 19	5 / 18	2 / 12	2 / 15	1 / 13
Percentage of transfers resulting in live births (%)	5 / 19	4 / 18	1 / 12	1 / 15	1 / 13
Percentage of transfers resulting in singleton live births (%)	4 / 19	3 / 18	1 / 12	1 / 15	1 / 13
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 18	0 / 12	0 / 15	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 19	2 / 18	1 / 12	1 / 15	1 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	35	24	15	11
Number of transfers	38	33	20	13	10
Estimated average number of transfers per retrieval	2.1	1.8	1.8	1.2	2.5
Average number of embryos transferred	1.9	2.0	2.0	2.2	2.5
Percentage of embryos transferred resulting in implantation (%)	53.0	34.3	25.6	7.7	5 / 19
Percentage of transfers resulting in pregnancies (%)	68.4	48.5	40.0	3 / 13	5 / 10
Percentage of transfers resulting in live births (%)	52.6	36.4	35.0	1 / 13	3 / 10
Percentage of transfers resulting in singleton live births (%)	28.9	24.2	25.0	1 / 13	2 / 10
Percentage of transfers resulting in twin live births (%)	21.1	12.1	10.0	0 / 13	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.7	21.2	20.0	1 / 13	1 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	3	4	4	0
	1	1	1	4	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	87	3	126	1	
Number of transfers	79	3	115	1	
Average number of embryos transferred	1.8	1.7	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	55.7	2 / 3	32.5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.4	2 / 3	47.0	0 / 1	
Percentage of transfers resulting in live births (%)	64.6	0 / 3	41.7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	44.3	0 / 3	33.9	0 / 1	
Percentage of transfers resulting in twin live births (%)	19.0	0 / 3	7.8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.9	0 / 3	26.1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nia R. Middleton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	36%	Uterine factor	0%	Multiple Factors: Female factors only 8% Female & male factors 27%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	14%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	14%	
				Endometriosis	7%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 128
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	9	5	4	0
Percentage of cancellations before retrieval (%)	3.4	2 / 9	0 / 5	0 / 4	
Number of transfers	25	5	5	4	0
Average number of embryos transferred	2.1	2.2	2.0	2.3	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 5	0 / 3	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.2	2 / 9	1 / 5	2 / 4	
Percentage of cycles resulting in live births (%)	44.8	2 / 9	1 / 5	1 / 4	
Percentage of cycles resulting in singleton live births (%)	34.5	1 / 9	1 / 5	0 / 4	
Percentage of cycles resulting in twin live births (%)	10.3	1 / 9	0 / 5	1 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.0	1 / 9	1 / 5	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.1	3 / 11	1 / 10	3 / 9	
Percentage of transfers resulting in pregnancies (%)	64.0	2 / 5	1 / 5	2 / 4	
Percentage of transfers resulting in live births (%)	52.0	2 / 5	1 / 5	1 / 4	
Percentage of transfers resulting in singleton live births (%)	40.0	1 / 5	1 / 5	0 / 4	
Percentage of transfers resulting in twin live births (%)	12.0	1 / 5	0 / 5	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	1 / 5	1 / 5	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	11	6	3	1
Number of transfers	18	10	3	2	1
Estimated average number of transfers per retrieval	0.8	1.0	0.5	0.5	0.5
Average number of embryos transferred	1.7	1.5	1.7	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	63.3	8 / 13	3 / 5	4 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	14 / 18	7 / 10	2 / 3	2 / 2	0 / 1
Percentage of transfers resulting in live births (%)	13 / 18	5 / 10	2 / 3	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	9 / 18	4 / 10	2 / 3	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 18	1 / 10	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 18	3 / 10	1 / 3	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	20	8	6	4	2
	19	8	5	4	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	0	
Number of transfers	0	0	2	0	
Average number of embryos transferred			1.5		
Percentage of embryos transferred resulting in implantation (%)			1 / 1		
Percentage of transfers resulting in pregnancies (%)			2 / 2		
Percentage of transfers resulting in live births (%)			1 / 2		
Percentage of transfers resulting in singleton live births (%)			1 / 2		
Percentage of transfers resulting in twin live births (%)			0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Tripler Army Medical Center IVF Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

2016

Fertility Clinic Tables

IDAHO-NEW YORK



IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Cristin C. Slater, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	11%	Uterine factor	5%	Multiple Factors: Female factors only 5% Female & male factors 7%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	10%	Male factor	25%	
Used gestational carrier	24%			Diminished ovarian reserve	24%	Other factor	20%	
				Endometriosis	6%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 582
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	79	23	17	5	5
Percentage of cancellations before retrieval (%)	8.9	13.0	3 / 17	1 / 5	1 / 5
Number of transfers	47	8	6	1	1
Average number of embryos transferred	1.7	1.8	2.3	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	23.8	0 / 6	1 / 6	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.7	21.7	2 / 17	0 / 5	0 / 5
Percentage of cycles resulting in live births (%)	31.6	17.4	1 / 17	0 / 5	0 / 5
Percentage of cycles resulting in singleton live births (%)	17.7	8.7	1 / 17	0 / 5	0 / 5
Percentage of cycles resulting in twin live births (%)	13.9	8.7	0 / 17	0 / 5	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.7	4.3	1 / 17	0 / 5	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	51.3	7 / 14	1 / 11	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	61.7	5 / 8	2 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	53.2	4 / 8	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.8	2 / 8	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	23.4	2 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.8	1 / 8	1 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	95	41	28	8	9
Number of transfers	89	37	27	7	5
Estimated average number of transfers per retrieval	1.4	0.8	0.7	0.7	0.2
Average number of embryos transferred	1.5	1.6	1.4	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	48.5	53.6	56.4	3 / 10	3 / 6
Percentage of transfers resulting in pregnancies (%)	64.0	64.9	63.0	3 / 7	4 / 5
Percentage of transfers resulting in live births (%)	56.2	45.9	55.6	3 / 7	1 / 5
Percentage of transfers resulting in singleton live births (%)	46.1	32.4	37.0	3 / 7	1 / 5
Percentage of transfers resulting in twin live births (%)	10.1	10.8	18.5	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.4	27.0	33.3	3 / 7	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	41	35	35	10	24
	1	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	22	1	93	11	
Number of transfers	16	1	92	11	
Average number of embryos transferred	1.6	2.0	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)	57.7	0 / 2	51.1	50.0	
Percentage of transfers resulting in pregnancies (%)	10 / 16	0 / 1	62.0	8 / 11	
Percentage of transfers resulting in live births (%)	8 / 16	0 / 1	55.4	5 / 11	
Percentage of transfers resulting in singleton live births (%)	4 / 16	0 / 1	42.4	3 / 11	
Percentage of transfers resulting in twin live births (%)	4 / 16	0 / 1	13.0	2 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 16	0 / 1	37.0	2 / 11	

CURRENT SERVICES & PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Zvi Binor, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	10%	Uterine factor	2%	Multiple Factors: Female factors only 17% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	45%	Male factor	19%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	11%	
				Endometriosis	19%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 157
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	54	29	24	13	2
Percentage of cancellations before retrieval (%)	0.0	6.9	12.5	7 / 13	0 / 2
Number of transfers	48	23	19	6	1
Average number of embryos transferred	2.0	2.0	1.8	2.2	1.0
Percentage of elective single embryo transfers (eSET) (%)	2.2	0 / 18	0 / 15	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.6	13.8	8.3	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)	33.3	3.4	0.0	0 / 13	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.8	0.0	0.0	0 / 13	0 / 2
Percentage of cycles resulting in twin live births (%)	5.6	3.4	0.0	0 / 13	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	0.0	0.0	0 / 13	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.8	9.3	0.0	0 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	47.9	17.4	2 / 19	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	37.5	4.3	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.3	0.0	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	6.3	4.3	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	0.0	0 / 19	0 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	8	5	2	0
Number of transfers	14	8	5	1	0
Estimated average number of transfers per retrieval	1.6	4.0	1.3	0.5	
Average number of embryos transferred	1.7	2.1	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	0.0	2 / 15	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 14	2 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 14	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 14	0 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 14	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 14	0 / 8	0 / 5	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	5	0	
Number of transfers	0	0	5	0	
Average number of embryos transferred			1.8		
Percentage of embryos transferred resulting in implantation (%)			6 / 9		
Percentage of transfers resulting in pregnancies (%)			5 / 5		
Percentage of transfers resulting in live births (%)			2 / 5		
Percentage of transfers resulting in singleton live births (%)			1 / 5		
Percentage of transfers resulting in twin live births (%)			1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 5		

CURRENT SERVICES & PROFILE

Current Name: Rush-Copley Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF ILLINOIS-RIVER NORTH IVF CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christopher Sipe, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	5%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 11%
Unstimulated	<1%	PGD/PGS	12%	Ovulatory dysfunction	19%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	29%	Other factor	28%	
				Endometriosis	5%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,263
(includes 8 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	634	342	310	158	117
Percentage of cancellations before retrieval (%)	9.0	16.1	19.7	34.8	34.2
Number of transfers	479	229	188	79	41
Average number of embryos transferred	1.4	1.6	1.9	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	60.5	37.4	8.8	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.7	31.6	29.7	12.0	3.4
Percentage of cycles resulting in live births (%)	37.5	23.4	21.9	5.1	1.7
Percentage of cycles resulting in singleton live births (%)	33.6	17.5	19.0	4.4	1.7
Percentage of cycles resulting in twin live births (%)	3.9	5.8	2.9	0.6	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.5	16.1	14.8	3.8	0.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.7	36.7	28.7	10.2	3.8
Percentage of transfers resulting in pregnancies (%)	57.8	47.2	48.9	24.1	9.8
Percentage of transfers resulting in live births (%)	49.7	34.9	36.2	10.1	4.9
Percentage of transfers resulting in singleton live births (%)	44.5	26.2	31.4	8.9	4.9
Percentage of transfers resulting in twin live births (%)	5.2	8.7	4.8	1.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.0	24.0	24.5	7.6	2.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	436	284	166	82	41
Number of transfers	411	256	158	73	37
Estimated average number of transfers per retrieval	1.5	1.3	0.8	0.8	0.6
Average number of embryos transferred	1.3	1.3	1.4	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	47.7	43.0	27.1	41.7	22.6
Percentage of transfers resulting in pregnancies (%)	55.2	50.4	41.1	50.7	29.7
Percentage of transfers resulting in live births (%)	45.5	40.6	25.3	41.1	24.3
Percentage of transfers resulting in singleton live births (%)	40.9	36.7	24.1	37.0	21.6
Percentage of transfers resulting in twin live births (%)	4.6	3.5	1.3	4.1	2.7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	32.4	20.9	35.6	18.9
Number of Egg or Embryo Banking Cycles					
	113	122	134	68	44
Number of fertility preservation cycles	43	53	45	11	8
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	48	44	110	2	
Number of transfers	32	34	97	2	
Average number of embryos transferred	1.4	3.1	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	63.6	18.4	37.5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	65.6	47.1	50.5	0 / 2	
Percentage of transfers resulting in live births (%)	59.4	41.2	36.1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	40.6	29.4	30.9	0 / 2	
Percentage of transfers resulting in twin live births (%)	15.6	11.8	5.2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	20.6	26.8	0 / 2	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Fertility Centers of Illinois-River North IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David P. Cohen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	10%	Uterine factor	7%	Multiple Factors: Female factors only 9% Female & male factors 21%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	20%	Male factor	30%	
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	7%	
				Endometriosis	4%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 691
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	19	15	21	28
Percentage of cancellations before retrieval (%)	0.0	3 / 19	4 / 15	47.6	46.4
Number of transfers	22	13	7	8	10
Average number of embryos transferred	1.3	1.6	2.4	1.8	2.2
Percentage of elective single embryo transfers (eSET) (%)	71.4	4 / 12	0 / 7	1 / 6	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.6	8 / 19	2 / 15	4.8	7.1
Percentage of cycles resulting in live births (%)	29.6	6 / 19	2 / 15	0.0	3.6
Percentage of cycles resulting in singleton live births (%)	29.6	4 / 19	2 / 15	0.0	3.6
Percentage of cycles resulting in twin live births (%)	0.0	2 / 19	0 / 15	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	4 / 19	2 / 15	0.0	3.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.6	9 / 19	2 / 17	1 / 14	13.6
Percentage of transfers resulting in pregnancies (%)	36.4	8 / 13	2 / 7	1 / 8	2 / 10
Percentage of transfers resulting in live births (%)	36.4	6 / 13	2 / 7	0 / 8	1 / 10
Percentage of transfers resulting in singleton live births (%)	36.4	4 / 13	2 / 7	0 / 8	1 / 10
Percentage of transfers resulting in twin live births (%)	0.0	2 / 13	0 / 7	0 / 8	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	4 / 13	2 / 7	0 / 8	1 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	112	39	53	20	13
Number of transfers	98	33	40	17	8
Estimated average number of transfers per retrieval	1.0	0.6	0.6	0.3	0.2
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	54.9	36.8	43.5	9 / 19	1 / 10
Percentage of transfers resulting in pregnancies (%)	58.2	45.5	52.5	9 / 17	2 / 8
Percentage of transfers resulting in live births (%)	44.9	33.3	37.5	6 / 17	0 / 8
Percentage of transfers resulting in singleton live births (%)	39.8	30.3	32.5	6 / 17	0 / 8
Percentage of transfers resulting in twin live births (%)	4.1	3.0	5.0	0 / 17	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.7	24.2	30.0	6 / 17	0 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	87	45	61	50	49
	1	4	9	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	37	3	
Number of transfers	5	0	34	3	
Average number of embryos transferred	1.6		1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 8		43.9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 5		58.8	0 / 3	
Percentage of transfers resulting in live births (%)	1 / 5		41.2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 5		38.2	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 5		2.9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		32.4	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN FERTILITY AND REPRODUCTIVE MEDICINE CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mary Ellen Pavone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}					
IVF	100%	With ICSI	77%	Tubal factor	6%	Uterine factor	2%	Multiple Factors:	
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	9%	Male factor	24%	Female factors only	4%
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	15%	Female & male factors	8%
				Endometriosis	2%	Unknown factor	26%		

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,261
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	236	146	112	70	30
Percentage of cancellations before retrieval (%)	5.5	7.5	19.6	10.0	10.0
Number of transfers	198	122	81	58	23
Average number of embryos transferred	1.5	1.7	2.3	2.9	2.7
Percentage of elective single embryo transfers (eSET) (%)	49.2	33.3	4.2	0.0	1 / 17
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.5	33.6	23.2	14.3	10.0
Percentage of cycles resulting in live births (%)	39.0	27.4	19.6	11.4	6.7
Percentage of cycles resulting in singleton live births (%)	35.2	24.7	16.1	8.6	6.7
Percentage of cycles resulting in twin live births (%)	3.8	2.1	3.6	2.9	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.8	24.0	15.2	8.6	3.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.6	26.2	16.5	6.4	3.6
Percentage of transfers resulting in pregnancies (%)	49.5	40.2	32.1	17.2	13.0
Percentage of transfers resulting in live births (%)	46.5	32.8	27.2	13.8	8.7
Percentage of transfers resulting in singleton live births (%)	41.9	29.5	22.2	10.3	8.7
Percentage of transfers resulting in twin live births (%)	4.5	2.5	4.9	3.4	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	28.7	21.0	10.3	4.3
Frozen Embryos from Nondonor Eggs					
Number of cycles	155	89	58	14	13
Number of transfers	142	83	50	13	11
Estimated average number of transfers per retrieval	1.0	0.9	0.7	0.5	0.6
Average number of embryos transferred	1.3	1.4	1.3	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	55.7	42.1	45.2	4 / 16	7 / 15
Percentage of transfers resulting in pregnancies (%)	66.2	54.2	58.0	4 / 13	8 / 11
Percentage of transfers resulting in live births (%)	58.5	49.4	42.0	3 / 13	6 / 11
Percentage of transfers resulting in singleton live births (%)	51.4	43.4	38.0	3 / 13	6 / 11
Percentage of transfers resulting in twin live births (%)	7.0	6.0	4.0	0 / 13	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.1	37.3	34.0	3 / 13	6 / 11
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	103	60	58	22	18
	62	29	30	5	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	39	0	34	0	
Number of transfers	29	0	33	0	
Average number of embryos transferred	1.2		1.2		
Percentage of embryos transferred resulting in implantation (%)	58.8		52.6		
Percentage of transfers resulting in pregnancies (%)	69.0		54.5		
Percentage of transfers resulting in live births (%)	51.7		45.5		
Percentage of transfers resulting in singleton live births (%)	51.7		36.4		
Percentage of transfers resulting in twin live births (%)	0.0		9.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.8		21.2		

CURRENT SERVICES & PROFILE

Current Name: Northwestern Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF CHICAGO MEDICINE CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Helen Kim, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	30%	Uterine factor	5%	Multiple Factors: Female factors only 14% Female & male factors 12%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	9%	Male factor	18%	
Used gestational carrier	2%			Diminished ovarian reserve	14%	Other factor	26%	
				Endometriosis	7%	Unknown factor	20%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 155 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		25	18	23	12	4
Percentage of cancellations before retrieval (%)		8.0	2 / 18	17.4	2 / 12	1 / 4
Number of transfers		10	10	12	6	3
Average number of embryos transferred		1.4	1.8	1.8	2.0	3.7
Percentage of elective single embryo transfers (eSET) (%)		5 / 9	1 / 9	1 / 10	0 / 5	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		16.0	6 / 18	21.7	2 / 12	0 / 4
Percentage of cycles resulting in live births (%)		16.0	4 / 18	17.4	1 / 12	0 / 4
Percentage of cycles resulting in singleton live births (%)		16.0	3 / 18	17.4	1 / 12	0 / 4
Percentage of cycles resulting in twin live births (%)		0.0	1 / 18	0.0	0 / 12	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		12.0	3 / 18	13.0	1 / 12	0 / 4
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		4 / 14	6 / 17	27.3	1 / 10	0 / 11
Percentage of transfers resulting in pregnancies (%)		4 / 10	6 / 10	5 / 12	2 / 6	0 / 3
Percentage of transfers resulting in live births (%)		4 / 10	4 / 10	4 / 12	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)		4 / 10	3 / 10	4 / 12	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)		0 / 10	1 / 10	0 / 12	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 10	3 / 10	3 / 12	1 / 6	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles		24	13	9	3	3
Number of transfers		23	12	8	3	3
Estimated average number of transfers per retrieval		1.4	1.7	0.6	0.6	
Average number of embryos transferred		1.4	1.6	1.6	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)		53.3	10 / 19	7 / 13	4 / 5	2 / 4
Percentage of transfers resulting in pregnancies (%)		65.2	7 / 12	7 / 8	3 / 3	2 / 3
Percentage of transfers resulting in live births (%)		26.1	6 / 12	6 / 8	3 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)		17.4	5 / 12	6 / 8	2 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)		8.7	1 / 12	0 / 8	1 / 3	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		13.0	4 / 12	6 / 8	2 / 3	0 / 3
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		6	3	9	0	0
		4	2	1	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		0	0	2	1	
Number of transfers		0	0	2	1	
Average number of embryos transferred				1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)				1 / 2	2 / 2	
Percentage of transfers resulting in pregnancies (%)				1 / 2	1 / 1	
Percentage of transfers resulting in live births (%)				1 / 2	1 / 1	
Percentage of transfers resulting in singleton live births (%)				1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 2	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				1 / 2	0 / 1	

CURRENT SERVICES & PROFILE		Current Name: University of Chicago Medicine Center for Reproductive Medicine and Fertility					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Humberto Scoccia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	26%	Uterine factor	14%	Multiple Factors: Female factors only 22% Female & male factors 20%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	13%	
				Endometriosis	9%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 223
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	25	42	19	20
Percentage of cancellations before retrieval (%)	10.0	8.0	11.9	8 / 19	45.0
Number of transfers	40	19	33	7	6
Average number of embryos transferred	1.7	2.0	2.5	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	26.3	2 / 16	0.0	0 / 4	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.0	32.0	23.8	1 / 19	5.0
Percentage of cycles resulting in live births (%)	28.3	28.0	19.0	1 / 19	5.0
Percentage of cycles resulting in singleton live births (%)	25.0	28.0	16.7	1 / 19	5.0
Percentage of cycles resulting in twin live births (%)	3.3	0.0	2.4	0 / 19	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.3	20.0	16.7	1 / 19	5.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.9	23.7	13.6	1 / 16	1 / 15
Percentage of transfers resulting in pregnancies (%)	52.5	8 / 19	30.3	1 / 7	1 / 6
Percentage of transfers resulting in live births (%)	42.5	7 / 19	24.2	1 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	37.5	7 / 19	21.2	1 / 7	1 / 6
Percentage of transfers resulting in twin live births (%)	5.0	0 / 19	3.0	0 / 7	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.5	5 / 19	21.2	1 / 7	1 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	7	9	1	2
Number of transfers	25	7	9	1	2
Estimated average number of transfers per retrieval	2.1	1.0	1.5		
Average number of embryos transferred	1.4	1.4	2.1	1.0	3.5
Percentage of embryos transferred resulting in implantation (%)	38.9	5 / 10	5 / 19		0 / 7
Percentage of transfers resulting in pregnancies (%)	44.0	4 / 7	4 / 9	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	40.0	4 / 7	4 / 9	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.0	3 / 7	4 / 9	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	1 / 7	0 / 9	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.0	2 / 7	4 / 9	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	1	0	0
	1	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	5	0	
Number of transfers	5	0	4	0	
Average number of embryos transferred	1.4		1.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 7		3 / 5		
Percentage of transfers resulting in pregnancies (%)	3 / 5		3 / 4		
Percentage of transfers resulting in live births (%)	3 / 5		3 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 5		3 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5		1 / 4		

CURRENT SERVICES & PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mary W. Molo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	93%	Tubal factor	33%	Uterine factor	44%	Multiple Factors: Female factors only 35% Female & male factors 52%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	48%	Male factor	54%	
Used gestational carrier	<1%			Diminished ovarian reserve	39%	Other factor	40%	
				Endometriosis	15%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 300
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	25	27	18	16
Percentage of cancellations before retrieval (%)	3.6	4.0	7.4	1 / 18	4 / 16
Number of transfers	18	23	22	10	9
Average number of embryos transferred	1.6	1.9	1.8	1.9	2.1
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	13.6	1 / 17	0 / 7	1 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	52.0	33.3	1 / 18	1 / 16
Percentage of cycles resulting in live births (%)	21.4	40.0	18.5	1 / 18	1 / 16
Percentage of cycles resulting in singleton live births (%)	21.4	36.0	14.8	1 / 18	1 / 16
Percentage of cycles resulting in twin live births (%)	0.0	4.0	3.7	0 / 18	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.4	28.0	14.8	1 / 18	1 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	24.1	31.8	25.0	1 / 19	1 / 19
Percentage of transfers resulting in pregnancies (%)	7 / 18	56.5	40.9	1 / 10	1 / 9
Percentage of transfers resulting in live births (%)	6 / 18	43.5	22.7	1 / 10	1 / 9
Percentage of transfers resulting in singleton live births (%)	6 / 18	39.1	18.2	1 / 10	1 / 9
Percentage of transfers resulting in twin live births (%)	0 / 18	4.3	4.5	0 / 10	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 18	30.4	18.2	1 / 10	1 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	26	21	3	5
Number of transfers	46	25	18	3	5
Estimated average number of transfers per retrieval	1.6	1.1	2.3	0.3	0.5
Average number of embryos transferred	1.9	1.7	1.7	1.7	2.6
Percentage of embryos transferred resulting in implantation (%)	24.7	20.9	30.0	0 / 5	1 / 13
Percentage of transfers resulting in pregnancies (%)	41.3	32.0	9 / 18	0 / 3	1 / 5
Percentage of transfers resulting in live births (%)	23.9	20.0	6 / 18	0 / 3	1 / 5
Percentage of transfers resulting in singleton live births (%)	21.7	20.0	5 / 18	0 / 3	1 / 5
Percentage of transfers resulting in twin live births (%)	2.2	0.0	1 / 18	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	13.0	16.0	3 / 18	0 / 3	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	17	5	9	6
	5	1	2	5	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	8	0	
Number of transfers	7	0	6	0	
Average number of embryos transferred	2.1		1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 15		2 / 11		
Percentage of transfers resulting in pregnancies (%)	4 / 7		2 / 6		
Percentage of transfers resulting in live births (%)	4 / 7		2 / 6		
Percentage of transfers resulting in singleton live births (%)	4 / 7		2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 7		0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7		2 / 6		

CURRENT SERVICES & PROFILE

Current Name: Women's Health Consultants

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF CREST HILL, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Scott Springer, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	99%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 13%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	34%	Other factor	15%	
				Endometriosis	5%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 205
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	10	12	2	0
Percentage of cancellations before retrieval (%)	0 / 10	0 / 10	0 / 12	0 / 2	
Number of transfers	9	10	12	1	0
Average number of embryos transferred	1.9	1.7	1.8	3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 7	0 / 7	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 10	5 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in live births (%)	2 / 10	5 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 10	4 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 10	1 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 10	3 / 10	0 / 12	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 15	6 / 17	0.0	0 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 9	5 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 9	5 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 9	4 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	1 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	3 / 10	0 / 12	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	69	14	5	3	5
Number of transfers	68	13	5	3	5
Estimated average number of transfers per retrieval	1.3	1.0	0.6	0.6	1.7
Average number of embryos transferred	1.3	1.4	1.6	2.0	1.2
Percentage of embryos transferred resulting in implantation (%)	38.1	5 / 17	0 / 8	1 / 6	1 / 6
Percentage of transfers resulting in pregnancies (%)	42.6	6 / 13	0 / 5	1 / 3	1 / 5
Percentage of transfers resulting in live births (%)	36.8	5 / 13	0 / 5	1 / 3	1 / 5
Percentage of transfers resulting in singleton live births (%)	32.4	5 / 13	0 / 5	1 / 3	1 / 5
Percentage of transfers resulting in twin live births (%)	4.4	0 / 13	0 / 5	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.9	5 / 13	0 / 5	0 / 3	0 / 5
Number of Egg or Embryo Banking Cycles					
	49	11	6	4	3
Number of fertility preservation cycles	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	1	0	
Number of transfers	1	0	1	0	
Average number of embryos transferred	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Amos E. Madanes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	31%	Uterine factor	14%	Multiple Factors: Female factors only 6% Female & male factors 16%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	26%	
Used gestational carrier	2%			Diminished ovarian reserve	25%	Other factor	10%	
				Endometriosis	4%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 176
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	51	29	20	11	13
Percentage of cancellations before retrieval (%)	7.8	17.2	20.0	2 / 11	0 / 13
Number of transfers	47	24	16	9	12
Average number of embryos transferred	2.0	2.2	2.5	2.7	3.9
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0 / 15	1 / 7	1 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.5	10.3	30.0	1 / 11	2 / 13
Percentage of cycles resulting in live births (%)	13.7	10.3	10.0	1 / 11	1 / 13
Percentage of cycles resulting in singleton live births (%)	13.7	6.9	10.0	1 / 11	1 / 13
Percentage of cycles resulting in twin live births (%)	0.0	3.4	0.0	0 / 11	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5.9	3.4	10.0	1 / 11	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11.2	7.7	16.2	4.2	2.2
Percentage of transfers resulting in pregnancies (%)	25.5	12.5	6 / 16	1 / 9	2 / 12
Percentage of transfers resulting in live births (%)	14.9	12.5	2 / 16	1 / 9	1 / 12
Percentage of transfers resulting in singleton live births (%)	14.9	8.3	2 / 16	1 / 9	1 / 12
Percentage of transfers resulting in twin live births (%)	0.0	4.2	0 / 16	0 / 9	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6.4	4.2	2 / 16	1 / 9	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	10	8	2	2
Number of transfers	12	10	8	2	2
Estimated average number of transfers per retrieval	2.0	2.5	2.0	0.7	
Average number of embryos transferred	1.9	2.0	2.1	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	28.6	10.0	2 / 17	0 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 12	1 / 10	2 / 8	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)	2 / 12	1 / 10	1 / 8	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 12	0 / 10	1 / 8	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 10	0 / 8	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 12	0 / 10	1 / 8	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	2	0	
Number of transfers	14	0	2	0	
Average number of embryos transferred	2.1		2.0		
Percentage of embryos transferred resulting in implantation (%)	23.3		1 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 14		1 / 2		
Percentage of transfers resulting in live births (%)	4 / 14		1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 14		1 / 2		
Percentage of transfers resulting in twin live births (%)	3 / 14		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 14		1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CHICAGO INFERTILITY ASSOCIATES, LTD.
ELK GROVE VILLAGE, ILLINOIS**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

DAVIES FERTILITY & IVF SPECIALISTS, SC GLENVIEW, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susan A. Davies, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	8%	Multiple Factors: Female factors only 10% Female & male factors 4%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	18%	Male factor	10%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	9%	
				Endometriosis	1%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 372
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	37	33	18	21
Percentage of cancellations before retrieval (%)	11.5	13.5	18.2	4 / 18	38.1
Number of transfers	21	17	14	3	10
Average number of embryos transferred	1.9	2.0	2.2	2.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 19	0 / 13	0 / 10	0 / 3	0 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12.6	16.2	9.1	2 / 18	19.0
Percentage of cycles resulting in live births (%)	10.3	8.1	3.0	2 / 18	14.3
Percentage of cycles resulting in singleton live births (%)	9.2	8.1	3.0	1 / 18	9.5
Percentage of cycles resulting in twin live births (%)	1.1	0.0	0.0	1 / 18	4.8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.2	5.4	3.0	1 / 18	9.5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.5	15.2	6.9	3 / 7	18.5
Percentage of transfers resulting in pregnancies (%)	52.4	6 / 17	3 / 14	2 / 3	4 / 10
Percentage of transfers resulting in live births (%)	42.9	3 / 17	1 / 14	2 / 3	3 / 10
Percentage of transfers resulting in singleton live births (%)	38.1	3 / 17	1 / 14	1 / 3	2 / 10
Percentage of transfers resulting in twin live births (%)	4.8	0 / 17	0 / 14	1 / 3	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	2 / 17	1 / 14	1 / 3	2 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	64	19	13	9	2
Number of transfers	60	19	13	6	1
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.4	0.1
Average number of embryos transferred	1.6	1.5	1.6	1.7	3.0
Percentage of embryos transferred resulting in implantation (%)	48.4	50.0	52.4	2 / 10	
Percentage of transfers resulting in pregnancies (%)	61.7	12 / 19	10 / 13	2 / 6	1 / 1
Percentage of transfers resulting in live births (%)	51.7	11 / 19	8 / 13	2 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.3	10 / 19	7 / 13	2 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	1 / 19	1 / 13	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	9 / 19	6 / 13	2 / 6	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	8	12	11	8
	3	1	1	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	4	0	
Number of transfers	6	0	4	0	
Average number of embryos transferred	1.8		1.3		
Percentage of embryos transferred resulting in implantation (%)	9 / 11		2 / 5		
Percentage of transfers resulting in pregnancies (%)	6 / 6		1 / 4		
Percentage of transfers resulting in live births (%)	6 / 6		1 / 4		
Percentage of transfers resulting in singleton live births (%)	5 / 6		0 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 6		1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 6		0 / 4		

CURRENT SERVICES & PROFILE

Current Name: Davies Fertility & IVF Specialists, SC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard P. Sherbahn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 8%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	14%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	11%	
				Endometriosis	5%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 979
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	219	69	78	35	16
Percentage of cancellations before retrieval (%)	2.3	5.8	14.1	17.1	1 / 16
Number of transfers	198	57	56	23	9
Average number of embryos transferred	1.8	1.9	2.2	2.7	2.6
Percentage of elective single embryo transfers (eSET) (%)	20.4	3.9	4.1	0.0	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.4	44.9	32.1	20.0	1 / 16
Percentage of cycles resulting in live births (%)	48.4	36.2	20.5	14.3	1 / 16
Percentage of cycles resulting in singleton live births (%)	33.3	26.1	17.9	11.4	1 / 16
Percentage of cycles resulting in twin live births (%)	15.1	7.2	2.6	2.9	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.1	24.6	15.4	11.4	0 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.4	36.3	18.9	11.7	4.3
Percentage of transfers resulting in pregnancies (%)	59.1	54.4	44.6	30.4	1 / 9
Percentage of transfers resulting in live births (%)	53.5	43.9	28.6	21.7	1 / 9
Percentage of transfers resulting in singleton live births (%)	36.9	31.6	25.0	17.4	1 / 9
Percentage of transfers resulting in twin live births (%)	16.7	8.8	3.6	4.3	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	29.8	21.4	17.4	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	147	66	32	14	3
Number of transfers	143	63	31	13	3
Estimated average number of transfers per retrieval	1.2	1.3	0.8	1.1	0.3
Average number of embryos transferred	1.4	1.4	1.3	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	69.2	53.7	69.2	12 / 16	2 / 4
Percentage of transfers resulting in pregnancies (%)	80.4	66.7	83.9	11 / 13	2 / 3
Percentage of transfers resulting in live births (%)	67.1	57.1	74.2	10 / 13	2 / 3
Percentage of transfers resulting in singleton live births (%)	51.7	49.2	74.2	9 / 13	2 / 3
Percentage of transfers resulting in twin live births (%)	15.4	7.9	0.0	1 / 13	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.6	41.3	71.0	8 / 13	2 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	72	27	36	10	11
	3	4	3	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	41	54	48	1	
Number of transfers	40	51	48	1	
Average number of embryos transferred	1.6	1.8	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	93.5	50.5	63.0	2 / 2	
Percentage of transfers resulting in pregnancies (%)	97.5	68.6	72.9	1 / 1	
Percentage of transfers resulting in live births (%)	90.0	66.7	47.9	1 / 1	
Percentage of transfers resulting in singleton live births (%)	45.0	45.1	43.8	0 / 1	
Percentage of transfers resulting in twin live births (%)	42.5	21.6	4.2	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.5	43.1	33.3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF ILLINOIS-HIGHLAND PARK IVF CENTER HIGHLAND PARK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brian R. Kaplan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	4%	Uterine factor	4%	Multiple Factors: Female factors only 25% Female & male factors 23%
Unstimulated	<1%	PGD/PGS	25%	Ovulatory dysfunction	14%	Male factor	32%	
Used gestational carrier	9%			Diminished ovarian reserve	44%	Other factor	54%	
				Endometriosis	4%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,470
(includes 11 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	131	122	74	73
Percentage of cancellations before retrieval (%)	18.7	25.2	23.0	20.3	23.3
Number of transfers	60	56	41	18	16
Average number of embryos transferred	1.6	1.6	1.8	2.1	2.4
Percentage of elective single embryo transfers (eSET) (%)	38.2	15.0	6.9	0 / 14	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.1	18.3	10.7	4.1	2.7
Percentage of cycles resulting in live births (%)	18.7	16.0	9.0	4.1	0.0
Percentage of cycles resulting in singleton live births (%)	13.7	10.7	9.0	4.1	0.0
Percentage of cycles resulting in twin live births (%)	5.0	5.3	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.9	8.4	7.4	4.1	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.5	36.0	19.2	10.8	5.3
Percentage of transfers resulting in pregnancies (%)	46.7	42.9	31.7	3 / 18	2 / 16
Percentage of transfers resulting in live births (%)	43.3	37.5	26.8	3 / 18	0 / 16
Percentage of transfers resulting in singleton live births (%)	31.7	25.0	26.8	3 / 18	0 / 16
Percentage of transfers resulting in twin live births (%)	11.7	12.5	0.0	0 / 18	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	19.6	22.0	3 / 18	0 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	344	229	150	74	36
Number of transfers	312	200	131	64	24
Estimated average number of transfers per retrieval	1.0	0.9	0.7	0.6	0.3
Average number of embryos transferred	1.3	1.4	1.4	1.4	1.4
Percentage of embryos transferred resulting in implantation (%)	49.0	46.2	41.3	28.0	31.0
Percentage of transfers resulting in pregnancies (%)	57.7	55.5	53.4	43.8	45.8
Percentage of transfers resulting in live births (%)	48.4	47.0	41.2	31.3	33.3
Percentage of transfers resulting in singleton live births (%)	44.2	41.5	35.9	31.3	29.2
Percentage of transfers resulting in twin live births (%)	4.2	5.5	5.3	0.0	4.2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.1	37.0	32.1	26.6	20.8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	281	210	172	82	69
	49	79	44	17	15
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	44	30	188	11	
Number of transfers	33	25	170	11	
Average number of embryos transferred	1.6	1.7	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	52.9	53.5	47.7	40.0	
Percentage of transfers resulting in pregnancies (%)	63.6	72.0	58.2	6 / 11	
Percentage of transfers resulting in live births (%)	54.5	56.0	50.6	5 / 11	
Percentage of transfers resulting in singleton live births (%)	36.4	44.0	44.7	3 / 11	
Percentage of transfers resulting in twin live births (%)	18.2	12.0	5.9	2 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	32.0	40.0	2 / 11	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Fertility Centers of Illinois-Highland Park IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael J. Hickey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	5%	Uterine factor	7%	Multiple Factors: Female factors only 9% Female & male factors 15%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	7%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	42%	
				Endometriosis	20%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 88
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	6	8	1	0
Percentage of cancellations before retrieval (%)	3 / 19	0 / 6	3 / 8	0 / 1	
Number of transfers	3	3	3	1	0
Average number of embryos transferred	2.3	2.0	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 19	2 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 19	2 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 19	1 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 19	1 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 19	1 / 6	0 / 8	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 7	3 / 6	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 3	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	12	8	1	1
Number of transfers	23	12	8	1	1
Estimated average number of transfers per retrieval	1.6	2.4	2.0		
Average number of embryos transferred	2.0	2.0	1.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	31.1	33.3	3 / 12	0 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	47.8	5 / 12	3 / 8	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	39.1	3 / 12	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	26.1	1 / 12	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	13.0	2 / 12	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	0 / 12	2 / 8	0 / 1	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	2	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	5	1	0	
Number of transfers	0	3	1	0	
Average number of embryos transferred		1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)		2 / 3	1 / 1		
Percentage of transfers resulting in live births (%)		2 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 3	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Hinsdale Center for Reproduction

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INVIA FERTILITY SPECIALISTS HOFFMAN ESTATES, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vishvanath C. Karande, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	5%	Uterine factor	5%	Multiple Factors: Female factors only 2% Female & male factors 4%
Unstimulated	<1%	PGD/PGS	17%	Ovulatory dysfunction	19%	Male factor	15%	
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	18%	
				Endometriosis	5%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 712
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	62	43	18	19
Percentage of cancellations before retrieval (%)	5.0	9.7	18.6	2 / 18	6 / 19
Number of transfers	70	32	16	7	5
Average number of embryos transferred	1.3	1.3	1.8	1.4	1.6
Percentage of elective single embryo transfers (eSET) (%)	62.7	64.0	2 / 13	0 / 2	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.5	16.1	25.6	1 / 18	1 / 19
Percentage of cycles resulting in live births (%)	30.2	14.5	14.0	1 / 18	0 / 19
Percentage of cycles resulting in singleton live births (%)	24.5	12.9	14.0	1 / 18	0 / 19
Percentage of cycles resulting in twin live births (%)	5.8	1.6	0.0	0 / 18	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.1	11.3	11.6	1 / 18	0 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	65.2	26.8	38.5	1 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	68.6	31.3	11 / 16	1 / 7	1 / 5
Percentage of transfers resulting in live births (%)	60.0	28.1	6 / 16	1 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	48.6	25.0	6 / 16	1 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	11.4	3.1	0 / 16	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	21.9	5 / 16	1 / 7	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	148	75	44	11	3
Number of transfers	148	75	44	11	3
Estimated average number of transfers per retrieval	1.8	1.4	1.4	0.9	0.6
Average number of embryos transferred	1.1	1.2	1.3	1.2	1.7
Percentage of embryos transferred resulting in implantation (%)	58.6	57.0	45.5	6 / 13	1 / 5
Percentage of transfers resulting in pregnancies (%)	60.8	65.3	47.7	6 / 11	1 / 3
Percentage of transfers resulting in live births (%)	48.6	49.3	40.9	3 / 11	1 / 3
Percentage of transfers resulting in singleton live births (%)	43.9	45.3	34.1	3 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)	4.7	4.0	6.8	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.1	38.7	29.5	3 / 11	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	24	21	8	5
	4	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	0	32	13	
Number of transfers	8	0	32	13	
Average number of embryos transferred	1.3		1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 10		45.7	6 / 12	
Percentage of transfers resulting in pregnancies (%)	5 / 8		46.9	7 / 13	
Percentage of transfers resulting in live births (%)	5 / 8		43.8	6 / 13	
Percentage of transfers resulting in singleton live births (%)	5 / 8		40.6	6 / 13	
Percentage of transfers resulting in twin live births (%)	0 / 8		3.1	0 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 8		34.4	6 / 13	

CURRENT SERVICES & PROFILE

Current Name: InVia Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Reena Jabamoni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 21% Female & male factors 14%
Unstimulated	4%	PGD/PGS	8%	Ovulatory dysfunction	29%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	14%	
				Endometriosis	4%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 62
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	4	2	1	7
Percentage of cancellations before retrieval (%)	3 / 14	1 / 4	2 / 2	0 / 1	1 / 7
Number of transfers	8	3	0	1	2
Average number of embryos transferred	1.1	2.0		2.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	6 / 7	0 / 3		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 14	1 / 4	0 / 2	1 / 1	0 / 7
Percentage of cycles resulting in live births (%)	2 / 14	1 / 4	0 / 2	1 / 1	0 / 7
Percentage of cycles resulting in singleton live births (%)	1 / 14	1 / 4	0 / 2	1 / 1	0 / 7
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 4	0 / 2	0 / 1	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 14	0 / 4	0 / 2	1 / 1	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 9	1 / 6		1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	2 / 8	1 / 3		1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	2 / 8	1 / 3		1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 3		1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 3		0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 8	0 / 3		1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	4	1	0	1
Number of transfers	16	4	1	0	1
Estimated average number of transfers per retrieval	1.6	2.0	0.3	0.0	1.0
Average number of embryos transferred	1.3	1.3	1.0		2.0
Percentage of embryos transferred resulting in implantation (%)	8 / 18	3 / 5	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)	10 / 16	3 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	6 / 16	3 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 16	3 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16	2 / 4	0 / 1		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	0	3	1	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	0	
Number of transfers	0	0	1	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			0 / 1		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE HEALTH SPECIALISTS, LTD.
JOLIET, ILLINOIS**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD, SC & ASSOCIATES
NAPERVILLE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	6%	Uterine factor	9%	Multiple Factors: Female factors only 9% Female & male factors 27%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	28%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	6%	
				Endometriosis	6%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 685
 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	130	98	63	39	10
Percentage of cancellations before retrieval (%)	13.1	19.4	22.2	23.1	1 / 10
Number of transfers	73	54	34	23	8
Average number of embryos transferred	1.7	1.8	2.1	2.4	1.9
Percentage of elective single embryo transfers (eSET) (%)	21.9	13.6	3.6	0.0	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	34.7	30.2	17.9	1 / 10
Percentage of cycles resulting in live births (%)	34.6	27.6	14.3	7.7	1 / 10
Percentage of cycles resulting in singleton live births (%)	26.2	20.4	12.7	5.1	0 / 10
Percentage of cycles resulting in twin live births (%)	8.5	7.1	1.6	2.6	1 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	17.3	9.5	2.6	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.5	41.8	29.0	13.5	2 / 15
Percentage of transfers resulting in pregnancies (%)	71.2	63.0	55.9	30.4	1 / 8
Percentage of transfers resulting in live births (%)	61.6	50.0	26.5	13.0	1 / 8
Percentage of transfers resulting in singleton live births (%)	46.6	37.0	23.5	8.7	0 / 8
Percentage of transfers resulting in twin live births (%)	15.1	13.0	2.9	4.3	1 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.6	31.5	17.6	4.3	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	114	58	31	11	17
Number of transfers	112	54	31	10	14
Estimated average number of transfers per retrieval	1.4	1.5	1.2	0.8	1.6
Average number of embryos transferred	1.6	1.6	1.5	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	56.8	51.3	51.1	4 / 11	20.0
Percentage of transfers resulting in pregnancies (%)	66.1	61.1	61.3	6 / 10	5 / 14
Percentage of transfers resulting in live births (%)	56.3	53.7	54.8	4 / 10	5 / 14
Percentage of transfers resulting in singleton live births (%)	39.3	44.4	41.9	4 / 10	5 / 14
Percentage of transfers resulting in twin live births (%)	17.0	9.3	9.7	0 / 10	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	37.0	35.5	4 / 10	5 / 14
Number of Egg or Embryo Banking Cycles					
	45	21	18	12	9
Number of fertility preservation cycles	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	1	0	
Number of transfers	5	0	1	0	
Average number of embryos transferred	1.6		2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 5		1 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 5		1 / 1		
Percentage of transfers resulting in live births (%)	3 / 5		1 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 5		1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		1 / 1		

CURRENT SERVICES & PROFILE

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1 NAPERVILLE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randy S. Morris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	13%	Uterine factor	11%	Multiple Factors: Female factors only 15% Female & male factors 23%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	16%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	33%	Other factor	15%	
				Endometriosis	9%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 773
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	25	11	20	14
Percentage of cancellations before retrieval (%)	10.3	24.0	6 / 11	40.0	2 / 14
Number of transfers	26	13	2	6	2
Average number of embryos transferred	1.3	1.8	2.0	1.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	60.9	3 / 13	0 / 2	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.8	28.0	1 / 11	10.0	0 / 14
Percentage of cycles resulting in live births (%)	23.1	12.0	1 / 11	10.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	15.4	4.0	1 / 11	10.0	0 / 14
Percentage of cycles resulting in twin live births (%)	7.7	8.0	0 / 11	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.4	4.0	1 / 11	10.0	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	5 / 15	1 / 4	2 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	46.2	7 / 13	1 / 2	2 / 6	0 / 2
Percentage of transfers resulting in live births (%)	34.6	3 / 13	1 / 2	2 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.1	1 / 13	1 / 2	2 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	11.5	2 / 13	0 / 2	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.1	1 / 13	1 / 2	2 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	183	81	50	20	9
Number of transfers	166	74	43	18	5
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.7	0.2
Average number of embryos transferred	1.2	1.2	1.1	1.2	1.8
Percentage of embryos transferred resulting in implantation (%)	58.2	60.7	69.4	66.7	2 / 9
Percentage of transfers resulting in pregnancies (%)	66.3	70.3	72.1	11 / 18	2 / 5
Percentage of transfers resulting in live births (%)	56.0	62.2	62.8	11 / 18	2 / 5
Percentage of transfers resulting in singleton live births (%)	50.6	59.5	55.8	8 / 18	2 / 5
Percentage of transfers resulting in twin live births (%)	5.4	2.7	7.0	3 / 18	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.0	45.9	44.2	8 / 18	2 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	102	62	51	22	20
	5	1	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	3	29	24	
Number of transfers	6	2	21	23	
Average number of embryos transferred	1.0	1.5	1.2	1.4	
Percentage of embryos transferred resulting in implantation (%)	6 / 6	0 / 3	56.5	54.8	
Percentage of transfers resulting in pregnancies (%)	6 / 6	0 / 2	66.7	73.9	
Percentage of transfers resulting in live births (%)	6 / 6	0 / 2	57.1	56.5	
Percentage of transfers resulting in singleton live births (%)	6 / 6	0 / 2	52.4	47.8	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 2	4.8	8.7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 6	0 / 2	38.1	39.1	

CURRENT SERVICES & PROFILE

Current Name: IVF1

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE OAK BROOK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Elena Trukhacheva, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	11%	Uterine factor	2%	
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	22%	Male factor	15%	
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	15%	
				Endometriosis	5%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				8%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 1,281 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		219	112	140	58	51
Percentage of cancellations before retrieval (%)		5.0	9.8	7.9	3.4	35.3
Number of transfers		127	63	77	37	13
Average number of embryos transferred		1.6	1.9	1.9	2.1	1.9
Percentage of elective single embryo transfers (eSET) (%)		36.6	18.2	10.8	4.2	1 / 7
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		30.1	25.9	12.9	20.7	2.0
Percentage of cycles resulting in live births (%)		26.0	18.8	10.0	10.3	0.0
Percentage of cycles resulting in singleton live births (%)		21.9	13.4	7.1	10.3	0.0
Percentage of cycles resulting in twin live births (%)		4.1	5.4	2.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		18.7	9.8	7.1	8.6	0.0
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		38.9	29.9	14.5	14.3	0.0
Percentage of transfers resulting in pregnancies (%)		52.0	46.0	23.4	32.4	1 / 13
Percentage of transfers resulting in live births (%)		44.9	33.3	18.2	16.2	0 / 13
Percentage of transfers resulting in singleton live births (%)		37.8	23.8	13.0	16.2	0 / 13
Percentage of transfers resulting in twin live births (%)		7.1	9.5	5.2	0.0	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		32.3	17.5	13.0	13.5	0 / 13
Frozen Embryos from Nondonor Eggs						
Number of cycles		209	111	83	32	19
Number of transfers		200	102	72	26	15
Estimated average number of transfers per retrieval		1.3	1.3	0.9	1.1	1.0
Average number of embryos transferred		1.6	1.4	1.5	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)		43.0	36.6	28.6	20.5	40.9
Percentage of transfers resulting in pregnancies (%)		58.0	46.1	40.3	30.8	8 / 15
Percentage of transfers resulting in live births (%)		47.5	30.4	30.6	26.9	6 / 15
Percentage of transfers resulting in singleton live births (%)		38.5	25.5	25.0	26.9	5 / 15
Percentage of transfers resulting in twin live births (%)		9.0	4.9	5.6	0.0	1 / 15
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		34.5	23.5	23.6	26.9	3 / 15
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		66	49	55	21	14
		17	5	7	2	1
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		20	2	18	2	
Number of transfers		18	2	17	2	
Average number of embryos transferred		1.7	2.0	1.5	1.5	
Percentage of embryos transferred resulting in implantation (%)		61.3	2 / 4	43.5	0 / 3	
Percentage of transfers resulting in pregnancies (%)		12 / 18	2 / 2	9 / 17	0 / 2	
Percentage of transfers resulting in live births (%)		10 / 18	1 / 2	7 / 17	0 / 2	
Percentage of transfers resulting in singleton live births (%)		5 / 18	1 / 2	5 / 17	0 / 2	
Percentage of transfers resulting in twin live births (%)		4 / 18	0 / 2	2 / 17	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 18	1 / 2	3 / 17	0 / 2	

CURRENT SERVICES & PROFILE		Current Name: Reproductive Medicine Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD, SC OAK BROOK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel A. Rostein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier	33%			Diminished ovarian reserve	33%	Other factor	67%	
				Endometriosis	0%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1		
Number of transfers	0	0	1	0	0
Average number of embryos transferred			2.0		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 1		
Percentage of cycles resulting in live births (%)			0 / 1		
Percentage of cycles resulting in singleton live births (%)			0 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			0 / 2		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	1	0	
Number of transfers	1	0	1	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Daniel Rostein, MD, SC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-CENTRAL ILLINOIS PEORIA, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Adelina M. Emmi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}					
IVF	99%	With ICSI	58%	Tubal factor	6%	Uterine factor	<1%	Multiple Factors:	
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	12%	Male factor	24%	Female factors only	5%
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	34%	Female & male factors	9%
				Endometriosis	11%	Unknown factor	16%		

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 203
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	55	29	5	3	3
Percentage of cancellations before retrieval (%)	3.6	24.1	2 / 5	0 / 3	0 / 3
Number of transfers	50	19	2	2	1
Average number of embryos transferred	1.6	2.1	2.0	2.5	1.0
Percentage of elective single embryo transfers (eSET) (%)	34.1	0 / 16	0 / 2	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.1	20.7	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	25.5	10.3	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.8	10.3	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	3.6	0.0	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.8	6.9	0 / 5	0 / 3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	21.8	11.1	0 / 4	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	32.0	6 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	28.0	3 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	24.0	3 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4.0	0 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	2 / 19	0 / 2	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	47	12	12	5	1
Number of transfers	42	12	10	5	1
Estimated average number of transfers per retrieval	3.2	1.2	1.3	0.7	0.3
Average number of embryos transferred	1.3	1.4	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	26.9	2 / 17	5 / 15	2 / 10	1 / 2
Percentage of transfers resulting in pregnancies (%)	35.7	2 / 12	5 / 10	2 / 5	1 / 1
Percentage of transfers resulting in live births (%)	26.2	1 / 12	4 / 10	2 / 5	1 / 1
Percentage of transfers resulting in singleton live births (%)	23.8	1 / 12	3 / 10	2 / 5	1 / 1
Percentage of transfers resulting in twin live births (%)	2.4	0 / 12	1 / 10	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.8	1 / 12	3 / 10	2 / 5	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	6	6	5	3
	1	5	5	5	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	3	1	
Number of transfers	5	0	3	1	
Average number of embryos transferred	1.4		1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 7		2 / 2	1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 5		3 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	2 / 5		2 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 5		2 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		2 / 3	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Central Illinois

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER ROCKFORD, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Todd D. Deutch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	24%	Uterine factor	2%	Multiple Factors: Female factors only 2% Female & male factors 2%
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	6%	Male factor	21%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	12%	
				Endometriosis	2%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 129
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	21	15	7	0
Percentage of cancellations before retrieval (%)	4.7	0.0	3 / 15	0 / 7	
Number of transfers	36	17	9	6	0
Average number of embryos transferred	1.7	1.9	2.1	2.0	
Percentage of elective single embryo transfers (eSET) (%)	18.8	3 / 16	0 / 8	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.9	47.6	3 / 15	1 / 7	
Percentage of cycles resulting in live births (%)	39.5	42.9	3 / 15	1 / 7	
Percentage of cycles resulting in singleton live births (%)	27.9	38.1	2 / 15	1 / 7	
Percentage of cycles resulting in twin live births (%)	11.6	4.8	1 / 15	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.3	28.6	1 / 15	0 / 7	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.3	36.4	4 / 19	1 / 12	
Percentage of transfers resulting in pregnancies (%)	50.0	10 / 17	3 / 9	1 / 6	
Percentage of transfers resulting in live births (%)	47.2	9 / 17	3 / 9	1 / 6	
Percentage of transfers resulting in singleton live births (%)	33.3	8 / 17	2 / 9	1 / 6	
Percentage of transfers resulting in twin live births (%)	13.9	1 / 17	1 / 9	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.8	6 / 17	1 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	20	4	3	1	0
Number of transfers	18	4	3	1	0
Estimated average number of transfers per retrieval	2.6	1.0		1.0	
Average number of embryos transferred	1.6	1.3	1.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	58.6	2 / 5	2 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	13 / 18	2 / 4	2 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	12 / 18	2 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	8 / 18	2 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	4 / 18	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 18	2 / 4	1 / 3	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	1	3	0	
Number of transfers	6	1	3	0	
Average number of embryos transferred	1.3	1.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	2 / 8	1 / 1	4 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 6	1 / 1	2 / 3		
Percentage of transfers resulting in live births (%)	2 / 6	1 / 1	2 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 1	1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	1 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	1 / 1	1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Chiravudh Sawetawan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	33%	Uterine factor	25%	Multiple Factors: Female factors only 38% Female & male factors 28%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	37%	Male factor	36%	
Used gestational carrier	2%			Diminished ovarian reserve	22%	Other factor	24%	
				Endometriosis	25%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	52	17	13	7	1
Percentage of cancellations before retrieval (%)	0.0	0 / 17	1 / 13	2 / 7	0 / 1
Number of transfers	44	14	6	4	1
Average number of embryos transferred	1.9	2.0	1.8	3.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	29.3	3 / 14	0 / 3	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.3	7 / 17	2 / 13	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	9.6	6 / 17	1 / 13	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	9.6	5 / 17	1 / 13	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	1 / 17	0 / 13	0 / 7	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.6	3 / 17	1 / 13	0 / 7	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	12.2	32.1	2 / 11	0 / 12	0 / 1
Percentage of transfers resulting in pregnancies (%)	20.5	7 / 14	2 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	11.4	6 / 14	1 / 6	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	11.4	5 / 14	1 / 6	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 14	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	11.4	3 / 14	1 / 6	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	10	0	7	0
Number of transfers	44	10	0	7	0
Estimated average number of transfers per retrieval	2.1	1.0	0.0	1.4	0.0
Average number of embryos transferred	1.5	2.4		2.3	
Percentage of embryos transferred resulting in implantation (%)	18.5	22.7		0 / 14	
Percentage of transfers resulting in pregnancies (%)	29.5	6 / 10		1 / 7	
Percentage of transfers resulting in live births (%)	22.7	4 / 10		0 / 7	
Percentage of transfers resulting in singleton live births (%)	22.7	4 / 10		0 / 7	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 10		0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	2 / 10		0 / 7	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	0	1	1	2
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	0	21	6	
Number of transfers	5	0	20	6	
Average number of embryos transferred	2.0		1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	1 / 10		13.6	1 / 11	
Percentage of transfers resulting in pregnancies (%)	1 / 5		35.0	1 / 6	
Percentage of transfers resulting in live births (%)	1 / 5		5.0	1 / 6	
Percentage of transfers resulting in singleton live births (%)	1 / 5		5.0	1 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 5		0.0	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		5.0	1 / 6	

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF SKOKIE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joel G. Brasch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	19%	Uterine factor	10%	Multiple Factors: Female factors only 14% Female & male factors 25%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	27%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	4%	
				Endometriosis	8%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 661
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	163	73	56	32	15
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	0 / 15
Number of transfers	156	68	52	26	9
Average number of embryos transferred	1.9	1.9	2.6	2.7	2.3
Percentage of elective single embryo transfers (eSET) (%)	14.9	11.3	6.3	0.0	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	30.1	19.6	3.1	0 / 15
Percentage of cycles resulting in live births (%)	27.6	20.5	10.7	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	19.0	9.6	8.9	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	6.7	11.0	1.8	0.0	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.2	6.8	3.6	0.0	0 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.7	24.4	8.7	2.9	0.0
Percentage of transfers resulting in pregnancies (%)	38.5	32.4	21.2	3.8	0 / 9
Percentage of transfers resulting in live births (%)	28.8	22.1	11.5	0.0	0 / 9
Percentage of transfers resulting in singleton live births (%)	19.9	10.3	9.6	0.0	0 / 9
Percentage of transfers resulting in twin live births (%)	7.1	11.8	1.9	0.0	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	17.9	7.4	3.8	0.0	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	114	57	28	11	7
Number of transfers	113	57	28	11	7
Estimated average number of transfers per retrieval	1.5	1.4	0.9	0.9	1.8
Average number of embryos transferred	1.8	1.8	1.9	2.3	2.6
Percentage of embryos transferred resulting in implantation (%)	20.0	16.7	8.3	4.0	0 / 18
Percentage of transfers resulting in pregnancies (%)	32.7	22.8	10.7	1 / 11	0 / 7
Percentage of transfers resulting in live births (%)	20.4	12.3	7.1	0 / 11	0 / 7
Percentage of transfers resulting in singleton live births (%)	19.5	7.0	3.6	0 / 11	0 / 7
Percentage of transfers resulting in twin live births (%)	0.9	5.3	3.6	0 / 11	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.8	3.5	3.6	0 / 11	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	17	16	9	4
	7	5	6	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	18	14	1	
Number of transfers	1	16	14	1	
Average number of embryos transferred	1.0	1.9	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1	36.7	8.7	1 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1	8 / 16	3 / 14	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	6 / 16	2 / 14	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1	4 / 16	2 / 14	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	2 / 16	0 / 14	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	3 / 16	2 / 14	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Chicago IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE FERTILITY SKOKIE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Anne Borkowski, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}					
IVF	100%	With ICSI	85%	Tubal factor	8%	Uterine factor	1%	Multiple Factors:	
Unstimulated	1%	PGD/PGS	11%	Ovulatory dysfunction	33%	Male factor	18%	Female factors only	5%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	18%	Female & male factors	6%
				Endometriosis	4%	Unknown factor	16%		

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 193
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	21	6	22	22	27
Percentage of cancellations before retrieval (%)	4.8	0 / 6	0.0	13.6	14.8
Number of transfers	9	4	16	8	10
Average number of embryos transferred	1.3	1.5	1.4	2.1	1.6
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	1 / 3	6 / 13	1 / 7	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.3	0 / 6	4.5	4.5	3.7
Percentage of cycles resulting in live births (%)	14.3	0 / 6	4.5	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	14.3	0 / 6	0.0	0.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	0 / 6	4.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 6	0.0	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 10	0 / 6	8.7	0 / 16	0 / 14
Percentage of transfers resulting in pregnancies (%)	3 / 9	0 / 4	1 / 16	1 / 8	1 / 10
Percentage of transfers resulting in live births (%)	3 / 9	0 / 4	1 / 16	0 / 8	0 / 10
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 4	0 / 16	0 / 8	0 / 10
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 4	1 / 16	0 / 8	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9	0 / 4	0 / 16	0 / 8	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	11	14	9	5
Number of transfers	24	11	13	8	5
Estimated average number of transfers per retrieval	1.8	1.6	0.7	0.6	0.7
Average number of embryos transferred	1.3	1.1	1.6	1.4	2.6
Percentage of embryos transferred resulting in implantation (%)	40.0	7 / 12	5 / 19	2 / 11	0 / 13
Percentage of transfers resulting in pregnancies (%)	37.5	7 / 11	5 / 13	2 / 8	0 / 5
Percentage of transfers resulting in live births (%)	8.3	2 / 11	2 / 13	1 / 8	0 / 5
Percentage of transfers resulting in singleton live births (%)	8.3	2 / 11	2 / 13	1 / 8	0 / 5
Percentage of transfers resulting in twin live births (%)	0.0	0 / 11	0 / 13	0 / 8	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 11	0 / 13	0 / 8	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	5	5	4	7
	0	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	3	
Number of transfers	0	0	2	3	
Average number of embryos transferred			1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 2	1 / 3	
Percentage of transfers resulting in pregnancies (%)			1 / 2	1 / 3	
Percentage of transfers resulting in live births (%)			1 / 2	1 / 3	
Percentage of transfers resulting in singleton live births (%)			1 / 2	1 / 3	
Percentage of transfers resulting in twin live births (%)			0 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 2	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: North Shore Fertility

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by J. Ricardo Loret de Mola, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	28%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 6% Female & male factors 11%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	27%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	2%	
				Endometriosis	24%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	80	36	16	8	1
Percentage of cancellations before retrieval (%)	5.0	8.3	5 / 16	2 / 8	1 / 1
Number of transfers	72	32	11	6	0
Average number of embryos transferred	1.7	1.8	1.8	1.8	
Percentage of elective single embryo transfers (eSET) (%)	25.4	11.1	1 / 9	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	57.5	41.7	5 / 16	2 / 8	0 / 1
Percentage of cycles resulting in live births (%)	55.0	36.1	5 / 16	2 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	43.8	27.8	5 / 16	2 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	11.3	8.3	0 / 16	0 / 8	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	38.8	25.0	5 / 16	1 / 8	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.0	33.3	35.0	4 / 11	
Percentage of transfers resulting in pregnancies (%)	63.9	46.9	5 / 11	2 / 6	
Percentage of transfers resulting in live births (%)	61.1	40.6	5 / 11	2 / 6	
Percentage of transfers resulting in singleton live births (%)	48.6	31.3	5 / 11	2 / 6	
Percentage of transfers resulting in twin live births (%)	12.5	9.4	0 / 11	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.1	28.1	5 / 11	1 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	3	4	2	0
Number of transfers	18	2	4	2	0
Estimated average number of transfers per retrieval	1.8	2.0	0.6	0.5	
Average number of embryos transferred	1.8	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	39.4	3 / 4	4 / 7	0 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 18	2 / 2	3 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	7 / 18	2 / 2	3 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 18	1 / 2	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	3 / 18	1 / 2	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 18	1 / 2	2 / 4	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	1	4	3	0
	0	0	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	4	0	
Number of transfers	14	0	3	0	
Average number of embryos transferred	1.9		2.0		
Percentage of embryos transferred resulting in implantation (%)	51.9		2 / 6		
Percentage of transfers resulting in pregnancies (%)	10 / 14		2 / 3		
Percentage of transfers resulting in live births (%)	10 / 14		2 / 3		
Percentage of transfers resulting in singleton live births (%)	8 / 14		2 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 14		0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 14		2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Southern Illinois University School of Medicine Fertility and IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTERS FOR REPRODUCTIVE MEDICINE AND WELLNESS SWANSEA, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Amber Cooper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	5%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 19%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	30%	Male factor	22%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	17%	
				Endometriosis	15%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 199
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	26	14	6	5
Percentage of cancellations before retrieval (%)	16.7	42.3	4 / 14	3 / 6	2 / 5
Number of transfers	19	13	8	1	2
Average number of embryos transferred	1.8	1.9	2.0	1.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	5 / 18	0 / 10	0 / 6		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.3	26.9	2 / 14	0 / 6	0 / 5
Percentage of cycles resulting in live births (%)	40.0	19.2	1 / 14	0 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	26.7	11.5	1 / 14	0 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	13.3	7.7	0 / 14	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.3	11.5	1 / 14	0 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.9	34.8	2 / 16	0 / 1	0 / 5
Percentage of transfers resulting in pregnancies (%)	13 / 19	7 / 13	2 / 8	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	12 / 19	5 / 13	1 / 8	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	8 / 19	3 / 13	1 / 8	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	4 / 19	2 / 13	0 / 8	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 19	3 / 13	1 / 8	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	28	13	5	0	0
Number of transfers	23	12	4	0	0
Estimated average number of transfers per retrieval	0.6	0.5	0.4		
Average number of embryos transferred	1.5	1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)	42.4	3 / 15	4 / 5		
Percentage of transfers resulting in pregnancies (%)	60.9	4 / 12	3 / 4		
Percentage of transfers resulting in live births (%)	52.2	3 / 12	3 / 4		
Percentage of transfers resulting in singleton live births (%)	52.2	3 / 12	2 / 4		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.8	2 / 12	2 / 4		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	35	21	9	0	0
	5	3	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	2	2	0	
Number of transfers	0	1	2	0	
Average number of embryos transferred		2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)		2 / 2	2 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 1	1 / 2		
Percentage of transfers resulting in live births (%)		0 / 1	1 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	0 / 2		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Vios Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC PARTNERS IN REPRODUCTIVE HEALTH TINLEY PARK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Seth G. Levrant, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	44%	Tubal factor	20%	Uterine factor	18%	Multiple Factors: Female factors only 44% Female & male factors 18%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	42%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	47%	
				Endometriosis	19%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 98
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	8	13	3	2
Percentage of cancellations before retrieval (%)	12.9	1 / 8	0 / 13	0 / 3	2 / 2
Number of transfers	25	6	13	3	0
Average number of embryos transferred	1.2	2.2	2.2	2.3	
Percentage of elective single embryo transfers (eSET) (%)	73.9	0 / 6	0 / 13	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	2 / 8	2 / 13	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	35.5	2 / 8	2 / 13	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.3	0 / 8	2 / 13	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	3.2	2 / 8	0 / 13	0 / 3	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.0	0 / 8	2 / 13	0 / 3	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.9	4 / 13	7.1	0 / 7	
Percentage of transfers resulting in pregnancies (%)	48.0	2 / 6	2 / 13	0 / 3	
Percentage of transfers resulting in live births (%)	44.0	2 / 6	2 / 13	0 / 3	
Percentage of transfers resulting in singleton live births (%)	40.0	0 / 6	2 / 13	0 / 3	
Percentage of transfers resulting in twin live births (%)	4.0	2 / 6	0 / 13	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	0 / 6	2 / 13	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	19	1	9	1	0
Number of transfers	16	1	5	1	0
Estimated average number of transfers per retrieval	1.5	1.0	1.0		
Average number of embryos transferred	1.4	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	14.3	0 / 2	2 / 7	1 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 16	0 / 1	3 / 5	1 / 1	
Percentage of transfers resulting in live births (%)	3 / 16	0 / 1	2 / 5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 16	0 / 1	2 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 1	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 16	0 / 1	1 / 5	1 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	1	1	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	7	0	
Number of transfers	1	0	4	0	
Average number of embryos transferred	1.0		1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 1		0 / 4		
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 4		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 4		

CURRENT SERVICES & PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laura M. Reuter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	14%	Male factor	29%	
Used gestational carrier	3%			Diminished ovarian reserve	22%	Other factor	26%	
				Endometriosis	7%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,103
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	158	70	37	14	6
Percentage of cancellations before retrieval (%)	14.6	25.7	32.4	4 / 14	3 / 6
Number of transfers	89	39	15	7	2
Average number of embryos transferred	1.8	1.8	2.2	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	12.2	6.1	0 / 14	0 / 7	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.5	17.1	5.4	1 / 14	1 / 6
Percentage of cycles resulting in live births (%)	19.6	14.3	2.7	0 / 14	0 / 6
Percentage of cycles resulting in singleton live births (%)	14.6	11.4	2.7	0 / 14	0 / 6
Percentage of cycles resulting in twin live births (%)	5.1	2.9	0.0	0 / 14	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.0	8.6	2.7	0 / 14	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.6	21.4	6.1	0 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	38.2	30.8	2 / 15	1 / 7	1 / 2
Percentage of transfers resulting in live births (%)	34.8	25.6	1 / 15	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.8	20.5	1 / 15	0 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	9.0	5.1	0 / 15	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.3	15.4	1 / 15	0 / 7	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	225	79	42	6	2
Number of transfers	201	66	38	4	2
Estimated average number of transfers per retrieval	1.0	0.9	0.7	0.2	0.4
Average number of embryos transferred	1.3	1.3	1.4	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	48.2	37.8	33.3	1 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	55.7	48.5	42.1	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	50.7	37.9	28.9	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	44.3	36.4	28.9	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	6.5	1.5	0.0	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.8	31.8	26.3	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	165	62	48	25	5
	3	1	3	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	25	21	74	38	
Number of transfers	17	15	63	36	
Average number of embryos transferred	1.6	1.7	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	50.0	34.6	48.7	32.8	
Percentage of transfers resulting in pregnancies (%)	11 / 17	7 / 15	58.7	52.8	
Percentage of transfers resulting in live births (%)	8 / 17	7 / 15	41.3	44.4	
Percentage of transfers resulting in singleton live births (%)	5 / 17	5 / 15	34.9	38.9	
Percentage of transfers resulting in twin live births (%)	3 / 17	2 / 15	6.3	5.6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 17	4 / 15	31.7	27.8	

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTION INSTITUTE, LLC ADVANCED FERTILITY GROUP EVANSVILLE, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by William L. Gentry, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	26%	Tubal factor	22%	Uterine factor	2%	
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	52%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	20%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				26%
				Female & male factors				20%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 173 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		58	16	11	6	3
Percentage of cancellations before retrieval (%)		8.6	2 / 16	0 / 11	2 / 6	1 / 3
Number of transfers		50	12	11	4	2
Average number of embryos transferred		1.8	2.0	2.0	2.5	2.5
Percentage of elective single embryo transfers (eSET) (%)		17.0	0 / 11	0 / 9	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		41.4	6 / 16	5 / 11	3 / 6	1 / 3
Percentage of cycles resulting in live births (%)		31.0	4 / 16	4 / 11	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)		20.7	3 / 16	2 / 11	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)		5.2	1 / 16	2 / 11	0 / 6	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		15.5	1 / 16	2 / 11	0 / 6	0 / 3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		37.3	36.4	30.0	1 / 5	1 / 5
Percentage of transfers resulting in pregnancies (%)		48.0	6 / 12	5 / 11	3 / 4	1 / 2
Percentage of transfers resulting in live births (%)		36.0	4 / 12	4 / 11	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)		24.0	3 / 12	2 / 11	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)		6.0	1 / 12	2 / 11	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		18.0	1 / 12	2 / 11	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles		33	4	4	1	2
Number of transfers		32	4	4	1	2
Estimated average number of transfers per retrieval		2.5	1.0	4.0	0.5	
Average number of embryos transferred		1.7	1.8	1.5	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)		43.8	2 / 7	0 / 6	0 / 2	3 / 3
Percentage of transfers resulting in pregnancies (%)		59.4	1 / 4	0 / 4	0 / 1	2 / 2
Percentage of transfers resulting in live births (%)		40.6	1 / 4	0 / 4	0 / 1	2 / 2
Percentage of transfers resulting in singleton live births (%)		31.3	0 / 4	0 / 4	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)		9.4	1 / 4	0 / 4	0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		28.1	0 / 4	0 / 4	0 / 1	1 / 2
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		2	2	1	1	0
		2	2	1	1	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		9	0	12	8	
Number of transfers		9	0	9	8	
Average number of embryos transferred		1.7		1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)		11 / 13		5 / 15	6 / 16	
Percentage of transfers resulting in pregnancies (%)		8 / 9		4 / 9	6 / 8	
Percentage of transfers resulting in live births (%)		7 / 9		3 / 9	4 / 8	
Percentage of transfers resulting in singleton live births (%)		5 / 9		2 / 9	4 / 8	
Percentage of transfers resulting in twin live births (%)		2 / 9		1 / 9	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		5 / 9		2 / 9	3 / 8	

CURRENT SERVICES & PROFILE		Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William L. Gentry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	41%	Tubal factor	2%	Uterine factor	5%	Multiple Factors: Female factors only 5% Female & male factors 11%
Unstimulated	2%	PGD/PGS	6%	Ovulatory dysfunction	36%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	9%	
				Endometriosis	14%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 99
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	14	10	3	0
Percentage of cancellations before retrieval (%)	17.9	3 / 14	1 / 10	0 / 3	
Number of transfers	22	8	5	3	0
Average number of embryos transferred	2.1	1.9	2.6	2.3	
Percentage of elective single embryo transfers (eSET) (%)	9.1	1 / 8	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.4	3 / 14	1 / 10	1 / 3	
Percentage of cycles resulting in live births (%)	46.4	3 / 14	0 / 10	1 / 3	
Percentage of cycles resulting in singleton live births (%)	35.7	3 / 14	0 / 10	1 / 3	
Percentage of cycles resulting in twin live births (%)	7.1	0 / 14	0 / 10	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	35.7	1 / 14	0 / 10	1 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.1	3 / 15	1 / 13	1 / 7	
Percentage of transfers resulting in pregnancies (%)	59.1	3 / 8	1 / 5	1 / 3	
Percentage of transfers resulting in live births (%)	59.1	3 / 8	0 / 5	1 / 3	
Percentage of transfers resulting in singleton live births (%)	45.5	3 / 8	0 / 5	1 / 3	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 8	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.5	1 / 8	0 / 5	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	7	5	3	2
Number of transfers	12	7	5	3	2
Estimated average number of transfers per retrieval	2.4	1.0	1.0		2.0
Average number of embryos transferred	1.5	1.6	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 18	4 / 11	2 / 7	2 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 12	4 / 7	2 / 5	2 / 3	0 / 2
Percentage of transfers resulting in live births (%)	6 / 12	3 / 7	2 / 5	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 12	3 / 7	2 / 5	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 7	0 / 5	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 12	3 / 7	2 / 5	1 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	4	3	0	1
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	2	1	
Number of transfers	1	0	2	1	
Average number of embryos transferred	2.0		1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 1	3 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 2	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		0 / 2	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 2	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 2	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David E. Carnovale, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	2%	Uterine factor	0%	Multiple Factors: Female factors only 2% Female & male factors 32%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	23%	Male factor	65%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	11%	
				Endometriosis	26%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 180
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	13	6	2	0
Percentage of cancellations before retrieval (%)	18.4	2 / 13	3 / 6	1 / 2	
Number of transfers	25	8	2	0	0
Average number of embryos transferred	1.8	1.9	2.0		
Percentage of elective single embryo transfers (eSET) (%)	24.0	1 / 8	0 / 2		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.7	3 / 13	1 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	36.8	2 / 13	1 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	31.6	2 / 13	0 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	5.3	0 / 13	1 / 6	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	2 / 13	0 / 6	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.6	2 / 13	2 / 4		
Percentage of transfers resulting in pregnancies (%)	68.0	3 / 8	1 / 2		
Percentage of transfers resulting in live births (%)	56.0	2 / 8	1 / 2		
Percentage of transfers resulting in singleton live births (%)	48.0	2 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	8.0	0 / 8	1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.0	2 / 8	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	26	11	3	0
Number of transfers	38	26	9	3	0
Estimated average number of transfers per retrieval	2.1	2.0	0.9	1.5	0.0
Average number of embryos transferred	1.6	1.3	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	47.3	34.4	2 / 14	1 / 3	
Percentage of transfers resulting in pregnancies (%)	60.5	42.3	2 / 9	1 / 3	
Percentage of transfers resulting in live births (%)	39.5	30.8	2 / 9	1 / 3	
Percentage of transfers resulting in singleton live births (%)	31.6	26.9	2 / 9	1 / 3	
Percentage of transfers resulting in twin live births (%)	7.9	3.8	0 / 9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.3	23.1	2 / 9	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	10	9	2	2
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	1	2	
Number of transfers	1	0	1	2	
Average number of embryos transferred	2.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2		2 / 2	3 / 4	
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 1	2 / 2	
Percentage of transfers resulting in live births (%)	1 / 1		1 / 1	2 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 1	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		0 / 1	2 / 2	

CURRENT SERVICES & PROFILE

Current Name: Community Reproductive Endocrinology

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James G. Donahue, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	10%	Uterine factor	0%	Multiple Factors: Female factors only 1% Female & male factors 6%
Unstimulated	<1%	PGD/PGS	16%	Ovulatory dysfunction	20%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	13%	
				Endometriosis	3%	Unknown factor	32%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 240
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	55	18	22	7	5
Percentage of cancellations before retrieval (%)	14.5	3 / 18	4.5	4 / 7	2 / 5
Number of transfers	43	10	12	2	2
Average number of embryos transferred	1.7	1.7	1.8	1.5	2.5
Percentage of elective single embryo transfers (eSET) (%)	6.1	1 / 8	0 / 8	1 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.6	1 / 18	4.5	0 / 7	0 / 5
Percentage of cycles resulting in live births (%)	20.0	1 / 18	4.5	0 / 7	0 / 5
Percentage of cycles resulting in singleton live births (%)	18.2	1 / 18	0.0	0 / 7	0 / 5
Percentage of cycles resulting in twin live births (%)	1.8	0 / 18	4.5	0 / 7	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.4	0 / 18	0.0	0 / 7	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	17.8	1 / 17	9.5	0 / 3	0 / 5
Percentage of transfers resulting in pregnancies (%)	30.2	1 / 10	1 / 12	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	25.6	1 / 10	1 / 12	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.3	1 / 10	0 / 12	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	2.3	0 / 10	1 / 12	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.9	0 / 10	0 / 12	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	19	9	2	3
Number of transfers	25	13	8	2	1
Estimated average number of transfers per retrieval	0.7	0.9	0.4	1.0	0.2
Average number of embryos transferred	1.5	1.5	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	16.2	3 / 19	0 / 10	0 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	24.0	2 / 13	0 / 8	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	20.0	2 / 13	0 / 8	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	20.0	1 / 13	0 / 8	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 13	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.0	1 / 13	0 / 8	0 / 2	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	26	14	13	1	6
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	5	1	
Number of transfers	1	0	3	1	
Average number of embryos transferred	2.0		2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Family Beginnings, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA FERTILITY INSTITUTE INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John C. Jarrett II, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	7%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 13%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	24%	Male factor	22%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	18%	
				Endometriosis	22%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 669
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	282	87	64	24	20
Percentage of cancellations before retrieval (%)	3.5	6.9	7.8	16.7	10.0
Number of transfers	209	53	44	11	12
Average number of embryos transferred	1.5	1.7	1.6	1.7	1.8
Percentage of elective single embryo transfers (eSET) (%)	21.2	2.9	3.8	1 / 9	1 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.4	36.8	26.6	16.7	10.0
Percentage of cycles resulting in live births (%)	35.1	28.7	18.8	12.5	5.0
Percentage of cycles resulting in singleton live births (%)	28.4	18.4	17.2	8.3	5.0
Percentage of cycles resulting in twin live births (%)	6.7	10.3	0.0	4.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.0	17.2	15.6	4.2	5.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.2	46.8	24.6	5 / 19	5.0
Percentage of transfers resulting in pregnancies (%)	54.5	60.4	38.6	4 / 11	2 / 12
Percentage of transfers resulting in live births (%)	47.4	47.2	27.3	3 / 11	1 / 12
Percentage of transfers resulting in singleton live births (%)	38.3	30.2	25.0	2 / 11	1 / 12
Percentage of transfers resulting in twin live births (%)	9.1	17.0	0.0	1 / 11	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.1	28.3	22.7	1 / 11	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	15	8	3	0
Number of transfers	41	15	8	3	0
Estimated average number of transfers per retrieval	0.6	0.7	0.3	0.8	0.0
Average number of embryos transferred	1.4	1.3	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	27.8	9 / 19	5 / 10	1 / 4	
Percentage of transfers resulting in pregnancies (%)	39.0	7 / 15	5 / 8	1 / 3	
Percentage of transfers resulting in live births (%)	26.8	7 / 15	5 / 8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	26.8	5 / 15	5 / 8	1 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	2 / 15	0 / 8	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	5 / 15	5 / 8	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	32	18	17	3	8
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	20	0	25	0	
Number of transfers	15	0	21	0	
Average number of embryos transferred	1.8		1.6		
Percentage of embryos transferred resulting in implantation (%)	43.5		25.9		
Percentage of transfers resulting in pregnancies (%)	9 / 15		38.1		
Percentage of transfers resulting in live births (%)	6 / 15		23.8		
Percentage of transfers resulting in singleton live births (%)	3 / 15		14.3		
Percentage of transfers resulting in twin live births (%)	3 / 15		9.5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15		14.3		

CURRENT SERVICES & PROFILE

Current Name: Indiana Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Marguerite K. Shepard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	25%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 25%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	50%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	25%	
				Endometriosis	13%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 9
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1			
Number of transfers	0	1	0	0	0
Average number of embryos transferred		3.0			
Percentage of elective single embryo transfers (eSET) (%)		0 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		0 / 1			
Percentage of cycles resulting in live births (%)		0 / 1			
Percentage of cycles resulting in singleton live births (%)		0 / 1			
Percentage of cycles resulting in twin live births (%)		0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 3			
Percentage of transfers resulting in pregnancies (%)		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	1	5	0	1
Number of transfers	0	1	4	0	1
Estimated average number of transfers per retrieval		1.0			
Average number of embryos transferred		1.0	1.5		2.0
Percentage of embryos transferred resulting in implantation (%)		1 / 1	2 / 6		0 / 2
Percentage of transfers resulting in pregnancies (%)		1 / 1	2 / 4		0 / 1
Percentage of transfers resulting in live births (%)		1 / 1	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	1 / 4		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	1	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Indiana University Hospital

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael A. Henry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	27%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 5%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	17%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	25%	
				Endometriosis	11%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 148
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	82	18	20	4	8
Percentage of cancellations before retrieval (%)	11.0	3 / 18	20.0	0 / 4	2 / 8
Number of transfers	68	13	15	3	4
Average number of embryos transferred	2.0	2.2	2.6	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	3.3	0 / 12	1 / 14	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.1	7 / 18	45.0	1 / 4	2 / 8
Percentage of cycles resulting in live births (%)	52.4	7 / 18	45.0	1 / 4	2 / 8
Percentage of cycles resulting in singleton live births (%)	32.9	5 / 18	45.0	1 / 4	1 / 8
Percentage of cycles resulting in twin live births (%)	19.5	1 / 18	0.0	0 / 4	1 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.5	2 / 18	25.0	1 / 4	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.0	41.4	28.2	1 / 7	3 / 12
Percentage of transfers resulting in pregnancies (%)	67.6	7 / 13	9 / 15	1 / 3	2 / 4
Percentage of transfers resulting in live births (%)	63.2	7 / 13	9 / 15	1 / 3	2 / 4
Percentage of transfers resulting in singleton live births (%)	39.7	5 / 13	9 / 15	1 / 3	1 / 4
Percentage of transfers resulting in twin live births (%)	23.5	1 / 13	0 / 15	0 / 3	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.8	2 / 13	5 / 15	1 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	2	0	1	0
Number of transfers	3	1	0	1	0
Estimated average number of transfers per retrieval	0.3	0.5		1.0	0.0
Average number of embryos transferred	2.0	2.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3	1 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 1		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 1		0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	1	0	1	2
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Henry Fertility dba, Reproductive Care of Indiana

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF AT THE WOMEN'S HOSPITAL NEWBURGH, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel W. Griffin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 15% Female & male factors 26%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	24%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	11%	
				Endometriosis	18%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 375
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	104	27	26	2	7
Percentage of cancellations before retrieval (%)	4.8	29.6	19.2	0 / 2	3 / 7
Number of transfers	69	12	16	1	4
Average number of embryos transferred	1.6	1.8	1.8	2.0	1.8
Percentage of elective single embryo transfers (eSET) (%)	31.7	1 / 9	0 / 11	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.8	14.8	19.2	0 / 2	0 / 7
Percentage of cycles resulting in live births (%)	27.9	14.8	19.2	0 / 2	0 / 7
Percentage of cycles resulting in singleton live births (%)	21.2	7.4	19.2	0 / 2	0 / 7
Percentage of cycles resulting in twin live births (%)	5.8	7.4	0.0	0 / 2	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.3	7.4	19.2	0 / 2	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.1	28.6	17.2	0 / 2	0 / 7
Percentage of transfers resulting in pregnancies (%)	44.9	4 / 12	5 / 16	0 / 1	0 / 4
Percentage of transfers resulting in live births (%)	42.0	4 / 12	5 / 16	0 / 1	0 / 4
Percentage of transfers resulting in singleton live births (%)	31.9	2 / 12	5 / 16	0 / 1	0 / 4
Percentage of transfers resulting in twin live births (%)	8.7	2 / 12	0 / 16	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	2 / 12	5 / 16	0 / 1	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	103	19	22	3	0
Number of transfers	92	19	21	3	0
Estimated average number of transfers per retrieval	1.4	1.5	0.9	0.5	
Average number of embryos transferred	1.4	1.5	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	52.4	35.7	48.0	3 / 4	
Percentage of transfers resulting in pregnancies (%)	58.7	7 / 19	61.9	2 / 3	
Percentage of transfers resulting in live births (%)	53.3	6 / 19	42.9	1 / 3	
Percentage of transfers resulting in singleton live births (%)	38.0	4 / 19	42.9	0 / 3	
Percentage of transfers resulting in twin live births (%)	15.2	2 / 19	0.0	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.7	2 / 19	42.9	0 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	6	12	6	0
	2	0	0	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	6	4	2	
Number of transfers	2	5	4	2	
Average number of embryos transferred	2.5	2.0	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 5	4 / 10	1 / 4	1 / 4	
Percentage of transfers resulting in pregnancies (%)	0 / 2	2 / 5	2 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	0 / 2	2 / 5	1 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 5	1 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	2 / 5	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 5	1 / 4	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Boston IVF at the Women's Hospital

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC CLIVE, IOWA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Donald C. Young, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only <1% Female & male factors <1%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	17%	Other factor	7%	
				Endometriosis	10%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 628
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	127	24	21	4	3
Percentage of cancellations before retrieval (%)	15.7	12.5	38.1	1 / 4	1 / 3
Number of transfers	71	12	6	0	1
Average number of embryos transferred	1.7	1.6	1.3		2.0
Percentage of elective single embryo transfers (eSET) (%)	20.0	2 / 9	1 / 3		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.3	37.5	9.5	0 / 4	1 / 3
Percentage of cycles resulting in live births (%)	30.7	37.5	4.8	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.5	29.2	4.8	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	9.4	8.3	0.0	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.5	25.0	4.8	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.3	12 / 19	1 / 7		
Percentage of transfers resulting in pregnancies (%)	57.7	9 / 12	2 / 6		1 / 1
Percentage of transfers resulting in live births (%)	54.9	9 / 12	1 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	36.6	7 / 12	1 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	16.9	2 / 12	0 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.6	6 / 12	1 / 6		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	154	49	31	5	1
Number of transfers	153	49	31	5	1
Estimated average number of transfers per retrieval	1.4	1.0	1.0	1.0	0.5
Average number of embryos transferred	1.3	1.3	1.2	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	63.3	70.7	63.9	2 / 5	
Percentage of transfers resulting in pregnancies (%)	68.6	79.6	61.3	3 / 5	1 / 1
Percentage of transfers resulting in live births (%)	56.2	69.4	51.6	2 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.1	61.2	38.7	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	9.2	8.2	9.7	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.8	55.1	38.7	2 / 5	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	74	40	30	5	2
	2	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	1	20	25	
Number of transfers	8	0	20	25	
Average number of embryos transferred	1.9		1.3	1.1	
Percentage of embryos transferred resulting in implantation (%)	8 / 15		50.0	66.7	
Percentage of transfers resulting in pregnancies (%)	5 / 8		50.0	68.0	
Percentage of transfers resulting in live births (%)	5 / 8		50.0	56.0	
Percentage of transfers resulting in singleton live births (%)	3 / 8		35.0	56.0	
Percentage of transfers resulting in twin live births (%)	2 / 8		15.0	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8		30.0	52.0	

CURRENT SERVICES & PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF IOWA HOSPITALS AND CLINICS CENTER FOR ADVANCED REPRODUCTIVE CARE IOWA CITY, IOWA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bradley J. Van Voorhis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	40%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 15%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	19%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	17%	Other factor	13%	
				Endometriosis	11%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 827
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	207	65	58	29	7
Percentage of cancellations before retrieval (%)	1.9	9.2	13.8	0.0	0 / 7
Number of transfers	175	49	40	24	5
Average number of embryos transferred	1.1	1.2	1.6	1.7	1.6
Percentage of elective single embryo transfers (eSET) (%)	89.9	78.0	25.0	15.0	1 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	58.9	41.5	31.0	34.5	2 / 7
Percentage of cycles resulting in live births (%)	50.7	35.4	22.4	24.1	0 / 7
Percentage of cycles resulting in singleton live births (%)	47.8	35.4	17.2	24.1	0 / 7
Percentage of cycles resulting in twin live births (%)	2.9	0.0	5.2	0.0	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	42.0	29.2	13.8	20.7	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	67.6	45.6	32.8	24.3	3 / 8
Percentage of transfers resulting in pregnancies (%)	69.7	55.1	45.0	41.7	2 / 5
Percentage of transfers resulting in live births (%)	60.0	46.9	32.5	29.2	0 / 5
Percentage of transfers resulting in singleton live births (%)	56.6	46.9	25.0	29.2	0 / 5
Percentage of transfers resulting in twin live births (%)	3.4	0.0	7.5	0.0	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.7	38.8	20.0	25.0	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	218	66	51	12	7
Number of transfers	178	58	45	11	7
Estimated average number of transfers per retrieval	2.0	2.1	1.4	1.8	
Average number of embryos transferred	1.1	1.1	1.0	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	58.8	55.0	47.7	5 / 15	3 / 10
Percentage of transfers resulting in pregnancies (%)	62.9	60.3	53.3	5 / 11	2 / 7
Percentage of transfers resulting in live births (%)	53.4	48.3	37.8	4 / 11	2 / 7
Percentage of transfers resulting in singleton live births (%)	50.0	44.8	37.8	4 / 11	1 / 7
Percentage of transfers resulting in twin live births (%)	3.4	3.4	0.0	0 / 11	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.4	39.7	33.3	4 / 11	1 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	15	17	4	0
	2	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	9	11	20	
Number of transfers	4	8	10	16	
Average number of embryos transferred	1.0	1.0	1.0	1.1	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	4 / 8	7 / 9	9 / 17	
Percentage of transfers resulting in pregnancies (%)	4 / 4	4 / 8	8 / 10	8 / 16	
Percentage of transfers resulting in live births (%)	2 / 4	4 / 8	6 / 10	8 / 16	
Percentage of transfers resulting in singleton live births (%)	2 / 4	4 / 8	6 / 10	8 / 16	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 8	0 / 10	0 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	1 / 8	5 / 10	6 / 16	

CURRENT SERVICES & PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Dan L. Gehlbach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	19%	Uterine factor	2%	Multiple Factors: Female factors only 12% Female & male factors 30%
Unstimulated	0%	PGD/PGS	42%	Ovulatory dysfunction	32%	Male factor	53%	
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	12%	
				Endometriosis	6%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 457
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	2	9	5	2
Percentage of cancellations before retrieval (%)	4 / 6	1 / 2	6 / 9	4 / 5	0 / 2
Number of transfers	1	0	0	1	0
Average number of embryos transferred	1.0			1.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1			0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1			0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	176	45	23	1	4
Number of transfers	170	45	23	1	4
Estimated average number of transfers per retrieval	1.7	1.1	0.9	0.1	2.0
Average number of embryos transferred	1.4	1.2	1.3	1.0	1.3
Percentage of embryos transferred resulting in implantation (%)	42.0	49.1	23.3	0 / 1	1 / 5
Percentage of transfers resulting in pregnancies (%)	53.5	55.6	26.1	0 / 1	1 / 4
Percentage of transfers resulting in live births (%)	40.6	44.4	21.7	0 / 1	1 / 4
Percentage of transfers resulting in singleton live births (%)	35.9	42.2	17.4	0 / 1	1 / 4
Percentage of transfers resulting in twin live births (%)	4.7	2.2	4.3	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	31.1	17.4	0 / 1	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	99	40	23	7	2
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	3	1	
Number of transfers	7	0	3	1	
Average number of embryos transferred	1.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 7		4 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 7		2 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	5 / 7		2 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 7		0 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7		2 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 7		0 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Midwest Reproductive Center, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE OVERLAND PARK, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Courtney A. Marsh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	12%	Uterine factor	1%	Multiple Factors: Female factors only 10% Female & male factors 19%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	18%	Male factor	49%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	18%	
				Endometriosis	7%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 637
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	96	29	17	4	2
Percentage of cancellations before retrieval (%)	11.5	17.2	9 / 17	1 / 4	1 / 2
Number of transfers	23	9	1	0	0
Average number of embryos transferred	1.1	1.4	2.0		
Percentage of elective single embryo transfers (eSET) (%)	85.7	5 / 9	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	16.7	24.1	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	16.7	20.7	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	16.7	13.8	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	6.9	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.6	10.3	0 / 17	0 / 4	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	61.5	9 / 13	0 / 2		
Percentage of transfers resulting in pregnancies (%)	69.6	7 / 9	0 / 1		
Percentage of transfers resulting in live births (%)	69.6	6 / 9	0 / 1		
Percentage of transfers resulting in singleton live births (%)	69.6	4 / 9	0 / 1		
Percentage of transfers resulting in twin live births (%)	0.0	2 / 9	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	60.9	3 / 9	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	189	60	38	11	1
Number of transfers	164	50	32	7	0
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.6	0.0
Average number of embryos transferred	1.2	1.1	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	56.7	44.2	55.9	4 / 6	
Percentage of transfers resulting in pregnancies (%)	61.0	52.0	59.4	5 / 7	
Percentage of transfers resulting in live births (%)	54.3	40.0	37.5	4 / 7	
Percentage of transfers resulting in singleton live births (%)	48.2	40.0	37.5	4 / 7	
Percentage of transfers resulting in twin live births (%)	6.1	0.0	0.0	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.3	34.0	37.5	3 / 7	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	75	26	33	11	1
	18	5	5	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	8	33	0	
Number of transfers	1	4	29	0	
Average number of embryos transferred	1.0	1.0	1.1		
Percentage of embryos transferred resulting in implantation (%)	0 / 1	2 / 4	54.8		
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 4	62.1		
Percentage of transfers resulting in live births (%)	0 / 1	1 / 4	55.2		
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 4	51.7		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 4	3.4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 4	48.3		

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Celeste Brabec, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	4%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 12%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	33%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	15%	
				Endometriosis	7%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 363
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	107	30	10	2	3
Percentage of cancellations before retrieval (%)	8.4	16.7	1 / 10	0 / 2	0 / 3
Number of transfers	68	15	6	1	2
Average number of embryos transferred	1.7	1.9	2.3	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	21.1	0 / 14	0 / 6		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.5	33.3	5 / 10	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	44.9	20.0	3 / 10	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	30.8	16.7	2 / 10	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	13.1	3.3	1 / 10	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.0	13.3	1 / 10	0 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	63.2	39.1	5 / 12	0 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)	79.4	10 / 15	5 / 6	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	70.6	6 / 15	3 / 6	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	48.5	5 / 15	2 / 6	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	20.6	1 / 15	1 / 6	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.1	4 / 15	1 / 6	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	82	30	8	2	3
Number of transfers	78	27	8	2	3
Estimated average number of transfers per retrieval	1.8	1.9	0.8	2.0	3.0
Average number of embryos transferred	1.2	1.3	1.5	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	63.8	57.6	6 / 12	0 / 1	2 / 3
Percentage of transfers resulting in pregnancies (%)	70.5	66.7	4 / 8	1 / 2	2 / 3
Percentage of transfers resulting in live births (%)	60.3	44.4	4 / 8	0 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	52.6	40.7	2 / 8	0 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	7.7	3.7	2 / 8	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.2	25.9	1 / 8	0 / 2	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	10	10	0	1
	3	1	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	28	3	0	
Number of transfers	7	24	2	0	
Average number of embryos transferred	1.7	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 11	65.6	2 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 7	75.0	2 / 2		
Percentage of transfers resulting in live births (%)	2 / 7	50.0	1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 7	29.2	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 7	20.8	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	25.0	1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bruce L. Tjaden, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 6% Female & male factors 22%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	27%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 240
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	78	16	16	2	2
Percentage of cancellations before retrieval (%)	9.0	0 / 16	3 / 16	0 / 2	0 / 2
Number of transfers	62	14	11	2	1
Average number of embryos transferred	1.5	1.9	2.0	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	47.3	0 / 12	0 / 8	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.3	5 / 16	4 / 16	1 / 2	0 / 2
Percentage of cycles resulting in live births (%)	38.5	5 / 16	3 / 16	1 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.1	3 / 16	2 / 16	1 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	6.4	2 / 16	1 / 16	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.8	0 / 16	2 / 16	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.2	26.9	22.7	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	53.2	5 / 14	4 / 11	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	48.4	5 / 14	3 / 11	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.3	3 / 14	2 / 11	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	8.1	2 / 14	1 / 11	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.4	0 / 14	2 / 11	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	58	20	10	5	1
Number of transfers	52	18	7	4	1
Estimated average number of transfers per retrieval	1.8	2.6	2.3	4.0	
Average number of embryos transferred	1.4	1.2	1.0	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	39.4	35.0	1 / 7	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	51.9	7 / 18	1 / 7	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	32.7	5 / 18	1 / 7	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	5 / 18	1 / 7	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	0 / 18	0 / 7	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.2	3 / 18	1 / 7	2 / 4	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	4	0	1	0
	4	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	8	3	0	
Number of transfers	2	7	3	0	
Average number of embryos transferred	1.5	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	7 / 14	2 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 2	4 / 7	2 / 3		
Percentage of transfers resulting in live births (%)	1 / 2	4 / 7	2 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 7	2 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2	3 / 7	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 7	1 / 3		

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by James W. Akin, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	23%	Uterine factor	1%	
Unstimulated	<1%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	9%	
				Endometriosis	16%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				29%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 201 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		74	27	15	10	8
Percentage of cancellations before retrieval (%)		4.1	3.7	5 / 15	3 / 10	3 / 8
Number of transfers		69	21	10	3	3
Average number of embryos transferred		2.0	2.1	2.2	3.0	2.7
Percentage of elective single embryo transfers (eSET) (%)		1.5	0.0	0 / 8	0 / 3	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		47.3	22.2	6 / 15	1 / 10	1 / 8
Percentage of cycles resulting in live births (%)		36.5	18.5	5 / 15	1 / 10	1 / 8
Percentage of cycles resulting in singleton live births (%)		27.0	11.1	4 / 15	1 / 10	1 / 8
Percentage of cycles resulting in twin live births (%)		9.5	7.4	1 / 15	0 / 10	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		24.3	11.1	3 / 15	0 / 10	1 / 8
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		30.6	17.1	28.6	1 / 9	1 / 8
Percentage of transfers resulting in pregnancies (%)		50.7	28.6	6 / 10	1 / 3	1 / 3
Percentage of transfers resulting in live births (%)		39.1	23.8	5 / 10	1 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)		29.0	14.3	4 / 10	1 / 3	1 / 3
Percentage of transfers resulting in twin live births (%)		10.1	9.5	1 / 10	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		26.1	14.3	3 / 10	0 / 3	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles		27	5	7	2	1
Number of transfers		27	5	7	2	1
Estimated average number of transfers per retrieval		1.7	1.0	7.0	2.0	
Average number of embryos transferred		1.8	1.8	1.4	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)		27.5	6 / 9	0 / 7	0 / 3	2 / 2
Percentage of transfers resulting in pregnancies (%)		48.1	4 / 5	2 / 7	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)		29.6	2 / 5	0 / 7	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)		22.2	2 / 5	0 / 7	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)		7.4	0 / 5	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		18.5	1 / 5	0 / 7	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		1	2	0	0	0
		1	2	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		9	3	7	0	
Number of transfers		8	3	7	0	
Average number of embryos transferred		2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		4 / 14	0 / 6	0 / 12		
Percentage of transfers resulting in pregnancies (%)		4 / 8	0 / 3	1 / 7		
Percentage of transfers resulting in live births (%)		2 / 8	0 / 3	0 / 7		
Percentage of transfers resulting in singleton live births (%)		1 / 8	0 / 3	0 / 7		
Percentage of transfers resulting in twin live births (%)		1 / 8	0 / 3	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 8	0 / 3	0 / 7		

CURRENT SERVICES & PROFILE		Current Name: Bluegrass Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE LEXINGTON FERTILITY CENTER LEXINGTON, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George M. Veloudis, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	15%	Uterine factor	5%	Multiple Factors: Female factors only 23% Female & male factors 28%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	39%	Male factor	33%	
Used gestational carrier	8%			Diminished ovarian reserve	28%	Other factor	21%	
				Endometriosis	10%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 39
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	2	3	1	1
Percentage of cancellations before retrieval (%)	0 / 13	0 / 2	0 / 3	0 / 1	0 / 1
Number of transfers	11	2	2	0	1
Average number of embryos transferred	2.1	2.0	2.0		3.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 2	0 / 2		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	6 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	3 / 13	0 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.1	1 / 4	0 / 4		0 / 3
Percentage of transfers resulting in pregnancies (%)	6 / 11	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	6 / 11	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 11	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	1 / 2	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	4	2	0	1
Number of transfers	3	4	2	0	1
Estimated average number of transfers per retrieval	3.0	4.0	1.0		1.0
Average number of embryos transferred	2.0	3.0	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 6	1 / 12	0 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	1 / 3	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 4	0 / 2		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	2	5	
Number of transfers	1	0	2	5	
Average number of embryos transferred	1.0		1.5	1.6	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		1 / 3	4 / 8	
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 2	4 / 5	
Percentage of transfers resulting in live births (%)	0 / 1		1 / 2	3 / 5	
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 2	3 / 5	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 2	3 / 5	

CURRENT SERVICES & PROFILE

Current Name: The Lexington Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ENDOCRINE ASSOCIATES LOUISVILLE REPRODUCTIVE CENTER LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert J. Homm, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 23% Female & male factors 39%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	22%	Male factor	44%	
Used gestational carrier	3%			Diminished ovarian reserve	45%	Other factor	18%	
				Endometriosis	29%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 243
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	11	11	2	1
Percentage of cancellations before retrieval (%)	11.1	0 / 11	1 / 11	1 / 2	0 / 1
Number of transfers	28	7	3	1	0
Average number of embryos transferred	1.4	2.0	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	55.6	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	5 / 11	1 / 11	1 / 2	0 / 1
Percentage of cycles resulting in live births (%)	31.1	5 / 11	1 / 11	1 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.9	4 / 11	1 / 11	1 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	2.2	1 / 11	0 / 11	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	3 / 11	1 / 11	1 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.5	6 / 14	1 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	53.6	5 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	50.0	5 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	46.4	4 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.6	1 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	3 / 7	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	20	22	5	1
Number of transfers	49	20	21	5	1
Estimated average number of transfers per retrieval	1.6	1.7	2.3	1.7	1.0
Average number of embryos transferred	1.4	1.4	1.3	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	37.3	32.0	20.8	0 / 9	
Percentage of transfers resulting in pregnancies (%)	49.0	45.0	33.3	0 / 5	1 / 1
Percentage of transfers resulting in live births (%)	34.7	25.0	19.0	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.6	20.0	19.0	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	4.1	5.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	15.0	19.0	0 / 5	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	18	10	8	3	1
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	5	21	
Number of transfers	0	0	5	20	
Average number of embryos transferred			1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)			1 / 9	25.0	
Percentage of transfers resulting in pregnancies (%)			1 / 5	45.0	
Percentage of transfers resulting in live births (%)			1 / 5	30.0	
Percentage of transfers resulting in singleton live births (%)			1 / 5	25.0	
Percentage of transfers resulting in twin live births (%)			0 / 5	5.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 5	20.0	

CURRENT SERVICES & PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY FIRST REPRODUCTIVE ENDOCRINE SERVICES LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Johanna S. Archer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	21%	Uterine factor	13%	Multiple Factors: Female factors only 32% Female & male factors 32%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	38%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	19%	
				Endometriosis	26%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 47
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	3	8	0	0
Percentage of cancellations before retrieval (%)	4.3	0 / 3	3 / 8		
Number of transfers	20	2	4	0	0
Average number of embryos transferred	1.9	2.0	2.3		
Percentage of elective single embryo transfers (eSET) (%)	15.0	0 / 2	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.1	1 / 3	2 / 8		
Percentage of cycles resulting in live births (%)	39.1	0 / 3	2 / 8		
Percentage of cycles resulting in singleton live births (%)	26.1	0 / 3	2 / 8		
Percentage of cycles resulting in twin live births (%)	13.0	0 / 3	0 / 8		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.7	0 / 3	2 / 8		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.4	1 / 4	2 / 9		
Percentage of transfers resulting in pregnancies (%)	45.0	1 / 2	2 / 4		
Percentage of transfers resulting in live births (%)	45.0	0 / 2	2 / 4		
Percentage of transfers resulting in singleton live births (%)	30.0	0 / 2	2 / 4		
Percentage of transfers resulting in twin live births (%)	15.0	0 / 2	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	0 / 2	2 / 4		
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	0	5	0	0
Number of transfers	8	0	5	0	0
Estimated average number of transfers per retrieval	2.7		2.5		
Average number of embryos transferred	1.8		2.2		
Percentage of embryos transferred resulting in implantation (%)	12 / 14		5 / 11		
Percentage of transfers resulting in pregnancies (%)	7 / 8		4 / 5		
Percentage of transfers resulting in live births (%)	7 / 8		4 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 8		4 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 8		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8		2 / 5		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Fertility First, Reproductive Endocrine Services

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KENTUCKY FERTILITY INSTITUTE, LLC LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Robert K. Hunter, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	45%	Tubal factor	4%	Uterine factor	0%	Multiple Factors: Female factors only 4% Female & male factors 13%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	23%	Male factor	57%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	15%	
				Endometriosis	4%	Unknown factor	4%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 75 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		12	1	1	0	3
Percentage of cancellations before retrieval (%)		2 / 12	1 / 1	0 / 1		1 / 3
Number of transfers		5	0	0	0	0
Average number of embryos transferred		1.2				
Percentage of elective single embryo transfers (eSET) (%)		3 / 4				
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		3 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in live births (%)		2 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in singleton live births (%)		1 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in twin live births (%)		1 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		1 / 12	0 / 1	0 / 1		0 / 3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		3 / 5				
Percentage of transfers resulting in pregnancies (%)		3 / 5				
Percentage of transfers resulting in live births (%)		2 / 5				
Percentage of transfers resulting in singleton live births (%)		1 / 5				
Percentage of transfers resulting in twin live births (%)		1 / 5				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 5				
Frozen Embryos from Nondonor Eggs						
Number of cycles		25	3	1	0	0
Number of transfers		19	3	1	0	0
Estimated average number of transfers per retrieval		0.7	1.5	1.0	0.0	
Average number of embryos transferred		1.2	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)		47.8	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)		9 / 19	1 / 3	0 / 1		
Percentage of transfers resulting in live births (%)		9 / 19	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		7 / 19	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		2 / 19	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		6 / 19	1 / 3	0 / 1		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		23	2	1	2	0
		4	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		1	0	0	0	
Number of transfers		1	0	0	0	
Average number of embryos transferred		1.0				
Percentage of embryos transferred resulting in implantation (%)		1 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1				
Percentage of transfers resulting in live births (%)		1 / 1				
Percentage of transfers resulting in singleton live births (%)		1 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1				

CURRENT SERVICES & PROFILE		Current Name: Kentucky Fertility Institute, LLC					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF LOUISVILLE PHYSICIANS OB/GYN &
WOMEN'S HEALTH FERTILITY CENTER
LOUISVILLE, KENTUCKY**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kelly Pagidas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	48%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 17% Female & male factors 21%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	15%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	25%	
				Endometriosis	22%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 101
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	30	4	3	0
Percentage of cancellations before retrieval (%)	5.0	13.3	0 / 4	1 / 3	
Number of transfers	13	19	3	0	0
Average number of embryos transferred	1.7	1.7	2.7		
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	1 / 14	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.0	30.0	2 / 4	0 / 3	
Percentage of cycles resulting in live births (%)	35.0	23.3	2 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)	20.0	20.0	2 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)	15.0	3.3	0 / 4	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	6.7	1 / 4	0 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.4	33.3	2 / 8		
Percentage of transfers resulting in pregnancies (%)	9 / 13	9 / 19	2 / 3		
Percentage of transfers resulting in live births (%)	7 / 13	7 / 19	2 / 3		
Percentage of transfers resulting in singleton live births (%)	4 / 13	6 / 19	2 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 13	1 / 19	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 13	2 / 19	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	8	5	1	1
Number of transfers	14	7	5	1	1
Estimated average number of transfers per retrieval	2.3	1.2	1.0	1.0	
Average number of embryos transferred	1.4	1.1	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	13 / 18	1 / 7	1 / 10	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 14	2 / 7	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	10 / 14	1 / 7	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 14	1 / 7	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 7	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 14	0 / 7	1 / 5	0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	3	1	0
	3	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	3	1	0	
Number of transfers	1	2	1	0	
Average number of embryos transferred	2.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 4	1 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 2	1 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 2	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: University of Louisville Physicians OB/GYN & Women's Health Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY ANSWERS, LLC-BATON ROUGE BATON ROUGE, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John M. Storment, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 15% Female & male factors 13%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	9%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	21%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 142
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	32	15	5	2	3
Percentage of cancellations before retrieval (%)	12.5	1 / 15	0 / 5	0 / 2	2 / 3
Number of transfers	19	9	2	1	0
Average number of embryos transferred	1.4	1.6	1.5	1.0	
Percentage of elective single embryo transfers (eSET) (%)	7 / 15	0 / 5	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	1 / 15	1 / 5	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	25.0	1 / 15	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.9	0 / 15	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	3.1	1 / 15	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.6	0 / 15	0 / 5	0 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	2 / 14	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 19	1 / 9	1 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 19	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 19	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 19	0 / 9	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	30	13	5	2	0
Number of transfers	29	13	5	2	0
Estimated average number of transfers per retrieval	1.2	0.9	5.0	0.7	0.0
Average number of embryos transferred	1.3	1.2	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	40.5	5 / 12	4 / 7	1 / 2	
Percentage of transfers resulting in pregnancies (%)	51.7	7 / 13	4 / 5	1 / 2	
Percentage of transfers resulting in live births (%)	44.8	4 / 13	3 / 5	1 / 2	
Percentage of transfers resulting in singleton live births (%)	41.4	4 / 13	3 / 5	1 / 2	
Percentage of transfers resulting in twin live births (%)	3.4	0 / 13	0 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.5	4 / 13	2 / 5	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	9	1	2	1
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	3	1	0	
Number of transfers	0	3	1	0	
Average number of embryos transferred		2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)		2 / 6			
Percentage of transfers resulting in pregnancies (%)		1 / 3	1 / 1		
Percentage of transfers resulting in live births (%)		1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 3	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Baton Rouge

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY ANSWERS, LLC-LAFAYETTE LAFAYETTE, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John M. Storment, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	19%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 5%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	12%	Male factor	34%	
Used gestational carrier	3%			Diminished ovarian reserve	5%	Other factor	4%	
				Endometriosis	8%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 216
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	64	12	2	2	1
Percentage of cancellations before retrieval (%)	15.6	2 / 12	1 / 2	1 / 2	1 / 1
Number of transfers	45	8	0	1	0
Average number of embryos transferred	1.5	1.5		1.0	
Percentage of elective single embryo transfers (eSET) (%)	48.8	2 / 6			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	5 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	29.7	4 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.4	3 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	6.3	1 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.9	2 / 12	0 / 2	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	5 / 11		0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.1	5 / 8		0 / 1	
Percentage of transfers resulting in live births (%)	42.2	4 / 8		0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	3 / 8		0 / 1	
Percentage of transfers resulting in twin live births (%)	8.9	1 / 8		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.6	2 / 8		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	61	20	4	0	0
Number of transfers	57	20	3	0	0
Estimated average number of transfers per retrieval	1.2	1.5	0.4	0.0	0.0
Average number of embryos transferred	1.4	1.6	1.3		
Percentage of embryos transferred resulting in implantation (%)	49.3	35.5	4 / 3		
Percentage of transfers resulting in pregnancies (%)	66.7	55.0	3 / 3		
Percentage of transfers resulting in live births (%)	45.6	50.0	1 / 3		
Percentage of transfers resulting in singleton live births (%)	40.4	50.0	1 / 3		
Percentage of transfers resulting in twin live births (%)	5.3	0.0	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.1	45.0	1 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	9	6	1	1
	0	0	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	3	0	
Number of transfers	0	1	3	0	
Average number of embryos transferred		2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)			3 / 4		
Percentage of transfers resulting in pregnancies (%)		1 / 1	3 / 3		
Percentage of transfers resulting in live births (%)		0 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Lafayette

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW ORLEANS MANDEVILLE, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard P. Dickey, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	55%	Tubal factor	18%	Uterine factor	<1%	Multiple Factors: Female factors only 13% Female & male factors 21%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	35%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	25%	
				Endometriosis	9%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 911
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	159	87	47	14	9
Percentage of cancellations before retrieval (%)	10.1	21.8	19.1	1 / 14	2 / 9
Number of transfers	39	16	15	1	2
Average number of embryos transferred	1.7	1.7	1.7	2.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	19.4	0 / 11	0 / 10	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10.1	6.9	17.0	0 / 14	1 / 9
Percentage of cycles resulting in live births (%)	8.8	5.7	12.8	0 / 14	0 / 9
Percentage of cycles resulting in singleton live births (%)	5.0	2.3	10.6	0 / 14	0 / 9
Percentage of cycles resulting in twin live births (%)	3.8	3.4	2.1	0 / 14	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5.0	2.3	4.3	0 / 14	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.3	33.3	40.0	0 / 2	1 / 3
Percentage of transfers resulting in pregnancies (%)	41.0	6 / 16	8 / 15	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	35.9	5 / 16	6 / 15	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.5	2 / 16	5 / 15	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	15.4	3 / 16	1 / 15	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.5	2 / 16	2 / 15	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	243	119	55	18	13
Number of transfers	202	102	51	15	10
Estimated average number of transfers per retrieval	1.4	1.3	1.2	0.9	2.0
Average number of embryos transferred	1.7	1.7	1.6	1.9	1.4
Percentage of embryos transferred resulting in implantation (%)	43.3	36.5	37.0	28.6	3 / 14
Percentage of transfers resulting in pregnancies (%)	55.4	44.1	41.2	6 / 15	2 / 10
Percentage of transfers resulting in live births (%)	47.0	39.2	33.3	3 / 15	1 / 10
Percentage of transfers resulting in singleton live births (%)	34.2	28.4	17.6	2 / 15	0 / 10
Percentage of transfers resulting in twin live births (%)	12.9	8.8	15.7	1 / 15	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.2	26.5	17.6	1 / 15	0 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	49	38	24	8	3
	5	3	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	1	4	10	
Number of transfers	8	0	3	10	
Average number of embryos transferred	1.6		1.7	1.7	
Percentage of embryos transferred resulting in implantation (%)	5 / 13		1 / 5	7 / 17	
Percentage of transfers resulting in pregnancies (%)	3 / 8		1 / 3	5 / 10	
Percentage of transfers resulting in live births (%)	3 / 8		1 / 3	5 / 10	
Percentage of transfers resulting in singleton live births (%)	1 / 8		1 / 3	4 / 10	
Percentage of transfers resulting in twin live births (%)	2 / 8		0 / 3	1 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8		1 / 3	3 / 10	

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Orleans

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUDUBON FERTILITY & REPRODUCTIVE MEDICINE NEW ORLEANS, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lindsay Wells, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	16%	Uterine factor	4%	Multiple Factors: Female factors only 17% Female & male factors 14%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	26%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	22%	
				Endometriosis	9%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 396
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	67	20	20	6	0
Percentage of cancellations before retrieval (%)	10.4	30.0	45.0	1 / 6	
Number of transfers	2	1	0	2	0
Average number of embryos transferred	2.0	1.0		2.5	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2			0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3.0	5.0	0.0	1 / 6	
Percentage of cycles resulting in live births (%)	3.0	5.0	0.0	1 / 6	
Percentage of cycles resulting in singleton live births (%)	3.0	5.0	0.0	0 / 6	
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	1 / 6	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1.5	5.0	0.0	0 / 6	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 1		2 / 5	
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1		1 / 2	
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1		1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 2	1 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1		1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	1 / 1		0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	113	22	20	6	2
Number of transfers	101	17	17	5	2
Estimated average number of transfers per retrieval	1.1	0.8	0.4	0.6	0.7
Average number of embryos transferred	1.4	1.3	1.4	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	62.3	85.0	56.5	1 / 7	2 / 3
Percentage of transfers resulting in pregnancies (%)	73.3	16 / 17	12 / 17	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	63.4	14 / 17	7 / 17	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	50.5	12 / 17	7 / 17	1 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	12.9	2 / 17	0 / 17	0 / 5	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.6	10 / 17	7 / 17	1 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	42	12	33	7	2
	7	4	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	19	3	
Number of transfers	1	1	15	3	
Average number of embryos transferred	2.0	1.0	1.1	1.7	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 1	11 / 16	2 / 5	
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1	11 / 15	1 / 3	
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1	9 / 15	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1	8 / 15	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	1 / 15	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1	5 / 15	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Audubon Fertility

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR FERTILITY & WELLNESS NEW ORLEANS, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul R. Clisham, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	20%	Uterine factor	0%	
Unstimulated		PGD/PGS	30%	Ovulatory dysfunction	0%	Male factor	70%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	10%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				30%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 19
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	0	3	0	0
Number of transfers	5	0	3	0	0
Estimated average number of transfers per retrieval	1.7	0.0	0.6		
Average number of embryos transferred	2.2		1.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 11		2 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 5		1 / 3		
Percentage of transfers resulting in live births (%)	4 / 5		1 / 3		
Percentage of transfers resulting in singleton live births (%)	4 / 5		0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 5		1 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		0 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	5	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	0	
Number of transfers	0	0	2	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 2		
Percentage of transfers resulting in live births (%)			1 / 2		
Percentage of transfers resulting in singleton live births (%)			1 / 2		
Percentage of transfers resulting in twin live births (%)			0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 2		

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.?

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKLATEX FERTILITY AND REPRODUCTIVE MEDICINE SHREVEPORT, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David T. Vandermolen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	21%	Uterine factor	7%	Multiple Factors: Female factors only 13% Female & male factors 17%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	26%	Male factor	30%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	8%	
				Endometriosis	12%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 165
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	64	23	15	5	2
Percentage of cancellations before retrieval (%)	15.6	17.4	2 / 15	1 / 5	1 / 2
Number of transfers	40	17	13	4	0
Average number of embryos transferred	2.0	2.1	2.9	3.3	
Percentage of elective single embryo transfers (eSET) (%)	20.0	2 / 17	0 / 12	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.3	34.8	9 / 15	1 / 5	0 / 2
Percentage of cycles resulting in live births (%)	23.4	26.1	4 / 15	1 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	15.6	13.0	2 / 15	1 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	4.7	13.0	2 / 15	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.4	8.7	1 / 15	1 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	30.3	28.9	1 / 13	
Percentage of transfers resulting in pregnancies (%)	50.0	8 / 17	9 / 13	1 / 4	
Percentage of transfers resulting in live births (%)	37.5	6 / 17	4 / 13	1 / 4	
Percentage of transfers resulting in singleton live births (%)	25.0	3 / 17	2 / 13	1 / 4	
Percentage of transfers resulting in twin live births (%)	7.5	3 / 17	2 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.0	2 / 17	1 / 13	1 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	34	15	3	0	0
Number of transfers	34	15	3	0	0
Estimated average number of transfers per retrieval	1.7	2.1	3.0		
Average number of embryos transferred	1.4	1.7	1.3		
Percentage of embryos transferred resulting in implantation (%)	57.8	43.5	3 / 4		
Percentage of transfers resulting in pregnancies (%)	67.6	7 / 15	3 / 3		
Percentage of transfers resulting in live births (%)	52.9	6 / 15	3 / 3		
Percentage of transfers resulting in singleton live births (%)	47.1	2 / 15	3 / 3		
Percentage of transfers resulting in twin live births (%)	5.9	4 / 15	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.2	2 / 15	3 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	0	1	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Arklatex Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE MAINE CENTER SOUTH PORTLAND, MAINE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	24%	Tubal factor	16%	Uterine factor	2%	Multiple Factors: Female factors only 10% Female & male factors 8%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	9%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	20%	
				Endometriosis	6%	Unknown factor	25%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 425
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	98	46	39	27	14
Percentage of cancellations before retrieval (%)	5.1	4.3	5.1	18.5	1 / 14
Number of transfers	82	36	34	19	10
Average number of embryos transferred	1.2	1.4	1.8	2.3	2.6
Percentage of elective single embryo transfers (eSET) (%)	77.1	50.0	14.8	0 / 16	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.9	34.8	35.9	7.4	1 / 14
Percentage of cycles resulting in live births (%)	41.8	28.3	17.9	3.7	0 / 14
Percentage of cycles resulting in singleton live births (%)	40.8	17.4	12.8	3.7	0 / 14
Percentage of cycles resulting in twin live births (%)	1.0	10.9	5.1	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	37.8	13.0	10.3	0.0	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.4	40.8	24.1	4.7	0.0
Percentage of transfers resulting in pregnancies (%)	54.9	44.4	41.2	2 / 19	1 / 10
Percentage of transfers resulting in live births (%)	50.0	36.1	20.6	1 / 19	0 / 10
Percentage of transfers resulting in singleton live births (%)	48.8	22.2	14.7	1 / 19	0 / 10
Percentage of transfers resulting in twin live births (%)	1.2	13.9	5.9	0 / 19	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.1	16.7	11.8	0 / 19	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	77	40	30	15	3
Number of transfers	74	37	26	13	2
Estimated average number of transfers per retrieval	2.6	1.9	2.6	1.2	0.2
Average number of embryos transferred	1.3	1.4	1.3	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	53.4	42.2	45.2	3 / 19	1 / 2
Percentage of transfers resulting in pregnancies (%)	60.8	59.5	53.8	4 / 13	1 / 2
Percentage of transfers resulting in live births (%)	45.9	40.5	42.3	2 / 13	0 / 2
Percentage of transfers resulting in singleton live births (%)	35.1	40.5	38.5	2 / 13	0 / 2
Percentage of transfers resulting in twin live births (%)	9.5	0.0	3.8	0 / 13	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.7	37.8	38.5	0 / 13	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	7	4	6	7
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	7	1	
Number of transfers	1	0	7	1	
Average number of embryos transferred	1.0		1.1	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		5 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1		5 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1		5 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1		5 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		4 / 7	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Maine Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED NATIONAL MILITARY MEDICAL CENTER
BETHESDA, MARYLAND**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John Csokmay, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	25%	Uterine factor	5%	Multiple Factors: Female factors only 7% Female & male factors 19%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	1%	
				Endometriosis	12%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 621
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	186	60	82	29	2
Percentage of cancellations before retrieval (%)	4.8	15.0	8.5	24.1	0 / 2
Number of transfers	127	41	59	18	2
Average number of embryos transferred	1.2	1.3	1.7	1.6	2.5
Percentage of elective single embryo transfers (eSET) (%)	77.8	67.6	23.5	5 / 15	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.9	26.7	32.9	24.1	1 / 2
Percentage of cycles resulting in live births (%)	27.4	18.3	24.4	17.2	1 / 2
Percentage of cycles resulting in singleton live births (%)	25.8	13.3	20.7	17.2	1 / 2
Percentage of cycles resulting in twin live births (%)	1.6	5.0	3.7	0.0	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.9	10.0	18.3	13.8	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.8	34.7	29.0	20.8	2 / 5
Percentage of transfers resulting in pregnancies (%)	51.2	39.0	45.8	7 / 18	1 / 2
Percentage of transfers resulting in live births (%)	40.2	26.8	33.9	5 / 18	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.8	19.5	28.8	5 / 18	1 / 2
Percentage of transfers resulting in twin live births (%)	2.4	7.3	5.1	0 / 18	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.1	14.6	25.4	4 / 18	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	134	60	36	18	3
Number of transfers	124	58	36	18	3
Estimated average number of transfers per retrieval	1.7	3.1	2.1	3.0	1.5
Average number of embryos transferred	1.2	1.3	1.5	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	52.0	49.3	31.4	20.0	3 / 3
Percentage of transfers resulting in pregnancies (%)	58.9	58.6	41.7	7 / 18	2 / 3
Percentage of transfers resulting in live births (%)	51.6	46.6	38.9	7 / 18	1 / 3
Percentage of transfers resulting in singleton live births (%)	47.6	41.4	33.3	7 / 18	1 / 3
Percentage of transfers resulting in twin live births (%)	4.0	5.2	5.6	0 / 18	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.3	31.0	25.0	7 / 18	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	2	0	0	1
	0	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: The A.R.T. Institute of Washington, Inc., Walter Reed National Military Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD LUTHERVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Endrika L. Hinton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	29%	Tubal factor	5%	Uterine factor	5%	Multiple Factors: Female factors only 52% Female & male factors 10%
Unstimulated	0%	PGD/PGS	52%	Ovulatory dysfunction	67%	Male factor	14%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	0%	
				Endometriosis	62%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 34
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	3	2	0	1
Percentage of cancellations before retrieval (%)	0 / 5	0 / 3	1 / 2		0 / 1
Number of transfers	3	1	0	0	0
Average number of embryos transferred	1.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	1 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 5	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in live births (%)	1 / 5	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 5	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 3	0 / 2		0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 5	1 / 3	0 / 2		0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	2	3	1	0
Number of transfers	4	2	3	1	0
Estimated average number of transfers per retrieval	0.5	0.4	0.6	1.0	
Average number of embryos transferred	1.0	1.0	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 4	2 / 2	2 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 2	2 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 4	2 / 2	2 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 4	2 / 2	2 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	2 / 2	2 / 3	1 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	5	3	1	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Endrika Hinton, MD

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jairo E. Garcia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	14%	Uterine factor	16%	Multiple Factors: Female factors only 14% Female & male factors 10%
Unstimulated	<1%	PGD/PGS	10%	Ovulatory dysfunction	16%	Male factor	23%	
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	12%	
				Endometriosis	12%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 675
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	66	56	49	18
Percentage of cancellations before retrieval (%)	9.5	24.2	12.5	20.4	5 / 18
Number of transfers	50	32	36	16	6
Average number of embryos transferred	1.4	1.7	1.8	1.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	43.6	23.1	0.0	0 / 10	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.1	12.1	14.3	4.1	0 / 18
Percentage of cycles resulting in live births (%)	16.8	7.6	10.7	4.1	0 / 18
Percentage of cycles resulting in singleton live births (%)	13.7	3.0	10.7	4.1	0 / 18
Percentage of cycles resulting in twin live births (%)	3.2	4.5	0.0	0.0	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.5	3.0	10.7	2.0	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.9	22.6	13.8	6.9	0 / 11
Percentage of transfers resulting in pregnancies (%)	40.0	25.0	22.2	2 / 16	0 / 6
Percentage of transfers resulting in live births (%)	32.0	15.6	16.7	2 / 16	0 / 6
Percentage of transfers resulting in singleton live births (%)	26.0	6.3	16.7	2 / 16	0 / 6
Percentage of transfers resulting in twin live births (%)	6.0	9.4	0.0	0 / 16	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.0	6.3	16.7	1 / 16	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	62	31	13	12
Number of transfers	73	62	28	9	12
Estimated average number of transfers per retrieval	1.0	1.0	0.5	0.3	1.0
Average number of embryos transferred	1.6	1.5	1.6	1.7	1.9
Percentage of embryos transferred resulting in implantation (%)	29.8	34.1	33.3	4 / 15	4.3
Percentage of transfers resulting in pregnancies (%)	39.7	46.8	46.4	3 / 9	1 / 12
Percentage of transfers resulting in live births (%)	31.5	38.7	39.3	3 / 9	0 / 12
Percentage of transfers resulting in singleton live births (%)	26.0	33.9	32.1	2 / 9	0 / 12
Percentage of transfers resulting in twin live births (%)	5.5	4.8	7.1	1 / 9	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.3	29.0	21.4	2 / 9	0 / 12
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	52	42	48	22	10
	18	4	5	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	11	7	1	
Number of transfers	0	11	7	1	
Average number of embryos transferred		1.4	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)		5 / 15	2 / 12	1 / 2	
Percentage of transfers resulting in pregnancies (%)		5 / 11	2 / 7	1 / 1	
Percentage of transfers resulting in live births (%)		4 / 11	0 / 7	1 / 1	
Percentage of transfers resulting in singleton live births (%)		4 / 11	0 / 7	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 11	0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 11	0 / 7	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Johns Hopkins Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
ROCKVILLE, MARYLAND**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

MONTGOMERY FERTILITY CENTER ROCKVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Oluyemisi Adesanya-Famuyiwa, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	27%	Uterine factor	29%	Multiple Factors: Female factors only 25% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	35%	
Used gestational carrier	4%			Diminished ovarian reserve	27%	Other factor	10%	
				Endometriosis	0%	Unknown factor	12%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 92 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		13	12	6	5	2
Percentage of cancellations before retrieval (%)		1 / 13	0 / 12	1 / 6	0 / 5	0 / 2
Number of transfers		12	12	5	4	2
Average number of embryos transferred		2.3	3.0	1.8	2.8	2.0
Percentage of elective single embryo transfers (eSET) (%)		0 / 11	0 / 12	0 / 3	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		2 / 13	5 / 12	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)		2 / 13	1 / 12	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)		2 / 13	1 / 12	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)		0 / 13	0 / 12	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		2 / 13	1 / 12	0 / 6	0 / 5	0 / 2
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		7.1	12.5	2 / 9	0 / 11	0 / 4
Percentage of transfers resulting in pregnancies (%)		2 / 12	5 / 12	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)		2 / 12	1 / 12	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)		2 / 12	1 / 12	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 12	0 / 12	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 12	1 / 12	0 / 5	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles		9	3	3	0	2
Number of transfers		9	3	3	0	2
Estimated average number of transfers per retrieval		2.3	0.8	0.6	0.0	0.2
Average number of embryos transferred		2.2	1.7	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)		15.0	0 / 5	1 / 6		0 / 4
Percentage of transfers resulting in pregnancies (%)		3 / 9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in live births (%)		3 / 9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in singleton live births (%)		3 / 9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 9	0 / 3	0 / 3		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 9	0 / 3	1 / 3		0 / 2
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		3	4	4	4	9
		0	0	1	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	0	13	0	
Number of transfers		0	0	13	0	
Average number of embryos transferred				1.9		
Percentage of embryos transferred resulting in implantation (%)				20.0		
Percentage of transfers resulting in pregnancies (%)				5 / 13		
Percentage of transfers resulting in live births (%)				2 / 13		
Percentage of transfers resulting in singleton live births (%)				2 / 13		
Percentage of transfers resulting in twin live births (%)				0 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				1 / 13		

CURRENT SERVICES & PROFILE		Current Name: Montgomery Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SIU NG-WAGNER, MD
ROCKVILLE, MARYLAND**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Michael J. Levy, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	11%	Male factor	23%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	5%	Unknown factor	22%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 9,413 (includes 64 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	1,286	760	684	387	251	
Percentage of cancellations before retrieval (%)	5.8	11.7	16.1	22.2	19.5	
Number of transfers	1,040	564	465	228	147	
Average number of embryos transferred	1.3	1.4	1.8	2.1	2.4	
Percentage of elective single embryo transfers (eSET) (%)	70.4	51.9	18.9	4.9	1.6	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	40.7	32.9	26.3	17.3	9.6	
Percentage of cycles resulting in live births (%)	34.7	26.7	16.8	10.9	4.4	
Percentage of cycles resulting in singleton live births (%)	31.7	24.3	14.8	9.0	3.6	
Percentage of cycles resulting in twin live births (%)	2.9	2.4	1.9	1.8	0.8	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.7	20.4	12.6	8.0	2.0	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	43.0	33.7	24.3	16.4	6.7	
Percentage of transfers resulting in pregnancies (%)	50.4	44.3	38.7	29.4	16.3	
Percentage of transfers resulting in live births (%)	42.9	36.0	24.7	18.4	7.5	
Percentage of transfers resulting in singleton live births (%)	39.2	32.8	21.7	15.4	6.1	
Percentage of transfers resulting in twin live births (%)	3.6	3.2	2.8	3.1	1.4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	27.5	18.5	13.6	3.4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	1,049	753	629	251	109	
Number of transfers	988	714	584	232	98	
Estimated average number of transfers per retrieval	1.3	1.1	0.9	0.8	0.7	
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	55.8	55.9	49.7	41.9	32.2	
Percentage of transfers resulting in pregnancies (%)	61.6	61.8	56.5	51.3	43.9	
Percentage of transfers resulting in live births (%)	48.6	48.6	44.7	38.4	27.6	
Percentage of transfers resulting in singleton live births (%)	42.7	43.7	42.6	36.2	27.6	
Percentage of transfers resulting in twin live births (%)	5.9	4.8	1.9	2.2	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.2	39.8	37.8	32.3	25.5	
Number of Egg or Embryo Banking Cycles						
	413	432	497	230	110	
Number of fertility preservation cycles	114	207	143	29	10	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	530	136	841	1		
Number of transfers	411	98	763	1		
Average number of embryos transferred	1.2	1.3	1.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	52.3	42.1	45.0	2 / 2		
Percentage of transfers resulting in pregnancies (%)	59.9	53.1	51.2	1 / 1		
Percentage of transfers resulting in live births (%)	47.0	41.8	39.2	1 / 1		
Percentage of transfers resulting in singleton live births (%)	42.1	37.8	35.6	0 / 1		
Percentage of transfers resulting in twin live births (%)	4.9	4.1	3.5	1 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.4	29.6	28.0	0 / 1		

CURRENT SERVICES & PROFILE		Current Name: Shady Grove Fertility-Rockville					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Santiago L. Padilla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	31%	Tubal factor	19%	Uterine factor	14%	Multiple Factors: Female factors only 23% Female & male factors 20%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	21%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	16%	
				Endometriosis	10%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 373
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	82	44	63	22	21
Percentage of cancellations before retrieval (%)	7.3	11.4	23.8	31.8	57.1
Number of transfers	71	35	43	14	8
Average number of embryos transferred	1.4	1.5	2.2	3.6	3.5
Percentage of elective single embryo transfers (eSET) (%)	52.6	45.2	17.5	0 / 14	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.9	43.2	25.4	27.3	4.8
Percentage of cycles resulting in live births (%)	28.0	31.8	19.0	13.6	0.0
Percentage of cycles resulting in singleton live births (%)	25.6	27.3	12.7	4.5	0.0
Percentage of cycles resulting in twin live births (%)	2.4	4.5	6.3	9.1	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.0	22.7	9.5	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.7	38.5	21.5	14.0	3.6
Percentage of transfers resulting in pregnancies (%)	38.0	54.3	37.2	6 / 14	1 / 8
Percentage of transfers resulting in live births (%)	32.4	40.0	27.9	3 / 14	0 / 8
Percentage of transfers resulting in singleton live births (%)	29.6	34.3	18.6	1 / 14	0 / 8
Percentage of transfers resulting in twin live births (%)	2.8	5.7	9.3	2 / 14	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.4	28.6	14.0	0 / 14	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	57	42	17	1	3
Number of transfers	49	35	15	0	2
Estimated average number of transfers per retrieval	2.0	2.5	1.9		2.0
Average number of embryos transferred	1.3	1.3	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)	32.3	28.3	25.0		0 / 2
Percentage of transfers resulting in pregnancies (%)	38.8	37.1	4 / 15		0 / 2
Percentage of transfers resulting in live births (%)	32.7	25.7	4 / 15		0 / 2
Percentage of transfers resulting in singleton live births (%)	30.6	22.9	4 / 15		0 / 2
Percentage of transfers resulting in twin live births (%)	2.0	2.9	0 / 15		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.4	22.9	4 / 15		0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	3	2	0	1
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	1	
Number of transfers	0	0	1	1	
Average number of embryos transferred			1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)			0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)			0 / 1	1 / 1	
Percentage of transfers resulting in live births (%)			0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)			0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Maryland

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC-TOWSON TOWSON, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eugene Katz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 11%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	16%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	17%	
				Endometriosis	6%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,218
(includes 26 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	489	208	195	54	29
Percentage of cancellations before retrieval (%)	4.3	6.3	12.3	18.5	17.2
Number of transfers	394	170	141	33	16
Average number of embryos transferred	1.2	1.4	1.9	2.4	2.6
Percentage of elective single embryo transfers (eSET) (%)	72.1	43.7	7.3	0.0	0 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.2	38.9	27.7	16.7	17.2
Percentage of cycles resulting in live births (%)	36.0	30.3	17.9	9.3	3.4
Percentage of cycles resulting in singleton live births (%)	33.5	26.0	14.4	7.4	3.4
Percentage of cycles resulting in twin live births (%)	2.5	4.3	3.6	1.9	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.8	23.6	12.8	1.9	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.3	36.0	23.7	12.9	8.6
Percentage of transfers resulting in pregnancies (%)	56.1	47.6	38.3	27.3	5 / 16
Percentage of transfers resulting in live births (%)	44.7	37.1	24.8	15.2	1 / 16
Percentage of transfers resulting in singleton live births (%)	41.6	31.8	19.9	12.1	1 / 16
Percentage of transfers resulting in twin live births (%)	3.0	5.3	5.0	3.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.8	28.8	17.7	3.0	1 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	335	155	97	36	12
Number of transfers	323	146	91	32	7
Estimated average number of transfers per retrieval	1.3	1.1	0.9	0.6	0.3
Average number of embryos transferred	1.2	1.2	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	56.4	42.2	38.5	17.1	5 / 10
Percentage of transfers resulting in pregnancies (%)	61.3	50.0	46.2	28.1	4 / 7
Percentage of transfers resulting in live births (%)	47.1	37.0	34.1	15.6	3 / 7
Percentage of transfers resulting in singleton live births (%)	42.4	34.2	33.0	12.5	2 / 7
Percentage of transfers resulting in twin live births (%)	4.3	2.7	1.1	3.1	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.5	30.8	28.6	9.4	2 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	136	86	80	49	17
	23	32	17	6	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	103	21	90	0	
Number of transfers	83	14	82	0	
Average number of embryos transferred	1.2	1.5	1.1		
Percentage of embryos transferred resulting in implantation (%)	51.0	47.6	48.8		
Percentage of transfers resulting in pregnancies (%)	57.8	7 / 14	57.3		
Percentage of transfers resulting in live births (%)	47.0	6 / 14	42.7		
Percentage of transfers resulting in singleton live births (%)	42.2	3 / 14	42.7		
Percentage of transfers resulting in twin live births (%)	4.8	3 / 14	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.1	3 / 14	36.6		

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility-Towson

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Elizabeth S. Ginsburg, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	38%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	5%	Ovulatory dysfunction	0%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	12%	
				Endometriosis	6%	Unknown factor	31%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 2,298 (includes 24 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	294	204	223	104	74	
Percentage of cancellations before retrieval (%)	3.4	3.4	7.6	9.6	6.8	
Number of transfers	268	189	194	90	62	
Average number of embryos transferred	1.2	1.5	2.0	3.1	3.7	
Percentage of elective single embryo transfers (eSET) (%)	76.1	53.9	24.0	7.7	1.8	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	42.9	40.2	30.9	19.2	24.3	
Percentage of cycles resulting in live births (%)	31.0	30.9	22.9	13.5	14.9	
Percentage of cycles resulting in singleton live births (%)	28.2	27.5	17.0	11.5	13.5	
Percentage of cycles resulting in twin live births (%)	2.7	3.4	5.8	1.9	1.4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.8	21.6	15.7	8.7	12.2	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	40.2	31.8	20.2	7.1	7.1	
Percentage of transfers resulting in pregnancies (%)	47.0	43.4	35.6	22.2	29.0	
Percentage of transfers resulting in live births (%)	34.0	33.3	26.3	15.6	17.7	
Percentage of transfers resulting in singleton live births (%)	31.0	29.6	19.6	13.3	16.1	
Percentage of transfers resulting in twin live births (%)	3.0	3.7	6.7	2.2	1.6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	23.3	18.0	10.0	14.5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	359	270	181	85	41	
Number of transfers	330	238	163	73	40	
Estimated average number of transfers per retrieval	1.4	1.5	1.3	1.3	1.1	
Average number of embryos transferred	1.2	1.3	1.5	1.7	2.1	
Percentage of embryos transferred resulting in implantation (%)	54.7	48.1	37.0	28.4	5.6	
Percentage of transfers resulting in pregnancies (%)	63.0	60.9	52.8	47.9	25.0	
Percentage of transfers resulting in live births (%)	47.3	41.2	37.4	32.9	10.0	
Percentage of transfers resulting in singleton live births (%)	43.3	36.6	33.7	28.8	10.0	
Percentage of transfers resulting in twin live births (%)	3.9	4.6	3.7	4.1	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.2	30.3	28.8	27.4	7.5	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	147	80	74	38	17	
	51	22	14	3	3	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	33	0	50	0		
Number of transfers	32	0	50	0		
Average number of embryos transferred	1.1		1.3			
Percentage of embryos transferred resulting in implantation (%)	75.0		52.5			
Percentage of transfers resulting in pregnancies (%)	78.1		64.0			
Percentage of transfers resulting in live births (%)	62.5		54.0			
Percentage of transfers resulting in singleton live births (%)	62.5		50.0			
Percentage of transfers resulting in twin live births (%)	0.0		4.0			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	62.5		42.0			

CURRENT SERVICES & PROFILE		Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John C. Petrozza, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	12%	Uterine factor	6%	Multiple Factors: Female factors only 9% Female & male factors 18%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	9%	
				Endometriosis	6%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,072
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	244	136	125	53	17
Percentage of cancellations before retrieval (%)	4.9	5.1	9.6	15.1	3 / 17
Number of transfers	220	120	103	41	14
Average number of embryos transferred	1.2	1.5	2.0	2.7	3.1
Percentage of elective single embryo transfers (eSET) (%)	76.5	43.4	4.4	0.0	0 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	40.4	36.0	26.4	1 / 17
Percentage of cycles resulting in live births (%)	46.3	33.8	29.6	13.2	0 / 17
Percentage of cycles resulting in singleton live births (%)	45.1	31.6	25.6	7.5	0 / 17
Percentage of cycles resulting in twin live births (%)	1.2	2.2	4.0	5.7	0 / 17
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.4	26.5	23.2	7.5	0 / 17
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.1	32.4	23.2	17.8	2.3
Percentage of transfers resulting in pregnancies (%)	55.5	45.8	43.7	34.1	1 / 14
Percentage of transfers resulting in live births (%)	51.4	38.3	35.9	17.1	0 / 14
Percentage of transfers resulting in singleton live births (%)	50.0	35.8	31.1	9.8	0 / 14
Percentage of transfers resulting in twin live births (%)	1.4	2.5	4.9	7.3	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.2	30.0	28.2	9.8	0 / 14
Frozen Embryos from Nondonor Eggs					
Number of cycles	131	97	64	13	10
Number of transfers	125	95	63	13	10
Estimated average number of transfers per retrieval	1.2	1.4	1.6	0.8	3.3
Average number of embryos transferred	1.1	1.2	1.3	1.4	1.8
Percentage of embryos transferred resulting in implantation (%)	47.6	49.5	37.0	1 / 18	1 / 18
Percentage of transfers resulting in pregnancies (%)	50.4	54.7	42.9	1 / 13	1 / 10
Percentage of transfers resulting in live births (%)	44.0	44.2	33.3	0 / 13	0 / 10
Percentage of transfers resulting in singleton live births (%)	41.6	42.1	30.2	0 / 13	0 / 10
Percentage of transfers resulting in twin live births (%)	2.4	2.1	3.2	0 / 13	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.0	33.7	23.8	0 / 13	0 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	52	36	27	8	3
	22	20	10	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	35	1	20	0	
Number of transfers	34	1	19	0	
Average number of embryos transferred	1.2	2.0	1.1		
Percentage of embryos transferred resulting in implantation (%)	52.4	0 / 2	14 / 19		
Percentage of transfers resulting in pregnancies (%)	61.8	0 / 1	11 / 19		
Percentage of transfers resulting in live births (%)	50.0	0 / 1	8 / 19		
Percentage of transfers resulting in singleton live births (%)	47.1	0 / 1	7 / 19		
Percentage of transfers resulting in twin live births (%)	2.9	0 / 1	1 / 19		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.4	0 / 1	4 / 19		

CURRENT SERVICES & PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SOLUTIONS, PC DEDHAM, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Ania Kowalik, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	45%	Tubal factor	9%	Uterine factor	1%	Multiple Factors: Female factors only 4% Female & male factors 9%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	5%	
				Endometriosis	6%	Unknown factor	39%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 710 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	117	94	70	57	21	
Percentage of cancellations before retrieval (%)	2.6	14.9	14.3	14.0	28.6	
Number of transfers	104	69	51	34	10	
Average number of embryos transferred	1.3	1.5	2.1	2.4	2.5	
Percentage of elective single embryo transfers (eSET) (%)	63.5	46.6	13.6	0.0	1 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	42.7	31.9	21.4	12.3	9.5	
Percentage of cycles resulting in live births (%)	37.6	24.5	15.7	7.0	4.8	
Percentage of cycles resulting in singleton live births (%)	33.3	22.3	12.9	7.0	4.8	
Percentage of cycles resulting in twin live births (%)	4.3	2.1	2.9	0.0	0.0	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.9	19.1	11.4	1.8	4.8	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	38.5	29.8	16.2	10.8	8.0	
Percentage of transfers resulting in pregnancies (%)	48.1	43.5	29.4	20.6	2 / 10	
Percentage of transfers resulting in live births (%)	42.3	33.3	21.6	11.8	1 / 10	
Percentage of transfers resulting in singleton live births (%)	37.5	30.4	17.6	11.8	1 / 10	
Percentage of transfers resulting in twin live births (%)	4.8	2.9	3.9	0.0	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.7	26.1	15.7	2.9	1 / 10	
Frozen Embryos from Nondonor Eggs						
Number of cycles	104	72	49	16	9	
Number of transfers	94	67	47	13	3	
Estimated average number of transfers per retrieval	2.5	2.2	1.4	1.0	0.4	
Average number of embryos transferred	1.2	1.2	1.2	1.7	1.3	
Percentage of embryos transferred resulting in implantation (%)	36.7	33.3	33.3	4 / 18	1 / 4	
Percentage of transfers resulting in pregnancies (%)	42.6	40.3	42.6	6 / 13	1 / 3	
Percentage of transfers resulting in live births (%)	36.2	28.4	29.8	4 / 13	0 / 3	
Percentage of transfers resulting in singleton live births (%)	34.0	26.9	29.8	4 / 13	0 / 3	
Percentage of transfers resulting in twin live births (%)	2.1	1.5	0.0	0 / 13	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.8	22.4	25.5	4 / 13	0 / 3	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	13	10	21	6	7	
	2	1	4	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	10	12	20	2		
Number of transfers	8	9	19	2		
Average number of embryos transferred	1.3	1.3	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 9	7 / 12	41.7	1 / 2		
Percentage of transfers resulting in pregnancies (%)	7 / 8	6 / 9	9 / 19	1 / 2		
Percentage of transfers resulting in live births (%)	6 / 8	5 / 9	7 / 19	0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 8	4 / 9	6 / 19	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 8	1 / 9	1 / 19	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 8	2 / 9	5 / 19	0 / 2		

CURRENT SERVICES & PROFILE		Current Name: Fertility Solutions, PC					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW ENGLAND LEXINGTON, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel C. Pang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	44%	Tubal factor	15%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 23%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	14%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	19%	
				Endometriosis	7%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,050
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	608	336	249	123	45
Percentage of cancellations before retrieval (%)	3.6	6.0	6.8	14.6	8.9
Number of transfers	479	251	193	74	28
Average number of embryos transferred	1.2	1.5	1.9	2.7	3.3
Percentage of elective single embryo transfers (eSET) (%)	72.7	46.5	12.3	3.3	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.7	31.8	28.1	10.6	4.4
Percentage of cycles resulting in live births (%)	31.7	25.3	21.7	5.7	0.0
Percentage of cycles resulting in singleton live births (%)	29.4	23.2	18.9	5.7	0.0
Percentage of cycles resulting in twin live births (%)	2.3	2.1	2.8	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.2	19.3	14.9	4.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.7	30.7	21.5	7.1	0.0
Percentage of transfers resulting in pregnancies (%)	45.3	42.6	36.3	17.6	7.1
Percentage of transfers resulting in live births (%)	40.3	33.9	28.0	9.5	0.0
Percentage of transfers resulting in singleton live births (%)	37.4	31.1	24.4	9.5	0.0
Percentage of transfers resulting in twin live births (%)	2.9	2.8	3.6	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.7	25.9	19.2	8.1	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	522	320	187	56	21
Number of transfers	490	295	170	52	17
Estimated average number of transfers per retrieval	1.4	1.4	1.3	0.7	0.8
Average number of embryos transferred	1.1	1.2	1.2	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	57.3	59.4	43.9	43.5	6 / 18
Percentage of transfers resulting in pregnancies (%)	60.0	65.8	50.6	53.8	8 / 17
Percentage of transfers resulting in live births (%)	53.3	57.3	40.0	44.2	4 / 17
Percentage of transfers resulting in singleton live births (%)	48.0	51.9	37.6	40.4	4 / 17
Percentage of transfers resulting in twin live births (%)	4.9	5.4	2.4	3.8	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.8	45.8	31.8	32.7	4 / 17
Number of Egg or Embryo Banking Cycles					
	152	115	83	53	19
Number of fertility preservation cycles	12	19	11	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	20	59	72	3	
Number of transfers	18	49	65	3	
Average number of embryos transferred	1.1	1.1	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	10 / 18	42.6	59.4	2 / 3	
Percentage of transfers resulting in pregnancies (%)	11 / 18	49.0	60.0	2 / 3	
Percentage of transfers resulting in live births (%)	10 / 18	46.9	47.7	2 / 3	
Percentage of transfers resulting in singleton live births (%)	10 / 18	46.9	44.6	2 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 18	0.0	3.1	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 18	34.7	36.9	2 / 3	

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Danielle Vitiello, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	10%	Uterine factor	1%	Multiple Factors: Female factors only 7% Female & male factors 11%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	9%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	13%	Other factor	28%	
				Endometriosis	6%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,485
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	362	132	135	51	21
Percentage of cancellations before retrieval (%)	1.7	3.0	8.1	3.9	0.0
Number of transfers	224	79	77	31	12
Average number of embryos transferred	1.3	1.4	1.7	1.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	66.5	46.0	11.7	0.0	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.1	24.2	25.9	21.6	9.5
Percentage of cycles resulting in live births (%)	24.9	19.7	22.2	19.6	9.5
Percentage of cycles resulting in singleton live births (%)	22.1	15.9	17.8	15.7	4.8
Percentage of cycles resulting in twin live births (%)	2.8	3.8	4.4	3.9	4.8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.2	13.6	17.0	15.7	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.1	37.2	32.3	25.9	12.5
Percentage of transfers resulting in pregnancies (%)	43.8	40.5	45.5	35.5	2 / 12
Percentage of transfers resulting in live births (%)	40.2	32.9	39.0	32.3	2 / 12
Percentage of transfers resulting in singleton live births (%)	35.7	26.6	31.2	25.8	1 / 12
Percentage of transfers resulting in twin live births (%)	4.5	6.3	7.8	6.5	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.5	22.8	29.9	25.8	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	268	130	78	20	11
Number of transfers	255	120	73	18	11
Estimated average number of transfers per retrieval	1.3	1.3	1.0	0.7	0.6
Average number of embryos transferred	1.2	1.3	1.3	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	49.2	41.2	40.4	28.6	3 / 14
Percentage of transfers resulting in pregnancies (%)	52.5	44.2	43.8	8 / 18	3 / 11
Percentage of transfers resulting in live births (%)	49.4	42.5	38.4	6 / 18	3 / 11
Percentage of transfers resulting in singleton live births (%)	42.7	35.0	30.1	6 / 18	3 / 11
Percentage of transfers resulting in twin live births (%)	6.7	7.5	8.2	0 / 18	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.6	32.5	27.4	6 / 18	3 / 11
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	56	48	51	17	16
	4	8	11	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	3	76	0	
Number of transfers	0	3	69	0	
Average number of embryos transferred		1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)		1 / 4	39.3		
Percentage of transfers resulting in pregnancies (%)		1 / 3	43.5		
Percentage of transfers resulting in live births (%)		1 / 3	42.0		
Percentage of transfers resulting in singleton live births (%)		1 / 3	37.7		
Percentage of transfers resulting in twin live births (%)		0 / 3	4.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 3	30.4		

CURRENT SERVICES & PROFILE

Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Kelly Lynch, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	35%	Tubal factor	13%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 10%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	18%	Male factor	24%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	13%	
				Endometriosis	7%	Unknown factor	24%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 582 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)
---------------------------------------	--

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	128	63	55	29	8
Percentage of cancellations before retrieval (%)	5.5	4.8	14.5	13.8	1 / 8
Number of transfers	84	47	33	17	7
Average number of embryos transferred	1.1	1.3	1.6	1.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	85.7	65.0	37.0	3 / 13	2 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.4	42.9	21.8	37.9	1 / 8
Percentage of cycles resulting in live births (%)	36.7	38.1	14.5	24.1	1 / 8
Percentage of cycles resulting in singleton live births (%)	34.4	25.4	10.9	20.7	1 / 8
Percentage of cycles resulting in twin live births (%)	2.3	12.7	1.8	3.4	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.0	23.8	7.3	13.8	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	62.0	56.7	27.7	53.3	1 / 12
Percentage of transfers resulting in pregnancies (%)	63.1	57.4	36.4	11 / 17	1 / 7
Percentage of transfers resulting in live births (%)	56.0	51.1	24.2	7 / 17	1 / 7
Percentage of transfers resulting in singleton live births (%)	52.4	34.0	18.2	6 / 17	1 / 7
Percentage of transfers resulting in twin live births (%)	3.6	17.0	3.0	1 / 17	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	31.9	12.1	4 / 17	1 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	109	68	48	12	9
Number of transfers	89	64	38	10	8
Estimated average number of transfers per retrieval	1.7	2.0	1.3	0.8	0.8
Average number of embryos transferred	1.2	1.2	1.4	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	51.0	50.7	43.8	3 / 12	2 / 7
Percentage of transfers resulting in pregnancies (%)	56.2	54.7	55.3	4 / 10	3 / 8
Percentage of transfers resulting in live births (%)	46.1	43.8	36.8	2 / 10	2 / 8
Percentage of transfers resulting in singleton live births (%)	41.6	35.9	36.8	1 / 10	2 / 8
Percentage of transfers resulting in twin live births (%)	3.4	7.8	0.0	1 / 10	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.3	29.7	31.6	1 / 10	2 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	3	8	1	1
	6	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	5	16	0	
Number of transfers	8	4	16	0	
Average number of embryos transferred	1.1	1.3	1.4		
Percentage of embryos transferred resulting in implantation (%)	4 / 9	3 / 5	61.9		
Percentage of transfers resulting in pregnancies (%)	3 / 8	2 / 4	13 / 16		
Percentage of transfers resulting in live births (%)	2 / 8	2 / 4	10 / 16		
Percentage of transfers resulting in singleton live births (%)	2 / 8	1 / 4	9 / 16		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 4	1 / 16		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	1 / 4	8 / 16		

CURRENT SERVICES & PROFILE		Current Name: Baystate Reproductive Medicine	
----------------------------	--	--	--

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY, LLC STONEHAM, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Vito R. Cardone, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	38%	Tubal factor	10%	Uterine factor	7%	
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	14%	Male factor	29%	
Used gestational carrier	4%			Diminished ovarian reserve	30%	Other factor	20%	
				Endometriosis	4%	Unknown factor	14%	
						Multiple Factors:		
						Female factors only	12%	
						Female & male factors	14%	
2016 ART SUCCESS RATES ^{c,d}				Total number of cycles ^d : 320 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient							
	<35	35–37	38–40	41–42	>42			
Fresh Embryos from Fresh Nondonor Eggs								
Number of cycles	39	32	37	23	25			
Percentage of cancellations before retrieval (%)	2.6	3.1	8.1	8.7	20.0			
Number of transfers	29	24	26	14	5			
Average number of embryos transferred	1.2	1.7	1.9	2.4	2.4			
Percentage of elective single embryo transfers (eSET) (%)	73.9	6 / 19	14.3	0 / 12	0 / 5			
Outcomes per Cycle								
Percentage of cycles resulting in pregnancies (%)	25.6	37.5	16.2	13.0	0.0			
Percentage of cycles resulting in live births (%)	20.5	31.3	13.5	13.0	0.0			
Percentage of cycles resulting in singleton live births (%)	20.5	25.0	10.8	13.0	0.0			
Percentage of cycles resulting in twin live births (%)	0.0	6.3	2.7	0.0	0.0			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.5	21.9	5.4	13.0	0.0			
Outcomes per Transfer								
Percentage of embryos transferred resulting in implantation (%)	28.6	34.1	14.3	8.8	0 / 12			
Percentage of transfers resulting in pregnancies (%)	34.5	50.0	23.1	3 / 14	0 / 5			
Percentage of transfers resulting in live births (%)	27.6	41.7	19.2	3 / 14	0 / 5			
Percentage of transfers resulting in singleton live births (%)	27.6	33.3	15.4	3 / 14	0 / 5			
Percentage of transfers resulting in twin live births (%)	0.0	8.3	3.8	0 / 14	0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.6	29.2	7.7	3 / 14	0 / 5			
Frozen Embryos from Nondonor Eggs								
Number of cycles	34	21	16	13	8			
Number of transfers	26	20	12	12	6			
Estimated average number of transfers per retrieval	1.2	1.7	0.8	1.1	0.8			
Average number of embryos transferred	1.3	1.5	1.2	1.9	2.0			
Percentage of embryos transferred resulting in implantation (%)	42.4	44.8	8 / 13	21.7	1 / 12			
Percentage of transfers resulting in pregnancies (%)	42.3	55.0	7 / 12	5 / 12	1 / 6			
Percentage of transfers resulting in live births (%)	42.3	50.0	6 / 12	3 / 12	1 / 6			
Percentage of transfers resulting in singleton live births (%)	30.8	40.0	5 / 12	3 / 12	1 / 6			
Percentage of transfers resulting in twin live births (%)	11.5	10.0	1 / 12	0 / 12	0 / 6			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.9	40.0	4 / 12	3 / 12	1 / 6			
Number of Egg or Embryo Banking Cycles								
Number of fertility preservation cycles	8	7	13	4	4			
	2	3	0	0	1			
Donor Eggs^f								
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos				
Number of cycles	13	0	21	2				
Number of transfers	13	0	16	2				
Average number of embryos transferred	1.7		1.6	2.0				
Percentage of embryos transferred resulting in implantation (%)	45.5		52.0	0 / 4				
Percentage of transfers resulting in pregnancies (%)	8 / 13		8 / 16	0 / 2				
Percentage of transfers resulting in live births (%)	8 / 13		7 / 16	0 / 2				
Percentage of transfers resulting in singleton live births (%)	6 / 13		3 / 16	0 / 2				
Percentage of transfers resulting in twin live births (%)	2 / 13		4 / 16	0 / 2				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13		2 / 16	0 / 2				
CURRENT SERVICES & PROFILE				Current Name: Cardone Reproductive Medicine and Infertility, LLC				
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes	
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes	

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF WALTHAM, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	39%	Tubal factor	7%	Uterine factor	3%	Multiple Factors: Female factors only 11% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	17%	Ovulatory dysfunction	15%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	25%	
				Endometriosis	4%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,547
(includes 15 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	485	282	326	187	84
Percentage of cancellations before retrieval (%)	2.5	7.1	8.9	13.9	16.7
Number of transfers	359	192	208	105	49
Average number of embryos transferred	1.2	1.3	1.9	2.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	70.2	56.0	11.3	6.1	2.6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.6	19.1	17.8	11.2	4.8
Percentage of cycles resulting in live births (%)	30.7	16.0	12.9	7.0	0.0
Percentage of cycles resulting in singleton live births (%)	27.6	13.8	10.1	4.8	0.0
Percentage of cycles resulting in twin live births (%)	3.1	2.1	2.5	2.1	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.9	12.4	7.4	4.8	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.3	22.7	16.8	9.6	3.0
Percentage of transfers resulting in pregnancies (%)	46.8	28.1	27.9	20.0	8.2
Percentage of transfers resulting in live births (%)	41.5	23.4	20.2	12.4	0.0
Percentage of transfers resulting in singleton live births (%)	37.3	20.3	15.9	8.6	0.0
Percentage of transfers resulting in twin live births (%)	4.2	3.1	3.8	3.8	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.3	18.2	11.5	8.6	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	518	347	238	94	42
Number of transfers	464	314	211	83	35
Estimated average number of transfers per retrieval	1.4	1.1	0.9	0.8	0.6
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	47.6	46.0	49.0	36.8	21.7
Percentage of transfers resulting in pregnancies (%)	52.6	51.0	56.4	45.8	34.3
Percentage of transfers resulting in live births (%)	45.0	44.3	48.3	37.3	25.7
Percentage of transfers resulting in singleton live births (%)	41.2	41.7	45.0	37.3	25.7
Percentage of transfers resulting in twin live births (%)	3.9	2.2	3.3	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.3	36.6	37.4	32.5	25.7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	160	172	167	75	34
	37	47	30	9	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	34	125	161	1	
Number of transfers	30	101	144	1	
Average number of embryos transferred	1.4	1.5	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.7	44.0	41.6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	43.3	58.4	50.7	1 / 1	
Percentage of transfers resulting in live births (%)	40.0	44.6	42.4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	36.7	38.6	38.2	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.3	5.0	4.2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	26.7	34.0	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Boston IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MICHIGAN CENTER FOR REPRODUCTIVE MEDICINE ANN ARBOR, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael S. Lanham, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	12%	Uterine factor	7%	Multiple Factors: Female factors only 18% Female & male factors 27%
Unstimulated	0%	PGD/PGS	30%	Ovulatory dysfunction	29%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	17%	
				Endometriosis	9%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 588
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	49	31	26	1
Percentage of cancellations before retrieval (%)	7.2	14.3	35.5	23.1	0 / 1
Number of transfers	100	26	8	8	1
Average number of embryos transferred	1.1	1.3	1.4	1.6	1.0
Percentage of elective single embryo transfers (eSET) (%)	92.1	6 / 14	1 / 4	1 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.4	28.6	6.5	11.5	0 / 1
Percentage of cycles resulting in live births (%)	30.2	24.5	6.5	0.0	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.8	24.5	6.5	0.0	0 / 1
Percentage of cycles resulting in twin live births (%)	1.4	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	20.4	6.5	0.0	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.0	41.2	2 / 11	2 / 12	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.0	53.8	2 / 8	3 / 8	0 / 1
Percentage of transfers resulting in live births (%)	42.0	46.2	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	46.2	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	2.0	0.0	0 / 8	0 / 8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	38.5	2 / 8	0 / 8	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	110	59	23	5	3
Number of transfers	102	54	20	5	3
Estimated average number of transfers per retrieval	1.1	1.1	0.6	0.5	1.5
Average number of embryos transferred	1.1	1.1	1.2	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	33.9	39.7	52.2	4 / 7	3 / 3
Percentage of transfers resulting in pregnancies (%)	36.3	40.7	50.0	3 / 5	3 / 3
Percentage of transfers resulting in live births (%)	33.3	31.5	40.0	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births (%)	32.4	31.5	35.0	2 / 5	2 / 3
Percentage of transfers resulting in twin live births (%)	1.0	0.0	5.0	1 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.4	27.8	35.0	2 / 5	2 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	59	34	33	9	1
	4	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	5	0	0	
Number of transfers	1	5	0	0	
Average number of embryos transferred	1.0	1.2			
Percentage of embryos transferred resulting in implantation (%)	1 / 1	3 / 6			
Percentage of transfers resulting in pregnancies (%)	1 / 1	3 / 5			
Percentage of transfers resulting in live births (%)	1 / 1	3 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 1	3 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	2 / 5			

CURRENT SERVICES & PROFILE

Current Name: University of Michigan Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC BLOOMFIELD HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	13%	Uterine factor	10%	Multiple Factors: Female factors only 20% Female & male factors 26%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	11%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	33%	
				Endometriosis	21%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 158
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	26	15	13	4	10
Percentage of cancellations before retrieval (%)	11.5	3 / 15	3 / 13	2 / 4	3 / 10
Number of transfers	22	9	10	2	7
Average number of embryos transferred	1.6	2.0	2.0	3.5	3.0
Percentage of elective single embryo transfers (eSET) (%)	38.1	0 / 8	0 / 8	0 / 2	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.8	5 / 15	4 / 13	0 / 4	1 / 10
Percentage of cycles resulting in live births (%)	42.3	3 / 15	3 / 13	0 / 4	0 / 10
Percentage of cycles resulting in singleton live births (%)	34.6	0 / 15	3 / 13	0 / 4	0 / 10
Percentage of cycles resulting in twin live births (%)	7.7	2 / 15	0 / 13	0 / 4	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.6	0 / 15	3 / 13	0 / 4	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.2	9 / 18	25.0	0 / 7	0 / 16
Percentage of transfers resulting in pregnancies (%)	63.6	5 / 9	4 / 10	0 / 2	1 / 7
Percentage of transfers resulting in live births (%)	50.0	3 / 9	3 / 10	0 / 2	0 / 7
Percentage of transfers resulting in singleton live births (%)	40.9	0 / 9	3 / 10	0 / 2	0 / 7
Percentage of transfers resulting in twin live births (%)	9.1	2 / 9	0 / 10	0 / 2	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.9	0 / 9	3 / 10	0 / 2	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	32	7	6	5	2
Number of transfers	29	7	6	4	2
Estimated average number of transfers per retrieval	2.1	1.4	0.9	4.0	0.4
Average number of embryos transferred	1.4	1.3	1.2	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	31.6	4 / 9	1 / 7	3 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.4	4 / 7	1 / 6	3 / 4	0 / 2
Percentage of transfers resulting in live births (%)	27.6	4 / 7	0 / 6	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	24.1	4 / 7	0 / 6	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	3.4	0 / 7	0 / 6	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.1	4 / 7	0 / 6	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	4	5	1	4
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	16	0	
Number of transfers	0	0	16	0	
Average number of embryos transferred			1.4		
Percentage of embryos transferred resulting in implantation (%)			28.6		
Percentage of transfers resulting in pregnancies (%)			7 / 16		
Percentage of transfers resulting in live births (%)			4 / 16		
Percentage of transfers resulting in singleton live births (%)			4 / 16		
Percentage of transfers resulting in twin live births (%)			0 / 16		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			2 / 16		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN FERTILITY CENTERS BLOOMFIELD HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ahmad O. Hammoud, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	17%	Ovulatory dysfunction	18%	Male factor	45%	
Used gestational carrier	1%			Diminished ovarian reserve	25%	Other factor	14%	
				Endometriosis	6%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,256
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	330	110	59	21	37
Percentage of cancellations before retrieval (%)	2.7	4.5	6.8	9.5	13.5
Number of transfers	257	86	44	14	22
Average number of embryos transferred	1.9	1.8	2.0	1.7	1.6
Percentage of elective single embryo transfers (eSET) (%)	6.7	4.3	2.4	1 / 11	1 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.7	41.8	35.6	33.3	32.4
Percentage of cycles resulting in live births (%)	38.5	32.7	27.1	23.8	21.6
Percentage of cycles resulting in singleton live births (%)	22.7	27.3	18.6	19.0	16.2
Percentage of cycles resulting in twin live births (%)	15.5	5.5	8.5	4.8	5.4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.2	21.8	15.3	19.0	5.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.9	36.0	29.6	36.4	38.7
Percentage of transfers resulting in pregnancies (%)	54.9	53.5	47.7	7 / 14	54.5
Percentage of transfers resulting in live births (%)	49.4	41.9	36.4	5 / 14	36.4
Percentage of transfers resulting in singleton live births (%)	29.2	34.9	25.0	4 / 14	27.3
Percentage of transfers resulting in twin live births (%)	19.8	7.0	11.4	1 / 14	9.1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.3	27.9	20.5	4 / 14	9.1
Frozen Embryos from Nondonor Eggs					
Number of cycles	200	77	47	10	11
Number of transfers	189	71	43	9	10
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.4	0.7
Average number of embryos transferred	1.7	1.5	1.6	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	48.4	49.0	46.9	2 / 15	7 / 18
Percentage of transfers resulting in pregnancies (%)	65.1	59.2	60.5	2 / 9	5 / 10
Percentage of transfers resulting in live births (%)	52.4	43.7	46.5	2 / 9	5 / 10
Percentage of transfers resulting in singleton live births (%)	35.4	31.0	39.5	2 / 9	3 / 10
Percentage of transfers resulting in twin live births (%)	16.9	12.7	7.0	0 / 9	2 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.2	25.4	27.9	1 / 9	3 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	89	62	57	19	12
	6	6	6	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	81	1	32	1	
Number of transfers	67	1	31	1	
Average number of embryos transferred	2.0	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	68.5	1 / 2	33.3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	80.6	1 / 1	48.4	0 / 1	
Percentage of transfers resulting in live births (%)	76.1	1 / 1	38.7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.3	1 / 1	25.8	0 / 1	
Percentage of transfers resulting in twin live births (%)	44.8	0 / 1	12.9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.9	0 / 1	16.1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: IVF Michigan Fertility Centers

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE MEDICINE BLOOMFIELD HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael S. Mersol-Barg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 10% Female & male factors 25%
Unstimulated	3%	PGD/PGS	29%	Ovulatory dysfunction	12%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	46%	Other factor	8%	
				Endometriosis	5%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 240
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	14	17	13	22
Percentage of cancellations before retrieval (%)	3.0	3 / 14	4 / 17	1 / 13	9.1
Number of transfers	26	7	8	6	12
Average number of embryos transferred	1.2	1.3	1.5	1.3	1.3
Percentage of elective single embryo transfers (eSET) (%)	13 / 19	2 / 4	1 / 5	1 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	51.5	3 / 14	4 / 17	1 / 13	4.5
Percentage of cycles resulting in live births (%)	33.3	3 / 14	2 / 17	1 / 13	0.0
Percentage of cycles resulting in singleton live births (%)	27.3	2 / 14	1 / 17	1 / 13	0.0
Percentage of cycles resulting in twin live births (%)	6.1	1 / 14	1 / 17	0 / 13	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.2	2 / 14	1 / 17	1 / 13	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	58.1	4 / 9	4 / 11	1 / 8	1 / 16
Percentage of transfers resulting in pregnancies (%)	65.4	3 / 7	4 / 8	1 / 6	1 / 12
Percentage of transfers resulting in live births (%)	42.3	3 / 7	2 / 8	1 / 6	0 / 12
Percentage of transfers resulting in singleton live births (%)	34.6	2 / 7	1 / 8	1 / 6	0 / 12
Percentage of transfers resulting in twin live births (%)	7.7	1 / 7	1 / 8	0 / 6	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.9	2 / 7	1 / 8	1 / 6	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	14	9	4	0
Number of transfers	23	13	9	4	0
Estimated average number of transfers per retrieval	1.0	0.7	0.7	0.4	0.0
Average number of embryos transferred	1.3	1.1	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	37.9	6 / 13	5 / 12	2 / 4	
Percentage of transfers resulting in pregnancies (%)	47.8	6 / 13	5 / 9	2 / 4	
Percentage of transfers resulting in live births (%)	39.1	4 / 13	4 / 9	1 / 4	
Percentage of transfers resulting in singleton live births (%)	34.8	3 / 13	4 / 9	1 / 4	
Percentage of transfers resulting in twin live births (%)	4.3	1 / 13	0 / 9	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.8	3 / 13	4 / 9	1 / 4	
Number of Egg or Embryo Banking Cycles					
	17	17	11	10	3
Number of fertility preservation cycles	8	9	3	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	20	9	1	
Number of transfers	0	18	8	1	
Average number of embryos transferred		1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		33.3	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancies (%)		7 / 18	1 / 8	0 / 1	
Percentage of transfers resulting in live births (%)		6 / 18	0 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)		5 / 18	0 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 18	0 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		5 / 18	0 / 8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GAGO IVF BRIGHTON, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laura A. Gago, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	17%	Uterine factor	6%	Multiple Factors: Female factors only 20% Female & male factors 21%
Unstimulated	0%	PGD/PGS	51%	Ovulatory dysfunction	9%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	20%	
				Endometriosis	17%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 191
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	12	2	1	2	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 2	0 / 1	0 / 2	
Number of transfers	8	0	0	0	0
Average number of embryos transferred	1.8				
Percentage of elective single embryo transfers (eSET) (%)	2 / 8				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	4 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	2 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 12	0 / 2	0 / 1	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 13				
Percentage of transfers resulting in pregnancies (%)	6 / 8				
Percentage of transfers resulting in live births (%)	4 / 8				
Percentage of transfers resulting in singleton live births (%)	2 / 8				
Percentage of transfers resulting in twin live births (%)	2 / 8				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8				
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	21	12	4	1
Number of transfers	40	21	12	4	1
Estimated average number of transfers per retrieval	1.2	1.1	0.5	1.0	0.3
Average number of embryos transferred	1.6	1.3	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.5	46.2	5 / 15	3 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.0	57.1	4 / 12	3 / 4	0 / 1
Percentage of transfers resulting in live births (%)	60.0	47.6	3 / 12	3 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	52.5	42.9	1 / 12	3 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.5	4.8	2 / 12	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	42.9	1 / 12	3 / 4	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	30	17	22	3	4
	4	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	4	8	2	
Number of transfers	3	4	8	2	
Average number of embryos transferred	1.3	1.0	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 4	3 / 4	6 / 11	1 / 4	
Percentage of transfers resulting in pregnancies (%)	2 / 3	3 / 4	6 / 8	1 / 2	
Percentage of transfers resulting in live births (%)	1 / 3	2 / 4	6 / 8	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 4	6 / 8	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 4	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 4	5 / 8	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Gago IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David M. Magyar, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 9% Female & male factors 28%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	18%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	5%	
				Endometriosis	11%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 135
(includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	21	19	11	0
Percentage of cancellations before retrieval (%)	14.3	14.3	7 / 19	4 / 11	
Number of transfers	26	11	9	4	0
Average number of embryos transferred	1.8	1.9	2.1	2.5	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 10	0 / 7	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.9	4.8	0 / 19	0 / 11	
Percentage of cycles resulting in live births (%)	20.0	4.8	0 / 19	0 / 11	
Percentage of cycles resulting in singleton live births (%)	14.3	4.8	0 / 19	0 / 11	
Percentage of cycles resulting in twin live births (%)	5.7	0.0	0 / 19	0 / 11	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.3	4.8	0 / 19	0 / 11	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	19.1	4.8	0 / 19	0 / 10	
Percentage of transfers resulting in pregnancies (%)	30.8	1 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in live births (%)	26.9	1 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in singleton live births (%)	19.2	1 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in twin live births (%)	7.7	0 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.2	1 / 11	0 / 9	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	6	3	1	0	0
Number of transfers	6	2	1	0	0
Estimated average number of transfers per retrieval	2.0		1.0	0.0	
Average number of embryos transferred	1.5	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 9	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 6	1 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	3 / 6	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 6	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	1 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	1	1	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	21	7	1	
Number of transfers	0	12	4	1	
Average number of embryos transferred		1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		35.0	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)		6 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)		5 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)		3 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)		2 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 12	0 / 4	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William G. Dodds, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	76%	Tubal factor	16%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 30%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	17%	Male factor	60%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,100
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	285	100	74	32	3
Percentage of cancellations before retrieval (%)	8.1	14.0	23.0	18.8	0 / 3
Number of transfers	195	64	35	15	3
Average number of embryos transferred	2.0	2.1	2.7	3.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	2.7	3.3	0.0	0 / 14	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.3	37.0	21.6	12.5	0 / 3
Percentage of cycles resulting in live births (%)	37.5	31.0	13.5	6.3	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.1	24.0	10.8	6.3	0 / 3
Percentage of cycles resulting in twin live births (%)	16.5	6.0	2.7	0.0	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.9	22.0	8.1	6.3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.4	34.4	18.8	6.7	0 / 8
Percentage of transfers resulting in pregnancies (%)	57.4	57.8	45.7	4 / 15	0 / 3
Percentage of transfers resulting in live births (%)	54.9	48.4	28.6	2 / 15	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.8	37.5	22.9	2 / 15	0 / 3
Percentage of transfers resulting in twin live births (%)	24.1	9.4	5.7	0 / 15	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.2	34.4	17.1	2 / 15	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	257	98	45	15	3
Number of transfers	244	95	40	14	3
Estimated average number of transfers per retrieval	1.7	1.6	1.0	0.6	3.0
Average number of embryos transferred	1.9	2.1	2.6	3.0	2.3
Percentage of embryos transferred resulting in implantation (%)	30.7	30.3	16.8	20.0	0 / 7
Percentage of transfers resulting in pregnancies (%)	47.5	53.7	35.0	6 / 14	0 / 3
Percentage of transfers resulting in live births (%)	40.2	40.0	27.5	4 / 14	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.3	31.6	25.0	1 / 14	0 / 3
Percentage of transfers resulting in twin live births (%)	9.8	8.4	2.5	3 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.6	27.4	20.0	1 / 14	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	38	19	23	14	0
	7	7	5	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	19	4	21	47	
Number of transfers	18	4	21	42	
Average number of embryos transferred	1.8	2.0	1.7	2.2	
Percentage of embryos transferred resulting in implantation (%)	56.3	1 / 6	37.1	33.0	
Percentage of transfers resulting in pregnancies (%)	12 / 18	2 / 4	47.6	54.8	
Percentage of transfers resulting in live births (%)	12 / 18	1 / 4	38.1	42.9	
Percentage of transfers resulting in singleton live births (%)	7 / 18	1 / 4	28.6	28.6	
Percentage of transfers resulting in twin live births (%)	5 / 18	0 / 4	9.5	14.3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 18	1 / 4	28.6	26.2	

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive & IVF Center, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN ROCHESTER HILLS & FLINT, PC ROCHESTER HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mostafa I. Abuzeid, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	73%	Tubal factor	22%	Uterine factor	34%	Multiple Factors: Female factors only 19% Female & male factors 46%
Unstimulated	12%	PGD/PGS	3%	Ovulatory dysfunction	19%	Male factor	58%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	5%	
				Endometriosis	19%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 388
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	129	49	71	15	29
Percentage of cancellations before retrieval (%)	10.9	8.2	36.6	1 / 15	48.3
Number of transfers	105	44	43	11	12
Average number of embryos transferred	1.9	2.0	2.2	2.2	2.8
Percentage of elective single embryo transfers (eSET) (%)	8.3	2.4	2.9	0 / 7	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.5	57.1	35.2	2 / 15	10.3
Percentage of cycles resulting in live births (%)	43.4	42.9	25.4	1 / 15	3.4
Percentage of cycles resulting in singleton live births (%)	27.9	24.5	16.9	0 / 15	3.4
Percentage of cycles resulting in twin live births (%)	15.5	18.4	8.5	1 / 15	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.5	18.4	12.7	0 / 15	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.9	45.7	35.2	9.5	10.3
Percentage of transfers resulting in pregnancies (%)	65.7	63.6	58.1	2 / 11	3 / 12
Percentage of transfers resulting in live births (%)	53.3	47.7	41.9	1 / 11	1 / 12
Percentage of transfers resulting in singleton live births (%)	34.3	27.3	27.9	0 / 11	1 / 12
Percentage of transfers resulting in twin live births (%)	19.0	20.5	14.0	1 / 11	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.6	20.5	20.9	0 / 11	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	21	11	2	4
Number of transfers	40	15	8	2	4
Estimated average number of transfers per retrieval	1.8	2.5	2.0	0.7	0.8
Average number of embryos transferred	1.8	1.7	1.9	2.0	2.8
Percentage of embryos transferred resulting in implantation (%)	49.3	54.5	3 / 15	0 / 2	1 / 11
Percentage of transfers resulting in pregnancies (%)	67.5	10 / 15	2 / 8	1 / 2	1 / 4
Percentage of transfers resulting in live births (%)	57.5	7 / 15	2 / 8	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 15	1 / 8	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	15.0	2 / 15	1 / 8	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	5 / 15	1 / 8	0 / 2	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	3	1	0	1
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: IVF Michigan Rochester Hills & Flint, PC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WAYNE STATE UNIVERSITY PHYSICIAN GROUP
UNIVERSITY WOMEN'S CARE
SOUTHFIELD, MICHIGAN**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Awoniyi O. Awonuga, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	24%	Uterine factor	19%	Multiple Factors: Female factors only 21% Female & male factors 29%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	24%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	22%	
				Endometriosis	8%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 98
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	8	4	2	3
Percentage of cancellations before retrieval (%)	1 / 18	0 / 8	0 / 4	2 / 2	1 / 3
Number of transfers	15	8	3	0	1
Average number of embryos transferred	1.7	2.1	1.7		1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	2 / 8	1 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10 / 18	4 / 8	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	8 / 18	3 / 8	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	6 / 18	2 / 8	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 18	1 / 8	0 / 4	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5 / 18	1 / 8	1 / 4	0 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.0	5 / 16	1 / 5		0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 15	4 / 8	1 / 3		0 / 1
Percentage of transfers resulting in live births (%)	8 / 15	3 / 8	1 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 15	2 / 8	1 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 8	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15	1 / 8	1 / 3		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	17	11	4	2
Number of transfers	11	17	11	4	2
Estimated average number of transfers per retrieval	1.6	2.1	2.8		
Average number of embryos transferred	1.6	1.8	2.2	2.3	2.5
Percentage of embryos transferred resulting in implantation (%)	3 / 17	46.2	8.3	1 / 9	0 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 11	11 / 17	2 / 11	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	2 / 11	8 / 17	1 / 11	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 11	7 / 17	1 / 11	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 17	0 / 11	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 11	6 / 17	0 / 11	0 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	5	3	0	0
	1	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	3	0	
Number of transfers	0	1	3	0	
Average number of embryos transferred		1.0	1.7		
Percentage of embryos transferred resulting in implantation (%)		1 / 1	1 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 1	2 / 3		
Percentage of transfers resulting in live births (%)		1 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	1 / 3		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Wayne State University Physician Group, University Women's Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nicole Budrys, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	5%	Uterine factor	2%	Multiple Factors: Female factors only 0% Female & male factors 26%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	21%	Male factor	65%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	9%	
				Endometriosis	10%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 101
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	9	8	1	2
Percentage of cancellations before retrieval (%)	7.4	0 / 9	2 / 8	1 / 1	0 / 2
Number of transfers	15	4	5	0	1
Average number of embryos transferred	1.7	1.8	2.0		1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	0 / 3	0 / 5		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.0	3 / 9	2 / 8	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	29.6	3 / 9	1 / 8	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	25.9	3 / 9	1 / 8	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3.7	0 / 9	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.5	2 / 9	1 / 8	0 / 1	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.0	3 / 7	2 / 10		0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 15	3 / 4	2 / 5		0 / 1
Percentage of transfers resulting in live births (%)	8 / 15	3 / 4	1 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 15	3 / 4	1 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 4	0 / 5		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15	2 / 4	1 / 5		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	10	4	2	1
Number of transfers	23	9	4	2	1
Estimated average number of transfers per retrieval	1.8	3.0	0.8	2.0	0.5
Average number of embryos transferred	1.5	1.7	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	54.3	7 / 15	2 / 5	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	56.5	5 / 9	2 / 4	1 / 2	1 / 1
Percentage of transfers resulting in live births (%)	47.8	5 / 9	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.4	3 / 9	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	17.4	2 / 9	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.4	2 / 9	1 / 4	1 / 2	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	0	5	1	2
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Henry Ford Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRENDA L. MOSKOVITZ, MD, PC TROY, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brenda L. Moskowitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	20%	Uterine factor	0%	Multiple Factors: Female factors only 30% Female & male factors 25%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	30%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	5%	
				Endometriosis	40%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 20
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	3	5	1	3
Percentage of cancellations before retrieval (%)	0 / 1	1 / 3	0 / 5	0 / 1	1 / 3
Number of transfers	0	1	5	1	1
Average number of embryos transferred		2.0	1.4	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	1 / 3		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1	0 / 3	2 / 5	1 / 1	0 / 3
Percentage of cycles resulting in live births (%)	0 / 1	0 / 3	1 / 5	1 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 1	0 / 3	1 / 5	1 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 3	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 3	0 / 5	1 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 2	2 / 7	1 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)		0 / 1	2 / 5	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)		0 / 1	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	0 / 5	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	3	0	0	0
Number of transfers	4	3	0	0	0
Estimated average number of transfers per retrieval	4.0	3.0			
Average number of embryos transferred	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 5	4 / 6			
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 3			
Percentage of transfers resulting in live births (%)	0 / 4	1 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 3			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 3			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Brenda L. Moskowitz, MD, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Brad T. Miller, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}			
IVF	100%	With ICSI	56%	Tubal factor	15%	Uterine factor	7%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	13%	Male factor	42%
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	33%
				Endometriosis	11%	Unknown factor	9%
				Multiple Factors:			
						Female factors only	21%
						Female & male factors	23%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 649 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	105	45	45	12	26	
Percentage of cancellations before retrieval (%)	4.8	15.6	17.8	6 / 12	19.2	
Number of transfers	89	37	30	6	20	
Average number of embryos transferred	1.7	1.9	2.1	2.5	2.1	
Percentage of elective single embryo transfers (eSET) (%)	38.1	11.4	3.8	0 / 5	0 / 13	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	48.6	44.4	24.4	2 / 12	3.8	
Percentage of cycles resulting in live births (%)	41.0	33.3	15.6	2 / 12	0.0	
Percentage of cycles resulting in singleton live births (%)	29.5	24.4	8.9	2 / 12	0.0	
Percentage of cycles resulting in twin live births (%)	11.4	8.9	6.7	0 / 12	0.0	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.7	24.4	6.7	2 / 12	0.0	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	44.8	40.3	23.7	2 / 15	2.4	
Percentage of transfers resulting in pregnancies (%)	57.3	54.1	36.7	2 / 6	5.0	
Percentage of transfers resulting in live births (%)	48.3	40.5	23.3	2 / 6	0.0	
Percentage of transfers resulting in singleton live births (%)	34.8	29.7	13.3	2 / 6	0.0	
Percentage of transfers resulting in twin live births (%)	13.5	10.8	10.0	0 / 6	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.3	29.7	10.0	2 / 6	0.0	
Frozen Embryos from Nondonor Eggs						
Number of cycles	85	52	44	18	3	
Number of transfers	82	46	39	11	3	
Estimated average number of transfers per retrieval	0.9	1.4	1.1	1.0	0.4	
Average number of embryos transferred	1.4	1.3	1.6	1.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	60.3	50.9	39.6	9 / 14	0 / 8	
Percentage of transfers resulting in pregnancies (%)	70.7	63.0	56.4	8 / 11	1 / 3	
Percentage of transfers resulting in live births (%)	51.2	50.0	30.8	5 / 11	0 / 3	
Percentage of transfers resulting in singleton live births (%)	40.2	47.8	25.6	4 / 11	0 / 3	
Percentage of transfers resulting in twin live births (%)	11.0	2.2	5.1	1 / 11	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.1	41.3	23.1	4 / 11	0 / 3	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	61	26	19	11	7	
	7	6	3	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	29	12	43	3		
Number of transfers	27	10	41	3		
Average number of embryos transferred	1.6	1.8	1.5	1.3		
Percentage of embryos transferred resulting in implantation (%)	55.0	4 / 18	37.7	0 / 4		
Percentage of transfers resulting in pregnancies (%)	63.0	3 / 10	56.1	0 / 3		
Percentage of transfers resulting in live births (%)	55.6	3 / 10	36.6	0 / 3		
Percentage of transfers resulting in singleton live births (%)	33.3	2 / 10	36.6	0 / 3		
Percentage of transfers resulting in twin live births (%)	22.2	1 / 10	0.0	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	2 / 10	19.5	0 / 3		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Medicine Associates of Michigan					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	<1%	Multiple Factors: Female factors only 4% Female & male factors 11%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	16%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	7%	
				Endometriosis	3%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 264
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	58	12	10	4	4
Percentage of cancellations before retrieval (%)	6.9	0 / 12	3 / 10	2 / 4	2 / 4
Number of transfers	40	9	3	2	0
Average number of embryos transferred	1.5	2.1	1.7	1.5	
Percentage of elective single embryo transfers (eSET) (%)	51.4	0 / 9	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.7	4 / 12	3 / 10	0 / 4	0 / 4
Percentage of cycles resulting in live births (%)	36.2	4 / 12	2 / 10	0 / 4	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.3	4 / 12	1 / 10	0 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	6.9	0 / 12	1 / 10	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.1	3 / 12	1 / 10	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.4	4 / 19	4 / 5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	57.5	4 / 9	3 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	52.5	4 / 9	2 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	42.5	4 / 9	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 9	1 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	3 / 9	1 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	42	21	21	7	6
Number of transfers	41	21	20	7	6
Estimated average number of transfers per retrieval	1.3	1.0	1.4	0.7	1.2
Average number of embryos transferred	1.6	1.4	1.3	1.1	1.3
Percentage of embryos transferred resulting in implantation (%)	54.8	51.7	48.0	5 / 8	3 / 8
Percentage of transfers resulting in pregnancies (%)	70.7	66.7	60.0	4 / 7	3 / 6
Percentage of transfers resulting in live births (%)	56.1	57.1	50.0	4 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	43.9	52.4	50.0	4 / 7	1 / 6
Percentage of transfers resulting in twin live births (%)	12.2	4.8	0.0	0 / 7	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.6	38.1	35.0	4 / 7	0 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	16	13	8	3
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	0	13	0	
Number of transfers	12	0	13	0	
Average number of embryos transferred	1.3		1.5		
Percentage of embryos transferred resulting in implantation (%)	10 / 15		14 / 19		
Percentage of transfers resulting in pregnancies (%)	8 / 12		10 / 13		
Percentage of transfers resulting in live births (%)	5 / 12		10 / 13		
Percentage of transfers resulting in singleton live births (%)	3 / 12		6 / 13		
Percentage of transfers resulting in twin live births (%)	2 / 12		4 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 12		5 / 13		

CURRENT SERVICES & PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CCRM MINNEAPOLIS EDINA, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by April E. Batcheller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 16%
Unstimulated	0%	PGD/PGS	48%	Ovulatory dysfunction	13%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	32%	
				Endometriosis	8%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 425
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	7	13	5	6
Percentage of cancellations before retrieval (%)	3.0	1 / 7	6 / 13	1 / 5	0 / 6
Number of transfers	18	3	3	0	0
Average number of embryos transferred	1.7	1.7	2.3		
Percentage of elective single embryo transfers (eSET) (%)	6 / 18	0 / 2	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.4	2 / 7	1 / 13	0 / 5	0 / 6
Percentage of cycles resulting in live births (%)	36.4	1 / 7	1 / 13	0 / 5	0 / 6
Percentage of cycles resulting in singleton live births (%)	21.2	0 / 7	1 / 13	0 / 5	0 / 6
Percentage of cycles resulting in twin live births (%)	15.2	1 / 7	0 / 13	0 / 5	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	0 / 7	1 / 13	0 / 5	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	60.0	3 / 5	1 / 7		
Percentage of transfers resulting in pregnancies (%)	13 / 18	2 / 3	1 / 3		
Percentage of transfers resulting in live births (%)	12 / 18	1 / 3	1 / 3		
Percentage of transfers resulting in singleton live births (%)	7 / 18	0 / 3	1 / 3		
Percentage of transfers resulting in twin live births (%)	5 / 18	1 / 3	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 18	0 / 3	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of cycles	60	30	28	5	1
Number of transfers	56	27	26	5	1
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.1	0.0
Average number of embryos transferred	1.3	1.2	1.1	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	64.8	80.6	66.7	2 / 5	1 / 2
Percentage of transfers resulting in pregnancies (%)	75.0	88.9	65.4	2 / 5	1 / 1
Percentage of transfers resulting in live births (%)	62.5	77.8	46.2	1 / 5	1 / 1
Percentage of transfers resulting in singleton live births (%)	55.4	70.4	46.2	1 / 5	1 / 1
Percentage of transfers resulting in twin live births (%)	7.1	7.4	0.0	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.6	63.0	30.8	0 / 5	1 / 1
Number of Egg or Embryo Banking Cycles					
	61	46	46	33	23
Number of fertility preservation cycles	6	6	4	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	5	13	0	
Number of transfers	7	3	12	0	
Average number of embryos transferred	1.9	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	8 / 13	2 / 6	12 / 16		
Percentage of transfers resulting in pregnancies (%)	5 / 7	1 / 3	10 / 12		
Percentage of transfers resulting in live births (%)	4 / 7	0 / 3	8 / 12		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	7 / 12		
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 3	1 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	0 / 3	7 / 12		

CURRENT SERVICES & PROFILE

Current Name: CCRM Minneapolis

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randle S. Corfman, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	7%	Uterine factor	4%	Multiple Factors: Female factors only 8% Female & male factors 16%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	68%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	2%	Other factor	8%	
				Endometriosis	8%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 250
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	34	18	3	1
Percentage of cancellations before retrieval (%)	1.1	11.8	2 / 18	0 / 3	0 / 1
Number of transfers	83	30	16	3	1
Average number of embryos transferred	1.8	1.7	1.9	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	13.5	24.1	0 / 14	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.6	47.1	7 / 18	2 / 3	1 / 1
Percentage of cycles resulting in live births (%)	47.1	38.2	6 / 18	1 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	29.9	20.6	5 / 18	1 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	16.1	17.6	1 / 18	0 / 3	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.7	11.8	4 / 18	1 / 3	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.8	41.7	26.7	2 / 6	
Percentage of transfers resulting in pregnancies (%)	53.0	53.3	7 / 16	2 / 3	1 / 1
Percentage of transfers resulting in live births (%)	49.4	43.3	6 / 16	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.3	23.3	5 / 16	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	16.9	20.0	1 / 16	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.1	13.3	4 / 16	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	37	12	10	0	2
Number of transfers	34	11	10	0	2
Estimated average number of transfers per retrieval	1.8	2.8	3.3		
Average number of embryos transferred	1.4	1.4	1.2		1.5
Percentage of embryos transferred resulting in implantation (%)	41.9	3 / 15	5 / 10		0 / 3
Percentage of transfers resulting in pregnancies (%)	50.0	3 / 11	6 / 10		0 / 2
Percentage of transfers resulting in live births (%)	41.2	3 / 11	2 / 10		0 / 2
Percentage of transfers resulting in singleton live births (%)	35.3	3 / 11	2 / 10		0 / 2
Percentage of transfers resulting in twin live births (%)	5.9	0 / 11	0 / 10		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.4	3 / 11	2 / 10		0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	21	0	17	3	
Number of transfers	20	0	14	3	
Average number of embryos transferred	1.8		1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	68.8		27.3	1 / 6	
Percentage of transfers resulting in pregnancies (%)	75.0		6 / 14	1 / 3	
Percentage of transfers resulting in live births (%)	65.0		6 / 14	1 / 3	
Percentage of transfers resulting in singleton live births (%)	30.0		6 / 14	1 / 3	
Percentage of transfers resulting in twin live births (%)	35.0		0 / 14	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0		6 / 14	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: The Midwest Center for Reproductive Health, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE ADVANCED REPRODUCTIVE TECHNOLOGIES MINNEAPOLIS, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Colleen L. Casey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	12%	Uterine factor	5%	Multiple Factors: Female factors only 15% Female & male factors 15%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	17%	Male factor	33%	
Used gestational carrier	3%			Diminished ovarian reserve	24%	Other factor	22%	
				Endometriosis	8%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,531
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	351	134	95	41	18
Percentage of cancellations before retrieval (%)	4.6	8.2	13.7	7.3	3 / 18
Number of transfers	293	102	59	23	8
Average number of embryos transferred	1.4	1.6	1.7	1.6	2.0
Percentage of elective single embryo transfers (eSET) (%)	54.5	27.4	13.0	3 / 14	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	51.6	35.1	21.1	9.8	0 / 18
Percentage of cycles resulting in live births (%)	46.2	28.4	14.7	9.8	0 / 18
Percentage of cycles resulting in singleton live births (%)	35.3	22.4	10.5	9.8	0 / 18
Percentage of cycles resulting in twin live births (%)	10.5	6.0	4.2	0.0	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	32.5	19.4	8.4	7.3	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.3	37.0	21.9	10.8	0 / 16
Percentage of transfers resulting in pregnancies (%)	61.8	46.1	33.9	17.4	0 / 8
Percentage of transfers resulting in live births (%)	55.3	37.3	23.7	17.4	0 / 8
Percentage of transfers resulting in singleton live births (%)	42.3	29.4	16.9	17.4	0 / 8
Percentage of transfers resulting in twin live births (%)	12.6	7.8	6.8	0.0	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.9	25.5	13.6	13.0	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	242	121	98	35	14
Number of transfers	234	116	93	33	12
Estimated average number of transfers per retrieval	1.7	1.8	1.4	0.9	0.5
Average number of embryos transferred	1.4	1.3	1.3	1.4	1.9
Percentage of embryos transferred resulting in implantation (%)	65.3	53.1	55.1	46.3	28.6
Percentage of transfers resulting in pregnancies (%)	76.1	64.7	64.5	57.6	5 / 12
Percentage of transfers resulting in live births (%)	67.5	55.2	50.5	39.4	4 / 12
Percentage of transfers resulting in singleton live births (%)	53.4	48.3	44.1	33.3	3 / 12
Percentage of transfers resulting in twin live births (%)	13.7	6.9	6.5	6.1	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.1	42.2	36.6	27.3	2 / 12
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	60	34	54	28	21
	19	4	8	0	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	79	15	83	3	
Number of transfers	69	15	79	2	
Average number of embryos transferred	1.3	1.3	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	68.2	65.0	51.0	1 / 2	
Percentage of transfers resulting in pregnancies (%)	78.3	10 / 15	64.6	1 / 2	
Percentage of transfers resulting in live births (%)	69.6	8 / 15	50.6	1 / 2	
Percentage of transfers resulting in singleton live births (%)	59.4	7 / 15	44.3	1 / 2	
Percentage of transfers resulting in twin live births (%)	10.1	1 / 15	6.3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	50.7	6 / 15	36.7	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles C. Coddington, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 11%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	29%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	16%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 518
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	112	37	30	6	4
Percentage of cancellations before retrieval (%)	8.0	8.1	23.3	2 / 6	1 / 4
Number of transfers	66	29	21	3	3
Average number of embryos transferred	1.3	1.5	2.0	2.0	2.7
Percentage of elective single embryo transfers (eSET) (%)	71.9	51.9	1 / 18	0 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.1	29.7	30.0	2 / 6	0 / 4
Percentage of cycles resulting in live births (%)	28.6	21.6	20.0	1 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	25.0	21.6	16.7	1 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	3.6	0.0	3.3	0 / 6	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.5	21.6	16.7	1 / 6	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.8	27.3	21.1	3 / 6	0 / 8
Percentage of transfers resulting in pregnancies (%)	54.5	37.9	42.9	2 / 3	0 / 3
Percentage of transfers resulting in live births (%)	48.5	27.6	28.6	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	42.4	27.6	23.8	1 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	6.1	0.0	4.8	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.8	27.6	23.8	1 / 3	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	146	35	24	7	7
Number of transfers	136	32	22	7	4
Estimated average number of transfers per retrieval	1.7	0.8	1.0	0.7	1.3
Average number of embryos transferred	1.3	1.5	1.4	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	50.6	25.6	34.5	3 / 14	2 / 5
Percentage of transfers resulting in pregnancies (%)	61.0	40.6	45.5	2 / 7	2 / 4
Percentage of transfers resulting in live births (%)	52.9	25.0	40.9	2 / 7	2 / 4
Percentage of transfers resulting in singleton live births (%)	45.6	25.0	36.4	1 / 7	2 / 4
Percentage of transfers resulting in twin live births (%)	7.4	0.0	4.5	1 / 7	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.6	25.0	31.8	1 / 7	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	33	23	16	8	3
	11	8	3	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	10	12	0	
Number of transfers	2	9	12	0	
Average number of embryos transferred	1.5	1.2	1.1		
Percentage of embryos transferred resulting in implantation (%)	3 / 3	9 / 11	8 / 13		
Percentage of transfers resulting in pregnancies (%)	2 / 2	6 / 9	8 / 12		
Percentage of transfers resulting in live births (%)	2 / 2	6 / 9	8 / 12		
Percentage of transfers resulting in singleton live births (%)	1 / 2	4 / 9	8 / 12		
Percentage of transfers resulting in twin live births (%)	1 / 2	2 / 9	0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	3 / 9	5 / 12		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Mayo Clinic Assisted Reproductive Technologies

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jacques P. Stassart, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	13%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 42%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	21%	Male factor	66%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	23%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 798
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	246	100	57	26	7
Percentage of cancellations before retrieval (%)	1.2	4.0	3.5	19.2	1 / 7
Number of transfers	234	91	49	20	5
Average number of embryos transferred	1.6	1.9	2.4	3.0	2.2
Percentage of elective single embryo transfers (eSET) (%)	37.5	8.1	4.4	0 / 18	2 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.3	51.0	35.1	26.9	2 / 7
Percentage of cycles resulting in live births (%)	43.9	37.0	28.1	11.5	0 / 7
Percentage of cycles resulting in singleton live births (%)	35.4	26.0	19.3	7.7	0 / 7
Percentage of cycles resulting in twin live births (%)	8.1	11.0	7.0	3.8	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.5	20.0	12.3	7.7	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.0	36.3	23.7	14.5	2 / 11
Percentage of transfers resulting in pregnancies (%)	56.0	56.0	40.8	35.0	2 / 5
Percentage of transfers resulting in live births (%)	46.2	40.7	32.7	15.0	0 / 5
Percentage of transfers resulting in singleton live births (%)	37.2	28.6	22.4	10.0	0 / 5
Percentage of transfers resulting in twin live births (%)	8.5	12.1	8.2	5.0	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	22.0	14.3	10.0	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	128	76	13	12	3
Number of transfers	122	73	13	11	3
Estimated average number of transfers per retrieval	1.3	1.4	1.2	1.8	3.0
Average number of embryos transferred	1.5	1.6	1.5	1.8	1.3
Percentage of embryos transferred resulting in implantation (%)	29.8	32.7	6 / 16	10.0	2 / 4
Percentage of transfers resulting in pregnancies (%)	43.4	43.8	7 / 13	2 / 11	2 / 3
Percentage of transfers resulting in live births (%)	34.4	35.6	5 / 13	1 / 11	1 / 3
Percentage of transfers resulting in singleton live births (%)	29.5	26.0	5 / 13	1 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)	4.9	9.6	0 / 13	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.0	19.2	4 / 13	1 / 11	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	14	4	1	0
	2	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	48	4	35	1	
Number of transfers	45	2	34	1	
Average number of embryos transferred	1.6	1.5	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.4	0 / 3	19.1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.8	0 / 2	26.5	0 / 1	
Percentage of transfers resulting in live births (%)	44.4	0 / 2	14.7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.1	0 / 2	11.8	0 / 1	
Percentage of transfers resulting in twin live births (%)	13.3	0 / 2	2.9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.4	0 / 2	11.8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC FLOWOOD, MISSISSIPPI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randall S. Hines, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	17%	Multiple Factors: Female factors only 15% Female & male factors 14%
Unstimulated	0%	PGD/PGS	78%	Ovulatory dysfunction	15%	Male factor	22%	
Used gestational carrier	3%			Diminished ovarian reserve	16%	Other factor	7%	
				Endometriosis	33%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 237
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	2	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 2			
Number of transfers	1	2	0	0	0
Average number of embryos transferred	2.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	2 / 2			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1	0 / 2			
Percentage of cycles resulting in live births (%)	1 / 1	0 / 2			
Percentage of cycles resulting in singleton live births (%)	1 / 1	0 / 2			
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 2			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 2			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 2			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of cycles	52	21	7	4	1
Number of transfers	48	19	6	4	1
Estimated average number of transfers per retrieval	0.8	0.6	0.7	0.5	0.1
Average number of embryos transferred	1.2	1.2	1.0	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	45.0	3 / 6	3 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	11 / 19	3 / 6	3 / 4	0 / 1
Percentage of transfers resulting in live births (%)	56.3	7 / 19	2 / 6	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	56.3	7 / 19	2 / 6	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 19	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.8	5 / 19	2 / 6	0 / 4	0 / 1
Number of Egg or Embryo Banking Cycles					
	60	30	9	8	8
Number of fertility preservation cycles	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	31	3	
Number of transfers	0	0	27	3	
Average number of embryos transferred			1.0	1.3	
Percentage of embryos transferred resulting in implantation (%)			73.1	2 / 4	
Percentage of transfers resulting in pregnancies (%)			70.4	1 / 3	
Percentage of transfers resulting in live births (%)			51.9	1 / 3	
Percentage of transfers resulting in singleton live births (%)			51.9	0 / 3	
Percentage of transfers resulting in twin live births (%)			0.0	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			37.0	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Mississippi Reproductive Medicine, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF MISSISSIPPI MEDICAL CENTER
FLOWOOD, MISSISSIPPI**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John D. Isaacs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	33%	Uterine factor	10%	Multiple Factors: Female factors only 20% Female & male factors 16%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	9%	Male factor	33%	
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	4%	
				Endometriosis	23%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	53	26	16	2	0
Percentage of cancellations before retrieval (%)	1.9	11.5	3 / 16	1 / 2	
Number of transfers	43	17	11	0	0
Average number of embryos transferred	1.3	1.8	2.0		
Percentage of elective single embryo transfers (eSET) (%)	56.7	2 / 14	1 / 9		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.5	30.8	2 / 16	0 / 2	
Percentage of cycles resulting in live births (%)	24.5	26.9	1 / 16	0 / 2	
Percentage of cycles resulting in singleton live births (%)	18.9	19.2	1 / 16	0 / 2	
Percentage of cycles resulting in twin live births (%)	5.7	7.7	0 / 16	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.2	19.2	1 / 16	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.6	31.0	4.8		
Percentage of transfers resulting in pregnancies (%)	30.2	8 / 17	2 / 11		
Percentage of transfers resulting in live births (%)	30.2	7 / 17	1 / 11		
Percentage of transfers resulting in singleton live births (%)	23.3	5 / 17	1 / 11		
Percentage of transfers resulting in twin live births (%)	7.0	2 / 17	0 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.3	5 / 17	1 / 11		
Frozen Embryos from Nondonor Eggs					
Number of cycles	39	14	5	0	2
Number of transfers	38	13	4	0	2
Estimated average number of transfers per retrieval	2.0	1.6	1.3		2.0
Average number of embryos transferred	1.4	1.5	1.0		2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	3 / 19	1 / 4		2 / 4
Percentage of transfers resulting in pregnancies (%)	55.3	3 / 13	1 / 4		1 / 2
Percentage of transfers resulting in live births (%)	47.4	1 / 13	1 / 4		1 / 2
Percentage of transfers resulting in singleton live births (%)	36.8	1 / 13	1 / 4		0 / 2
Percentage of transfers resulting in twin live births (%)	10.5	0 / 13	0 / 4		1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.9	1 / 13	1 / 4		0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	3	0	0	1
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	16	11	
Number of transfers	9	0	15	11	
Average number of embryos transferred	1.2		1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	8 / 10		19.0	25.0	
Percentage of transfers resulting in pregnancies (%)	6 / 9		4 / 15	4 / 11	
Percentage of transfers resulting in live births (%)	4 / 9		4 / 15	3 / 11	
Percentage of transfers resulting in singleton live births (%)	3 / 9		4 / 15	2 / 11	
Percentage of transfers resulting in twin live births (%)	0 / 9		0 / 15	1 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9		4 / 15	0 / 11	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: University of Mississippi Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY CENTER OF ST. LOUIS CHESTERFIELD, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sherman J. Silber, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	95%	Tubal factor	10%	Uterine factor	10%	Multiple Factors: Female factors only 19% Female & male factors 19%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	23%	Male factor	34%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	15%	
				Endometriosis	3%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 970
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	85	20	14	5	5
Percentage of cancellations before retrieval (%)	4.7	10.0	1 / 14	0 / 5	0 / 5
Number of transfers	61	15	8	5	5
Average number of embryos transferred	1.9	1.7	1.8	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	3.4	2 / 13	0 / 6	0 / 4	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.5	30.0	2 / 14	1 / 5	0 / 5
Percentage of cycles resulting in live births (%)	34.1	20.0	1 / 14	0 / 5	0 / 5
Percentage of cycles resulting in singleton live births (%)	23.5	20.0	1 / 14	0 / 5	0 / 5
Percentage of cycles resulting in twin live births (%)	10.6	0.0	0 / 14	0 / 5	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.5	20.0	1 / 14	0 / 5	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.2	20.8	2 / 14	0 / 8	0 / 15
Percentage of transfers resulting in pregnancies (%)	50.8	6 / 15	2 / 8	1 / 5	0 / 5
Percentage of transfers resulting in live births (%)	47.5	4 / 15	1 / 8	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births (%)	32.8	4 / 15	1 / 8	0 / 5	0 / 5
Percentage of transfers resulting in twin live births (%)	14.8	0 / 15	0 / 8	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.0	4 / 15	1 / 8	0 / 5	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	156	58	69	19	51
Number of transfers	140	49	57	14	43
Estimated average number of transfers per retrieval	1.1	0.8	0.7	0.2	0.3
Average number of embryos transferred	1.8	1.8	1.9	2.1	2.4
Percentage of embryos transferred resulting in implantation (%)	35.4	35.4	24.5	25.0	8.7
Percentage of transfers resulting in pregnancies (%)	48.6	51.0	45.6	7 / 14	18.6
Percentage of transfers resulting in live births (%)	42.1	40.8	29.8	4 / 14	11.6
Percentage of transfers resulting in singleton live births (%)	30.0	28.6	26.3	3 / 14	11.6
Percentage of transfers resulting in twin live births (%)	12.1	12.2	3.5	1 / 14	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.1	24.5	21.1	2 / 14	9.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	102	55	73	63	137
	8	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	3	38	0	
Number of transfers	11	1	33	0	
Average number of embryos transferred	2.0	2.0	1.9		
Percentage of embryos transferred resulting in implantation (%)	35.0	0 / 2	47.2		
Percentage of transfers resulting in pregnancies (%)	5 / 11	0 / 1	54.5		
Percentage of transfers resulting in live births (%)	4 / 11	0 / 1	30.3		
Percentage of transfers resulting in singleton live births (%)	2 / 11	0 / 1	15.2		
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 1	12.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 11	0 / 1	15.2		

CURRENT SERVICES & PROFILE

Current Name: Infertility Center of St. Louis

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE CHESTERFIELD, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter Ahlering, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	95%	Tubal factor	5%	Uterine factor	7%	Multiple Factors: Female factors only 24% Female & male factors 12%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	30%	Male factor	19%	
Used gestational carrier	4%			Diminished ovarian reserve	15%	Other factor	41%	
				Endometriosis	7%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 790
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	10	6	5	2
Percentage of cancellations before retrieval (%)	0.0	0 / 10	0 / 6	0 / 5	0 / 2
Number of transfers	20	9	6	5	2
Average number of embryos transferred	2.2	2.0	2.0	1.8	1.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	1 / 8	0 / 6	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	68.2	2 / 10	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	68.2	2 / 10	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	40.9	2 / 10	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	27.3	0 / 10	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.3	2 / 10	0 / 6	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.5	2 / 18	1 / 12	0 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	75.0	2 / 9	1 / 6	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	75.0	2 / 9	1 / 6	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	45.0	2 / 9	1 / 6	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	30.0	0 / 9	0 / 6	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	2 / 9	0 / 6	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	138	58	30	8	4
Number of transfers	137	57	29	8	4
Estimated average number of transfers per retrieval	0.6	0.7	0.4	0.2	0.1
Average number of embryos transferred	1.5	1.6	1.4	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	60.8	40.2	58.1	3 / 10	1 / 3
Percentage of transfers resulting in pregnancies (%)	65.0	50.9	55.2	3 / 8	1 / 4
Percentage of transfers resulting in live births (%)	59.9	45.6	55.2	3 / 8	1 / 4
Percentage of transfers resulting in singleton live births (%)	43.1	36.8	51.7	3 / 8	1 / 4
Percentage of transfers resulting in twin live births (%)	16.8	8.8	3.4	0 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.9	26.3	34.5	0 / 8	1 / 4
Number of Egg or Embryo Banking Cycles					
	232	77	70	47	34
Number of fertility preservation cycles	8	0	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	18	19	4	
Number of transfers	3	15	19	4	
Average number of embryos transferred	2.0	1.9	1.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 6	29.6	48.0	3 / 6	
Percentage of transfers resulting in pregnancies (%)	2 / 3	8 / 15	11 / 19	2 / 4	
Percentage of transfers resulting in live births (%)	1 / 3	7 / 15	7 / 19	2 / 4	
Percentage of transfers resulting in singleton live births (%)	0 / 3	6 / 15	4 / 19	1 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 15	3 / 19	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	3 / 15	4 / 19	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Missouri Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gilbert B. Wilshire, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 7% Female & male factors 35%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	12%	Male factor	62%	
Used gestational carrier	5%			Diminished ovarian reserve	27%	Other factor	3%	
				Endometriosis	21%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 179
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	17	13	5	0
Percentage of cancellations before retrieval (%)	0.0	3 / 17	2 / 13	1 / 5	
Number of transfers	36	14	8	4	0
Average number of embryos transferred	1.8	2.0	1.8	2.3	
Percentage of elective single embryo transfers (eSET) (%)	29.4	2 / 13	0 / 6	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	5 / 17	3 / 13	2 / 5	
Percentage of cycles resulting in live births (%)	35.6	4 / 17	3 / 13	2 / 5	
Percentage of cycles resulting in singleton live births (%)	24.4	2 / 17	3 / 13	2 / 5	
Percentage of cycles resulting in twin live births (%)	11.1	2 / 17	0 / 13	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.4	1 / 17	1 / 13	2 / 5	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.3	25.0	3 / 14	2 / 9	
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 14	3 / 8	2 / 4	
Percentage of transfers resulting in live births (%)	44.4	4 / 14	3 / 8	2 / 4	
Percentage of transfers resulting in singleton live births (%)	30.6	2 / 14	3 / 8	2 / 4	
Percentage of transfers resulting in twin live births (%)	13.9	2 / 14	0 / 8	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.6	1 / 14	1 / 8	2 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	37	8	9	1	0
Number of transfers	36	8	7	1	0
Estimated average number of transfers per retrieval	1.2	1.3	1.0		
Average number of embryos transferred	1.6	1.5	2.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	34.5	6 / 12	4 / 15	0 / 1	
Percentage of transfers resulting in pregnancies (%)	44.4	5 / 8	3 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	41.7	5 / 8	3 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.1	4 / 8	3 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.6	1 / 8	0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	3 / 8	3 / 7	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	4	5	0	0
	5	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	15	1	
Number of transfers	3	0	15	1	
Average number of embryos transferred	1.7		1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		28.6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 3		6 / 15	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		4 / 15	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		4 / 15	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3		0 / 15	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		2 / 15	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
UNIVERSITY OF MISSOURI
COLUMBIA, MISSOURI**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Danny J. Schust, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	32%	Tubal factor	32%	Uterine factor	11%	Multiple Factors: Female factors only 5% Female & male factors 21%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	5%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	26%	
				Endometriosis	5%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 19
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	7	4	2	0
Percentage of cancellations before retrieval (%)	0 / 6	0 / 7	0 / 4	0 / 2	
Number of transfers	5	4	3	1	0
Average number of embryos transferred	1.8	2.0	2.0	3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 6	1 / 7	0 / 4	1 / 2	
Percentage of cycles resulting in live births (%)	1 / 6	0 / 7	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 6	0 / 7	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 7	0 / 4	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 7	0 / 4	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 9	1 / 6	0 / 6	3 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 5	1 / 4	0 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 5	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 4	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility, University of Missouri

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS KANSAS CITY, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory C. Starks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	24%	Uterine factor	4%	Multiple Factors: Female factors only 23% Female & male factors 41%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	29%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	7%	
				Endometriosis	30%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 127
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	19	5	1	0
Percentage of cancellations before retrieval (%)	18.6	6 / 19	3 / 5	0 / 1	
Number of transfers	26	13	1	1	0
Average number of embryos transferred	1.9	1.8	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	4.2	0 / 11	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.2	7 / 19	1 / 5	1 / 1	
Percentage of cycles resulting in live births (%)	41.9	6 / 19	1 / 5	1 / 1	
Percentage of cycles resulting in singleton live births (%)	32.6	5 / 19	1 / 5	1 / 1	
Percentage of cycles resulting in twin live births (%)	9.3	0 / 19	0 / 5	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.9	5 / 19	1 / 5	1 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.0	41.7	1 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)	73.1	7 / 13	1 / 1	1 / 1	
Percentage of transfers resulting in live births (%)	69.2	6 / 13	1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	53.8	5 / 13	1 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	15.4	0 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.2	5 / 13	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	11	3	0	0
Number of transfers	11	8	2	0	0
Estimated average number of transfers per retrieval	1.1	2.7	0.7		
Average number of embryos transferred	1.6	1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)	9 / 16	4 / 13	1 / 3		
Percentage of transfers resulting in pregnancies (%)	8 / 11	4 / 8	1 / 2		
Percentage of transfers resulting in live births (%)	7 / 11	3 / 8	1 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 11	2 / 8	1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 11	1 / 8	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 11	1 / 8	1 / 2		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	1	3	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	12	6	0	
Number of transfers	0	10	5	0	
Average number of embryos transferred		1.7	1.4		
Percentage of embryos transferred resulting in implantation (%)		6 / 17	1 / 7		
Percentage of transfers resulting in pregnancies (%)		5 / 10	1 / 5		
Percentage of transfers resulting in live births (%)		5 / 10	0 / 5		
Percentage of transfers resulting in singleton live births (%)		4 / 10	0 / 5		
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 10	0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP SAINT PETERS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David E. Simckes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	93%	Tubal factor	21%	Uterine factor	9%	Multiple Factors: Female factors only 23% Female & male factors 19%
Unstimulated	1%	PGD/PGS	13%	Ovulatory dysfunction	21%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	19%	
				Endometriosis	16%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 177
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	15	10	4	1
Percentage of cancellations before retrieval (%)	2.6	0 / 15	2 / 10	0 / 4	1 / 1
Number of transfers	28	12	3	3	0
Average number of embryos transferred	1.6	1.8	2.7	2.0	
Percentage of elective single embryo transfers (eSET) (%)	32.0	1 / 11	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	6 / 15	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	33.3	5 / 15	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.8	4 / 15	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	2.6	1 / 15	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.1	0 / 15	0 / 10	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.6	31.8	1 / 8	0 / 6	
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 12	1 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	46.4	5 / 12	1 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	42.9	4 / 12	1 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	3.6	1 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	0 / 12	0 / 3	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	19	9	8	6
Number of transfers	26	14	8	5	6
Estimated average number of transfers per retrieval	1.1	1.3	1.6	1.3	6.0
Average number of embryos transferred	1.9	1.8	1.5	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	32.7	52.0	5 / 12	4 / 7	4 / 8
Percentage of transfers resulting in pregnancies (%)	53.8	11 / 14	4 / 8	3 / 5	4 / 6
Percentage of transfers resulting in live births (%)	42.3	10 / 14	4 / 8	3 / 5	4 / 6
Percentage of transfers resulting in singleton live births (%)	34.6	9 / 14	3 / 8	2 / 5	4 / 6
Percentage of transfers resulting in twin live births (%)	7.7	1 / 14	1 / 8	1 / 5	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.1	5 / 14	1 / 8	1 / 5	4 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	7	4	3	1
	2	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	2	2	
Number of transfers	2	1	2	2	
Average number of embryos transferred	1.5	2.0	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 3	0 / 2	1 / 3	1 / 4	
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1	1 / 2	1 / 2	
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1	1 / 2	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1	1 / 2	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 1	0 / 2	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Fertility Partnership

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY ST. LOUIS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Saji Jacob, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	96%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 36% Female & male factors 18%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	13%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	27%	
				Endometriosis	33%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 68
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	8	2	0	2
Percentage of cancellations before retrieval (%)	0 / 14	2 / 8	0 / 2		0 / 2
Number of transfers	13	5	2	0	2
Average number of embryos transferred	1.8	2.0	2.0		2.5
Percentage of elective single embryo transfers (eSET) (%)	2 / 12	0 / 5	0 / 2		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10 / 14	3 / 8	2 / 2		0 / 2
Percentage of cycles resulting in live births (%)	9 / 14	2 / 8	1 / 2		0 / 2
Percentage of cycles resulting in singleton live births (%)	6 / 14	0 / 8	0 / 2		0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 14	2 / 8	0 / 2		0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 14	0 / 8	0 / 2		0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	61.9	6 / 10	5 / 4		0 / 5
Percentage of transfers resulting in pregnancies (%)	10 / 13	3 / 5	2 / 2		0 / 2
Percentage of transfers resulting in live births (%)	9 / 13	2 / 5	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 13	0 / 5	0 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 13	2 / 5	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	0 / 5	0 / 2		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	4	0	2	1
Number of transfers	4	3	0	1	1
Estimated average number of transfers per retrieval	0.3	0.8	0.0	0.3	0.3
Average number of embryos transferred	1.8	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 7	0 / 4		0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 4	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	0 / 3		0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	3	1	4	2
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	6	0	0	
Number of transfers	1	5	0	0	
Average number of embryos transferred	2.0	1.8			
Percentage of embryos transferred resulting in implantation (%)	0 / 2	3 / 9			
Percentage of transfers resulting in pregnancies (%)	0 / 1	3 / 5			
Percentage of transfers resulting in live births (%)	0 / 1	3 / 5			
Percentage of transfers resulting in singleton live births (%)	0 / 1	3 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	3 / 5			

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine & Robotic Surgery

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randall R. Odem, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 9% Female & male factors 12%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	21%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	11%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 834
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	250	125	60	27	12
Percentage of cancellations before retrieval (%)	6.8	12.8	11.7	3.7	0 / 12
Number of transfers	206	102	47	23	10
Average number of embryos transferred	1.7	1.8	2.4	3.0	2.8
Percentage of elective single embryo transfers (eSET) (%)	26.2	16.1	4.7	0 / 18	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.0	39.2	38.3	33.3	2 / 12
Percentage of cycles resulting in live births (%)	41.6	29.6	31.7	22.2	2 / 12
Percentage of cycles resulting in singleton live births (%)	32.0	22.4	21.7	18.5	2 / 12
Percentage of cycles resulting in twin live births (%)	9.2	7.2	8.3	3.7	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.2	18.4	15.0	14.8	1 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.9	31.4	26.2	15.9	7.1
Percentage of transfers resulting in pregnancies (%)	55.8	48.0	48.9	39.1	2 / 10
Percentage of transfers resulting in live births (%)	50.5	36.3	40.4	26.1	2 / 10
Percentage of transfers resulting in singleton live births (%)	38.8	27.5	27.7	21.7	2 / 10
Percentage of transfers resulting in twin live births (%)	11.2	8.8	10.6	4.3	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.6	22.5	19.1	17.4	1 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	126	63	43	14	10
Number of transfers	113	56	38	11	9
Estimated average number of transfers per retrieval	1.6	1.8	1.4	1.1	4.5
Average number of embryos transferred	1.5	1.5	1.4	1.8	1.6
Percentage of embryos transferred resulting in implantation (%)	49.1	36.9	36.5	4 / 19	5 / 14
Percentage of transfers resulting in pregnancies (%)	56.6	48.2	44.7	5 / 11	4 / 9
Percentage of transfers resulting in live births (%)	48.7	42.9	34.2	1 / 11	3 / 9
Percentage of transfers resulting in singleton live births (%)	34.5	37.5	28.9	1 / 11	2 / 9
Percentage of transfers resulting in twin live births (%)	14.2	5.4	5.3	0 / 11	1 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.3	32.1	23.7	1 / 11	1 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	11	15	8	1
	11	6	8	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	16	20	11	0	
Number of transfers	14	18	10	0	
Average number of embryos transferred	1.6	1.7	1.5		
Percentage of embryos transferred resulting in implantation (%)	71.4	40.0	5 / 14		
Percentage of transfers resulting in pregnancies (%)	12 / 14	8 / 18	5 / 10		
Percentage of transfers resulting in live births (%)	10 / 14	7 / 18	4 / 10		
Percentage of transfers resulting in singleton live births (%)	8 / 14	3 / 18	3 / 10		
Percentage of transfers resulting in twin live births (%)	2 / 14	4 / 18	1 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 14	1 / 18	1 / 10		

CURRENT SERVICES & PROFILE

Current Name: Fertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS
INTEGRATED MISSOURI, LLC
ST. LOUIS, MISSOURI**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Molina B. Dayal, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 5%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	22%	Male factor	17%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	20%	
				Endometriosis	6%	Unknown factor	5%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 569 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		144	41	22	4	8
Percentage of cancellations before retrieval (%)		2.8	4.9	31.8	2 / 4	1 / 8
Number of transfers		104	26	8	1	4
Average number of embryos transferred		1.5	1.6	1.8	1.0	1.5
Percentage of elective single embryo transfers (eSET) (%)		32.1	1 / 17	0 / 5		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		38.2	36.6	4.5	1 / 4	0 / 8
Percentage of cycles resulting in live births (%)		32.6	31.7	0.0	1 / 4	0 / 8
Percentage of cycles resulting in singleton live births (%)		22.2	29.3	0.0	1 / 4	0 / 8
Percentage of cycles resulting in twin live births (%)		10.4	2.4	0.0	0 / 4	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		17.4	26.8	0.0	1 / 4	0 / 8
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		45.2	40.5	0 / 12	1 / 1	0 / 6
Percentage of transfers resulting in pregnancies (%)		52.9	57.7	1 / 8	1 / 1	0 / 4
Percentage of transfers resulting in live births (%)		45.2	50.0	0 / 8	1 / 1	0 / 4
Percentage of transfers resulting in singleton live births (%)		30.8	46.2	0 / 8	1 / 1	0 / 4
Percentage of transfers resulting in twin live births (%)		14.4	3.8	0 / 8	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		24.0	42.3	0 / 8	1 / 1	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles		106	61	37	8	4
Number of transfers		101	50	31	6	3
Estimated average number of transfers per retrieval		1.6	1.5	0.9	0.4	0.4
Average number of embryos transferred		1.4	1.4	1.2	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)		55.9	46.3	38.9	3 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)		59.4	60.0	41.9	4 / 6	0 / 3
Percentage of transfers resulting in live births (%)		49.5	48.0	38.7	3 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)		33.7	44.0	35.5	3 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)		15.8	4.0	3.2	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		31.7	36.0	35.5	3 / 6	0 / 3
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		20	23	29	15	7
		3	1	1	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		9	1	23	7	
Number of transfers		7	0	23	5	
Average number of embryos transferred		1.4		1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)		7 / 10		36.7	4 / 8	
Percentage of transfers resulting in pregnancies (%)		6 / 7		43.5	4 / 5	
Percentage of transfers resulting in live births (%)		5 / 7		34.8	3 / 5	
Percentage of transfers resulting in singleton live births (%)		5 / 7		30.4	2 / 5	
Percentage of transfers resulting in twin live births (%)		0 / 7		4.3	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 7		26.1	2 / 5	

CURRENT SERVICES & PROFILE		Current Name: Sher Institute for Reproductive Medicine-St. Louis, IntegraMed Missouri, LLC					
Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BILLINGS CLINIC REPRODUCTIVE MEDICINE AND FERTILITY CARE BILLINGS, MONTANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Colleen Milroy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 17% Female & male factors 20%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	28%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	16%	
				Endometriosis	12%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 228
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	57	15	14	4	0
Percentage of cancellations before retrieval (%)	5.3	1 / 15	3 / 14	3 / 4	
Number of transfers	39	11	10	1	0
Average number of embryos transferred	1.5	1.9	2.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	41.7	0 / 10	0 / 10	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.6	5 / 15	3 / 14	1 / 4	
Percentage of cycles resulting in live births (%)	36.8	5 / 15	3 / 14	0 / 4	
Percentage of cycles resulting in singleton live births (%)	29.8	5 / 15	2 / 14	0 / 4	
Percentage of cycles resulting in twin live births (%)	7.0	0 / 15	1 / 14	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.1	4 / 15	2 / 14	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.8	23.8	21.7	1 / 3	
Percentage of transfers resulting in pregnancies (%)	56.4	5 / 11	3 / 10	1 / 1	
Percentage of transfers resulting in live births (%)	53.8	5 / 11	3 / 10	0 / 1	
Percentage of transfers resulting in singleton live births (%)	43.6	5 / 11	2 / 10	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.3	0 / 11	1 / 10	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.0	4 / 11	2 / 10	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	20	9	1	2
Number of transfers	48	19	8	0	1
Estimated average number of transfers per retrieval	1.3	1.2	1.6	0.0	1.0
Average number of embryos transferred	1.5	1.6	1.8		3.0
Percentage of embryos transferred resulting in implantation (%)	57.7	55.2	7 / 14		1 / 3
Percentage of transfers resulting in pregnancies (%)	62.5	14 / 19	4 / 8		1 / 1
Percentage of transfers resulting in live births (%)	52.1	12 / 19	4 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	9 / 19	3 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)	18.8	3 / 19	1 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	6 / 19	3 / 8		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	18	11	3	2	1
	4	1	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	8	3	3	
Number of transfers	0	5	2	3	
Average number of embryos transferred		1.6	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		4 / 8	1 / 1	4 / 6	
Percentage of transfers resulting in pregnancies (%)		3 / 5	2 / 2	2 / 3	
Percentage of transfers resulting in live births (%)		2 / 5	0 / 2	2 / 3	
Percentage of transfers resulting in singleton live births (%)		1 / 5	0 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)		1 / 5	0 / 2	2 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 5	0 / 2	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Billings Clinic, Reproductive Medicine and Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS ELKHORN, NEBRASKA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Carolyn M. Doherty, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	20%	Uterine factor	7%	Multiple Factors: Female factors only 15% Female & male factors 24%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	16%	Male factor	47%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	25%	
				Endometriosis	13%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 647
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	111	38	16	12	2
Percentage of cancellations before retrieval (%)	9.9	34.2	6 / 16	3 / 12	0 / 2
Number of transfers	61	17	10	7	1
Average number of embryos transferred	1.7	1.9	2.4	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	15.7	0 / 13	0 / 10	0 / 5	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.8	18.4	5 / 16	1 / 12	1 / 2
Percentage of cycles resulting in live births (%)	26.1	10.5	5 / 16	1 / 12	1 / 2
Percentage of cycles resulting in singleton live births (%)	20.7	10.5	5 / 16	1 / 12	1 / 2
Percentage of cycles resulting in twin live births (%)	5.4	0.0	0 / 16	0 / 12	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.1	10.5	3 / 16	0 / 12	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.5	23.3	29.2	1 / 16	3 / 3
Percentage of transfers resulting in pregnancies (%)	52.5	7 / 17	5 / 10	1 / 7	1 / 1
Percentage of transfers resulting in live births (%)	47.5	4 / 17	5 / 10	1 / 7	1 / 1
Percentage of transfers resulting in singleton live births (%)	37.7	4 / 17	5 / 10	1 / 7	1 / 1
Percentage of transfers resulting in twin live births (%)	9.8	0 / 17	0 / 10	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.1	4 / 17	3 / 10	0 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	200	67	27	3	4
Number of transfers	181	53	20	3	4
Estimated average number of transfers per retrieval	1.4	1.3	1.0	0.8	1.0
Average number of embryos transferred	1.5	1.5	1.5	1.7	1.3
Percentage of embryos transferred resulting in implantation (%)	52.3	52.6	56.7	3 / 5	2 / 5
Percentage of transfers resulting in pregnancies (%)	59.1	58.5	60.0	3 / 3	2 / 4
Percentage of transfers resulting in live births (%)	50.8	41.5	45.0	3 / 3	2 / 4
Percentage of transfers resulting in singleton live births (%)	36.5	30.2	35.0	3 / 3	2 / 4
Percentage of transfers resulting in twin live births (%)	14.4	9.4	10.0	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.5	20.8	25.0	3 / 3	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	79	27	18	3	4
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	1	25	0	
Number of transfers	9	1	18	0	
Average number of embryos transferred	1.3	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	8 / 12	0 / 1	44.0		
Percentage of transfers resulting in pregnancies (%)	7 / 9	0 / 1	10 / 18		
Percentage of transfers resulting in live births (%)	4 / 9	0 / 1	7 / 18		
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 1	5 / 18		
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 1	2 / 18		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	0 / 1	2 / 18		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Victoria M. Maclin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	49%	Tubal factor	16%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 21%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	10%	Male factor	45%	
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	9%	
				Endometriosis	10%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 374
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	123	35	15	7	1
Percentage of cancellations before retrieval (%)	9.8	14.3	5 / 15	1 / 7	0 / 1
Number of transfers	93	19	5	5	0
Average number of embryos transferred	1.4	1.9	1.8	2.0	
Percentage of elective single embryo transfers (eSET) (%)	50.0	0 / 18	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.5	37.1	2 / 15	1 / 7	0 / 1
Percentage of cycles resulting in live births (%)	42.3	34.3	1 / 15	1 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	38.2	25.7	1 / 15	1 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	4.1	8.6	0 / 15	0 / 7	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.7	22.9	1 / 15	0 / 7	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.2	42.9	1 / 7	1 / 10	
Percentage of transfers resulting in pregnancies (%)	60.2	13 / 19	2 / 5	1 / 5	
Percentage of transfers resulting in live births (%)	55.9	12 / 19	1 / 5	1 / 5	
Percentage of transfers resulting in singleton live births (%)	50.5	9 / 19	1 / 5	1 / 5	
Percentage of transfers resulting in twin live births (%)	5.4	3 / 19	0 / 5	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.9	8 / 19	1 / 5	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	17	12	2	0
Number of transfers	68	14	11	2	0
Estimated average number of transfers per retrieval	1.5	1.3	0.8		0.0
Average number of embryos transferred	1.3	1.4	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	49.4	6 / 19	10 / 19	0 / 2	
Percentage of transfers resulting in pregnancies (%)	58.8	6 / 14	6 / 11	0 / 2	
Percentage of transfers resulting in live births (%)	48.5	6 / 14	4 / 11	0 / 2	
Percentage of transfers resulting in singleton live births (%)	41.2	6 / 14	3 / 11	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.4	0 / 14	1 / 11	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.3	5 / 14	2 / 11	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	8	11	0	2
	3	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	1	16	3	
Number of transfers	14	1	16	3	
Average number of embryos transferred	1.1	1.0	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	10 / 15	0 / 1	7 / 17	2 / 4	
Percentage of transfers resulting in pregnancies (%)	10 / 14	0 / 1	8 / 16	1 / 3	
Percentage of transfers resulting in live births (%)	9 / 14	0 / 1	5 / 16	1 / 3	
Percentage of transfers resulting in singleton live births (%)	8 / 14	0 / 1	4 / 16	0 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 1	1 / 16	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 14	0 / 1	2 / 16	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREEN VALLEY FERTILITY PARTNERS HENDERSON, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey D. Fisch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	93%	Tubal factor	23%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 16%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	13%	Male factor	32%	
Used gestational carrier	4%			Diminished ovarian reserve	13%	Other factor	11%	
				Endometriosis	11%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	22	32	14	13
Percentage of cancellations before retrieval (%)	3.9	0.0	6.3	2 / 14	4 / 13
Number of transfers	67	12	20	6	3
Average number of embryos transferred	1.6	1.8	1.5	1.8	1.0
Percentage of elective single embryo transfers (eSET) (%)	35.6	2 / 11	5 / 14	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.6	31.8	28.1	3 / 14	0 / 13
Percentage of cycles resulting in live births (%)	42.1	22.7	18.8	3 / 14	0 / 13
Percentage of cycles resulting in singleton live births (%)	30.3	13.6	18.8	3 / 14	0 / 13
Percentage of cycles resulting in twin live births (%)	11.8	9.1	0.0	0 / 14	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.4	13.6	15.6	2 / 14	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	55.4	42.9	24.0	3 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)	64.2	7 / 12	45.0	3 / 6	0 / 3
Percentage of transfers resulting in live births (%)	47.8	5 / 12	30.0	3 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.3	3 / 12	30.0	3 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	13.4	2 / 12	0.0	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.4	3 / 12	25.0	2 / 6	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	9	17	3	3
Number of transfers	44	7	15	3	3
Estimated average number of transfers per retrieval	1.4	1.4	1.9	1.0	1.0
Average number of embryos transferred	1.5	1.7	1.6	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	21.3	6 / 12	29.2	3 / 6	1 / 3
Percentage of transfers resulting in pregnancies (%)	31.8	4 / 7	6 / 15	2 / 3	2 / 3
Percentage of transfers resulting in live births (%)	18.2	3 / 7	4 / 15	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	15.9	2 / 7	3 / 15	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	2.3	1 / 7	1 / 15	1 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	9.1	1 / 7	2 / 15	0 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	4	3	1	2
	2	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	9	0	
Number of transfers	6	0	8	0	
Average number of embryos transferred	1.0		1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 5		1 / 12		
Percentage of transfers resulting in pregnancies (%)	3 / 6		1 / 8		
Percentage of transfers resulting in live births (%)	2 / 6		1 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 6		1 / 8		

CURRENT SERVICES & PROFILE

Current Name: Green Valley Fertility Partners

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Bruce Shapiro, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 13%
Unstimulated	0%	PGD/PGS	30%	Ovulatory dysfunction	3%	Male factor	23%	
Used gestational carrier	12%			Diminished ovarian reserve	41%	Other factor	33%	
				Endometriosis	<1%	Unknown factor	10%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 945 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		8	2	2	1	0
Percentage of cancellations before retrieval (%)		1 / 8	1 / 2	0 / 2	0 / 1	
Number of transfers		2	0	0	1	0
Average number of embryos transferred		2.0			1.0	
Percentage of elective single embryo transfers (eSET) (%)		0 / 2				
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		2 / 8	0 / 2	0 / 2	1 / 1	
Percentage of cycles resulting in live births (%)		2 / 8	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)		0 / 8	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)		2 / 8	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 8	0 / 2	0 / 2	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		4 / 4			1 / 1	
Percentage of transfers resulting in pregnancies (%)		2 / 2			1 / 1	
Percentage of transfers resulting in live births (%)		2 / 2			0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 2			0 / 1	
Percentage of transfers resulting in twin live births (%)		2 / 2			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2			0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		168	78	47	17	8
Number of transfers		164	76	44	15	6
Estimated average number of transfers per retrieval		0.9	1.0	0.5	0.4	0.2
Average number of embryos transferred		1.3	1.3	1.2	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)		75.0	58.2	59.3	8 / 16	5 / 6
Percentage of transfers resulting in pregnancies (%)		79.3	68.4	65.9	9 / 15	5 / 6
Percentage of transfers resulting in live births (%)		65.2	59.2	61.4	8 / 15	5 / 6
Percentage of transfers resulting in singleton live births (%)		53.7	51.3	56.8	8 / 15	5 / 6
Percentage of transfers resulting in twin live births (%)		11.6	7.9	4.5	0 / 15	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		46.3	42.1	43.2	7 / 15	5 / 6
Number of Egg or Embryo Banking Cycles						
		178	74	83	36	28
Number of fertility preservation cycles		0	1	2	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		64	0	148	1	
Number of transfers		50	0	147	1	
Average number of embryos transferred		1.4		1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)		74.6		67.9	1 / 1	
Percentage of transfers resulting in pregnancies (%)		78.0		76.9	1 / 1	
Percentage of transfers resulting in live births (%)		74.0		66.0	1 / 1	
Percentage of transfers resulting in singleton live births (%)		52.0		51.0	1 / 1	
Percentage of transfers resulting in twin live births (%)		22.0		15.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		48.0		43.5	1 / 1	

CURRENT SERVICES & PROFILE		Current Name: Fertility Center of Las Vegas					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RED ROCK FERTILITY CENTER LAS VEGAS, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eva D. Littman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	18%	Tubal factor	13%	Uterine factor	2%	Multiple Factors: Female factors only 18% Female & male factors 12%
Unstimulated	0%	PGD/PGS	64%	Ovulatory dysfunction	14%	Male factor	26%	
Used gestational carrier	4%			Diminished ovarian reserve	25%	Other factor	31%	
				Endometriosis	4%	Unknown factor	22%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 337
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	19	9	5	9
Percentage of cancellations before retrieval (%)	0.0	0 / 19	0 / 9	0 / 5	0 / 9
Number of transfers	11	2	5	3	0
Average number of embryos transferred	1.6	1.5	1.6	1.7	
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 1	2 / 4	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.9	0 / 19	2 / 9	2 / 5	0 / 9
Percentage of cycles resulting in live births (%)	14.3	0 / 19	2 / 9	1 / 5	0 / 9
Percentage of cycles resulting in singleton live births (%)	2.9	0 / 19	2 / 9	1 / 5	0 / 9
Percentage of cycles resulting in twin live births (%)	8.6	0 / 19	0 / 9	0 / 5	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 19	2 / 9	1 / 5	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	12 / 16	0 / 3	2 / 8	2 / 5	
Percentage of transfers resulting in pregnancies (%)	8 / 11	0 / 2	2 / 5	2 / 3	
Percentage of transfers resulting in live births (%)	5 / 11	0 / 2	2 / 5	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 11	0 / 2	2 / 5	1 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 11	0 / 2	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 11	0 / 2	2 / 5	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	54	37	17	8	4
Number of transfers	54	37	17	6	4
Estimated average number of transfers per retrieval	1.0	0.9	0.9	0.4	0.2
Average number of embryos transferred	1.6	1.4	1.6	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	58.0	28.3	53.6	3 / 7	2 / 6
Percentage of transfers resulting in pregnancies (%)	75.9	35.1	11 / 17	3 / 6	2 / 4
Percentage of transfers resulting in live births (%)	66.7	29.7	10 / 17	2 / 6	2 / 4
Percentage of transfers resulting in singleton live births (%)	51.9	24.3	7 / 17	2 / 6	2 / 4
Percentage of transfers resulting in twin live births (%)	14.8	5.4	3 / 17	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	48.1	18.9	4 / 17	2 / 6	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	32	32	17	17	16
	31	30	9	10	13
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	23	0	
Number of transfers	2	0	23	0	
Average number of embryos transferred	2.0		1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 4		35.3		
Percentage of transfers resulting in pregnancies (%)	0 / 2		43.5		
Percentage of transfers resulting in live births (%)	0 / 2		26.1		
Percentage of transfers resulting in singleton live births (%)	0 / 2		21.7		
Percentage of transfers resulting in twin live births (%)	0 / 2		4.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		17.4		

CURRENT SERVICES & PROFILE

Current Name: Red Rock Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LAS VEGAS LAS VEGAS, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark F. Severino, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	10%	Uterine factor	2%	Multiple Factors: Female factors only 26% Female & male factors 14%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	13%	Male factor	21%	
Used gestational carrier	5%			Diminished ovarian reserve	23%	Other factor	67%	
				Endometriosis	12%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 424
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	96	34	14	5	4
Percentage of cancellations before retrieval (%)	2.1	2.9	0 / 14	1 / 5	0 / 4
Number of transfers	69	25	8	2	0
Average number of embryos transferred	1.9	1.8	1.6	1.5	
Percentage of elective single embryo transfers (eSET) (%)	6.3	17.4	1 / 6	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.4	26.5	2 / 14	1 / 5	0 / 4
Percentage of cycles resulting in live births (%)	25.0	26.5	1 / 14	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	16.7	14.7	1 / 14	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	8.3	8.8	0 / 14	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.6	11.8	1 / 14	0 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.9	34.1	1 / 12	1 / 3	
Percentage of transfers resulting in pregnancies (%)	49.3	36.0	2 / 8	1 / 2	
Percentage of transfers resulting in live births (%)	34.8	36.0	1 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	23.2	20.0	1 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.6	12.0	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.7	16.0	1 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	27	24	11	11
Number of transfers	44	23	24	11	10
Estimated average number of transfers per retrieval	0.9	0.6	0.7	0.4	0.6
Average number of embryos transferred	1.5	1.7	1.2	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	39.7	40.0	20.8	3 / 13	4 / 9
Percentage of transfers resulting in pregnancies (%)	50.0	47.8	29.2	2 / 11	6 / 10
Percentage of transfers resulting in live births (%)	34.1	39.1	16.7	2 / 11	4 / 10
Percentage of transfers resulting in singleton live births (%)	25.0	26.1	16.7	1 / 11	4 / 10
Percentage of transfers resulting in twin live births (%)	9.1	13.0	0.0	1 / 11	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	21.7	16.7	1 / 11	3 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	32	32	27	18
	1	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	9	0	
Number of transfers	6	0	9	0	
Average number of embryos transferred	2.0		1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 12		5 / 12		
Percentage of transfers resulting in pregnancies (%)	4 / 6		4 / 9		
Percentage of transfers resulting in live births (%)	3 / 6		3 / 9		
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 6		2 / 9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		1 / 9		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Las Vegas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE RENO, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Scott J. Whitten, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	18%	Uterine factor	13%	Multiple Factors: Female factors only 27% Female & male factors 20%
Unstimulated	1%	PGD/PGS	37%	Ovulatory dysfunction	23%	Male factor	26%	
Used gestational carrier	6%			Diminished ovarian reserve	46%	Other factor	16%	
				Endometriosis	9%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 477
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	12	13	6	6
Percentage of cancellations before retrieval (%)	2.9	2 / 12	4 / 13	1 / 6	3 / 6
Number of transfers	19	7	4	2	1
Average number of embryos transferred	1.6	1.9	1.8	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 16	1 / 7	1 / 4	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.1	4 / 12	1 / 13	1 / 6	0 / 6
Percentage of cycles resulting in live births (%)	31.4	4 / 12	0 / 13	0 / 6	0 / 6
Percentage of cycles resulting in singleton live births (%)	28.6	3 / 12	0 / 13	0 / 6	0 / 6
Percentage of cycles resulting in twin live births (%)	2.9	1 / 12	0 / 13	0 / 6	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.7	3 / 12	0 / 13	0 / 6	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.9	6 / 13	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	13 / 19	4 / 7	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	11 / 19	4 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	10 / 19	3 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	9 / 19	3 / 7	0 / 4	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	86	26	39	11	4
Number of transfers	80	25	37	11	3
Estimated average number of transfers per retrieval	1.0	1.0	1.0	0.6	0.2
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	53.6	67.7	57.8	4 / 14	0 / 3
Percentage of transfers resulting in pregnancies (%)	66.3	80.0	67.6	4 / 11	0 / 3
Percentage of transfers resulting in live births (%)	56.3	72.0	51.4	3 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)	51.3	60.0	43.2	3 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)	5.0	12.0	8.1	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.5	56.0	40.5	2 / 11	0 / 3
Number of Egg or Embryo Banking Cycles					
	67	21	31	18	20
Number of fertility preservation cycles	5	2	2	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	2	39	30	
Number of transfers	7	0	36	27	
Average number of embryos transferred	1.7		1.5	1.6	
Percentage of embryos transferred resulting in implantation (%)	7 / 12		58.0	50.0	
Percentage of transfers resulting in pregnancies (%)	5 / 7		69.4	59.3	
Percentage of transfers resulting in live births (%)	4 / 7		55.6	40.7	
Percentage of transfers resulting in singleton live births (%)	2 / 7		41.7	25.9	
Percentage of transfers resulting in twin live births (%)	2 / 7		13.9	14.8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7		30.6	18.5	

CURRENT SERVICES & PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DARTMOUTH-HITCHCOCK MEDICAL CENTER
LEBANON, NEW HAMPSHIRE**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY ASBURY, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Albert J. Peters, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 8% Female & male factors 13%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	15%	Male factor	22%	
Used gestational carrier	12%			Diminished ovarian reserve	43%	Other factor	26%	
				Endometriosis	1%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 200
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	14	13	6	10
Percentage of cancellations before retrieval (%)	0.0	2 / 14	1 / 13	0 / 6	2 / 10
Number of transfers	26	7	9	1	5
Average number of embryos transferred	1.5	1.9	1.6	1.0	1.8
Percentage of elective single embryo transfers (eSET) (%)	40.0	1 / 6	1 / 6		0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	1 / 14	2 / 13	0 / 6	1 / 10
Percentage of cycles resulting in live births (%)	40.0	0 / 14	1 / 13	0 / 6	1 / 10
Percentage of cycles resulting in singleton live births (%)	33.3	0 / 14	1 / 13	0 / 6	1 / 10
Percentage of cycles resulting in twin live births (%)	6.7	0 / 14	0 / 13	0 / 6	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.0	0 / 14	1 / 13	0 / 6	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.4	2 / 13	2 / 14	0 / 1	1 / 9
Percentage of transfers resulting in pregnancies (%)	57.7	1 / 7	2 / 9	0 / 1	1 / 5
Percentage of transfers resulting in live births (%)	46.2	0 / 7	1 / 9	0 / 1	1 / 5
Percentage of transfers resulting in singleton live births (%)	38.5	0 / 7	1 / 9	0 / 1	1 / 5
Percentage of transfers resulting in twin live births (%)	7.7	0 / 7	0 / 9	0 / 1	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.6	0 / 7	1 / 9	0 / 1	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	18	7	7	3
Number of transfers	16	17	7	6	2
Estimated average number of transfers per retrieval	1.1	0.9	0.5	1.2	0.2
Average number of embryos transferred	1.3	1.8	1.3	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	33.3	28.6	3 / 9	3 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 16	7 / 17	3 / 7	3 / 6	0 / 2
Percentage of transfers resulting in live births (%)	5 / 16	4 / 17	2 / 7	3 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 16	3 / 17	2 / 7	3 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 16	1 / 17	0 / 7	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 16	3 / 17	1 / 7	2 / 6	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	12	11	4	11
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	2	19	2	
Number of transfers	4	2	19	2	
Average number of embryos transferred	1.5	2.0	1.6	1.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 6	1 / 4	29.0	0 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 4	1 / 2	6 / 19	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 4	0 / 2	6 / 19	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 2	4 / 19	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 2	2 / 19	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 2	3 / 19	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY BASKING RIDGE, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael R. Drews, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	11%	Uterine factor	6%	Multiple Factors: Female factors only 10% Female & male factors 42%
Unstimulated	0%	PGD/PGS	54%	Ovulatory dysfunction	19%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	35%	
				Endometriosis	6%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 6,829
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	785	452	380	144	110
Percentage of cancellations before retrieval (%)	3.7	11.5	17.1	20.1	31.8
Number of transfers	141	56	23	12	7
Average number of embryos transferred	1.2	1.3	1.4	1.6	1.6
Percentage of elective single embryo transfers (eSET) (%)	80.1	69.6	9 / 19	4 / 11	2 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.0	8.2	3.7	6.3	2.7
Percentage of cycles resulting in live births (%)	12.4	7.5	2.6	4.2	1.8
Percentage of cycles resulting in singleton live births (%)	10.2	6.9	1.8	4.2	1.8
Percentage of cycles resulting in twin live births (%)	2.2	0.7	0.8	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.9	6.0	1.6	2.8	1.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	77.6	55.9	54.8	9 / 17	3 / 9
Percentage of transfers resulting in pregnancies (%)	78.0	66.1	60.9	9 / 12	3 / 7
Percentage of transfers resulting in live births (%)	68.8	60.7	43.5	6 / 12	2 / 7
Percentage of transfers resulting in singleton live births (%)	56.7	55.4	30.4	6 / 12	2 / 7
Percentage of transfers resulting in twin live births (%)	12.1	5.4	13.0	0 / 12	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.6	48.2	26.1	4 / 12	2 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	1,364	782	595	205	115
Number of transfers	1,278	731	535	177	93
Estimated average number of transfers per retrieval	1.3	1.2	0.9	0.7	0.5
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	67.8	67.3	60.2	53.0	48.0
Percentage of transfers resulting in pregnancies (%)	71.2	72.0	65.8	55.4	54.8
Percentage of transfers resulting in live births (%)	61.3	59.0	55.9	44.6	41.9
Percentage of transfers resulting in singleton live births (%)	54.9	53.5	51.2	40.7	41.9
Percentage of transfers resulting in twin live births (%)	6.2	5.5	4.7	4.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.4	46.6	45.4	36.7	36.6
Number of Egg or Embryo Banking Cycles					
	445	308	352	192	148
Number of fertility preservation cycles	42	42	35	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	48	10	341	52	
Number of transfers	9	6	316	49	
Average number of embryos transferred	1.4	1.2	1.1	1.4	
Percentage of embryos transferred resulting in implantation (%)	10 / 13	5 / 5	69.1	53.1	
Percentage of transfers resulting in pregnancies (%)	7 / 9	6 / 6	71.8	63.3	
Percentage of transfers resulting in live births (%)	7 / 9	4 / 6	58.9	49.0	
Percentage of transfers resulting in singleton live births (%)	4 / 9	4 / 6	52.8	42.9	
Percentage of transfers resulting in twin live births (%)	3 / 9	0 / 6	6.0	6.1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 6	40.5	32.7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New Jersey

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLIFTON LOW COST IVF CLIFTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles Haddad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	8%	Uterine factor	0%	Multiple Factors: Female factors only 2% Female & male factors 4%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	12%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	0%	
				Endometriosis	0%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 51
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	7	9	5	1
Percentage of cancellations before retrieval (%)	2 / 19	0 / 7	0 / 9	1 / 5	0 / 1
Number of transfers	13	5	6	2	1
Average number of embryos transferred	1.9	1.8	2.2	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	0 / 4	0 / 5	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12 / 19	3 / 7	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	11 / 19	2 / 7	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 19	1 / 7	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	9 / 19	1 / 7	0 / 9	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 19	0 / 7	1 / 9	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	84.0	4 / 9	1 / 13	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	12 / 13	3 / 5	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	11 / 13	2 / 5	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 13	1 / 5	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	9 / 13	1 / 5	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 13	0 / 5	1 / 6	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	1	0	0
Number of transfers	1	2	1	0	0
Estimated average number of transfers per retrieval		1.0			
Average number of embryos transferred	2.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 2	1 / 1		
Percentage of transfers resulting in live births (%)	1 / 1	0 / 2	1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 2	1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	0	
Number of transfers	0	0	2	0	
Average number of embryos transferred			2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 4		
Percentage of transfers resulting in pregnancies (%)			1 / 2		
Percentage of transfers resulting in live births (%)			1 / 2		
Percentage of transfers resulting in singleton live births (%)			1 / 2		
Percentage of transfers resulting in twin live births (%)			0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Clifton Low Cost IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NJ BEST OB/GYN CLIFTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Fares Diarbakerli, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	24%	Uterine factor	0%	Multiple Factors: Female factors only 12% Female & male factors 6%
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	0%	Male factor	12%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	18%	
				Endometriosis	0%	Unknown factor	41%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 17
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	4	1	1	0
Percentage of cancellations before retrieval (%)	0 / 3	0 / 4	0 / 1	0 / 1	
Number of transfers	2	3	1	1	0
Average number of embryos transferred	1.5	1.3	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	1 / 2	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3	2 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	2 / 3	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 3	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 4	0 / 1	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 3	1 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 2	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 2	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 3	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	2	1	0	0
Number of transfers	2	2	1	0	0
Estimated average number of transfers per retrieval	2.0				
Average number of embryos transferred	1.5	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 3	2 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2	1 / 1		
Percentage of transfers resulting in live births (%)	1 / 2	1 / 2	1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	1 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f					
Number of cycles	2	0	1	0	
Number of transfers	2	0	1	0	
Average number of embryos transferred	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		1 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 1		
Percentage of transfers resulting in live births (%)	0 / 2		1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: NJ Best OB/GYN

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY EATONTOWN, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William Ziegler, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	9%	Uterine factor	1%	Multiple Factors: Female factors only 7% Female & male factors 42%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	26%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	3%	
				Endometriosis	12%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 335
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	85	34	29	12	9
Percentage of cancellations before retrieval (%)	9.4	2.9	3.4	3 / 12	3 / 9
Number of transfers	68	28	21	7	5
Average number of embryos transferred	1.1	1.5	1.8	2.4	1.8
Percentage of elective single embryo transfers (eSET) (%)	80.4	5 / 19	0 / 15	0 / 6	1 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.5	47.1	17.2	2 / 12	1 / 9
Percentage of cycles resulting in live births (%)	31.8	38.2	13.8	1 / 12	0 / 9
Percentage of cycles resulting in singleton live births (%)	30.6	29.4	10.3	1 / 12	0 / 9
Percentage of cycles resulting in twin live births (%)	1.2	8.8	3.4	0 / 12	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.7	23.5	10.3	1 / 12	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.2	45.0	16.7	1 / 14	0 / 8
Percentage of transfers resulting in pregnancies (%)	45.6	57.1	23.8	2 / 7	1 / 5
Percentage of transfers resulting in live births (%)	39.7	46.4	19.0	1 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	38.2	35.7	14.3	1 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	1.5	10.7	4.8	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.9	28.6	14.3	1 / 7	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	18	15	6	2
Number of transfers	40	18	14	6	2
Estimated average number of transfers per retrieval	1.1	2.0	1.1	1.0	2.0
Average number of embryos transferred	1.1	1.2	1.4	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	58.1	45.5	4 / 17	3 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	10 / 18	6 / 14	3 / 6	1 / 2
Percentage of transfers resulting in live births (%)	55.0	8 / 18	2 / 14	3 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	52.5	8 / 18	2 / 14	3 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	2.5	0 / 18	0 / 14	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.0	7 / 18	2 / 14	3 / 6	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	8	9	6	0
	2	1	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	22	22	0	
Number of transfers	2	20	22	0	
Average number of embryos transferred	1.5	1.1	1.1		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	10 / 19	34.8		
Percentage of transfers resulting in pregnancies (%)	1 / 2	55.0	45.5		
Percentage of transfers resulting in live births (%)	1 / 2	25.0	36.4		
Percentage of transfers resulting in singleton live births (%)	1 / 2	20.0	36.4		
Percentage of transfers resulting in twin live births (%)	0 / 2	5.0	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	15.0	22.7		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory H. Corsan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	15%	Uterine factor	0%	Multiple Factors: Female factors only 8% Female & male factors 20%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	22%	Male factor	38%	
Used gestational carrier	1%			Diminished ovarian reserve	37%	Other factor	2%	
				Endometriosis	4%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 468
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	66	33	25	17	10
Percentage of cancellations before retrieval (%)	0.0	9.1	20.0	3 / 17	3 / 10
Number of transfers	41	21	9	6	2
Average number of embryos transferred	1.4	1.8	1.7	2.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	54.1	2 / 17	1 / 7	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.8	30.3	20.0	3 / 17	0 / 10
Percentage of cycles resulting in live births (%)	22.7	21.2	16.0	2 / 17	0 / 10
Percentage of cycles resulting in singleton live births (%)	21.2	12.1	16.0	2 / 17	0 / 10
Percentage of cycles resulting in twin live births (%)	1.5	9.1	0.0	0 / 17	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.6	12.1	8.0	2 / 17	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	33.3	7 / 15	3 / 12	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.5	47.6	5 / 9	3 / 6	0 / 2
Percentage of transfers resulting in live births (%)	36.6	33.3	4 / 9	2 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.1	19.0	4 / 9	2 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	2.4	14.3	0 / 9	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.0	19.0	2 / 9	2 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	96	52	20	15	5
Number of transfers	88	49	17	13	4
Estimated average number of transfers per retrieval	1.4	1.8	0.8	1.1	0.5
Average number of embryos transferred	1.5	1.3	1.6	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	41.9	48.3	32.0	33.3	0 / 4
Percentage of transfers resulting in pregnancies (%)	53.4	57.1	8 / 17	5 / 13	0 / 4
Percentage of transfers resulting in live births (%)	42.0	46.9	6 / 17	4 / 13	0 / 4
Percentage of transfers resulting in singleton live births (%)	35.2	38.8	5 / 17	3 / 13	0 / 4
Percentage of transfers resulting in twin live births (%)	6.8	8.2	1 / 17	0 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.5	32.7	5 / 17	2 / 13	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	43	19	16	11	8
	3	1	2	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	9	11	6	
Number of transfers	5	6	10	5	
Average number of embryos transferred	1.4	1.2	1.1	1.4	
Percentage of embryos transferred resulting in implantation (%)	3 / 7	4 / 7	7 / 10	8 / 7	
Percentage of transfers resulting in pregnancies (%)	2 / 5	4 / 6	7 / 10	5 / 5	
Percentage of transfers resulting in live births (%)	2 / 5	4 / 6	6 / 10	5 / 5	
Percentage of transfers resulting in singleton live births (%)	1 / 5	4 / 6	5 / 10	2 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 6	1 / 10	3 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	4 / 6	5 / 10	1 / 5	

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Philip R. Lesorgen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	13%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 16%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	12%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	9%	
				Endometriosis	0%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 69
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	11	9	14	2
Percentage of cancellations before retrieval (%)	4 / 19	0 / 11	1 / 9	6 / 14	0 / 2
Number of transfers	12	9	8	4	2
Average number of embryos transferred	1.8	2.0	2.9	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 11	0 / 9	0 / 7	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 19	7 / 11	2 / 9	0 / 14	0 / 2
Percentage of cycles resulting in live births (%)	2 / 19	7 / 11	2 / 9	0 / 14	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 19	7 / 11	2 / 9	0 / 14	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 19	0 / 11	0 / 9	0 / 14	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 19	6 / 11	2 / 9	0 / 14	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	19.0	7 / 18	8.7	0 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 12	7 / 9	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	2 / 12	7 / 9	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 12	7 / 9	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 9	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 12	6 / 9	2 / 8	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	4	2	1	0
Number of transfers	4	4	2	1	0
Estimated average number of transfers per retrieval	0.5	1.0	0.7	1.0	
Average number of embryos transferred	2.0	1.5	2.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 6	2 / 6	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 4	2 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 4	2 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 4	2 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	2 / 4	1 / 2	1 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	1	1	0	0
	0	1	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Women's Fertility Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HUDSON IVF
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jane E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	0%	Uterine factor	16%	Multiple Factors: Female factors only 11% Female & male factors 16%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	26%	Male factor	42%	
Used gestational carrier	11%			Diminished ovarian reserve	26%	Other factor	11%	
				Endometriosis	0%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 31
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1				
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 1				
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1				
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	6	3	3	2	0
Number of transfers	5	3	3	2	0
Estimated average number of transfers per retrieval	1.3	1.5	3.0	1.0	0.0
Average number of embryos transferred	1.4	1.7	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 6	1 / 5	1 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 3	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	1 / 3	1 / 3	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	1	2	4
	0	1	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	4	0	
Number of transfers	0	0	3	0	
Average number of embryos transferred			2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 6		
Percentage of transfers resulting in pregnancies (%)			1 / 3		
Percentage of transfers resulting in live births (%)			1 / 3		
Percentage of transfers resulting in singleton live births (%)			1 / 3		
Percentage of transfers resulting in twin live births (%)			0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 3		

CURRENT SERVICES & PROFILE

Current Name: North Hudson IVF, Center for Fertility and Gynecology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter G. McGovern, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	16%	Uterine factor	8%	Multiple Factors: Female factors only 16% Female & male factors 24%
Unstimulated	2%	PGD/PGS	13%	Ovulatory dysfunction	8%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	44%	Other factor	16%	
				Endometriosis	6%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 607
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	106	62	61	55	44
Percentage of cancellations before retrieval (%)	0.9	3.2	11.5	10.9	0.0
Number of transfers	78	38	33	27	17
Average number of embryos transferred	1.4	1.6	1.8	1.7	1.6
Percentage of elective single embryo transfers (eSET) (%)	55.6	23.3	3.7	0.0	1 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.0	29.0	13.1	10.9	2.3
Percentage of cycles resulting in live births (%)	28.3	27.4	6.6	7.3	2.3
Percentage of cycles resulting in singleton live births (%)	19.8	21.0	6.6	5.5	2.3
Percentage of cycles resulting in twin live births (%)	8.5	6.5	0.0	1.8	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.9	16.1	3.3	3.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.4	36.1	13.0	13.6	3.6
Percentage of transfers resulting in pregnancies (%)	44.9	47.4	24.2	22.2	1 / 17
Percentage of transfers resulting in live births (%)	38.5	44.7	12.1	14.8	1 / 17
Percentage of transfers resulting in singleton live births (%)	26.9	34.2	12.1	11.1	1 / 17
Percentage of transfers resulting in twin live births (%)	11.5	10.5	0.0	3.7	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.6	26.3	6.1	7.4	0 / 17
Frozen Embryos from Nondonor Eggs					
Number of cycles	66	32	33	13	7
Number of transfers	63	32	32	10	6
Estimated average number of transfers per retrieval	0.9	1.9	0.8	0.6	0.8
Average number of embryos transferred	1.3	1.2	1.4	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)	35.4	33.3	32.6	0 / 13	1 / 10
Percentage of transfers resulting in pregnancies (%)	42.9	40.6	43.8	0 / 10	1 / 6
Percentage of transfers resulting in live births (%)	31.7	40.6	37.5	0 / 10	1 / 6
Percentage of transfers resulting in singleton live births (%)	27.0	40.6	34.4	0 / 10	1 / 6
Percentage of transfers resulting in twin live births (%)	4.8	0.0	3.1	0 / 10	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.0	31.3	34.4	0 / 10	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	39	9	32	13	4
	7	1	3	0	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	27	1	
Number of transfers	1	1	25	1	
Average number of embryos transferred	1.0	2.0	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 2	47.4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	64.0	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	44.0	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	36.0	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	8.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	36.0	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Associates, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Allen Morgan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	15%	Tubal factor	15%	Uterine factor	5%	Multiple Factors: Female factors only 4% Female & male factors 4%
Unstimulated	3%	PGD/PGS	3%	Ovulatory dysfunction	21%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	4%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 157
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	28	20	10	18
Percentage of cancellations before retrieval (%)	9.8	21.4	25.0	2 / 10	5 / 18
Number of transfers	23	14	10	4	6
Average number of embryos transferred	1.5	1.8	1.9	1.5	1.3
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	0 / 11	0 / 9	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.7	21.4	10.0	0 / 10	0 / 18
Percentage of cycles resulting in live births (%)	29.3	21.4	10.0	0 / 10	0 / 18
Percentage of cycles resulting in singleton live births (%)	22.0	10.7	10.0	0 / 10	0 / 18
Percentage of cycles resulting in twin live births (%)	7.3	7.1	0.0	0 / 10	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.1	10.7	10.0	0 / 10	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.1	40.0	2 / 19	0 / 6	0 / 8
Percentage of transfers resulting in pregnancies (%)	56.5	6 / 14	2 / 10	0 / 4	0 / 6
Percentage of transfers resulting in live births (%)	52.2	6 / 14	2 / 10	0 / 4	0 / 6
Percentage of transfers resulting in singleton live births (%)	39.1	3 / 14	2 / 10	0 / 4	0 / 6
Percentage of transfers resulting in twin live births (%)	13.0	2 / 14	0 / 10	0 / 4	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.4	3 / 14	2 / 10	0 / 4	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	5	8	0	0
Number of transfers	11	5	5	0	0
Estimated average number of transfers per retrieval	1.1	1.0	0.7		0.0
Average number of embryos transferred	1.4	1.8	1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 15	0 / 9	2 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 11	0 / 5	2 / 5		
Percentage of transfers resulting in live births (%)	4 / 11	0 / 5	1 / 5		
Percentage of transfers resulting in singleton live births (%)	4 / 11	0 / 5	1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 5	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	0 / 5	1 / 5		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	1	1	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	6	0	
Number of transfers	0	0	6	0	
Average number of embryos transferred			1.5		
Percentage of embryos transferred resulting in implantation (%)			2 / 9		
Percentage of transfers resulting in pregnancies (%)			1 / 6		
Percentage of transfers resulting in live births (%)			0 / 6		
Percentage of transfers resulting in singleton live births (%)			0 / 6		
Percentage of transfers resulting in twin live births (%)			0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 6		

CURRENT SERVICES & PROFILE

Current Name: Shore Institute for Reproductive Medicine dba,
Morgan Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DELAWARE VALLEY OBGYN & INFERTILITY GROUP, PC
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Seth G. Derman, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	19%	Uterine factor	1%	Multiple Factors: Female factors only 13% Female & male factors 21%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	32%	Male factor	33%	
Used gestational carrier	1%			Diminished ovarian reserve	21%	Other factor	13%	
				Endometriosis	9%	Unknown factor	12%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 98 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	18	13	6	5
Percentage of cancellations before retrieval (%)	6.5	0 / 18	1 / 13	0 / 6	1 / 5
Number of transfers	27	15	11	4	2
Average number of embryos transferred	2.1	2.1	2.2	2.3	1.5
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 13	0 / 8	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	7 / 18	6 / 13	1 / 6	0 / 5
Percentage of cycles resulting in live births (%)	35.5	6 / 18	5 / 13	1 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	22.6	4 / 18	4 / 13	1 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	12.9	2 / 18	1 / 13	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.1	3 / 18	3 / 13	1 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	27.8	27.6	29.2	2 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	44.4	7 / 15	6 / 11	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	40.7	6 / 15	5 / 11	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.9	4 / 15	4 / 11	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	14.8	2 / 15	1 / 11	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.5	3 / 15	3 / 11	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	10	2	0	0
Number of transfers	5	9	2	0	0
Estimated average number of transfers per retrieval	1.3	1.8	1.0		
Average number of embryos transferred	1.8	1.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 9	1 / 11	1 / 2		
Percentage of transfers resulting in pregnancies (%)	4 / 5	1 / 9	2 / 2		
Percentage of transfers resulting in live births (%)	2 / 5	1 / 9	1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 5	1 / 9	1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 9	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	1 / 9	1 / 2		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	3	2	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	0	
Number of transfers	0	0	1	0	
Average number of embryos transferred			2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		

CURRENT SERVICES & PROFILE		Current Name: Delaware Valley OBGYN & Infertility Group, PC, Princeton IVF					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Margaret G. Garrisi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	19%	Uterine factor	4%	Multiple Factors: Female factors only 16% Female & male factors 11%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	18%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	7%	
				Endometriosis	6%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,494
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	184	126	125	76	61
Percentage of cancellations before retrieval (%)	6.0	11.9	27.2	26.3	18.0
Number of transfers	141	96	74	43	27
Average number of embryos transferred	1.3	1.5	1.7	2.1	2.6
Percentage of elective single embryo transfers (eSET) (%)	64.3	41.0	23.2	3.3	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.4	29.4	18.4	15.8	4.9
Percentage of cycles resulting in live births (%)	30.4	23.8	15.2	3.9	4.9
Percentage of cycles resulting in singleton live births (%)	26.6	20.6	14.4	3.9	4.9
Percentage of cycles resulting in twin live births (%)	3.8	3.2	0.8	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.4	15.9	12.0	2.6	4.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	27.9	20.3	11.9	4.3
Percentage of transfers resulting in pregnancies (%)	47.5	38.5	31.1	27.9	11.1
Percentage of transfers resulting in live births (%)	39.7	31.3	25.7	7.0	11.1
Percentage of transfers resulting in singleton live births (%)	34.8	27.1	24.3	7.0	11.1
Percentage of transfers resulting in twin live births (%)	5.0	4.2	1.4	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.5	20.8	20.3	4.7	11.1
Frozen Embryos from Nondonor Eggs					
Number of cycles	188	124	91	27	8
Number of transfers	188	123	88	26	7
Estimated average number of transfers per retrieval	1.0	1.1	0.7	0.5	0.2
Average number of embryos transferred	1.1	1.1	1.1	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	48.9	55.4	44.8	3 / 7
Percentage of transfers resulting in pregnancies (%)	54.8	54.5	59.1	53.8	3 / 7
Percentage of transfers resulting in live births (%)	45.7	43.1	51.1	42.3	3 / 7
Percentage of transfers resulting in singleton live births (%)	45.2	43.1	48.9	42.3	3 / 7
Percentage of transfers resulting in twin live births (%)	0.5	0.0	2.3	0.0	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.0	39.0	40.9	42.3	3 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	130	86	102	41	32
	19	21	15	2	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	20	53	0	
Number of transfers	13	19	50	0	
Average number of embryos transferred	1.3	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 17	36.0	67.3		
Percentage of transfers resulting in pregnancies (%)	6 / 13	7 / 19	66.0		
Percentage of transfers resulting in live births (%)	6 / 13	7 / 19	52.0		
Percentage of transfers resulting in singleton live births (%)	6 / 13	5 / 19	52.0		
Percentage of transfers resulting in twin live births (%)	0 / 13	2 / 19	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 13	5 / 19	44.0		

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George S. Taliadouros, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	27%	Tubal factor	25%	Uterine factor	9%	Multiple Factors: Female factors only 16% Female & male factors 19%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	44%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	11%	
				Endometriosis	4%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 152
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	20	26	3	3
Percentage of cancellations before retrieval (%)	12.9	10.0	34.6	0 / 3	1 / 3
Number of transfers	27	16	17	3	2
Average number of embryos transferred	1.7	2.0	2.5	4.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	33.3	1 / 15	0 / 17	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.9	40.0	30.8	1 / 3	1 / 3
Percentage of cycles resulting in live births (%)	22.6	25.0	19.2	1 / 3	1 / 3
Percentage of cycles resulting in singleton live births (%)	9.7	20.0	15.4	1 / 3	1 / 3
Percentage of cycles resulting in twin live births (%)	12.9	5.0	3.8	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	6.5	10.0	11.5	1 / 3	1 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.5	27.6	23.3	1 / 12	1 / 8
Percentage of transfers resulting in pregnancies (%)	48.1	8 / 16	8 / 17	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	25.9	5 / 16	5 / 17	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	11.1	4 / 16	4 / 17	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	14.8	1 / 16	1 / 17	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7.4	2 / 16	3 / 17	1 / 3	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	11	8	0	2
Number of transfers	15	10	8	0	2
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.0	2.0
Average number of embryos transferred	1.7	1.4	1.6		1.5
Percentage of embryos transferred resulting in implantation (%)	48.0	3 / 14	3 / 10		0 / 3
Percentage of transfers resulting in pregnancies (%)	8 / 15	2 / 10	3 / 8		0 / 2
Percentage of transfers resulting in live births (%)	8 / 15	2 / 10	2 / 8		0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 10	2 / 8		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 10	0 / 8		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 15	1 / 10	2 / 8		0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	5	4	1	1
	3	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	7	6	
Number of transfers	2	0	7	6	
Average number of embryos transferred	2.5		1.9	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 5		5 / 11	5 / 12	
Percentage of transfers resulting in pregnancies (%)	1 / 2		4 / 7	3 / 6	
Percentage of transfers resulting in live births (%)	1 / 2		2 / 7	2 / 6	
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 7	1 / 6	
Percentage of transfers resulting in twin live births (%)	1 / 2		2 / 7	1 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 7	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert A. Skaf, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	20%	Uterine factor	6%	Multiple Factors: Female factors only 26% Female & male factors 22%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	28%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	24%	
				Endometriosis	12%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 647
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	132	64	39	17	8
Percentage of cancellations before retrieval (%)	1.5	15.6	12.8	1 / 17	1 / 8
Number of transfers	76	34	25	12	5
Average number of embryos transferred	1.5	1.8	1.7	2.8	2.6
Percentage of elective single embryo transfers (eSET) (%)	46.5	3.7	1 / 18	0 / 10	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.8	31.3	23.1	3 / 17	2 / 8
Percentage of cycles resulting in live births (%)	23.5	25.0	17.9	3 / 17	1 / 8
Percentage of cycles resulting in singleton live births (%)	18.2	14.1	7.7	3 / 17	1 / 8
Percentage of cycles resulting in twin live births (%)	5.3	10.9	10.3	0 / 17	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	12.5	5.1	2 / 17	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.4	46.7	34.9	11.8	3 / 13
Percentage of transfers resulting in pregnancies (%)	50.0	58.8	36.0	3 / 12	2 / 5
Percentage of transfers resulting in live births (%)	40.8	47.1	28.0	3 / 12	1 / 5
Percentage of transfers resulting in singleton live births (%)	31.6	26.5	12.0	3 / 12	1 / 5
Percentage of transfers resulting in twin live births (%)	9.2	20.6	16.0	0 / 12	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.3	23.5	8.0	2 / 12	1 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	134	45	34	16	5
Number of transfers	124	39	32	14	4
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.1	0.7
Average number of embryos transferred	1.5	1.3	1.7	1.6	2.5
Percentage of embryos transferred resulting in implantation (%)	47.6	52.9	37.7	13.6	3 / 10
Percentage of transfers resulting in pregnancies (%)	61.3	61.5	53.1	3 / 14	2 / 4
Percentage of transfers resulting in live births (%)	46.8	51.3	43.8	2 / 14	2 / 4
Percentage of transfers resulting in singleton live births (%)	40.3	48.7	40.6	2 / 14	2 / 4
Percentage of transfers resulting in twin live births (%)	6.5	2.6	3.1	0 / 14	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	41.0	37.5	2 / 14	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	43	17	23	9	6
	4	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	13	17	5	
Number of transfers	16	10	17	5	
Average number of embryos transferred	1.2	1.2	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	9 / 19	8 / 12	34.6	2 / 10	
Percentage of transfers resulting in pregnancies (%)	9 / 16	8 / 10	7 / 17	2 / 5	
Percentage of transfers resulting in live births (%)	8 / 16	7 / 10	4 / 17	2 / 5	
Percentage of transfers resulting in singleton live births (%)	8 / 16	7 / 10	4 / 17	2 / 5	
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 10	0 / 17	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16	7 / 10	4 / 17	1 / 5	

CURRENT SERVICES & PROFILE

Current Name: South Jersey Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY AND MENOPAUSE MILLBURN, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Matan Yemini, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 4% Female & male factors 7%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	11%	Male factor	14%	
Used gestational carrier	2%			Diminished ovarian reserve	45%	Other factor	2%	
				Endometriosis	2%	Unknown factor	28%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 384
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	71	31	30	4	4
Percentage of cancellations before retrieval (%)	2.8	0.0	0.0	0 / 4	0 / 4
Number of transfers	61	29	26	4	3
Average number of embryos transferred	1.4	1.8	1.6	2.5	2.7
Percentage of elective single embryo transfers (eSET) (%)	50.9	11.1	3 / 19	0 / 4	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.9	54.8	50.0	2 / 4	2 / 4
Percentage of cycles resulting in live births (%)	40.8	38.7	33.3	1 / 4	2 / 4
Percentage of cycles resulting in singleton live births (%)	39.4	29.0	26.7	1 / 4	2 / 4
Percentage of cycles resulting in twin live births (%)	1.4	9.7	6.7	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7.0	0.0	6.7	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.5	37.7	41.5	2 / 10	2 / 8
Percentage of transfers resulting in pregnancies (%)	55.7	58.6	57.7	2 / 4	2 / 3
Percentage of transfers resulting in live births (%)	47.5	41.4	38.5	1 / 4	2 / 3
Percentage of transfers resulting in singleton live births (%)	45.9	31.0	30.8	1 / 4	2 / 3
Percentage of transfers resulting in twin live births (%)	1.6	10.3	7.7	0 / 4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8.2	0.0	7.7	0 / 4	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	62	23	18	9	8
Number of transfers	61	23	18	9	8
Estimated average number of transfers per retrieval	1.3	1.1	1.1	1.0	0.5
Average number of embryos transferred	1.5	1.4	1.3	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	46.1	37.5	33.3	4 / 13	4 / 8
Percentage of transfers resulting in pregnancies (%)	55.7	47.8	7 / 18	3 / 9	4 / 8
Percentage of transfers resulting in live births (%)	49.2	34.8	5 / 18	3 / 9	3 / 8
Percentage of transfers resulting in singleton live births (%)	42.6	34.8	5 / 18	2 / 9	3 / 8
Percentage of transfers resulting in twin live births (%)	6.6	0.0	0 / 18	1 / 9	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4.9	8.7	2 / 18	1 / 9	2 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	31	17	12	9	17
	9	4	6	3	6
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	28	0	
Number of transfers	10	0	28	0	
Average number of embryos transferred	1.1		1.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 11		42.5		
Percentage of transfers resulting in pregnancies (%)	5 / 10		50.0		
Percentage of transfers resulting in live births (%)	5 / 10		46.4		
Percentage of transfers resulting in singleton live births (%)	5 / 10		35.7		
Percentage of transfers resulting in twin live births (%)	0 / 10		10.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 10		3.6		

CURRENT SERVICES & PROFILE

Current Name: Diamond Institute for Infertility and Menopause

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS, PC MOUNT LAUREL, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jerome H. Check, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	38%	Tubal factor	17%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	2%	PGD/PGS	2%	Ovulatory dysfunction	9%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	12%	
				Endometriosis	4%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 708
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	105	58	77	53	79
Percentage of cancellations before retrieval (%)	9.5	8.6	29.9	26.4	29.1
Number of transfers	78	38	43	31	38
Average number of embryos transferred	1.8	1.8	1.9	2.1	1.8
Percentage of elective single embryo transfers (eSET) (%)	8.5	7.1	6.9	4.5	1 / 18
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.0	24.1	16.9	11.3	2.5
Percentage of cycles resulting in live births (%)	32.4	17.2	14.3	5.7	0.0
Percentage of cycles resulting in singleton live births (%)	22.9	12.1	13.0	5.7	0.0
Percentage of cycles resulting in twin live births (%)	9.5	5.2	1.3	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.0	12.1	11.7	5.7	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.0	23.1	17.3	10.9	1.5
Percentage of transfers resulting in pregnancies (%)	52.6	36.8	30.2	19.4	5.3
Percentage of transfers resulting in live births (%)	43.6	26.3	25.6	9.7	0.0
Percentage of transfers resulting in singleton live births (%)	30.8	18.4	23.3	9.7	0.0
Percentage of transfers resulting in twin live births (%)	12.8	7.9	2.3	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.6	18.4	20.9	9.7	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	77	46	32	17	16
Number of transfers	65	37	25	15	9
Estimated average number of transfers per retrieval	1.4	1.4	0.6	0.7	0.5
Average number of embryos transferred	2.0	1.8	2.2	2.3	2.4
Percentage of embryos transferred resulting in implantation (%)	22.6	29.9	27.3	24.2	2 / 17
Percentage of transfers resulting in pregnancies (%)	33.8	40.5	44.0	6 / 15	3 / 9
Percentage of transfers resulting in live births (%)	30.8	35.1	36.0	4 / 15	0 / 9
Percentage of transfers resulting in singleton live births (%)	21.5	21.6	32.0	4 / 15	0 / 9
Percentage of transfers resulting in twin live births (%)	9.2	13.5	4.0	0 / 15	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.9	18.9	28.0	4 / 15	0 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	17	30	13	12
	6	7	12	5	6
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	13	34	5	
Number of transfers	3	11	21	5	
Average number of embryos transferred	2.0	1.7	2.0	2.4	
Percentage of embryos transferred resulting in implantation (%)	3 / 6	3 / 17	26.8	5 / 12	
Percentage of transfers resulting in pregnancies (%)	2 / 3	3 / 11	28.6	3 / 5	
Percentage of transfers resulting in live births (%)	2 / 3	2 / 11	28.6	2 / 5	
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 11	9.5	1 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 11	14.3	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	1 / 11	4.8	1 / 5	

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ali Nasser, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	31%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 10% Female & male factors 11%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	15%	Male factor	29%	
Used gestational carrier	5%			Diminished ovarian reserve	25%	Other factor	13%	
				Endometriosis	7%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 423
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	38	26	12	13
Percentage of cancellations before retrieval (%)	2.4	5.3	11.5	1 / 12	3 / 13
Number of transfers	35	29	15	9	7
Average number of embryos transferred	1.7	1.8	1.9	1.7	2.7
Percentage of elective single embryo transfers (eSET) (%)	16.1	8.7	0 / 12	1 / 7	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	54.8	34.2	15.4	2 / 12	0 / 13
Percentage of cycles resulting in live births (%)	47.6	28.9	11.5	1 / 12	0 / 13
Percentage of cycles resulting in singleton live births (%)	38.1	21.1	7.7	1 / 12	0 / 13
Percentage of cycles resulting in twin live births (%)	9.5	7.9	3.8	0 / 12	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	33.3	15.8	7.7	1 / 12	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.1	30.6	17.2	2 / 15	0 / 19
Percentage of transfers resulting in pregnancies (%)	65.7	44.8	4 / 15	2 / 9	0 / 7
Percentage of transfers resulting in live births (%)	57.1	37.9	3 / 15	1 / 9	0 / 7
Percentage of transfers resulting in singleton live births (%)	45.7	27.6	2 / 15	1 / 9	0 / 7
Percentage of transfers resulting in twin live births (%)	11.4	10.3	1 / 15	0 / 9	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	20.7	2 / 15	1 / 9	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	47	20	13	2
Number of transfers	48	44	20	11	2
Estimated average number of transfers per retrieval	0.9	1.1	0.6	0.7	0.3
Average number of embryos transferred	1.3	1.1	1.1	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	55.7	54.2	12 / 19	7 / 10	1 / 2
Percentage of transfers resulting in pregnancies (%)	64.6	61.4	60.0	8 / 11	1 / 2
Percentage of transfers resulting in live births (%)	60.4	47.7	45.0	7 / 11	1 / 2
Percentage of transfers resulting in singleton live births (%)	56.3	45.5	35.0	7 / 11	1 / 2
Percentage of transfers resulting in twin live births (%)	4.2	2.3	5.0	0 / 11	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.8	40.9	30.0	5 / 11	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	43	32	34	13	7
	13	14	14	6	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	23	0	
Number of transfers	7	0	21	0	
Average number of embryos transferred	1.1		1.4		
Percentage of embryos transferred resulting in implantation (%)	3 / 6		51.9		
Percentage of transfers resulting in pregnancies (%)	4 / 7		66.7		
Percentage of transfers resulting in live births (%)	3 / 7		57.1		
Percentage of transfers resulting in singleton live births (%)	3 / 7		52.4		
Percentage of transfers resulting in twin live births (%)	0 / 7		4.8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7		38.1		

CURRENT SERVICES & PROFILE

Current Name: Valley Hospital Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DAMIEN FERTILITY PARTNERS SHREWSBURY, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Miguel Damien, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	48%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 18%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	7%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	36%	Other factor	19%	
				Endometriosis	18%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 435
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	78	36	43	17	20
Percentage of cancellations before retrieval (%)	2.6	5.6	9.3	1 / 17	20.0
Number of transfers	53	22	24	8	8
Average number of embryos transferred	1.8	1.8	1.5	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	6.7	2 / 19	0 / 11	0 / 5	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	27.8	18.6	2 / 17	5.0
Percentage of cycles resulting in live births (%)	47.4	25.0	11.6	2 / 17	5.0
Percentage of cycles resulting in singleton live births (%)	28.2	19.4	9.3	2 / 17	5.0
Percentage of cycles resulting in twin live births (%)	16.7	5.6	2.3	0 / 17	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.8	13.9	7.0	2 / 17	5.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	63.5	31.6	32.4	2 / 14	1 / 16
Percentage of transfers resulting in pregnancies (%)	73.6	45.5	33.3	2 / 8	1 / 8
Percentage of transfers resulting in live births (%)	69.8	40.9	20.8	2 / 8	1 / 8
Percentage of transfers resulting in singleton live births (%)	41.5	31.8	16.7	2 / 8	1 / 8
Percentage of transfers resulting in twin live births (%)	24.5	9.1	4.2	0 / 8	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	22.7	12.5	2 / 8	1 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	54	15	22	9	2
Number of transfers	54	15	21	9	2
Estimated average number of transfers per retrieval	1.1	0.9	0.6	1.1	0.5
Average number of embryos transferred	1.6	1.6	1.3	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	49.4	59.1	48.0	6 / 11	1 / 3
Percentage of transfers resulting in pregnancies (%)	68.5	13 / 15	71.4	6 / 9	1 / 2
Percentage of transfers resulting in live births (%)	57.4	11 / 15	52.4	3 / 9	1 / 2
Percentage of transfers resulting in singleton live births (%)	51.9	10 / 15	52.4	2 / 9	1 / 2
Percentage of transfers resulting in twin live births (%)	5.6	1 / 15	0.0	1 / 9	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.3	6 / 15	38.1	2 / 9	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	10	28	6	4
	4	1	2	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	26	23	3	
Number of transfers	9	21	23	3	
Average number of embryos transferred	1.8	1.8	1.6	1.3	
Percentage of embryos transferred resulting in implantation (%)	13 / 16	47.4	45.5	3 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 9	61.9	56.5	2 / 3	
Percentage of transfers resulting in live births (%)	7 / 9	57.1	39.1	2 / 3	
Percentage of transfers resulting in singleton live births (%)	5 / 9	38.1	26.1	1 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 9	19.0	13.0	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 9	19.0	26.1	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Damien Fertility Partners

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
LOUIS R. MANARA, DO
VOORHEES, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Louis R. Manara, DO				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	55%	Tubal factor	4%	Uterine factor	0%	Multiple Factors: Female factors only 6% Female & male factors 15%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	22%	Male factor	29%	
Used gestational carrier	1%			Diminished ovarian reserve	29%	Other factor	16%	
				Endometriosis	6%	Unknown factor	17%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 249 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		23	12	9	10	3
Percentage of cancellations before retrieval (%)		17.4	4 / 12	3 / 9	5 / 10	1 / 3
Number of transfers		10	4	4	4	0
Average number of embryos transferred		1.2	1.8	1.5	2.3	
Percentage of elective single embryo transfers (eSET) (%)		0 / 2	1 / 3	0 / 2	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		17.4	1 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)		13.0	1 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)		8.7	1 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)		4.3	0 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		8.7	1 / 12	0 / 9	0 / 10	0 / 3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		5 / 12	1 / 7	0 / 6	0 / 9	
Percentage of transfers resulting in pregnancies (%)		4 / 10	1 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)		3 / 10	1 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)		2 / 10	1 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 10	1 / 4	0 / 4	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles		57	27	21	2	7
Number of transfers		54	26	21	2	6
Estimated average number of transfers per retrieval		1.5	1.4	1.5	0.4	1.0
Average number of embryos transferred		1.2	1.3	1.2	1.0	1.2
Percentage of embryos transferred resulting in implantation (%)		44.4	45.5	53.8	1 / 2	0 / 7
Percentage of transfers resulting in pregnancies (%)		51.9	50.0	61.9	1 / 2	0 / 6
Percentage of transfers resulting in live births (%)		46.3	50.0	57.1	1 / 2	0 / 6
Percentage of transfers resulting in singleton live births (%)		46.3	42.3	52.4	1 / 2	0 / 6
Percentage of transfers resulting in twin live births (%)		0.0	7.7	4.8	0 / 2	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		44.4	34.6	47.6	1 / 2	0 / 6
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		26	16	9	4	3
		0	1	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		9	0	11	0	
Number of transfers		9	0	9	0	
Average number of embryos transferred		1.6		1.2		
Percentage of embryos transferred resulting in implantation (%)		11 / 14		3 / 10		
Percentage of transfers resulting in pregnancies (%)		8 / 9		4 / 9		
Percentage of transfers resulting in live births (%)		7 / 9		2 / 9		
Percentage of transfers resulting in singleton live births (%)		5 / 9		2 / 9		
Percentage of transfers resulting in twin live births (%)		2 / 9		0 / 9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		5 / 9		2 / 9		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Medicine and Fertility, Louis R. Manara, DO					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Zalman Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	26%	Uterine factor	32%	Multiple Factors: Female factors only 43% Female & male factors 33%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	35%	Male factor	35%	
Used gestational carrier	1%			Diminished ovarian reserve	63%	Other factor	28%	
				Endometriosis	6%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 368
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	17	22	14	5
Percentage of cancellations before retrieval (%)	4.2	2 / 17	31.8	4 / 14	0 / 5
Number of transfers	16	13	11	5	3
Average number of embryos transferred	2.1	2.3	2.4	4.2	3.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 15	0 / 11	0 / 9	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	4 / 17	22.7	0 / 14	0 / 5
Percentage of cycles resulting in live births (%)	25.0	3 / 17	18.2	0 / 14	0 / 5
Percentage of cycles resulting in singleton live births (%)	16.7	2 / 17	18.2	0 / 14	0 / 5
Percentage of cycles resulting in twin live births (%)	8.3	1 / 17	0.0	0 / 14	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.7	2 / 17	18.2	0 / 14	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	16.7	23.1	0.0	0 / 9
Percentage of transfers resulting in pregnancies (%)	8 / 16	4 / 13	5 / 11	0 / 5	0 / 3
Percentage of transfers resulting in live births (%)	6 / 16	3 / 13	4 / 11	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 16	2 / 13	4 / 11	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 16	1 / 13	0 / 11	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 16	2 / 13	4 / 11	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	27	22	4	1
Number of transfers	50	26	21	3	1
Estimated average number of transfers per retrieval	0.9	0.9	0.6	0.1	0.1
Average number of embryos transferred	1.6	1.6	1.4	2.3	5.0
Percentage of embryos transferred resulting in implantation (%)	65.8	63.4	58.6	2 / 6	0 / 5
Percentage of transfers resulting in pregnancies (%)	82.0	69.2	61.9	3 / 3	0 / 1
Percentage of transfers resulting in live births (%)	70.0	53.8	57.1	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	52.0	26.9	38.1	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	18.0	26.9	19.0	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.0	23.1	33.3	2 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	48	27	35	20	9
	6	2	0	2	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	1	18	2	
Number of transfers	16	1	16	2	
Average number of embryos transferred	2.4	2.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	36.8	1 / 2	51.9	3 / 4	
Percentage of transfers resulting in pregnancies (%)	10 / 16	1 / 1	10 / 16	2 / 2	
Percentage of transfers resulting in live births (%)	9 / 16	1 / 1	8 / 16	2 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 16	1 / 1	6 / 16	1 / 2	
Percentage of transfers resulting in twin live births (%)	4 / 16	0 / 1	2 / 16	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 16	1 / 1	4 / 16	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Jersey and New York

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAPERTON FERTILITY INSTITUTE, LLC ALBUQUERQUE, NEW MEXICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles L. Caperton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	98%	Tubal factor	7%	Uterine factor	56%	Multiple Factors: Female factors only 46% Female & male factors 10%
Unstimulated	0%	PGD/PGS	93%	Ovulatory dysfunction	46%	Male factor	10%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	15%	
				Endometriosis	20%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 102
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	1	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 1			
Number of transfers	1	1	0	0	0
Average number of embryos transferred	2.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1	1 / 1			
Percentage of cycles resulting in live births (%)	1 / 1	1 / 1			
Percentage of cycles resulting in singleton live births (%)	1 / 1	1 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 1	1 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	19	3	8	0	2
Number of transfers	19	3	8	0	1
Estimated average number of transfers per retrieval	1.0	0.2	0.8	0.0	0.2
Average number of embryos transferred	1.1	1.7	1.4		1.0
Percentage of embryos transferred resulting in implantation (%)	35.0	3 / 5	4 / 11		1 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 19	2 / 3	3 / 8		1 / 1
Percentage of transfers resulting in live births (%)	6 / 19	2 / 3	2 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	2 / 3	2 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 3	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 19	0 / 3	1 / 8		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	13	10	14	5
	0	0	2	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	5	0	
Number of transfers	2	0	5	0	
Average number of embryos transferred	1.5		1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 3		3 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 2		4 / 5		
Percentage of transfers resulting in live births (%)	1 / 2		3 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 2		3 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		2 / 5		

CURRENT SERVICES & PROFILE

Current Name: Caperton Fertility Institute, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Douglas J. Thompson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	6%	Uterine factor	17%	Multiple Factors: Female factors only 3% Female & male factors 32%
Unstimulated	0%	PGD/PGS	66%	Ovulatory dysfunction	9%	Male factor	62%	
Used gestational carrier	4%			Diminished ovarian reserve	27%	Other factor	6%	
				Endometriosis	6%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 181
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	5	2	1	3
Percentage of cancellations before retrieval (%)	1 / 8	1 / 5	2 / 2	0 / 1	1 / 3
Number of transfers	6	3	0	1	1
Average number of embryos transferred	2.0	2.0		2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 3		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 8	1 / 5	0 / 2	1 / 1	0 / 3
Percentage of cycles resulting in live births (%)	1 / 8	1 / 5	0 / 2	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 5	0 / 2	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 8	1 / 5	0 / 2	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 8	0 / 5	0 / 2	0 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 12	2 / 6		2 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 6	1 / 3		1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 6	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 6	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 6	0 / 3		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	16	14	7	3
Number of transfers	31	16	12	7	3
Estimated average number of transfers per retrieval	0.9	1.1	1.1	0.5	1.0
Average number of embryos transferred	1.4	1.4	1.5	1.1	1.7
Percentage of embryos transferred resulting in implantation (%)	47.6	36.4	10 / 18	3 / 8	1 / 5
Percentage of transfers resulting in pregnancies (%)	54.8	6 / 16	9 / 12	3 / 7	1 / 3
Percentage of transfers resulting in live births (%)	45.2	4 / 16	8 / 12	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	32.3	3 / 16	7 / 12	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	12.9	1 / 16	1 / 12	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.8	2 / 16	4 / 12	1 / 7	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	15	11	13	3
	4	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	9	11	
Number of transfers	0	0	9	11	
Average number of embryos transferred			1.4	1.4	
Percentage of embryos transferred resulting in implantation (%)			5 / 13	4 / 13	
Percentage of transfers resulting in pregnancies (%)			3 / 9	6 / 11	
Percentage of transfers resulting in live births (%)			2 / 9	3 / 11	
Percentage of transfers resulting in singleton live births (%)			1 / 9	3 / 11	
Percentage of transfers resulting in twin live births (%)			1 / 9	0 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 9	1 / 11	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: The Fertility Center of New Mexico, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard V. Grazi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	47%	Tubal factor	26%	Uterine factor	1%	Multiple Factors: Female factors only 16% Female & male factors 23%
Unstimulated	4%	PGD/PGS	12%	Ovulatory dysfunction	13%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	33%	Other factor	17%	
				Endometriosis	5%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 813
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	94	59	77	28	37
Percentage of cancellations before retrieval (%)	9.6	22.0	29.9	17.9	24.3
Number of transfers	74	35	36	18	15
Average number of embryos transferred	1.4	1.5	2.3	2.9	2.5
Percentage of elective single embryo transfers (eSET) (%)	64.7	48.5	3.0	0 / 18	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.1	27.1	11.7	10.7	5.4
Percentage of cycles resulting in live births (%)	29.8	22.0	6.5	3.6	5.4
Percentage of cycles resulting in singleton live births (%)	26.6	22.0	5.2	0.0	5.4
Percentage of cycles resulting in twin live births (%)	3.2	0.0	1.3	3.6	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.3	18.6	5.2	0.0	5.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.4	30.6	11.5	7.7	5.4
Percentage of transfers resulting in pregnancies (%)	44.6	45.7	25.0	3 / 18	2 / 15
Percentage of transfers resulting in live births (%)	37.8	37.1	13.9	1 / 18	2 / 15
Percentage of transfers resulting in singleton live births (%)	33.8	37.1	11.1	0 / 18	2 / 15
Percentage of transfers resulting in twin live births (%)	4.1	0.0	2.8	1 / 18	0 / 15
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.4	31.4	11.1	0 / 18	2 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	144	80	46	19	28
Number of transfers	128	69	33	13	24
Estimated average number of transfers per retrieval	1.8	1.4	0.6	0.4	0.6
Average number of embryos transferred	1.4	1.3	1.7	2.2	2.3
Percentage of embryos transferred resulting in implantation (%)	41.7	33.0	33.3	17.2	3.7
Percentage of transfers resulting in pregnancies (%)	50.8	42.0	45.5	5 / 13	8.3
Percentage of transfers resulting in live births (%)	39.1	37.7	33.3	3 / 13	8.3
Percentage of transfers resulting in singleton live births (%)	32.8	36.2	24.2	3 / 13	8.3
Percentage of transfers resulting in twin live births (%)	6.3	1.4	9.1	0 / 13	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.8	31.9	24.2	2 / 13	8.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	40	33	38	24	32
	5	14	12	6	6
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	6	10	2	
Number of transfers	9	4	8	1	
Average number of embryos transferred	1.7	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 15	2 / 5	4 / 12	2 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 9	2 / 4	3 / 8	1 / 1	
Percentage of transfers resulting in live births (%)	5 / 9	0 / 4	3 / 8	1 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 9	0 / 4	2 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 4	1 / 8	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 9	0 / 4	1 / 8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KOFINAS FERTILITY GROUP BROOKLYN, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George D. Kofinas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	41%	Uterine factor	19%	Multiple Factors: Female factors only 42% Female & male factors 10%
Unstimulated	1%	PGD/PGS	37%	Ovulatory dysfunction	10%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	11%	
				Endometriosis	38%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 624
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	12	14	20	23	21
Percentage of cancellations before retrieval (%)	0 / 12	1 / 14	0.0	0.0	4.8
Number of transfers	12	12	20	23	15
Average number of embryos transferred	2.1	2.3	2.8	2.7	2.6
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	0 / 11	0 / 19	0 / 19	0 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 12	7 / 14	35.0	34.8	19.0
Percentage of cycles resulting in live births (%)	6 / 12	6 / 14	20.0	17.4	4.8
Percentage of cycles resulting in singleton live births (%)	3 / 12	5 / 14	20.0	17.4	4.8
Percentage of cycles resulting in twin live births (%)	3 / 12	1 / 14	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 12	5 / 14	10.0	17.4	4.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.0	33.3	14.5	12.7	10.3
Percentage of transfers resulting in pregnancies (%)	8 / 12	7 / 12	35.0	34.8	4 / 15
Percentage of transfers resulting in live births (%)	6 / 12	6 / 12	20.0	17.4	1 / 15
Percentage of transfers resulting in singleton live births (%)	3 / 12	5 / 12	20.0	17.4	1 / 15
Percentage of transfers resulting in twin live births (%)	3 / 12	1 / 12	0.0	0.0	0 / 15
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 12	5 / 12	10.0	17.4	1 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	61	44	32	16	10
Number of transfers	61	44	32	16	9
Estimated average number of transfers per retrieval	0.8	0.7	0.6	0.3	0.1
Average number of embryos transferred	1.6	1.6	1.8	1.4	2.1
Percentage of embryos transferred resulting in implantation (%)	47.9	54.3	28.8	50.0	1 / 19
Percentage of transfers resulting in pregnancies (%)	65.6	72.7	50.0	10 / 16	1 / 9
Percentage of transfers resulting in live births (%)	50.8	52.3	37.5	6 / 16	1 / 9
Percentage of transfers resulting in singleton live births (%)	44.3	43.2	34.4	6 / 16	1 / 9
Percentage of transfers resulting in twin live births (%)	6.6	9.1	3.1	0 / 16	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.6	34.1	25.0	3 / 16	1 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	72	65	50	48	84
	29	36	25	32	65
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	10	34	0	
Number of transfers	5	8	34	0	
Average number of embryos transferred	1.8	2.0	1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 9	5 / 16	47.2		
Percentage of transfers resulting in pregnancies (%)	3 / 5	4 / 8	61.8		
Percentage of transfers resulting in live births (%)	2 / 5	4 / 8	50.0		
Percentage of transfers resulting in singleton live births (%)	2 / 5	3 / 8	38.2		
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 8	11.8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	2 / 8	29.4		

CURRENT SERVICES & PROFILE

Current Name: Kofinas Fertility Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK, PLLC BUFFALO, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Adam M. Griffin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 16%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	11%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	5%	
				Endometriosis	9%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 616
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	182	108	86	44	20
Percentage of cancellations before retrieval (%)	8.2	22.2	27.9	27.3	40.0
Number of transfers	155	74	56	29	9
Average number of embryos transferred	1.9	2.0	2.5	2.6	2.6
Percentage of elective single embryo transfers (eSET) (%)	18.2	9.5	0.0	0.0	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.2	25.9	14.0	13.6	10.0
Percentage of cycles resulting in live births (%)	31.3	21.3	9.3	6.8	0.0
Percentage of cycles resulting in singleton live births (%)	20.3	18.5	8.1	6.8	0.0
Percentage of cycles resulting in twin live births (%)	11.0	1.9	1.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.0	13.9	8.1	4.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.8	22.2	9.1	5.9	4.8
Percentage of transfers resulting in pregnancies (%)	41.3	37.8	21.4	20.7	2 / 9
Percentage of transfers resulting in live births (%)	36.8	31.1	14.3	10.3	0 / 9
Percentage of transfers resulting in singleton live births (%)	23.9	27.0	12.5	10.3	0 / 9
Percentage of transfers resulting in twin live births (%)	12.9	2.7	1.8	0.0	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	20.3	12.5	6.9	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	68	35	13	1	0
Number of transfers	59	34	11	1	0
Estimated average number of transfers per retrieval	1.2	1.7	0.6	0.5	0.0
Average number of embryos transferred	1.4	1.5	1.6	3.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	22.7	2 / 18	0 / 3	
Percentage of transfers resulting in pregnancies (%)	45.8	38.2	2 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	35.6	23.5	2 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.2	23.5	2 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.4	0.0	0 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.5	20.6	2 / 11	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	7	5	1	1
	5	5	3	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	21	6	0	
Number of transfers	5	17	5	0	
Average number of embryos transferred	2.0	1.9	1.4		
Percentage of embryos transferred resulting in implantation (%)	4 / 10	33.3	4 / 7		
Percentage of transfers resulting in pregnancies (%)	2 / 5	7 / 17	4 / 5		
Percentage of transfers resulting in live births (%)	2 / 5	6 / 17	4 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 5	2 / 17	4 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 5	4 / 17	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	1 / 17	3 / 5		

CURRENT SERVICES & PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York, PLLC dba, Buffalo IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC FISHKILL, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel W. Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	23%	Uterine factor	11%	Multiple Factors: Female factors only 22% Female & male factors 22%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	42%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	17%	
				Endometriosis	5%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 294
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	20	25	11	14
Percentage of cancellations before retrieval (%)	4.4	5.0	12.0	1 / 11	2 / 14
Number of transfers	37	14	19	6	9
Average number of embryos transferred	1.8	2.1	2.2	1.8	2.9
Percentage of elective single embryo transfers (eSET) (%)	12.5	0 / 11	0 / 17	0 / 3	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.7	20.0	28.0	2 / 11	1 / 14
Percentage of cycles resulting in live births (%)	20.0	20.0	12.0	1 / 11	0 / 14
Percentage of cycles resulting in singleton live births (%)	8.9	10.0	8.0	1 / 11	0 / 14
Percentage of cycles resulting in twin live births (%)	11.1	5.0	4.0	0 / 11	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.9	10.0	8.0	1 / 11	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	24.6	24.1	21.4	3 / 11	3.8
Percentage of transfers resulting in pregnancies (%)	32.4	4 / 14	7 / 19	2 / 6	1 / 9
Percentage of transfers resulting in live births (%)	24.3	4 / 14	3 / 19	1 / 6	0 / 9
Percentage of transfers resulting in singleton live births (%)	10.8	2 / 14	2 / 19	1 / 6	0 / 9
Percentage of transfers resulting in twin live births (%)	13.5	1 / 14	1 / 19	0 / 6	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	10.8	2 / 14	2 / 19	1 / 6	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	34	23	22	7	10
Number of transfers	30	17	17	5	7
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.5	0.6
Average number of embryos transferred	1.8	1.8	2.1	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	34.5	30.0	23.3	3 / 14	0 / 16
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 17	7 / 17	2 / 5	0 / 7
Percentage of transfers resulting in live births (%)	43.3	6 / 17	3 / 17	2 / 5	0 / 7
Percentage of transfers resulting in singleton live births (%)	36.7	5 / 17	3 / 17	1 / 5	0 / 7
Percentage of transfers resulting in twin live births (%)	6.7	1 / 17	0 / 17	1 / 5	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	3 / 17	2 / 17	1 / 5	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	14	20	10	10
	21	14	19	10	10
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	7	1	0	
Number of transfers	0	7	1	0	
Average number of embryos transferred		2.1	2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 15	0 / 2		
Percentage of transfers resulting in pregnancies (%)		2 / 7	0 / 1		
Percentage of transfers resulting in live births (%)		2 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 7	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 7	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Tony Tsai, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	4%	Uterine factor	12%	
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	9%	Male factor	5%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	13%	
				Endometriosis	5%	Unknown factor	27%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				0%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 389 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		95	50	47	35	70
Percentage of cancellations before retrieval (%)		4.2	4.0	17.0	8.6	18.6
Number of transfers		62	34	26	22	25
Average number of embryos transferred		2.7	2.9	2.3	3.0	2.6
Percentage of elective single embryo transfers (eSET) (%)		0.0	7.4	0 / 16	0 / 19	0 / 16
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		25.3	24.0	12.8	8.6	2.9
Percentage of cycles resulting in live births (%)		14.7	14.0	2.1	5.7	1.4
Percentage of cycles resulting in singleton live births (%)		10.5	12.0	2.1	5.7	1.4
Percentage of cycles resulting in twin live births (%)		4.2	0.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		5.3	6.0	2.1	5.7	0.0
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		15.9	14.0	8.8	4.5	3.1
Percentage of transfers resulting in pregnancies (%)		38.7	35.3	23.1	13.6	8.0
Percentage of transfers resulting in live births (%)		22.6	20.6	3.8	9.1	4.0
Percentage of transfers resulting in singleton live births (%)		16.1	17.6	3.8	9.1	4.0
Percentage of transfers resulting in twin live births (%)		6.5	0.0	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		8.1	8.8	3.8	9.1	0.0
Frozen Embryos from Nondonor Eggs						
Number of cycles		21	15	14	7	11
Number of transfers		18	14	11	7	9
Estimated average number of transfers per retrieval		0.9	1.4	1.1	2.3	0.6
Average number of embryos transferred		2.9	2.9	2.9	2.6	2.6
Percentage of embryos transferred resulting in implantation (%)		15.1	17.1	6.3	0 / 18	0.0
Percentage of transfers resulting in pregnancies (%)		6 / 18	5 / 14	2 / 11	0 / 7	0 / 9
Percentage of transfers resulting in live births (%)		4 / 18	3 / 14	2 / 11	0 / 7	0 / 9
Percentage of transfers resulting in singleton live births (%)		2 / 18	1 / 14	2 / 11	0 / 7	0 / 9
Percentage of transfers resulting in twin live births (%)		2 / 18	2 / 14	0 / 11	0 / 7	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 18	1 / 14	1 / 11	0 / 7	0 / 9
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		0	0	0	0	0
		0	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		1	1	16	6	
Number of transfers		1	1	15	6	
Average number of embryos transferred		2.0	1.0	2.5	3.3	
Percentage of embryos transferred resulting in implantation (%)		0 / 2	1 / 1	21.6	5.0	
Percentage of transfers resulting in pregnancies (%)		0 / 1	1 / 1	5 / 15	1 / 6	
Percentage of transfers resulting in live births (%)		0 / 1	1 / 1	3 / 15	0 / 6	
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 1	0 / 15	0 / 6	
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1	3 / 15	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	1 / 1	0 / 15	0 / 6	

CURRENT SERVICES & PROFILE		Current Name: The New York Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Harry J. Lieman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	48%	Tubal factor	32%	Uterine factor	14%	Multiple Factors: Female factors only 30% Female & male factors 16%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	15%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	18%	
				Endometriosis	3%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 245
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	19	28	20	15
Percentage of cancellations before retrieval (%)	10.5	2 / 19	10.7	25.0	5 / 15
Number of transfers	23	13	18	8	5
Average number of embryos transferred	1.6	1.8	1.8	2.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	45.5	1 / 11	1 / 15	0 / 5	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	6 / 19	21.4	0.0	1 / 15
Percentage of cycles resulting in live births (%)	31.6	6 / 19	10.7	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	26.3	4 / 19	10.7	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	5.3	2 / 19	0.0	0.0	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.8	4 / 19	10.7	0.0	0 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.1	39.1	10.7	0 / 16	0 / 10
Percentage of transfers resulting in pregnancies (%)	60.9	6 / 13	6 / 18	0 / 8	1 / 5
Percentage of transfers resulting in live births (%)	52.2	6 / 13	3 / 18	0 / 8	0 / 5
Percentage of transfers resulting in singleton live births (%)	43.5	4 / 13	3 / 18	0 / 8	0 / 5
Percentage of transfers resulting in twin live births (%)	8.7	2 / 13	0 / 18	0 / 8	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	4 / 13	3 / 18	0 / 8	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	13	19	6	6
Number of transfers	27	12	17	5	5
Estimated average number of transfers per retrieval	1.1	1.2	0.9	0.5	0.7
Average number of embryos transferred	1.6	1.4	1.6	2.4	2.2
Percentage of embryos transferred resulting in implantation (%)	52.3	8 / 17	46.2	2 / 10	2 / 11
Percentage of transfers resulting in pregnancies (%)	59.3	8 / 12	12 / 17	3 / 5	2 / 5
Percentage of transfers resulting in live births (%)	51.9	8 / 12	11 / 17	0 / 5	1 / 5
Percentage of transfers resulting in singleton live births (%)	37.0	8 / 12	11 / 17	0 / 5	1 / 5
Percentage of transfers resulting in twin live births (%)	14.8	0 / 12	0 / 17	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.2	5 / 12	10 / 17	0 / 5	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	7	10	4	4
	5	3	4	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	7	0	
Number of transfers	6	0	7	0	
Average number of embryos transferred	1.3		1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 8		2 / 11		
Percentage of transfers resulting in pregnancies (%)	4 / 6		2 / 7		
Percentage of transfers resulting in live births (%)	3 / 6		1 / 7		
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK REPRODUCTIVE WELLNESS JERICHO, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory Zapantis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	91%	Tubal factor	23%	Uterine factor	4%	Multiple Factors: Female factors only 24% Female & male factors 25%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	20%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	22%	
				Endometriosis	9%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 190
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	21	15	6	8
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 15	0 / 6	0 / 8
Number of transfers	20	16	13	5	4
Average number of embryos transferred	1.4	1.5	1.8	1.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	11 / 19	3 / 11	2 / 11	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.9	38.1	5 / 15	1 / 6	1 / 8
Percentage of cycles resulting in live births (%)	31.8	33.3	3 / 15	1 / 6	0 / 8
Percentage of cycles resulting in singleton live births (%)	31.8	28.6	3 / 15	0 / 6	0 / 8
Percentage of cycles resulting in twin live births (%)	0.0	4.8	0 / 15	1 / 6	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.8	28.6	2 / 15	0 / 6	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	36.4	18.2	2 / 9	1 / 7
Percentage of transfers resulting in pregnancies (%)	45.0	8 / 16	5 / 13	1 / 5	1 / 4
Percentage of transfers resulting in live births (%)	35.0	7 / 16	3 / 13	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	35.0	6 / 16	3 / 13	0 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	1 / 16	0 / 13	1 / 5	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	6 / 16	2 / 13	0 / 5	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	21	16	8	7
Number of transfers	16	21	16	8	7
Estimated average number of transfers per retrieval	0.8	1.4	1.2	1.6	0.6
Average number of embryos transferred	1.7	1.4	1.7	1.5	2.3
Percentage of embryos transferred resulting in implantation (%)	22.2	56.0	37.0	2 / 10	0 / 14
Percentage of transfers resulting in pregnancies (%)	5 / 16	61.9	9 / 16	3 / 8	1 / 7
Percentage of transfers resulting in live births (%)	4 / 16	47.6	6 / 16	2 / 8	0 / 7
Percentage of transfers resulting in singleton live births (%)	3 / 16	33.3	5 / 16	2 / 8	0 / 7
Percentage of transfers resulting in twin live births (%)	1 / 16	14.3	1 / 16	0 / 8	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 16	28.6	5 / 16	2 / 8	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	9	11	3	6
	1	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	9	
Number of transfers	0	0	0	9	
Average number of embryos transferred				1.3	
Percentage of embryos transferred resulting in implantation (%)				2 / 12	
Percentage of transfers resulting in pregnancies (%)				2 / 9	
Percentage of transfers resulting in live births (%)				2 / 9	
Percentage of transfers resulting in singleton live births (%)				2 / 9	
Percentage of transfers resulting in twin live births (%)				0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				2 / 9	

CURRENT SERVICES & PROFILE

Current Name: New York Reproductive Wellness

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE ALBANY CENTER LOUDONVILLE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steven Bayer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	33%	Tubal factor	18%	Uterine factor	0%	Multiple Factors: Female factors only 12% Female & male factors 10%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	12%	
				Endometriosis	7%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 293
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	69	35	40	11	4
Percentage of cancellations before retrieval (%)	1.4	5.7	10.0	1 / 11	1 / 4
Number of transfers	57	28	28	4	2
Average number of embryos transferred	1.2	1.5	1.9	1.5	4.0
Percentage of elective single embryo transfers (eSET) (%)	84.1	52.2	9.5	1 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	28.6	25.0	1 / 11	0 / 4
Percentage of cycles resulting in live births (%)	24.6	28.6	22.5	0 / 11	0 / 4
Percentage of cycles resulting in singleton live births (%)	24.6	28.6	17.5	0 / 11	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	0.0	5.0	0 / 11	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.3	28.6	10.0	0 / 11	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.8	24.4	26.9	0 / 5	0 / 8
Percentage of transfers resulting in pregnancies (%)	40.4	35.7	35.7	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	29.8	35.7	32.1	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.8	35.7	25.0	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0.0	7.1	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.6	35.7	14.3	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	48	34	13	3	0
Number of transfers	41	31	12	3	0
Estimated average number of transfers per retrieval	1.5	1.9	1.5	0.5	
Average number of embryos transferred	1.3	1.5	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.4	29.5	4 / 17	1 / 6	
Percentage of transfers resulting in pregnancies (%)	41.5	45.2	4 / 12	1 / 3	
Percentage of transfers resulting in live births (%)	29.3	35.5	4 / 12	1 / 3	
Percentage of transfers resulting in singleton live births (%)	24.4	29.0	4 / 12	1 / 3	
Percentage of transfers resulting in twin live births (%)	4.9	6.5	0 / 12	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.0	22.6	4 / 12	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	4	2	1	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	18	0	
Number of transfers	4	0	14	0	
Average number of embryos transferred	1.3		1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 5		6 / 19		
Percentage of transfers resulting in pregnancies (%)	2 / 4		7 / 14		
Percentage of transfers resulting in live births (%)	2 / 4		4 / 14		
Percentage of transfers resulting in singleton live births (%)	1 / 4		3 / 14		
Percentage of transfers resulting in twin live births (%)	1 / 4		1 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4		3 / 14		

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Albany Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWELL HEALTH FERTILITY MANHASSET, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christine M. Mullin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 8%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	11%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	11%	
				Endometriosis	4%	Unknown factor	23%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,581
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	188	130	104	62	46
Percentage of cancellations before retrieval (%)	10.6	10.0	35.6	33.9	23.9
Number of transfers	125	91	53	28	24
Average number of embryos transferred	1.5	1.8	2.1	2.8	2.8
Percentage of elective single embryo transfers (eSET) (%)	45.6	9.9	7.5	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.5	23.8	13.5	12.9	2.2
Percentage of cycles resulting in live births (%)	22.9	17.7	11.5	8.1	0.0
Percentage of cycles resulting in singleton live births (%)	20.2	12.3	11.5	8.1	0.0
Percentage of cycles resulting in twin live births (%)	2.7	5.4	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.1	10.8	9.6	6.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	27.6	24.1	13.2	10.0	0.0
Percentage of transfers resulting in pregnancies (%)	36.8	34.1	26.4	28.6	4.2
Percentage of transfers resulting in live births (%)	34.4	25.3	22.6	17.9	0.0
Percentage of transfers resulting in singleton live births (%)	30.4	17.6	22.6	17.9	0.0
Percentage of transfers resulting in twin live births (%)	4.0	7.7	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.2	15.4	18.9	14.3	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	238	137	124	46	17
Number of transfers	234	137	117	45	16
Estimated average number of transfers per retrieval	1.2	1.2	0.9	0.7	0.5
Average number of embryos transferred	1.3	1.4	1.4	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	52.9	44.6	36.8	31.3	10 / 18
Percentage of transfers resulting in pregnancies (%)	62.4	54.0	47.9	40.0	13 / 16
Percentage of transfers resulting in live births (%)	50.0	44.5	35.0	33.3	6 / 16
Percentage of transfers resulting in singleton live births (%)	44.0	39.4	30.8	26.7	6 / 16
Percentage of transfers resulting in twin live births (%)	6.0	5.1	4.3	6.7	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.9	32.1	26.5	22.2	4 / 16
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	120	85	101	50	31
	35	29	24	6	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	46	6	49	0	
Number of transfers	37	4	44	0	
Average number of embryos transferred	1.4	1.8	1.4		
Percentage of embryos transferred resulting in implantation (%)	58.1	3 / 7	45.5		
Percentage of transfers resulting in pregnancies (%)	64.9	2 / 4	54.5		
Percentage of transfers resulting in live births (%)	43.2	2 / 4	36.4		
Percentage of transfers resulting in singleton live births (%)	29.7	1 / 4	25.0		
Percentage of transfers resulting in twin live births (%)	13.5	1 / 4	11.4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.3	0 / 4	15.9		

CURRENT SERVICES & PROFILE

Current Name: Northwell Health Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF MELVILLE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel Kenigsberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	1%	PGD/PGS	11%	Ovulatory dysfunction	7%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	2%	
				Endometriosis	5%	Unknown factor	31%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,390
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	235	126	109	67	69
Percentage of cancellations before retrieval (%)	5.1	8.7	11.9	11.9	15.9
Number of transfers	194	99	84	55	45
Average number of embryos transferred	1.5	1.5	1.9	2.4	2.4
Percentage of elective single embryo transfers (eSET) (%)	41.4	23.9	14.3	2.4	6.1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.2	31.0	29.4	23.9	10.1
Percentage of cycles resulting in live births (%)	29.8	26.2	20.2	14.9	2.9
Percentage of cycles resulting in singleton live births (%)	22.1	23.8	16.5	11.9	1.4
Percentage of cycles resulting in twin live births (%)	7.7	2.4	3.7	3.0	1.4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.1	19.8	12.8	6.0	1.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.9	27.2	23.4	13.4	7.0
Percentage of transfers resulting in pregnancies (%)	43.8	39.4	38.1	29.1	15.6
Percentage of transfers resulting in live births (%)	36.1	33.3	26.2	18.2	4.4
Percentage of transfers resulting in singleton live births (%)	26.8	30.3	21.4	14.5	2.2
Percentage of transfers resulting in twin live births (%)	9.3	3.0	4.8	3.6	2.2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.2	25.3	16.7	7.3	2.2
Frozen Embryos from Nondonor Eggs					
Number of cycles	168	89	105	34	24
Number of transfers	155	78	93	27	22
Estimated average number of transfers per retrieval	1.3	1.0	1.3	0.5	1.0
Average number of embryos transferred	1.5	1.5	1.6	1.9	1.6
Percentage of embryos transferred resulting in implantation (%)	24.8	37.9	23.8	10.4	6.3
Percentage of transfers resulting in pregnancies (%)	34.2	51.3	34.4	18.5	13.6
Percentage of transfers resulting in live births (%)	27.1	42.3	26.9	14.8	4.5
Percentage of transfers resulting in singleton live births (%)	23.2	39.7	23.7	14.8	4.5
Percentage of transfers resulting in twin live births (%)	3.9	2.6	3.2	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.4	33.3	19.4	7.4	4.5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	50	53	56	42	20
	4	8	3	3	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	31	22	66	17	
Number of transfers	28	21	62	16	
Average number of embryos transferred	1.7	1.6	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)	40.4	26.5	20.2	17.9	
Percentage of transfers resulting in pregnancies (%)	57.1	38.1	27.4	5 / 16	
Percentage of transfers resulting in live births (%)	53.6	33.3	25.8	4 / 16	
Percentage of transfers resulting in singleton live births (%)	42.9	28.6	25.8	4 / 16	
Percentage of transfers resulting in twin live births (%)	10.7	4.8	0.0	0 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	28.6	24.2	3 / 16	

CURRENT SERVICES & PROFILE

Current Name: Long Island IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James R. Stelling, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	57%	Tubal factor	16%	Uterine factor	6%	Multiple Factors: Female factors only 9% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	12%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	16%	
				Endometriosis	4%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,551
(includes 10 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	181	116	134	81	116
Percentage of cancellations before retrieval (%)	1.7	10.3	10.4	12.3	11.2
Number of transfers	132	68	72	47	47
Average number of embryos transferred	1.6	1.6	1.8	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	34.9	35.0	9.3	6.3	3.2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	25.0	19.4	13.6	5.2
Percentage of cycles resulting in live births (%)	23.8	19.8	16.4	7.4	3.4
Percentage of cycles resulting in singleton live births (%)	19.3	15.5	11.2	7.4	3.4
Percentage of cycles resulting in twin live births (%)	4.4	4.3	5.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.1	11.2	10.4	7.4	2.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.0	30.2	26.8	10.4	4.4
Percentage of transfers resulting in pregnancies (%)	41.7	42.6	36.1	23.4	12.8
Percentage of transfers resulting in live births (%)	32.6	33.8	30.6	12.8	8.5
Percentage of transfers resulting in singleton live births (%)	26.5	26.5	20.8	12.8	8.5
Percentage of transfers resulting in twin live births (%)	6.1	7.4	9.7	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.5	19.1	19.4	12.8	6.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	214	127	115	55	22
Number of transfers	202	118	106	51	20
Estimated average number of transfers per retrieval	1.1	1.2	1.0	0.9	0.4
Average number of embryos transferred	1.5	1.4	1.4	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	41.8	37.0	27.0	25.0	19.2
Percentage of transfers resulting in pregnancies (%)	50.0	45.8	35.8	35.3	25.0
Percentage of transfers resulting in live births (%)	35.1	33.9	31.1	23.5	20.0
Percentage of transfers resulting in singleton live births (%)	24.3	25.4	26.4	21.6	20.0
Percentage of transfers resulting in twin live births (%)	9.9	8.5	4.7	2.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.3	22.0	20.8	17.6	20.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	93	66	73	43	49
	31	19	14	7	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	16	32	0	
Number of transfers	7	15	30	0	
Average number of embryos transferred	1.3	1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 9	60.0	36.4		
Percentage of transfers resulting in pregnancies (%)	3 / 7	10 / 15	50.0		
Percentage of transfers resulting in live births (%)	3 / 7	7 / 15	30.0		
Percentage of transfers resulting in singleton live births (%)	3 / 7	5 / 15	30.0		
Percentage of transfers resulting in twin live births (%)	0 / 7	2 / 15	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	3 / 15	16.7		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialists of New York

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE MOUNT KISCO, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rachel A. Bennett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	11%	Uterine factor	9%	Multiple Factors: Female factors only 11% Female & male factors 28%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	9%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	7%	
				Endometriosis	2%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 51
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	9	4	1	9	3
Percentage of cancellations before retrieval (%)	0/9	1/4	0/1	4/9	0/3
Number of transfers	7	2	0	5	3
Average number of embryos transferred	1.9	2.0		2.8	4.3
Percentage of elective single embryo transfers (eSET) (%)	1/6	0/2		0/5	0/3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1/9	1/4	0/1	1/9	1/3
Percentage of cycles resulting in live births (%)	0/9	1/4	0/1	1/9	0/3
Percentage of cycles resulting in singleton live births (%)	0/9	0/4	0/1	1/9	0/3
Percentage of cycles resulting in twin live births (%)	0/9	1/4	0/1	0/9	0/3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0/9	0/4	0/1	1/9	0/3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0/11	2/4		1/14	1/13
Percentage of transfers resulting in pregnancies (%)	1/7	1/2		1/5	1/3
Percentage of transfers resulting in live births (%)	0/7	1/2		1/5	0/3
Percentage of transfers resulting in singleton live births (%)	0/7	0/2		1/5	0/3
Percentage of transfers resulting in twin live births (%)	0/7	1/2		0/5	0/3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0/7	0/2		1/5	0/3
Frozen Embryos from Nondonor Eggs					
Number of cycles	7	5	5	2	0
Number of transfers	7	5	4	0	0
Estimated average number of transfers per retrieval	0.9	1.7	2.0	0.0	
Average number of embryos transferred	1.4	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	7/10	0/7	1/8		
Percentage of transfers resulting in pregnancies (%)	5/7	0/5	1/4		
Percentage of transfers resulting in live births (%)	5/7	0/5	1/4		
Percentage of transfers resulting in singleton live births (%)	3/7	0/5	1/4		
Percentage of transfers resulting in twin live births (%)	2/7	0/5	0/4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3/7	0/5	1/4		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	1	0	2	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	0	0	
Number of transfers	0	1	0	0	
Average number of embryos transferred		2.0			
Percentage of embryos transferred resulting in implantation (%)		0/2			
Percentage of transfers resulting in pregnancies (%)		0/1			
Percentage of transfers resulting in live births (%)		0/1			
Percentage of transfers resulting in singleton live births (%)		0/1			
Percentage of transfers resulting in twin live births (%)		0/1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0/1			

CURRENT SERVICES & PROFILE

Current Name: Westchester Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES, PC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Hugh D. Melnick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	28%	Uterine factor	6%	Multiple Factors: Female factors only 42% Female & male factors 14%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	0%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	44%	
				Endometriosis	6%	Unknown factor	53%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 44
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	5	1	2	5
Percentage of cancellations before retrieval (%)	0/2	1/5	0/1	0/2	0/5
Number of transfers	2	3	0	1	4
Average number of embryos transferred	1.0	1.3		2.0	1.3
Percentage of elective single embryo transfers (eSET) (%)	2/2	1/2		0/1	0/1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2/2	0/5	0/1	1/2	0/5
Percentage of cycles resulting in live births (%)	1/2	0/5	0/1	0/2	0/5
Percentage of cycles resulting in singleton live births (%)	1/2	0/5	0/1	0/2	0/5
Percentage of cycles resulting in twin live births (%)	0/2	0/5	0/1	0/2	0/5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1/2	0/5	0/1	0/2	0/5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1/1	0/4		1/2	0/5
Percentage of transfers resulting in pregnancies (%)	2/2	0/3		1/1	0/4
Percentage of transfers resulting in live births (%)	1/2	0/3		0/1	0/4
Percentage of transfers resulting in singleton live births (%)	1/2	0/3		0/1	0/4
Percentage of transfers resulting in twin live births (%)	0/2	0/3		0/1	0/4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1/2	0/3		0/1	0/4
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	2	3	1	0
Number of transfers	7	1	2	0	0
Estimated average number of transfers per retrieval	2.3	1.0	0.7	0.0	
Average number of embryos transferred	1.6	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	1/9		0/2		
Percentage of transfers resulting in pregnancies (%)	2/7	1/1	0/2		
Percentage of transfers resulting in live births (%)	1/7	0/1	0/2		
Percentage of transfers resulting in singleton live births (%)	1/7	0/1	0/2		
Percentage of transfers resulting in twin live births (%)	0/7	0/1	0/2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1/7	0/1	0/2		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	3	1	0
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	1	1	
Number of transfers	0	3	1	1	
Average number of embryos transferred		1.3	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		0/4	1/2		
Percentage of transfers resulting in pregnancies (%)		0/3	1/1	1/1	
Percentage of transfers resulting in live births (%)		0/3	0/1	0/1	
Percentage of transfers resulting in singleton live births (%)		0/3	0/1	0/1	
Percentage of transfers resulting in twin live births (%)		0/3	0/1	0/1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0/3	0/1	0/1	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Services, PC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BROOKLYN/WESTSIDE FERTILITY CENTER
BROOKLYN FERTILITY CENTER
NEW YORK, NEW YORK**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

CCRM NEW YORK NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Janet M. Choi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	96%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 26% Female & male factors 7%
Unstimulated	0%	PGD/PGS	89%	Ovulatory dysfunction	11%	Male factor	7%	
Used gestational carrier	4%			Diminished ovarian reserve	26%	Other factor	85%	
				Endometriosis	4%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 134
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	2	0	0	1
Percentage of cancellations before retrieval (%)	0 / 2	0 / 2			1 / 1
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in live births (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 2			0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	4	1	2	1
Number of transfers	11	4	1	2	1
Estimated average number of transfers per retrieval	0.4	0.2	0.0	0.1	0.1
Average number of embryos transferred	1.1	1.0	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	4 / 12	3 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 11	2 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in live births (%)	2 / 11	2 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 11	1 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 11	1 / 4	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 11	1 / 4	1 / 1	1 / 2	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	25	29	18	10
	10	12	8	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	2	0	
Number of transfers	1	0	2	0	
Average number of embryos transferred	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1		2 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1		2 / 2		
Percentage of transfers resulting in live births (%)	0 / 1		2 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1		2 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		2 / 2		

CURRENT SERVICES & PROFILE

Current Name: CCRM New York

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR HUMAN REPRODUCTION (CHR) NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Norbert Gleicher, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	8%	Uterine factor	12%	Multiple Factors: Female factors only 23% Female & male factors 26%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	5%	Male factor	27%	
Used gestational carrier	4%			Diminished ovarian reserve	91%	Other factor	13%	
				Endometriosis	10%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 607
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	47	34	72	70	190
Percentage of cancellations before retrieval (%)	17.0	5.9	29.2	18.6	17.4
Number of transfers	33	26	31	43	105
Average number of embryos transferred	1.7	1.9	2.6	2.5	2.4
Percentage of elective single embryo transfers (eSET) (%)	14.8	1 / 19	0.0	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.0	8.8	8.3	11.4	4.2
Percentage of cycles resulting in live births (%)	14.9	8.8	5.6	5.7	2.6
Percentage of cycles resulting in singleton live births (%)	12.8	5.9	5.6	5.7	2.6
Percentage of cycles resulting in twin live births (%)	2.1	2.9	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.6	2.9	5.6	5.7	1.1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	14.5	8.2	7.3	5.3	2.8
Percentage of transfers resulting in pregnancies (%)	24.2	11.5	19.4	18.6	7.6
Percentage of transfers resulting in live births (%)	21.2	11.5	12.9	9.3	4.8
Percentage of transfers resulting in singleton live births (%)	18.2	7.7	12.9	9.3	4.8
Percentage of transfers resulting in twin live births (%)	3.0	3.8	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.2	3.8	12.9	9.3	1.9
Frozen Embryos from Nondonor Eggs					
Number of cycles	19	19	6	8	9
Number of transfers	19	19	6	7	7
Estimated average number of transfers per retrieval	1.1	3.2	0.8	1.0	0.5
Average number of embryos transferred	2.0	2.1	2.0	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	26.5	12.8	3 / 12	3 / 16	9.5
Percentage of transfers resulting in pregnancies (%)	9 / 19	4 / 19	3 / 6	3 / 7	2 / 7
Percentage of transfers resulting in live births (%)	7 / 19	4 / 19	2 / 6	3 / 7	2 / 7
Percentage of transfers resulting in singleton live births (%)	5 / 19	3 / 19	2 / 6	3 / 7	2 / 7
Percentage of transfers resulting in twin live births (%)	2 / 19	1 / 19	0 / 6	0 / 7	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 19	3 / 19	2 / 6	3 / 7	2 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	4	5	4	11
	2	4	3	1	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	50	5	49	0	
Number of transfers	46	4	45	0	
Average number of embryos transferred	1.7	2.0	1.8		
Percentage of embryos transferred resulting in implantation (%)	46.1	2 / 8	24.7		
Percentage of transfers resulting in pregnancies (%)	63.0	1 / 4	37.8		
Percentage of transfers resulting in live births (%)	58.7	1 / 4	31.1		
Percentage of transfers resulting in singleton live births (%)	45.7	0 / 4	24.4		
Percentage of transfers resulting in twin live births (%)	13.0	1 / 4	6.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.0	0 / 4	17.8		

CURRENT SERVICES & PROFILE

Current Name: Center for Human Reproduction (CHR)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHELSEA FERTILITY NYC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul Gindoff, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 2% Female & male factors 18%
Unstimulated	2%	PGD/PGS	18%	Ovulatory dysfunction	28%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	9%	
				Endometriosis	2%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 195
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	6	12	6	5
Percentage of cancellations before retrieval (%)	0 / 18	0 / 6	1 / 12	2 / 6	0 / 5
Number of transfers	13	2	9	2	4
Average number of embryos transferred	1.5	1.5	2.6	3.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	6 / 13	1 / 2	0 / 7	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 18	1 / 6	4 / 12	0 / 6	0 / 5
Percentage of cycles resulting in live births (%)	8 / 18	1 / 6	3 / 12	0 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	7 / 18	1 / 6	3 / 12	0 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	1 / 18	0 / 6	0 / 12	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7 / 18	0 / 6	3 / 12	0 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.0	1 / 3	17.4	0 / 6	0 / 9
Percentage of transfers resulting in pregnancies (%)	8 / 13	1 / 2	4 / 9	0 / 2	0 / 4
Percentage of transfers resulting in live births (%)	8 / 13	1 / 2	3 / 9	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	7 / 13	1 / 2	3 / 9	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 2	0 / 9	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 13	0 / 2	3 / 9	0 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	20	12	4	6	0
Number of transfers	20	12	4	5	0
Estimated average number of transfers per retrieval	0.7	0.4	0.1	0.5	0.0
Average number of embryos transferred	1.4	1.2	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	32.0	5 / 13	1 / 5	2 / 5	
Percentage of transfers resulting in pregnancies (%)	45.0	6 / 12	1 / 4	2 / 5	
Percentage of transfers resulting in live births (%)	35.0	5 / 12	1 / 4	2 / 5	
Percentage of transfers resulting in singleton live births (%)	35.0	5 / 12	1 / 4	2 / 5	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 4	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	5 / 12	0 / 4	1 / 5	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	27	31	10	3
	6	17	16	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	5	7	0	
Number of transfers	2	4	7	0	
Average number of embryos transferred	1.5	1.8	1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	4 / 7	3 / 11		
Percentage of transfers resulting in pregnancies (%)	1 / 2	4 / 4	2 / 7		
Percentage of transfers resulting in live births (%)	1 / 2	4 / 4	2 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 2	4 / 4	1 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 4	1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	3 / 4	1 / 7		

CURRENT SERVICES & PROFILE

Current Name: Chelsea Fertility NYC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eric J. Forman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	57%	Tubal factor	14%	Uterine factor	9%	Multiple Factors: Female factors only 22% Female & male factors 40%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	26%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	30%	
				Endometriosis	6%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,434
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	133	171	99	81
Percentage of cancellations before retrieval (%)	9.6	13.5	25.7	24.2	43.2
Number of transfers	82	83	72	32	22
Average number of embryos transferred	1.2	1.4	1.7	1.8	1.6
Percentage of elective single embryo transfers (eSET) (%)	71.0	40.0	8.9	8.3	0 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.2	23.3	15.2	7.1	2.5
Percentage of cycles resulting in live births (%)	19.1	15.0	11.1	4.0	0.0
Percentage of cycles resulting in singleton live births (%)	18.3	14.3	9.9	4.0	0.0
Percentage of cycles resulting in twin live births (%)	0.9	0.8	1.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.3	11.3	8.2	4.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.1	27.4	21.2	12.3	2.9
Percentage of transfers resulting in pregnancies (%)	35.4	37.3	36.1	21.9	9.1
Percentage of transfers resulting in live births (%)	26.8	24.1	26.4	12.5	0.0
Percentage of transfers resulting in singleton live births (%)	25.6	22.9	23.6	12.5	0.0
Percentage of transfers resulting in twin live births (%)	1.2	1.2	2.8	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.9	18.1	19.4	12.5	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	108	83	79	38	14
Number of transfers	103	80	72	36	13
Estimated average number of transfers per retrieval	0.9	0.7	0.6	0.5	0.3
Average number of embryos transferred	1.3	1.3	1.3	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	39.0	34.7	31.0	37.8	3 / 19
Percentage of transfers resulting in pregnancies (%)	46.6	46.3	38.9	55.6	4 / 13
Percentage of transfers resulting in live births (%)	38.8	28.8	27.8	41.7	3 / 13
Percentage of transfers resulting in singleton live births (%)	35.9	26.3	26.4	41.7	3 / 13
Percentage of transfers resulting in twin live births (%)	2.9	2.5	1.4	0.0	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.0	22.5	20.8	33.3	3 / 13
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	86	94	107	60	36
	16	22	15	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	30	0	73	24	
Number of transfers	27	0	61	23	
Average number of embryos transferred	1.4		1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	45.7		33.3	21.9	
Percentage of transfers resulting in pregnancies (%)	55.6		41.0	26.1	
Percentage of transfers resulting in live births (%)	37.0		34.4	21.7	
Percentage of transfers resulting in singleton live births (%)	29.6		32.8	21.7	
Percentage of transfers resulting in twin live births (%)	7.4		1.6	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.6		29.5	17.4	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Columbia University Center for Women's Reproductive Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIBERA MEDICAL, PLLC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Drew V. Tortoriello, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 11%
Unstimulated	6%	PGD/PGS	14%	Ovulatory dysfunction	9%	Male factor	21%	
Used gestational carrier	<1%			Diminished ovarian reserve	39%	Other factor	29%	
				Endometriosis	6%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,072
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	72	97	64	62
Percentage of cancellations before retrieval (%)	13.8	11.1	23.7	25.0	41.9
Number of transfers	67	55	55	37	20
Average number of embryos transferred	1.5	1.7	2.0	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	49.1	34.0	9.1	3.6	2 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.1	37.5	25.8	7.8	1.6
Percentage of cycles resulting in live births (%)	29.9	29.2	13.4	7.8	1.6
Percentage of cycles resulting in singleton live births (%)	29.9	27.8	13.4	7.8	1.6
Percentage of cycles resulting in twin live births (%)	0.0	1.4	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.6	23.6	11.3	6.3	1.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.0	31.4	21.9	8.0	2.5
Percentage of transfers resulting in pregnancies (%)	50.7	49.1	45.5	13.5	5.0
Percentage of transfers resulting in live births (%)	38.8	38.2	23.6	13.5	5.0
Percentage of transfers resulting in singleton live births (%)	38.8	36.4	23.6	13.5	5.0
Percentage of transfers resulting in twin live births (%)	0.0	1.8	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.8	30.9	20.0	10.8	5.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	107	100	68	26	17
Number of transfers	93	85	58	22	14
Estimated average number of transfers per retrieval	0.8	0.8	0.6	0.4	0.5
Average number of embryos transferred	1.5	1.4	1.3	1.5	2.1
Percentage of embryos transferred resulting in implantation (%)	33.3	32.7	30.4	9.7	3.4
Percentage of transfers resulting in pregnancies (%)	47.3	44.7	44.8	18.2	1 / 14
Percentage of transfers resulting in live births (%)	34.4	28.2	20.7	9.1	1 / 14
Percentage of transfers resulting in singleton live births (%)	33.3	28.2	20.7	9.1	1 / 14
Percentage of transfers resulting in twin live births (%)	1.1	0.0	0.0	0.0	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.8	23.5	13.8	9.1	0 / 14
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	88	87	89	51	25
	6	8	10	2	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	19	0	9	1	
Number of transfers	15	0	9	1	
Average number of embryos transferred	1.5		1.1	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.2		1 / 10	0 / 2	
Percentage of transfers resulting in pregnancies (%)	10 / 15		1 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	5 / 15		1 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 15		1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 15		0 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15		1 / 9	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Libera Medical, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ANDREW LOUCOPOULOS, MD, PHD NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Andrew L. Loucopoulos, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	96%	Tubal factor	4%	Uterine factor	0%	
Unstimulated		PGD/PGS	32%	Ovulatory dysfunction	8%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	88%	
				Endometriosis	0%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				52%
				Female & male factors				20%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 57
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	3	4	5	2
Number of transfers	9	3	4	5	2
Estimated average number of transfers per retrieval	0.9	0.4	0.4	1.3	1.0
Average number of embryos transferred	1.2	1.3	1.3	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	6 / 11	0 / 4	1 / 5	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	5 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 3	0 / 4	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	8	9	3	2
	1	2	2	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	0	
Number of transfers	0	0	2	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			2 / 2		
Percentage of transfers resulting in pregnancies (%)			2 / 2		
Percentage of transfers resulting in live births (%)			1 / 2		
Percentage of transfers resulting in singleton live births (%)			1 / 2		
Percentage of transfers resulting in twin live births (%)			0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Andrew Loucopoulos, MD, PhD

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Hanna Jesionowska, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	36%	Uterine factor	10%	Multiple Factors: Female factors only 36% Female & male factors 61%
Unstimulated	24%	PGD/PGS	7%	Ovulatory dysfunction	0%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	84%	Other factor	58%	
				Endometriosis	23%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 31
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	3	11	0	3
Percentage of cancellations before retrieval (%)	1 / 5	0 / 3	1 / 11		1 / 3
Number of transfers	4	3	10	0	2
Average number of embryos transferred	1.8	2.0	2.4		2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 10		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 5	1 / 3	5 / 11		0 / 3
Percentage of cycles resulting in live births (%)	2 / 5	1 / 3	5 / 11		0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 5	1 / 3	4 / 11		0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 5	0 / 3	1 / 11		0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 5	1 / 3	3 / 11		0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 7	1 / 6	25.0		0 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 4	1 / 3	5 / 10		0 / 2
Percentage of transfers resulting in live births (%)	2 / 4	1 / 3	5 / 10		0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 4	1 / 3	4 / 10		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 3	1 / 10		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	1 / 3	3 / 10		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	1	0	0
Number of transfers	0	0	1	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			0 / 1		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	1	0	
Number of transfers	6	0	1	0	
Average number of embryos transferred	2.3		2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 14		1 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 6		1 / 1		
Percentage of transfers resulting in live births (%)	4 / 6		1 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 6		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Manhattan Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susan Lobel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	15%	Uterine factor	10%	Multiple Factors: Female factors only 15% Female & male factors 32%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	29%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	10%	
				Endometriosis	0%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 63
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	5	4	0	4
Percentage of cancellations before retrieval (%)	0 / 3	0 / 5	0 / 4		0 / 4
Number of transfers	2	5	3	0	4
Average number of embryos transferred	2.0	1.2	4.3		2.3
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	2 / 3	0 / 3		0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3	1 / 5	2 / 4		0 / 4
Percentage of cycles resulting in live births (%)	2 / 3	1 / 5	2 / 4		0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 3	1 / 5	1 / 4		0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 5	1 / 4		0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 3	1 / 5	1 / 4		0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 6	3 / 13		0 / 9
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 5	2 / 3		0 / 4
Percentage of transfers resulting in live births (%)	2 / 2	1 / 5	2 / 3		0 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 5	1 / 3		0 / 4
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 5	1 / 3		0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	1 / 5	1 / 3		0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	8	1	0	0
Number of transfers	8	8	1	0	0
Estimated average number of transfers per retrieval	1.0	1.0	0.3		0.0
Average number of embryos transferred	1.1	1.6	1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 9	4 / 13	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 8	3 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 8	3 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 8	2 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 8	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 8	2 / 8	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	5	3	0	7
	4	4	2	0	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	4	1	
Number of transfers	1	0	4	1	
Average number of embryos transferred	1.0		1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		2 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1		2 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 4	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John Zhang, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	46%	Tubal factor	13%	Uterine factor	4%	Multiple Factors: Female factors only 24% Female & male factors 7%
Unstimulated	17%	PGD/PGS	25%	Ovulatory dysfunction	13%	Male factor	11%	
Used gestational carrier	3%			Diminished ovarian reserve	72%	Other factor	9%	
				Endometriosis	3%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 4,123
(includes 15 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	103	80	185	203	366
Percentage of cancellations before retrieval (%)	4.9	6.3	10.8	7.4	12.6
Number of transfers	40	19	13	13	46
Average number of embryos transferred	1.4	1.5	1.3	1.6	1.7
Percentage of elective single embryo transfers (eSET) (%)	42.3	4 / 14	2 / 6	2 / 8	4.3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.5	5.0	2.7	0.5	0.3
Percentage of cycles resulting in live births (%)	14.6	3.8	2.2	0.0	0.3
Percentage of cycles resulting in singleton live births (%)	12.6	3.8	2.2	0.0	0.3
Percentage of cycles resulting in twin live births (%)	1.9	0.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.7	1.3	1.6	0.0	0.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.0	18.5	6 / 16	4.8	1.3
Percentage of transfers resulting in pregnancies (%)	45.0	4 / 19	5 / 13	1 / 13	2.2
Percentage of transfers resulting in live births (%)	37.5	3 / 19	4 / 13	0 / 13	2.2
Percentage of transfers resulting in singleton live births (%)	32.5	3 / 19	4 / 13	0 / 13	2.2
Percentage of transfers resulting in twin live births (%)	5.0	0 / 19	0 / 13	0 / 13	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.5	1 / 19	3 / 13	0 / 13	2.2
Frozen Embryos from Nondonor Eggs					
Number of cycles	212	147	194	123	259
Number of transfers	206	143	192	122	246
Estimated average number of transfers per retrieval	0.8	0.6	0.4	0.4	0.2
Average number of embryos transferred	1.3	1.3	1.2	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	63.8	55.8	52.3	32.1	14.2
Percentage of transfers resulting in pregnancies (%)	70.9	60.8	56.3	44.3	20.3
Percentage of transfers resulting in live births (%)	58.3	52.4	45.3	34.4	13.4
Percentage of transfers resulting in singleton live births (%)	46.6	44.1	39.6	32.0	12.6
Percentage of transfers resulting in twin live births (%)	11.2	8.4	5.2	2.5	0.8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.7	39.2	32.8	27.0	9.8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	257	238	395	292	910
	44	60	101	71	231
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	19	121	3	
Number of transfers	1	9	119	3	
Average number of embryos transferred	1.0	1.7	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	1 / 1	3 / 15	56.4	2 / 4	
Percentage of transfers resulting in pregnancies (%)	1 / 1	3 / 9	61.3	1 / 3	
Percentage of transfers resulting in live births (%)	1 / 1	3 / 9	49.6	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 1	3 / 9	43.7	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 9	5.9	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	2 / 9	33.6	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: New Hope Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Majid Fateh, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	2%	Uterine factor	15%	Multiple Factors: Female factors only 20% Female & male factors 5%
Unstimulated	0%	PGD/PGS	61%	Ovulatory dysfunction	13%	Male factor	7%	
Used gestational carrier	16%			Diminished ovarian reserve	12%	Other factor	66%	
				Endometriosis	10%	Unknown factor	3%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 128 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	3	2	1
Percentage of cancellations before retrieval (%)		0 / 1	1 / 3	0 / 2	0 / 1
Number of transfers	0	1	2	2	0
Average number of embryos transferred		4.0	3.0	4.0	
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 2	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		1 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)		1 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)		1 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		1 / 1	0 / 3	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		1 / 4	0 / 6	0 / 8	
Percentage of transfers resulting in pregnancies (%)		1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)		1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)		1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	4	11	2	4
Number of transfers	24	4	10	2	2
Estimated average number of transfers per retrieval	1.1	0.3	0.5		0.2
Average number of embryos transferred	1.5	1.3	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	14.7	1 / 5	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	29.2	1 / 4	4 / 10	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)	16.7	1 / 4	3 / 10	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	16.7	1 / 4	3 / 10	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 4	0 / 10	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.7	1 / 4	3 / 10	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	15	17	0	13
	1	1	1	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	7	0	
Number of transfers	0	0	5	0	
Average number of embryos transferred			1.2		
Percentage of embryos transferred resulting in implantation (%)			3 / 5		
Percentage of transfers resulting in pregnancies (%)			4 / 5		
Percentage of transfers resulting in live births (%)			2 / 5		
Percentage of transfers resulting in singleton live births (%)			2 / 5		
Percentage of transfers resulting in twin live births (%)			0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			2 / 5		

CURRENT SERVICES & PROFILE		Current Name: New York Fertility Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY SERVICES, PC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joel H. Batzofin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	8%	Uterine factor	13%	Multiple Factors: Female factors only 10% Female & male factors 6%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	12%	Male factor	13%	
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	24%	
				Endometriosis	2%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 177
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	22	14	8	6
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 14	1 / 8	1 / 6
Number of transfers	17	15	9	3	4
Average number of embryos transferred	1.6	2.1	2.1	1.7	1.8
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	1 / 14	1 / 8	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.0	9.1	2 / 14	1 / 8	0 / 6
Percentage of cycles resulting in live births (%)	15.0	4.5	1 / 14	0 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	15.0	0.0	1 / 14	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0 / 14	0 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5.0	0.0	0 / 14	0 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11.5	12.9	1 / 18	0 / 3	0 / 7
Percentage of transfers resulting in pregnancies (%)	4 / 17	2 / 15	2 / 9	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)	3 / 17	1 / 15	1 / 9	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	3 / 17	0 / 15	1 / 9	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 17	0 / 15	0 / 9	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 17	0 / 15	0 / 9	0 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	12	8	2	0
Number of transfers	9	12	8	1	0
Estimated average number of transfers per retrieval	0.8	0.8	0.3	0.3	0.0
Average number of embryos transferred	1.7	1.9	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 12	1 / 18	1 / 12	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 9	3 / 12	3 / 8	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 9	1 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 9	1 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 12	0 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9	1 / 12	0 / 8	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	7	20	3	2
	5	3	11	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	16	12	1	
Number of transfers	4	13	12	1	
Average number of embryos transferred	1.8	1.5	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 7	3 / 18	4.5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 4	3 / 13	1 / 12	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 4	2 / 13	1 / 12	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 13	1 / 12	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 13	0 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	1 / 13	0 / 12	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Services, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEW YORK REPRODUCTIVE MEDICAL SERVICES, PC
NEW YORK, NEW YORK**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

NEWAY MEDICAL NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ralf Zimmermann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	2%	Uterine factor	1%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	17%	PGD/PGS	7%	Ovulatory dysfunction	10%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	15%	
				Endometriosis	2%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 887
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	106	71	51	59	118
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1.7	0.8
Number of transfers	76	40	29	27	33
Average number of embryos transferred	1.4	1.5	1.6	1.6	1.9
Percentage of elective single embryo transfers (eSET) (%)	52.4	31.0	3 / 18	0 / 15	0 / 16
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.1	25.4	27.5	6.8	3.4
Percentage of cycles resulting in live births (%)	26.4	21.1	19.6	3.4	0.0
Percentage of cycles resulting in singleton live births (%)	23.6	15.5	15.7	3.4	0.0
Percentage of cycles resulting in twin live births (%)	2.8	5.6	3.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.7	15.5	11.8	3.4	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.7	36.1	39.1	9.1	4.9
Percentage of transfers resulting in pregnancies (%)	44.7	45.0	48.3	14.8	12.1
Percentage of transfers resulting in live births (%)	36.8	37.5	34.5	7.4	0.0
Percentage of transfers resulting in singleton live births (%)	32.9	27.5	27.6	7.4	0.0
Percentage of transfers resulting in twin live births (%)	3.9	10.0	6.9	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.3	27.5	20.7	7.4	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	66	42	34	23	30
Number of transfers	66	42	34	23	30
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.5	0.3
Average number of embryos transferred	1.5	1.5	1.5	1.7	2.2
Percentage of embryos transferred resulting in implantation (%)	42.6	33.3	33.3	21.1	9.1
Percentage of transfers resulting in pregnancies (%)	53.0	52.4	44.1	34.8	16.7
Percentage of transfers resulting in live births (%)	45.5	38.1	38.2	4.3	6.7
Percentage of transfers resulting in singleton live births (%)	39.4	38.1	32.4	4.3	6.7
Percentage of transfers resulting in twin live births (%)	6.1	0.0	5.9	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	33.3	32.4	4.3	3.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	44	41	57	39	87
	10	12	9	4	17
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	6	6	0	
Number of transfers	5	6	6	0	
Average number of embryos transferred	1.2	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 6	6 / 8	2 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 5	5 / 6	2 / 6		
Percentage of transfers resulting in live births (%)	3 / 5	5 / 6	2 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 5	4 / 6	2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 6	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 5	3 / 6	2 / 6		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Neway Medical

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOBLE FERTILITY CENTER NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter L. Chang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	22%	Uterine factor	6%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	4%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	<1%	
				Endometriosis	3%	Unknown factor	25%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 240
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	57	22	26	13	7
Percentage of cancellations before retrieval (%)	17.5	4.5	11.5	2 / 13	2 / 7
Number of transfers	22	16	13	5	3
Average number of embryos transferred	1.9	2.1	2.5	4.8	4.7
Percentage of elective single embryo transfers (eSET) (%)	5.0	2 / 16	1 / 12	0 / 5	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	15.8	4.5	7.7	0 / 13	1 / 7
Percentage of cycles resulting in live births (%)	15.8	4.5	3.8	0 / 13	1 / 7
Percentage of cycles resulting in singleton live births (%)	12.3	4.5	3.8	0 / 13	1 / 7
Percentage of cycles resulting in twin live births (%)	3.5	0.0	0.0	0 / 13	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.5	4.5	3.8	0 / 13	1 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.8	3.0	6.3	0.0	1 / 14
Percentage of transfers resulting in pregnancies (%)	40.9	1 / 16	2 / 13	0 / 5	1 / 3
Percentage of transfers resulting in live births (%)	40.9	1 / 16	1 / 13	0 / 5	1 / 3
Percentage of transfers resulting in singleton live births (%)	31.8	1 / 16	1 / 13	0 / 5	1 / 3
Percentage of transfers resulting in twin live births (%)	9.1	0 / 16	0 / 13	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	1 / 16	1 / 13	0 / 5	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	45	12	16	7	6
Number of transfers	45	12	16	7	6
Estimated average number of transfers per retrieval	1.6	0.9	1.2	1.0	
Average number of embryos transferred	1.9	2.5	2.8	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	34.1	26.7	22.2	14.3	2 / 18
Percentage of transfers resulting in pregnancies (%)	51.1	8 / 12	8 / 16	4 / 7	1 / 6
Percentage of transfers resulting in live births (%)	44.4	6 / 12	8 / 16	3 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	33.3	6 / 12	6 / 16	3 / 7	0 / 6
Percentage of transfers resulting in twin live births (%)	11.1	0 / 12	2 / 16	0 / 7	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.1	6 / 12	5 / 16	2 / 7	0 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	3	3	4	0
	0	3	3	4	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	0	8	0	
Number of transfers	8	0	8	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 16		9 / 16		
Percentage of transfers resulting in pregnancies (%)	6 / 8		7 / 8		
Percentage of transfers resulting in live births (%)	4 / 8		6 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 8		5 / 8		
Percentage of transfers resulting in twin live births (%)	3 / 8		1 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8		4 / 8		

CURRENT SERVICES & PROFILE

Current Name: Noble Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NYU LANGONE FERTILITY CENTER NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James A. Grifo, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	27%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 5%
Unstimulated	<1%	PGD/PGS	45%	Ovulatory dysfunction	10%	Male factor	12%	
Used gestational carrier	<1%			Diminished ovarian reserve	35%	Other factor	16%	
				Endometriosis	4%	Unknown factor	31%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,944
(includes 22 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	92	70	120	83	69
Percentage of cancellations before retrieval (%)	14.1	22.9	35.8	53.0	31.9
Number of transfers	56	31	53	18	19
Average number of embryos transferred	1.3	1.4	1.7	1.8	2.5
Percentage of elective single embryo transfers (eSET) (%)	63.3	50.0	28.3	0 / 12	0 / 16
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	24.3	12.5	6.0	5.8
Percentage of cycles resulting in live births (%)	28.3	18.6	5.8	3.6	5.8
Percentage of cycles resulting in singleton live births (%)	26.1	17.1	5.8	3.6	5.8
Percentage of cycles resulting in twin live births (%)	2.2	1.4	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.8	11.4	3.3	3.6	4.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.6	39.5	13.3	12.9	8.5
Percentage of transfers resulting in pregnancies (%)	58.9	54.8	28.3	5 / 18	4 / 19
Percentage of transfers resulting in live births (%)	46.4	41.9	13.2	3 / 18	4 / 19
Percentage of transfers resulting in singleton live births (%)	42.9	38.7	13.2	3 / 18	4 / 19
Percentage of transfers resulting in twin live births (%)	3.6	3.2	0.0	0 / 18	0 / 19
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.5	25.8	7.5	3 / 18	3 / 19
Frozen Embryos from Nondonor Eggs					
Number of cycles	238	178	249	86	67
Number of transfers	220	166	224	77	60
Estimated average number of transfers per retrieval	0.6	0.4	0.5	0.4	0.5
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	61.3	62.5	62.2	67.5	39.1
Percentage of transfers resulting in pregnancies (%)	66.4	66.9	68.3	70.1	48.3
Percentage of transfers resulting in live births (%)	55.0	56.0	58.9	58.4	40.0
Percentage of transfers resulting in singleton live births (%)	54.5	55.4	58.5	55.8	40.0
Percentage of transfers resulting in twin live births (%)	0.5	0.6	0.4	1.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.1	47.6	52.2	45.5	28.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	341	419	418	195	115
	180	269	190	64	23
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	38	130	0	
Number of transfers	8	34	119	0	
Average number of embryos transferred	1.0	1.1	1.1		
Percentage of embryos transferred resulting in implantation (%)	5 / 7	52.6	52.8		
Percentage of transfers resulting in pregnancies (%)	6 / 8	55.9	55.5		
Percentage of transfers resulting in live births (%)	5 / 8	47.1	49.6		
Percentage of transfers resulting in singleton live births (%)	5 / 8	44.1	47.9		
Percentage of transfers resulting in twin live births (%)	0 / 8	2.9	1.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 8	32.4	31.1		

CURRENT SERVICES & PROFILE

Current Name: NYU Langone Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Cecilia Schmidt-Sarosi, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	26%	Tubal factor	9%	Uterine factor	6%	Multiple Factors: Female factors only 15% Female & male factors 68%
Unstimulated	5%	PGD/PGS	49%	Ovulatory dysfunction	49%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	40%	
				Endometriosis	3%	Unknown factor	0%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 121 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	8	5	1	3
Percentage of cancellations before retrieval (%)	0 / 3	0 / 8	0 / 5	0 / 1	1 / 3
Number of transfers	0	2	1	1	0
Average number of embryos transferred		1.5	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 3	2 / 8	0 / 5	1 / 1	0 / 3
Percentage of cycles resulting in live births (%)	0 / 3	1 / 8	0 / 5	1 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 8	0 / 5	1 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 8	0 / 5	1 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		3 / 3	0 / 2	2 / 2	
Percentage of transfers resulting in pregnancies (%)		2 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in live births (%)		1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 2	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	16	2	4	2
Number of transfers	13	16	2	4	2
Estimated average number of transfers per retrieval	0.8	0.7	0.2	0.5	0.3
Average number of embryos transferred	1.1	1.1	1.5	1.0	2.5
Percentage of embryos transferred resulting in implantation (%)	6 / 14	2 / 16	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in pregnancies (%)	5 / 13	3 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	4 / 13	2 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 13	2 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	1 / 16	0 / 2	0 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	18	9	8	6
	15	16	7	8	6
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	3	4	0	
Number of transfers	0	3	4	0	
Average number of embryos transferred		1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)		1 / 3	3 / 6		
Percentage of transfers resulting in pregnancies (%)		1 / 3	2 / 4		
Percentage of transfers resulting in live births (%)		1 / 3	2 / 4		
Percentage of transfers resulting in singleton live births (%)		1 / 3	2 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 3	1 / 4		

CURRENT SERVICES & PROFILE		Current Name: Offices for Fertility and Reproductive Medicine, PC					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lawrence Grunfeld, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	9%	Uterine factor	1%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	9%	Male factor	22%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	23%	
				Endometriosis	4%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 4,862
(includes 27 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	322	188	234	173	181
Percentage of cancellations before retrieval (%)	11.2	12.2	20.1	24.3	30.9
Number of transfers	229	105	104	57	43
Average number of embryos transferred	1.3	1.6	1.7	2.1	1.9
Percentage of elective single embryo transfers (eSET) (%)	61.8	26.7	8.9	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.9	31.4	19.2	8.1	2.8
Percentage of cycles resulting in live births (%)	37.3	28.2	12.4	5.2	0.0
Percentage of cycles resulting in singleton live births (%)	34.2	22.9	11.1	4.0	0.0
Percentage of cycles resulting in twin live births (%)	3.1	5.3	1.3	1.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.5	17.0	9.0	3.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.9	39.9	22.1	11.7	0.0
Percentage of transfers resulting in pregnancies (%)	60.3	56.2	43.3	24.6	11.6
Percentage of transfers resulting in live births (%)	52.4	50.5	27.9	15.8	0.0
Percentage of transfers resulting in singleton live births (%)	48.0	41.0	25.0	12.3	0.0
Percentage of transfers resulting in twin live births (%)	4.4	9.5	2.9	3.5	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.8	30.5	20.2	10.5	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	624	452	417	161	52
Number of transfers	588	429	388	134	41
Estimated average number of transfers per retrieval	1.1	0.8	0.8	0.5	0.4
Average number of embryos transferred	1.1	1.1	1.1	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	55.2	50.6	44.2	43.2	37.2
Percentage of transfers resulting in pregnancies (%)	62.1	58.3	52.3	50.7	51.2
Percentage of transfers resulting in live births (%)	52.0	45.9	39.9	39.6	34.1
Percentage of transfers resulting in singleton live births (%)	49.1	43.6	37.9	35.8	31.7
Percentage of transfers resulting in twin live births (%)	2.9	2.1	2.1	3.0	2.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.2	34.0	29.1	29.1	24.4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	442	487	459	216	105
	74	159	101	32	14
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	84	25	212	1	
Number of transfers	75	22	190	1	
Average number of embryos transferred	1.2	1.3	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	62.5	60.0	43.9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	69.3	63.6	50.5	0 / 1	
Percentage of transfers resulting in live births (%)	58.7	45.5	40.5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	53.3	27.3	37.9	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.3	18.2	2.6	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.7	18.2	27.9	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WEILL CORNELL MEDICINE
CENTER FOR REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Zev Rosenwaks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	14%	Uterine factor	6%	Multiple Factors: Female factors only 17% Female & male factors 18%
Unstimulated	1%	PGD/PGS	11%	Ovulatory dysfunction	7%	Male factor	30%	
Used gestational carrier	<1%			Diminished ovarian reserve	62%	Other factor	9%	
				Endometriosis	7%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 5,289
(includes 40 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	670	469	564	408	420
Percentage of cancellations before retrieval (%)	8.7	15.4	17.0	19.9	25.2
Number of transfers	539	369	418	295	274
Average number of embryos transferred	1.6	1.9	2.3	2.8	3.1
Percentage of elective single embryo transfers (eSET) (%)	41.7	21.0	7.2	3.6	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.7	35.8	28.0	20.6	10.2
Percentage of cycles resulting in live births (%)	35.7	30.5	21.5	13.5	3.1
Percentage of cycles resulting in singleton live births (%)	30.4	24.1	17.2	11.3	3.1
Percentage of cycles resulting in twin live births (%)	5.1	6.4	3.9	2.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.8	19.4	13.8	9.3	2.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.4	30.2	19.9	11.6	3.3
Percentage of transfers resulting in pregnancies (%)	50.6	45.5	37.8	28.5	15.7
Percentage of transfers resulting in live births (%)	44.3	38.8	28.9	18.6	4.7
Percentage of transfers resulting in singleton live births (%)	37.8	30.6	23.2	15.6	4.7
Percentage of transfers resulting in twin live births (%)	6.3	8.1	5.3	3.1	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	24.7	18.7	12.9	4.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	402	344	323	119	93
Number of transfers	363	313	275	108	79
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.6	0.6
Average number of embryos transferred	1.3	1.4	1.4	1.5	2.4
Percentage of embryos transferred resulting in implantation (%)	48.3	37.6	42.4	39.6	11.1
Percentage of transfers resulting in pregnancies (%)	57.6	47.6	50.5	53.7	29.1
Percentage of transfers resulting in live births (%)	46.6	39.9	37.8	42.6	19.0
Percentage of transfers resulting in singleton live births (%)	40.2	37.4	32.4	40.7	19.0
Percentage of transfers resulting in twin live births (%)	6.3	2.6	4.7	1.9	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	31.0	26.9	31.5	16.5
Number of Egg or Embryo Banking Cycles					
	295	283	340	152	117
Number of fertility preservation cycles	149	155	133	40	12
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	84	50	116	0	
Number of transfers	84	38	98	0	
Average number of embryos transferred	1.5	1.8	1.3		
Percentage of embryos transferred resulting in implantation (%)	47.6	37.9	45.5		
Percentage of transfers resulting in pregnancies (%)	61.9	55.3	51.0		
Percentage of transfers resulting in live births (%)	50.0	42.1	37.8		
Percentage of transfers resulting in singleton live births (%)	40.5	31.6	29.6		
Percentage of transfers resulting in twin live births (%)	9.5	10.5	8.2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.8	13.2	19.4		

CURRENT SERVICES & PROFILE

Current Name: Weill Cornell Medicine, Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTMED REPRODUCTIVE SERVICES PURCHASE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Martin D. Keltz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	26%	Uterine factor	10%	Multiple Factors: Female factors only 23% Female & male factors 27%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	21%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	10%	
				Endometriosis	16%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 166
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	19	18	10	15
Percentage of cancellations before retrieval (%)	0.0	0 / 19	0 / 18	0 / 10	0 / 15
Number of transfers	26	15	17	8	12
Average number of embryos transferred	1.2	1.5	1.9	2.1	2.3
Percentage of elective single embryo transfers (eSET) (%)	75.0	4 / 11	0 / 16	0 / 6	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	65.5	10 / 19	11 / 18	2 / 10	3 / 15
Percentage of cycles resulting in live births (%)	48.3	9 / 19	9 / 18	1 / 10	1 / 15
Percentage of cycles resulting in singleton live births (%)	37.9	7 / 19	7 / 18	1 / 10	1 / 15
Percentage of cycles resulting in twin live births (%)	10.3	2 / 19	2 / 18	0 / 10	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.5	6 / 19	7 / 18	0 / 10	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	70.0	54.5	38.7	2 / 17	11.1
Percentage of transfers resulting in pregnancies (%)	73.1	10 / 15	11 / 17	2 / 8	3 / 12
Percentage of transfers resulting in live births (%)	53.8	9 / 15	9 / 17	1 / 8	1 / 12
Percentage of transfers resulting in singleton live births (%)	42.3	7 / 15	7 / 17	1 / 8	1 / 12
Percentage of transfers resulting in twin live births (%)	11.5	2 / 15	2 / 17	0 / 8	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.5	6 / 15	7 / 17	0 / 8	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	13	4	2	0
Number of transfers	18	13	4	2	0
Estimated average number of transfers per retrieval	0.9	0.7	0.5	0.4	0.0
Average number of embryos transferred	1.2	1.2	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	71.4	9 / 15	4 / 4	1 / 3	
Percentage of transfers resulting in pregnancies (%)	15 / 18	9 / 13	3 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	14 / 18	7 / 13	3 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	13 / 18	7 / 13	2 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 13	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	11 / 18	5 / 13	2 / 4	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	14	7	4	2
	2	2	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	0	
Number of transfers	0	0	1	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 1		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Westmed Reproductive Services

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rosalind A. Hayes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	15%	Uterine factor	3%	Multiple Factors: Female factors only 27% Female & male factors 31%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	28%	Male factor	41%	
Used gestational carrier	4%			Diminished ovarian reserve	19%	Other factor	31%	
				Endometriosis	23%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 124
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	13	11	1	0
Percentage of cancellations before retrieval (%)	20.0	3 / 13	4 / 11	1 / 1	
Number of transfers	5	0	2	0	0
Average number of embryos transferred	1.8		2.0		
Percentage of elective single embryo transfers (eSET) (%)	1 / 5		0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.4	0 / 13	1 / 11	0 / 1	
Percentage of cycles resulting in live births (%)	11.4	0 / 13	1 / 11	0 / 1	
Percentage of cycles resulting in singleton live births (%)	8.6	0 / 13	1 / 11	0 / 1	
Percentage of cycles resulting in twin live births (%)	2.9	0 / 13	0 / 11	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.6	0 / 13	1 / 11	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 9		2 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 5		1 / 2		
Percentage of transfers resulting in live births (%)	4 / 5		1 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 5		1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 5		1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	8	9	0	0
Number of transfers	22	7	7	0	0
Estimated average number of transfers per retrieval	1.2	1.2	0.9		
Average number of embryos transferred	1.6	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	46.9	6 / 11	5 / 14		
Percentage of transfers resulting in pregnancies (%)	63.6	6 / 7	4 / 7		
Percentage of transfers resulting in live births (%)	45.5	5 / 7	3 / 7		
Percentage of transfers resulting in singleton live births (%)	31.8	5 / 7	2 / 7		
Percentage of transfers resulting in twin live births (%)	13.6	0 / 7	1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	5 / 7	2 / 7		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	1	3	0	0
	1	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	8	8	0	
Number of transfers	0	4	6	0	
Average number of embryos transferred		1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)		1 / 7	1 / 9		
Percentage of transfers resulting in pregnancies (%)		1 / 4	1 / 6		
Percentage of transfers resulting in live births (%)		0 / 4	1 / 6		
Percentage of transfers resulting in singleton live births (%)		0 / 4	1 / 6		
Percentage of transfers resulting in twin live births (%)		0 / 4	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 4	1 / 6		

CURRENT SERVICES & PROFILE

Current Name: Rochester Fertility Care, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER ROCHESTER, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John T. Queenan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 11%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	17%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	6%	
				Endometriosis	5%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 383
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	39	54	15	15
Percentage of cancellations before retrieval (%)	3.5	15.4	0.0	1 / 15	0 / 15
Number of transfers	98	30	50	14	15
Average number of embryos transferred	1.5	1.7	2.1	3.0	1.9
Percentage of elective single embryo transfers (eSET) (%)	26.5	13.6	5.0	0 / 11	2 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	33.3	25.9	4 / 15	5 / 15
Percentage of cycles resulting in live births (%)	25.2	30.8	20.4	3 / 15	4 / 15
Percentage of cycles resulting in singleton live births (%)	19.1	28.2	14.8	3 / 15	3 / 15
Percentage of cycles resulting in twin live births (%)	6.1	2.6	5.6	0 / 15	1 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.3	28.2	13.0	2 / 15	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.1	26.5	17.5	9.5	21.4
Percentage of transfers resulting in pregnancies (%)	35.7	43.3	28.0	4 / 14	5 / 15
Percentage of transfers resulting in live births (%)	29.6	40.0	22.0	3 / 14	4 / 15
Percentage of transfers resulting in singleton live births (%)	22.4	36.7	16.0	3 / 14	3 / 15
Percentage of transfers resulting in twin live births (%)	7.1	3.3	6.0	0 / 14	1 / 15
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.4	36.7	14.0	2 / 14	1 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	16	14	1	1
Number of transfers	44	16	13	1	1
Estimated average number of transfers per retrieval	1.1	1.5	0.6	0.3	0.3
Average number of embryos transferred	1.6	1.1	1.8	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	33.8	7 / 18	30.4	1 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	45.5	6 / 16	5 / 13	1 / 1	1 / 1
Percentage of transfers resulting in live births (%)	40.9	5 / 16	2 / 13	1 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	38.6	5 / 16	1 / 13	1 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	2.3	0 / 16	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	4 / 16	1 / 13	1 / 1	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	9	18	3	4
	4	0	0	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	2	5	0	
Number of transfers	3	2	5	0	
Average number of embryos transferred	1.7	1.5	1.4		
Percentage of embryos transferred resulting in implantation (%)	2 / 5	1 / 3	3 / 7		
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 2	2 / 5		
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	2 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 2	1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3	1 / 2	0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Strong Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PETER BRZECHFFA, MD
STATEN ISLAND, NEW YORK**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

ISLAND REPRODUCTIVE SERVICES, PC STATEN ISLAND, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eric S. Knochenhauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 18% Female & male factors 14%
Unstimulated	0%	PGD/PGS	60%	Ovulatory dysfunction	11%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	12%	
				Endometriosis	10%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 480
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	16	18	17	6
Percentage of cancellations before retrieval (%)	5.0	1 / 16	2 / 18	3 / 17	2 / 6
Number of transfers	39	14	12	10	1
Average number of embryos transferred	1.7	1.9	2.1	1.7	1.0
Percentage of elective single embryo transfers (eSET) (%)	28.6	2 / 13	1 / 12	1 / 7	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.0	7 / 16	7 / 18	0 / 17	0 / 6
Percentage of cycles resulting in live births (%)	31.7	6 / 16	5 / 18	0 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	20.0	5 / 16	4 / 18	0 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	10.0	1 / 16	1 / 18	0 / 17	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.3	5 / 16	3 / 18	0 / 17	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.0	30.8	32.0	0 / 17	0 / 1
Percentage of transfers resulting in pregnancies (%)	53.8	7 / 14	7 / 12	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	48.7	6 / 14	5 / 12	0 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.8	5 / 14	4 / 12	0 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	15.4	1 / 14	1 / 12	0 / 10	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.2	5 / 14	3 / 12	0 / 10	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	43	28	12	2
Number of transfers	103	37	28	11	2
Estimated average number of transfers per retrieval	1.2	0.9	1.4	0.6	0.4
Average number of embryos transferred	1.3	1.2	1.3	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	35.6	37.1	5 / 13	0 / 2
Percentage of transfers resulting in pregnancies (%)	56.3	40.5	46.4	5 / 11	0 / 2
Percentage of transfers resulting in live births (%)	53.4	37.8	35.7	5 / 11	0 / 2
Percentage of transfers resulting in singleton live births (%)	47.6	35.1	35.7	5 / 11	0 / 2
Percentage of transfers resulting in twin live births (%)	5.8	2.7	0.0	0 / 11	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.0	35.1	32.1	4 / 11	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	70	35	17	12	5
	17	7	6	3	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	2	10	9	
Number of transfers	14	2	10	7	
Average number of embryos transferred	1.5	1.5	1.1	1.9	
Percentage of embryos transferred resulting in implantation (%)	61.9	2 / 3	6 / 11	3 / 13	
Percentage of transfers resulting in pregnancies (%)	10 / 14	2 / 2	6 / 10	3 / 7	
Percentage of transfers resulting in live births (%)	9 / 14	1 / 2	5 / 10	1 / 7	
Percentage of transfers resulting in singleton live births (%)	7 / 14	1 / 2	5 / 10	1 / 7	
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 2	0 / 10	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 14	0 / 2	5 / 10	1 / 7	

CURRENT SERVICES & PROFILE

Current Name: Island Reproductive Services, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER SYRACUSE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert J. Kiltz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	14%	Uterine factor	6%	Multiple Factors: Female factors only 14% Female & male factors 11%
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	23%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	22%	
				Endometriosis	10%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,910
(includes 17 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	827	358	296	137	156
Percentage of cancellations before retrieval (%)	4.2	7.3	7.1	9.5	14.1
Number of transfers	512	192	146	61	70
Average number of embryos transferred	1.7	1.9	2.0	2.0	2.2
Percentage of elective single embryo transfers (eSET) (%)	25.8	14.2	7.6	2.3	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.4	23.2	14.5	5.8	5.1
Percentage of cycles resulting in live births (%)	23.5	19.3	8.1	4.4	1.9
Percentage of cycles resulting in singleton live births (%)	16.7	15.1	6.4	3.6	1.3
Percentage of cycles resulting in twin live births (%)	6.4	4.2	1.4	0.7	0.6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.5	10.6	5.1	3.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.8	28.0	15.6	6.6	4.2
Percentage of transfers resulting in pregnancies (%)	45.9	43.2	29.5	13.1	11.4
Percentage of transfers resulting in live births (%)	37.9	35.9	16.4	9.8	4.3
Percentage of transfers resulting in singleton live births (%)	27.0	28.1	13.0	8.2	2.9
Percentage of transfers resulting in twin live births (%)	10.4	7.8	2.7	1.6	1.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.1	19.8	10.3	8.2	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	671	284	213	88	66
Number of transfers	646	276	205	80	61
Estimated average number of transfers per retrieval	1.1	1.3	1.1	0.9	1.0
Average number of embryos transferred	1.6	1.6	1.8	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	40.6	35.5	22.2	11.5	13.9
Percentage of transfers resulting in pregnancies (%)	56.3	49.3	35.1	20.0	23.0
Percentage of transfers resulting in live births (%)	43.0	37.3	26.3	15.0	19.7
Percentage of transfers resulting in singleton live births (%)	33.9	29.3	21.5	15.0	18.0
Percentage of transfers resulting in twin live births (%)	8.8	7.6	4.4	0.0	1.6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.4	23.2	14.6	6.3	16.4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	196	64	55	45	27
	19	19	6	6	8
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	112	165	123	10	
Number of transfers	83	139	112	10	
Average number of embryos transferred	1.9	1.9	1.7	1.9	
Percentage of embryos transferred resulting in implantation (%)	40.3	22.3	22.1	5 / 19	
Percentage of transfers resulting in pregnancies (%)	57.8	38.1	31.3	4 / 10	
Percentage of transfers resulting in live births (%)	45.8	26.6	25.0	3 / 10	
Percentage of transfers resulting in singleton live births (%)	30.1	22.3	22.3	2 / 10	
Percentage of transfers resulting in twin live births (%)	15.7	4.3	2.7	1 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.3	15.1	15.2	1 / 10	

CURRENT SERVICES & PROFILE

Current Name: CNY Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Michael B. Blotner, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	53%	Uterine factor	21%	Multiple Factors: Female factors only 32% Female & male factors 8%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	16%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	<1%	Unknown factor	4%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 199 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		15	4	12	6	11
Percentage of cancellations before retrieval (%)		1 / 15	0 / 4	3 / 12	1 / 6	4 / 11
Number of transfers		10	3	3	4	5
Average number of embryos transferred		1.4	1.3	2.0	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)		4 / 8	2 / 3	0 / 2	0 / 2	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		6 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in live births (%)		4 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in singleton live births (%)		3 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in twin live births (%)		1 / 15	0 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		3 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		7 / 14	2 / 4	0 / 6	0 / 8	0 / 10
Percentage of transfers resulting in pregnancies (%)		6 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in live births (%)		4 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)		3 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles		30	27	13	7	1
Number of transfers		27	25	10	7	1
Estimated average number of transfers per retrieval		1.9	0.9	0.8	1.0	0.2
Average number of embryos transferred		1.3	1.6	1.5	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)		26.5	30.8	6 / 13	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)		33.3	44.0	7 / 10	1 / 7	0 / 1
Percentage of transfers resulting in live births (%)		22.2	28.0	5 / 10	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)		14.8	24.0	4 / 10	0 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)		7.4	4.0	1 / 10	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		11.1	20.0	3 / 10	0 / 7	0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		11	22	9	7	5
		1	3	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		2	11	6	0	
Number of transfers		1	10	4	0	
Average number of embryos transferred		2.0	1.6	1.5		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	2 / 14	2 / 6		
Percentage of transfers resulting in pregnancies (%)		0 / 1	3 / 10	1 / 4		
Percentage of transfers resulting in live births (%)		0 / 1	2 / 10	1 / 4		
Percentage of transfers resulting in singleton live births (%)		0 / 1	2 / 10	0 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 10	1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	1 / 10	0 / 4		

CURRENT SERVICES & PROFILE		Current Name: Westchester Fertility and Reproductive Endocrinology					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

GOLD COAST IVF REPRODUCTIVE MEDICINE AND SURGERY CENTER WOODBURY, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steven F. Palter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 15% Female & male factors 19%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	11%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	15%	
				Endometriosis	10%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 319
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	36	35	12	8
Percentage of cancellations before retrieval (%)	0.0	0.0	2.9	0 / 12	1 / 8
Number of transfers	47	25	28	10	5
Average number of embryos transferred	1.6	1.7	1.9	2.9	2.2
Percentage of elective single embryo transfers (eSET) (%)	30.2	1 / 19	8.7	0 / 9	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	52.5	38.9	31.4	1 / 12	0 / 8
Percentage of cycles resulting in live births (%)	49.2	25.0	28.6	1 / 12	0 / 8
Percentage of cycles resulting in singleton live births (%)	36.1	22.2	28.6	1 / 12	0 / 8
Percentage of cycles resulting in twin live births (%)	13.1	2.8	0.0	0 / 12	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.9	13.9	28.6	1 / 12	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.5	41.9	21.2	3.4	0 / 11
Percentage of transfers resulting in pregnancies (%)	68.1	56.0	39.3	1 / 10	0 / 5
Percentage of transfers resulting in live births (%)	63.8	36.0	35.7	1 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	46.8	32.0	35.7	1 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	17.0	4.0	0.0	0 / 10	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.2	20.0	35.7	1 / 10	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	42	26	12	7	2
Number of transfers	41	26	11	7	2
Estimated average number of transfers per retrieval	1.9	1.0	0.9	0.7	0.2
Average number of embryos transferred	1.4	1.7	1.6	1.1	1.5
Percentage of embryos transferred resulting in implantation (%)	44.1	47.7	6 / 18	3 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	51.2	65.4	6 / 11	3 / 7	0 / 2
Percentage of transfers resulting in live births (%)	39.0	50.0	5 / 11	2 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	26.8	38.5	5 / 11	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	12.2	11.5	0 / 11	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.5	38.5	5 / 11	2 / 7	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	19	8	6	6
	0	5	3	0	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	24	5	0	
Number of transfers	0	24	5	0	
Average number of embryos transferred		1.7	1.2		
Percentage of embryos transferred resulting in implantation (%)		63.4	2 / 6		
Percentage of transfers resulting in pregnancies (%)		87.5	2 / 5		
Percentage of transfers resulting in live births (%)		83.3	2 / 5		
Percentage of transfers resulting in singleton live births (%)		62.5	2 / 5		
Percentage of transfers resulting in twin live births (%)		20.8	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		45.8	1 / 5		

CURRENT SERVICES & PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

2016

Fertility Clinic Tables

NORTH CAROLINA–WISCONSIN



**NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
THE TALBERT FERTILITY INSTITUTE
CARY, NORTH CAROLINA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Sameh K. Toma, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	15%	Multiple Factors: Female factors only 13% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	10%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	9%	
				Endometriosis	4%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}		Total number of cycles ^d : 415 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	69	31	24	6	2	
Percentage of cancellations before retrieval (%)	11.6	19.4	25.0	1 / 6	0 / 2	
Number of transfers	1	1	0	0	0	
Average number of embryos transferred	2.0	2.0				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	1.4	3.2	0.0	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	1.4	3.2	0.0	0 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	0.0	3.2	0.0	0 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	1.4	0.0	0.0	0 / 6	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	3.2	0.0	0 / 6	0 / 2	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	2 / 2	1 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1				
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1				
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	82	39	35	13	9	
Number of transfers	79	37	28	11	8	
Estimated average number of transfers per retrieval	1.3	1.3	1.2	1.2	4.0	
Average number of embryos transferred	1.8	1.9	1.9	1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)	47.9	52.1	46.9	40.0	5 / 14	
Percentage of transfers resulting in pregnancies (%)	63.3	70.3	67.9	6 / 11	5 / 8	
Percentage of transfers resulting in live births (%)	55.7	59.5	46.4	3 / 11	4 / 8	
Percentage of transfers resulting in singleton live births (%)	35.4	32.4	35.7	2 / 11	4 / 8	
Percentage of transfers resulting in twin live births (%)	20.3	27.0	10.7	1 / 11	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	29.7	17.9	2 / 11	3 / 8	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	14	9	8	4	1	
	2	0	0	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	28	5	34	2		
Number of transfers	12	4	30	2		
Average number of embryos transferred	1.8	1.5	1.9	2.0		
Percentage of embryos transferred resulting in implantation (%)	52.4	4 / 6	42.9	2 / 4		
Percentage of transfers resulting in pregnancies (%)	7 / 12	3 / 4	63.3	2 / 2		
Percentage of transfers resulting in live births (%)	6 / 12	2 / 4	46.7	1 / 2		
Percentage of transfers resulting in singleton live births (%)	4 / 12	1 / 4	30.0	1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 12	1 / 4	16.7	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 12	1 / 4	26.7	1 / 2		

CURRENT SERVICES & PROFILE		Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PROGRAM FOR ASSISTED REPRODUCTION AT CAROLINAS MEDICAL CENTER CMC WOMEN'S INSTITUTE CHARLOTTE, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Bradley S. Hurst, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 20%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	30%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	13%	
				Endometriosis	9%	Unknown factor	10%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 552 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	19	10	7	3
Percentage of cancellations before retrieval (%)	6.6	2 / 19	4 / 10	3 / 7	0 / 3
Number of transfers	50	14	3	3	2
Average number of embryos transferred	1.1	1.6	1.7	3.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	86.0	5 / 13	0 / 2	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.9	8 / 19	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)	27.6	6 / 19	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	26.3	2 / 19	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	1.3	4 / 19	0 / 10	0 / 7	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.7	2 / 19	1 / 10	0 / 7	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.4	54.5	1 / 5	0 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	50.0	8 / 14	1 / 3	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	42.0	6 / 14	1 / 3	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.0	2 / 14	1 / 3	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2.0	4 / 14	0 / 3	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	2 / 14	1 / 3	0 / 3	0 / 2

Frozen Embryos from Nondonor Eggs					
Number of cycles	151	71	41	16	8
Number of transfers	135	66	36	14	6
Estimated average number of transfers per retrieval	1.6	1.9	1.1	1.0	1.2
Average number of embryos transferred	1.1	1.1	1.2	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	48.9	42.4	54.3	9 / 15	4 / 6
Percentage of transfers resulting in pregnancies (%)	51.9	50.0	63.9	9 / 14	3 / 6
Percentage of transfers resulting in live births (%)	41.5	33.3	41.7	7 / 14	3 / 6
Percentage of transfers resulting in singleton live births (%)	39.3	31.8	38.9	7 / 14	2 / 6
Percentage of transfers resulting in twin live births (%)	2.2	1.5	2.8	0 / 14	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.3	27.3	27.8	6 / 14	2 / 6

Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	48	27	29	14	5
	11	4	3	0	0

Donor Eggs ^f	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	21	4	2
Number of transfers	0	20	4	2
Average number of embryos transferred		1.3	1.0	1.5
Percentage of embryos transferred resulting in implantation (%)		42.3	2 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)		45.0	2 / 4	0 / 2
Percentage of transfers resulting in live births (%)		45.0	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)		40.0	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)		5.0	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		25.0	1 / 4	0 / 2

CURRENT SERVICES & PROFILE		Current Name: Program for Assisted Reproduction at Carolinas Medical Center, CMC Women's Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES OF CHARLOTTE CHARLOTTE, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Seth Katz, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	2%	
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	19%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	27%	
				Endometriosis	7%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				11%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 1,091 (includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	185	86	78	44	26	
Percentage of cancellations before retrieval (%)	4.9	5.8	10.3	13.6	23.1	
Number of transfers	91	51	35	16	8	
Average number of embryos transferred	1.7	1.8	1.9	2.5	1.5	
Percentage of elective single embryo transfers (eSET) (%)	14.7	11.4	0.0	0 / 12	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	23.2	22.1	12.8	6.8	7.7	
Percentage of cycles resulting in live births (%)	19.5	12.8	10.3	4.5	0.0	
Percentage of cycles resulting in singleton live births (%)	13.5	9.3	9.0	4.5	0.0	
Percentage of cycles resulting in twin live births (%)	5.9	3.5	1.3	0.0	0.0	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.4	8.1	7.7	4.5	0.0	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	35.8	24.2	15.4	5.4	2 / 12	
Percentage of transfers resulting in pregnancies (%)	47.3	37.3	28.6	3 / 16	2 / 8	
Percentage of transfers resulting in live births (%)	39.6	21.6	22.9	2 / 16	0 / 8	
Percentage of transfers resulting in singleton live births (%)	27.5	15.7	20.0	2 / 16	0 / 8	
Percentage of transfers resulting in twin live births (%)	12.1	5.9	2.9	0 / 16	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.1	13.7	17.1	2 / 16	0 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	190	84	77	20	12	
Number of transfers	176	75	75	17	11	
Estimated average number of transfers per retrieval	1.2	1.3	1.1	0.9	1.2	
Average number of embryos transferred	1.5	1.6	1.5	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)	52.6	44.2	48.1	30.4	2 / 18	
Percentage of transfers resulting in pregnancies (%)	62.5	61.3	58.7	7 / 17	3 / 11	
Percentage of transfers resulting in live births (%)	54.0	52.0	48.0	5 / 17	2 / 11	
Percentage of transfers resulting in singleton live births (%)	41.5	40.0	40.0	4 / 17	2 / 11	
Percentage of transfers resulting in twin live births (%)	12.5	12.0	8.0	1 / 17	0 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	36.0	38.7	4 / 17	2 / 11	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	82	42	48	9	8	
	14	3	6	1	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	22	35	32	5		
Number of transfers	15	30	29	5		
Average number of embryos transferred	1.7	1.8	1.2	1.6		
Percentage of embryos transferred resulting in implantation (%)	42.3	36.5	54.3	2 / 8		
Percentage of transfers resulting in pregnancies (%)	8 / 15	56.7	51.7	1 / 5		
Percentage of transfers resulting in live births (%)	7 / 15	53.3	41.4	1 / 5		
Percentage of transfers resulting in singleton live births (%)	5 / 15	46.7	27.6	0 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 15	3.3	10.3	1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 15	43.3	20.7	0 / 5		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Endocrinology Associates of Charlotte					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DUKE FERTILITY CENTER DUKE UNIVERSITY MEDICAL CENTER DURHAM, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer L. Eaton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 11% Female & male factors 19%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	44%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	9%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 358
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	72	35	38	18	3
Percentage of cancellations before retrieval (%)	9.7	17.1	10.5	3 / 18	0 / 3
Number of transfers	48	23	26	8	2
Average number of embryos transferred	1.6	1.7	2.3	3.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	40.9	4 / 19	4.2	0 / 7	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.9	28.6	23.7	2 / 18	2 / 3
Percentage of cycles resulting in live births (%)	30.6	20.0	15.8	0 / 18	2 / 3
Percentage of cycles resulting in singleton live births (%)	27.8	17.1	15.8	0 / 18	1 / 3
Percentage of cycles resulting in twin live births (%)	2.8	2.9	0.0	0 / 18	1 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.0	17.1	15.8	0 / 18	1 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.2	28.9	11.3	4.5	3 / 5
Percentage of transfers resulting in pregnancies (%)	47.9	43.5	34.6	2 / 8	2 / 2
Percentage of transfers resulting in live births (%)	45.8	30.4	23.1	0 / 8	2 / 2
Percentage of transfers resulting in singleton live births (%)	41.7	26.1	23.1	0 / 8	1 / 2
Percentage of transfers resulting in twin live births (%)	4.2	4.3	0.0	0 / 8	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.5	26.1	23.1	0 / 8	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	77	24	17	2	7
Number of transfers	73	21	17	1	6
Estimated average number of transfers per retrieval	1.8	0.9	1.4	0.3	1.5
Average number of embryos transferred	1.4	1.8	1.9	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	33.3	22.9	20.0	0 / 2	1 / 8
Percentage of transfers resulting in pregnancies (%)	47.9	42.9	7 / 17	0 / 1	3 / 6
Percentage of transfers resulting in live births (%)	39.7	33.3	5 / 17	0 / 1	1 / 6
Percentage of transfers resulting in singleton live births (%)	38.4	33.3	5 / 17	0 / 1	1 / 6
Percentage of transfers resulting in twin live births (%)	1.4	0.0	0 / 17	0 / 1	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.9	28.6	5 / 17	0 / 1	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	9	1	2	2
	2	7	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	0	24	0	
Number of transfers	18	0	20	0	
Average number of embryos transferred	1.4		1.4		
Percentage of embryos transferred resulting in implantation (%)	28.0		30.8		
Percentage of transfers resulting in pregnancies (%)	6 / 18		45.0		
Percentage of transfers resulting in live births (%)	5 / 18		40.0		
Percentage of transfers resulting in singleton live births (%)	3 / 18		40.0		
Percentage of transfers resulting in twin live births (%)	2 / 18		0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 18		35.0		

CURRENT SERVICES & PROFILE

Current Name: Duke Fertility Center, Duke University Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMACK ARMY MEDICAL CENTER FORT BRAGG, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jason Parker, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	29%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 6%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	3%	Male factor	15%	
Used gestational carrier	2%			Diminished ovarian reserve	11%	Other factor	10%	
				Endometriosis	7%	Unknown factor	34%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 127
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	48	27	13	7	4
Percentage of cancellations before retrieval (%)	2.1	0.0	0 / 13	0 / 7	0 / 4
Number of transfers	41	26	11	7	4
Average number of embryos transferred	1.9	2.0	1.9	2.1	1.5
Percentage of elective single embryo transfers (eSET) (%)	16.7	4.0	1 / 10	0 / 6	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.9	48.1	4 / 13	4 / 7	1 / 4
Percentage of cycles resulting in live births (%)	35.4	37.0	3 / 13	0 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	35.4	29.6	3 / 13	0 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	7.4	0 / 13	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.9	25.9	3 / 13	0 / 7	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.3	29.4	19.0	4 / 15	1 / 6
Percentage of transfers resulting in pregnancies (%)	56.1	50.0	4 / 11	4 / 7	1 / 4
Percentage of transfers resulting in live births (%)	41.5	38.5	3 / 11	0 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.5	30.8	3 / 11	0 / 7	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	7.7	0 / 11	0 / 7	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	26.9	3 / 11	0 / 7	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	10	8	2	2	0
Number of transfers	10	8	2	1	0
Estimated average number of transfers per retrieval	5.0	2.7			0.0
Average number of embryos transferred	2.0	1.9	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	4 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 10	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 10	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 10	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 10	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 10	0 / 8	0 / 2	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	2	0	0	1
	0	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	0	0	
Number of transfers	0	2	0	0	
Average number of embryos transferred		2.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 2			
Percentage of transfers resulting in pregnancies (%)		1 / 2			
Percentage of transfers resulting in live births (%)		0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2			

CURRENT SERVICES & PROFILE

Current Name: Womack Army Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PREMIER FERTILITY CENTER
HIGH POINT REGIONAL HEALTH SYSTEM
HIGH POINT, NORTH CAROLINA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

ADVANCED REPRODUCTIVE CONCEPTS HUNTERSVILLE, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Mark L. Jutras, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	19%	Uterine factor	1%	Multiple Factors: Female factors only 14% Female & male factors 20%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	16%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	8%	
				Endometriosis	10%	Unknown factor	18%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 107 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	16	6	9	5	1	
Percentage of cancellations before retrieval (%)	0 / 16	1 / 6	0 / 9	1 / 5	0 / 1	
Number of transfers	6	1	3	2	0	
Average number of embryos transferred	1.8	2.0	2.0	1.5		
Percentage of elective single embryo transfers (eSET) (%)	1 / 6	0 / 1	0 / 3	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	1 / 16	0 / 6	1 / 9	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 16	0 / 6	1 / 9	0 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 16	0 / 6	0 / 9	0 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 16	0 / 6	1 / 9	0 / 5	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 16	0 / 6	0 / 9	0 / 5	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	2 / 11	0 / 2	2 / 6	0 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 6	0 / 1	1 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	1 / 6	0 / 1	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 6	0 / 1	0 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 1	1 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 6	0 / 1	0 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	13	5	1	2	
Number of transfers	30	13	5	1	2	
Estimated average number of transfers per retrieval	1.8	1.4	1.0	0.5	2.0	
Average number of embryos transferred	1.8	1.4	1.2	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	46.8	6 / 17	3 / 6	1 / 1	1 / 3	
Percentage of transfers resulting in pregnancies (%)	66.7	6 / 13	2 / 5	1 / 1	1 / 2	
Percentage of transfers resulting in live births (%)	53.3	5 / 13	2 / 5	1 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	40.0	4 / 13	1 / 5	1 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	13.3	1 / 13	1 / 5	0 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	3 / 13	1 / 5	1 / 1	0 / 2	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	5	3	3	2	1	
	0	0	0	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	0	3	2	0		
Number of transfers	0	3	2	0		
Average number of embryos transferred		1.3	1.5			
Percentage of embryos transferred resulting in implantation (%)		1 / 4	1 / 2			
Percentage of transfers resulting in pregnancies (%)		1 / 3	2 / 2			
Percentage of transfers resulting in live births (%)		1 / 3	1 / 2			
Percentage of transfers resulting in singleton live births (%)		1 / 3	1 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 3	0 / 2			

CURRENT SERVICES & PROFILE		Current Name: Advanced Reproductive Concepts					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTIC REPRODUCTIVE MEDICINE SPECIALISTS, PA RALEIGH, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susannah D. Copland, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 21%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	25%	Male factor	39%	
Used gestational carrier	3%			Diminished ovarian reserve	25%	Other factor	17%	
				Endometriosis	5%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 248
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	33	21	2	4
Percentage of cancellations before retrieval (%)	0.0	12.1	4.8	1 / 2	0 / 4
Number of transfers	26	22	12	0	2
Average number of embryos transferred	1.4	1.5	2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)	54.5	5 / 16	1 / 11		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	30.3	28.6	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	40.0	24.2	23.8	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	40.0	18.2	23.8	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	6.1	0.0	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.0	18.2	19.0	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	38.7	27.3		0 / 4
Percentage of transfers resulting in pregnancies (%)	57.7	45.5	6 / 12		0 / 2
Percentage of transfers resulting in live births (%)	46.2	36.4	5 / 12		0 / 2
Percentage of transfers resulting in singleton live births (%)	46.2	27.3	5 / 12		0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	9.1	0 / 12		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.6	27.3	4 / 12		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	20	2	2	0
Number of transfers	38	20	2	2	0
Estimated average number of transfers per retrieval	1.1	1.2	0.7	0.3	0.0
Average number of embryos transferred	1.3	1.2	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.7	34.8	2 / 4	2 / 2	
Percentage of transfers resulting in pregnancies (%)	55.3	45.0	2 / 2	2 / 2	
Percentage of transfers resulting in live births (%)	42.1	35.0	1 / 2	2 / 2	
Percentage of transfers resulting in singleton live births (%)	36.8	35.0	1 / 2	2 / 2	
Percentage of transfers resulting in twin live births (%)	5.3	0.0	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	25.0	1 / 2	2 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	31	13	3	5	3
	2	5	0	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	1	22	2	
Number of transfers	14	0	22	1	
Average number of embryos transferred	1.1		1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 15		50.0	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 14		54.5	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 14		45.5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 14		40.9	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 14		4.5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14		40.9	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Atlantic Reproductive Medicine Specialists, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS, PA RALEIGH, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John K. Park, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 14%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	12%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	9%	
				Endometriosis	6%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 875
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	168	53	40	17	6
Percentage of cancellations before retrieval (%)	6.5	22.6	12.5	5 / 17	1 / 6
Number of transfers	121	31	23	4	4
Average number of embryos transferred	1.6	1.9	1.9	2.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	30.8	3.4	0 / 19	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	51.8	26.4	37.5	1 / 17	0 / 6
Percentage of cycles resulting in live births (%)	45.8	20.8	20.0	0 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	33.3	15.1	10.0	0 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	11.9	5.7	10.0	0 / 17	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.8	13.2	7.5	0 / 17	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	57.6	29.1	42.9	0 / 8	0 / 7
Percentage of transfers resulting in pregnancies (%)	71.9	45.2	65.2	1 / 4	0 / 4
Percentage of transfers resulting in live births (%)	63.6	35.5	34.8	0 / 4	0 / 4
Percentage of transfers resulting in singleton live births (%)	46.3	25.8	17.4	0 / 4	0 / 4
Percentage of transfers resulting in twin live births (%)	16.5	9.7	17.4	0 / 4	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.3	22.6	13.0	0 / 4	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	136	72	37	9	9
Number of transfers	134	72	37	9	8
Estimated average number of transfers per retrieval	1.3	1.1	1.0	0.6	1.6
Average number of embryos transferred	1.4	1.3	1.2	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	49.7	45.3	48.9	9 / 12	4 / 10
Percentage of transfers resulting in pregnancies (%)	59.7	52.8	59.5	7 / 9	4 / 8
Percentage of transfers resulting in live births (%)	50.7	43.1	51.4	7 / 9	4 / 8
Percentage of transfers resulting in singleton live births (%)	41.8	36.1	48.6	5 / 9	4 / 8
Percentage of transfers resulting in twin live births (%)	8.2	6.9	2.7	2 / 9	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.1	31.9	35.1	5 / 9	4 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	68	51	29	13	5
	10	7	1	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	49	6	64	43	
Number of transfers	43	3	62	40	
Average number of embryos transferred	1.9	1.3	1.6	1.8	
Percentage of embryos transferred resulting in implantation (%)	61.5	1 / 4	44.4	58.9	
Percentage of transfers resulting in pregnancies (%)	76.7	1 / 3	64.5	77.5	
Percentage of transfers resulting in live births (%)	67.4	1 / 3	50.0	72.5	
Percentage of transfers resulting in singleton live births (%)	37.2	1 / 3	41.9	55.0	
Percentage of transfers resulting in twin live births (%)	30.2	0 / 3	8.1	17.5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.9	1 / 3	32.3	42.5	

CURRENT SERVICES & PROFILE

Current Name: Carolina Conceptions, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNC FERTILITY RALEIGH, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer E. Mersereau, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 8%
Unstimulated	<1%	PGD/PGS	9%	Ovulatory dysfunction	17%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	7%	
				Endometriosis	6%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 573
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	134	59	46	17	6
Percentage of cancellations before retrieval (%)	10.4	11.9	28.3	6 / 17	1 / 6
Number of transfers	83	41	27	7	2
Average number of embryos transferred	1.2	1.9	2.4	2.7	2.5
Percentage of elective single embryo transfers (eSET) (%)	75.6	15.0	0.0	0 / 7	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.3	39.0	17.4	3 / 17	0 / 6
Percentage of cycles resulting in live births (%)	27.6	33.9	13.0	3 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	26.9	22.0	13.0	2 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	0.7	11.9	0.0	1 / 17	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.4	20.3	8.7	2 / 17	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.0	42.9	12.1	4 / 19	0 / 5
Percentage of transfers resulting in pregnancies (%)	50.6	56.1	29.6	3 / 7	0 / 2
Percentage of transfers resulting in live births (%)	44.6	48.8	22.2	3 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.4	31.7	22.2	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	1.2	17.1	0.0	1 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.1	29.3	14.8	2 / 7	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	103	68	29	8	2
Number of transfers	96	62	29	8	2
Estimated average number of transfers per retrieval	1.5	2.2	1.2	1.1	1.0
Average number of embryos transferred	1.3	1.4	1.6	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	61.6	45.1	54.5	8 / 14	0 / 3
Percentage of transfers resulting in pregnancies (%)	71.9	59.7	65.5	6 / 8	0 / 2
Percentage of transfers resulting in live births (%)	60.4	37.1	48.3	6 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	55.2	33.9	27.6	4 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	5.2	3.2	20.7	2 / 8	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	50.0	30.6	20.7	4 / 8	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	14	16	4	1
	7	6	5	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	22	6	24	1	
Number of transfers	20	6	17	1	
Average number of embryos transferred	1.1	1.2	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	72.7	5 / 7	70.0	1 / 2	
Percentage of transfers resulting in pregnancies (%)	75.0	4 / 6	13 / 17	1 / 1	
Percentage of transfers resulting in live births (%)	55.0	4 / 6	11 / 17	1 / 1	
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 6	9 / 17	1 / 1	
Percentage of transfers resulting in twin live births (%)	5.0	1 / 6	2 / 17	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	50.0	2 / 6	6 / 17	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: UNC Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINAS FERTILITY INSTITUTE WINSTON SALEM, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Tamer M. Yalcinkaya, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	12%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 21%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	19%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	13%	
				Endometriosis	16%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 387
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	79	38	12	3	7
Percentage of cancellations before retrieval (%)	7.6	13.2	0 / 12	1 / 3	2 / 7
Number of transfers	67	26	8	0	0
Average number of embryos transferred	1.5	2.0	2.1		
Percentage of elective single embryo transfers (eSET) (%)	53.7	4.2	0 / 8		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	60.8	44.7	5 / 12	0 / 3	0 / 7
Percentage of cycles resulting in live births (%)	50.6	36.8	2 / 12	0 / 3	0 / 7
Percentage of cycles resulting in singleton live births (%)	40.5	26.3	2 / 12	0 / 3	0 / 7
Percentage of cycles resulting in twin live births (%)	10.1	10.5	0 / 12	0 / 3	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.5	15.8	1 / 12	0 / 3	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	58.4	44.7	3 / 12		
Percentage of transfers resulting in pregnancies (%)	71.6	65.4	5 / 8		
Percentage of transfers resulting in live births (%)	59.7	53.8	2 / 8		
Percentage of transfers resulting in singleton live births (%)	47.8	38.5	2 / 8		
Percentage of transfers resulting in twin live births (%)	11.9	15.4	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.4	23.1	1 / 8		
Frozen Embryos from Nondonor Eggs					
Number of cycles	53	27	32	13	4
Number of transfers	49	24	30	11	3
Estimated average number of transfers per retrieval	1.2	1.7	0.7	0.7	0.2
Average number of embryos transferred	1.5	1.5	1.2	1.2	2.3
Percentage of embryos transferred resulting in implantation (%)	46.2	68.6	68.8	5 / 13	1 / 7
Percentage of transfers resulting in pregnancies (%)	63.3	83.3	76.7	5 / 11	1 / 3
Percentage of transfers resulting in live births (%)	44.9	66.7	63.3	5 / 11	1 / 3
Percentage of transfers resulting in singleton live births (%)	36.7	41.7	56.7	5 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)	8.2	25.0	6.7	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.4	29.2	30.0	4 / 11	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	7	41	14	11
	4	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	0	8	0	
Number of transfers	11	0	8	0	
Average number of embryos transferred	1.0		1.4		
Percentage of embryos transferred resulting in implantation (%)	8 / 11		6 / 11		
Percentage of transfers resulting in pregnancies (%)	8 / 11		6 / 8		
Percentage of transfers resulting in live births (%)	7 / 11		5 / 8		
Percentage of transfers resulting in singleton live births (%)	7 / 11		5 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 11		0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11		4 / 8		

CURRENT SERVICES & PROFILE

Current Name: Carolinas Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE WINSTON SALEM, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Erika B. Johnston-MacAnanny, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	76%	Tubal factor	10%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	15%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	11%	
				Endometriosis	10%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				11%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 350
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	28	18	9	3
Percentage of cancellations before retrieval (%)	6.7	25.0	1 / 18	3 / 9	0 / 3
Number of transfers	49	18	13	5	2
Average number of embryos transferred	1.3	1.6	2.1	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	68.1	7 / 17	0 / 12	1 / 5	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.7	39.3	5 / 18	1 / 9	1 / 3
Percentage of cycles resulting in live births (%)	46.7	35.7	2 / 18	1 / 9	1 / 3
Percentage of cycles resulting in singleton live births (%)	38.3	35.7	1 / 18	1 / 9	1 / 3
Percentage of cycles resulting in twin live births (%)	8.3	0.0	1 / 18	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.0	32.1	0 / 18	1 / 9	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.8	42.9	24.0	1 / 10	1 / 4
Percentage of transfers resulting in pregnancies (%)	57.1	11 / 18	5 / 13	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	57.1	10 / 18	2 / 13	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	46.9	10 / 18	1 / 13	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	10.2	0 / 18	1 / 13	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	9 / 18	0 / 13	1 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	74	31	24	10	2
Number of transfers	68	26	23	10	1
Estimated average number of transfers per retrieval	1.1	1.4	1.2	0.9	0.5
Average number of embryos transferred	1.4	1.5	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	65.9	50.0	36.1	7 / 11	1 / 2
Percentage of transfers resulting in pregnancies (%)	73.5	61.5	43.5	7 / 10	1 / 1
Percentage of transfers resulting in live births (%)	61.8	46.2	39.1	6 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.1	34.6	30.4	5 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	14.7	11.5	8.7	1 / 10	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.7	23.1	26.1	4 / 10	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	39	13	17	9	2
	15	0	0	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	4	5	2	
Number of transfers	0	4	5	2	
Average number of embryos transferred		1.3	1.8	1.5	
Percentage of embryos transferred resulting in implantation (%)		3 / 5	5 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)		3 / 4	3 / 5	1 / 2	
Percentage of transfers resulting in live births (%)		3 / 4	3 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)		3 / 4	1 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 4	2 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 4	1 / 5	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Wake Forest University Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD HEALTH REPRODUCTIVE MEDICINE INSTITUTE FARGO, NORTH DAKOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steffen P. Christensen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	20%	Uterine factor	<1%	Multiple Factors: Female factors only 15% Female & male factors 17%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	22%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	17%	
				Endometriosis	10%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 326
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	51	28	17	5	1
Percentage of cancellations before retrieval (%)	5.9	21.4	3 / 17	1 / 5	1 / 1
Number of transfers	28	17	8	2	0
Average number of embryos transferred	1.9	1.7	2.1	3.0	
Percentage of elective single embryo transfers (eSET) (%)	4.2	1 / 13	1 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.6	25.0	3 / 17	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	17.6	17.9	2 / 17	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	15.7	14.3	2 / 17	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	2.0	3.6	0 / 17	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.7	14.3	2 / 17	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.9	25.9	3 / 17	0 / 6	
Percentage of transfers resulting in pregnancies (%)	39.3	7 / 17	3 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	32.1	5 / 17	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	28.6	4 / 17	2 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.6	1 / 17	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	4 / 17	2 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	95	28	12	0	0
Number of transfers	93	26	12	0	0
Estimated average number of transfers per retrieval	1.5	1.1	4.0	0.0	0.0
Average number of embryos transferred	1.6	1.7	1.6		
Percentage of embryos transferred resulting in implantation (%)	46.8	34.9	6 / 17		
Percentage of transfers resulting in pregnancies (%)	55.9	46.2	6 / 12		
Percentage of transfers resulting in live births (%)	48.4	42.3	3 / 12		
Percentage of transfers resulting in singleton live births (%)	32.3	38.5	3 / 12		
Percentage of transfers resulting in twin live births (%)	16.1	3.8	0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.0	26.9	2 / 12		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	48	15	2	4	1
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	11	6	0	
Number of transfers	1	7	6	0	
Average number of embryos transferred	2.0	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	9 / 14	3 / 10		
Percentage of transfers resulting in pregnancies (%)	0 / 1	6 / 7	3 / 6		
Percentage of transfers resulting in live births (%)	0 / 1	6 / 7	3 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 1	3 / 7	3 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 1	3 / 7	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	3 / 7	3 / 6		

CURRENT SERVICES & PROFILE

Current Name: Sanford Health Reproductive Medicine Institute

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC. NORTHEASTERN OHIO FERTILITY CENTER AKRON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nicholas J. Spirtos, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	6%	Uterine factor	6%	Multiple Factors: Female factors only 18% Female & male factors 32%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	9%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	32%	
				Endometriosis	38%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 36
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	12	5	2	1	2
Percentage of cancellations before retrieval (%)	1 / 12	0 / 5	0 / 2	1 / 1	1 / 2
Number of transfers	11	4	2	0	1
Average number of embryos transferred	1.7	2.0	1.5		1.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	0 / 4	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 12	2 / 5	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	7 / 12	2 / 5	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 12	0 / 5	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 12	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 12	0 / 5	1 / 2	0 / 1	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11 / 19	4 / 8	1 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 11	2 / 4	1 / 2		0 / 1
Percentage of transfers resulting in live births (%)	7 / 11	2 / 4	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 11	0 / 4	1 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 11	2 / 4	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	0 / 4	1 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	2	0	0	0
Number of transfers	3	2	0	0	0
Estimated average number of transfers per retrieval	1.5				0.0
Average number of embryos transferred	1.3	1.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 2			
Percentage of transfers resulting in live births (%)	1 / 3	1 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 2			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	5	0	
Number of transfers	2	0	5	0	
Average number of embryos transferred	2.0		1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 4		5 / 9		
Percentage of transfers resulting in pregnancies (%)	1 / 2		3 / 5		
Percentage of transfers resulting in live births (%)	1 / 2		3 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 2		2 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.-AKRON AKRON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David M. Nash, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	52%	Tubal factor	21%	Uterine factor	10%	Multiple Factors: Female factors only 15% Female & male factors 33%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	10%	
				Endometriosis	21%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 512
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	122	42	28	9	3
Percentage of cancellations before retrieval (%)	4.9	4.8	14.3	1 / 9	1 / 3
Number of transfers	48	24	13	5	0
Average number of embryos transferred	1.7	2.0	2.5	1.6	
Percentage of elective single embryo transfers (eSET) (%)	31.9	13.6	0 / 12	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.8	21.4	17.9	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	23.0	14.3	14.3	0 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	17.2	14.3	7.1	0 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	4.9	0.0	7.1	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.8	14.3	7.1	0 / 9	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.8	19.1	21.9	0 / 8	
Percentage of transfers resulting in pregnancies (%)	60.4	37.5	5 / 13	0 / 5	
Percentage of transfers resulting in live births (%)	58.3	25.0	4 / 13	0 / 5	
Percentage of transfers resulting in singleton live births (%)	43.8	25.0	2 / 13	0 / 5	
Percentage of transfers resulting in twin live births (%)	12.5	0.0	2 / 13	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.5	25.0	2 / 13	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of cycles	142	59	22	6	2
Number of transfers	131	54	19	6	2
Estimated average number of transfers per retrieval	1.7	1.7	1.1	2.0	0.7
Average number of embryos transferred	1.5	1.6	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	53.1	35.3	46.9	1 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	65.6	48.1	12 / 19	1 / 6	0 / 2
Percentage of transfers resulting in live births (%)	55.0	42.6	9 / 19	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.7	35.2	8 / 19	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	12.2	7.4	1 / 19	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.5	27.8	7 / 19	1 / 6	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	9	6	1	1
	2	0	1	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	25	0	18	4	
Number of transfers	22	0	16	4	
Average number of embryos transferred	1.6		1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	57.1		26.1	1 / 8	
Percentage of transfers resulting in pregnancies (%)	68.2		6 / 16	1 / 4	
Percentage of transfers resulting in live births (%)	63.6		4 / 16	1 / 4	
Percentage of transfers resulting in singleton live births (%)	40.9		4 / 16	1 / 4	
Percentage of transfers resulting in twin live births (%)	22.7		0 / 16	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.9		4 / 16	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology & Infertility-Akron

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER BEACHWOOD, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Cynthia Austin, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	12%	Uterine factor	5%	
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	18%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	23%	Other factor	28%	
				Endometriosis	8%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				27%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 822 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	118	57	45	17	4	
Percentage of cancellations before retrieval (%)	7.6	8.8	24.4	6 / 17	2 / 4	
Number of transfers	107	47	31	9	1	
Average number of embryos transferred	1.4	1.7	2.0	2.6	3.0	
Percentage of elective single embryo transfers (eSET) (%)	52.5	11.1	7.1	0 / 8	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	56.8	49.1	46.7	3 / 17	1 / 4	
Percentage of cycles resulting in live births (%)	52.5	38.6	35.6	2 / 17	1 / 4	
Percentage of cycles resulting in singleton live births (%)	44.1	24.6	31.1	2 / 17	1 / 4	
Percentage of cycles resulting in twin live births (%)	8.5	12.3	2.2	0 / 17	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	37.3	22.8	24.4	2 / 17	1 / 4	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	51.3	48.1	43.6	9.5	1 / 3	
Percentage of transfers resulting in pregnancies (%)	62.6	59.6	67.7	3 / 9	1 / 1	
Percentage of transfers resulting in live births (%)	57.9	46.8	51.6	2 / 9	1 / 1	
Percentage of transfers resulting in singleton live births (%)	48.6	29.8	45.2	2 / 9	1 / 1	
Percentage of transfers resulting in twin live births (%)	9.3	14.9	3.2	0 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.1	27.7	35.5	2 / 9	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	162	115	54	13	9	
Number of transfers	149	99	50	12	7	
Estimated average number of transfers per retrieval	1.2	2.0	1.1	0.7	0.9	
Average number of embryos transferred	1.4	1.4	1.4	1.4	1.9	
Percentage of embryos transferred resulting in implantation (%)	56.2	44.1	51.5	6 / 14	1 / 10	
Percentage of transfers resulting in pregnancies (%)	65.1	55.6	66.0	8 / 12	2 / 7	
Percentage of transfers resulting in live births (%)	58.4	46.5	56.0	6 / 12	1 / 7	
Percentage of transfers resulting in singleton live births (%)	49.0	41.4	50.0	6 / 12	1 / 7	
Percentage of transfers resulting in twin live births (%)	9.4	4.0	6.0	0 / 12	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.6	34.3	42.0	5 / 12	1 / 7	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	100	36	34	16	8	
	18	6	1	0	1	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	2	7	22	3		
Number of transfers	1	6	17	3		
Average number of embryos transferred	1.0	1.8	1.3	1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 1	3 / 11	65.0	3 / 5		
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 6	13 / 17	2 / 3		
Percentage of transfers resulting in live births (%)	0 / 1	2 / 6	10 / 17	2 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 6	9 / 17	1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 6	1 / 17	1 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 6	8 / 17	1 / 3		

CURRENT SERVICES & PROFILE		Current Name: Cleveland Clinic Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY HOSPITALS FERTILITY CENTER BEACHWOOD, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James M. Goldfarb, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 10%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	4%			Diminished ovarian reserve	14%	Other factor	18%	
				Endometriosis	6%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 607
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	148	77	57	22	7
Percentage of cancellations before retrieval (%)	19.6	41.6	38.6	36.4	3 / 7
Number of transfers	95	38	30	14	4
Average number of embryos transferred	1.7	1.9	2.3	3.7	3.8
Percentage of elective single embryo transfers (eSET) (%)	26.9	8.8	3.4	0 / 14	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.2	24.7	24.6	4.5	1 / 7
Percentage of cycles resulting in live births (%)	36.5	18.2	19.3	0.0	0 / 7
Percentage of cycles resulting in singleton live births (%)	26.4	14.3	17.5	0.0	0 / 7
Percentage of cycles resulting in twin live births (%)	10.1	3.9	1.8	0.0	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.0	14.3	14.0	0.0	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.0	28.8	21.9	0.0	0 / 12
Percentage of transfers resulting in pregnancies (%)	67.4	50.0	46.7	1 / 14	1 / 4
Percentage of transfers resulting in live births (%)	56.8	36.8	36.7	0 / 14	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.1	28.9	33.3	0 / 14	0 / 4
Percentage of transfers resulting in twin live births (%)	15.8	7.9	3.3	0 / 14	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.8	28.9	26.7	0 / 14	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	85	53	31	6	5
Number of transfers	77	42	27	6	5
Estimated average number of transfers per retrieval	1.0	1.2	1.1	1.0	0.8
Average number of embryos transferred	1.6	1.5	1.4	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	38.6	37.3	25.7	2 / 12	1 / 9
Percentage of transfers resulting in pregnancies (%)	54.5	52.4	37.0	2 / 6	1 / 5
Percentage of transfers resulting in live births (%)	40.3	38.1	22.2	2 / 6	1 / 5
Percentage of transfers resulting in singleton live births (%)	31.2	35.7	18.5	2 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)	9.1	2.4	3.7	0 / 6	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	31.0	11.1	2 / 6	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	31	13	13	2	4
	15	3	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	29	0	17	6	
Number of transfers	21	0	15	6	
Average number of embryos transferred	1.5		1.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	43.8		9 / 19	1 / 10	
Percentage of transfers resulting in pregnancies (%)	61.9		9 / 15	1 / 6	
Percentage of transfers resulting in live births (%)	52.4		8 / 15	0 / 6	
Percentage of transfers resulting in singleton live births (%)	47.6		7 / 15	0 / 6	
Percentage of transfers resulting in twin live births (%)	4.8		1 / 15	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9		6 / 15	0 / 6	

CURRENT SERVICES & PROFILE

Current Name: University Hospitals Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA FERTILITY CENTER CINCINNATI, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kasey Reynolds, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 10% Female & male factors 10%
Unstimulated	4%	PGD/PGS	5%	Ovulatory dysfunction	18%	Male factor	24%	
Used gestational carrier	7%			Diminished ovarian reserve	36%	Other factor	13%	
				Endometriosis	2%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	19	11	10	3
Percentage of cancellations before retrieval (%)	16.7	2 / 19	3 / 11	4 / 10	0 / 3
Number of transfers	45	14	7	5	3
Average number of embryos transferred	1.8	2.1	2.1	2.8	2.7
Percentage of elective single embryo transfers (eSET) (%)	16.7	0 / 13	0 / 7	0 / 5	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.7	4 / 19	3 / 11	1 / 10	0 / 3
Percentage of cycles resulting in live births (%)	21.7	3 / 19	3 / 11	0 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	16.7	1 / 19	3 / 11	0 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	5.0	2 / 19	0 / 11	0 / 10	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.7	0 / 19	3 / 11	0 / 10	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	23.7	22.2	3 / 15	1 / 14	0 / 8
Percentage of transfers resulting in pregnancies (%)	35.6	4 / 14	3 / 7	1 / 5	0 / 3
Percentage of transfers resulting in live births (%)	28.9	3 / 14	3 / 7	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	22.2	1 / 14	3 / 7	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	6.7	2 / 14	0 / 7	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.6	0 / 14	3 / 7	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	24	10	1	9
Number of transfers	47	23	10	1	7
Estimated average number of transfers per retrieval	1.7	3.3	1.3	0.5	1.8
Average number of embryos transferred	1.7	1.5	1.6	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	37.5	33.3	2 / 15	0 / 2	6 / 13
Percentage of transfers resulting in pregnancies (%)	40.4	47.8	3 / 10	0 / 1	5 / 7
Percentage of transfers resulting in live births (%)	31.9	39.1	2 / 10	0 / 1	5 / 7
Percentage of transfers resulting in singleton live births (%)	14.9	34.8	2 / 10	0 / 1	4 / 7
Percentage of transfers resulting in twin live births (%)	17.0	4.3	0 / 10	0 / 1	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	12.8	26.1	2 / 10	0 / 1	3 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	2	6	1	4
	4	1	1	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	27	0	18	6	
Number of transfers	17	0	13	4	
Average number of embryos transferred	1.8		1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	54.8		20.0	1 / 4	
Percentage of transfers resulting in pregnancies (%)	12 / 17		4 / 13	1 / 4	
Percentage of transfers resulting in live births (%)	10 / 17		3 / 13	1 / 4	
Percentage of transfers resulting in singleton live births (%)	6 / 17		2 / 13	1 / 4	
Percentage of transfers resulting in twin live births (%)	4 / 17		1 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 17		2 / 13	1 / 4	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Bethesda Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sherif G. Awadalla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	18%	Uterine factor	13%	Multiple Factors: Female factors only 19% Female & male factors 20%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	29%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	19%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,174
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	353	137	76	19	6
Percentage of cancellations before retrieval (%)	8.2	10.2	19.7	5 / 19	0 / 6
Number of transfers	299	109	57	11	5
Average number of embryos transferred	1.5	1.9	2.3	2.6	2.4
Percentage of elective single embryo transfers (eSET) (%)	53.4	12.6	3.6	0 / 11	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.2	35.0	39.5	2 / 19	0 / 6
Percentage of cycles resulting in live births (%)	32.9	32.1	31.6	1 / 19	0 / 6
Percentage of cycles resulting in singleton live births (%)	28.3	21.2	23.7	1 / 19	0 / 6
Percentage of cycles resulting in twin live births (%)	4.5	10.9	7.9	0 / 19	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.1	19.0	19.7	1 / 19	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.7	30.8	30.8	6.9	0 / 12
Percentage of transfers resulting in pregnancies (%)	45.2	44.0	52.6	2 / 11	0 / 5
Percentage of transfers resulting in live births (%)	38.8	40.4	42.1	1 / 11	0 / 5
Percentage of transfers resulting in singleton live births (%)	33.4	26.6	31.6	1 / 11	0 / 5
Percentage of transfers resulting in twin live births (%)	5.4	13.8	10.5	0 / 11	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.8	23.9	26.3	1 / 11	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	252	94	47	14	0
Number of transfers	231	86	44	10	0
Estimated average number of transfers per retrieval	1.7	1.5	1.3	2.5	
Average number of embryos transferred	1.5	1.5	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	39.0	33.6	37.9	3 / 15	
Percentage of transfers resulting in pregnancies (%)	50.6	47.7	47.7	2 / 10	
Percentage of transfers resulting in live births (%)	41.1	40.7	34.1	2 / 10	
Percentage of transfers resulting in singleton live births (%)	32.0	33.7	25.0	2 / 10	
Percentage of transfers resulting in twin live births (%)	9.1	7.0	9.1	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.7	25.6	22.7	2 / 10	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	28	23	16	2	0
	6	8	6	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	56	6	39	3	
Number of transfers	52	6	34	3	
Average number of embryos transferred	1.5	1.3	1.6	2.3	
Percentage of embryos transferred resulting in implantation (%)	41.3	2 / 8	30.4	2 / 7	
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 6	38.2	1 / 3	
Percentage of transfers resulting in live births (%)	46.2	2 / 6	35.3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	36.5	2 / 6	23.5	0 / 3	
Percentage of transfers resulting in twin live births (%)	9.6	0 / 6	11.8	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.8	2 / 6	17.6	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Grant E. Schmidt, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	32%	Tubal factor	19%	Uterine factor	5%	Multiple Factors: Female factors only 13% Female & male factors 9%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	11%	Male factor	26%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	8%	
				Endometriosis	9%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 749
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	211	109	66	38	22
Percentage of cancellations before retrieval (%)	3.3	9.2	18.2	34.2	27.3
Number of transfers	163	78	40	17	11
Average number of embryos transferred	1.5	1.6	2.1	2.5	2.6
Percentage of elective single embryo transfers (eSET) (%)	42.3	24.6	0.0	0 / 14	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.1	38.5	24.2	13.2	4.5
Percentage of cycles resulting in live births (%)	38.9	32.1	13.6	7.9	4.5
Percentage of cycles resulting in singleton live births (%)	32.2	23.9	10.6	5.3	4.5
Percentage of cycles resulting in twin live births (%)	6.6	7.3	3.0	2.6	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.4	20.2	7.6	5.3	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.9	44.0	22.7	10.8	3.4
Percentage of transfers resulting in pregnancies (%)	57.1	53.8	40.0	5 / 17	1 / 11
Percentage of transfers resulting in live births (%)	50.3	44.9	22.5	3 / 17	1 / 11
Percentage of transfers resulting in singleton live births (%)	41.7	33.3	17.5	2 / 17	1 / 11
Percentage of transfers resulting in twin live births (%)	8.6	10.3	5.0	1 / 17	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.8	28.2	12.5	2 / 17	0 / 11
Frozen Embryos from Nondonor Eggs					
Number of cycles	120	52	18	13	4
Number of transfers	117	49	16	13	4
Estimated average number of transfers per retrieval	1.9	1.4	0.7	1.6	0.6
Average number of embryos transferred	1.5	1.3	1.3	1.4	2.5
Percentage of embryos transferred resulting in implantation (%)	51.2	44.6	30.0	4 / 18	3 / 8
Percentage of transfers resulting in pregnancies (%)	61.5	57.1	7 / 16	2 / 13	3 / 4
Percentage of transfers resulting in live births (%)	49.6	36.7	4 / 16	2 / 13	2 / 4
Percentage of transfers resulting in singleton live births (%)	39.3	30.6	4 / 16	0 / 13	1 / 4
Percentage of transfers resulting in twin live births (%)	9.4	6.1	0 / 16	2 / 13	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	26.5	4 / 16	0 / 13	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	12	15	3	4
	2	2	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	0	20	8	
Number of transfers	14	0	18	8	
Average number of embryos transferred	1.3		1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	5 / 15		52.2	8 / 14	
Percentage of transfers resulting in pregnancies (%)	7 / 14		10 / 18	6 / 8	
Percentage of transfers resulting in live births (%)	5 / 14		9 / 18	6 / 8	
Percentage of transfers resulting in singleton live births (%)	5 / 14		6 / 18	5 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 14		3 / 18	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14		5 / 18	3 / 8	

CURRENT SERVICES & PROFILE

Current Name: Ohio Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPRINGCREEK FERTILITY DAYTON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeremy M. Groll, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 16% Female & male factors 18%
Unstimulated	1%	PGD/PGS	10%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	18%	
				Endometriosis	14%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 192
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	7	7	1	9
Percentage of cancellations before retrieval (%)	0.0	0 / 7	0 / 7	0 / 1	1 / 9
Number of transfers	43	6	7	1	5
Average number of embryos transferred	1.6	1.7	2.1	2.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	36.6	1 / 5	1 / 7	0 / 1	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	58.1	3 / 7	3 / 7	0 / 1	0 / 9
Percentage of cycles resulting in live births (%)	51.2	3 / 7	3 / 7	0 / 1	0 / 9
Percentage of cycles resulting in singleton live births (%)	46.5	2 / 7	3 / 7	0 / 1	0 / 9
Percentage of cycles resulting in twin live births (%)	4.7	1 / 7	0 / 7	0 / 1	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.9	2 / 7	3 / 7	0 / 1	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.1	4 / 10	3 / 15	0 / 2	0 / 12
Percentage of transfers resulting in pregnancies (%)	58.1	3 / 6	3 / 7	0 / 1	0 / 5
Percentage of transfers resulting in live births (%)	51.2	3 / 6	3 / 7	0 / 1	0 / 5
Percentage of transfers resulting in singleton live births (%)	46.5	2 / 6	3 / 7	0 / 1	0 / 5
Percentage of transfers resulting in twin live births (%)	4.7	1 / 6	0 / 7	0 / 1	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.9	2 / 6	3 / 7	0 / 1	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	9	9	2	1
Number of transfers	42	8	8	2	1
Estimated average number of transfers per retrieval	1.2	0.8	0.6	2.0	1.0
Average number of embryos transferred	1.6	1.5	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	42.4	7 / 12	4 / 14	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.8	5 / 8	3 / 8	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	52.4	5 / 8	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.9	3 / 8	1 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	9.5	2 / 8	1 / 8	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	2 / 8	1 / 8	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	9	13	1	0
	5	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	3	3	2	
Number of transfers	5	3	3	2	
Average number of embryos transferred	1.8	2.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 9	2 / 6	1 / 5	0 / 4	
Percentage of transfers resulting in pregnancies (%)	5 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 3	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	0 / 3	1 / 3	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: SpringCreek Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WRIGHT STATE PHYSICIANS OB/GYN DAYTON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steven R. Lindheim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	0%	Uterine factor	22%	Multiple Factors: Female factors only 19% Female & male factors 26%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	11%	Male factor	56%	
Used gestational carrier	7%			Diminished ovarian reserve	37%	Other factor	19%	
				Endometriosis	7%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 34
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	6	0	1	1
Percentage of cancellations before retrieval (%)	0 / 8	1 / 6		0 / 1	0 / 1
Number of transfers	8	5	0	1	1
Average number of embryos transferred	1.9	1.8		1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 8	0 / 4			0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 8	0 / 6		0 / 1	1 / 1
Percentage of cycles resulting in live births (%)	1 / 8	0 / 6		0 / 1	1 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 6		0 / 1	1 / 1
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 6		0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 8	0 / 6		0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 15	0 / 9		0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 8	0 / 5		0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	1 / 8	0 / 5		0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 5		0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 5		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	0 / 5		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	1	0	0	0
Number of transfers	2	1	0	0	0
Estimated average number of transfers per retrieval	0.3	0.5		0.0	
Average number of embryos transferred	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 4	0 / 2			
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 1			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	2	0	1	0
	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	3	1	
Number of transfers	3	0	3	1	
Average number of embryos transferred	1.7		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		0 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		0 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Wright State Physicians OB/GYN

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KETTERING REPRODUCTIVE MEDICINE KETTERING, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark C. Bidwell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 3% Female & male factors 22%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	3%	
				Endometriosis	17%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 210
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	81	22	15	5	3
Percentage of cancellations before retrieval (%)	8.6	9.1	0 / 15	1 / 5	0 / 3
Number of transfers	69	19	15	4	3
Average number of embryos transferred	1.9	2.0	1.9	2.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	11.8	0 / 18	0 / 12	0 / 4	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.1	54.5	9 / 15	1 / 5	0 / 3
Percentage of cycles resulting in live births (%)	46.9	50.0	7 / 15	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	29.6	13.6	6 / 15	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	16.0	36.4	1 / 15	0 / 5	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	13.6	5 / 15	0 / 5	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.8	52.8	37.0	0 / 6	0 / 6
Percentage of transfers resulting in pregnancies (%)	62.3	12 / 19	9 / 15	1 / 4	0 / 3
Percentage of transfers resulting in live births (%)	55.1	11 / 19	7 / 15	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.8	3 / 19	6 / 15	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	18.8	8 / 19	1 / 15	0 / 4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.4	3 / 19	5 / 15	0 / 4	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	13	9	1	1
Number of transfers	41	13	9	1	1
Estimated average number of transfers per retrieval	2.7	4.3	3.0		0.3
Average number of embryos transferred	1.6	1.6	1.8	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	24.6	33.3	1 / 15	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	39.0	5 / 13	2 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	34.1	4 / 13	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.7	3 / 13	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2.4	1 / 13	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.3	3 / 13	0 / 9	0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	0	0	2
	2	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	5	0	
Number of transfers	6	0	5	0	
Average number of embryos transferred	2.0		1.6		
Percentage of embryos transferred resulting in implantation (%)	10 / 12		1 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 6		1 / 5		
Percentage of transfers resulting in live births (%)	5 / 6		1 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 6		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6		1 / 5		

CURRENT SERVICES & PROFILE

Current Name: Kettering Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY WELLNESS INSTITUTE OF OHIO MASON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Neeoo W. Chin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	55%	Tubal factor	33%	Uterine factor	32%	Multiple Factors: Female factors only 46% Female & male factors 22%
Unstimulated	3%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	18%	
				Endometriosis	57%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 94
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	13	9	4	4
Percentage of cancellations before retrieval (%)	13.2	1 / 13	1 / 9	4 / 4	2 / 4
Number of transfers	32	12	6	0	1
Average number of embryos transferred	1.9	2.1	2.0		1.0
Percentage of elective single embryo transfers (eSET) (%)	6.9	0 / 12	0 / 5		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.5	8 / 13	3 / 9	0 / 4	0 / 4
Percentage of cycles resulting in live births (%)	36.8	7 / 13	2 / 9	0 / 4	0 / 4
Percentage of cycles resulting in singleton live births (%)	18.4	4 / 13	2 / 9	0 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	18.4	3 / 13	0 / 9	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	3 / 13	2 / 9	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.7	44.0	4 / 12		0 / 1
Percentage of transfers resulting in pregnancies (%)	46.9	8 / 12	3 / 6		0 / 1
Percentage of transfers resulting in live births (%)	43.8	7 / 12	2 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	21.9	4 / 12	2 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	21.9	3 / 12	0 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.9	3 / 12	2 / 6		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	5	3	0	0
Number of transfers	8	5	3	0	0
Estimated average number of transfers per retrieval	2.0		3.0		
Average number of embryos transferred	2.0	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 16	1 / 8	0 / 6		
Percentage of transfers resulting in pregnancies (%)	3 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in live births (%)	3 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 5	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 8	1 / 5	0 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	3	1	
Number of transfers	3	0	3	1	
Average number of embryos transferred	2.7		1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 8		0 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3		0 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: The Fertility Wellness Institute of Ohio

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UC CENTER FOR REPRODUCTIVE HEALTH WEST CHESTER, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael A. Thomas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	24%	Uterine factor	5%	Multiple Factors: Female factors only 19% Female & male factors 32%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	36%	Male factor	48%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	12%	
				Endometriosis	8%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 238
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	86	28	15	5	0
Percentage of cancellations before retrieval (%)	9.3	7.1	2 / 15	3 / 5	
Number of transfers	75	26	12	2	0
Average number of embryos transferred	1.7	1.8	2.0	2.5	
Percentage of elective single embryo transfers (eSET) (%)	21.1	9.1	1 / 12	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.5	32.1	2 / 15	0 / 5	
Percentage of cycles resulting in live births (%)	32.6	25.0	0 / 15	0 / 5	
Percentage of cycles resulting in singleton live births (%)	23.3	17.9	0 / 15	0 / 5	
Percentage of cycles resulting in twin live births (%)	9.3	7.1	0 / 15	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.3	14.3	0 / 15	0 / 5	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.7	26.1	9.1	0 / 5	
Percentage of transfers resulting in pregnancies (%)	45.3	34.6	2 / 12	0 / 2	
Percentage of transfers resulting in live births (%)	37.3	26.9	0 / 12	0 / 2	
Percentage of transfers resulting in singleton live births (%)	26.7	19.2	0 / 12	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.7	7.7	0 / 12	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.7	15.4	0 / 12	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	42	12	11	0	0
Number of transfers	40	12	11	0	0
Estimated average number of transfers per retrieval	1.3	1.7	0.8	0.0	0.0
Average number of embryos transferred	1.6	1.8	1.4		
Percentage of embryos transferred resulting in implantation (%)	21.1	14.3	1 / 12		
Percentage of transfers resulting in pregnancies (%)	35.0	3 / 12	3 / 11		
Percentage of transfers resulting in live births (%)	25.0	3 / 12	1 / 11		
Percentage of transfers resulting in singleton live births (%)	25.0	3 / 12	1 / 11		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	2 / 12	1 / 11		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	0	8	1	1
	13	0	3	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	4	0	
Number of transfers	7	0	4	0	
Average number of embryos transferred	1.6		1.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 11		1 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 7		1 / 4		
Percentage of transfers resulting in live births (%)	5 / 7		1 / 4		
Percentage of transfers resulting in singleton live births (%)	4 / 7		1 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 7		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7		0 / 4		

CURRENT SERVICES & PROFILE

Current Name: UC Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.-WESTERVILLE WESTERVILLE, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David M. Nash, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	49%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 20%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	20%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	8%	
				Endometriosis	10%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 358
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	28	22	4	0
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1 / 4	
Number of transfers	66	24	14	2	0
Average number of embryos transferred	1.5	2.1	2.6	2.5	
Percentage of elective single embryo transfers (eSET) (%)	56.1	17.4	0 / 14	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	42.9	31.8	0 / 4	
Percentage of cycles resulting in live births (%)	32.6	21.4	13.6	0 / 4	
Percentage of cycles resulting in singleton live births (%)	26.3	17.9	9.1	0 / 4	
Percentage of cycles resulting in twin live births (%)	6.3	3.6	4.5	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.2	17.9	9.1	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.9	28.3	22.2	0 / 5	
Percentage of transfers resulting in pregnancies (%)	53.0	50.0	7 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	47.0	25.0	3 / 14	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.9	20.8	2 / 14	0 / 2	
Percentage of transfers resulting in twin live births (%)	9.1	4.2	1 / 14	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	20.8	2 / 14	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	90	18	24	7	1
Number of transfers	78	17	21	2	1
Estimated average number of transfers per retrieval	1.2	1.3	1.6	0.5	
Average number of embryos transferred	1.4	1.5	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	54.6	54.2	28.9	1 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	67.9	12 / 17	42.9	1 / 2	1 / 1
Percentage of transfers resulting in live births (%)	59.0	11 / 17	23.8	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	51.3	9 / 17	14.3	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	6.4	2 / 17	9.5	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.3	9 / 17	4.8	0 / 2	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	5	4	2	0
	10	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	21	2	14	0	
Number of transfers	20	1	11	0	
Average number of embryos transferred	1.3	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	60.0	0 / 1	10 / 13		
Percentage of transfers resulting in pregnancies (%)	75.0	0 / 1	9 / 11		
Percentage of transfers resulting in live births (%)	75.0	0 / 1	6 / 11		
Percentage of transfers resulting in singleton live births (%)	75.0	0 / 1	5 / 11		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 1	1 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	75.0	0 / 1	5 / 11		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology & Infertility-Westerville

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eli Reshef, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	19%	Uterine factor	4%	Multiple Factors: Female factors only 12% Female & male factors 25%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	16%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	18%	
				Endometriosis	16%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 374
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	154	39	36	7	2
Percentage of cancellations before retrieval (%)	7.1	15.4	33.3	1 / 7	0 / 2
Number of transfers	118	31	20	5	2
Average number of embryos transferred	1.8	1.9	2.2	1.6	2.5
Percentage of elective single embryo transfers (eSET) (%)	18.2	3.8	5.0	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.2	38.5	22.2	2 / 7	0 / 2
Percentage of cycles resulting in live births (%)	35.1	33.3	16.7	2 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.9	28.2	13.9	2 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	7.1	5.1	2.8	0 / 7	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.4	28.2	13.9	1 / 7	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.0	28.1	20.9	2 / 8	0 / 5
Percentage of transfers resulting in pregnancies (%)	55.1	48.4	40.0	2 / 5	0 / 2
Percentage of transfers resulting in live births (%)	45.8	41.9	30.0	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.4	35.5	25.0	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	9.3	6.5	5.0	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.5	35.5	25.0	1 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	57	16	7	6	4
Number of transfers	48	13	7	5	1
Estimated average number of transfers per retrieval	1.3	4.3	1.2	1.3	
Average number of embryos transferred	1.6	1.8	1.6	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	36.5	20.8	2 / 11	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.9	5 / 13	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	43.8	4 / 13	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.4	4 / 13	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	0 / 13	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	3 / 13	2 / 7	0 / 5	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	1	1	2	0
	3	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	6	15	
Number of transfers	13	0	6	14	
Average number of embryos transferred	1.9		1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)	32.0		2 / 9	16.0	
Percentage of transfers resulting in pregnancies (%)	6 / 13		3 / 6	4 / 14	
Percentage of transfers resulting in live births (%)	6 / 13		2 / 6	3 / 14	
Percentage of transfers resulting in singleton live births (%)	4 / 13		2 / 6	3 / 14	
Percentage of transfers resulting in twin live births (%)	2 / 13		0 / 6	0 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 13		2 / 6	2 / 14	

CURRENT SERVICES & PROFILE

Current Name: Bennett Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OU PHYSICIANS REPRODUCTIVE MEDICINE OKLAHOMA CITY, OKLAHOMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by LaTasha B. Craig, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 12% Female & male factors 22%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	49%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	26%	
				Endometriosis	11%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 283
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	94	37	21	3	4
Percentage of cancellations before retrieval (%)	3.2	0.0	19.0	0 / 3	2 / 4
Number of transfers	86	37	16	3	2
Average number of embryos transferred	1.7	2.1	2.3	3.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	24.4	5.6	0 / 15	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	57.4	40.5	23.8	1 / 3	0 / 4
Percentage of cycles resulting in live births (%)	50.0	37.8	14.3	1 / 3	0 / 4
Percentage of cycles resulting in singleton live births (%)	28.7	29.7	9.5	1 / 3	0 / 4
Percentage of cycles resulting in twin live births (%)	21.3	5.4	4.8	0 / 3	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.5	24.3	9.5	1 / 3	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	51.4	25.6	16.2	1 / 10	0 / 4
Percentage of transfers resulting in pregnancies (%)	62.8	40.5	5 / 16	1 / 3	0 / 2
Percentage of transfers resulting in live births (%)	54.7	37.8	3 / 16	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.4	29.7	2 / 16	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	23.3	5.4	1 / 16	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.9	24.3	2 / 16	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	51	23	7	1	1
Number of transfers	51	22	7	1	1
Estimated average number of transfers per retrieval	2.3	1.8	1.8		
Average number of embryos transferred	1.5	1.5	1.9	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	34.2	25.8	1 / 10	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	47.1	45.5	3 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	35.3	36.4	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.4	36.4	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.9	0.0	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.6	36.4	0 / 7	0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	4	1	0	0
	3	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	2	10	6	
Number of transfers	5	2	10	6	
Average number of embryos transferred	1.6	1.5	1.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 8	3 / 3	3 / 17	4 / 9	
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 2	3 / 10	3 / 6	
Percentage of transfers resulting in live births (%)	2 / 5	2 / 2	1 / 10	3 / 6	
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 2	1 / 10	2 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 2	0 / 10	1 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	1 / 2	1 / 10	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: OU Physicians Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA FERTILITY CENTER TULSA, OKLAHOMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Stanley G. Prough, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	<1%	Multiple Factors: Female factors only 11% Female & male factors 28%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	18%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	26%	
				Endometriosis	6%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 392
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	138	31	23	4	2
Percentage of cancellations before retrieval (%)	6.5	16.1	43.5	2 / 4	0 / 2
Number of transfers	74	16	6	1	1
Average number of embryos transferred	1.6	1.6	1.8	3.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	14.5	2 / 11	0 / 4	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.6	12.9	21.7	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	22.5	12.9	17.4	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	14.5	9.7	17.4	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	8.0	3.2	0.0	0 / 4	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.3	9.7	17.4	0 / 4	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.3	19.2	4 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.9	4 / 16	5 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	41.9	4 / 16	4 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.0	3 / 16	4 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	14.9	1 / 16	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.0	3 / 16	4 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	80	16	10	2	0
Number of transfers	79	15	10	1	0
Estimated average number of transfers per retrieval	1.4	0.9	0.5	1.0	
Average number of embryos transferred	1.6	1.7	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	33.0	29.2	5 / 17	1 / 2	
Percentage of transfers resulting in pregnancies (%)	50.6	7 / 15	4 / 10	1 / 1	
Percentage of transfers resulting in live births (%)	38.0	5 / 15	3 / 10	1 / 1	
Percentage of transfers resulting in singleton live births (%)	34.2	4 / 15	2 / 10	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.8	1 / 15	1 / 10	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.6	4 / 15	2 / 10	1 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	11	17	1	0
	4	0	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	16	0	14	7	
Number of transfers	13	0	14	6	
Average number of embryos transferred	1.5		1.7	1.3	
Percentage of embryos transferred resulting in implantation (%)	10 / 18		18.2	2 / 6	
Percentage of transfers resulting in pregnancies (%)	8 / 13		3 / 14	3 / 6	
Percentage of transfers resulting in live births (%)	7 / 13		2 / 14	2 / 6	
Percentage of transfers resulting in singleton live births (%)	4 / 13		0 / 14	2 / 6	
Percentage of transfers resulting in twin live births (%)	3 / 13		2 / 14	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 13		0 / 14	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: Tulsa Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF OREGON EUGENE, OREGON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

OREGON

2016 ART CYCLE PROFILE

Data verified by Douglas J. Austin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	10%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 26%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	21%	Male factor	45%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	16%	
				Endometriosis	6%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 191
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	21	13	3	4
Percentage of cancellations before retrieval (%)	7.1	9.5	0 / 13	0 / 3	0 / 4
Number of transfers	38	17	12	1	4
Average number of embryos transferred	2.0	1.8	2.3	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	2.9	2 / 14	1 / 11	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.6	47.6	8 / 13	0 / 3	2 / 4
Percentage of cycles resulting in live births (%)	40.5	42.9	7 / 13	0 / 3	2 / 4
Percentage of cycles resulting in singleton live births (%)	28.6	28.6	5 / 13	0 / 3	1 / 4
Percentage of cycles resulting in twin live births (%)	11.9	14.3	2 / 13	0 / 3	1 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.4	14.3	3 / 13	0 / 3	1 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.7	43.3	37.0	0 / 2	4 / 9
Percentage of transfers resulting in pregnancies (%)	52.6	10 / 17	8 / 12	0 / 1	2 / 4
Percentage of transfers resulting in live births (%)	44.7	9 / 17	7 / 12	0 / 1	2 / 4
Percentage of transfers resulting in singleton live births (%)	31.6	6 / 17	5 / 12	0 / 1	1 / 4
Percentage of transfers resulting in twin live births (%)	13.2	3 / 17	2 / 12	0 / 1	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.7	3 / 17	3 / 12	0 / 1	1 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	29	25	13	6	3
Number of transfers	29	24	13	6	3
Estimated average number of transfers per retrieval	4.1	24.0			
Average number of embryos transferred	2.0	1.7	1.8	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	20.8	20.0	19.0	0 / 13	0 / 6
Percentage of transfers resulting in pregnancies (%)	37.9	33.3	5 / 13	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	31.0	29.2	3 / 13	0 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	27.6	25.0	3 / 13	0 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	3.4	4.2	0 / 13	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	13.8	25.0	3 / 13	0 / 6	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	14	2	
Number of transfers	14	0	14	2	
Average number of embryos transferred	1.9		1.9	3.0	
Percentage of embryos transferred resulting in implantation (%)	65.4		20.8	0 / 6	
Percentage of transfers resulting in pregnancies (%)	10 / 14		5 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	10 / 14		3 / 14	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 14		3 / 14	0 / 2	
Percentage of transfers resulting in twin live births (%)	6 / 14		0 / 14	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14		2 / 14	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center of Oregon

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHWEST FERTILITY CENTER
PORTLAND, OREGON**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

OREGON REPRODUCTIVE MEDICINE PORTLAND, OREGON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John S. Hesla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	6%	Uterine factor	5%	Multiple Factors: Female factors only 19% Female & male factors 11%
Unstimulated	<1%	PGD/PGS	64%	Ovulatory dysfunction	16%	Male factor	21%	
Used gestational carrier	23%			Diminished ovarian reserve	31%	Other factor	39%	
				Endometriosis	8%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,882
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	106	52	42	18	23
Percentage of cancellations before retrieval (%)	0.0	3.8	0.0	0 / 18	0.0
Number of transfers	89	32	26	9	11
Average number of embryos transferred	1.7	1.6	1.6	1.4	1.5
Percentage of elective single embryo transfers (eSET) (%)	19.5	18.2	0 / 15	0 / 4	1 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	61.3	44.2	33.3	3 / 18	26.1
Percentage of cycles resulting in live births (%)	50.9	42.3	26.2	2 / 18	17.4
Percentage of cycles resulting in singleton live births (%)	28.3	30.8	21.4	1 / 18	17.4
Percentage of cycles resulting in twin live births (%)	21.7	9.6	4.8	1 / 18	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.6	28.8	19.0	1 / 18	17.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	63.7	62.0	47.6	5 / 13	6 / 16
Percentage of transfers resulting in pregnancies (%)	73.0	71.9	53.8	3 / 9	6 / 11
Percentage of transfers resulting in live births (%)	60.7	68.8	42.3	2 / 9	4 / 11
Percentage of transfers resulting in singleton live births (%)	33.7	50.0	34.6	1 / 9	4 / 11
Percentage of transfers resulting in twin live births (%)	25.8	15.6	7.7	1 / 9	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.1	46.9	30.8	1 / 9	4 / 11
Frozen Embryos from Nondonor Eggs					
Number of cycles	167	145	95	61	45
Number of transfers	166	143	91	58	40
Estimated average number of transfers per retrieval	0.6	0.7	0.5	0.7	0.4
Average number of embryos transferred	1.4	1.4	1.3	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	65.4	72.6	62.1	58.6	68.6
Percentage of transfers resulting in pregnancies (%)	72.9	81.1	67.0	69.0	65.0
Percentage of transfers resulting in live births (%)	66.3	69.2	53.8	58.6	60.0
Percentage of transfers resulting in singleton live births (%)	48.8	58.0	40.7	55.2	40.0
Percentage of transfers resulting in twin live births (%)	17.5	11.2	12.1	3.4	20.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.2	52.4	33.0	44.8	27.5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	243	208	188	85	103
	12	8	7	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	0	262	20	
Number of transfers	17	0	254	20	
Average number of embryos transferred	1.5		1.6	1.6	
Percentage of embryos transferred resulting in implantation (%)	68.0		74.6	61.3	
Percentage of transfers resulting in pregnancies (%)	12 / 17		83.1	70.0	
Percentage of transfers resulting in live births (%)	12 / 17		71.3	60.0	
Percentage of transfers resulting in singleton live births (%)	9 / 17		42.9	50.0	
Percentage of transfers resulting in twin live births (%)	3 / 17		28.0	10.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 17		32.3	45.0	

CURRENT SERVICES & PROFILE

Current Name: Oregon Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CONSULTANTS OREGON HEALTH & SCIENCE UNIVERSITY PORTLAND, OREGON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Diana H. Wu, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 33%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	15%	Male factor	48%	
Used gestational carrier	5%			Diminished ovarian reserve	34%	Other factor	21%	
				Endometriosis	9%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 680
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	80	40	32	10	7
Percentage of cancellations before retrieval (%)	13.8	20.0	18.8	2 / 10	4 / 7
Number of transfers	32	14	5	2	2
Average number of embryos transferred	1.6	1.6	1.8	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	43.3	3 / 12	0 / 4	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.5	22.5	9.4	1 / 10	0 / 7
Percentage of cycles resulting in live births (%)	20.0	20.0	9.4	0 / 10	0 / 7
Percentage of cycles resulting in singleton live births (%)	12.5	15.0	6.3	0 / 10	0 / 7
Percentage of cycles resulting in twin live births (%)	7.5	5.0	3.1	0 / 10	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.3	15.0	6.3	0 / 10	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.0	52.2	5 / 9	2 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	56.3	9 / 14	3 / 5	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)	50.0	8 / 14	3 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.3	6 / 14	2 / 5	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	18.8	2 / 14	1 / 5	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.1	6 / 14	2 / 5	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	108	63	58	24	10
Number of transfers	106	59	55	23	10
Estimated average number of transfers per retrieval	1.1	0.8	0.9	0.7	0.8
Average number of embryos transferred	1.5	1.4	1.3	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)	43.4	55.3	55.1	48.3	8 / 15
Percentage of transfers resulting in pregnancies (%)	53.8	64.4	67.3	56.5	7 / 10
Percentage of transfers resulting in live births (%)	46.2	55.9	54.5	43.5	5 / 10
Percentage of transfers resulting in singleton live births (%)	36.8	44.1	50.9	43.5	3 / 10
Percentage of transfers resulting in twin live births (%)	9.4	10.2	3.6	0.0	2 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.4	37.3	38.2	34.8	3 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	58	54	54	27	12
	24	13	8	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	22	0	20	1	
Number of transfers	20	0	18	1	
Average number of embryos transferred	1.1		1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	63.6		61.9	1 / 1	
Percentage of transfers resulting in pregnancies (%)	70.0		11 / 18	1 / 1	
Percentage of transfers resulting in live births (%)	70.0		8 / 18	1 / 1	
Percentage of transfers resulting in singleton live births (%)	70.0		6 / 18	1 / 1	
Percentage of transfers resulting in twin live births (%)	0.0		2 / 18	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.0		5 / 18	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: University Fertility Consultants, Oregon Health & Science University

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Annette Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}					
IVF	100%	With ICSI	65%	Tubal factor	6%	Uterine factor	<1%	Multiple Factors:	
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	20%	Male factor	25%	Female factors only	2%
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	4%	Female & male factors	6%
				Endometriosis	4%	Unknown factor	20%		

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 716
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	177	56	57	34	13
Percentage of cancellations before retrieval (%)	2.3	8.9	15.8	17.6	0 / 13
Number of transfers	129	41	33	19	8
Average number of embryos transferred	1.7	2.1	2.2	2.8	3.1
Percentage of elective single embryo transfers (eSET) (%)	29.3	11.4	0.0	0 / 17	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.7	30.4	15.8	17.6	1 / 13
Percentage of cycles resulting in live births (%)	30.5	23.2	14.0	11.8	0 / 13
Percentage of cycles resulting in singleton live births (%)	24.3	19.6	12.3	8.8	0 / 13
Percentage of cycles resulting in twin live births (%)	6.2	3.6	1.8	2.9	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.3	19.6	10.5	5.9	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.0	26.7	13.0	11.8	4.0
Percentage of transfers resulting in pregnancies (%)	50.4	41.5	27.3	6 / 19	1 / 8
Percentage of transfers resulting in live births (%)	41.9	31.7	24.2	4 / 19	0 / 8
Percentage of transfers resulting in singleton live births (%)	33.3	26.8	21.2	3 / 19	0 / 8
Percentage of transfers resulting in twin live births (%)	8.5	4.9	3.0	1 / 19	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.9	26.8	18.2	2 / 19	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	131	41	33	9	12
Number of transfers	123	40	29	9	12
Estimated average number of transfers per retrieval	1.3	1.0	0.9	2.3	1.5
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	41.9	47.1	34.3	4 / 12	28.6
Percentage of transfers resulting in pregnancies (%)	47.2	50.0	44.8	4 / 9	5 / 12
Percentage of transfers resulting in live births (%)	41.5	45.0	24.1	4 / 9	5 / 12
Percentage of transfers resulting in singleton live births (%)	35.8	42.5	17.2	4 / 9	4 / 12
Percentage of transfers resulting in twin live births (%)	5.7	2.5	6.9	0 / 9	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.9	35.0	17.2	4 / 9	3 / 12
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	43	33	23	4	5
	12	13	10	1	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	6	19	1	
Number of transfers	16	6	18	1	
Average number of embryos transferred	1.7	1.5	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	52.0	4 / 9	23.1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	11 / 16	3 / 6	6 / 18	1 / 1	
Percentage of transfers resulting in live births (%)	10 / 16	3 / 6	6 / 18	1 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 16	2 / 6	6 / 18	1 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 16	1 / 6	0 / 18	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16	2 / 6	2 / 18	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics,
Toll Center for Reproductive Sciences

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INFERTILITY SOLUTIONS, PC
ALLENTOWN, PENNSYLVANIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA ALLENTOWN, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Wendy J. Schillings, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 15% Female & male factors 37%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	17%	Male factor	51%	
Used gestational carrier	1%			Diminished ovarian reserve	15%	Other factor	54%	
				Endometriosis	4%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 325
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	67	23	6	2	1
Percentage of cancellations before retrieval (%)	7.5	17.4	1 / 6	0 / 2	0 / 1
Number of transfers	27	4	0	0	0
Average number of embryos transferred	1.4	1.8			
Percentage of elective single embryo transfers (eSET) (%)	53.8	1 / 4			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.3	8.7	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	23.9	8.7	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	16.4	0.0	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	7.5	8.7	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.9	0.0	0 / 6	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	75.0	4 / 7			
Percentage of transfers resulting in pregnancies (%)	77.8	2 / 4			
Percentage of transfers resulting in live births (%)	59.3	2 / 4			
Percentage of transfers resulting in singleton live births (%)	40.7	0 / 4			
Percentage of transfers resulting in twin live births (%)	18.5	2 / 4			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.0	0 / 4			
Frozen Embryos from Nondonor Eggs					
Number of cycles	78	34	28	5	2
Number of transfers	75	31	26	5	2
Estimated average number of transfers per retrieval	1.4	1.6	1.7	1.3	0.7
Average number of embryos transferred	1.3	1.2	1.2	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	74.5	69.4	53.6	4 / 4	2 / 2
Percentage of transfers resulting in pregnancies (%)	80.0	71.0	61.5	5 / 5	1 / 2
Percentage of transfers resulting in live births (%)	72.0	54.8	57.7	4 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	57.3	45.2	57.7	4 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	14.7	9.7	0.0	0 / 5	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	52.0	41.9	50.0	4 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	11	13	3	3
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	17	5	
Number of transfers	0	0	17	5	
Average number of embryos transferred			1.1	1.2	
Percentage of embryos transferred resulting in implantation (%)			11 / 19	5 / 6	
Percentage of transfers resulting in pregnancies (%)			11 / 17	4 / 5	
Percentage of transfers resulting in live births (%)			11 / 17	4 / 5	
Percentage of transfers resulting in singleton live births (%)			11 / 17	3 / 5	
Percentage of transfers resulting in twin live births (%)			0 / 17	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			9 / 17	2 / 5	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by H. Christina Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	10%	Uterine factor	0%	Multiple Factors: Female factors only 5% Female & male factors 31%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	25%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	15%	
				Endometriosis	10%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 124
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	12	6	4	0
Percentage of cancellations before retrieval (%)	3.3	0 / 12	1 / 6	0 / 4	
Number of transfers	20	8	4	2	0
Average number of embryos transferred	1.5	1.6	1.8	2.5	
Percentage of elective single embryo transfers (eSET) (%)	7 / 16	2 / 7	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.7	4 / 12	3 / 6	1 / 4	
Percentage of cycles resulting in live births (%)	36.7	4 / 12	2 / 6	1 / 4	
Percentage of cycles resulting in singleton live births (%)	23.3	3 / 12	2 / 6	1 / 4	
Percentage of cycles resulting in twin live births (%)	13.3	1 / 12	0 / 6	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	2 / 12	2 / 6	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	51.7	5 / 13	5 / 7	1 / 5	
Percentage of transfers resulting in pregnancies (%)	55.0	4 / 8	3 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	55.0	4 / 8	2 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	35.0	3 / 8	2 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	20.0	1 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	2 / 8	2 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	13	6	1	4
Number of transfers	22	13	5	1	4
Estimated average number of transfers per retrieval	1.3	2.2	1.0	1.0	4.0
Average number of embryos transferred	1.2	1.5	1.2	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	61.5	6 / 19	4 / 6	3 / 2	2 / 6
Percentage of transfers resulting in pregnancies (%)	59.1	5 / 13	3 / 5	1 / 1	2 / 4
Percentage of transfers resulting in live births (%)	59.1	5 / 13	2 / 5	1 / 1	2 / 4
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 13	2 / 5	1 / 1	2 / 4
Percentage of transfers resulting in twin live births (%)	9.1	1 / 13	0 / 5	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.9	3 / 13	2 / 5	0 / 1	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	3	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	4	3	5	
Number of transfers	5	3	3	4	
Average number of embryos transferred	1.2	1.3	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 6	2 / 4	2 / 4	0 / 6	
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	2 / 5	2 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 5	2 / 3	0 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	2 / 3	0 / 3	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE BRYN MAWR, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael J. Glassner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	33%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 6%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	14%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	5%	Unknown factor	22%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,182
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	185	115	96	41	35
Percentage of cancellations before retrieval (%)	4.9	7.8	8.3	17.1	22.9
Number of transfers	140	75	56	22	15
Average number of embryos transferred	1.7	1.9	2.3	2.4	2.9
Percentage of elective single embryo transfers (eSET) (%)	30.2	12.5	6.1	5.0	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.4	32.2	21.9	12.2	5.7
Percentage of cycles resulting in live births (%)	33.5	27.8	13.5	9.8	5.7
Percentage of cycles resulting in singleton live births (%)	27.6	20.0	9.4	9.8	5.7
Percentage of cycles resulting in twin live births (%)	5.9	7.0	4.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.2	18.3	7.3	7.3	5.7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.6	35.3	19.4	9.4	7.0
Percentage of transfers resulting in pregnancies (%)	50.7	49.3	37.5	22.7	2 / 15
Percentage of transfers resulting in live births (%)	44.3	42.7	23.2	18.2	2 / 15
Percentage of transfers resulting in singleton live births (%)	36.4	30.7	16.1	18.2	2 / 15
Percentage of transfers resulting in twin live births (%)	7.9	10.7	7.1	0.0	0 / 15
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.3	28.0	12.5	13.6	2 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	157	90	60	32	10
Number of transfers	143	77	54	31	9
Estimated average number of transfers per retrieval	1.0	1.3	0.8	0.9	0.6
Average number of embryos transferred	1.4	1.4	1.4	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	36.0	42.5	19.5	31.4	3 / 13
Percentage of transfers resulting in pregnancies (%)	44.8	54.5	25.9	38.7	3 / 9
Percentage of transfers resulting in live births (%)	39.9	50.6	18.5	32.3	3 / 9
Percentage of transfers resulting in singleton live births (%)	33.6	45.5	16.7	29.0	3 / 9
Percentage of transfers resulting in twin live births (%)	5.6	5.2	1.9	3.2	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.5	41.6	13.0	29.0	3 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	111	36	50	24	16
	14	7	2	1	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	55	53	1	
Number of transfers	8	47	46	1	
Average number of embryos transferred	1.8	1.9	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 12	27.7	28.8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 8	46.8	41.3	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 8	42.6	37.0	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 8	36.2	37.0	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 8	6.4	0.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 8	29.8	30.4	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer Gell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	19%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 5%
Unstimulated	1%	PGD/PGS	3%	Ovulatory dysfunction	10%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	7%	
				Endometriosis	6%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 153
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	36	16	6	3
Percentage of cancellations before retrieval (%)	6.9	8.3	1 / 16	2 / 6	0 / 3
Number of transfers	19	26	13	4	1
Average number of embryos transferred	2.0	1.8	1.7	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 19	0.0	0 / 9	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.0	16.7	6 / 16	1 / 6	0 / 3
Percentage of cycles resulting in live births (%)	27.6	11.1	5 / 16	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.7	8.3	5 / 16	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	6.9	2.8	0 / 16	0 / 6	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.2	8.3	4 / 16	0 / 6	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.6	13.0	27.3	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	9 / 19	23.1	6 / 13	1 / 4	0 / 1
Percentage of transfers resulting in live births (%)	8 / 19	15.4	5 / 13	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	11.5	5 / 13	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 19	3.8	0 / 13	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 19	11.5	4 / 13	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	20	11	7	3	0
Number of transfers	18	10	6	3	0
Estimated average number of transfers per retrieval	1.5	1.4	1.2	1.0	
Average number of embryos transferred	1.7	1.9	1.5	1.7	
Percentage of embryos transferred resulting in implantation (%)	41.9	3 / 16	1 / 7	3 / 5	
Percentage of transfers resulting in pregnancies (%)	10 / 18	5 / 10	2 / 6	2 / 3	
Percentage of transfers resulting in live births (%)	9 / 18	3 / 10	1 / 6	2 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 18	3 / 10	1 / 6	2 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 18	0 / 10	0 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 18	3 / 10	1 / 6	2 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	1	3	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	3	7	0	
Number of transfers	4	3	7	0	
Average number of embryos transferred	2.0	1.7	1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 8	2 / 5	2 / 11		
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 3	1 / 7		
Percentage of transfers resulting in live births (%)	1 / 4	1 / 3	1 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3	0 / 7		
Percentage of transfers resulting in twin live births (%)	1 / 4	1 / 3	1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 3	0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER HAVERTOWN, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Albert El-Roeiy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	52%	Tubal factor	33%	Uterine factor	10%	Multiple Factors: Female factors only 30% Female & male factors 17%
Unstimulated	1%	PGD/PGS	3%	Ovulatory dysfunction	23%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	22%	
				Endometriosis	20%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 109
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	37	9	14	6	7
Percentage of cancellations before retrieval (%)	8.1	2 / 9	3 / 14	0 / 6	1 / 7
Number of transfers	14	2	3	0	3
Average number of embryos transferred	1.6	1.5	2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	0 / 1	0 / 3		0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	18.9	2 / 9	1 / 14	0 / 6	0 / 7
Percentage of cycles resulting in live births (%)	18.9	2 / 9	1 / 14	0 / 6	0 / 7
Percentage of cycles resulting in singleton live births (%)	18.9	1 / 9	0 / 14	0 / 6	0 / 7
Percentage of cycles resulting in twin live births (%)	0.0	1 / 9	1 / 14	0 / 6	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.2	1 / 9	0 / 14	0 / 6	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.8	3 / 3	2 / 6		0 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 14	2 / 2	1 / 3		0 / 3
Percentage of transfers resulting in live births (%)	7 / 14	2 / 2	1 / 3		0 / 3
Percentage of transfers resulting in singleton live births (%)	7 / 14	1 / 2	0 / 3		0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 14	1 / 2	1 / 3		0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 14	1 / 2	0 / 3		0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	5	4	1	2
Number of transfers	15	4	2	1	2
Estimated average number of transfers per retrieval	1.2	1.0	2.0	1.0	
Average number of embryos transferred	1.7	1.8	1.5	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	26.9	0 / 7	0 / 2	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	4 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	1	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	2	2	0	
Number of transfers	0	1	2	0	
Average number of embryos transferred		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 2	0 / 4		
Percentage of transfers resulting in pregnancies (%)		1 / 1	0 / 2		
Percentage of transfers resulting in live births (%)		1 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)		1 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: HAN Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PENN STATE MILTON S. HERSHEY MEDICAL CENTER HERSHEY, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by William C. Dodson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	3%	
				Endometriosis	17%	Unknown factor	24%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 118 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		35	14	8	1	1
Percentage of cancellations before retrieval (%)		5.7	1 / 14	2 / 8	1 / 1	1 / 1
Number of transfers		22	12	1	0	0
Average number of embryos transferred		1.9	2.2	2.0		
Percentage of elective single embryo transfers (eSET) (%)		9.5	0 / 12	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		20.0	2 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)		20.0	2 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)		11.4	1 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)		8.6	1 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		11.4	0 / 14	0 / 8	0 / 1	0 / 1
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		29.3	11.5	0 / 2		
Percentage of transfers resulting in pregnancies (%)		31.8	2 / 12	0 / 1		
Percentage of transfers resulting in live births (%)		31.8	2 / 12	0 / 1		
Percentage of transfers resulting in singleton live births (%)		18.2	1 / 12	0 / 1		
Percentage of transfers resulting in twin live births (%)		13.6	1 / 12	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		18.2	0 / 12	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles		26	13	8	0	0
Number of transfers		22	13	6	0	0
Estimated average number of transfers per retrieval		1.2	4.3	3.0	0.0	0.0
Average number of embryos transferred		1.8	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)		32.5	10.0	4 / 12		
Percentage of transfers resulting in pregnancies (%)		54.5	2 / 13	2 / 6		
Percentage of transfers resulting in live births (%)		45.5	2 / 13	2 / 6		
Percentage of transfers resulting in singleton live births (%)		40.9	2 / 13	0 / 6		
Percentage of transfers resulting in twin live births (%)		4.5	0 / 13	2 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		22.7	1 / 13	0 / 6		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		4	0	0	1	1
		4	0	0	1	1
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		0	3	2	0	
Number of transfers		0	3	1	0	
Average number of embryos transferred			2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 6	1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 3	1 / 1		
Percentage of transfers resulting in live births (%)			1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 3	0 / 1		

CURRENT SERVICES & PROFILE		Current Name: Penn State Milton S. Hershey Medical Center					
Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA KING OF PRUSSIA, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Arthur J. Castelbaum, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 12% Female & male factors 13%
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	16%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	17%	
				Endometriosis	4%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,320
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	238	110	69	31	21
Percentage of cancellations before retrieval (%)	1.7	4.5	5.8	19.4	9.5
Number of transfers	165	69	35	11	5
Average number of embryos transferred	1.1	1.2	1.4	1.5	1.6
Percentage of elective single embryo transfers (eSET) (%)	89.9	77.4	53.8	5 / 9	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.7	24.5	21.7	16.1	0.0
Percentage of cycles resulting in live births (%)	30.3	20.0	17.4	16.1	0.0
Percentage of cycles resulting in singleton live births (%)	28.6	18.2	15.9	12.9	0.0
Percentage of cycles resulting in twin live births (%)	1.7	1.8	1.4	3.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.3	13.6	11.6	12.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.9	37.5	32.6	6 / 16	0 / 8
Percentage of transfers resulting in pregnancies (%)	51.5	39.1	42.9	5 / 11	0 / 5
Percentage of transfers resulting in live births (%)	43.6	31.9	34.3	5 / 11	0 / 5
Percentage of transfers resulting in singleton live births (%)	41.2	29.0	31.4	4 / 11	0 / 5
Percentage of transfers resulting in twin live births (%)	2.4	2.9	2.9	1 / 11	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	21.7	22.9	4 / 11	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	258	135	59	19	8
Number of transfers	250	124	49	16	7
Estimated average number of transfers per retrieval	1.3	1.1	0.7	0.7	0.8
Average number of embryos transferred	1.1	1.2	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	47.0	41.8	31.6	6 / 18	2 / 9
Percentage of transfers resulting in pregnancies (%)	48.4	47.6	40.8	7 / 16	2 / 7
Percentage of transfers resulting in live births (%)	41.2	36.3	30.6	6 / 16	1 / 7
Percentage of transfers resulting in singleton live births (%)	37.2	32.3	30.6	6 / 16	1 / 7
Percentage of transfers resulting in twin live births (%)	4.0	4.0	0.0	0 / 16	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.8	26.6	24.5	5 / 16	0 / 7
Number of Egg or Embryo Banking Cycles					
	95	69	54	18	8
Number of fertility preservation cycles	22	10	7	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	24	44	50	9	
Number of transfers	20	31	48	8	
Average number of embryos transferred	1.2	1.1	1.1	1.3	
Percentage of embryos transferred resulting in implantation (%)	59.1	70.0	39.6	5 / 10	
Percentage of transfers resulting in pregnancies (%)	60.0	74.2	39.6	4 / 8	
Percentage of transfers resulting in live births (%)	50.0	61.3	33.3	2 / 8	
Percentage of transfers resulting in singleton live births (%)	40.0	58.1	27.1	2 / 8	
Percentage of transfers resulting in twin live births (%)	10.0	3.2	6.3	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	41.9	20.8	2 / 8	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Philadelphia

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOCIETY HILL REPRODUCTIVE MEDICINE PHILADELPHIA, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Maureen P. Kelly, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	57%	Tubal factor	10%	Uterine factor	0%	Multiple Factors: Female factors only 13% Female & male factors 3%
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	10%	Male factor	8%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	29%	
				Endometriosis	3%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 139
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	13	2	0	1
Percentage of cancellations before retrieval (%)	0 / 8	2 / 13	0 / 2		0 / 1
Number of transfers	2	5	2	0	1
Average number of embryos transferred	2.5	2.2	2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	1 / 5	0 / 1		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 8	1 / 13	2 / 2		0 / 1
Percentage of cycles resulting in live births (%)	0 / 8	0 / 13	0 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	0 / 8	0 / 13	0 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 13	0 / 2		0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 8	0 / 13	0 / 2		0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 5	1 / 11	1 / 3		0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 5	2 / 2		0 / 1
Percentage of transfers resulting in live births (%)	0 / 2	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 5	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 5	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	19	10	4	6	1
Number of transfers	19	9	3	5	1
Estimated average number of transfers per retrieval	0.6	0.3	0.3	1.7	
Average number of embryos transferred	1.4	1.2	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	53.8	6 / 10	1 / 4	1 / 5	1 / 1
Percentage of transfers resulting in pregnancies (%)	12 / 19	7 / 9	1 / 3	1 / 5	1 / 1
Percentage of transfers resulting in live births (%)	10 / 19	6 / 9	1 / 3	1 / 5	1 / 1
Percentage of transfers resulting in singleton live births (%)	10 / 19	6 / 9	1 / 3	1 / 5	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 9	0 / 3	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	10 / 19	4 / 9	0 / 3	1 / 5	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	28	27	9	3	0
	19	17	8	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	2	3	0	
Number of transfers	1	1	3	0	
Average number of embryos transferred	2.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 2	2 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1	2 / 3		
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1	1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1	1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Society Hill Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Clarisa R. Gracia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	11%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	21%	
				Endometriosis	6%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,247
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	168	103	103	38	35
Percentage of cancellations before retrieval (%)	11.9	11.7	20.4	31.6	22.9
Number of transfers	97	52	58	21	12
Average number of embryos transferred	1.3	1.6	1.8	2.1	2.0
Percentage of elective single embryo transfers (eSET) (%)	70.9	37.5	12.5	0 / 17	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.8	30.1	22.3	13.2	5.7
Percentage of cycles resulting in live births (%)	20.8	24.3	13.6	7.9	0.0
Percentage of cycles resulting in singleton live births (%)	18.5	19.4	10.7	7.9	0.0
Percentage of cycles resulting in twin live births (%)	2.4	4.9	2.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.9	15.5	9.7	7.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.3	45.6	23.2	11.9	8.3
Percentage of transfers resulting in pregnancies (%)	46.4	59.6	39.7	23.8	2 / 12
Percentage of transfers resulting in live births (%)	36.1	48.1	24.1	14.3	0 / 12
Percentage of transfers resulting in singleton live births (%)	32.0	38.5	19.0	14.3	0 / 12
Percentage of transfers resulting in twin live births (%)	4.1	9.6	5.2	0.0	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.8	30.8	17.2	14.3	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	177	119	89	23	19
Number of transfers	164	108	76	21	16
Estimated average number of transfers per retrieval	1.1	1.0	0.7	0.6	0.5
Average number of embryos transferred	1.3	1.3	1.3	1.2	1.8
Percentage of embryos transferred resulting in implantation (%)	61.4	48.2	52.1	36.0	4.0
Percentage of transfers resulting in pregnancies (%)	67.1	57.4	60.5	38.1	2 / 16
Percentage of transfers resulting in live births (%)	58.5	51.9	51.3	33.3	1 / 16
Percentage of transfers resulting in singleton live births (%)	52.4	47.2	50.0	33.3	1 / 16
Percentage of transfers resulting in twin live births (%)	5.5	4.6	1.3	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.3	41.7	44.7	23.8	1 / 16
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	85	63	74	31	24
	41	23	16	0	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	29	11	43	6	
Number of transfers	19	9	39	4	
Average number of embryos transferred	1.1	1.2	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	55.0	4 / 9	57.8	2 / 5	
Percentage of transfers resulting in pregnancies (%)	11 / 19	5 / 9	69.2	2 / 4	
Percentage of transfers resulting in live births (%)	9 / 19	4 / 9	59.0	2 / 4	
Percentage of transfers resulting in singleton live births (%)	9 / 19	4 / 9	56.4	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 9	2.6	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 19	3 / 9	51.3	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM PITTSBURGH, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lori Homa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 5%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	8%	Male factor	38%	
Used gestational carrier	3%			Diminished ovarian reserve	17%	Other factor	26%	
				Endometriosis	3%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 122
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	13	15	7	2
Percentage of cancellations before retrieval (%)	5.6	2 / 13	0 / 15	0 / 7	0 / 2
Number of transfers	26	10	14	4	1
Average number of embryos transferred	1.7	1.6	1.9	1.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	18.2	4 / 10	0 / 13	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.1	6 / 13	5 / 15	1 / 7	0 / 2
Percentage of cycles resulting in live births (%)	25.0	5 / 13	4 / 15	1 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	22.2	5 / 13	3 / 15	1 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	2.8	0 / 13	1 / 15	0 / 7	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.3	5 / 13	1 / 15	1 / 7	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.0	6 / 16	22.2	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 10	5 / 14	1 / 4	0 / 1
Percentage of transfers resulting in live births (%)	34.6	5 / 10	4 / 14	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.8	5 / 10	3 / 14	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3.8	0 / 10	1 / 14	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	11.5	5 / 10	1 / 14	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	5	1	3	0
Number of transfers	14	3	1	3	0
Estimated average number of transfers per retrieval	1.3	0.6	0.3	3.0	
Average number of embryos transferred	1.7	1.3	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	20.8	3 / 4	0 / 1	0 / 6	
Percentage of transfers resulting in pregnancies (%)	5 / 14	3 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	5 / 14	2 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	5 / 14	2 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 14	0 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 14	1 / 3	0 / 1	0 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	3	3	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	5	6	
Number of transfers	3	0	3	6	
Average number of embryos transferred	1.3		2.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	0 / 4		0 / 6	2 / 8	
Percentage of transfers resulting in pregnancies (%)	0 / 3		0 / 3	2 / 6	
Percentage of transfers resulting in live births (%)	0 / 3		0 / 3	1 / 6	
Percentage of transfers resulting in singleton live births (%)	0 / 3		0 / 3	1 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 3	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		0 / 3	1 / 6	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: AHN Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC. PITTSBURGH, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Judith L. Albert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 4% Female & male factors 10%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	14%	Male factor	39%	
Used gestational carrier	3%			Diminished ovarian reserve	14%	Other factor	11%	
				Endometriosis	5%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 448
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	100	64	29	4	4
Percentage of cancellations before retrieval (%)	6.0	1.6	13.8	1 / 4	1 / 4
Number of transfers	70	53	20	3	1
Average number of embryos transferred	1.4	1.6	1.7	1.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	56.5	22.0	3 / 15	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.0	29.7	10.3	1 / 4	1 / 4
Percentage of cycles resulting in live births (%)	34.0	26.6	3.4	1 / 4	1 / 4
Percentage of cycles resulting in singleton live births (%)	30.0	18.8	3.4	1 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	4.0	7.8	0.0	0 / 4	1 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	10.9	3.4	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.2	27.4	3.3	1 / 5	2 / 3
Percentage of transfers resulting in pregnancies (%)	55.7	35.8	15.0	1 / 3	1 / 1
Percentage of transfers resulting in live births (%)	48.6	32.1	5.0	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	42.9	22.6	5.0	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	5.7	9.4	0.0	0 / 3	1 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	13.2	5.0	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	95	45	23	9	6
Number of transfers	87	40	19	8	4
Estimated average number of transfers per retrieval	1.9	1.1	1.2	4.0	
Average number of embryos transferred	1.3	1.4	1.3	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	30.2	18.9	40.9	1 / 13	0 / 5
Percentage of transfers resulting in pregnancies (%)	40.2	27.5	9 / 19	1 / 8	0 / 4
Percentage of transfers resulting in live births (%)	33.3	22.5	7 / 19	1 / 8	0 / 4
Percentage of transfers resulting in singleton live births (%)	33.3	22.5	6 / 19	1 / 8	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	0.0	1 / 19	0 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	20.0	4 / 19	1 / 8	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	12	11	0	0
	4	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	13	12	0	
Number of transfers	8	10	8	0	
Average number of embryos transferred	1.9	1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 15	5 / 13	1 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 8	4 / 10	2 / 8		
Percentage of transfers resulting in live births (%)	4 / 8	3 / 10	1 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 8	2 / 10	1 / 8		
Percentage of transfers resulting in twin live births (%)	2 / 8	1 / 10	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	1 / 10	1 / 8		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF PITTSBURGH PHYSICIANS CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY PITTSBURGH, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Marie N. Menke, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}			
IVF	100%	With ICSI	59%	Tubal factor	6%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	9%	Male factor	28%
Used gestational carrier	2%			Diminished ovarian reserve	33%	Other factor	24%
				Endometriosis	3%	Unknown factor	8%
						Multiple Factors:	
						Female factors only	5%
						Female & male factors	7%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 720 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	161	59	45	10	12	
Percentage of cancellations before retrieval (%)	4.3	11.9	11.1	0 / 10	4 / 12	
Number of transfers	83	31	29	7	5	
Average number of embryos transferred	1.6	1.7	2.0	2.4	2.0	
Percentage of elective single embryo transfers (eSET) (%)	34.3	22.2	0.0	0 / 7	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	22.4	28.8	24.4	1 / 10	0 / 12	
Percentage of cycles resulting in live births (%)	18.6	20.3	22.2	0 / 10	0 / 12	
Percentage of cycles resulting in singleton live births (%)	15.5	18.6	20.0	0 / 10	0 / 12	
Percentage of cycles resulting in twin live births (%)	2.5	1.7	2.2	0 / 10	0 / 12	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.4	15.3	20.0	0 / 10	0 / 12	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	32.8	36.5	19.3	2 / 17	0 / 10	
Percentage of transfers resulting in pregnancies (%)	43.4	54.8	37.9	1 / 7	0 / 5	
Percentage of transfers resulting in live births (%)	36.1	38.7	34.5	0 / 7	0 / 5	
Percentage of transfers resulting in singleton live births (%)	30.1	35.5	31.0	0 / 7	0 / 5	
Percentage of transfers resulting in twin live births (%)	4.8	3.2	3.4	0 / 7	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.1	29.0	31.0	0 / 7	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	174	74	31	8	14	
Number of transfers	162	70	29	7	12	
Estimated average number of transfers per retrieval	1.6	1.8	1.5	0.9	3.0	
Average number of embryos transferred	1.4	1.4	1.7	1.6	1.3	
Percentage of embryos transferred resulting in implantation (%)	37.9	25.0	17.0	2 / 9	2 / 15	
Percentage of transfers resulting in pregnancies (%)	48.8	35.7	27.6	2 / 7	2 / 12	
Percentage of transfers resulting in live births (%)	40.7	31.4	17.2	1 / 7	2 / 12	
Percentage of transfers resulting in singleton live births (%)	37.0	30.0	13.8	0 / 7	2 / 12	
Percentage of transfers resulting in twin live births (%)	3.7	1.4	3.4	1 / 7	0 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	27.1	13.8	0 / 7	1 / 12	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	34	12	15	5	2	
	9	1	2	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	21	8	31	3		
Number of transfers	17	8	27	3		
Average number of embryos transferred	1.2	1.3	1.2	1.0		
Percentage of embryos transferred resulting in implantation (%)	42.9	4 / 10	37.5	1 / 3		
Percentage of transfers resulting in pregnancies (%)	9 / 17	3 / 8	40.7	1 / 3		
Percentage of transfers resulting in live births (%)	8 / 17	2 / 8	33.3	0 / 3		
Percentage of transfers resulting in singleton live births (%)	8 / 17	1 / 8	29.6	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 17	1 / 8	3.7	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 17	1 / 8	29.6	0 / 3		

CURRENT SERVICES & PROFILE		This clinic has reorganized since 2016. Contact the NASS Help Desk for further information. Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC OF PENNSYLVANIA WAYNE, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Isaac E. Sasson, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 7%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	18%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	8%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 878
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	45	16	10	5
Percentage of cancellations before retrieval (%)	7.0	11.1	1 / 16	5 / 10	3 / 5
Number of transfers	51	16	6	1	1
Average number of embryos transferred	1.2	1.2	1.7	2.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	78.6	10 / 13	1 / 5	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.7	8.9	3 / 16	0 / 10	0 / 5
Percentage of cycles resulting in live births (%)	20.0	6.7	3 / 16	0 / 10	0 / 5
Percentage of cycles resulting in singleton live births (%)	19.1	6.7	3 / 16	0 / 10	0 / 5
Percentage of cycles resulting in twin live births (%)	0.9	0.0	0 / 16	0 / 10	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.4	6.7	2 / 16	0 / 10	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.8	4 / 19	3 / 10	0 / 2	0 / 4
Percentage of transfers resulting in pregnancies (%)	49.0	4 / 16	3 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	45.1	3 / 16	3 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.1	3 / 16	3 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2.0	0 / 16	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.2	3 / 16	2 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	204	82	53	11	10
Number of transfers	194	75	44	10	6
Estimated average number of transfers per retrieval	1.5	1.1	1.2	0.5	0.9
Average number of embryos transferred	1.3	1.2	1.1	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	45.5	53.3	47.8	5 / 13	2 / 11
Percentage of transfers resulting in pregnancies (%)	54.1	60.0	54.5	5 / 10	2 / 6
Percentage of transfers resulting in live births (%)	41.8	45.3	47.7	5 / 10	1 / 6
Percentage of transfers resulting in singleton live births (%)	37.6	41.3	47.7	5 / 10	1 / 6
Percentage of transfers resulting in twin live births (%)	4.1	4.0	0.0	0 / 10	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.5	30.7	45.5	5 / 10	0 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	58	47	31	18	6
	6	6	2	7	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	55	9	101	0	
Number of transfers	43	8	94	0	
Average number of embryos transferred	1.2	1.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	45.8	4 / 7	40.9		
Percentage of transfers resulting in pregnancies (%)	55.8	5 / 8	51.1		
Percentage of transfers resulting in live births (%)	41.9	2 / 8	31.9		
Percentage of transfers resulting in singleton live births (%)	39.5	2 / 8	28.7		
Percentage of transfers resulting in twin live births (%)	2.3	0 / 8	3.2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.6	2 / 8	25.5		

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility-Pennsylvania

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RHPN WOMEN'S CLINIC & IVF-FERTILITY WEST READING, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vincent A. Pellegrini, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	39%	Uterine factor	5%	Multiple Factors: Female factors only 33% Female & male factors 51%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	42%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	21%	
				Endometriosis	29%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 140
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	47	30	6	7	0
Percentage of cancellations before retrieval (%)	12.8	36.7	1 / 6	2 / 7	
Number of transfers	33	16	3	4	0
Average number of embryos transferred	2.0	2.0	2.7	2.5	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 15	0 / 3	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.9	16.7	2 / 6	0 / 7	
Percentage of cycles resulting in live births (%)	29.8	13.3	2 / 6	0 / 7	
Percentage of cycles resulting in singleton live births (%)	17.0	10.0	1 / 6	0 / 7	
Percentage of cycles resulting in twin live births (%)	12.8	3.3	1 / 6	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.9	10.0	1 / 6	0 / 7	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	18.8	3 / 8	0 / 10	
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 16	2 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	42.4	4 / 16	2 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)	24.2	3 / 16	1 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)	18.2	1 / 16	1 / 3	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.2	3 / 16	1 / 3	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	6	4	1	1
Number of transfers	16	6	4	0	1
Estimated average number of transfers per retrieval	1.0	0.8	2.0		
Average number of embryos transferred	1.6	1.5	1.3		3.0
Percentage of embryos transferred resulting in implantation (%)	37.5	4 / 9	1 / 5		1 / 3
Percentage of transfers resulting in pregnancies (%)	9 / 16	3 / 6	1 / 4		1 / 1
Percentage of transfers resulting in live births (%)	6 / 16	3 / 6	1 / 4		1 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 16	2 / 6	1 / 4		1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 16	1 / 6	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 16	2 / 6	1 / 4		1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	3	1	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	5	2	0	
Number of transfers	2	3	2	0	
Average number of embryos transferred	2.0	1.7	1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 5	0 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	0 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 3	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility & Reproductive Medicine-Tower Health Medical Group

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER, LLC YORK, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert B. Filer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	22%	Uterine factor	0%	Multiple Factors: Female factors only 14% Female & male factors 6%
Unstimulated	3%	PGD/PGS	4%	Ovulatory dysfunction	19%	Male factor	15%	
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	19%	
				Endometriosis	1%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 188
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	58	14	22	6	9
Percentage of cancellations before retrieval (%)	8.6	1 / 14	13.6	1 / 6	4 / 9
Number of transfers	40	11	13	4	2
Average number of embryos transferred	1.6	1.9	1.8	2.3	1.5
Percentage of elective single embryo transfers (eSET) (%)	32.4	0 / 9	2 / 11	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.4	1 / 14	27.3	0 / 6	0 / 9
Percentage of cycles resulting in live births (%)	20.7	1 / 14	13.6	0 / 6	0 / 9
Percentage of cycles resulting in singleton live births (%)	17.2	1 / 14	9.1	0 / 6	0 / 9
Percentage of cycles resulting in twin live births (%)	3.4	0 / 14	4.5	0 / 6	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.1	1 / 14	4.5	0 / 6	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	23.8	4.8	27.3	0 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	32.5	1 / 11	6 / 13	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	30.0	1 / 11	3 / 13	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 11	2 / 13	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	5.0	0 / 11	1 / 13	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	17.5	1 / 11	1 / 13	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	39	9	7	1	0
Number of transfers	32	8	4	0	0
Estimated average number of transfers per retrieval	1.1	1.1	0.5		
Average number of embryos transferred	1.6	1.8	1.8		
Percentage of embryos transferred resulting in implantation (%)	45.7	5 / 14	4 / 7		
Percentage of transfers resulting in pregnancies (%)	56.3	4 / 8	3 / 4		
Percentage of transfers resulting in live births (%)	31.3	4 / 8	1 / 4		
Percentage of transfers resulting in singleton live births (%)	28.1	3 / 8	0 / 4		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 8	1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.1	2 / 8	0 / 4		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	1	0	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	8	6	
Number of transfers	2	0	6	6	
Average number of embryos transferred	2.0		1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	0 / 4		6 / 8	4 / 11	
Percentage of transfers resulting in pregnancies (%)	0 / 2		5 / 6	4 / 6	
Percentage of transfers resulting in live births (%)	0 / 2		5 / 6	4 / 6	
Percentage of transfers resulting in singleton live births (%)	0 / 2		4 / 6	4 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 6	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		4 / 6	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PEDRO J. BEAUCHAMP, MD IVF PROGRAM DBA
PUERTO RICO FERTILITY CENTER
BAYAMON, PUERTO RICO**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Pedro J. Beauchamp, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	42%	Uterine factor	11%	
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	17%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	8%	Other factor	30%	
				Endometriosis	27%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				47%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 175 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		40	31	39	16	9
Percentage of cancellations before retrieval (%)		2.5	3.2	5.1	5 / 16	2 / 9
Number of transfers		39	28	35	10	5
Average number of embryos transferred		1.9	2.3	2.1	2.1	2.0
Percentage of elective single embryo transfers (eSET) (%)		8.3	0.0	0.0	0 / 8	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		67.5	58.1	46.2	3 / 16	0 / 9
Percentage of cycles resulting in live births (%)		42.5	22.6	20.5	1 / 16	0 / 9
Percentage of cycles resulting in singleton live births (%)		22.5	16.1	12.8	1 / 16	0 / 9
Percentage of cycles resulting in twin live births (%)		15.0	6.5	7.7	0 / 16	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		20.0	12.9	10.3	0 / 16	0 / 9
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		53.6	34.6	31.0	1 / 17	0 / 10
Percentage of transfers resulting in pregnancies (%)		69.2	64.3	51.4	3 / 10	0 / 5
Percentage of transfers resulting in live births (%)		43.6	25.0	22.9	1 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)		23.1	17.9	14.3	1 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)		15.4	7.1	8.6	0 / 10	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		20.5	14.3	11.4	0 / 10	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles		10	5	5	2	1
Number of transfers		10	5	5	2	1
Estimated average number of transfers per retrieval		10.0	1.7	1.0	2.0	1.0
Average number of embryos transferred		2.1	2.0	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)		9 / 19	0 / 7	2 / 10	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)		8 / 10	2 / 5	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)		7 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		5 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		2 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		5 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		1	1	0	0	1
		0	0	0	0	1
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		11	0	2	0	
Number of transfers		11	0	2	0	
Average number of embryos transferred		2.5		3.0		
Percentage of embryos transferred resulting in implantation (%)		4.0		1 / 6		
Percentage of transfers resulting in pregnancies (%)		2 / 11		1 / 2		
Percentage of transfers resulting in live births (%)		0 / 11		0 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 11		0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 11		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 11		0 / 2		

CURRENT SERVICES & PROFILE		Current Name: Pedro J. Beauchamp, MD IVF Program dba, Puerto Rico Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS CAGUAS, PUERTO RICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jose R. Cruz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	44%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	2%	
				Endometriosis	17%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 55
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	11	10	2	2
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 10	0 / 2	0 / 2
Number of transfers	20	11	8	2	1
Average number of embryos transferred	2.0	2.5	2.4	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 18	0 / 11	0 / 6	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.0	3 / 11	4 / 10	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	10.0	2 / 11	2 / 10	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	10.0	2 / 11	2 / 10	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 11	0 / 10	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.0	2 / 11	2 / 10	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	12.8	16.7	4 / 19	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	20.0	3 / 11	4 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	10.0	2 / 11	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	10.0	2 / 11	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 11	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	10.0	2 / 11	2 / 8	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	1	3	0	0
Number of transfers	5	1	3	0	0
Estimated average number of transfers per retrieval	2.5		1.0		0.0
Average number of embryos transferred	2.0	1.0	2.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 10	0 / 1	0 / 8		
Percentage of transfers resulting in pregnancies (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in live births (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	0 / 1	0 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo Caguas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

GREFI GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE SAN JUAN, PUERTO RICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rosa Ileana Cruz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 7%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	0%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	26%	
				Endometriosis	23%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 36
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	11	3	5	2	2
Percentage of cancellations before retrieval (%)	0 / 11	0 / 3	0 / 5	0 / 2	0 / 2
Number of transfers	9	3	4	1	1
Average number of embryos transferred	1.8	2.0	2.5	1.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 8	1 / 3	0 / 4		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 11	1 / 3	0 / 5	0 / 2	1 / 2
Percentage of cycles resulting in live births (%)	4 / 11	1 / 3	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 11	1 / 3	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 3	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 11	1 / 3	0 / 5	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 16	1 / 6	0 / 10	0 / 1	1 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 3	0 / 4	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	4 / 9	1 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 9	1 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9	1 / 3	0 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	1	0	0
Number of transfers	1	2	1	0	0
Estimated average number of transfers per retrieval	0.5	1.0	0.5	0.0	
Average number of embryos transferred	2.0	2.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	1 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	1	1	1	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	2	1	
Number of transfers	1	0	2	1	
Average number of embryos transferred	2.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2		0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		0 / 2	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN & INFANTS FERTILITY CENTER PROVIDENCE, RHODE ISLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ruben Alvero, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 2% Female & male factors 5%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	12%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	5%	Other factor	9%	
				Endometriosis	3%	Unknown factor	40%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 609
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	143	81	75	44	13
Percentage of cancellations before retrieval (%)	0.7	11.1	6.7	4.5	1 / 13
Number of transfers	133	62	67	35	11
Average number of embryos transferred	1.4	1.8	2.3	3.0	3.1
Percentage of elective single embryo transfers (eSET) (%)	54.3	25.0	1.7	0.0	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.6	32.1	40.0	20.5	0 / 13
Percentage of cycles resulting in live births (%)	35.0	25.9	26.7	4.5	0 / 13
Percentage of cycles resulting in singleton live births (%)	29.4	23.5	20.0	2.3	0 / 13
Percentage of cycles resulting in twin live births (%)	5.6	2.5	6.7	2.3	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.6	21.0	14.7	2.3	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.1	25.2	22.0	6.5	0.0
Percentage of transfers resulting in pregnancies (%)	43.6	41.9	44.8	25.7	0 / 11
Percentage of transfers resulting in live births (%)	37.6	33.9	29.9	5.7	0 / 11
Percentage of transfers resulting in singleton live births (%)	31.6	30.6	22.4	2.9	0 / 11
Percentage of transfers resulting in twin live births (%)	6.0	3.2	7.5	2.9	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	27.4	16.4	2.9	0 / 11
Frozen Embryos from Nondonor Eggs					
Number of cycles	79	58	27	8	2
Number of transfers	76	56	25	8	1
Estimated average number of transfers per retrieval	1.4	1.4	1.6	0.6	0.2
Average number of embryos transferred	1.4	1.4	1.4	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	31.4	25.7	42.9	2 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	39.5	33.9	48.0	2 / 8	0 / 1
Percentage of transfers resulting in live births (%)	34.2	25.0	36.0	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.6	21.4	28.0	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	6.6	3.6	8.0	0 / 8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.7	16.1	24.0	1 / 8	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	16	9	7	3
	7	4	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	14	8	0	
Number of transfers	4	14	8	0	
Average number of embryos transferred	1.0	1.4	1.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 4	35.0	2 / 10		
Percentage of transfers resulting in pregnancies (%)	2 / 4	7 / 14	2 / 8		
Percentage of transfers resulting in live births (%)	2 / 4	7 / 14	2 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 4	7 / 14	2 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 14	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	7 / 14	2 / 8		

CURRENT SERVICES & PROFILE

Current Name: Women & Infants Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF THE CAROLINAS

UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY

GREENVILLE, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul B. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 20%
Unstimulated	<1%	PGD/PGS	11%	Ovulatory dysfunction	41%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	16%	
				Endometriosis	20%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 235
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	67	26	27	0	4
Percentage of cancellations before retrieval (%)	9.0	7.7	18.5		0 / 4
Number of transfers	57	21	19	0	3
Average number of embryos transferred	1.9	2.0	1.9		2.0
Percentage of elective single embryo transfers (eSET) (%)	7.4	0.0	1 / 17		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.7	34.6	33.3		0 / 4
Percentage of cycles resulting in live births (%)	44.8	26.9	22.2		0 / 4
Percentage of cycles resulting in singleton live births (%)	31.3	19.2	18.5		0 / 4
Percentage of cycles resulting in twin live births (%)	13.4	7.7	3.7		0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.4	19.2	18.5		0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.7	31.7	28.6		0 / 6
Percentage of transfers resulting in pregnancies (%)	59.6	42.9	9 / 19		0 / 3
Percentage of transfers resulting in live births (%)	52.6	33.3	6 / 19		0 / 3
Percentage of transfers resulting in singleton live births (%)	36.8	23.8	5 / 19		0 / 3
Percentage of transfers resulting in twin live births (%)	15.8	9.5	1 / 19		0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.8	23.8	5 / 19		0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	24	14	2	3
Number of transfers	25	19	14	2	2
Estimated average number of transfers per retrieval	1.6	1.1	1.1	2.0	
Average number of embryos transferred	1.6	1.6	1.8	2.5	2.5
Percentage of embryos transferred resulting in implantation (%)	47.5	44.8	30.4	3 / 5	0 / 5
Percentage of transfers resulting in pregnancies (%)	52.0	10 / 19	7 / 14	2 / 2	0 / 2
Percentage of transfers resulting in live births (%)	44.0	7 / 19	3 / 14	2 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	28.0	5 / 19	2 / 14	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	16.0	2 / 19	1 / 14	1 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.0	3 / 19	1 / 14	1 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	12	7	1	0
	3	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	5	5	0	
Number of transfers	2	5	5	0	
Average number of embryos transferred	2.0	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 4	0 / 9	0 / 10		
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in live births (%)	1 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	0 / 5	0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of the Carolinas, University Medical Group,
Department of Obstetrics and Gynecology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA GREENVILLE, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by John E. Nichols, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 24%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	28%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	12%	
				Endometriosis	6%	Unknown factor	10%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 693 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		159	69	41	16	7
Percentage of cancellations before retrieval (%)		1.9	2.9	7.3	1 / 16	0 / 7
Number of transfers		108	36	24	9	4
Average number of embryos transferred		1.7	1.9	2.3	2.4	1.3
Percentage of elective single embryo transfers (eSET) (%)		37.1	18.2	4.8	2 / 8	2 / 3
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		35.2	24.6	19.5	3 / 16	1 / 7
Percentage of cycles resulting in live births (%)		29.6	20.3	14.6	2 / 16	1 / 7
Percentage of cycles resulting in singleton live births (%)		25.2	18.8	12.2	1 / 16	1 / 7
Percentage of cycles resulting in twin live births (%)		3.1	1.4	2.4	1 / 16	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		18.9	11.6	7.3	1 / 16	1 / 7
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		38.9	28.8	16.1	18.2	1 / 5
Percentage of transfers resulting in pregnancies (%)		51.9	47.2	33.3	3 / 9	1 / 4
Percentage of transfers resulting in live births (%)		43.5	38.9	25.0	2 / 9	1 / 4
Percentage of transfers resulting in singleton live births (%)		37.0	36.1	20.8	1 / 9	1 / 4
Percentage of transfers resulting in twin live births (%)		4.6	2.8	4.2	1 / 9	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		27.8	22.2	12.5	1 / 9	1 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles		133	62	33	6	5
Number of transfers		131	61	32	6	5
Estimated average number of transfers per retrieval		1.3	1.6	0.9	1.2	1.3
Average number of embryos transferred		1.7	1.8	1.6	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)		42.3	45.8	32.7	4 / 9	1 / 10
Percentage of transfers resulting in pregnancies (%)		57.3	62.3	46.9	4 / 6	1 / 5
Percentage of transfers resulting in live births (%)		44.3	49.2	31.3	0 / 6	1 / 5
Percentage of transfers resulting in singleton live births (%)		35.1	34.4	25.0	0 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)		9.2	14.8	6.3	0 / 6	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		25.2	21.3	18.8	0 / 6	1 / 5
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		44	18	24	4	3
		6	4	1	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		17	4	31	14	
Number of transfers		13	4	31	14	
Average number of embryos transferred		1.5	1.5	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)		55.0	3 / 6	38.5	26.9	
Percentage of transfers resulting in pregnancies (%)		9 / 13	3 / 4	58.1	6 / 14	
Percentage of transfers resulting in live births (%)		8 / 13	3 / 4	35.5	5 / 14	
Percentage of transfers resulting in singleton live births (%)		7 / 13	3 / 4	32.3	3 / 14	
Percentage of transfers resulting in twin live births (%)		1 / 13	0 / 4	3.2	2 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		6 / 13	0 / 4	16.1	3 / 14	

CURRENT SERVICES & PROFILE		Current Name: Piedmont Reproductive Endocrinology Group, PA					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY SPECIALISTS MOUNT PLEASANT, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John A. Schnorr, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	12%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 7%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	8%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	10%	
				Endometriosis	5%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 818
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	138	53	37	16	2
Percentage of cancellations before retrieval (%)	3.6	5.7	5.4	0 / 16	0 / 2
Number of transfers	30	12	9	4	1
Average number of embryos transferred	1.5	1.8	2.3	3.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	51.7	2 / 11	0 / 9	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.0	13.2	10.8	2 / 16	0 / 2
Percentage of cycles resulting in live births (%)	11.6	13.2	8.1	0 / 16	0 / 2
Percentage of cycles resulting in singleton live births (%)	10.9	11.3	8.1	0 / 16	0 / 2
Percentage of cycles resulting in twin live births (%)	0.7	1.9	0.0	0 / 16	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.0	11.3	8.1	0 / 16	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.9	38.1	23.8	1 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.0	7 / 12	4 / 9	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	53.3	7 / 12	3 / 9	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 12	3 / 9	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3.3	1 / 12	0 / 9	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	6 / 12	3 / 9	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	207	77	63	16	5
Number of transfers	200	72	58	15	3
Estimated average number of transfers per retrieval	1.2	1.3	1.5	1.1	1.0
Average number of embryos transferred	1.3	1.5	1.6	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	65.2	41.6	48.2	24.1	2 / 6
Percentage of transfers resulting in pregnancies (%)	74.5	56.9	63.8	6 / 15	2 / 3
Percentage of transfers resulting in live births (%)	60.0	38.9	48.3	6 / 15	1 / 3
Percentage of transfers resulting in singleton live births (%)	50.0	34.7	39.7	5 / 15	1 / 3
Percentage of transfers resulting in twin live births (%)	9.5	4.2	8.6	1 / 15	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.5	29.2	34.5	5 / 15	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	66	18	18	2	2
	4	3	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	35	18	42	1	
Number of transfers	33	9	37	1	
Average number of embryos transferred	1.4	1.6	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	53.3	8 / 12	56.8	1 / 2	
Percentage of transfers resulting in pregnancies (%)	57.6	6 / 9	62.2	1 / 1	
Percentage of transfers resulting in live births (%)	57.6	4 / 9	40.5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	42.4	2 / 9	27.0	1 / 1	
Percentage of transfers resulting in twin live births (%)	15.2	2 / 9	13.5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	2 / 9	13.5	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF CHARLESTON MOUNT PLEASANT, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Stephanie D. Singleton, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 9% Female & male factors 10%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	27%	
				Endometriosis	2%	Unknown factor	20%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 198 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		28	16	14	1	1
Percentage of cancellations before retrieval (%)		0.0	0 / 16	1 / 14	0 / 1	0 / 1
Number of transfers		11	7	8	0	1
Average number of embryos transferred		1.7	2.0	1.8		1.0
Percentage of elective single embryo transfers (eSET) (%)		2 / 10	0 / 7	1 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		25.0	4 / 16	2 / 14	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)		25.0	4 / 16	2 / 14	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)		17.9	3 / 16	2 / 14	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)		7.1	1 / 16	0 / 14	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		14.3	3 / 16	2 / 14	0 / 1	0 / 1
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		9 / 19	5 / 14	2 / 14		0 / 1
Percentage of transfers resulting in pregnancies (%)		7 / 11	4 / 7	2 / 8		0 / 1
Percentage of transfers resulting in live births (%)		7 / 11	4 / 7	2 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)		5 / 11	3 / 7	2 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)		2 / 11	1 / 7	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 11	3 / 7	2 / 8		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles		40	17	19	2	0
Number of transfers		39	17	19	2	0
Estimated average number of transfers per retrieval		1.4	1.3	1.2	2.0	
Average number of embryos transferred		1.3	1.6	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)		39.6	52.4	14.8	0 / 4	
Percentage of transfers resulting in pregnancies (%)		43.6	13 / 17	5 / 19	0 / 2	
Percentage of transfers resulting in live births (%)		38.5	8 / 17	3 / 19	0 / 2	
Percentage of transfers resulting in singleton live births (%)		30.8	7 / 17	2 / 19	0 / 2	
Percentage of transfers resulting in twin live births (%)		7.7	1 / 17	1 / 19	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		25.6	7 / 17	2 / 19	0 / 2	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		14	7	8	1	0
		6	3	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	21	4	2	
Number of transfers		0	21	4	2	
Average number of embryos transferred			1.2	1.5	1.5	
Percentage of embryos transferred resulting in implantation (%)			50.0	2 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)			57.1	2 / 4	0 / 2	
Percentage of transfers resulting in live births (%)			42.9	2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)			38.1	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)			4.8	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			33.3	1 / 4	0 / 2	

CURRENT SERVICES & PROFILE		Current Name: The Fertility Center of Charleston					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SOUTHEASTERN FERTILITY CENTER
NORTH CHARLESTON, SOUTH CAROLINA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SANFORD WOMEN'S HEALTH SIOUX FALLS, SOUTH DAKOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Keith A. Hansen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	45%	Tubal factor	14%	Uterine factor	<1%	Multiple Factors: Female factors only 14% Female & male factors 29%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	20%	Male factor	49%	
Used gestational carrier	3%			Diminished ovarian reserve	25%	Other factor	30%	
				Endometriosis	7%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 355
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	91	34	15	8	2
Percentage of cancellations before retrieval (%)	2.2	23.5	4 / 15	1 / 8	0 / 2
Number of transfers	78	23	7	0	1
Average number of embryos transferred	1.7	2.3	2.3		1.0
Percentage of elective single embryo transfers (eSET) (%)	25.0	0.0	0 / 5		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.3	20.6	4 / 15	0 / 8	0 / 2
Percentage of cycles resulting in live births (%)	42.9	14.7	3 / 15	0 / 8	0 / 2
Percentage of cycles resulting in singleton live births (%)	34.1	8.8	3 / 15	0 / 8	0 / 2
Percentage of cycles resulting in twin live births (%)	7.7	5.9	0 / 15	0 / 8	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.5	5.9	2 / 15	0 / 8	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	17.3	5 / 16		0 / 1
Percentage of transfers resulting in pregnancies (%)	55.1	30.4	4 / 7		0 / 1
Percentage of transfers resulting in live births (%)	50.0	21.7	3 / 7		0 / 1
Percentage of transfers resulting in singleton live births (%)	39.7	13.0	3 / 7		0 / 1
Percentage of transfers resulting in twin live births (%)	9.0	8.7	0 / 7		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	8.7	2 / 7		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	88	22	16	3	2
Number of transfers	75	20	13	2	2
Estimated average number of transfers per retrieval	1.5	1.5	1.2	0.4	
Average number of embryos transferred	1.5	1.6	1.2	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	35.7	37.5	6 / 16	0 / 3	2 / 4
Percentage of transfers resulting in pregnancies (%)	41.3	50.0	4 / 13	0 / 2	2 / 2
Percentage of transfers resulting in live births (%)	33.3	50.0	4 / 13	0 / 2	2 / 2
Percentage of transfers resulting in singleton live births (%)	24.0	45.0	3 / 13	0 / 2	2 / 2
Percentage of transfers resulting in twin live births (%)	9.3	5.0	0 / 13	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	40.0	3 / 13	0 / 2	2 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	9	8	5	0
	4	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	25	2	
Number of transfers	0	1	25	2	
Average number of embryos transferred		1.0	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)		0 / 1	42.9	1 / 3	
Percentage of transfers resulting in pregnancies (%)		0 / 1	52.0	1 / 2	
Percentage of transfers resulting in live births (%)		0 / 1	52.0	1 / 2	
Percentage of transfers resulting in singleton live births (%)		0 / 1	48.0	1 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 1	4.0	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	44.0	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Sanford Women's Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC CHATTANOOGA, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Barry W. Donesky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 2% Female & male factors 3%
Unstimulated	1%	PGD/PGS	15%	Ovulatory dysfunction	13%	Male factor	29%	
Used gestational carrier	4%			Diminished ovarian reserve	32%	Other factor	6%	
				Endometriosis	2%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 260
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	15	13	9	4
Percentage of cancellations before retrieval (%)	15.0	1 / 15	3 / 13	4 / 9	3 / 4
Number of transfers	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	1 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	74	24	11	3	0
Number of transfers	71	24	11	3	0
Estimated average number of transfers per retrieval	1.2	1.3	1.0	1.5	0.0
Average number of embryos transferred	1.3	1.3	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)	42.6	48.4	8 / 15	0 / 4	
Percentage of transfers resulting in pregnancies (%)	47.9	54.2	5 / 11	0 / 3	
Percentage of transfers resulting in live births (%)	42.3	50.0	4 / 11	0 / 3	
Percentage of transfers resulting in singleton live births (%)	35.2	41.7	1 / 11	0 / 3	
Percentage of transfers resulting in twin live births (%)	7.0	8.3	3 / 11	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	33.3	1 / 11	0 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	9	6	1	1
	0	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	10	13	1	
Number of transfers	1	10	12	1	
Average number of embryos transferred	2.0	1.6	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	9 / 16	11 / 16	1 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1	7 / 10	10 / 12	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	6 / 10	9 / 12	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	4 / 10	8 / 12	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	2 / 10	1 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	2 / 10	7 / 12	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility Center, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE REPRODUCTIVE MEDICINE CHATTANOOGA, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ringland S. Murray, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	18%	Uterine factor	<1%	
Unstimulated	4%	PGD/PGS	25%	Ovulatory dysfunction	9%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	38%	
				Endometriosis	13%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				17%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 242
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	11	9	9	4
Percentage of cancellations before retrieval (%)	2.4	1 / 11	2 / 9	2 / 9	3 / 4
Number of transfers	36	6	4	2	0
Average number of embryos transferred	1.6	1.5	2.3	1.5	
Percentage of elective single embryo transfers (eSET) (%)	34.4	1 / 4	0 / 4	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.1	1 / 11	3 / 9	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	41.5	1 / 11	2 / 9	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	36.6	1 / 11	2 / 9	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	4.9	0 / 11	0 / 9	0 / 9	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.7	1 / 11	1 / 9	0 / 9	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.6	1 / 9	2 / 7	0 / 3	
Percentage of transfers resulting in pregnancies (%)	63.9	1 / 6	3 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	47.2	1 / 6	2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	41.7	1 / 6	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	5.6	0 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.1	1 / 6	1 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	27	10	4	0
Number of transfers	50	27	9	4	0
Estimated average number of transfers per retrieval	1.7	1.6	0.6	0.4	0.0
Average number of embryos transferred	1.3	1.3	1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	50.7	65.7	4 / 13	3 / 7	
Percentage of transfers resulting in pregnancies (%)	64.0	77.8	4 / 9	3 / 4	
Percentage of transfers resulting in live births (%)	58.0	70.4	4 / 9	3 / 4	
Percentage of transfers resulting in singleton live births (%)	54.0	66.7	4 / 9	3 / 4	
Percentage of transfers resulting in twin live births (%)	4.0	3.7	0 / 9	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	51.9	2 / 9	3 / 4	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	13	13	9	4
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	5	4	8	
Number of transfers	2	5	4	8	
Average number of embryos transferred	1.0	1.4	1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	4 / 7	2 / 5	6 / 11	
Percentage of transfers resulting in pregnancies (%)	1 / 2	3 / 5	1 / 4	5 / 8	
Percentage of transfers resulting in live births (%)	0 / 2	2 / 5	1 / 4	5 / 8	
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 5	0 / 4	4 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 5	1 / 4	1 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 5	0 / 4	2 / 8	

CURRENT SERVICES & PROFILE

Current Name: Tennessee Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE FERTILITY INSTITUTE FRANKLIN, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Donna R. Session, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 21% Female & male factors 3%
Unstimulated	4%	PGD/PGS	24%	Ovulatory dysfunction	9%	Male factor	9%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	18%	
				Endometriosis	0%	Unknown factor	52%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 39
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	4	8	2	0
Percentage of cancellations before retrieval (%)	0 / 10	0 / 4	2 / 8	0 / 2	
Number of transfers	7	2	3	1	0
Average number of embryos transferred	1.4	2.0	3.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	2 / 5	0 / 2	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 10	1 / 4	1 / 8	1 / 2	
Percentage of cycles resulting in live births (%)	4 / 10	1 / 4	1 / 8	1 / 2	
Percentage of cycles resulting in singleton live births (%)	3 / 10	1 / 4	1 / 8	1 / 2	
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 4	0 / 8	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 10	0 / 4	1 / 8	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 10	1 / 4	1 / 10	1 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 7	1 / 2	1 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	4 / 7	1 / 2	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	1 / 2	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 2	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	2	1	0
Number of transfers	1	2	2	1	0
Estimated average number of transfers per retrieval	0.3	0.7	0.5	1.0	
Average number of embryos transferred	1.0	2.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1	1 / 4	3 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 2	2 / 2	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	2	0	0
	3	1	2	0	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	3	
Number of transfers	0	0	0	3	
Average number of embryos transferred				1.3	
Percentage of embryos transferred resulting in implantation (%)				1 / 4	
Percentage of transfers resulting in pregnancies (%)				1 / 3	
Percentage of transfers resulting in live births (%)				0 / 3	
Percentage of transfers resulting in singleton live births (%)				0 / 3	
Percentage of transfers resulting in twin live births (%)				0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Tennessee Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

QUILLEN FERTILITY AND WOMEN'S SERVICES JOHNSON CITY, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark X. Ransom, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	41%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	5%	
				Endometriosis	17%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 75
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	14	15	6	0
Percentage of cancellations before retrieval (%)	7.4	1 / 14	1 / 15	2 / 6	
Number of transfers	24	11	10	4	0
Average number of embryos transferred	1.9	1.8	2.5	2.8	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	0 / 8	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.6	2 / 14	5 / 15	0 / 6	
Percentage of cycles resulting in live births (%)	48.1	1 / 14	1 / 15	0 / 6	
Percentage of cycles resulting in singleton live births (%)	29.6	1 / 14	1 / 15	0 / 6	
Percentage of cycles resulting in twin live births (%)	14.8	0 / 14	0 / 15	0 / 6	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	1 / 14	0 / 15	0 / 6	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.7	1 / 18	1 / 15	0 / 11	
Percentage of transfers resulting in pregnancies (%)	62.5	2 / 11	5 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	54.2	1 / 11	1 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	33.3	1 / 11	1 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	16.7	0 / 11	0 / 10	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	1 / 11	0 / 10	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	6	6	0	0	0
Number of transfers	5	5	0	0	0
Estimated average number of transfers per retrieval	1.7	1.3			
Average number of embryos transferred	2.0	1.8			
Percentage of embryos transferred resulting in implantation (%)	1 / 10	0 / 9			
Percentage of transfers resulting in pregnancies (%)	1 / 5	0 / 5			
Percentage of transfers resulting in live births (%)	1 / 5	0 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 5			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	1	
Number of transfers	0	0	0	1	
Average number of embryos transferred				3.0	
Percentage of embryos transferred resulting in implantation (%)				0 / 3	
Percentage of transfers resulting in pregnancies (%)				0 / 1	
Percentage of transfers resulting in live births (%)				0 / 1	
Percentage of transfers resulting in singleton live births (%)				0 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Quillen Fertility and Women's Services

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF AND ANDROLOGY CENTER KNOXVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gayla S. Harris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	27%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 55% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	36%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	46%	
				Endometriosis	64%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 11
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	3	2	0	0
Percentage of cancellations before retrieval (%)	0 / 6	0 / 3	0 / 2		
Number of transfers	6	3	2	0	0
Average number of embryos transferred	1.5	1.3	1.5		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 1	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 6	2 / 3	0 / 2		
Percentage of cycles resulting in live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of cycles resulting in singleton live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 3	0 / 2		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 6	1 / 3	0 / 2		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 9	3 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 6	2 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6	1 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFREY A. KEENAN, MD DBA SOUTHEASTERN CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY KNOXVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey A. Keenan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	19%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 21%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	24%	
				Endometriosis	16%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 193
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	5	4	1	0
Percentage of cancellations before retrieval (%)	0 / 15	1 / 5	0 / 4	1 / 1	
Number of transfers	10	3	1	0	0
Average number of embryos transferred	2.1	1.3	3.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	2 / 3	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 15	3 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	5 / 15	3 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 15	2 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 15	1 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 15	2 / 5	0 / 4	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.1	4 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 10	3 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 10	3 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 10	2 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 10	1 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 10	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	1	8	0	1
Number of transfers	14	1	8	0	1
Estimated average number of transfers per retrieval	1.8	0.3	1.6		0.1
Average number of embryos transferred	1.9	2.0	2.6		2.0
Percentage of embryos transferred resulting in implantation (%)	18.5	0 / 2	9.5		0 / 2
Percentage of transfers resulting in pregnancies (%)	4 / 14	0 / 1	2 / 8		0 / 1
Percentage of transfers resulting in live births (%)	4 / 14	0 / 1	1 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 14	0 / 1	1 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 1	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 14	0 / 1	0 / 8		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	3	0	0	7
	0	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	129	
Number of transfers	0	0	0	125	
Average number of embryos transferred				2.4	
Percentage of embryos transferred resulting in implantation (%)				29.8	
Percentage of transfers resulting in pregnancies (%)				53.6	
Percentage of transfers resulting in live births (%)				43.2	
Percentage of transfers resulting in singleton live births (%)				29.6	
Percentage of transfers resulting in twin live births (%)				12.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				24.0	

CURRENT SERVICES & PROFILE

Current Name: Jeffrey A. Keenan, MD dba,
Southeastern Center for Fertility and Reproductive Surgery

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	No	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC MEMPHIS, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Raymond W. Ke, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	21%	Uterine factor	8%	Multiple Factors: Female factors only 13% Female & male factors 23%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	16%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	7%	
				Endometriosis	13%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 563
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	13	19	12	6
Percentage of cancellations before retrieval (%)	14.3	0 / 13	3 / 19	5 / 12	4 / 6
Number of transfers	15	10	13	3	2
Average number of embryos transferred	1.6	1.7	1.7	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	5 / 14	2 / 9	1 / 10	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	16.7	6 / 13	4 / 19	0 / 12	0 / 6
Percentage of cycles resulting in live births (%)	16.7	5 / 13	4 / 19	0 / 12	0 / 6
Percentage of cycles resulting in singleton live births (%)	16.7	5 / 13	4 / 19	0 / 12	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0 / 13	0 / 19	0 / 12	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.3	4 / 13	4 / 19	0 / 12	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	6 / 17	18.2	0 / 6	0 / 5
Percentage of transfers resulting in pregnancies (%)	7 / 15	6 / 10	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	7 / 15	5 / 10	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 15	5 / 10	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 10	0 / 13	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 15	4 / 10	4 / 13	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	171	59	36	11	6
Number of transfers	151	52	30	6	6
Estimated average number of transfers per retrieval	1.3	1.9	1.8	0.9	1.0
Average number of embryos transferred	1.3	1.5	1.6	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	57.9	43.5	56.5	1 / 11	2 / 8
Percentage of transfers resulting in pregnancies (%)	66.9	55.8	66.7	1 / 6	2 / 6
Percentage of transfers resulting in live births (%)	54.3	38.5	46.7	0 / 6	1 / 6
Percentage of transfers resulting in singleton live births (%)	49.0	32.7	36.7	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	5.3	3.8	10.0	0 / 6	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.0	28.8	26.7	0 / 6	0 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	98	24	15	4	6
	4	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	17	20	2	
Number of transfers	0	11	17	2	
Average number of embryos transferred		1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)		9 / 16	32.0	2 / 4	
Percentage of transfers resulting in pregnancies (%)		8 / 11	8 / 17	1 / 2	
Percentage of transfers resulting in live births (%)		7 / 11	8 / 17	1 / 2	
Percentage of transfers resulting in singleton live births (%)		6 / 11	8 / 17	0 / 2	
Percentage of transfers resulting in twin live births (%)		1 / 11	0 / 17	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 11	8 / 17	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REGIONAL ONE HEALTH REPRODUCTIVE MEDICINE MEMPHIS, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laura Detti, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	19%	Uterine factor	24%	Multiple Factors: Female factors only 42% Female & male factors 52%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	79%	Male factor	52%	
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	65%	
				Endometriosis	15%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 86
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	5	6	5	0
Percentage of cancellations before retrieval (%)	8.3	0 / 5	0 / 6	1 / 5	
Number of transfers	22	5	5	3	0
Average number of embryos transferred	1.9	1.8	2.8	3.3	
Percentage of elective single embryo transfers (eSET) (%)	18.2	0 / 4	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.7	4 / 5	2 / 6	0 / 5	
Percentage of cycles resulting in live births (%)	41.7	4 / 5	2 / 6	0 / 5	
Percentage of cycles resulting in singleton live births (%)	25.0	2 / 5	1 / 6	0 / 5	
Percentage of cycles resulting in twin live births (%)	16.7	2 / 5	1 / 6	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.8	2 / 5	1 / 6	0 / 5	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.7	6 / 9	3 / 14	0 / 10	
Percentage of transfers resulting in pregnancies (%)	45.5	4 / 5	2 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	45.5	4 / 5	2 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 5	1 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	18.2	2 / 5	1 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	2 / 5	1 / 5	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	7	1	0	1
Number of transfers	8	4	1	0	1
Estimated average number of transfers per retrieval	0.9		0.1	0.0	0.1
Average number of embryos transferred	1.8	1.5	3.0		3.0
Percentage of embryos transferred resulting in implantation (%)	6 / 14	3 / 6	0 / 3		0 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 8	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	5 / 8	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 8	1 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 8	1 / 4	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 8	1 / 4	0 / 1		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	0	9	3	8
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	0	0	
Number of transfers	1	1	0	0	
Average number of embryos transferred	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 1	0 / 2			
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1			

CURRENT SERVICES & PROFILE

Current Name: Regional One Health Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH NASHVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jaime M. Vasquez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 40%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	39%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	4%	
				Endometriosis	10%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 137
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	14	2	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0 / 2	0 / 1	
Number of transfers	7	5	1	1	0
Average number of embryos transferred	1.9	2.0	1.0	4.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 5		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.0	1 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	13.0	1 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	8.7	1 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	4.3	0 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.7	1 / 14	0 / 2	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 13	1 / 10	0 / 1	0 / 4	
Percentage of transfers resulting in pregnancies (%)	3 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7	1 / 5	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	6	8	0	3
Number of transfers	25	6	7	0	2
Estimated average number of transfers per retrieval	1.8	1.0	2.3	0.0	
Average number of embryos transferred	2.0	1.8	2.1		1.5
Percentage of embryos transferred resulting in implantation (%)	19.6	1 / 11	3 / 11		1 / 3
Percentage of transfers resulting in pregnancies (%)	40.0	1 / 6	5 / 7		1 / 2
Percentage of transfers resulting in live births (%)	36.0	1 / 6	2 / 7		1 / 2
Percentage of transfers resulting in singleton live births (%)	36.0	1 / 6	2 / 7		1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 6	0 / 7		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	1 / 6	2 / 7		1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	3	2	1	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	16	0	22	7	
Number of transfers	15	0	22	7	
Average number of embryos transferred	2.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)			30.2	6 / 14	
Percentage of transfers resulting in pregnancies (%)	9 / 15		54.5	4 / 7	
Percentage of transfers resulting in live births (%)	9 / 15		45.5	3 / 7	
Percentage of transfers resulting in singleton live births (%)	6 / 15		40.9	1 / 7	
Percentage of transfers resulting in twin live births (%)	3 / 15		4.5	2 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 15		9.1	0 / 7	

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George A. Hill, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	20%	Uterine factor	8%	Multiple Factors: Female factors only 29% Female & male factors 23%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	19%	Male factor	37%	
Used gestational carrier	3%			Diminished ovarian reserve	36%	Other factor	20%	
				Endometriosis	22%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 860
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	117	49	31	8	6
Percentage of cancellations before retrieval (%)	20.5	24.5	22.6	3 / 8	2 / 6
Number of transfers	85	33	24	5	3
Average number of embryos transferred	1.4	2.1	2.3	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	58.8	3.2	0.0	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.5	40.8	25.8	1 / 8	0 / 6
Percentage of cycles resulting in live births (%)	29.9	30.6	16.1	1 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	26.5	20.4	9.7	1 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	3.4	10.2	6.5	0 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.1	16.3	9.7	1 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.9	35.4	17.3	1 / 12	0 / 6
Percentage of transfers resulting in pregnancies (%)	44.7	60.6	33.3	1 / 5	0 / 3
Percentage of transfers resulting in live births (%)	41.2	45.5	20.8	1 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	36.5	30.3	12.5	1 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	4.7	15.2	8.3	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	24.2	12.5	1 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	195	82	60	5	8
Number of transfers	183	74	55	5	6
Estimated average number of transfers per retrieval	1.3	1.4	1.1	0.4	0.8
Average number of embryos transferred	1.3	1.5	1.2	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	57.1	48.6	59.4	1 / 8	2 / 9
Percentage of transfers resulting in pregnancies (%)	67.2	59.5	65.5	1 / 5	2 / 6
Percentage of transfers resulting in live births (%)	59.6	50.0	54.5	1 / 5	2 / 6
Percentage of transfers resulting in singleton live births (%)	51.4	39.2	50.9	1 / 5	2 / 6
Percentage of transfers resulting in twin live births (%)	8.2	10.8	3.6	0 / 5	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.4	36.5	36.4	1 / 5	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	97	45	46	12	8
	6	5	10	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	15	37	27	
Number of transfers	9	11	33	24	
Average number of embryos transferred	1.2	1.3	1.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	5 / 9	7 / 14	57.5	56.4	
Percentage of transfers resulting in pregnancies (%)	6 / 9	7 / 11	69.7	83.3	
Percentage of transfers resulting in live births (%)	5 / 9	7 / 11	57.6	66.7	
Percentage of transfers resulting in singleton live births (%)	5 / 9	7 / 11	48.5	50.0	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 11	9.1	16.7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	6 / 11	33.3	41.7	

CURRENT SERVICES & PROFILE

Current Name: Nashville Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASPIRE FERTILITY-DALLAS ADDISON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Linda C. Elkins, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 33%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	0%	Male factor	67%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	17%	
				Endometriosis	17%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 15
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1		
Number of transfers	0	0	1	0	0
Average number of embryos transferred			2.0		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 1		
Percentage of cycles resulting in live births (%)			0 / 1		
Percentage of cycles resulting in singleton live births (%)			0 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			0 / 2		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	1	0	0	0
Number of transfers	3	1	0	0	0
Estimated average number of transfers per retrieval	0.4		0.0	0.0	
Average number of embryos transferred	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 3	1 / 2			
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 1			
Percentage of transfers resulting in live births (%)	2 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3	1 / 1			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	0	1	1	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	0	0	
Number of transfers	0	1	0	0	
Average number of embryos transferred		2.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 2			
Percentage of transfers resulting in pregnancies (%)		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			

CURRENT SERVICES & PROFILE

Current Name: Aspire Fertility-Dallas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DFW CENTER FOR FERTILITY & IVF ALLEN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Victor E. Beshay, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	11%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 14%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	14%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	22%	
				Endometriosis	0%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 56
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	2	3	2	2
Percentage of cancellations before retrieval (%)	0 / 15	0 / 2	0 / 3	1 / 2	0 / 2
Number of transfers	15	1	2	1	2
Average number of embryos transferred	1.7	2.0	1.5	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	4 / 14	0 / 1	1 / 2	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Percentage of cycles resulting in live births (%)	8 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Percentage of cycles resulting in twin live births (%)	4 / 15	0 / 2	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.0	1 / 2	1 / 3	0 / 2	1 / 5
Percentage of transfers resulting in pregnancies (%)	8 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	8 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	4 / 15	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	7	2	3	0	0
Number of transfers	7	2	3	0	0
Estimated average number of transfers per retrieval	0.5	0.5	0.8	0.0	
Average number of embryos transferred	1.6	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 11	0 / 3	3 / 3		
Percentage of transfers resulting in pregnancies (%)	7 / 7	0 / 2	3 / 3		
Percentage of transfers resulting in live births (%)	6 / 7	0 / 2	2 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 2	2 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 7	0 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	0 / 2	2 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	4	4	1	0
	5	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: DFW Center for Fertility & IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF AUSTIN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Shahryar K. Kavoussi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	9%	Uterine factor	7%	Multiple Factors: Female factors only 5% Female & male factors 23%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	12%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	8%	
				Endometriosis	9%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 188
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	65	31	20	9	0
Percentage of cancellations before retrieval (%)	1.5	3.2	10.0	0 / 9	
Number of transfers	48	21	13	4	0
Average number of embryos transferred	2.1	2.0	2.3	2.3	
Percentage of elective single embryo transfers (eSET) (%)	10.6	0 / 16	0 / 11	1 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.5	22.6	35.0	0 / 9	
Percentage of cycles resulting in live births (%)	35.4	22.6	25.0	0 / 9	
Percentage of cycles resulting in singleton live births (%)	21.5	19.4	20.0	0 / 9	
Percentage of cycles resulting in twin live births (%)	13.8	3.2	0.0	0 / 9	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	19.4	20.0	0 / 9	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.8	19.5	28.6	0 / 9	
Percentage of transfers resulting in pregnancies (%)	52.1	33.3	7 / 13	0 / 4	
Percentage of transfers resulting in live births (%)	47.9	33.3	5 / 13	0 / 4	
Percentage of transfers resulting in singleton live births (%)	29.2	28.6	4 / 13	0 / 4	
Percentage of transfers resulting in twin live births (%)	18.8	4.8	0 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.1	28.6	4 / 13	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	9	3	3	1
Number of transfers	12	9	3	2	1
Estimated average number of transfers per retrieval	0.9	1.1	3.0	0.4	
Average number of embryos transferred	1.8	2.1	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 19	0 / 4	0 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 12	3 / 9	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	5 / 12	2 / 9	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 12	2 / 9	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 9	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 12	2 / 9	0 / 3	0 / 2	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	5	1	2	0
	1	0	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	1	9	0	
Number of transfers	8	1	8	0	
Average number of embryos transferred	1.9	2.0	1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 13	2 / 2	3 / 13		
Percentage of transfers resulting in pregnancies (%)	4 / 8	1 / 1	3 / 8		
Percentage of transfers resulting in live births (%)	2 / 8	1 / 1	3 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 8	0 / 1	3 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 1	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	0 / 1	3 / 8		

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY INSTITUTE, PA AUSTIN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kenneth K. Moghadam, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	17%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 18%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	15%	Male factor	50%	
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	13%	
				Endometriosis	16%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 342
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	67	18	18	4	1
Percentage of cancellations before retrieval (%)	4.5	1 / 18	5 / 18	0 / 4	1 / 1
Number of transfers	18	4	5	3	0
Average number of embryos transferred	1.6	1.5	3.4	2.7	
Percentage of elective single embryo transfers (eSET) (%)	7 / 18	2 / 4	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10.4	2 / 18	3 / 18	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	9.0	1 / 18	2 / 18	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	6.0	1 / 18	2 / 18	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	3.0	0 / 18	0 / 18	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4.5	1 / 18	1 / 18	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.6	3 / 6	4 / 17	0 / 6	
Percentage of transfers resulting in pregnancies (%)	7 / 18	2 / 4	3 / 5	1 / 3	
Percentage of transfers resulting in live births (%)	6 / 18	1 / 4	2 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	4 / 18	1 / 4	2 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 18	0 / 4	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 18	1 / 4	1 / 5	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	111	45	17	6	1
Number of transfers	111	45	17	6	1
Estimated average number of transfers per retrieval	2.1	1.7	1.1	2.0	0.5
Average number of embryos transferred	1.6	1.8	1.7	2.2	4.0
Percentage of embryos transferred resulting in implantation (%)	39.4	30.4	23.1	5 / 13	
Percentage of transfers resulting in pregnancies (%)	54.1	48.9	7 / 17	3 / 6	1 / 1
Percentage of transfers resulting in live births (%)	42.3	42.2	3 / 17	3 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	35.6	3 / 17	2 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	9.0	6.7	0 / 17	1 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.7	26.7	2 / 17	2 / 6	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	13	8	0	2
	2	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	13	0	
Number of transfers	3	0	13	0	
Average number of embryos transferred	1.3		1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 4		8 / 19		
Percentage of transfers resulting in pregnancies (%)	3 / 3		6 / 13		
Percentage of transfers resulting in live births (%)	3 / 3		5 / 13		
Percentage of transfers resulting in singleton live births (%)	2 / 3		3 / 13		
Percentage of transfers resulting in twin live births (%)	1 / 3		2 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		1 / 13		

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility Institute, PA

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**RMATX.COM, PLLC
RMA OF TEXAS-AUSTIN
AUSTIN, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 6% Female & male factors 13%
Unstimulated	0%	PGD/PGS	56%	Ovulatory dysfunction	13%	Male factor	36%	
Used gestational carrier	5%			Diminished ovarian reserve	33%	Other factor	13%	
				Endometriosis	5%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 283
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	12	6	6	4
Percentage of cancellations before retrieval (%)	3 / 13	5 / 12	2 / 6	2 / 6	2 / 4
Number of transfers	2	4	1	0	1
Average number of embryos transferred	1.0	1.3	1.0		2.0
Percentage of elective single embryo transfers (eSET) (%)		3 / 4			0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 5	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)	0 / 2	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	0 / 2	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	2 / 4	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	45	35	17	9	0
Number of transfers	44	34	16	8	0
Estimated average number of transfers per retrieval	0.9	1.1	0.6	0.7	0.0
Average number of embryos transferred	1.0	1.0	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	59.1	55.9	11 / 16	6 / 8	
Percentage of transfers resulting in pregnancies (%)	59.1	55.9	11 / 16	6 / 8	
Percentage of transfers resulting in live births (%)	59.1	52.9	10 / 16	6 / 8	
Percentage of transfers resulting in singleton live births (%)	59.1	52.9	10 / 16	6 / 8	
Percentage of transfers resulting in twin live births (%)	0.0	0.0	0 / 16	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.9	44.1	9 / 16	6 / 8	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	45	28	26	11	5
	9	6	5	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	5	14	1	
Number of transfers	0	3	14	1	
Average number of embryos transferred		1.3	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 4	7 / 15	1 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 3	6 / 14	1 / 1	
Percentage of transfers resulting in live births (%)		0 / 3	5 / 14	1 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 3	4 / 14	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 3	1 / 14	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 3	2 / 14	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: RMATX.COM, PLLC, RMA of Texas-Austin

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS FERTILITY CENTER
VAUGHN, SILVERBERG & ASSOCIATES
AUSTIN, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kaylen Silverberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	11%	Uterine factor	13%	Multiple Factors: Female factors only 22% Female & male factors 14%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	8%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	33%	Other factor	29%	
				Endometriosis	13%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,800
(includes 12 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	110	82	58	44	37
Percentage of cancellations before retrieval (%)	9.1	8.5	13.8	13.6	13.5
Number of transfers	69	43	23	15	12
Average number of embryos transferred	1.2	1.3	1.4	1.5	1.4
Percentage of elective single embryo transfers (eSET) (%)	47.6	30.0	0 / 9	0 / 6	4 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.2	24.4	17.2	15.9	10.8
Percentage of cycles resulting in live births (%)	33.6	23.2	10.3	13.6	5.4
Percentage of cycles resulting in singleton live births (%)	31.8	20.7	8.6	13.6	5.4
Percentage of cycles resulting in twin live births (%)	1.8	2.4	1.7	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.2	15.9	3.4	11.4	5.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.2	37.9	29.6	34.8	4 / 17
Percentage of transfers resulting in pregnancies (%)	60.9	46.5	43.5	7 / 15	4 / 12
Percentage of transfers resulting in live births (%)	53.6	44.2	26.1	6 / 15	2 / 12
Percentage of transfers resulting in singleton live births (%)	50.7	39.5	21.7	6 / 15	2 / 12
Percentage of transfers resulting in twin live births (%)	2.9	4.7	4.3	0 / 15	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.9	30.2	8.7	5 / 15	2 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	314	178	132	39	28
Number of transfers	278	162	107	32	25
Estimated average number of transfers per retrieval	1.1	0.9	0.9	0.5	0.5
Average number of embryos transferred	1.1	1.2	1.1	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	54.5	46.5	50.0	46.2	44.4
Percentage of transfers resulting in pregnancies (%)	57.6	54.9	57.0	56.3	60.0
Percentage of transfers resulting in live births (%)	49.3	48.1	47.7	40.6	40.0
Percentage of transfers resulting in singleton live births (%)	44.6	46.9	45.8	34.4	40.0
Percentage of transfers resulting in twin live births (%)	4.7	1.2	1.9	6.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	38.3	37.4	28.1	32.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	220	146	114	58	45
	23	17	19	0	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	31	23	124	5	
Number of transfers	30	17	109	3	
Average number of embryos transferred	1.1	1.3	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	68.8	47.6	48.3	2 / 3	
Percentage of transfers resulting in pregnancies (%)	76.7	11 / 17	52.3	2 / 3	
Percentage of transfers resulting in live births (%)	60.0	10 / 17	38.5	2 / 3	
Percentage of transfers resulting in singleton live births (%)	56.7	10 / 17	33.0	2 / 3	
Percentage of transfers resulting in twin live births (%)	3.3	0 / 17	5.5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.7	7 / 17	22.9	2 / 3	

CURRENT SERVICES & PROFILE

Current Name: Texas Fertility Center, Vaughn, Silverberg & Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

CENTER FOR ASSISTED REPRODUCTION BEDFORD, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin J. Doody, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	17%	Uterine factor	<1%	Multiple Factors: Female factors only 8% Female & male factors 18%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	24%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	13%	
				Endometriosis	6%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 658
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	75	40	16	10	6
Percentage of cancellations before retrieval (%)	2.7	12.5	5 / 16	4 / 10	2 / 6
Number of transfers	53	29	9	6	3
Average number of embryos transferred	1.1	1.3	1.8	1.8	1.0
Percentage of elective single embryo transfers (eSET) (%)	87.5	58.3	0 / 7	1 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.3	50.0	6 / 16	2 / 10	0 / 6
Percentage of cycles resulting in live births (%)	26.7	47.5	5 / 16	2 / 10	0 / 6
Percentage of cycles resulting in singleton live births (%)	25.3	37.5	2 / 16	1 / 10	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	7.5	3 / 16	1 / 10	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	32.5	2 / 16	1 / 10	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.4	66.7	8 / 14	3 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.5	69.0	6 / 9	2 / 6	0 / 3
Percentage of transfers resulting in live births (%)	37.7	65.5	5 / 9	2 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	35.8	51.7	2 / 9	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	0.0	10.3	3 / 9	1 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.3	44.8	2 / 9	1 / 6	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	164	85	44	12	3
Number of transfers	159	79	40	10	3
Estimated average number of transfers per retrieval	1.7	1.6	1.4	0.8	0.4
Average number of embryos transferred	1.2	1.4	1.4	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	53.5	27.9	32.0	9 / 15	1 / 5
Percentage of transfers resulting in pregnancies (%)	62.3	43.0	40.0	8 / 10	2 / 3
Percentage of transfers resulting in live births (%)	51.6	30.4	30.0	7 / 10	1 / 3
Percentage of transfers resulting in singleton live births (%)	46.5	27.8	25.0	6 / 10	1 / 3
Percentage of transfers resulting in twin live births (%)	5.0	2.5	5.0	1 / 10	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.6	20.3	17.5	5 / 10	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	70	38	25	8	8
	11	7	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	3	8	33	
Number of transfers	8	1	8	31	
Average number of embryos transferred	1.1	1.0	1.3	1.1	
Percentage of embryos transferred resulting in implantation (%)	6 / 9	0 / 1	8 / 10	55.9	
Percentage of transfers resulting in pregnancies (%)	6 / 8	0 / 1	6 / 8	58.1	
Percentage of transfers resulting in live births (%)	5 / 8	0 / 1	6 / 8	48.4	
Percentage of transfers resulting in singleton live births (%)	5 / 8	0 / 1	5 / 8	45.2	
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1	1 / 8	3.2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	0 / 1	5 / 8	38.7	

CURRENT SERVICES & PROFILE

Current Name: Center for Assisted Reproduction

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DALLAS-FORT WORTH FERTILITY ASSOCIATES DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel J. Chantilis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	43%	Tubal factor	12%	Uterine factor	10%	Multiple Factors: Female factors only 16% Female & male factors 26%
Unstimulated	<1%	PGD/PGS	26%	Ovulatory dysfunction	28%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	14%	
				Endometriosis	7%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,271
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	111	60	66	26	34
Percentage of cancellations before retrieval (%)	12.6	23.3	42.4	26.9	32.4
Number of transfers	67	30	23	11	10
Average number of embryos transferred	1.5	1.6	2.0	1.7	2.1
Percentage of elective single embryo transfers (eSET) (%)	48.3	30.4	0 / 19	0 / 8	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.9	20.0	13.6	15.4	2.9
Percentage of cycles resulting in live births (%)	25.2	16.7	9.1	3.8	0.0
Percentage of cycles resulting in singleton live births (%)	21.6	13.3	7.6	3.8	0.0
Percentage of cycles resulting in twin live births (%)	3.6	3.3	1.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.9	11.7	6.1	3.8	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.7	28.9	17.1	3 / 16	0 / 18
Percentage of transfers resulting in pregnancies (%)	46.3	40.0	39.1	4 / 11	1 / 10
Percentage of transfers resulting in live births (%)	41.8	33.3	26.1	1 / 11	0 / 10
Percentage of transfers resulting in singleton live births (%)	35.8	26.7	21.7	1 / 11	0 / 10
Percentage of transfers resulting in twin live births (%)	6.0	6.7	4.3	0 / 11	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	23.3	17.4	1 / 11	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	264	126	67	21	9
Number of transfers	262	124	64	20	9
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.5	0.3
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	54.0	56.9	52.8	44.0	6 / 13
Percentage of transfers resulting in pregnancies (%)	63.0	69.4	70.3	70.0	5 / 9
Percentage of transfers resulting in live births (%)	51.9	54.0	53.1	40.0	4 / 9
Percentage of transfers resulting in singleton live births (%)	46.6	47.6	48.4	40.0	3 / 9
Percentage of transfers resulting in twin live births (%)	5.3	6.5	4.7	0.0	1 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.8	45.2	45.3	40.0	3 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	162	106	71	37	23
	16	20	9	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	36	4	29	16	
Number of transfers	30	3	29	16	
Average number of embryos transferred	1.2	1.7	1.4	1.2	
Percentage of embryos transferred resulting in implantation (%)	55.9	2 / 5	48.7	10 / 18	
Percentage of transfers resulting in pregnancies (%)	63.3	2 / 3	58.6	10 / 16	
Percentage of transfers resulting in live births (%)	50.0	2 / 3	48.3	8 / 16	
Percentage of transfers resulting in singleton live births (%)	40.0	2 / 3	37.9	8 / 16	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 3	10.3	0 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	2 / 3	27.6	7 / 16	

CURRENT SERVICES & PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Orhan Bukulmez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	16%	Uterine factor	15%	Multiple Factors: Female factors only 15% Female & male factors 7%
Unstimulated	2%	PGD/PGS	29%	Ovulatory dysfunction	11%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	11%	
				Endometriosis	10%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 214
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	14	13	12	2
Percentage of cancellations before retrieval (%)	1 / 14	2 / 14	7 / 13	8 / 12	1 / 2
Number of transfers	5	2	0	1	0
Average number of embryos transferred	1.6	1.5		3.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 4	1 / 2		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 14	2 / 14	0 / 13	1 / 12	0 / 2
Percentage of cycles resulting in live births (%)	3 / 14	1 / 14	0 / 13	1 / 12	0 / 2
Percentage of cycles resulting in singleton live births (%)	2 / 14	1 / 14	0 / 13	1 / 12	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 14	0 / 13	0 / 12	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 14	1 / 14	0 / 13	1 / 12	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 8	2 / 3		1 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 2		1 / 1	
Percentage of transfers resulting in live births (%)	3 / 5	1 / 2		1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 2		1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	1 / 2		1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	20	11	5	4
Number of transfers	22	19	11	5	4
Estimated average number of transfers per retrieval	1.1	0.8	0.4	0.2	0.3
Average number of embryos transferred	1.3	1.4	1.2	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	57.7	55.6	8 / 13	4 / 6	1 / 6
Percentage of transfers resulting in pregnancies (%)	63.6	11 / 19	7 / 11	3 / 5	1 / 4
Percentage of transfers resulting in live births (%)	45.5	11 / 19	6 / 11	3 / 5	1 / 4
Percentage of transfers resulting in singleton live births (%)	36.4	7 / 19	6 / 11	2 / 5	1 / 4
Percentage of transfers resulting in twin live births (%)	9.1	4 / 19	0 / 11	1 / 5	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	6 / 19	5 / 11	2 / 5	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	21	27	22	12
	6	9	7	7	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF DALLAS DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by J. Michael Putman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	12%	Uterine factor	21%	Multiple Factors: Female factors only 19% Female & male factors 42%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	11%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	36%	
				Endometriosis	17%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 220
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	4	2	2	1
Percentage of cancellations before retrieval (%)	0.0	1 / 4	0 / 2	0 / 2	0 / 1
Number of transfers	17	2	2	2	1
Average number of embryos transferred	1.5	1.5	2.0	2.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 13	1 / 2	0 / 2	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.8	1 / 4	1 / 2	1 / 2	0 / 1
Percentage of cycles resulting in live births (%)	39.1	1 / 4	0 / 2	1 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.7	1 / 4	0 / 2	1 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	17.4	0 / 4	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.4	1 / 4	0 / 2	1 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	59.1	1 / 3	1 / 4	1 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	11 / 17	1 / 2	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	9 / 17	1 / 2	0 / 2	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 17	1 / 2	0 / 2	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 17	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 17	1 / 2	0 / 2	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	39	27	12	5	3
Number of transfers	38	24	11	5	2
Estimated average number of transfers per retrieval	0.9	1.0	0.6	0.5	0.5
Average number of embryos transferred	1.6	1.7	1.5	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	34.4	40.0	10 / 17	3 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	44.7	41.7	7 / 11	3 / 5	0 / 2
Percentage of transfers resulting in live births (%)	42.1	33.3	7 / 11	3 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.2	12.5	4 / 11	3 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	7.9	20.8	3 / 11	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.9	12.5	4 / 11	3 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	34	24	18	10	4
	18	10	11	9	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	9	0	
Number of transfers	1	0	7	0	
Average number of embryos transferred	2.0		1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 2		5 / 10		
Percentage of transfers resulting in pregnancies (%)	1 / 1		4 / 7		
Percentage of transfers resulting in live births (%)	1 / 1		3 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 1		3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		2 / 7		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Dallas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPROMED FERTILITY CENTER DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Anil B. Pinto, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	10%	Uterine factor	3%	Multiple Factors: Female factors only 20% Female & male factors 5%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	45%	Male factor	6%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	27%	
				Endometriosis	2%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 314
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	16	3	3	0
Percentage of cancellations before retrieval (%)	4.5	1 / 16	0 / 3	1 / 3	
Number of transfers	23	6	1	0	0
Average number of embryos transferred	1.9	2.0	3.0		
Percentage of elective single embryo transfers (eSET) (%)	13.0	0 / 6	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.1	6 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	31.8	6 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	20.5	5 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	11.4	1 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.4	3 / 16	0 / 3	0 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.3	7 / 12	0 / 3		
Percentage of transfers resulting in pregnancies (%)	65.2	6 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	60.9	6 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	39.1	5 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	21.7	1 / 6	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.7	3 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	62	26	11	16	4
Number of transfers	53	23	10	13	4
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.8	0.4
Average number of embryos transferred	1.7	1.7	2.4	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	38.8	51.5	20.8	15.0	2 / 6
Percentage of transfers resulting in pregnancies (%)	56.6	60.9	3 / 10	3 / 13	2 / 4
Percentage of transfers resulting in live births (%)	45.3	47.8	3 / 10	3 / 13	2 / 4
Percentage of transfers resulting in singleton live births (%)	34.0	26.1	1 / 10	3 / 13	2 / 4
Percentage of transfers resulting in twin live births (%)	11.3	17.4	2 / 10	0 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	17.0	21.7	1 / 10	2 / 13	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	32	21	16	17	9
	10	9	10	9	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	24	4	
Number of transfers	2	1	21	4	
Average number of embryos transferred	1.5	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	0 / 2	39.5	1 / 8	
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1	57.1	1 / 4	
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1	52.4	1 / 4	
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1	38.1	1 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1	14.3	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	0 / 1	28.6	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: ReproMed Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Walid A. Saleh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	18%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 13%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	14%	Male factor	24%	
Used gestational carrier	4%			Diminished ovarian reserve	45%	Other factor	9%	
				Endometriosis	3%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 217
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	52	30	16	14	3
Percentage of cancellations before retrieval (%)	3.8	0.0	1 / 16	2 / 14	0 / 3
Number of transfers	42	18	11	7	2
Average number of embryos transferred	1.8	1.8	2.0	2.1	1.5
Percentage of elective single embryo transfers (eSET) (%)	5.7	1 / 16	1 / 9	0 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.8	33.3	6 / 16	1 / 14	0 / 3
Percentage of cycles resulting in live births (%)	50.0	30.0	4 / 16	1 / 14	0 / 3
Percentage of cycles resulting in singleton live births (%)	40.4	16.7	4 / 16	1 / 14	0 / 3
Percentage of cycles resulting in twin live births (%)	9.6	13.3	0 / 16	0 / 14	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.8	13.3	3 / 16	1 / 14	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.6	41.9	31.8	1 / 15	0 / 3
Percentage of transfers resulting in pregnancies (%)	66.7	10 / 18	6 / 11	1 / 7	0 / 2
Percentage of transfers resulting in live births (%)	61.9	9 / 18	4 / 11	1 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	5 / 18	4 / 11	1 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	11.9	4 / 18	0 / 11	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	4 / 18	3 / 11	1 / 7	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	13	12	0	1
Number of transfers	23	13	11	0	1
Estimated average number of transfers per retrieval	1.6	1.2	1.4	0.0	0.5
Average number of embryos transferred	2.0	2.1	1.9		2.0
Percentage of embryos transferred resulting in implantation (%)	46.3	33.3	5 / 15		0 / 2
Percentage of transfers resulting in pregnancies (%)	65.2	8 / 13	7 / 11		0 / 1
Percentage of transfers resulting in live births (%)	52.2	6 / 13	3 / 11		0 / 1
Percentage of transfers resulting in singleton live births (%)	39.1	5 / 13	3 / 11		0 / 1
Percentage of transfers resulting in twin live births (%)	13.0	1 / 13	0 / 11		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.1	4 / 13	3 / 11		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	7	8	2	2
	2	1	2	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	1	16	0	
Number of transfers	7	1	14	0	
Average number of embryos transferred	1.9	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	8 / 13	2 / 2	41.7		
Percentage of transfers resulting in pregnancies (%)	6 / 7	1 / 1	8 / 14		
Percentage of transfers resulting in live births (%)	6 / 7	1 / 1	7 / 14		
Percentage of transfers resulting in singleton live births (%)	4 / 7	0 / 1	5 / 14		
Percentage of transfers resulting in twin live births (%)	2 / 7	1 / 1	2 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 7	0 / 1	5 / 14		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel P. Marynick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	12%	Multiple Factors: Female factors only 19% Female & male factors 31%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	12%	Male factor	48%	
Used gestational carrier	9%			Diminished ovarian reserve	54%	Other factor	34%	
				Endometriosis	9%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 80
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	16	13	6	2	1
Percentage of cancellations before retrieval (%)	0 / 16	1 / 13	0 / 6	0 / 2	0 / 1
Number of transfers	12	10	6	2	1
Average number of embryos transferred	1.9	1.9	1.7	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 8	0 / 4	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 16	6 / 13	5 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	6 / 16	5 / 13	4 / 6	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 16	2 / 13	4 / 6	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 16	3 / 13	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4 / 16	2 / 13	3 / 6	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.5	9 / 19	5 / 10	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 12	6 / 10	5 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 12	5 / 10	4 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 10	4 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 12	3 / 10	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 12	2 / 10	3 / 6	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	5	4	0	1
Number of transfers	16	4	4	0	1
Estimated average number of transfers per retrieval	2.0	1.3	1.3	0.0	1.0
Average number of embryos transferred	1.5	1.8	1.3		2.0
Percentage of embryos transferred resulting in implantation (%)	20.8	2 / 7	0 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	4 / 16	2 / 4	0 / 4		0 / 1
Percentage of transfers resulting in live births (%)	3 / 16	2 / 4	0 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 16	2 / 4	0 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 4	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 16	2 / 4	0 / 4		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	3	3	2	1
	0	1	1	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	1	0	
Number of transfers	2	0	1	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 4		0 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 2		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Texas Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA EL PASO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Luis S. Noble, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	92%	Tubal factor	21%	Uterine factor	3%	Multiple Factors: Female factors only 20% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	18%	
				Endometriosis	36%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 118
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	17	17	7	6
Percentage of cancellations before retrieval (%)	5.1	1 / 17	2 / 17	1 / 7	0 / 6
Number of transfers	30	15	15	6	6
Average number of embryos transferred	2.0	2.3	2.5	3.5	3.0
Percentage of elective single embryo transfers (eSET) (%)	7.1	1 / 15	0 / 14	0 / 6	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	48.7	7 / 17	4 / 17	0 / 7	0 / 6
Percentage of cycles resulting in live births (%)	46.2	5 / 17	3 / 17	0 / 7	0 / 6
Percentage of cycles resulting in singleton live births (%)	23.1	4 / 17	2 / 17	0 / 7	0 / 6
Percentage of cycles resulting in twin live births (%)	23.1	1 / 17	1 / 17	0 / 7	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.9	3 / 17	1 / 17	0 / 7	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.5	27.3	13.5	0.0	0 / 18
Percentage of transfers resulting in pregnancies (%)	63.3	7 / 15	4 / 15	0 / 6	0 / 6
Percentage of transfers resulting in live births (%)	60.0	5 / 15	3 / 15	0 / 6	0 / 6
Percentage of transfers resulting in singleton live births (%)	30.0	4 / 15	2 / 15	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	30.0	1 / 15	1 / 15	0 / 6	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.3	3 / 15	1 / 15	0 / 6	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	2	6	1	0
Number of transfers	23	2	6	1	0
Estimated average number of transfers per retrieval	2.3	1.0	6.0		
Average number of embryos transferred	2.0	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	1 / 4	2 / 11	2 / 2	
Percentage of transfers resulting in pregnancies (%)	56.5	1 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in live births (%)	43.5	1 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in singleton live births (%)	21.7	1 / 2	0 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	21.7	0 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.7	1 / 2	0 / 6	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROOKE ARMY MEDICAL CENTER FORT SAM HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rhiana D. Saunders, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	24%	Uterine factor	9%	Multiple Factors: Female factors only 11% Female & male factors 25%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	6%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 130
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	69	32	28	0	0
Percentage of cancellations before retrieval (%)	7.2	0.0	7.1		
Number of transfers	64	30	22	0	0
Average number of embryos transferred	1.6	2.0	2.5		
Percentage of elective single embryo transfers (eSET) (%)	31.7	6.9	0.0		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.9	43.8	46.4		
Percentage of cycles resulting in live births (%)	39.1	34.4	28.6		
Percentage of cycles resulting in singleton live births (%)	30.4	21.9	28.6		
Percentage of cycles resulting in twin live births (%)	8.7	12.5	0.0		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.3	15.6	25.0		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.7	28.3	26.9		
Percentage of transfers resulting in pregnancies (%)	48.4	46.7	59.1		
Percentage of transfers resulting in live births (%)	42.2	36.7	36.4		
Percentage of transfers resulting in singleton live births (%)	32.8	23.3	36.4		
Percentage of transfers resulting in twin live births (%)	9.4	13.3	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.9	16.7	31.8		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval	0.0				
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Brooke Army Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA FORT WORTH, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert A. Kaufmann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	10%	Uterine factor	1%	Multiple Factors: Female factors only 3% Female & male factors 5%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	3%	Male factor	31%	
Used gestational carrier	14%			Diminished ovarian reserve	17%	Other factor	16%	
				Endometriosis	4%	Unknown factor	28%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 662
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	144	41	33	14	9
Percentage of cancellations before retrieval (%)	3.5	4.9	9.1	1 / 14	3 / 9
Number of transfers	72	24	22	10	3
Average number of embryos transferred	1.8	1.6	1.6	1.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	16.9	4 / 18	0 / 14	0 / 7	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.7	14.6	18.2	0 / 14	0 / 9
Percentage of cycles resulting in live births (%)	22.2	14.6	15.2	0 / 14	0 / 9
Percentage of cycles resulting in singleton live births (%)	13.2	14.6	9.1	0 / 14	0 / 9
Percentage of cycles resulting in twin live births (%)	8.3	0.0	3.0	0 / 14	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	9.8	9.1	0 / 14	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.7	15.8	27.8	0 / 18	0 / 5
Percentage of transfers resulting in pregnancies (%)	51.4	25.0	27.3	0 / 10	0 / 3
Percentage of transfers resulting in live births (%)	44.4	25.0	22.7	0 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)	26.4	25.0	13.6	0 / 10	0 / 3
Percentage of transfers resulting in twin live births (%)	16.7	0.0	4.5	0 / 10	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.2	16.7	13.6	0 / 10	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	164	42	20	8	1
Number of transfers	162	39	18	7	0
Estimated average number of transfers per retrieval	1.5	1.3	1.3	1.0	0.0
Average number of embryos transferred	1.7	1.7	1.6	1.6	
Percentage of embryos transferred resulting in implantation (%)	35.1	24.2	32.1	4 / 11	
Percentage of transfers resulting in pregnancies (%)	43.8	30.8	9 / 18	3 / 7	
Percentage of transfers resulting in live births (%)	40.1	23.1	9 / 18	2 / 7	
Percentage of transfers resulting in singleton live births (%)	27.8	15.4	9 / 18	1 / 7	
Percentage of transfers resulting in twin live births (%)	11.7	7.7	0 / 18	1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.6	12.8	7 / 18	1 / 7	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	10	7	6	9
	5	2	1	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	34	2	69	11	
Number of transfers	21	2	66	11	
Average number of embryos transferred	1.8	3.5	1.7	1.9	
Percentage of embryos transferred resulting in implantation (%)	44.7	2 / 7	33.6	52.4	
Percentage of transfers resulting in pregnancies (%)	57.1	2 / 2	42.4	8 / 11	
Percentage of transfers resulting in live births (%)	52.4	1 / 2	36.4	6 / 11	
Percentage of transfers resulting in singleton live births (%)	38.1	1 / 2	24.2	4 / 11	
Percentage of transfers resulting in twin live births (%)	14.3	0 / 2	12.1	2 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.0	0 / 2	22.7	4 / 11	

CURRENT SERVICES & PROFILE

Current Name: Fort Worth Fertility, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

DALLAS IVF FRISCO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brian D. Barnett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 15%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	16%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	10%	
				Endometriosis	6%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 978
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	122	41	45	37	23
Percentage of cancellations before retrieval (%)	9.8	14.6	28.9	29.7	30.4
Number of transfers	69	24	19	17	8
Average number of embryos transferred	1.5	1.6	1.7	1.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	35.1	2 / 16	1 / 14	0 / 9	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.8	34.1	15.6	10.8	4.3
Percentage of cycles resulting in live births (%)	28.7	26.8	11.1	2.7	4.3
Percentage of cycles resulting in singleton live births (%)	22.1	22.0	4.4	2.7	0.0
Percentage of cycles resulting in twin live births (%)	6.6	4.9	6.7	0.0	4.3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.0	14.6	2.2	2.7	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.0	40.5	28.1	7.7	2 / 14
Percentage of transfers resulting in pregnancies (%)	58.0	58.3	7 / 19	4 / 17	1 / 8
Percentage of transfers resulting in live births (%)	50.7	45.8	5 / 19	1 / 17	1 / 8
Percentage of transfers resulting in singleton live births (%)	39.1	37.5	2 / 19	1 / 17	0 / 8
Percentage of transfers resulting in twin live births (%)	11.6	8.3	3 / 19	0 / 17	1 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.9	25.0	1 / 19	1 / 17	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	218	90	45	22	7
Number of transfers	209	88	43	22	7
Estimated average number of transfers per retrieval	1.3	1.4	0.8	0.8	0.6
Average number of embryos transferred	1.3	1.4	1.5	1.5	1.1
Percentage of embryos transferred resulting in implantation (%)	50.0	46.9	55.7	34.4	6 / 7
Percentage of transfers resulting in pregnancies (%)	58.9	58.0	65.1	36.4	5 / 7
Percentage of transfers resulting in live births (%)	48.3	47.7	53.5	27.3	4 / 7
Percentage of transfers resulting in singleton live births (%)	40.7	38.6	34.9	13.6	2 / 7
Percentage of transfers resulting in twin live births (%)	7.7	9.1	18.6	13.6	2 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.9	30.7	34.9	9.1	1 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	125	55	43	23	9
	6	7	1	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	2	43	16	
Number of transfers	2	2	41	16	
Average number of embryos transferred	1.5	1.5	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	0 / 3	53.7	31.8	
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 2	61.0	6 / 16	
Percentage of transfers resulting in live births (%)	2 / 2	0 / 2	58.5	5 / 16	
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 2	46.3	3 / 16	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	12.2	2 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 2	0 / 2	31.7	3 / 16	

CURRENT SERVICES & PROFILE

Current Name: Dallas IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF TEXAS, PLLC FRISCO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jerald S. Goldstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	19%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 20%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	20%	Male factor	37%	
Used gestational carrier	5%			Diminished ovarian reserve	20%	Other factor	18%	
				Endometriosis	6%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 988
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	36	29	10	13
Percentage of cancellations before retrieval (%)	0.0	2.8	3.4	0 / 10	0 / 13
Number of transfers	39	32	26	9	9
Average number of embryos transferred	1.7	1.9	2.0	2.9	3.7
Percentage of elective single embryo transfers (eSET) (%)	18.2	3.8	0.0	0 / 8	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.5	36.1	20.7	4 / 10	1 / 13
Percentage of cycles resulting in live births (%)	39.5	36.1	17.2	2 / 10	0 / 13
Percentage of cycles resulting in singleton live births (%)	37.2	30.6	10.3	2 / 10	0 / 13
Percentage of cycles resulting in twin live births (%)	2.3	5.6	6.9	0 / 10	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.9	27.8	6.9	1 / 10	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.9	26.7	15.7	13.6	0.0
Percentage of transfers resulting in pregnancies (%)	43.6	40.6	23.1	4 / 9	1 / 9
Percentage of transfers resulting in live births (%)	43.6	40.6	19.2	2 / 9	0 / 9
Percentage of transfers resulting in singleton live births (%)	41.0	34.4	11.5	2 / 9	0 / 9
Percentage of transfers resulting in twin live births (%)	2.6	6.3	7.7	0 / 9	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.5	31.3	7.7	1 / 9	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	217	71	41	20	2
Number of transfers	215	70	41	20	2
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.6	0.1
Average number of embryos transferred	1.5	1.5	1.4	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	62.1	58.4	51.9	35.3	1 / 3
Percentage of transfers resulting in pregnancies (%)	73.0	67.1	68.3	55.0	1 / 2
Percentage of transfers resulting in live births (%)	60.0	55.7	51.2	50.0	1 / 2
Percentage of transfers resulting in singleton live births (%)	44.2	37.1	46.3	40.0	1 / 2
Percentage of transfers resulting in twin live births (%)	15.3	18.6	4.9	10.0	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.2	32.9	34.1	40.0	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	253	81	70	33	14
	30	17	13	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	37	1	
Number of transfers	13	0	36	1	
Average number of embryos transferred	1.6		1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	66.7		60.4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 13		75.0	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 13		61.1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 13		47.2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5 / 13		13.9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13		22.2	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE FRISCO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rinku V. Mehta, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 17%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	16%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	8%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 330
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	14	10	6	2
Percentage of cancellations before retrieval (%)	10.7	2 / 14	3 / 10	1 / 6	1 / 2
Number of transfers	5	4	4	3	0
Average number of embryos transferred	1.2	1.3	1.8	1.7	
Percentage of elective single embryo transfers (eSET) (%)	3 / 4	2 / 3	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3.6	3 / 14	1 / 10	1 / 6	0 / 2
Percentage of cycles resulting in live births (%)	3.6	2 / 14	1 / 10	1 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	3.6	2 / 14	0 / 10	1 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	1 / 10	0 / 6	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3.6	2 / 14	0 / 10	0 / 6	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 6	3 / 5	2 / 7	1 / 5	
Percentage of transfers resulting in pregnancies (%)	1 / 5	3 / 4	1 / 4	1 / 3	
Percentage of transfers resulting in live births (%)	1 / 5	2 / 4	1 / 4	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 4	0 / 4	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	1 / 4	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	2 / 4	0 / 4	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	94	31	18	7	2
Number of transfers	94	31	18	7	2
Estimated average number of transfers per retrieval	1.2	1.1	1.0	1.8	2.0
Average number of embryos transferred	1.2	1.2	1.2	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	67.5	52.6	7 / 19	4 / 9	1 / 3
Percentage of transfers resulting in pregnancies (%)	73.4	61.3	9 / 18	4 / 7	1 / 2
Percentage of transfers resulting in live births (%)	66.0	58.1	6 / 18	2 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	61.7	54.8	6 / 18	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	4.3	3.2	0 / 18	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	52.1	32.3	5 / 18	1 / 7	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	59	25	16	4	1
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	2	4	3	
Number of transfers	4	1	3	3	
Average number of embryos transferred	1.3	1.0	1.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	0 / 4	1 / 1	3 / 3	2 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 4	1 / 1	3 / 3	3 / 3	
Percentage of transfers resulting in live births (%)	0 / 4	0 / 1	3 / 3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 1	3 / 3	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 1	3 / 3	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF TEXAS HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael A. Allon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	92%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 20% Female & male factors 18%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	21%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	25%	
				Endometriosis	13%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 329
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	59	26	24	10	5
Number of transfers	57	26	24	10	5
Estimated average number of transfers per retrieval	1.0	0.6	0.7	0.5	0.3
Average number of embryos transferred	1.8	1.8	2.0	1.8	2.4
Percentage of embryos transferred resulting in implantation (%)	62.4	40.5	39.0	4 / 13	0 / 12
Percentage of transfers resulting in pregnancies (%)	80.7	73.1	70.8	7 / 10	0 / 5
Percentage of transfers resulting in live births (%)	66.7	46.2	50.0	3 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	42.1	42.3	37.5	3 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	24.6	3.8	12.5	0 / 10	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	26.9	29.2	1 / 10	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	60	46	33	20	18
	1	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	0	22	0	
Number of transfers	6	0	22	0	
Average number of embryos transferred	1.7		1.8		
Percentage of embryos transferred resulting in implantation (%)	8 / 10		21.1		
Percentage of transfers resulting in pregnancies (%)	6 / 6		31.8		
Percentage of transfers resulting in live births (%)	6 / 6		27.3		
Percentage of transfers resulting in singleton live births (%)	4 / 6		18.2		
Percentage of transfers resulting in twin live births (%)	2 / 6		9.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		4.5		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Texas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASPIRE FERTILITY-HOUSTON HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Barbara Stegmann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	19%	Uterine factor	8%	Multiple Factors: Female factors only 6% Female & male factors 6%
Unstimulated	0%	PGD/PGS	40%	Ovulatory dysfunction	0%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	32%	
				Endometriosis	6%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 101
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	11	6	6	5	0
Percentage of cancellations before retrieval (%)	3 / 11	1 / 6	1 / 6	2 / 5	
Number of transfers	4	2	0	0	0
Average number of embryos transferred	1.3	1.5			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 11	1 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in live births (%)	1 / 11	1 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in singleton live births (%)	1 / 11	1 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 11	0 / 6	0 / 6	0 / 5	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	1 / 3			
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 2			
Percentage of transfers resulting in live births (%)	1 / 4	1 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	7	1	2	0
Number of transfers	8	7	1	2	0
Estimated average number of transfers per retrieval	0.3	0.6	0.2	0.2	0.0
Average number of embryos transferred	1.1	1.1	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 9	4 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	3 / 8	5 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in live births (%)	3 / 8	4 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 8	4 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	3 / 7	0 / 1	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	10	6	8	3
	4	0	2	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	2	2	0	
Number of transfers	1	0	2	0	
Average number of embryos transferred	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1		1 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 2		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Aspire Fertility-Houston

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by C. James Chuong, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	30%	Uterine factor	25%	Multiple Factors: Female factors only 27% Female & male factors 22%
Unstimulated	2%	PGD/PGS	17%	Ovulatory dysfunction	22%	Male factor	25%	
Used gestational carrier	9%			Diminished ovarian reserve	39%	Other factor	19%	
				Endometriosis	5%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 120
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	5	10	3	3
Percentage of cancellations before retrieval (%)	4.5	0 / 5	2 / 10	1 / 3	1 / 3
Number of transfers	16	4	5	1	2
Average number of embryos transferred	2.4	2.8	2.8	4.0	3.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 14	0 / 4	0 / 5	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.7	0 / 5	2 / 10	0 / 3	1 / 3
Percentage of cycles resulting in live births (%)	22.7	0 / 5	1 / 10	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	9.1	0 / 5	0 / 10	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	13.6	0 / 5	0 / 10	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.1	0 / 5	0 / 10	0 / 3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	23.7	0 / 11	3 / 11	0 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 16	0 / 4	2 / 5	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	5 / 16	0 / 4	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 16	0 / 4	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 16	0 / 4	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 16	0 / 4	0 / 5	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	6	4	2	4
Number of transfers	9	6	4	2	1
Estimated average number of transfers per retrieval	1.3	2.0	0.8	0.3	0.1
Average number of embryos transferred	2.2	2.2	1.8	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	30.0	2 / 13	1 / 7	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 9	2 / 6	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	4 / 9	2 / 6	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 9	2 / 6	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 6	1 / 4	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	2	4	6	11
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	1	14	1	
Number of transfers	5	0	11	1	
Average number of embryos transferred	2.0		2.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 10		18.5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	4 / 5		4 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 5		3 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 5		2 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 5		1 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5		2 / 11	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William E. Gibbons, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	57%	Tubal factor	8%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 11%
Unstimulated	0%	PGD/PGS	36%	Ovulatory dysfunction	21%	Male factor	31%	
Used gestational carrier	4%			Diminished ovarian reserve	22%	Other factor	22%	
				Endometriosis	8%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 345
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	50	23	17	7	11
Percentage of cancellations before retrieval (%)	8.0	17.4	4 / 17	2 / 7	3 / 11
Number of transfers	25	10	10	3	6
Average number of embryos transferred	1.4	1.5	1.8	1.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 4	1 / 7		1 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.0	30.4	5 / 17	1 / 7	3 / 11
Percentage of cycles resulting in live births (%)	14.0	30.4	5 / 17	1 / 7	3 / 11
Percentage of cycles resulting in singleton live births (%)	12.0	26.1	4 / 17	1 / 7	3 / 11
Percentage of cycles resulting in twin live births (%)	2.0	4.3	1 / 17	0 / 7	0 / 11
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.0	21.7	3 / 17	1 / 7	2 / 11
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.5	8 / 15	6 / 18	1 / 3	3 / 10
Percentage of transfers resulting in pregnancies (%)	28.0	7 / 10	5 / 10	1 / 3	3 / 6
Percentage of transfers resulting in live births (%)	28.0	7 / 10	5 / 10	1 / 3	3 / 6
Percentage of transfers resulting in singleton live births (%)	24.0	6 / 10	4 / 10	1 / 3	3 / 6
Percentage of transfers resulting in twin live births (%)	4.0	1 / 10	1 / 10	0 / 3	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	5 / 10	3 / 10	1 / 3	2 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	54	19	12	5	3
Number of transfers	49	17	12	3	3
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.3
Average number of embryos transferred	1.2	1.2	1.2	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	59.6	6 / 19	6 / 14	3 / 4	1 / 2
Percentage of transfers resulting in pregnancies (%)	61.2	7 / 17	6 / 12	2 / 3	1 / 3
Percentage of transfers resulting in live births (%)	44.9	4 / 17	5 / 12	2 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	36.7	4 / 17	5 / 12	1 / 3	1 / 3
Percentage of transfers resulting in twin live births (%)	6.1	0 / 17	0 / 12	1 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.7	2 / 17	4 / 12	1 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	67	27	23	8	9
	12	4	2	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	7	0	
Number of transfers	0	1	7	0	
Average number of embryos transferred		1.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		0 / 1	4 / 9		
Percentage of transfers resulting in pregnancies (%)		0 / 1	4 / 7		
Percentage of transfers resulting in live births (%)		0 / 1	3 / 7		
Percentage of transfers resulting in singleton live births (%)		0 / 1	3 / 7		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	3 / 7		

CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE HEARD CLINIC HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael J. Heard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	9%	Uterine factor	19%	Multiple Factors: Female factors only 28% Female & male factors 38%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	47%	Male factor	44%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	47%	
				Endometriosis	13%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 37
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	9	5	1	1
Percentage of cancellations before retrieval (%)	0 / 7	1 / 9	0 / 5	0 / 1	0 / 1
Number of transfers	4	6	3	1	0
Average number of embryos transferred	2.0	1.8	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 5	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 7	2 / 9	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	3 / 7	2 / 9	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 7	0 / 9	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 7	2 / 9	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 9	0 / 5	0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 8	4 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 4	2 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 4	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 4	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 4	0 / 6	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	2	0	0	0
Number of transfers	2	2	0	0	0
Estimated average number of transfers per retrieval	0.7	1.0	0.0		0.0
Average number of embryos transferred	1.5	1.5			
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 3			
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 2			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	1	1	0	1
	2	1	1	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	1	1	
Number of transfers	2	0	1	1	
Average number of embryos transferred	1.5		2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 3		2 / 2	1 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 2		1 / 1	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 2		1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2		0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		0 / 1	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: The Heard Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ghassan F. Haddad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	28%	Uterine factor	53%	Multiple Factors: Female factors only 33% Female & male factors 54%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	39%	Male factor	57%	
Used gestational carrier	3%			Diminished ovarian reserve	36%	Other factor	43%	
				Endometriosis	10%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,718
(includes 23 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	397	120	82	33	40
Percentage of cancellations before retrieval (%)	3.8	5.8	9.8	15.2	12.5
Number of transfers	95	30	19	13	6
Average number of embryos transferred	1.5	1.7	1.8	2.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	48.8	14.3	0 / 15	0 / 10	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	15.4	10.8	4.9	9.1	0.0
Percentage of cycles resulting in live births (%)	13.1	7.5	4.9	6.1	0.0
Percentage of cycles resulting in singleton live births (%)	10.8	5.8	3.7	3.0	0.0
Percentage of cycles resulting in twin live births (%)	2.3	1.7	1.2	3.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.1	5.8	3.7	3.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.8	28.6	14.7	15.4	0 / 10
Percentage of transfers resulting in pregnancies (%)	64.2	43.3	4 / 19	3 / 13	0 / 6
Percentage of transfers resulting in live births (%)	54.7	30.0	4 / 19	2 / 13	0 / 6
Percentage of transfers resulting in singleton live births (%)	45.3	23.3	3 / 19	1 / 13	0 / 6
Percentage of transfers resulting in twin live births (%)	9.5	6.7	1 / 19	1 / 13	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	23.3	3 / 19	1 / 13	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	937	373	222	87	31
Number of transfers	882	346	211	79	29
Estimated average number of transfers per retrieval	1.2	1.2	0.8	0.7	0.4
Average number of embryos transferred	1.6	1.6	1.5	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	48.8	53.7	44.7	38.3	13.0
Percentage of transfers resulting in pregnancies (%)	61.1	66.8	58.8	50.6	24.1
Percentage of transfers resulting in live births (%)	50.5	52.9	46.0	44.3	20.7
Percentage of transfers resulting in singleton live births (%)	37.2	38.7	39.3	35.4	20.7
Percentage of transfers resulting in twin live births (%)	13.0	13.3	6.6	8.9	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.1	32.7	27.5	27.8	17.2
Number of Egg or Embryo Banking Cycles					
	453	229	205	97	68
Number of fertility preservation cycles	99	32	36	11	13
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	25	112	176	8	
Number of transfers	20	87	164	7	
Average number of embryos transferred	1.7	1.7	1.6	1.4	
Percentage of embryos transferred resulting in implantation (%)	45.2	54.1	39.0	6 / 10	
Percentage of transfers resulting in pregnancies (%)	60.0	66.7	53.0	6 / 7	
Percentage of transfers resulting in live births (%)	50.0	58.6	42.1	6 / 7	
Percentage of transfers resulting in singleton live births (%)	45.0	34.5	34.8	6 / 7	
Percentage of transfers resulting in twin live births (%)	5.0	23.0	6.7	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	23.0	26.2	4 / 7	

CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY SPECIALISTS HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George M. Grunert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	15%	Uterine factor	11%	Multiple Factors: Female factors only 28% Female & male factors 26%
Unstimulated	0%	PGD/PGS	66%	Ovulatory dysfunction	24%	Male factor	31%	
Used gestational carrier	3%			Diminished ovarian reserve	35%	Other factor	38%	
				Endometriosis	17%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,450
(includes 11 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	53	21	27	13	5
Percentage of cancellations before retrieval (%)	20.8	38.1	51.9	6 / 13	2 / 5
Number of transfers	31	8	4	1	0
Average number of embryos transferred	1.1	1.4	1.5	2.0	
Percentage of elective single embryo transfers (eSET) (%)	84.0	4 / 7	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.0	14.3	3.7	0 / 13	0 / 5
Percentage of cycles resulting in live births (%)	17.0	14.3	3.7	0 / 13	0 / 5
Percentage of cycles resulting in singleton live births (%)	13.2	14.3	3.7	0 / 13	0 / 5
Percentage of cycles resulting in twin live births (%)	3.8	0.0	0.0	0 / 13	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.2	4.8	3.7	0 / 13	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.4	3 / 11	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	29.0	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	29.0	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.6	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.5	0 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.6	1 / 8	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	304	171	103	41	23
Number of transfers	285	158	90	32	21
Estimated average number of transfers per retrieval	1.1	1.1	0.8	0.6	0.5
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	53.8	44.1	49.5	38.9	29.2
Percentage of transfers resulting in pregnancies (%)	59.3	51.3	58.9	40.6	38.1
Percentage of transfers resulting in live births (%)	48.4	41.1	45.6	37.5	23.8
Percentage of transfers resulting in singleton live births (%)	43.9	38.0	44.4	37.5	23.8
Percentage of transfers resulting in twin live births (%)	4.6	3.2	1.1	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	34.8	40.0	31.3	19.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	244	133	102	51	44
	14	11	5	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	12	83	2	
Number of transfers	4	2	76	1	
Average number of embryos transferred	1.8	1.5	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	1 / 3	42.5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 2	47.4	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4	1 / 2	38.2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4	1 / 2	35.5	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2	2.6	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	1 / 2	23.7	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HOUSTON INFERTILITY CLINIC
SONJA KRISTIANSEN, MD
HOUSTON, TEXAS**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

HOUSTON IVF HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Timothy N Hickman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 18% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	21%	Ovulatory dysfunction	13%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	40%	Other factor	27%	
				Endometriosis	5%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 942
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	167	100	79	30	14
Percentage of cancellations before retrieval (%)	2.4	4.0	6.3	13.3	1 / 14
Number of transfers	152	91	65	21	10
Average number of embryos transferred	1.7	1.9	2.3	2.2	2.3
Percentage of elective single embryo transfers (eSET) (%)	22.4	4.9	1.7	0 / 16	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.7	50.0	30.4	13.3	0 / 14
Percentage of cycles resulting in live births (%)	40.7	41.0	20.3	6.7	0 / 14
Percentage of cycles resulting in singleton live births (%)	25.1	30.0	16.5	6.7	0 / 14
Percentage of cycles resulting in twin live births (%)	15.0	11.0	3.8	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.2	20.0	13.9	6.7	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.0	35.1	17.5	10.6	0.0
Percentage of transfers resulting in pregnancies (%)	51.3	54.9	36.9	19.0	0 / 10
Percentage of transfers resulting in live births (%)	44.7	45.1	24.6	9.5	0 / 10
Percentage of transfers resulting in singleton live births (%)	27.6	33.0	20.0	9.5	0 / 10
Percentage of transfers resulting in twin live births (%)	16.4	12.1	4.6	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.3	22.0	16.9	9.5	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	115	73	74	14	3
Number of transfers	112	72	72	12	2
Estimated average number of transfers per retrieval	1.2	1.0	1.0	0.5	0.1
Average number of embryos transferred	1.7	1.4	1.5	1.7	1.5
Percentage of embryos transferred resulting in implantation (%)	45.6	44.2	45.9	5 / 17	1 / 3
Percentage of transfers resulting in pregnancies (%)	58.9	55.6	59.7	6 / 12	1 / 2
Percentage of transfers resulting in live births (%)	51.8	44.4	45.8	4 / 12	1 / 2
Percentage of transfers resulting in singleton live births (%)	34.8	34.7	37.5	4 / 12	1 / 2
Percentage of transfers resulting in twin live births (%)	17.0	9.7	8.3	0 / 12	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.5	31.9	29.2	4 / 12	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	57	59	64	23	14
	18	16	13	10	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	29	0	25	0	
Number of transfers	29	0	23	0	
Average number of embryos transferred	1.8		1.7		
Percentage of embryos transferred resulting in implantation (%)	69.4		40.0		
Percentage of transfers resulting in pregnancies (%)	89.7		56.5		
Percentage of transfers resulting in live births (%)	69.0		39.1		
Percentage of transfers resulting in singleton live births (%)	37.9		30.4		
Percentage of transfers resulting in twin live births (%)	31.0		8.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.7		26.1		

CURRENT SERVICES & PROFILE

Current Name: Houston IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVFMD IRVING, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Sy Q. Le, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 14% Female & male factors 16%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	11%	Male factor	33%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	25%	
				Endometriosis	9%	Unknown factor	5%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 552 (includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		121	32	25	4	7
Percentage of cancellations before retrieval (%)		1.7	0.0	4.0	1 / 4	0 / 7
Number of transfers		89	29	18	1	3
Average number of embryos transferred		1.6	1.8	1.9	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)		31.6	11.1	0 / 15	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		44.6	40.6	36.0	0 / 4	0 / 7
Percentage of cycles resulting in live births (%)		37.2	37.5	32.0	0 / 4	0 / 7
Percentage of cycles resulting in singleton live births (%)		28.9	18.8	20.0	0 / 4	0 / 7
Percentage of cycles resulting in twin live births (%)		8.3	18.8	12.0	0 / 4	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		24.0	12.5	20.0	0 / 4	0 / 7
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		46.7	37.3	37.5	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)		60.7	44.8	9 / 18	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)		50.6	41.4	8 / 18	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)		39.3	20.7	5 / 18	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)		11.2	20.7	3 / 18	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		32.6	13.8	5 / 18	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles		114	54	31	12	9
Number of transfers		102	44	26	10	6
Estimated average number of transfers per retrieval		1.5	1.5	0.9	0.9	0.9
Average number of embryos transferred		1.4	1.3	1.7	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)		38.3	45.3	22.2	5 / 14	1 / 9
Percentage of transfers resulting in pregnancies (%)		52.0	56.8	46.2	5 / 10	1 / 6
Percentage of transfers resulting in live births (%)		41.2	45.5	30.8	4 / 10	1 / 6
Percentage of transfers resulting in singleton live births (%)		36.3	40.9	30.8	4 / 10	1 / 6
Percentage of transfers resulting in twin live births (%)		4.9	4.5	0.0	0 / 10	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		30.4	36.4	19.2	3 / 10	0 / 6
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		33	23	15	10	6
		4	4	2	2	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		14	0	37	1	
Number of transfers		11	0	27	1	
Average number of embryos transferred		1.8		1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)		30.0		48.7	1 / 1	
Percentage of transfers resulting in pregnancies (%)		4 / 11		59.3	1 / 1	
Percentage of transfers resulting in live births (%)		4 / 11		51.9	1 / 1	
Percentage of transfers resulting in singleton live births (%)		2 / 11		40.7	1 / 1	
Percentage of transfers resulting in twin live births (%)		2 / 11		11.1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 11		29.6	0 / 1	

CURRENT SERVICES & PROFILE		Current Name: IVFMD					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Janelle O. Dorsett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	13%	Tubal factor	38%	Uterine factor	4%	Multiple Factors: Female factors only 33% Female & male factors 38%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	33%	
				Endometriosis	19%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 113
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	37	14	15	4	1
Percentage of cancellations before retrieval (%)	0.0	1 / 14	1 / 15	0 / 4	0 / 1
Number of transfers	29	10	10	3	1
Average number of embryos transferred	1.7	1.7	1.8	1.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	16.7	0 / 7	0 / 8	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.9	4 / 14	3 / 15	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	43.2	4 / 14	2 / 15	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	37.8	3 / 14	2 / 15	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	5.4	1 / 14	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.7	3 / 14	2 / 15	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.8	5 / 17	4 / 18	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	58.6	4 / 10	3 / 10	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	55.2	4 / 10	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	48.3	3 / 10	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	6.9	1 / 10	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	3 / 10	2 / 10	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	4	3	0	1
Number of transfers	23	3	3	0	1
Estimated average number of transfers per retrieval	2.6	1.0	1.0		
Average number of embryos transferred	1.4	1.7	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	57.6	3 / 5	1 / 6		1 / 1
Percentage of transfers resulting in pregnancies (%)	78.3	2 / 3	1 / 3		1 / 1
Percentage of transfers resulting in live births (%)	65.2	2 / 3	0 / 3		1 / 1
Percentage of transfers resulting in singleton live births (%)	60.9	2 / 3	0 / 3		1 / 1
Percentage of transfers resulting in twin live births (%)	4.3	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	56.5	1 / 3	0 / 3		1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	0	6	
Number of transfers	3	0	0	6	
Average number of embryos transferred	2.0			1.8	
Percentage of embryos transferred resulting in implantation (%)	1 / 6			6 / 11	
Percentage of transfers resulting in pregnancies (%)	1 / 3			4 / 6	
Percentage of transfers resulting in live births (%)	1 / 3			4 / 6	
Percentage of transfers resulting in singleton live births (%)	1 / 3			2 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 3			2 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3			1 / 6	

CURRENT SERVICES & PROFILE

Current Name: The Centre for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY
LUBBOCK, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jaou-Chen Huang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 11%
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	14%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	9%	
				Endometriosis	27%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 169
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	11	9	0	1
Percentage of cancellations before retrieval (%)	3.3	1 / 11	2 / 9		0 / 1
Number of transfers	25	8	5	0	1
Average number of embryos transferred	1.9	2.1	2.0		1.0
Percentage of elective single embryo transfers (eSET) (%)	12.0	0 / 8	0 / 5		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.7	1 / 11	2 / 9		0 / 1
Percentage of cycles resulting in live births (%)	46.7	1 / 11	2 / 9		0 / 1
Percentage of cycles resulting in singleton live births (%)	40.0	1 / 11	2 / 9		0 / 1
Percentage of cycles resulting in twin live births (%)	6.7	0 / 11	0 / 9		0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	36.7	1 / 11	2 / 9		0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.2	1 / 17	2 / 10		0 / 1
Percentage of transfers resulting in pregnancies (%)	56.0	1 / 8	2 / 5		0 / 1
Percentage of transfers resulting in live births (%)	56.0	1 / 8	2 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	48.0	1 / 8	2 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	8.0	0 / 8	0 / 5		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.0	1 / 8	2 / 5		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	17	8	1	1
Number of transfers	39	16	7	1	1
Estimated average number of transfers per retrieval	1.7	0.8	0.7	1.0	
Average number of embryos transferred	1.6	1.4	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	19.4	27.3	2 / 11	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	25.6	5 / 16	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	23.1	4 / 16	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	17.9	3 / 16	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.1	1 / 16	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.4	3 / 16	0 / 7	0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	11	10	0	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	2	9	1	
Number of transfers	0	2	7	1	
Average number of embryos transferred		2.0	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)		3 / 4	3 / 10	1 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 2	3 / 7	1 / 1	
Percentage of transfers resulting in live births (%)		1 / 2	3 / 7	1 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 2	3 / 7	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2	3 / 7	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Texas Tech University Health Sciences Center,
Center for Fertility and Reproductive Surgery

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS McALLEN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Esteban O. Brown, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	93%	Tubal factor	37%	Uterine factor	28%	Multiple Factors: Female factors only 30% Female & male factors 39%
Unstimulated	2%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	55%	
Used gestational carrier	2%			Diminished ovarian reserve	18%	Other factor	39%	
				Endometriosis	6%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 178
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	26	21	13	3
Percentage of cancellations before retrieval (%)	2.6	7.7	9.5	1 / 13	1 / 3
Number of transfers	24	19	14	11	1
Average number of embryos transferred	1.5	2.0	1.6	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 19	0 / 17	1 / 10	0 / 9	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.8	23.1	23.8	5 / 13	0 / 3
Percentage of cycles resulting in live births (%)	17.9	7.7	14.3	1 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	15.4	3.8	9.5	0 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	2.6	3.8	4.8	1 / 13	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.8	0.0	4.8	0 / 13	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.7	21.1	23.8	5 / 19	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 19	5 / 14	5 / 11	0 / 1
Percentage of transfers resulting in live births (%)	29.2	2 / 19	3 / 14	1 / 11	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 19	2 / 14	0 / 11	0 / 1
Percentage of transfers resulting in twin live births (%)	4.2	1 / 19	1 / 14	1 / 11	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.8	0 / 19	1 / 14	0 / 11	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	14	8	2	0
Number of transfers	33	13	4	2	0
Estimated average number of transfers per retrieval	2.8	3.3	1.0	2.0	
Average number of embryos transferred	1.5	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	51.0	35.0	0 / 6	1 / 4	
Percentage of transfers resulting in pregnancies (%)	63.6	7 / 13	0 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	48.5	7 / 13	0 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	39.4	7 / 13	0 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 13	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.2	6 / 13	0 / 4	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	3	2	
Number of transfers	2	0	3	2	
Average number of embryos transferred	1.0		1.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		4 / 5	3 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 2		3 / 3	2 / 2	
Percentage of transfers resulting in live births (%)	1 / 2		2 / 3	2 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2		1 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 3	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		1 / 3	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Institute of South Texas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTERS, PLLC ODESSA, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Botros Rizk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	91%	Tubal factor	36%	Uterine factor	0%	Multiple Factors: Female factors only 46% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	46%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	46%	
				Endometriosis	27%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 11
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	2	0	1	1
Percentage of cancellations before retrieval (%)	0 / 5	0 / 2		0 / 1	0 / 1
Number of transfers	3	2	0	1	1
Average number of embryos transferred	2.7	2.5		4.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 2		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 5	1 / 2		0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	3 / 5	1 / 2		0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 5	0 / 2		0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 5	1 / 2		0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 2		0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 8	2 / 5		0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 2		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 3	1 / 2		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 3	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 2		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 2		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	0	0	1	0
Number of transfers	1	0	0	1	0
Estimated average number of transfers per retrieval	1.0				
Average number of embryos transferred	2.0			1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1			0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Centers, PLLC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PLANO PLANO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James Douglas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	43%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 21% Female & male factors 34%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	63%	Male factor	42%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	14%	
				Endometriosis	8%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 315
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	72	29	32	13	19
Percentage of cancellations before retrieval (%)	8.3	3.4	12.5	3 / 13	1 / 19
Number of transfers	28	13	16	4	11
Average number of embryos transferred	1.7	1.4	1.8	2.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 19	0 / 5	0 / 11	0 / 4	1 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.2	24.1	31.3	0 / 13	5 / 19
Percentage of cycles resulting in live births (%)	25.0	20.7	18.8	0 / 13	4 / 19
Percentage of cycles resulting in singleton live births (%)	19.4	13.8	12.5	0 / 13	4 / 19
Percentage of cycles resulting in twin live births (%)	5.6	6.9	3.1	0 / 13	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.1	10.3	9.4	0 / 13	4 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.2	9 / 18	44.0	0 / 11	6 / 19
Percentage of transfers resulting in pregnancies (%)	75.0	7 / 13	10 / 16	0 / 4	5 / 11
Percentage of transfers resulting in live births (%)	64.3	6 / 13	6 / 16	0 / 4	4 / 11
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 13	4 / 16	0 / 4	4 / 11
Percentage of transfers resulting in twin live births (%)	14.3	2 / 13	1 / 16	0 / 4	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.4	3 / 13	3 / 16	0 / 4	4 / 11
Frozen Embryos from Nondonor Eggs					
Number of cycles	45	22	15	3	5
Number of transfers	45	22	15	3	5
Estimated average number of transfers per retrieval	0.9	1.2	0.8	0.5	0.7
Average number of embryos transferred	1.5	1.5	1.5	2.7	1.4
Percentage of embryos transferred resulting in implantation (%)	68.3	53.1	47.8	4 / 8	1 / 6
Percentage of transfers resulting in pregnancies (%)	80.0	63.6	9 / 15	3 / 3	2 / 5
Percentage of transfers resulting in live births (%)	68.9	54.5	6 / 15	3 / 3	0 / 5
Percentage of transfers resulting in singleton live births (%)	55.6	36.4	5 / 15	3 / 3	0 / 5
Percentage of transfers resulting in twin live births (%)	13.3	18.2	1 / 15	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	27.3	4 / 15	3 / 3	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	7	13	1	2
	1	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	1	8	0	
Number of transfers	2	1	8	0	
Average number of embryos transferred	1.5	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 2	1 / 2	6 / 12		
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	4 / 8		
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1	4 / 8		
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 1	2 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1	2 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 1	2 / 8		

CURRENT SERVICES & PROFILE

Current Name: IVF Plano

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL ARTS PLANO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alfred J. Rodriguez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	49%	Tubal factor	10%	Uterine factor	29%	Multiple Factors: Female factors only 44% Female & male factors 28%
Unstimulated	0%	PGD/PGS	57%	Ovulatory dysfunction	41%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	37%	
				Endometriosis	9%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 248
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	15	16	7	4
Percentage of cancellations before retrieval (%)	0.0	1 / 15	3 / 16	2 / 7	1 / 4
Number of transfers	10	7	5	3	3
Average number of embryos transferred	1.3	1.0	1.2	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3		0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.0	4 / 15	1 / 16	2 / 7	3 / 4
Percentage of cycles resulting in live births (%)	20.0	4 / 15	1 / 16	2 / 7	3 / 4
Percentage of cycles resulting in singleton live births (%)	15.0	4 / 15	1 / 16	2 / 7	3 / 4
Percentage of cycles resulting in twin live births (%)	5.0	0 / 15	0 / 16	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5.0	4 / 15	1 / 16	0 / 7	2 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 12	4 / 7	1 / 6	2 / 3	3 / 3
Percentage of transfers resulting in pregnancies (%)	6 / 10	4 / 7	1 / 5	2 / 3	3 / 3
Percentage of transfers resulting in live births (%)	4 / 10	4 / 7	1 / 5	2 / 3	3 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 10	4 / 7	1 / 5	2 / 3	3 / 3
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 7	0 / 5	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 10	4 / 7	1 / 5	0 / 3	2 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	30	20	12	8	3
Number of transfers	30	18	12	8	2
Estimated average number of transfers per retrieval	0.7	1.0	0.3	0.7	0.7
Average number of embryos transferred	1.1	1.1	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	64.7	80.0	2 / 15	2 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	66.7	14 / 18	2 / 12	2 / 8	0 / 2
Percentage of transfers resulting in live births (%)	53.3	14 / 18	2 / 12	2 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	13 / 18	2 / 12	2 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	3.3	1 / 18	0 / 12	0 / 8	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.7	12 / 18	2 / 12	2 / 8	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	35	15	34	11	3
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	15	0	
Number of transfers	0	0	14	0	
Average number of embryos transferred			1.1		
Percentage of embryos transferred resulting in implantation (%)			8 / 16		
Percentage of transfers resulting in pregnancies (%)			7 / 14		
Percentage of transfers resulting in live births (%)			5 / 14		
Percentage of transfers resulting in singleton live births (%)			4 / 14		
Percentage of transfers resulting in twin live births (%)			1 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			4 / 14		

CURRENT SERVICES & PROFILE

Current Name: Presbyterian Hospital ARTS

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory S. Neal, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	28%	Uterine factor	10%	Multiple Factors: Female factors only 19% Female & male factors 16%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	20%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	13%	
				Endometriosis	10%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 621
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	119	56	53	16	19
Percentage of cancellations before retrieval (%)	2.5	8.9	9.4	3 / 16	5 / 19
Number of transfers	107	47	38	12	10
Average number of embryos transferred	1.7	1.8	2.1	2.4	1.9
Percentage of elective single embryo transfers (eSET) (%)	25.0	9.3	2.9	1 / 11	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.8	42.9	24.5	3 / 16	1 / 19
Percentage of cycles resulting in live births (%)	47.9	37.5	15.1	2 / 16	0 / 19
Percentage of cycles resulting in singleton live births (%)	29.4	28.6	11.3	2 / 16	0 / 19
Percentage of cycles resulting in twin live births (%)	18.5	8.9	3.8	0 / 16	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.1	25.0	7.5	1 / 16	0 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.8	35.4	18.7	10.3	0 / 17
Percentage of transfers resulting in pregnancies (%)	59.8	51.1	34.2	3 / 12	1 / 10
Percentage of transfers resulting in live births (%)	53.3	44.7	21.1	2 / 12	0 / 10
Percentage of transfers resulting in singleton live births (%)	32.7	34.0	15.8	2 / 12	0 / 10
Percentage of transfers resulting in twin live births (%)	20.6	10.6	5.3	0 / 12	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.0	29.8	10.5	1 / 12	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	91	77	41	18	6
Number of transfers	87	76	39	17	6
Estimated average number of transfers per retrieval	2.1	2.1	1.0	1.1	0.5
Average number of embryos transferred	1.5	1.5	1.7	1.4	2.3
Percentage of embryos transferred resulting in implantation (%)	40.8	37.4	31.1	45.5	3 / 14
Percentage of transfers resulting in pregnancies (%)	56.3	48.7	48.7	10 / 17	3 / 6
Percentage of transfers resulting in live births (%)	47.1	36.8	30.8	8 / 17	2 / 6
Percentage of transfers resulting in singleton live births (%)	41.4	28.9	25.6	7 / 17	2 / 6
Percentage of transfers resulting in twin live births (%)	5.7	7.9	5.1	1 / 17	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.6	22.4	25.6	5 / 17	2 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	22	27	12	9
	2	4	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	19	2	17	0	
Number of transfers	17	1	16	0	
Average number of embryos transferred	1.9	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	53.6	0 / 2	38.5		
Percentage of transfers resulting in pregnancies (%)	12 / 17	0 / 1	9 / 16		
Percentage of transfers resulting in live births (%)	8 / 17	0 / 1	8 / 16		
Percentage of transfers resulting in singleton live births (%)	3 / 17	0 / 1	7 / 16		
Percentage of transfers resulting in twin live births (%)	5 / 17	0 / 1	1 / 16		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 17	0 / 1	5 / 16		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of San Antonio

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF TEXAS, PLLC SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susan Hudson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	23%	Uterine factor	3%	Multiple Factors: Female factors only 39% Female & male factors 19%
Unstimulated	0%	PGD/PGS	63%	Ovulatory dysfunction	11%	Male factor	23%	
Used gestational carrier	3%			Diminished ovarian reserve	39%	Other factor	54%	
				Endometriosis	6%	Unknown factor	22%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 118
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	1	0	0
Percentage of cancellations before retrieval (%)	0 / 1		0 / 1		
Number of transfers	1	0	1	0	0
Average number of embryos transferred	2.0		1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of cycles resulting in live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	29	9	12	2	1
Number of transfers	26	8	9	1	0
Estimated average number of transfers per retrieval	1.1	0.9	0.9	0.2	0.0
Average number of embryos transferred	1.0	1.1	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	60.0	7 / 9	6 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.4	6 / 8	6 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	53.8	5 / 8	3 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	53.8	4 / 8	2 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	1 / 8	1 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.2	4 / 8	2 / 9	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	9	9	5	6
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	7	0	
Number of transfers	0	3	6	0	
Average number of embryos transferred		1.7	1.2		
Percentage of embryos transferred resulting in implantation (%)		2 / 5	5 / 7		
Percentage of transfers resulting in pregnancies (%)		2 / 3	5 / 6		
Percentage of transfers resulting in live births (%)		2 / 3	5 / 6		
Percentage of transfers resulting in singleton live births (%)		2 / 3	5 / 6		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 3	4 / 6		

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of Texas, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gerard M. Honoré, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 31% Female & male factors 39%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	62%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	15%	
				Endometriosis	69%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 21
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	2	3	0
Percentage of cancellations before retrieval (%)			0 / 2	1 / 3	
Number of transfers	0	0	0	2	0
Average number of embryos transferred				2.5	
Percentage of elective single embryo transfers (eSET) (%)				0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 2	0 / 3	
Percentage of cycles resulting in live births (%)			0 / 2	0 / 3	
Percentage of cycles resulting in singleton live births (%)			0 / 2	0 / 3	
Percentage of cycles resulting in twin live births (%)			0 / 2	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 2	0 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)				0 / 5	
Percentage of transfers resulting in pregnancies (%)				0 / 2	
Percentage of transfers resulting in live births (%)				0 / 2	
Percentage of transfers resulting in singleton live births (%)				0 / 2	
Percentage of transfers resulting in twin live births (%)				0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	0	4	0	0
Number of transfers	2	0	4	0	0
Estimated average number of transfers per retrieval	0.7	0.0	1.0	0.0	0.0
Average number of embryos transferred	1.0		1.8		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		1 / 7		
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 4		
Percentage of transfers resulting in live births (%)	0 / 2		1 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		1 / 4		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	2	1	1
	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	0	0	
Number of transfers	1	0	0	0	
Average number of embryos transferred	1.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1				

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY CENTER
SAN ANTONIO, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joseph R. Garza, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	11%	Uterine factor	0%	Multiple Factors: Female factors only 41% Female & male factors 28%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	45%	Male factor	28%	
Used gestational carrier	3%			Diminished ovarian reserve	37%	Other factor	51%	
				Endometriosis	12%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 109
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	8	8	3	12
Percentage of cancellations before retrieval (%)	3 / 18	1 / 8	1 / 8	1 / 3	6 / 12
Number of transfers	12	4	5	1	3
Average number of embryos transferred	1.3	1.3	1.4	2.0	1.3
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 1	0 / 2	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 18	1 / 8	3 / 8	0 / 3	1 / 12
Percentage of cycles resulting in live births (%)	5 / 18	1 / 8	3 / 8	0 / 3	1 / 12
Percentage of cycles resulting in singleton live births (%)	5 / 18	1 / 8	3 / 8	0 / 3	0 / 12
Percentage of cycles resulting in twin live births (%)	0 / 18	0 / 8	0 / 8	0 / 3	1 / 12
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 18	1 / 8	3 / 8	0 / 3	0 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 15	1 / 5	3 / 7	0 / 2	2 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 4	3 / 5	0 / 1	1 / 3
Percentage of transfers resulting in live births (%)	5 / 12	1 / 4	3 / 5	0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 12	1 / 4	3 / 5	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 4	0 / 5	0 / 1	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 12	1 / 4	3 / 5	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	6	6	0	1
Number of transfers	7	6	6	0	1
Estimated average number of transfers per retrieval	0.5	0.4	0.7	0.0	
Average number of embryos transferred	1.3	1.3	1.5		1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 9	3 / 7	5 / 7		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 7	4 / 6	5 / 6		0 / 1
Percentage of transfers resulting in live births (%)	2 / 7	3 / 6	4 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 7	3 / 6	3 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 6	1 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	3 / 6	1 / 6		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	11	9	2	0
	0	3	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	1	0	
Number of transfers	1	1	1	0	
Average number of embryos transferred	1.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	22%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	10%	
				Endometriosis	6%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 670
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	96	39	24	11	4
Percentage of cancellations before retrieval (%)	7.3	20.5	25.0	4 / 11	0 / 4
Number of transfers	69	24	11	3	2
Average number of embryos transferred	1.4	1.8	1.9	2.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	60.3	22.7	0 / 8	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	38.5	25.0	2 / 11	0 / 4
Percentage of cycles resulting in live births (%)	41.7	35.9	20.8	2 / 11	0 / 4
Percentage of cycles resulting in singleton live births (%)	33.3	23.1	16.7	2 / 11	0 / 4
Percentage of cycles resulting in twin live births (%)	8.3	7.7	4.2	0 / 11	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.1	20.5	16.7	1 / 11	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	60.7	51.2	38.1	2 / 7	0 / 4
Percentage of transfers resulting in pregnancies (%)	69.6	62.5	6 / 11	2 / 3	0 / 2
Percentage of transfers resulting in live births (%)	58.0	58.3	5 / 11	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	46.4	37.5	4 / 11	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	11.6	12.5	1 / 11	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.7	33.3	4 / 11	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	145	66	36	5	7
Number of transfers	140	63	35	5	7
Estimated average number of transfers per retrieval	1.5	0.9	0.7	0.3	0.9
Average number of embryos transferred	1.2	1.2	1.3	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	57.2	58.8	41.5	3 / 6	2 / 9
Percentage of transfers resulting in pregnancies (%)	62.1	65.1	51.4	2 / 5	2 / 7
Percentage of transfers resulting in live births (%)	57.9	52.4	37.1	2 / 5	2 / 7
Percentage of transfers resulting in singleton live births (%)	50.0	47.6	31.4	1 / 5	2 / 7
Percentage of transfers resulting in twin live births (%)	7.9	4.8	5.7	1 / 5	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.7	38.1	28.6	1 / 5	1 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	71	61	46	15	8
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	14	17	1	
Number of transfers	3	8	16	1	
Average number of embryos transferred	1.0	1.6	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	7 / 12	15 / 19	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 3	5 / 8	13 / 16	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 3	4 / 8	13 / 16	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 3	1 / 8	11 / 16	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	3 / 8	2 / 16	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 3	1 / 8	7 / 16	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UT MEDICINE FERTILITY CENTER SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randal D. Robinson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	40%	Tubal factor	26%	Uterine factor	23%	Multiple Factors: Female factors only 31% Female & male factors 15%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	8%	
				Endometriosis	26%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 144
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	14	15	4	1
Percentage of cancellations before retrieval (%)	2 / 19	2 / 14	0 / 15	1 / 4	0 / 1
Number of transfers	12	11	13	3	1
Average number of embryos transferred	1.6	1.7	2.2	1.7	1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 11	2 / 9	1 / 10	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 19	7 / 14	5 / 15	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	5 / 19	5 / 14	3 / 15	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	5 / 19	5 / 14	3 / 15	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 19	0 / 14	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5 / 19	4 / 14	3 / 15	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 19	6 / 17	17.9	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 12	7 / 11	5 / 13	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	5 / 12	5 / 11	3 / 13	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 12	5 / 11	3 / 13	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 11	0 / 13	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 12	4 / 11	3 / 13	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	16	10	5	3
Number of transfers	25	15	10	5	3
Estimated average number of transfers per retrieval	1.8	1.4	1.7	0.8	3.0
Average number of embryos transferred	1.4	1.3	1.2	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	27.8	6 / 19	2 / 12	1 / 8	0 / 5
Percentage of transfers resulting in pregnancies (%)	32.0	7 / 15	2 / 10	1 / 5	0 / 3
Percentage of transfers resulting in live births (%)	32.0	5 / 15	1 / 10	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	24.0	5 / 15	1 / 10	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	8.0	0 / 15	0 / 10	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	4 / 15	1 / 10	0 / 5	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	7	5	4	1
	5	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	3	0	
Number of transfers	2	0	3	0	
Average number of embryos transferred	2.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 4		0 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 2		0 / 3		
Percentage of transfers resulting in live births (%)	1 / 2		0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2		0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		0 / 3		

CURRENT SERVICES & PROFILE

Current Name: UT Medicine Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCOTT & WHITE TEMPLE, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Thomas J. Wincek, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	23%	Uterine factor	<1%	Multiple Factors: Female factors only 9% Female & male factors 5%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	11%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	9%	
				Endometriosis	17%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 130
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	19	10	7	0
Percentage of cancellations before retrieval (%)	23.0	7 / 19	1 / 10	1 / 7	
Number of transfers	40	12	9	6	0
Average number of embryos transferred	1.8	1.8	2.0	1.8	
Percentage of elective single embryo transfers (eSET) (%)	3.0	0 / 10	0 / 9	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.3	7 / 19	3 / 10	2 / 7	
Percentage of cycles resulting in live births (%)	29.5	7 / 19	2 / 10	1 / 7	
Percentage of cycles resulting in singleton live births (%)	21.3	7 / 19	2 / 10	1 / 7	
Percentage of cycles resulting in twin live births (%)	8.2	0 / 19	0 / 10	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.8	5 / 19	0 / 10	0 / 7	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.7	31.8	4 / 18	3 / 11	
Percentage of transfers resulting in pregnancies (%)	60.0	7 / 12	3 / 9	2 / 6	
Percentage of transfers resulting in live births (%)	45.0	7 / 12	2 / 9	1 / 6	
Percentage of transfers resulting in singleton live births (%)	32.5	7 / 12	2 / 9	1 / 6	
Percentage of transfers resulting in twin live births (%)	12.5	0 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.0	5 / 12	0 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	3	5	3	2
Number of transfers	16	3	4	3	2
Estimated average number of transfers per retrieval					
Average number of embryos transferred	1.5	2.0	1.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	54.2	4 / 6	0 / 6	1 / 3	1 / 4
Percentage of transfers resulting in pregnancies (%)	11 / 16	2 / 3	0 / 4	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	9 / 16	0 / 3	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 16	0 / 3	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 3	0 / 4	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 16	0 / 3	0 / 4	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	1	
Number of transfers	0	0	1	0	
Average number of embryos transferred			2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Scott & White Clinic-Temple

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA THE WOODLANDS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Dorothy J. Roach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 13% Female & male factors 31%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	48%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	7%	
				Endometriosis	13%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 85
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	15	11	3	1
Percentage of cancellations before retrieval (%)	0.0	1 / 15	1 / 11	0 / 3	0 / 1
Number of transfers	26	14	10	3	1
Average number of embryos transferred	1.7	2.1	1.9	2.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	25.0	0 / 14	0 / 8	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.4	8 / 15	6 / 11	1 / 3	0 / 1
Percentage of cycles resulting in live births (%)	40.7	6 / 15	4 / 11	1 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.3	4 / 15	2 / 11	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	7.4	2 / 15	2 / 11	1 / 3	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	4 / 15	1 / 11	0 / 3	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.8	33.3	8 / 19	2 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	46.2	8 / 14	6 / 10	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	42.3	6 / 14	4 / 10	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.6	4 / 14	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	2 / 14	2 / 10	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.9	4 / 14	1 / 10	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	6	1	1	2
Number of transfers	14	6	1	1	2
Estimated average number of transfers per retrieval	3.5	6.0	1.0		2.0
Average number of embryos transferred	1.7	1.5	1.0	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	54.2	4 / 9	0 / 1	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	9 / 14	3 / 6	0 / 1	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	9 / 14	3 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 14	3 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 14	3 / 6	0 / 1	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	1	0	0	1
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	1	0	
Number of transfers	1	0	1	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2		0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM) WEBSTER, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vicki L. Schnell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	3%	Uterine factor	7%	Multiple Factors: Female factors only <1% Female & male factors 2%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	41%	Male factor	11%	
Used gestational carrier	3%			Diminished ovarian reserve	20%	Other factor	11%	
				Endometriosis	10%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 804
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	145	37	19	2	6
Percentage of cancellations before retrieval (%)	6.2	16.2	2 / 19	1 / 2	3 / 6
Number of transfers	63	21	10	1	1
Average number of embryos transferred	1.2	1.5	1.8	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	78.0	7 / 18	2 / 9	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.1	27.0	4 / 19	1 / 2	0 / 6
Percentage of cycles resulting in live births (%)	20.0	16.2	3 / 19	1 / 2	0 / 6
Percentage of cycles resulting in singleton live births (%)	19.3	16.2	2 / 19	1 / 2	0 / 6
Percentage of cycles resulting in twin live births (%)	0.7	0.0	1 / 19	0 / 2	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.6	16.2	1 / 19	0 / 2	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.6	37.5	5 / 18	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	55.6	47.6	4 / 10	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	46.0	28.6	3 / 10	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.4	28.6	2 / 10	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1.6	0.0	1 / 10	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	28.6	1 / 10	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	184	69	53	12	8
Number of transfers	170	63	47	11	6
Estimated average number of transfers per retrieval	1.3	1.0	1.1	0.8	0.7
Average number of embryos transferred	1.2	1.3	1.3	1.8	1.7
Percentage of embryos transferred resulting in implantation (%)	57.6	55.1	54.4	45.0	2 / 10
Percentage of transfers resulting in pregnancies (%)	62.4	63.5	66.0	7 / 11	2 / 6
Percentage of transfers resulting in live births (%)	54.1	52.4	46.8	5 / 11	2 / 6
Percentage of transfers resulting in singleton live births (%)	47.1	46.0	44.7	3 / 11	2 / 6
Percentage of transfers resulting in twin live births (%)	6.5	6.3	2.1	2 / 11	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	33.3	34.0	2 / 11	2 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	61	48	37	13	9
	3	5	1	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	12	77	0	
Number of transfers	6	0	60	0	
Average number of embryos transferred	1.3		1.2		
Percentage of embryos transferred resulting in implantation (%)	7 / 8		51.5		
Percentage of transfers resulting in pregnancies (%)	5 / 6		58.3		
Percentage of transfers resulting in live births (%)	4 / 6		50.0		
Percentage of transfers resulting in singleton live births (%)	3 / 6		43.3		
Percentage of transfers resulting in twin live births (%)	1 / 6		6.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		35.0		

CURRENT SERVICES & PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH FERTILITY CENTER PLEASANT GROVE, UTAH

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Russell A. Foulk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 11% Female & male factors 11%
Unstimulated	1%	PGD/PGS	22%	Ovulatory dysfunction	27%	Male factor	28%	
Used gestational carrier	4%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,209
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	311	73	26	13	17
Percentage of cancellations before retrieval (%)	1.3	2.7	11.5	0 / 13	3 / 17
Number of transfers	284	64	19	10	9
Average number of embryos transferred	1.6	1.9	2.0	2.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	35.2	9.8	2 / 17	0 / 9	1 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	57.9	47.9	42.3	5 / 13	2 / 17
Percentage of cycles resulting in live births (%)	49.2	37.0	38.5	5 / 13	1 / 17
Percentage of cycles resulting in singleton live births (%)	33.1	27.4	30.8	4 / 13	1 / 17
Percentage of cycles resulting in twin live births (%)	15.4	9.6	7.7	1 / 13	0 / 17
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.9	23.3	11.5	2 / 13	1 / 17
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.1	37.7	39.5	35.0	9.1
Percentage of transfers resulting in pregnancies (%)	63.4	54.7	11 / 19	5 / 10	2 / 9
Percentage of transfers resulting in live births (%)	53.9	42.2	10 / 19	5 / 10	1 / 9
Percentage of transfers resulting in singleton live births (%)	36.3	31.3	8 / 19	4 / 10	1 / 9
Percentage of transfers resulting in twin live births (%)	16.9	10.9	2 / 19	1 / 10	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	26.6	3 / 19	2 / 10	1 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	259	74	56	17	9
Number of transfers	255	71	56	14	7
Estimated average number of transfers per retrieval	1.6	1.5	1.0	0.5	0.2
Average number of embryos transferred	1.5	1.7	1.4	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	56.3	49.1	46.2	8 / 16	4 / 11
Percentage of transfers resulting in pregnancies (%)	68.6	67.6	55.4	9 / 14	4 / 7
Percentage of transfers resulting in live births (%)	57.6	47.9	35.7	4 / 14	2 / 7
Percentage of transfers resulting in singleton live births (%)	46.3	38.0	32.1	3 / 14	2 / 7
Percentage of transfers resulting in twin live births (%)	11.4	8.5	3.6	1 / 14	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.5	28.2	28.6	1 / 14	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	103	28	51	26	30
	10	3	5	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	16	2	69	28	
Number of transfers	13	0	69	28	
Average number of embryos transferred	1.8		1.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	60.9		60.2	39.6	
Percentage of transfers resulting in pregnancies (%)	10 / 13		63.8	57.1	
Percentage of transfers resulting in live births (%)	5 / 13		55.1	39.3	
Percentage of transfers resulting in singleton live births (%)	3 / 13		43.5	32.1	
Percentage of transfers resulting in twin live births (%)	1 / 13		10.1	7.1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 13		31.9	25.0	

CURRENT SERVICES & PROFILE

Current Name: Utah Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**EAST BAY FERTILITY CENTER
PROVO, UTAH**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Erica B. Johnstone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	48%	Tubal factor	11%	Uterine factor	2%	
Unstimulated	<1%	PGD/PGS	9%	Ovulatory dysfunction	17%	Male factor	40%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	14%	
				Endometriosis	9%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				14%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 744
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	183	63	29	18	1
Percentage of cancellations before retrieval (%)	5.5	11.1	13.8	3 / 18	0 / 1
Number of transfers	116	44	19	7	0
Average number of embryos transferred	1.5	1.6	1.8	2.3	
Percentage of elective single embryo transfers (eSET) (%)	47.1	30.3	1 / 14	0 / 6	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.0	34.9	24.1	2 / 18	0 / 1
Percentage of cycles resulting in live births (%)	26.2	28.6	13.8	0 / 18	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.7	20.6	10.3	0 / 18	0 / 1
Percentage of cycles resulting in twin live births (%)	6.6	7.9	3.4	0 / 18	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.5	19.0	6.9	0 / 18	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.7	37.3	19.4	2 / 13	
Percentage of transfers resulting in pregnancies (%)	45.7	50.0	7 / 19	2 / 7	
Percentage of transfers resulting in live births (%)	41.4	40.9	4 / 19	0 / 7	
Percentage of transfers resulting in singleton live births (%)	31.0	29.5	3 / 19	0 / 7	
Percentage of transfers resulting in twin live births (%)	10.3	11.4	1 / 19	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.6	27.3	2 / 19	0 / 7	
Frozen Embryos from Nondonor Eggs					
Number of cycles	170	53	36	3	3
Number of transfers	163	51	33	3	2
Estimated average number of transfers per retrieval	1.6	1.9	0.9	0.2	0.3
Average number of embryos transferred	1.4	1.5	1.4	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	46.1	43.1	60.9	3 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	56.4	54.9	69.7	2 / 3	0 / 2
Percentage of transfers resulting in live births (%)	48.5	41.2	60.6	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	39.9	35.3	48.5	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	8.6	5.9	12.1	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.1	27.5	45.5	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	15	34	11	6
	10	2	7	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	43	0	34	5	
Number of transfers	38	0	30	5	
Average number of embryos transferred	1.2		1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)	67.4		31.4	4 / 5	
Percentage of transfers resulting in pregnancies (%)	71.1		46.7	5 / 5	
Percentage of transfers resulting in live births (%)	55.3		30.0	4 / 5	
Percentage of transfers resulting in singleton live births (%)	44.7		30.0	4 / 5	
Percentage of transfers resulting in twin live births (%)	10.5		0.0	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2		16.7	3 / 5	

CURRENT SERVICES & PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER SANDY, UTAH

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Keith L. Blauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 22%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	48%	Male factor	36%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	10%	
				Endometriosis	13%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 794
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	295	73	35	11	7
Percentage of cancellations before retrieval (%)	1.0	4.1	8.6	1 / 11	2 / 7
Number of transfers	211	59	27	8	4
Average number of embryos transferred	1.5	1.6	1.8	1.9	2.5
Percentage of elective single embryo transfers (eSET) (%)	48.0	30.0	13.0	0 / 7	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.7	30.1	34.3	2 / 11	1 / 7
Percentage of cycles resulting in live births (%)	36.9	27.4	28.6	2 / 11	0 / 7
Percentage of cycles resulting in singleton live births (%)	29.8	19.2	25.7	2 / 11	0 / 7
Percentage of cycles resulting in twin live births (%)	6.8	8.2	2.9	0 / 11	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.8	15.1	22.9	2 / 11	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.3	31.5	28.6	2 / 15	0 / 8
Percentage of transfers resulting in pregnancies (%)	56.9	37.3	44.4	2 / 8	1 / 4
Percentage of transfers resulting in live births (%)	51.7	33.9	37.0	2 / 8	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.7	23.7	33.3	2 / 8	0 / 4
Percentage of transfers resulting in twin live births (%)	9.5	10.2	3.7	0 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	18.6	29.6	2 / 8	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	182	57	20	2	5
Number of transfers	171	53	19	2	5
Estimated average number of transfers per retrieval	1.6	1.3	1.3	0.3	1.7
Average number of embryos transferred	1.4	1.3	1.4	1.5	1.2
Percentage of embryos transferred resulting in implantation (%)	41.6	38.8	32.0	0 / 3	3 / 6
Percentage of transfers resulting in pregnancies (%)	53.8	47.2	7 / 19	0 / 2	3 / 5
Percentage of transfers resulting in live births (%)	46.2	32.1	6 / 19	0 / 2	3 / 5
Percentage of transfers resulting in singleton live births (%)	42.7	28.3	4 / 19	0 / 2	3 / 5
Percentage of transfers resulting in twin live births (%)	3.5	3.8	2 / 19	0 / 2	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.8	24.5	4 / 19	0 / 2	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	10	7	5	2
	8	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	34	11	7	
Number of transfers	7	32	11	7	
Average number of embryos transferred	1.7	1.6	1.2	1.7	
Percentage of embryos transferred resulting in implantation (%)	7 / 12	44.9	3 / 12	3 / 10	
Percentage of transfers resulting in pregnancies (%)	6 / 7	53.1	4 / 11	5 / 7	
Percentage of transfers resulting in live births (%)	6 / 7	40.6	3 / 11	3 / 7	
Percentage of transfers resulting in singleton live births (%)	5 / 7	31.3	3 / 11	3 / 7	
Percentage of transfers resulting in twin live births (%)	1 / 7	6.3	0 / 11	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 7	21.9	2 / 11	2 / 7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Care Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF VERMONT MEDICAL CENTER
VERMONT CENTER FOR REPRODUCTIVE MEDICINE
BURLINGTON, VERMONT**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Elizabeth McGee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	46%	Tubal factor	11%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 13%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	4%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	7%	
				Endometriosis	9%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 47
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	3	7	3	0
Percentage of cancellations before retrieval (%)	12.5	0 / 3	1 / 7	0 / 3	
Number of transfers	20	3	5	3	0
Average number of embryos transferred	1.4	1.7	2.4	2.7	
Percentage of elective single embryo transfers (eSET) (%)	10 / 18	1 / 3	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	3 / 3	1 / 7	0 / 3	
Percentage of cycles resulting in live births (%)	50.0	3 / 3	1 / 7	0 / 3	
Percentage of cycles resulting in singleton live births (%)	45.8	3 / 3	0 / 7	0 / 3	
Percentage of cycles resulting in twin live births (%)	4.2	0 / 3	1 / 7	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	37.5	3 / 3	0 / 7	0 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.4	4 / 5	2 / 12	0 / 8	
Percentage of transfers resulting in pregnancies (%)	60.0	3 / 3	1 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	60.0	3 / 3	1 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	55.0	3 / 3	0 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.0	0 / 3	1 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.0	3 / 3	0 / 5	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	0	0	1	0
Number of transfers	4	0	0	1	0
Estimated average number of transfers per retrieval	1.0			1.0	
Average number of embryos transferred	1.3			2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 5			0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4			0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4			0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4			0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4			0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	2	0	
Number of transfers	1	1	1	0	
Average number of embryos transferred	2.0	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 1	2 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: University of Vermont Medical Center, Vermont Center for Reproductive Medicine

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHEASTERN REPRODUCTIVE MEDICINE COLCHESTER, VERMONT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter R. Casson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	7%	Uterine factor	5%	Multiple Factors: Female factors only 3% Female & male factors 8%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	10%	
				Endometriosis	4%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 374
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	86	56	47	10	21
Percentage of cancellations before retrieval (%)	4.7	12.5	10.6	0 / 10	33.3
Number of transfers	63	42	36	10	12
Average number of embryos transferred	1.5	1.7	1.7	1.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	27.9	12.9	16.7	2 / 8	1 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.6	28.6	40.4	5 / 10	4.8
Percentage of cycles resulting in live births (%)	30.2	26.8	36.2	5 / 10	4.8
Percentage of cycles resulting in singleton live births (%)	24.4	21.4	27.7	5 / 10	4.8
Percentage of cycles resulting in twin live births (%)	5.8	5.4	8.5	0 / 10	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.3	17.9	25.5	4 / 10	4.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.8	25.4	36.7	6 / 18	5.0
Percentage of transfers resulting in pregnancies (%)	44.4	38.1	52.8	5 / 10	1 / 12
Percentage of transfers resulting in live births (%)	41.3	35.7	47.2	5 / 10	1 / 12
Percentage of transfers resulting in singleton live births (%)	33.3	28.6	36.1	5 / 10	1 / 12
Percentage of transfers resulting in twin live births (%)	7.9	7.1	11.1	0 / 10	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	23.8	33.3	4 / 10	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	32	16	12	4	8
Number of transfers	29	12	11	3	4
Estimated average number of transfers per retrieval	0.7	0.5	0.6	0.8	0.2
Average number of embryos transferred	1.3	1.3	1.5	1.3	2.3
Percentage of embryos transferred resulting in implantation (%)	47.1	6 / 14	10 / 17	1 / 4	0 / 9
Percentage of transfers resulting in pregnancies (%)	55.2	6 / 12	7 / 11	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)	41.4	4 / 12	7 / 11	1 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	31.0	3 / 12	4 / 11	1 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	10.3	1 / 12	3 / 11	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	2 / 12	4 / 11	1 / 3	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	14	15	3	14
	0	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	4	2	
Number of transfers	9	0	3	2	
Average number of embryos transferred	1.1		1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 10		2 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 9		2 / 3	1 / 2	
Percentage of transfers resulting in live births (%)	4 / 9		2 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 9		2 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 9		0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9		1 / 3	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Northeastern Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER ANNANDALE, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Pierre Asmar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	42%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 14%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	8%	Male factor	22%	
Used gestational carrier	3%			Diminished ovarian reserve	48%	Other factor	12%	
				Endometriosis	5%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 148
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	16	9	9	7	9
Percentage of cancellations before retrieval (%)	2 / 16	1 / 9	0 / 9	1 / 7	3 / 9
Number of transfers	12	2	3	2	3
Average number of embryos transferred	1.3	1.0	2.0	1.5	1.3
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	1 / 1	0 / 3	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 16	1 / 9	2 / 9	1 / 7	0 / 9
Percentage of cycles resulting in live births (%)	3 / 16	1 / 9	2 / 9	1 / 7	0 / 9
Percentage of cycles resulting in singleton live births (%)	2 / 16	1 / 9	1 / 9	0 / 7	0 / 9
Percentage of cycles resulting in twin live births (%)	1 / 16	0 / 9	1 / 9	1 / 7	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 16	1 / 9	1 / 9	0 / 7	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 15	1 / 2	3 / 6	2 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 12	1 / 2	2 / 3	1 / 2	0 / 3
Percentage of transfers resulting in live births (%)	3 / 12	1 / 2	2 / 3	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 2	1 / 3	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 2	1 / 3	1 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 12	1 / 2	1 / 3	0 / 2	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	6	11	3	4
Number of transfers	22	6	11	2	4
Estimated average number of transfers per retrieval	2.0	0.9	1.4	0.7	0.7
Average number of embryos transferred	1.3	1.5	1.8	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	45.8	7 / 9	5 / 18	2 / 2	2 / 4
Percentage of transfers resulting in pregnancies (%)	59.1	4 / 6	5 / 11	2 / 2	2 / 4
Percentage of transfers resulting in live births (%)	36.4	4 / 6	4 / 11	2 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	36.4	2 / 6	4 / 11	2 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	2 / 6	0 / 11	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	1 / 6	4 / 11	2 / 2	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	3	5	2	6
	0	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	3	5	0	
Number of transfers	11	1	5	0	
Average number of embryos transferred	1.0	1.0	1.2		
Percentage of embryos transferred resulting in implantation (%)	9 / 11	0 / 1	2 / 6		
Percentage of transfers resulting in pregnancies (%)	9 / 11	0 / 1	2 / 5		
Percentage of transfers resulting in live births (%)	9 / 11	0 / 1	2 / 5		
Percentage of transfers resulting in singleton live births (%)	9 / 11	0 / 1	2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 1	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 11	0 / 1	1 / 5		

CURRENT SERVICES & PROFILE

Current Name: Washington Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael DiMattina, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	40%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 22% Female & male factors 24%
Unstimulated	91%	PGD/PGS	28%	Ovulatory dysfunction	7%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	55%	Other factor	28%	
				Endometriosis	4%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,529
(includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	109	109	113	71	218
Percentage of cancellations before retrieval (%)	14.7	24.8	23.9	29.6	36.7
Number of transfers	61	39	48	22	48
Average number of embryos transferred	1.0	1.0	1.0	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 1		0 / 1	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.6	14.7	7.1	1.4	1.8
Percentage of cycles resulting in live births (%)	23.9	12.8	4.4	1.4	0.9
Percentage of cycles resulting in singleton live births (%)	23.9	11.9	2.7	1.4	0.9
Percentage of cycles resulting in twin live births (%)	0.0	0.9	0.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.0	10.1	2.7	1.4	0.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.8	43.6	17.4	4.3	8.3
Percentage of transfers resulting in pregnancies (%)	47.5	41.0	16.7	4.5	8.3
Percentage of transfers resulting in live births (%)	42.6	35.9	10.4	4.5	4.2
Percentage of transfers resulting in singleton live births (%)	42.6	33.3	6.3	4.5	4.2
Percentage of transfers resulting in twin live births (%)	0.0	2.6	2.1	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.3	28.2	6.3	4.5	4.2
Frozen Embryos from Nondonor Eggs					
Number of cycles	132	89	67	18	21
Number of transfers	119	87	60	17	17
Estimated average number of transfers per retrieval	1.0	1.0	0.6	0.3	0.2
Average number of embryos transferred	1.0	1.1	1.0	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	55.4	41.2	54.2	47.6	6 / 18
Percentage of transfers resulting in pregnancies (%)	58.0	47.1	50.0	9 / 17	7 / 17
Percentage of transfers resulting in live births (%)	45.4	35.6	45.0	8 / 17	6 / 17
Percentage of transfers resulting in singleton live births (%)	43.7	34.5	40.0	8 / 17	6 / 17
Percentage of transfers resulting in twin live births (%)	1.7	1.1	5.0	0 / 17	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.8	29.9	28.3	6 / 17	5 / 17
Number of Egg or Embryo Banking Cycles					
	109	83	100	55	112
Number of fertility preservation cycles	107	81	96	51	98
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	1	97	11	
Number of transfers	1	0	88	9	
Average number of embryos transferred	1.0		1.0	1.1	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		51.8	2 / 10	
Percentage of transfers resulting in pregnancies (%)	0 / 1		55.7	2 / 9	
Percentage of transfers resulting in live births (%)	0 / 1		46.6	1 / 9	
Percentage of transfers resulting in singleton live births (%)	0 / 1		46.6	1 / 9	
Percentage of transfers resulting in twin live births (%)	0 / 1		0.0	0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		42.0	1 / 9	

CURRENT SERVICES & PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC CHARLOTTESVILLE, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christopher D. Williams, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	19%	Uterine factor	14%	Multiple Factors: Female factors only 19% Female & male factors 27%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	13%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	12%	
				Endometriosis	27%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 344
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	19	7	4	0
Percentage of cancellations before retrieval (%)	18.2	3 / 19	3 / 7	3 / 4	
Number of transfers	24	12	3	1	0
Average number of embryos transferred	1.7	2.0	2.3	2.0	
Percentage of elective single embryo transfers (eSET) (%)	30.4	1 / 10	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.4	7 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in live births (%)	39.4	6 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in singleton live births (%)	21.2	5 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in twin live births (%)	18.2	1 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.2	5 / 19	0 / 7	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.5	41.7	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.2	7 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	54.2	6 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	29.2	5 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	25.0	1 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	5 / 12	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	71	30	18	3	2
Number of transfers	65	29	18	3	2
Estimated average number of transfers per retrieval	1.1	1.1	0.6	0.2	1.0
Average number of embryos transferred	1.2	1.3	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	72.0	74.3	60.0	1 / 4	1 / 4
Percentage of transfers resulting in pregnancies (%)	75.4	82.8	13 / 18	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	63.1	72.4	13 / 18	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	56.9	65.5	11 / 18	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	6.2	6.9	2 / 18	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.2	62.1	11 / 18	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	52	24	25	15	2
	4	2	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	13	1	10	12	
Number of transfers	12	0	10	12	
Average number of embryos transferred	1.2		1.6	1.7	
Percentage of embryos transferred resulting in implantation (%)	9 / 14		8 / 16	55.0	
Percentage of transfers resulting in pregnancies (%)	8 / 12		7 / 10	8 / 12	
Percentage of transfers resulting in live births (%)	8 / 12		6 / 10	7 / 12	
Percentage of transfers resulting in singleton live births (%)	8 / 12		5 / 10	4 / 12	
Percentage of transfers resulting in twin live births (%)	0 / 12		1 / 10	3 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 12		3 / 10	3 / 12	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE FAIRFAX, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laurence C. Udoff, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	12%	Uterine factor	13%	Multiple Factors: Female factors only 22% Female & male factors 26%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	7%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	60%	Other factor	26%	
				Endometriosis	8%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 329
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	7	14	11	6
Percentage of cancellations before retrieval (%)	3 / 13	0 / 7	2 / 14	2 / 11	1 / 6
Number of transfers	8	4	8	6	2
Average number of embryos transferred	1.5	1.0	1.9	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 6	1 / 1	1 / 7	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 13	1 / 7	1 / 14	0 / 11	0 / 6
Percentage of cycles resulting in live births (%)	2 / 13	1 / 7	0 / 14	0 / 11	0 / 6
Percentage of cycles resulting in singleton live births (%)	1 / 13	1 / 7	0 / 14	0 / 11	0 / 6
Percentage of cycles resulting in twin live births (%)	1 / 13	0 / 7	0 / 14	0 / 11	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 13	1 / 7	0 / 14	0 / 11	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 12	1 / 4	1 / 15	0 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 8	1 / 4	1 / 8	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	2 / 8	1 / 4	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 4	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 4	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	1 / 4	0 / 8	0 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	21	15	12	7
Number of transfers	30	21	14	12	4
Estimated average number of transfers per retrieval	1.2	0.9	0.6	0.7	1.0
Average number of embryos transferred	1.1	1.3	1.1	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	58.8	69.2	10 / 15	6 / 13	1 / 4
Percentage of transfers resulting in pregnancies (%)	63.3	71.4	9 / 14	5 / 12	1 / 4
Percentage of transfers resulting in live births (%)	56.7	57.1	8 / 14	5 / 12	1 / 4
Percentage of transfers resulting in singleton live births (%)	56.7	47.6	8 / 14	4 / 12	1 / 4
Percentage of transfers resulting in twin live births (%)	0.0	9.5	0 / 14	1 / 12	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.7	42.9	6 / 14	3 / 12	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	22	23	16	4
	2	8	6	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	44	49	4	
Number of transfers	4	34	44	4	
Average number of embryos transferred	1.0	1.2	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	4 / 4	45.2	37.0	3 / 5	
Percentage of transfers resulting in pregnancies (%)	4 / 4	47.1	45.5	2 / 4	
Percentage of transfers resulting in live births (%)	4 / 4	41.2	34.1	1 / 4	
Percentage of transfers resulting in singleton live births (%)	4 / 4	38.2	34.1	0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 4	0.0	0.0	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 4	26.5	20.5	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Genetics & IVF Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laurel A. Stadtmauer, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 7%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	21%	Male factor	23%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	8%	
				Endometriosis	5%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 356
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	105	33	27	9	7
Percentage of cancellations before retrieval (%)	8.6	15.2	33.3	3 / 9	3 / 7
Number of transfers	69	27	13	2	3
Average number of embryos transferred	1.9	1.7	1.8	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	7.6	9.1	1 / 10	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.1	33.3	22.2	2 / 9	1 / 7
Percentage of cycles resulting in live births (%)	32.4	30.3	11.1	1 / 9	1 / 7
Percentage of cycles resulting in singleton live births (%)	21.9	15.2	7.4	1 / 9	1 / 7
Percentage of cycles resulting in twin live births (%)	9.5	15.2	3.7	0 / 9	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.1	12.1	3.7	0 / 9	1 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.4	34.0	33.3	2 / 4	3 / 7
Percentage of transfers resulting in pregnancies (%)	58.0	40.7	6 / 13	2 / 2	1 / 3
Percentage of transfers resulting in live births (%)	49.3	37.0	3 / 13	1 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	33.3	18.5	2 / 13	1 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	14.5	18.5	1 / 13	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	14.8	1 / 13	0 / 2	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	15	14	4	7
Number of transfers	49	15	14	4	6
Estimated average number of transfers per retrieval	1.3	1.5	1.2	0.6	3.0
Average number of embryos transferred	1.7	1.9	1.4	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	32.9	17.9	10 / 19	2 / 6	2 / 11
Percentage of transfers resulting in pregnancies (%)	44.9	5 / 15	7 / 14	2 / 4	2 / 6
Percentage of transfers resulting in live births (%)	38.8	5 / 15	7 / 14	1 / 4	2 / 6
Percentage of transfers resulting in singleton live births (%)	28.6	5 / 15	4 / 14	1 / 4	2 / 6
Percentage of transfers resulting in twin live births (%)	10.2	0 / 15	3 / 14	0 / 4	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.4	3 / 15	4 / 14	0 / 4	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	6	7	7	2
	2	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	20	1	10	20	
Number of transfers	18	1	9	17	
Average number of embryos transferred	1.9	2.0	1.7	1.7	
Percentage of embryos transferred resulting in implantation (%)	38.2	2 / 2	3 / 12	42.3	
Percentage of transfers resulting in pregnancies (%)	9 / 18	1 / 1	5 / 9	11 / 17	
Percentage of transfers resulting in live births (%)	9 / 18	1 / 1	2 / 9	7 / 17	
Percentage of transfers resulting in singleton live births (%)	6 / 18	0 / 1	2 / 9	5 / 17	
Percentage of transfers resulting in twin live births (%)	3 / 18	1 / 1	0 / 9	2 / 17	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 18	0 / 1	2 / 9	4 / 17	

CURRENT SERVICES & PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE RESTON, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Fady I. Sharara, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	24%	Uterine factor	26%	Multiple Factors: Female factors only 33% Female & male factors 41%
Unstimulated	0%	PGD/PGS	49%	Ovulatory dysfunction	25%	Male factor	45%	
Used gestational carrier	8%			Diminished ovarian reserve	43%	Other factor	45%	
				Endometriosis	10%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 171
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	18	11	2	1
Percentage of cancellations before retrieval (%)	0.0	1 / 18	0 / 11	0 / 2	0 / 1
Number of transfers	19	12	6	0	0
Average number of embryos transferred	1.4	1.2	1.2		
Percentage of elective single embryo transfers (eSET) (%)	4 / 12	5 / 7	1 / 2		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	60.0	9 / 18	3 / 11	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	50.0	9 / 18	3 / 11	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	40.0	9 / 18	2 / 11	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	10.0	0 / 18	1 / 11	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	35.0	4 / 18	2 / 11	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	55.6	10 / 14	5 / 7		
Percentage of transfers resulting in pregnancies (%)	12 / 19	9 / 12	3 / 6		
Percentage of transfers resulting in live births (%)	10 / 19	9 / 12	3 / 6		
Percentage of transfers resulting in singleton live births (%)	8 / 19	9 / 12	2 / 6		
Percentage of transfers resulting in twin live births (%)	2 / 19	0 / 12	1 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 19	4 / 12	2 / 6		
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	16	9	3	0
Number of transfers	11	16	9	3	0
Estimated average number of transfers per retrieval	0.7	1.0	0.5	0.6	0.0
Average number of embryos transferred	1.4	1.1	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 13	8 / 18	11 / 15	3 / 3	
Percentage of transfers resulting in pregnancies (%)	7 / 11	8 / 16	8 / 9	2 / 3	
Percentage of transfers resulting in live births (%)	6 / 11	8 / 16	7 / 9	1 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 11	8 / 16	5 / 9	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 16	1 / 9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 11	7 / 16	5 / 9	1 / 3	
Number of Egg or Embryo Banking Cycles					
	16	12	17	5	2
Number of fertility preservation cycles	3	1	2	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	6	9	2	
Number of transfers	10	5	8	2	
Average number of embryos transferred	1.9	1.0	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	11 / 19	1 / 5	3 / 11	0 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 10	1 / 5	3 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 10	1 / 5	3 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 10	1 / 5	3 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	4 / 10	0 / 5	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 10	1 / 5	3 / 8	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael C. Edelstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 8%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	13%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	9%	Other factor	8%	
				Endometriosis	6%	Unknown factor	25%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 324
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	22	18	5	6
Percentage of cancellations before retrieval (%)	2.4	4.5	4 / 18	1 / 5	1 / 6
Number of transfers	11	10	5	3	4
Average number of embryos transferred	1.4	1.7	2.8	3.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	5 / 9	2 / 9	0 / 5	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.9	22.7	3 / 18	0 / 5	0 / 6
Percentage of cycles resulting in live births (%)	11.9	13.6	2 / 18	0 / 5	0 / 6
Percentage of cycles resulting in singleton live births (%)	11.9	4.5	1 / 18	0 / 5	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	9.1	1 / 18	0 / 5	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.9	4.5	1 / 18	0 / 5	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 15	6 / 16	4 / 14	0 / 9	0 / 9
Percentage of transfers resulting in pregnancies (%)	5 / 11	5 / 10	3 / 5	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)	5 / 11	3 / 10	2 / 5	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 10	1 / 5	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 11	2 / 10	1 / 5	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 11	1 / 10	1 / 5	0 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	76	41	38	8	4
Number of transfers	76	41	37	8	4
Estimated average number of transfers per retrieval	1.7	1.6	1.4	1.6	0.7
Average number of embryos transferred	1.4	1.4	1.3	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	56.8	57.9	41.9	5 / 15	2 / 8
Percentage of transfers resulting in pregnancies (%)	73.7	70.7	59.5	4 / 8	2 / 4
Percentage of transfers resulting in live births (%)	51.3	63.4	37.8	4 / 8	2 / 4
Percentage of transfers resulting in singleton live births (%)	46.1	53.7	37.8	3 / 8	2 / 4
Percentage of transfers resulting in twin live births (%)	5.3	9.8	0.0	1 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.1	51.2	27.0	2 / 8	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	10	18	2	6
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	5	5	1	
Number of transfers	0	5	5	1	
Average number of embryos transferred		1.4	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)		5 / 7	3 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)		3 / 5	3 / 5	1 / 1	
Percentage of transfers resulting in live births (%)		3 / 5	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)		3 / 5	1 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 5	0 / 5	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Virginia Fertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY
RICHMOND, VIRGINIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE RICHMOND, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard S. Lucidi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	12%	Uterine factor	0%	Multiple Factors: Female factors only 9% Female & male factors 11%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	13%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	38%	
				Endometriosis	3%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 144
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	10	6	3	2
Percentage of cancellations before retrieval (%)	6.9	1 / 10	1 / 6	0 / 3	1 / 2
Number of transfers	21	7	5	3	1
Average number of embryos transferred	1.2	1.7	1.8	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	14 / 18	3 / 7	2 / 5	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.5	2 / 10	3 / 6	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	27.6	2 / 10	3 / 6	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.6	1 / 10	1 / 6	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	1 / 10	2 / 6	0 / 3	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.1	1 / 10	0 / 6	0 / 3	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.5	3 / 12	5 / 9	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.6	2 / 7	3 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	38.1	2 / 7	3 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.1	1 / 7	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 7	2 / 5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	1 / 7	0 / 5	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	19	4	2	0
Number of transfers	18	18	4	2	0
Estimated average number of transfers per retrieval	0.6	1.2	0.8	2.0	
Average number of embryos transferred	1.3	1.2	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	42.9	4 / 6	1 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 18	9 / 18	3 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	7 / 18	9 / 18	2 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	6 / 18	9 / 18	1 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 18	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 18	9 / 18	1 / 4	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	18	8	5	1	0
	16	3	4	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	2	3	0	
Number of transfers	3	2	2	0	
Average number of embryos transferred	1.3	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3	1 / 2	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: VCU Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PARTNERS FOR FERTILITY AND IVF
VIENNA, VIRGINIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE

VIRGINIA BEACH, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robin L. Poe-Zeigler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 21% Female & male factors 40%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	30%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	47%	Other factor	11%	
				Endometriosis	13%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 390
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	15	16	6	15
Percentage of cancellations before retrieval (%)	0.0	1 / 15	1 / 16	1 / 6	1 / 15
Number of transfers	15	8	4	1	8
Average number of embryos transferred	1.7	1.5	2.3	1.0	1.9
Percentage of elective single embryo transfers (eSET) (%)	1 / 12	0 / 4	0 / 3		0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.2	0 / 15	2 / 16	0 / 6	2 / 15
Percentage of cycles resulting in live births (%)	18.2	0 / 15	2 / 16	0 / 6	1 / 15
Percentage of cycles resulting in singleton live births (%)	15.2	0 / 15	2 / 16	0 / 6	1 / 15
Percentage of cycles resulting in twin live births (%)	3.0	0 / 15	0 / 16	0 / 6	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	0 / 15	2 / 16	0 / 6	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.6	0 / 12	2 / 9	0 / 1	2 / 15
Percentage of transfers resulting in pregnancies (%)	7 / 15	0 / 8	2 / 4	0 / 1	2 / 8
Percentage of transfers resulting in live births (%)	6 / 15	0 / 8	2 / 4	0 / 1	1 / 8
Percentage of transfers resulting in singleton live births (%)	5 / 15	0 / 8	2 / 4	0 / 1	1 / 8
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 8	0 / 4	0 / 1	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15	0 / 8	2 / 4	0 / 1	1 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	88	31	14	6	15
Number of transfers	84	27	13	5	14
Estimated average number of transfers per retrieval	1.3	0.9	0.6	0.8	1.2
Average number of embryos transferred	1.7	1.6	2.1	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	36.2	22.7	18.5	2 / 10	3.8
Percentage of transfers resulting in pregnancies (%)	56.0	37.0	3 / 13	2 / 5	1 / 14
Percentage of transfers resulting in live births (%)	42.9	37.0	3 / 13	2 / 5	1 / 14
Percentage of transfers resulting in singleton live births (%)	36.9	37.0	1 / 13	2 / 5	1 / 14
Percentage of transfers resulting in twin live births (%)	6.0	0.0	2 / 13	0 / 5	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	37.0	0 / 13	1 / 5	1 / 14
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	50	29	20	6	9
	2	6	3	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	15	0	6	13	
Number of transfers	13	0	4	12	
Average number of embryos transferred	1.7		2.0	1.9	
Percentage of embryos transferred resulting in implantation (%)	33.3		3 / 8	26.1	
Percentage of transfers resulting in pregnancies (%)	6 / 13		2 / 4	5 / 12	
Percentage of transfers resulting in live births (%)	4 / 13		2 / 4	3 / 12	
Percentage of transfers resulting in singleton live births (%)	2 / 13		1 / 4	2 / 12	
Percentage of transfers resulting in twin live births (%)	2 / 13		1 / 4	1 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 13		1 / 4	1 / 12	

CURRENT SERVICES & PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS BELLEVUE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin M. Johnson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	41%	Uterine factor	3%	Multiple Factors: Female factors only 33% Female & male factors 49%
Unstimulated	0%	PGD/PGS	78%	Ovulatory dysfunction	51%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	79%	Other factor	18%	
				Endometriosis	8%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 318
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	3	4	4	3
Percentage of cancellations before retrieval (%)	2 / 2	0 / 3	2 / 4	3 / 4	3 / 3
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	59	21	17	3	1
Number of transfers	57	18	15	3	0
Estimated average number of transfers per retrieval	0.7	0.5	0.5	0.2	0.0
Average number of embryos transferred	1.0	1.0	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	71.9	10 / 17	75.0	3 / 3	
Percentage of transfers resulting in pregnancies (%)	75.4	11 / 18	13 / 15	3 / 3	
Percentage of transfers resulting in live births (%)	64.9	9 / 18	12 / 15	3 / 3	
Percentage of transfers resulting in singleton live births (%)	64.9	9 / 18	11 / 15	3 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 18	1 / 15	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	54.4	7 / 18	7 / 15	3 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	83	33	32	13	15
	2	0	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	19	3	
Number of transfers	0	0	13	2	
Average number of embryos transferred			1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)			9 / 15	1 / 1	
Percentage of transfers resulting in pregnancies (%)			9 / 13	2 / 2	
Percentage of transfers resulting in live births (%)			8 / 13	1 / 2	
Percentage of transfers resulting in singleton live births (%)			8 / 13	1 / 2	
Percentage of transfers resulting in twin live births (%)			0 / 13	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			6 / 13	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Overlake Reproductive Health, Inc., PS

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE BELLEVUE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James I. Kustin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	91%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 1% Female & male factors 4%
Unstimulated	0%	PGD/PGS	65%	Ovulatory dysfunction	4%	Male factor	9%	
Used gestational carrier	1%			Diminished ovarian reserve	7%	Other factor	66%	
				Endometriosis	1%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 211
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	17	13	3	3
Percentage of cancellations before retrieval (%)	1 / 18	0 / 17	0 / 13	0 / 3	0 / 3
Number of transfers	11	8	6	1	3
Average number of embryos transferred	2.0	2.0	1.7	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 6	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 18	1 / 17	2 / 13	1 / 3	1 / 3
Percentage of cycles resulting in live births (%)	6 / 18	1 / 17	2 / 13	1 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	4 / 18	1 / 17	2 / 13	1 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 18	0 / 17	0 / 13	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 18	0 / 17	1 / 13	1 / 3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.9	1 / 16	2 / 10	1 / 2	1 / 3
Percentage of transfers resulting in pregnancies (%)	7 / 11	1 / 8	2 / 6	1 / 1	1 / 3
Percentage of transfers resulting in live births (%)	6 / 11	1 / 8	2 / 6	1 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 11	1 / 8	2 / 6	1 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 8	0 / 6	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	0 / 8	1 / 6	1 / 1	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	19	14	2	2
Number of transfers	22	14	11	2	2
Estimated average number of transfers per retrieval	0.6	0.6	1.1	0.4	0.4
Average number of embryos transferred	1.5	1.6	1.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	25.0	26.1	4 / 17	0 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	31.8	5 / 14	3 / 11	0 / 2	1 / 2
Percentage of transfers resulting in live births (%)	27.3	4 / 14	3 / 11	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	22.7	3 / 14	3 / 11	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	4.5	1 / 14	0 / 11	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	3 / 14	2 / 11	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	16	9	5	5
	1	0	0	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	13	0	
Number of transfers	1	0	10	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		10.0		
Percentage of transfers resulting in pregnancies (%)	0 / 1		2 / 10		
Percentage of transfers resulting in live births (%)	0 / 1		1 / 10		
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 10		

CURRENT SERVICES & PROFILE

Current Name: Washington Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BELLINGHAM IVF & INFERTILITY CARE BELLINGHAM, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Emmett F. Branigan, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	10%	Uterine factor	9%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	93%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	9%	
				Endometriosis	4%	Unknown factor	5%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				72%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 83 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		34	4	5	2	2
Percentage of cancellations before retrieval (%)		2.9	0 / 4	0 / 5	0 / 2	0 / 2
Number of transfers		31	4	5	2	2
Average number of embryos transferred		1.9	2.0	2.0	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)		3.3	0 / 4	0 / 5	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		50.0	2 / 4	1 / 5	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)		50.0	1 / 4	1 / 5	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)		50.0	1 / 4	1 / 5	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)		0.0	0 / 4	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		38.2	1 / 4	1 / 5	0 / 2	0 / 2
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		28.3	2 / 8	1 / 10	0 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)		54.8	2 / 4	1 / 5	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)		54.8	1 / 4	1 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)		54.8	1 / 4	1 / 5	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)		0.0	0 / 4	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		41.9	1 / 4	1 / 5	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles		16	5	4	2	3
Number of transfers		16	5	4	2	3
Estimated average number of transfers per retrieval		1.6		1.3	2.0	3.0
Average number of embryos transferred		1.9	1.8	2.0	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)		41.4	4 / 9	1 / 8	0 / 4	0 / 7
Percentage of transfers resulting in pregnancies (%)		11 / 16	4 / 5	1 / 4	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)		10 / 16	3 / 5	1 / 4	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)		8 / 16	3 / 5	1 / 4	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)		2 / 16	0 / 5	0 / 4	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 16	2 / 5	1 / 4	0 / 2	0 / 3
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		1	0	0	0	0
		0	0	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		3	0	2	0	
Number of transfers		3	0	2	0	
Average number of embryos transferred		2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)		2 / 6		0 / 4		
Percentage of transfers resulting in pregnancies (%)		2 / 3		0 / 2		
Percentage of transfers resulting in live births (%)		2 / 3		0 / 2		
Percentage of transfers resulting in singleton live births (%)		2 / 3		0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 3		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 3		0 / 2		

CURRENT SERVICES & PROFILE		Current Name: Bellingham IVF & Infertility Care					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

POMA FERTILITY KIRKLAND, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael S. Opsahl, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	44%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 11% Female & male factors 19%
Unstimulated	<1%	PGD/PGS	26%	Ovulatory dysfunction	7%	Male factor	35%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	21%	
				Endometriosis	10%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 487
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	70	44	27	2	4
Percentage of cancellations before retrieval (%)	7.1	2.3	14.8	0 / 2	0 / 4
Number of transfers	63	37	21	2	3
Average number of embryos transferred	1.5	2.1	2.4	3.5	2.3
Percentage of elective single embryo transfers (eSET) (%)	46.8	17.1	0 / 18	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	60.0	36.4	48.1	1 / 2	0 / 4
Percentage of cycles resulting in live births (%)	55.7	31.8	44.4	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	40.0	27.3	29.6	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	15.7	2.3	14.8	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.4	25.0	22.2	1 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.8	27.8	41.2	1 / 7	0 / 7
Percentage of transfers resulting in pregnancies (%)	66.7	43.2	61.9	1 / 2	0 / 3
Percentage of transfers resulting in live births (%)	61.9	37.8	57.1	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	44.4	32.4	38.1	1 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	17.5	2.7	19.0	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.9	29.7	28.6	1 / 2	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	59	42	39	11	5
Number of transfers	48	37	27	4	2
Estimated average number of transfers per retrieval	1.0	1.2	0.9	0.4	0.2
Average number of embryos transferred	1.3	1.1	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	37.9	56.1	57.1	3 / 8	1 / 1
Percentage of transfers resulting in pregnancies (%)	47.9	54.1	59.3	2 / 4	2 / 2
Percentage of transfers resulting in live births (%)	39.6	45.9	44.4	2 / 4	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.5	40.5	40.7	2 / 4	1 / 2
Percentage of transfers resulting in twin live births (%)	2.1	5.4	3.7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	35.1	33.3	2 / 4	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	37	26	30	11	9
	5	2	3	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	20	16	31	3	
Number of transfers	12	10	29	3	
Average number of embryos transferred	1.1	1.7	1.3	2.7	
Percentage of embryos transferred resulting in implantation (%)	8 / 13	7 / 17	47.2	2 / 8	
Percentage of transfers resulting in pregnancies (%)	8 / 12	6 / 10	58.6	1 / 3	
Percentage of transfers resulting in live births (%)	8 / 12	6 / 10	44.8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	8 / 12	5 / 10	37.9	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 10	6.9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 12	3 / 10	27.6	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Poma Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James F. Moruzzi, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	12%	Tubal factor	42%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	4%	
				Endometriosis	6%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 53
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	6	4	2	2
Percentage of cancellations before retrieval (%)	0 / 17	0 / 6	0 / 4	0 / 2	0 / 2
Number of transfers	9	5	4	1	2
Average number of embryos transferred	1.9	1.8	2.0	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 4	0 / 3	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 17	2 / 6	1 / 4	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	2 / 17	2 / 6	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 17	2 / 6	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 17	0 / 6	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 17	1 / 6	0 / 4	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 17	2 / 9	1 / 8	0 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 9	2 / 5	1 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	2 / 9	2 / 5	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 9	2 / 5	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 5	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	1 / 5	0 / 4	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	1	0	2	0
Number of transfers	11	1	0	2	0
Estimated average number of transfers per retrieval	1.6			0.7	
Average number of embryos transferred	1.9	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	0 / 2		0 / 4	
Percentage of transfers resulting in pregnancies (%)	5 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	4 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	0 / 1		0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	1	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	2	0	
Number of transfers	2	0	2	0	
Average number of embryos transferred	2.0		1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 4		3 / 3		
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 2		
Percentage of transfers resulting in live births (%)	0 / 2		1 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Olympia Women's Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS SEATTLE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lorna A. Marshall, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	6%	Uterine factor	3%	Multiple Factors: Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	37%	Ovulatory dysfunction	7%	Male factor	21%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	9%	
				Endometriosis	7%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,142
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	54	34	32	28	13
Percentage of cancellations before retrieval (%)	13.0	23.5	21.9	21.4	3 / 13
Number of transfers	16	6	5	5	1
Average number of embryos transferred	1.5	1.7	1.8	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 13	0 / 4	0 / 4	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.0	8.8	3.1	3.6	0 / 13
Percentage of cycles resulting in live births (%)	11.1	5.9	0.0	3.6	0 / 13
Percentage of cycles resulting in singleton live births (%)	11.1	5.9	0.0	3.6	0 / 13
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0.0	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	5.9	0.0	3.6	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.2	3 / 10	1 / 9	1 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	7 / 16	3 / 6	1 / 5	1 / 5	0 / 1
Percentage of transfers resulting in live births (%)	6 / 16	2 / 6	0 / 5	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 16	2 / 6	0 / 5	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 6	0 / 5	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16	2 / 6	0 / 5	1 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	171	126	92	46	16
Number of transfers	158	121	80	41	10
Estimated average number of transfers per retrieval	1.3	1.2	0.8	0.7	0.3
Average number of embryos transferred	1.2	1.1	1.1	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)	57.7	59.1	48.4	51.1	8 / 11
Percentage of transfers resulting in pregnancies (%)	62.7	63.6	53.8	58.5	8 / 10
Percentage of transfers resulting in live births (%)	53.8	56.2	46.3	51.2	7 / 10
Percentage of transfers resulting in singleton live births (%)	50.6	52.9	45.0	51.2	7 / 10
Percentage of transfers resulting in twin live births (%)	2.5	3.3	1.3	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.3	50.4	43.8	48.8	7 / 10
Number of Egg or Embryo Banking Cycles					
	98	88	88	55	30
Number of fertility preservation cycles	29	26	26	15	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	25	0	109	37	
Number of transfers	18	0	105	35	
Average number of embryos transferred	1.1		1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	16 / 19		63.1	52.8	
Percentage of transfers resulting in pregnancies (%)	15 / 18		63.8	51.4	
Percentage of transfers resulting in live births (%)	12 / 18		55.2	34.3	
Percentage of transfers resulting in singleton live births (%)	11 / 18		52.4	31.4	
Percentage of transfers resulting in twin live births (%)	1 / 18		2.9	2.9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	9 / 18		44.8	28.6	

CURRENT SERVICES & PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SEATTLE REPRODUCTIVE MEDICINE SEATTLE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul S. Dudley, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	13%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	11%	
				Endometriosis	7%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,765
(includes 16 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	346	216	150	112	94
Percentage of cancellations before retrieval (%)	8.7	16.7	21.3	34.8	41.5
Number of transfers	266	159	91	57	29
Average number of embryos transferred	1.3	1.5	1.7	1.9	2.3
Percentage of elective single embryo transfers (eSET) (%)	64.5	38.5	12.7	4.5	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.5	35.2	25.3	12.5	3.2
Percentage of cycles resulting in live births (%)	35.8	31.0	16.7	6.3	1.1
Percentage of cycles resulting in singleton live births (%)	30.6	25.9	12.7	5.4	0.0
Percentage of cycles resulting in twin live births (%)	5.2	5.1	4.0	0.0	1.1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.0	24.1	10.0	4.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.9	36.0	31.3	12.9	3.4
Percentage of transfers resulting in pregnancies (%)	52.6	47.8	41.8	24.6	10.3
Percentage of transfers resulting in live births (%)	46.6	42.1	27.5	12.3	3.4
Percentage of transfers resulting in singleton live births (%)	39.8	35.2	20.9	10.5	0.0
Percentage of transfers resulting in twin live births (%)	6.8	6.9	6.6	0.0	3.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.5	32.7	16.5	8.8	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	351	230	181	74	42
Number of transfers	310	208	156	61	31
Estimated average number of transfers per retrieval	0.9	1.3	0.9	0.7	0.5
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	51.2	50.2	37.1	38.6	34.1
Percentage of transfers resulting in pregnancies (%)	57.7	54.8	43.6	50.8	45.2
Percentage of transfers resulting in live births (%)	48.7	48.1	34.0	37.7	38.7
Percentage of transfers resulting in singleton live births (%)	43.9	42.8	30.8	37.7	38.7
Percentage of transfers resulting in twin live births (%)	4.5	5.3	3.2	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.7	39.4	27.6	31.1	32.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	258	103	140	74	50
	61	36	43	18	9
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	37	129	98	64	
Number of transfers	32	112	89	59	
Average number of embryos transferred	1.2	1.4	1.2	1.4	
Percentage of embryos transferred resulting in implantation (%)	60.5	52.3	42.0	30.8	
Percentage of transfers resulting in pregnancies (%)	68.8	64.3	48.3	42.4	
Percentage of transfers resulting in live births (%)	56.3	52.7	41.6	39.0	
Percentage of transfers resulting in singleton live births (%)	50.0	45.5	39.3	39.0	
Percentage of transfers resulting in twin live births (%)	6.3	7.1	2.2	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.9	33.9	36.0	30.5	

CURRENT SERVICES & PROFILE

Current Name: Seattle Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUND FERTILITY CARE, PLLC SEATTLE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kathleen Lin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	47%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 15% Female & male factors 16%
Unstimulated	0%	PGD/PGS	38%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	15%	
				Endometriosis	7%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 106
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	7	3	0	3
Percentage of cancellations before retrieval (%)	0 / 7	2 / 7	0 / 3		1 / 3
Number of transfers	3	4	2	0	1
Average number of embryos transferred	2.0	1.8	3.0		4.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 2		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 7	4 / 7	0 / 3		1 / 3
Percentage of cycles resulting in live births (%)	1 / 7	4 / 7	0 / 3		0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 7	4 / 7	0 / 3		0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 7	0 / 7	0 / 3		0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 7	4 / 7	0 / 3		0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 6	4 / 7	0 / 6		1 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 3	4 / 4	0 / 2		1 / 1
Percentage of transfers resulting in live births (%)	1 / 3	4 / 4	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	4 / 4	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	4 / 4	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	3	4	11	2
Number of transfers	8	2	2	4	2
Estimated average number of transfers per retrieval	0.8	0.2	0.1	0.3	0.5
Average number of embryos transferred	1.1	1.0	1.5	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	7 / 8	0 / 1	0 / 3	1 / 5	2 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 8	1 / 2	0 / 2	1 / 4	2 / 2
Percentage of transfers resulting in live births (%)	5 / 8	0 / 2	0 / 2	1 / 4	2 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 8	0 / 2	0 / 2	1 / 4	2 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 2	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 8	0 / 2	0 / 2	1 / 4	2 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	9	15	15	4
	1	4	2	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	4	0	
Number of transfers	2	0	3	0	
Average number of embryos transferred	2.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 4		1 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 2		1 / 3		
Percentage of transfers resulting in live births (%)	2 / 2		1 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2		1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 2		0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		0 / 3		

CURRENT SERVICES & PROFILE

Current Name: Sound Fertility Care, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY REPRODUCTIVE CARE
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Genevieve S. Neal-Perry, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	38%	Uterine factor	7%	Multiple Factors: Female factors only 15% Female & male factors 48%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	15%	Male factor	64%	
Used gestational carrier	5%			Diminished ovarian reserve	35%	Other factor	16%	
				Endometriosis	4%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 139
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	10	10	1	6
Percentage of cancellations before retrieval (%)	10.3	3 / 10	1 / 10	1 / 1	2 / 6
Number of transfers	11	4	5	0	0
Average number of embryos transferred	1.3	1.8	1.8		
Percentage of elective single embryo transfers (eSET) (%)	2 / 5	1 / 4	1 / 4		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.8	1 / 10	2 / 10	0 / 1	0 / 6
Percentage of cycles resulting in live births (%)	10.3	1 / 10	1 / 10	0 / 1	0 / 6
Percentage of cycles resulting in singleton live births (%)	10.3	1 / 10	0 / 10	0 / 1	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0 / 10	1 / 10	0 / 1	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.3	1 / 10	0 / 10	0 / 1	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 14	1 / 7	3 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 11	1 / 4	2 / 5		
Percentage of transfers resulting in live births (%)	3 / 11	1 / 4	1 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 4	0 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 4	1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	1 / 4	0 / 5		
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	11	7	5	0
Number of transfers	11	9	6	3	0
Estimated average number of transfers per retrieval	0.6	0.5	0.5	1.5	0.0
Average number of embryos transferred	1.2	1.0	1.2	1.7	
Percentage of embryos transferred resulting in implantation (%)	10 / 13	2 / 8	2 / 7	3 / 5	
Percentage of transfers resulting in pregnancies (%)	8 / 11	3 / 9	2 / 6	2 / 3	
Percentage of transfers resulting in live births (%)	7 / 11	1 / 9	1 / 6	2 / 3	
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 9	1 / 6	2 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 9	0 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	0 / 9	0 / 6	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	18	13	2	3
	2	4	2	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Care, University of Washington

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH SPOKANE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Edwin D. Robins, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 26%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	9%	Male factor	61%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	11%	
				Endometriosis	2%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 237
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	32	15	5	2	6
Percentage of cancellations before retrieval (%)	18.8	6 / 15	1 / 5	0 / 2	4 / 6
Number of transfers	12	3	1	0	0
Average number of embryos transferred	1.4	1.7	2.0		
Percentage of elective single embryo transfers (eSET) (%)	6 / 11	1 / 3	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.1	3 / 15	1 / 5	0 / 2	0 / 6
Percentage of cycles resulting in live births (%)	21.9	3 / 15	1 / 5	0 / 2	0 / 6
Percentage of cycles resulting in singleton live births (%)	18.8	3 / 15	1 / 5	0 / 2	0 / 6
Percentage of cycles resulting in twin live births (%)	3.1	0 / 15	0 / 5	0 / 2	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.6	3 / 15	1 / 5	0 / 2	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11 / 17	3 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	9 / 12	3 / 3	1 / 1		
Percentage of transfers resulting in live births (%)	7 / 12	3 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)	6 / 12	3 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 12	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	65	26	12	0	1
Number of transfers	64	26	12	0	1
Estimated average number of transfers per retrieval	1.7	1.6	1.7		0.1
Average number of embryos transferred	1.3	1.3	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)	59.5	68.8	10 / 16		0 / 1
Percentage of transfers resulting in pregnancies (%)	65.6	73.1	10 / 12		0 / 1
Percentage of transfers resulting in live births (%)	54.7	61.5	7 / 12		0 / 1
Percentage of transfers resulting in singleton live births (%)	43.8	50.0	7 / 12		0 / 1
Percentage of transfers resulting in twin live births (%)	9.4	11.5	0 / 12		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.4	38.5	7 / 12		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	14	5	0	4
	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	20	0	
Number of transfers	0	1	20	0	
Average number of embryos transferred		2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	73.1		
Percentage of transfers resulting in pregnancies (%)		0 / 1	80.0		
Percentage of transfers resulting in live births (%)		0 / 1	65.0		
Percentage of transfers resulting in singleton live births (%)		0 / 1	60.0		
Percentage of transfers resulting in twin live births (%)		0 / 1	5.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	45.0		

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SRM SPOKANE SPOKANE VALLEY, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brenda S. Houmar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	19%	Uterine factor	<1%	Multiple Factors: Female factors only 2% Female & male factors 10%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	18%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	6%	
				Endometriosis	6%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 220
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	24	14	9	5
Percentage of cancellations before retrieval (%)	5.0	4.2	1 / 14	4 / 9	3 / 5
Number of transfers	22	19	12	3	2
Average number of embryos transferred	1.1	1.8	1.7	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	86.4	4 / 18	0 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	12.5	1 / 14	0 / 9	0 / 5
Percentage of cycles resulting in live births (%)	12.5	8.3	1 / 14	0 / 9	0 / 5
Percentage of cycles resulting in singleton live births (%)	10.0	4.2	1 / 14	0 / 9	0 / 5
Percentage of cycles resulting in twin live births (%)	2.5	4.2	0 / 14	0 / 9	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7.5	0.0	1 / 14	0 / 9	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.1	14.3	5.0	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	45.5	3 / 19	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	22.7	2 / 19	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	18.2	1 / 19	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	4.5	1 / 19	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	13.6	0 / 19	1 / 12	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	15	6	3	0
Number of transfers	39	12	5	2	0
Estimated average number of transfers per retrieval	1.0	1.7	0.7	0.7	0.0
Average number of embryos transferred	1.3	1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	39.1	6 / 11	3 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	43.6	7 / 12	3 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	33.3	4 / 12	3 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	20.5	2 / 12	3 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.8	2 / 12	0 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.5	2 / 12	3 / 5	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	1	6	3	1
	3	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	20	4	2	
Number of transfers	2	15	4	2	
Average number of embryos transferred	1.5	1.1	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 3	7 / 17	3 / 4	2 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 2	7 / 15	3 / 4	2 / 2	
Percentage of transfers resulting in live births (%)	1 / 2	5 / 15	3 / 4	2 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2	5 / 15	3 / 4	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	4 / 15	3 / 4	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: SRM Spokane

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GYFT CLINIC, PLLC
TACOMA, WASHINGTON**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

MADIGAN ARMY MEDICAL CENTER TACOMA, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ronald D. Beesley, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	24%	Uterine factor	8%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	14%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	7%	
				Endometriosis	12%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 155
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	62	17	25	13	1
Percentage of cancellations before retrieval (%)	6.5	1 / 17	12.0	1 / 13	1 / 1
Number of transfers	52	14	22	8	0
Average number of embryos transferred	1.5	2.1	2.0	2.3	
Percentage of elective single embryo transfers (eSET) (%)	48.9	0 / 12	1 / 19	0 / 7	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.8	8 / 17	32.0	4 / 13	0 / 1
Percentage of cycles resulting in live births (%)	41.9	8 / 17	20.0	2 / 13	0 / 1
Percentage of cycles resulting in singleton live births (%)	27.4	6 / 17	16.0	1 / 13	0 / 1
Percentage of cycles resulting in twin live births (%)	14.5	2 / 17	4.0	1 / 13	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.8	5 / 17	12.0	1 / 13	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.3	33.3	18.6	6 / 18	
Percentage of transfers resulting in pregnancies (%)	55.8	8 / 14	36.4	4 / 8	
Percentage of transfers resulting in live births (%)	50.0	8 / 14	22.7	2 / 8	
Percentage of transfers resulting in singleton live births (%)	32.7	6 / 14	18.2	1 / 8	
Percentage of transfers resulting in twin live births (%)	17.3	2 / 14	4.5	1 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.8	5 / 14	13.6	1 / 8	
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	7	5	1	0
Number of transfers	20	7	5	1	0
Estimated average number of transfers per retrieval	1.8	1.8	5.0	0.5	
Average number of embryos transferred	1.7	1.7	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	45.5	5 / 11	3 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	60.0	4 / 7	3 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	55.0	2 / 7	3 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.0	1 / 7	3 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	1 / 7	3 / 5	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Madigan Army Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER CHARLESTON, WEST VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Pickens A. Gantt, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	13%	Uterine factor	5%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	8%	
				Endometriosis	0%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				10%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 40 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	9	1	2	1	2	
Percentage of cancellations before retrieval (%)	0 / 9	0 / 1	0 / 2	0 / 1	0 / 2	
Number of transfers	8	1	1	1	2	
Average number of embryos transferred	1.9	1.0	2.0	2.0	2.5	
Percentage of elective single embryo transfers (eSET) (%)	0 / 7		0 / 1	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	4 / 9	0 / 1	1 / 2	1 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	3 / 9	0 / 1	0 / 2	1 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	3 / 9	0 / 1	0 / 2	1 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 9	0 / 1	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 9	0 / 1	0 / 2	0 / 1	0 / 2	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	4 / 15	0 / 1	1 / 2	1 / 2	0 / 5	
Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 1	1 / 1	1 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	3 / 8	0 / 1	0 / 1	1 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 1	0 / 1	1 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	0 / 1	0 / 1	0 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	11	2	1	1	0	
Number of transfers	9	2	0	1	0	
Estimated average number of transfers per retrieval	3.0	2.0				
Average number of embryos transferred	2.2	1.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	15.0	0 / 2		0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	3 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	0 / 2		0 / 1		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	1	0	0	0	0	
	1	0	0	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	4	0	5	0		
Number of transfers	4	0	5	0		
Average number of embryos transferred	2.3		1.8			
Percentage of embryos transferred resulting in implantation (%)	2 / 9		1 / 9			
Percentage of transfers resulting in pregnancies (%)	2 / 4		1 / 5			
Percentage of transfers resulting in live births (%)	1 / 4		0 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 4		0 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4		0 / 5			

CURRENT SERVICES & PROFILE		Current Name: West Virginia University Fertility Center	
Donor eggs?	Yes	Embryo cryopreservation?	Yes
Donor embryos?	No	Egg cryopreservation?	No
		Single women?	Yes
		Gestational carriers?	Yes
		SART member?	No
		Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CABELL HUNTINGTON HOSPITAL CENTER FOR ADVANCED REPRODUCTIVE MEDICINE HUNTINGTON, WEST VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William N. Burns, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	9%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	29%	
				Endometriosis	23%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 35
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	9	5	3	2	1
Percentage of cancellations before retrieval (%)	0 / 9	0 / 5	0 / 3	0 / 2	0 / 1
Number of transfers	8	5	3	2	0
Average number of embryos transferred	2.3	2.0	4.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 4	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 9	3 / 5	3 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	6 / 9	2 / 5	2 / 3	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 9	2 / 5	2 / 3	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 9	0 / 5	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 5	1 / 3	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	10 / 18	4 / 10	4 / 13	0 / 6	
Percentage of transfers resulting in pregnancies (%)	6 / 8	3 / 5	3 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	6 / 8	2 / 5	2 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 8	2 / 5	2 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 8	2 / 5	1 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	1	0	1	1
Number of transfers	5	1	0	1	1
Estimated average number of transfers per retrieval	5.0				1.0
Average number of embryos transferred	1.8	1.0		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	0 / 9	0 / 1		2 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 5	0 / 1		1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 5	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	0 / 1		0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f					
Number of cycles	4	1	2	0	
Number of transfers	4	1	2	0	
Average number of embryos transferred	2.0	3.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 8	0 / 3	1 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 4	0 / 1	1 / 2		
Percentage of transfers resulting in live births (%)	1 / 4	0 / 1	1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 1	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 1	1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE MORGANTOWN, WEST VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gary M. Horowitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	18%	Uterine factor	11%	Multiple Factors: Female factors only 14% Female & male factors 52%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	16%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	25%	
				Endometriosis	17%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 136
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	51	16	11	3	0
Percentage of cancellations before retrieval (%)	3.9	2 / 16	2 / 11	1 / 3	
Number of transfers	38	12	8	1	0
Average number of embryos transferred	1.8	1.7	1.9	2.0	
Percentage of elective single embryo transfers (eSET) (%)	12.9	1 / 8	1 / 7	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.5	3 / 16	2 / 11	1 / 3	
Percentage of cycles resulting in live births (%)	27.5	3 / 16	1 / 11	1 / 3	
Percentage of cycles resulting in singleton live births (%)	23.5	3 / 16	1 / 11	1 / 3	
Percentage of cycles resulting in twin live births (%)	3.9	0 / 16	0 / 11	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.6	1 / 16	1 / 11	1 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	24.6	15.0	1 / 13	1 / 2	
Percentage of transfers resulting in pregnancies (%)	36.8	3 / 12	2 / 8	1 / 1	
Percentage of transfers resulting in live births (%)	36.8	3 / 12	1 / 8	1 / 1	
Percentage of transfers resulting in singleton live births (%)	31.6	3 / 12	1 / 8	1 / 1	
Percentage of transfers resulting in twin live births (%)	5.3	0 / 12	0 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.7	1 / 12	1 / 8	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	7	2	0	0
Number of transfers	21	6	1	0	0
Estimated average number of transfers per retrieval	1.2	0.8	0.5		
Average number of embryos transferred	1.4	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	23.3	3 / 8	1 / 1		
Percentage of transfers resulting in pregnancies (%)	23.8	3 / 6	1 / 1		
Percentage of transfers resulting in live births (%)	19.0	3 / 6	1 / 1		
Percentage of transfers resulting in singleton live births (%)	9.5	3 / 6	1 / 1		
Percentage of transfers resulting in twin live births (%)	9.5	0 / 6	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4.8	2 / 6	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	8	2	0	0
	3	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	2	1	1	
Number of transfers	3	2	0	1	
Average number of embryos transferred	1.7	1.5		1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 3		1 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 3	0 / 2		1 / 1	
Percentage of transfers resulting in live births (%)	0 / 3	0 / 2		1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 2		1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 2		1 / 1	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: West Virginia University Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER GREEN BAY, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Estil Y. Strawn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 51%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	31%	Male factor	68%	
Used gestational carrier	1%			Diminished ovarian reserve	10%	Other factor	47%	
				Endometriosis	7%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 181
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	54	11	4	1	0
Percentage of cancellations before retrieval (%)	11.1	2 / 11	1 / 4	0 / 1	
Number of transfers	39	5	3	1	0
Average number of embryos transferred	1.7	1.8	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	14.7	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.6	3 / 11	2 / 4	1 / 1	
Percentage of cycles resulting in live births (%)	40.7	3 / 11	1 / 4	1 / 1	
Percentage of cycles resulting in singleton live births (%)	27.8	3 / 11	1 / 4	1 / 1	
Percentage of cycles resulting in twin live births (%)	13.0	0 / 11	0 / 4	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	2 / 11	1 / 4	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.6	5 / 9	2 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	59.0	3 / 5	2 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	56.4	3 / 5	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	38.5	3 / 5	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	17.9	0 / 5	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.9	2 / 5	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	44	18	11	1	0
Number of transfers	41	17	11	1	0
Estimated average number of transfers per retrieval	2.0	1.3	1.2		
Average number of embryos transferred	1.4	1.2	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	58.9	52.4	8 / 13	0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.3	9 / 17	8 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	56.1	9 / 17	6 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	39.0	7 / 17	6 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	17.1	2 / 17	0 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	6 / 17	4 / 11	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	10	8	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	4	1	
Number of transfers	3	0	4	1	
Average number of embryos transferred	1.3		1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 4		5 / 7	1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3		4 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 3		4 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		3 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		1 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		1 / 4	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services,
The Women's Center at Aurora BayCare Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FROEDTERT & MEDICAL COLLEGE OF WISCONSIN REPRODUCTIVE MEDICINE CENTER MENOMONEE FALLS, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Katherine Schoyer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	17%	Uterine factor	<1%	Multiple Factors: Female factors only 8% Female & male factors 13%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	20%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	6%	
				Endometriosis	7%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 573
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	102	67	39	6	5
Percentage of cancellations before retrieval (%)	2.0	6.0	7.7	2 / 6	1 / 5
Number of transfers	73	44	22	3	1
Average number of embryos transferred	1.4	1.6	2.0	2.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	57.4	31.4	0 / 17	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.4	25.4	17.9	1 / 6	0 / 5
Percentage of cycles resulting in live births (%)	30.4	20.9	17.9	1 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	26.5	17.9	15.4	1 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	3.9	3.0	2.6	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.5	11.9	15.4	1 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.3	26.8	17.8	1 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.8	38.6	31.8	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	42.5	31.8	31.8	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.0	27.3	27.3	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	5.5	4.5	4.5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.6	18.2	27.3	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	140	66	40	3	4
Number of transfers	132	62	39	2	2
Estimated average number of transfers per retrieval	2.0	1.7	1.2		2.0
Average number of embryos transferred	1.3	1.4	1.5	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	48.9	32.2	30.5	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	52.3	37.1	30.8	0 / 2	1 / 2
Percentage of transfers resulting in live births (%)	44.7	32.3	23.1	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.1	30.6	12.8	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	7.6	1.6	10.3	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	25.8	7.7	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	9	14	0	1
	8	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	13	19	5	
Number of transfers	11	9	16	4	
Average number of embryos transferred	1.1	1.9	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 12	3 / 17	28.6	2 / 8	
Percentage of transfers resulting in pregnancies (%)	5 / 11	2 / 9	5 / 16	2 / 4	
Percentage of transfers resulting in live births (%)	5 / 11	2 / 9	5 / 16	2 / 4	
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 9	4 / 16	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 9	1 / 16	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	1 / 9	3 / 16	2 / 4	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE MIDDLETON, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christina E. Broadwell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	13%	Uterine factor	1%	Multiple Factors: Female factors only 6% Female & male factors 24%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	20%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	7%	
				Endometriosis	7%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 258
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	58	29	17	1	0
Percentage of cancellations before retrieval (%)	8.6	13.8	6 / 17	0 / 1	
Number of transfers	48	21	11	1	0
Average number of embryos transferred	1.3	1.4	1.7	1.0	
Percentage of elective single embryo transfers (eSET) (%)	70.7	10 / 19	0 / 8		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.1	48.3	4 / 17	0 / 1	
Percentage of cycles resulting in live births (%)	36.2	37.9	4 / 17	0 / 1	
Percentage of cycles resulting in singleton live births (%)	31.0	27.6	2 / 17	0 / 1	
Percentage of cycles resulting in twin live births (%)	5.2	10.3	2 / 17	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.6	24.1	0 / 17	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.3	53.6	6 / 19	0 / 1	
Percentage of transfers resulting in pregnancies (%)	52.1	66.7	4 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	43.8	52.4	4 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.5	38.1	2 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.3	14.3	2 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	33.3	0 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	59	28	13	4	0
Number of transfers	58	28	13	3	0
Estimated average number of transfers per retrieval	1.6	2.5	1.9	3.0	0.0
Average number of embryos transferred	1.3	1.3	1.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	52.8	57.6	8 / 18	2 / 5	
Percentage of transfers resulting in pregnancies (%)	62.1	71.4	7 / 13	2 / 3	
Percentage of transfers resulting in live births (%)	50.0	57.1	5 / 13	2 / 3	
Percentage of transfers resulting in singleton live births (%)	44.8	53.6	4 / 13	2 / 3	
Percentage of transfers resulting in twin live births (%)	5.2	3.6	1 / 13	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	50.0	4 / 13	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	4	5	1	2
	6	2	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	17	2	0	
Number of transfers	0	14	2	0	
Average number of embryos transferred		1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)		42.9	1 / 2		
Percentage of transfers resulting in pregnancies (%)		7 / 14	1 / 2		
Percentage of transfers resulting in live births (%)		7 / 14	0 / 2		
Percentage of transfers resulting in singleton live births (%)		5 / 14	0 / 2		
Percentage of transfers resulting in twin live births (%)		2 / 14	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 14	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE MIDDLETON, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Elizabeth Pritts, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 4%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	7%	Male factor	14%	
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	7%	
				Endometriosis	4%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 365
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	11	8	1	4
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 8	0 / 1	0 / 4
Number of transfers	6	3	2	0	2
Average number of embryos transferred	2.0	2.0	2.5		1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 5	0 / 3	0 / 2		1 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4.8	0 / 11	1 / 8	0 / 1	0 / 4
Percentage of cycles resulting in live births (%)	4.8	0 / 11	1 / 8	0 / 1	0 / 4
Percentage of cycles resulting in singleton live births (%)	2.4	0 / 11	1 / 8	0 / 1	0 / 4
Percentage of cycles resulting in twin live births (%)	2.4	0 / 11	0 / 8	0 / 1	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2.4	0 / 11	1 / 8	0 / 1	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 12	0 / 6	1 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 6	0 / 3	1 / 2		0 / 2
Percentage of transfers resulting in live births (%)	2 / 6	0 / 3	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 3	1 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 3	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 3	1 / 2		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	44	27	3	3
Number of transfers	88	43	24	3	2
Estimated average number of transfers per retrieval	1.6	1.9	1.5	1.5	0.3
Average number of embryos transferred	1.7	1.7	1.8	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	26.2	28.4	16.3	0 / 8	0 / 4
Percentage of transfers resulting in pregnancies (%)	37.5	41.9	29.2	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	28.4	34.9	25.0	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	21.6	30.2	25.0	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	5.7	4.7	0.0	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.2	25.6	12.5	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	15	12	2	5
	12	10	6	0	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	36	22	
Number of transfers	0	0	31	17	
Average number of embryos transferred			1.5	1.9	
Percentage of embryos transferred resulting in implantation (%)			31.1	24.2	
Percentage of transfers resulting in pregnancies (%)			32.3	6 / 17	
Percentage of transfers resulting in live births (%)			25.8	6 / 17	
Percentage of transfers resulting in singleton live births (%)			16.1	4 / 17	
Percentage of transfers resulting in twin live births (%)			9.7	2 / 17	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			12.9	4 / 17	

CURRENT SERVICES & PROFILE

Current Name: Wisconsin Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY CENTER MILWAUKEE, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Grace M. Janik, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	30%	Tubal factor	23%	Uterine factor	0%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	2%	
				Endometriosis	23%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 44
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	5	6	1	3
Percentage of cancellations before retrieval (%)	0 / 10	1 / 5	0 / 6	0 / 1	0 / 3
Number of transfers	9	4	6	1	3
Average number of embryos transferred	1.7	1.8	2.3	2.0	3.3
Percentage of elective single embryo transfers (eSET) (%)	3 / 9	1 / 4	0 / 5	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Percentage of cycles resulting in live births (%)	5 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	4 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 5	0 / 6	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 14	1 / 7	1 / 14	0 / 2	0 / 10
Percentage of transfers resulting in pregnancies (%)	7 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	5 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 4	0 / 6	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	3	1	1	0
Number of transfers	12	3	0	1	0
Estimated average number of transfers per retrieval	2.4	3.0			
Average number of embryos transferred	1.8	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 19	1 / 6		0 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	3 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 12	1 / 3		0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	1	
Number of transfers	0	0	0	1	
Average number of embryos transferred				2.0	
Percentage of embryos transferred resulting in implantation (%)				1 / 2	
Percentage of transfers resulting in pregnancies (%)				1 / 1	
Percentage of transfers resulting in live births (%)				1 / 1	
Percentage of transfers resulting in singleton live births (%)				1 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN FERTILITY CENTER ONALASKA, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Catherine R. Ryan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 17% Female & male factors 30%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	29%	Male factor	43%	
Used gestational carrier	1%			Diminished ovarian reserve	21%	Other factor	34%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 79
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	11	4	1	0	0
Percentage of cancellations before retrieval (%)	1 / 11	1 / 4	0 / 1		
Number of transfers	9	1	0	0	0
Average number of embryos transferred	1.3	2.0			
Percentage of elective single embryo transfers (eSET) (%)	6 / 9	0 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 11	1 / 4	0 / 1		
Percentage of cycles resulting in live births (%)	3 / 11	1 / 4	0 / 1		
Percentage of cycles resulting in singleton live births (%)	3 / 11	1 / 4	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 4	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 11	0 / 4	0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 12	1 / 2			
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 1			
Percentage of transfers resulting in live births (%)	3 / 9	1 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 9	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	12	5	1	0
Number of transfers	24	10	5	0	0
Estimated average number of transfers per retrieval	2.2	2.5	5.0		
Average number of embryos transferred	1.3	2.0	2.2		
Percentage of embryos transferred resulting in implantation (%)	62.5	50.0	3 / 11		
Percentage of transfers resulting in pregnancies (%)	75.0	7 / 10	3 / 5		
Percentage of transfers resulting in live births (%)	54.2	5 / 10	2 / 5		
Percentage of transfers resulting in singleton live births (%)	50.0	2 / 10	2 / 5		
Percentage of transfers resulting in twin live births (%)	4.2	3 / 10	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.7	1 / 10	2 / 5		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	2	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	6	4	0	
Number of transfers	0	3	4	0	
Average number of embryos transferred		1.3	1.5		
Percentage of embryos transferred resulting in implantation (%)		1 / 4	3 / 6		
Percentage of transfers resulting in pregnancies (%)		1 / 3	3 / 4		
Percentage of transfers resulting in live births (%)		1 / 3	3 / 4		
Percentage of transfers resulting in singleton live births (%)		1 / 3	3 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 3	1 / 4		

CURRENT SERVICES & PROFILE

Current Name: Gundersen Fertility Center

Donor eggs?	No	Embryo cryopreservation?	No	Single women?	No	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS WEST ALLIS, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Estil Y. Strawn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	17%	Uterine factor	9%	Multiple Factors: Female factors only 15% Female & male factors 59%
Unstimulated	0%	PGD/PGS	44%	Ovulatory dysfunction	12%	Male factor	68%	
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	62%	
				Endometriosis	5%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	3	4	4	0
Percentage of cancellations before retrieval (%)	3 / 10	1 / 3	3 / 4	4 / 4	
Number of transfers	3	0	0	0	0
Average number of embryos transferred	2.0				
Percentage of elective single embryo transfers (eSET) (%)	0 / 3				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in live births (%)	2 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in singleton live births (%)	1 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 10	0 / 3	0 / 4	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 6				
Percentage of transfers resulting in pregnancies (%)	2 / 3				
Percentage of transfers resulting in live births (%)	2 / 3				
Percentage of transfers resulting in singleton live births (%)	1 / 3				
Percentage of transfers resulting in twin live births (%)	1 / 3				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3				
Frozen Embryos from Nondonor Eggs					
Number of cycles	60	43	18	0	0
Number of transfers	55	33	15	0	0
Estimated average number of transfers per retrieval	1.1	1.0	1.1	0.0	0.0
Average number of embryos transferred	1.3	1.2	1.3		
Percentage of embryos transferred resulting in implantation (%)	68.7	65.0	11 / 19		
Percentage of transfers resulting in pregnancies (%)	80.0	63.6	10 / 15		
Percentage of transfers resulting in live births (%)	63.6	51.5	8 / 15		
Percentage of transfers resulting in singleton live births (%)	60.0	36.4	6 / 15		
Percentage of transfers resulting in twin live births (%)	3.6	15.2	2 / 15		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	56.4	33.3	6 / 15		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	49	32	14	11	3
	3	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	10	1	
Number of transfers	3	0	10	1	
Average number of embryos transferred	1.7		1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 5		10 / 16		
Percentage of transfers resulting in pregnancies (%)	3 / 3		9 / 10	1 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		9 / 10	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 3		8 / 10	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		1 / 10	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3		7 / 10	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services, West Allis

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.