OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11-21).

2016 ART CYCLE PROFILE

Data verified by Grant E. Schmidt, MD, PhD

| Type of ART and Procedural Factors ^a | | | | Patient Diagnosis ^{a,b} | | | | | |
|---|------|-----------|-----|----------------------------------|-----|----------------|-----|-----------------------|-----|
| IVF | 100% | With ICSI | 32% | Tubal factor | 19% | Uterine factor | 5% | Multiple Factors: | |
| Unstimulated | <1% | PGD/PGS | 3% | Ovulatory dysfunction | 11% | Male factor | 26% | Female factors only | 13% |
| Used gestational carrier | 2% | | | Diminished ovarian reserve | 30% | Other factor | 8% | Female & male factors | 9% |
| | | | | Endometriosis | 9% | Unknown factor | 18% | | |

2016 ART SUCCESS RATES C,d

Total number of cycles^d: 749

| Type of Cycle Fresh Embryos from Fresh Nondon | | <35 | Ag 35–37 | e of Patie 38-40 | | |
|---|--|--------|-------------|---------------------|------------------|----------------|
| | | <35 | 35_37 | 20_40 | 44 40 | |
| Fresh Embryos from Fresh Nondon | | | 05-07 | 30-40 | 41-42 | >42 |
| | or Eggs | | | | | |
| Number of cycles | | 211 | 109 | 66 | 38 | 22 |
| Percentage of cancellations before retrieval | (%) | 3.3 | 9.2 | 18.2 | 34.2 | 27.3 |
| Number of transfers | | 163 | 78 | 40 | 17 | 11 |
| Average number of embryos transferred | | 1.5 | 1.6 | 2.1 | 2.5 | 2.6 |
| Percentage of elective single embryo transfe | ers (eSET) (%) | 42.3 | 24.6 | 0.0 | 0/14 | 0/8 |
| Outcomes per Cycle | | | | | | |
| Percentage of cycles resulting in pregnancie | es (%) | 44.1 | 38.5 | 24.2 | 13.2 | 4.5 |
| Percentage of cycles resulting in live births (| | 38.9 | 32.1 | 13.6 | 7.9 | 4.5 |
| Percentage of cycles resulting in singleton li | ive births (%) | 32.2 | 23.9 | 10.6 | 5.3 | 4.5 |
| Percentage of cycles resulting in twin live bi | | 6.6 | 7.3 | 3.0 | 2.6 | 0.0 |
| Percentage of cycles resulting in term, norm | nal weight and singleton live births (%) | 28.4 | 20.2 | 7.6 | 5.3 | 0.0 |
| Outcomes per Transfer | | | | | | |
| Percentage of embryos transferred resulting | g in implantation (%) | 43.9 | 44.0 | 22.7 | 10.8 | 3.4 |
| Percentage of transfers resulting in pregnan | icies (%) | 57.1 | 53.8 | 40.0 | 5 / 17 | 1 / 11 |
| Percentage of transfers resulting in live birth | | 50.3 | 44.9 | 22.5 | 3 / 17 | 1 / 11 |
| Percentage of transfers resulting in singleton | n live births (%) | 41.7 | 33.3 | 17.5 | 2 / 17 | 1 / 11 |
| Percentage of transfers resulting in twin live | | 8.6 | 10.3 | 5.0 | 1 / 17 | 0/11 |
| Percentage of transfers resulting in term, no | ormal weight and singleton live births (%) | 36.8 | 28.2 | 12.5 | 2/17 | 0/11 |
| Frozen Embryos from Nondonor Eg | ane . | | | | | |
| Number of cycles | 93 | 120 | 52 | 18 | 13 | 4 |
| Number of transfers | | 117 | 49 | 16 | 13 | 4 |
| Estimated average number of transfers per | retrieval | 1.9 | 1.4 | 0.7 | 1.6 | 0.6 |
| Average number of embryos transferred | 10010101 | 1.5 | 1.3 | 1.3 | 1.4 | 2.5 |
| Percentage of embryos transferred resulting | in implantation (%) | 51.2 | 44.6 | 30.0 | 4 / 18 | 3/8 |
| Percentage of transfers resulting in pregnan | | 61.5 | 57.1 | 7 / 16 | 2 / 13 | 3/4 |
| Percentage of transfers resulting in live birth | * * | 49.6 | 36.7 | 4 / 16 | 2 / 13 | 2/4 |
| Percentage of transfers resulting in singleton | | 39.3 | 30.6 | 4 / 16 | 0 / 13 | 1/4 |
| Percentage of transfers resulting in twin live | • / | 9.4 | 6.1 | 0 / 16 | 2 / 13 | 1/4 |
| Percentage of transfers resulting in term, no | ` ' | 34.2 | 26.5 | 4/16 | 0 / 13 | 1/4 |
| | | | | | _ | |
| Number of Egg or Embryo Banking | Cycles | 17 | 12 | 15 | 3 | 4 |
| Number of fertility preservation cycles | | 2 | 2 | 0 | 0 | 1 |
| | | Fresh | Froz | en Fr | ozen | Donated |
| Donor Eggs ^f | | Eggs | Egg | s Em | bryos | Embryos |
| Number of cycles | | 17 | 0 | | 20 | 8 |
| Number of transfers | | 14 | 0 | | 18 | 8 |
| verage number of embryos transferred | | 1.3 | | | 1.3 | 1.8 |
| Percentage of embryos transferred resulting | in implantation (%) | 5 / 15 | | Į | 52.2 | 8/14 |
| Percentage of transfers resulting in pregnan | cies (%) | 7 / 14 | | 10 | 0 / 18 | 6/8 |
| | ns (%) | 5 / 14 | | 9 | / 18 | 6/8 |
| Percentage of transfers resulting in live birth | (70) | | | | | |
| Percentage of transfers resulting in live birth Percentage of transfers resulting in singleton | | 5/14 | | 6 | / 18 | 5/8 |
| | n live births (%) births (%) | | | | i / 18 i / 18 | 5/8 0/8 |

CURRENT SERVICES & PROFILE

Current Name: Ohio Reproductive Medicine

| Donor eggs? | Yes | Embryo cryopreservation? | Yes | Single women? | Yes | SART member? | Yes |
|----------------|-----|--------------------------|-----|-----------------------|-----|-----------------------------|-----|
| Donor embryos? | Yes | Egg cryopreservation? | Yes | Gestational carriers? | Yes | Verified lab accreditation? | Yes |

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.