UF HEALTH REPRODUCTIVE MEDICINE AT SPRINGHILL GAINESVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11-21).

| 2016 ART CYCLE PROFILE | | | Data verified by Alice S. Rhoton-Vlasak, MD | | | | | | | |
|---|------|-----------|---|----------------------------|------|----------------|-----|-----------------------|-----|--|
| Type of ART and Procedural Factors ^a | | | | Patient Diagnosis a,b | | | | | | |
| IVF | 100% | With ICSI | 68% | Tubal factor | 7% | Uterine factor | 5% | Multiple Factors: | | |
| Unstimulated | 0% | PGD/PGS | 8% | Ovulatory dysfunction | 22% | Male factor | 41% | Female factors only | 8% | |
| Used gestational carrier | 1% | | | Diminished ovarian reserve | 22% | Other factor | 13% | Female & male factors | 20% | |
| | | | | Endometriceis | 120% | Unknown factor | 20% | | | |

2016 ART SUCCESS RATES c,d

Total number of cycles^d: 94

(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

| (includes 0 cycle[s] using fresh em | DI YOS II OIII I | | | | |
|---|------------------|---------|-------------|-------|----------------|
| Type of Cycle | | _ | ge of Patie | | |
| | <35 | 35–37 | 38–40 | 41-42 | >42 |
| Fresh Embryos from Fresh Nondonor Eggs | | | _ | | _ |
| Number of cycles | 21 | 14 | 9 | 2 | 3 |
| Percentage of cancellations before retrieval (%) | 4.8 | 1 / 14 | 2/9 | 0/2 | 0/3 |
| Number of transfers | 13 | 9 | 5 | 2 | 2 |
| Average number of embryos transferred | 1.4 | 2.3 | 2.8 | 2.5 | 4.0 |
| Percentage of elective single embryo transfers (eSET) (%) | 8 / 12 | 1/9 | 0/5 | 0/1 | 0/2 |
| Outcomes per Cycle | 00.0 | 4 / 4 4 | 0.40 | 4.40 | 4.40 |
| Percentage of cycles resulting in pregnancies (%) | 23.8 | 4/14 | 2/9 | 1/2 | 1/3 |
| Percentage of cycles resulting in live births (%) | 23.8 | 4/14 | 2/9 | 1/2 | 0/3 |
| Percentage of cycles resulting in singleton live births (%) | 19.0 | 4/14 | 2/9 | 1/2 | 0/3 |
| Percentage of cycles resulting in twin live births (%) | 4.8 | 0/14 | 0/9 | 0/2 | 0/3 |
| Percentage of cycles resulting in term, normal weight and singleton live births ^e (%) | 19.0 | 4 / 14 | 1/9 | 1/2 | 0/3 |
| Outcomes per Transfer | | | - / / / | = | |
| Percentage of embryos transferred resulting in implantation (%) | 7 / 18 | 19.0 | 2/14 | 1/5 | 1/8 |
| Percentage of transfers resulting in pregnancies (%) | 5 / 13 | 4/9 | 2/5 | 1/2 | 1/2 |
| Percentage of transfers resulting in live births (%) | 5 / 13 | 4/9 | 2/5 | 1/2 | 0/2 |
| Percentage of transfers resulting in singleton live births (%) | 4 / 13 | 4/9 | 2/5 | 1/2 | 0/2 |
| Percentage of transfers resulting in twin live births (%) | 1 / 13 | 0/9 | 0/5 | 0/2 | 0/2 |
| Percentage of transfers resulting in term, normal weight and singleton live births (%) | 4 / 13 | 4/9 | 1/5 | 1/2 | 0/2 |
| Frozen Embryos from Nondonor Eggs | | | | | |
| Number of cycles | 17 | 7 | 3 | 0 | 1 |
| Number of transfers | 17 | 7 | 3 | 0 | 1 |
| Estimated average number of transfers per retrieval | 1.5 | 1.8 | 1.5 | | |
| Average number of embryos transferred | 1.5 | 1.7 | 2.3 | | 1.0 |
| Percentage of embryos transferred resulting in implantation (%) | 60.0 | 7 / 12 | 3/7 | | 1/1 |
| Percentage of transfers resulting in pregnancies (%) | 12 / 17 | 5/7 | 2/3 | | 1/1 |
| Percentage of transfers resulting in live births (%) | 11 / 17 | 5/7 | 2/3 | | 1/1 |
| Percentage of transfers resulting in singleton live births (%) | 8 / 17 | 4/7 | 1/3 | | 1/1 |
| Percentage of transfers resulting in twin live births (%) | 3 / 17 | 1/7 | 1/3 | | 0/1 |
| Percentage of transfers resulting in term, normal weight and singleton live births ^e (%) | 8 / 17 | 4/7 | 1/3 | | 1/1 |
| Number of Egg or Embring Cycles | 4 | 0 | 4 | 0 | 0 |
| Number of Egg or Embryo Banking Cycles | 4 | 2 | 1 | 0 | 0 |
| Number of fertility preservation cycles | 3 | 1 | 0 | 0 | 0 |
| f | Fresh | Froze | | ozen | Donated |
| Donor Eggs ^f | Eggs | Egg | s Em | bryos | Embryos |
| Number of cycles | 0 | 3 | | 7 | 0 |
| Number of transfers | 0 | 3 | | 7 | 0 |
| Average number of embryos transferred | | 1.7 | | 1.3 | |
| Percentage of embryos transferred resulting in implantation (%) | | 3/5 | | 5/9 | |
| Percentage of transfers resulting in pregnancies (%) | | 2/3 | | 4 / 7 | |
| Percentage of transfers resulting in live births (%) | | 2/3 | | 4/7 | |
| Percentage of transfers resulting in singleton live births (%) | | 1/3 | | 4/7 | |
| Percentage of transfers resulting in twin live births (%) | | 1/3 | | 0/7 | |
| Percentage of transfers resulting in term, normal weight and singleton live births (%) | | 1/3 | 3 | 3 / 7 | |

CURRENT SERVICES & PROFILE

Current Name: UF Health Reproductive Medicine at Springhill

| Donor eggs? | Yes | Embryo cryopreservation? | Yes | Single women? | Yes | SART member? | Yes | |
|----------------|-----|--------------------------|-----|-----------------------|-----|-----------------------------|-----|--|
| Donor embryos? | No | Egg cryopreservation? | Yes | Gestational carriers? | Yes | Verified lab accreditation? | Yes | |

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.