Appendix SUR IV Calculated Variables

TIMS contains several surveillance variables that are not entered by the user but are instead derived from other user-entered data. The value of each calculated variable is assigned based on the contents of one or more other TIMS variables. The calculated variables are described in text format (Overview) as well as with calculation and usage information. A typical pattern for assigning a value to a calculated variable might be:

Overview The record is assigned a Calculated Variable Value A

(calculatedvariable = 'A') calculated variable value if Dependent

Variable One is B and Dependent Variable Two is C.

The record is assigned a *Calculated Variable Value A* (calculated variable = 'A') calculated variable value if:

- **Dependent Variable One** is \underline{B} (dependent variable 1 = 'B')
 - AND -
- **Dependent Variable Two** is \underline{C} (dependent variable 2 = 'C')


The calculated variables described in this appendix are:

- Case Verification
- Age at Month-Year Reported
- Age Group
- Site of Disease
- Race Group
- Initial Drug Regimen
- Occupation

Typographical Conventions

In most cases, calculated variables are described in two ways. First, a brief "plain English" Overview section provides a relatively simple explanation of how the variable is calculated. The Overview is followed by a more technically detailed calculation section that provides field names and values for all the components involved in the calculation.

- Descriptive Name for Calculated Variable Value is listed in *Bold Italic* text.
- Variable Name is listed in Courier text.
- TIMS Data Item (such as an RVCT question) is listed in Bold text.
- Descriptive Name for TIMS Data Item Value is listed in <u>Underlined</u> text.
- Missing data items (items that have not been selected in any way; items that are blank) are listed as *null*.



SUR IV-2 TIMS User's Guide

Case Verification Criteria

(TIMS Variable Name "vercrit")

The calculation of case verification is hierarchical. A record that satisfies the criteria for more than one Case Verification value will be assigned the value that appears first in the hierarchy. For example, a record that meets the criteria for both *Positive Culture* (vercrit = '1') and *Clinical Case Definition* (vercrit = '3') will be assigned a value of *Positive Culture* (vercrit = '1').

Not a Verified Case (vercrit = '0') appears twice in the hierarchy because there are two sets of criteria that will result in a Case Verification value of **Not a Verified Case** (vercrit = '0'). They are:

- 1. **Reason Therapy Stopped** is $\underline{\text{Not TB}}$ (stopreas = '5')
- 2. **Suspect Case** (vercrit = '5') is changed by the user to **Not a Verified Case** (vercrit = '0')

In addition, validations performed on variables used to calculate Case Verification will affect the Case Verification calculation itself and may limit the user's ability to overwrite the calculated Case Verification value.

For example, if a record has either a <u>Positive</u> Sputum Culture (spculture = '1') or a <u>Positive</u> Culture of Tissue and Other Body Fluids (cultother = '1'), then Reason Therapy Stopped cannot be <u>Not TB</u> (stopreas \neq '5') because, by definition, a positive culture verifies the presence of *M. tuberculosis* complex. As a result, a record with a *Positive Culture* (vercrit = '1') Case Verification cannot be changed to *Not a Verified Case* (vercrit = '0').

Suspect Case (vercrit = '5') is the default Case Verification value assigned to all records created in the Surveillance module.

0 - Not a Verified Case

Overview The record is assigned a **Not a Verified Case** (vercrit = '0') case verification value if **Reason Therapy Stopped** is <u>Not TB</u>.

The record is assigned a *Not a Verified Case* (vercrit = '0') case verification value if:

• **Reason Therapy Stopped** is Not TB (stopreas = '5')

1 - Positive Culture

Overview The record is assigned a **Positive Culture** (vercrit = '1') case verification value if either **Sputum Culture** or **Culture of Tissue and Other Body Fluids** is <u>Positive</u>.

The record is assigned a *Positive Culture* (vercrit = '1') case verification value if:

- **Sputum Culture** is <u>Positive</u> (spculture = '1')
 - OR -
- Culture of Tissue and Other Body Fluids is Positive (cultother = '1')

2 - Positive Smear/Tissue

Overview The record is assigned a **Positive Smear/Tissue** (vercrit = '2') case verification value if:

- Sputum Smear or Microscopic Exam of Tissue and Other Body Fluids is Positive
- Sputum Culture and Culture of Tissue and Other Body Fluids are both either Not Done or Unknown

The record is assigned a *Positive Smear/Tissue* (vercrit = '2') case verification value if one of the following is true:

- **Sputum Smear** is <u>Positive</u> (spsmear = '1')
 - OR -
- Microscopic Exam of Tissue and Other Body Fluids is <u>Positive</u> (microexam = '1')

- AND -

Both of the following are true:

- Sputum Culture is either Not Done (spculture = '3') or Unknown (spculture = '9')
 - AND -
- Culture of Tissue and Other Body Fluids is either Not Done (cultother = '3') or Unknown (cultother = '9')

3 - Clinical Case Definition

Case Definition A (Pulmonary TB)*

Overview The record is assigned a *Clinical Case Definition* (vercrit = '3') case verification value if all the following are true:

- Major Site of Disease or Additional Site of Disease is either Pulmonary, Pleural, or Lymphatic Intrathoracic
- Sputum Culture and Culture of Tissue and Other Body Fluids are either Negative, Not Done, or Unknown
- Chest X-Ray is <u>Abnormal</u>, <u>Abnormal</u> Condition is either <u>Cavitary</u> or <u>Noncavitary Consistent with TB</u>, and <u>Abnormal Stability</u> is either <u>Worsening</u> or <u>Improving</u>
- Tuberculin (Mantoux) Skin Test at Diagnosis is Positive
- **Initial Drug Regimen** has at least two drugs marked Yes

SUR IV-4 TIMS User's Guide

_

^{*} Use of Clinical Case Definition criteria A and B (i.e., Pulmonary TB, Extrapulmonary TB) does not imply that the patient is classified as having this particular Site of Disease (see the Site of Disease section on page SUR IV-11).

3 - Clinical Case Definition (continued)

Case Definition A (Pulmonary TB)

The record is assigned a *Clinical Case Definition* (vercrit = '3') case verification value if one of the following is true:

- Major Site of Disease is either <u>Pulmonary</u> (majorsite = '00'), <u>Pleural</u> (majorsite = '10'), or <u>Lymphatic Intrathoracic</u> (majorsite = '22')
- Additional Site of Disease is either <u>Pulmonary</u> (addlsite = '00'), <u>Pleural</u> (addlsite = '10'), or <u>Lymphatic Intrathoracic</u> (addlsite = '22')

- AND -

All of the following are true:

- **Sputum Culture** is either <u>Negative</u> (spculture = '2'), <u>Not Done</u> (spculture = '3'), or <u>Unknown</u> (spculture = '9')

 4ND -
- Culture of Tissue and Other Body Fluids is Negative (cultother = '2'), Not Done (cultother = '3'), or Unknown (cultother = '9')

 AND -
- Chest X-Ray is Abnormal (xray = '2')

- AND -

 Abnormal Condition is either <u>Cavitary</u> (abnormality = '1') or <u>Noncavitary Consistent with TB</u> (abnormality = '2')

- AND -

Abnormal Stability is either <u>Worsening</u> (xraystatus = '2') or <u>Improving</u> (xraystatus = '3')

- AND -

- Tuberculin (Mantoux) Skin Test at Diagnosis is Positive (tbtest = '1')

 AND -
- **Initial Drug Regimen** has at least two drugs marked <u>Yes</u> (two or more of the following must be true):
 - **Isoniazid** is marked <u>Yes</u> (initinh = '1')
 - **Rifampin** is marked <u>Yes</u> (initrif = '1')
 - Pyrazinamide is marked Yes (initpza = '1')
 - Ethambutol is marked Yes (initemb = '1')
 - **Streptomycin** is marked <u>Yes</u> (initsm = '1')
 - Ethionamide is marked Yes (initeth = '1')
 - Kanamycin is marked Yes (initkan = '1')
 - Cycloserine is marked <u>Yes</u> (initcyc = '1')
 Capreomycin is marked <u>Yes</u> (initcap = '1')
 - Para-Amino Salicylic Acid is marked Yes (initpas = '1')
 - Amikacin is marked Yes (initam = '1')
 - **Rifabutine** is marked <u>Yes</u> (initrib = '1')
 - Ciprofloxacin is marked <u>Yes</u> (initcip = '1')
 - Ofloxacin is marked Yes (initofl = '1')
 - Other is marked Yes (initoth = '1')

3 - Clinical Case Definition (continued)

Case Definition B (Extrapulmonary TB)*

Overview The record is assigned a **Clinical Case Definition** (vercrit = '3') case verification value if:

- Case Definition A is not met
- Major Site of Disease or Additional Site of Disease is either <u>Lymphatic Cervical</u>, <u>Lymphatic Other</u>, <u>Lymphatic Unknown</u>, <u>Bone and/or Joint</u>, <u>Genitourinary</u>, <u>Miliary</u>, <u>Meningeal</u>, <u>Peritoneal</u>, or <u>Other</u>
- Sputum Culture and Culture of Tissue and Other Body Fluids are either Negative, Not Done, or Unknown
- Tuberculin (Mantoux) Skin Test at Diagnosis is Positive
- **Initial Drug Regimen** has at least two drugs marked Yes

The record is assigned a *Clinical Case Definition* (vercrit = '3') case verification value if the following is true:

Clinical Case Definition A is not met

- AND -

One of the following is true:

```
Major Site of Disease (majorsite) is any of the following:
21 - Lymphatic: Cervical (majorsite = '21')
                                                23 - Lymphatic: Other (majorsite = '23')
29 - Lymphatic: Unknown (majorsite = '29')
                                                 30 - Bone and/or Joint (majorsite = '30')
40 - Genitourinary (majorsite = '40')
                                                50 - Miliary (majorsite = '50')
60 - Meningeal (majorsite = '60')
                                                70 - Peritoneal (majorsite = '70')
80 - Other (majorsite = '80')
Additional Site of Disease (addlsite) is any of the following:
21 - Lymphatic: Cervical (addlsite = '21')
                                                23 - Lymphatic: Other (addlsite = '23')
29 - Lymphatic: Unknown (addlsite = '29')
                                                 30 - Bone and/or Joint (addlsite = '30')
40 - Genitourinary (addlsite = '40')
                                                50 - Miliary (addlsite = '50')
60 - Meningeal (addlsite = '60')
                                                70 - Peritoneal (addlsite = '70')
80 - Other (addlsite = '80')
```

- AND -

SUR IV-6 TIMS User's Guide

^{*} Use of Clinical Case Definition criteria A and B (i.e., Pulmonary TB, Extrapulmonary TB) does not imply that the patient is classified as having this particular Site of Disease (see the Site of Disease section on page SUR IV-11).

3 - Clinical Case Definition (continued)

Case Definition B (Extrapulmonary TB)

All of the following are true:

- **Sputum Culture** is either <u>Negative</u> (spculture = '2'), <u>Not Done</u> (spculture = '3'), or <u>Unknown</u> (spculture = '9')

 AND -
- Culture of Tissue and Other Body Fluids is <u>Negative</u> (cultother = '2'), <u>Not Done</u> (cultother = '3'), or <u>Unknown</u> (cultother = '9')
 - AND -
- TB Skin Test at Diagnosis is Positive (tbtest = '1')
 - AND -
- **Initial Drug Regimen** has at least two drugs marked <u>Yes</u> (two or more of the following must be true):
 - Isoniazid is marked Yes (initinh = '1')
 - **Rifampin** is marked <u>Yes</u> (initrif = '1')
 - Pyrazinamide is marked Yes (initpza = '1')
 - Ethambutol is marked Yes (initemb = '1')
 - **Streptomycin** is marked <u>Yes</u> (initsm = '1')
 - Ethionamide is marked <u>Yes</u> (initeth = '1')
 - **Kanamycin** is marked <u>Yes</u> (initkan = '1')
 - Cycloserine is marked Yes (initcyc = '1')
 - Capreomycin is marked Yes (initcap = '1')
 - Para-Amino Salicylic Acid is marked Yes (initpas = '1')
 - Amikacin is marked Yes (initam = '1')
 - **Rifabutine** is marked Yes (initrib = '1')
 - Ciprofloxacin is marked Yes (initcip = '1')
 - **Ofloxacin** is marked <u>Yes</u> (initofl = '1')
 - Other is marked Yes (initoth = '1')

If criteria to satisfy any of the previous case verifications are not met, the user has the option to overwrite the assigned case verification default value **Suspect** (vercrit = '5'), by selecting either **Verified by Provider Diagnosis** (vercrit = '4') or **Not a Verified Case** (vercrit = '0').

5 - Suspect

All new records are considered *Suspect* (vercrit = '5') until they meet the criteria for another Case Verification value or are overwritten by the user as either *Verified by Provider Diagnosis* (vercrit = '4') or *Not a Verified Case* (vercrit = '0').

4 - Verified by Provider Diagnosis (Overwrites Suspect)

The user elects to overwrite case verification default value *Suspect* (vercrit = '5') with *Verified by Provider Diagnosis* (vercrit = '4').

0 - Not a Verified Case (Overwrites Suspect)

The user elects to overwrite the *Suspect* (vercrit = '5') case verification default with *Not a Verified Case* (vercrit = '0').

SUR IV-8 TIMS User's Guide

Age at Month-Year Reported

(TIMS Variable Name "ageatrept")

Age at Month-Year Reported (ageatrept) is calculated by subtracting the client's **Date** of Birth (birthdate) from Month-Year Reported (reportdate). For purposes of this calculation, "day" in Month-Year Reported is defaulted to the last day of the month.

The *Age at Month-Year Reported* is the number of whole years completed in the client's life. For example, both 29 years three months and 29 years 11 months would be calculated as 29 years (ageatrept = '29').

Age Groups

(TIMS Variable Name "agegroup")

TIMS has two age range-related calculated variables: 5-Year Age Group and 10-Year Age Group.

5-Year Age Group

The 5-Year Age Group variable (agegroup) is assigned a value based on the contents of the **Age at Month-Year Reported** (ageatrept) variable. The individual values represent 5-year age groups.

ageatrept	agegroup	ageatrept	agegroup
Age Range	Assigned Value	Age Range	Assigned Value
0 - 4	1	45 - 49	10
5 - 9	2	50 - 54	11
10 - 14	3	55 - 59	12
15 - 19	4	60 - 64	13
20 - 24	5	65 - 69	14
25 - 29	6	70 - 74	15
30 - 34	7	75 - 79	16
35 - 39	8	80 - 84	17
40 - 44	9	85+	18

10-Year Age Group

Note: This is not a TIMS variable stored in the databases. However, it is a part of the TIMS Surveillance Demographics report.

10-Year Age Group
(range)
0 - 9
10 - 19
20 - 29
30 - 39
40 - 49
50 - 59
60 - 69
70 - 79
80+

SUR IV-10 TIMS User's Guide

Site of Disease

(TIMS Variable Name "siteofdisease")

Site of Disease combines values from Major Site of Disease (majorsite) and Additional Site of Disease (addlsite) as follows:

1 - Pulmonary

Overview The record is assigned a **Pulmonary** Site of Disease value (siteofdisease = '1') if **Major Site of Disease** is <u>Pulmonary</u> and **Additional Site of Disease** is Missing.

The record is assigned a *Pulmonary* Site of Disease value (siteofdisease = '1') if the following condition is met:

- Major Site of Disease is <u>Pulmonary</u> (majorsite = '00')
 - AND -
- Additional Site of Disease is Missing (addlsite = null)

8 - Site Not Stated

Overview The record is assigned a **Site not Stated** Site of Disease value (siteofdisease = '8') if **Major Site of Disease** is <u>Site not Stated</u>.

The record is assigned a *Site not Stated* Site of Disease value (siteofdisease = '8') if:

• Major Site of Disease is <u>Site not Stated</u> (majorsite = '90')

9 - Missing

Overview The record is assigned a **Missing** Site of Disease value (siteofdisease = '9') if both **Major Site of Disease** and **Additional Site** of **Disease** are Missing.

The record is assigned a *Missing* Site of Disease value (siteofdisease = '9') if:

- Major Site of Disease is Missing (majorsite = null)
 - AND -
- Additional Site of Disease is Missing (addlsite = null)

2 - Extrapulmonary

Overview

The record is assigned an *Extrapulmonary* Site of Disease value (siteofdisease = '2') if:

- Major Site of Disease is any valid site of disease code except <u>Pulmonary</u>, <u>Miliary</u>, or <u>Site not Stated</u> and **Additional Site of Disease** is <u>Missing</u>
 -OR-
- Major Site of Disease is any Site of Disease code that is not <u>Pulmonary</u> or <u>Miliary</u> and **Additional Site of Disease** is any Site of Disease code that is not <u>Pulmonary</u>.*

The record is assigned an *Extrapulmonary* Site of Disease value (siteofdisease = '2') if any of the following conditions are met:

Condition 1

• Major Site of Disease (majorsite) is any one of the following:

• Additional Site of Disease (addlsite) is Missing:

Condition 2

• **Major Site of Disease** (majorsite) is any of the following:

```
10 - Pleural (majorsite = '10')
22 - Lymphatic: Intrathoracic (majorsite = '22')
29 - Lymphatic: Unknown (majorsite = '29')
40 - Genitourinary (majorsite = '40')
70 - Peritoneal (majorsite = '70')

- AND -

21 - Lymphatic: Cervical (majorsite = '21')
23 - Lymphatic: Other (majorsite = '23')
30 - Bone and/or Joint (majorsite = '30')
60 - Meningeal (majorsite = '60')
80 - Other (majorsite = '80')
```

• Additional Site of Disease (addlsite) is one or more of the following:

SUR IV-12 TIMS User's Guide

^{*} If the patient has Miliary tuberculosis, Miliary should be entered as the Major Site of Disease and Additional Site of Disease should be Missing (blank). See Appendix SUR I - RVCT Form Completion Instructions for details.

3 - Both

Overview The record is assigned a **Both** Site of Disease value (siteofdisease = '3') if:

- Major Site of Disease is Miliary
- Major Site of Disease is <u>Pulmonary</u> and Additional Site of Disease is any valid site of disease code
- Major Site of Disease is any valid site of disease code *except* Pulmonary, Miliary, or Site not Stated and Additional Site of Disease is Pulmonary.

The record is assigned a **Both** Site of Disease value (siteofdisease = '3') if any of the following conditions are met:

Condition 1

• Major Site of Disease is Miliary (majorsite = '50')

Condition 2

- Major Site of Disease is Pulmonary (majorsite = '00')
 - AND -
- Additional Site of Disease (addlsite) is any one of the following:

```
10 - Pleural (addlsite = '10')21 - Lymphatic: Cervical (addlsite = '21')22 - Lymphatic: Intrathoracic (addlsite = '22')23 - Lymphatic: Other (addlsite = '23')29 - Lymphatic: Unknown (addlsite = '29')30 - Bone and/or Joint (addlsite = '30')40 - Genitourinary (addlsite = '40')50 - Miliary (addlsite = '50')
```

60 - Meningeal (addlsite = '60') 70 - Peritoneal (addlsite = '70')

80 - Other (addlsite = '80')

Condition 3

• Major Site of Disease (majorsite) is any one of the following:

- AND -

• Additional Site of Disease is Pulmonary (addlsite = '00')

Race Group

(TIMS Variable Name "racecalc")

Values for the calculated race variable (racecalc) are as follows:

1 - American Indian or Alaska Native only

Overview

The record is assigned a single value for *American Indian or Alaska Native only* (racecalc='1'), if the *American Indian or Alaska Native* race is checked and all other race selections are not checked.

The record is assigned a single value for *American Indian or Alaska Native only* (racecalc='1'), if the following conditions are met completely:

- American Indian or Alaska Native race is checked (amind = '1')
- Asian race is not checked (asian = '0')
- **Black** race is not checked (black = '0')
- Native Hawaiian or Other Pacific Islander race is not checked (nahaw = '0')
- White race is not checked (white = '0')
- *Unknown* race is not checked (unkrace = '0')

2 - Asian only

Overview

The record is assigned a single value for *Asian only* (racecalc='2'), if the *Asian* race is checked and all other race selections are not checked.

The record is assigned a single value for *Asian only* (racecalc='2'), if the following conditions are met completely:

- American Indian or Alaska Native race is not checked (amind = '0')
- Asian race is checked (asian = '1')
- **Black** race is not checked (black = '0')
- *Native Hawaiian or Other Pacific Islander* race is not checked (nahaw = '0')
- White race is not checked (white = '0')
- *Unknown* race is not checked (unkrace = '0')

SUR IV-14 TIMS User's Guide

3 - Black only

Overview

The record is assigned a single value for *Black only* (racecalc='3'), if the *Asian* race is checked and all other race selections are not checked.

The record is assigned a single value for *Black only* (racecalc='3'), if the following conditions are met completely:

- American Indian or Alaska Native race is not checked (amind = '0')
- Asian race is not checked (asian = '0')
- **Black** race is checked (black = '1')
- Native Hawaiian or Other Pacific Islander race is not checked (nahaw = '0')
- White race is not checked (white = '0')
- *Unknown* race is not checked (unkrace = '0')

4 - Native Hawaiian or Pacific Islander only

Overview

The record is assigned a single value for *Native Hawaiian or Other Pacific Islander only* (racecalc='4'), if the *Native Hawaiian or Other Pacific Islander* race is checked and all other race selections are not checked.

The record is assigned a single value for *Native Hawaiian or Other Pacific Islander only* (racecalc='4'), if the following conditions are met completely:

- American Indian or Alaska Native race is not checked (amind = '0')
- Asian race is not checked (asian = '0')
- **Black** race is not checked (black = '0')
- Native Hawaiian or Other Pacific Islander race is checked (nahaw = '1')
- White race is not checked (white = '0')
- *Unknown* race is not checked (unkrace = '0')

5 - White only

Overview

The record is assigned a single value for *White only* (racecalc='5'), if the *White* race is checked and all other race selections are not checked.

The record is assigned a single value for *White only* (racecalc='5'), if the following conditions are met completely:

- American Indian or Alaska Native race is not checked (amind = '0')
- Asian race is not checked (asian = '0')
- **Black** race is not checked (black = '0')
- Native Hawaiian or Other Pacific Islander race is not checked (nahaw = '0')
- White race is checked (white = '1')
- *Unknown* race is not checked (unkrace = '0')

8 - Multiple Races

Overview

The record is assigned a single value for *Multiple Races* (racecalc='8'), if the more than one race selection is checked.

The record is assigned a single value for *Multiple Races* (racecalc='8'), if two or more following conditions are met:

- American Indian or Alaska Native race is checked (amind = '1')
- Asian race is checked (asian = '1')
- **Black** race is checked (black = '1')
- *Native Hawaiian or Other Pacific Islander* race is checked (nahaw = '1')
- White race is checked (white = '1')

- AND -

• *Unknown* race is not checked (unkrace = '0')

9 - Unknown

Overview

The record is assigned a single value for *Unknown* (racecalc='9'), if the *Unknown* race is checked and all other race selections are not checked.

The record is assigned a single value for *Unknown* (racecalc='9'), if the following conditions are met completely:

- American Indian or Alaska Native race is not checked (amind = '0')
- Asian race is not checked (asian = '0')
- **Black** race is not checked (black = '0')
- Native Hawaiian or Other Pacific Islander race is not checked (nahaw = '0')
- White race is not checked (white = '0')
- Unknown race is checked (unkrace = '1')

0 - All Races Null

Overview

The record is assigned a single value for *All Races Null* (racecalc='0'), if the no race is checked.

The record is assigned a single value for *All Races Null* (racecalc='0'), if the following conditions are met completely:

- American Indian or Alaska Native race is not checked (amind = ' ')
- Asian race is not checked (asian = '')
- **Black** race is not checked (black = '')
- Native Hawaiian or Other Pacific Islander race is not checked (nahaw = ' ')
- White race is not checked (white = ' ')
- *Unknown* race is not checked (unkrace = ' ')

SUR IV-16 TIMS User's Guide

Initial Drug Regimen

(TIMS Variable Name "initdrc")

Initial Drug Regimen (initdro) is calculated using the responses to individual drugs listed in **Initial Drug Regimen**. The codes are assigned as follows:

0 - No Drugs

Overview The record is assigned a **No Drugs** Initial Drug Regimen value (initdrc = '0') if no drugs are marked <u>Yes</u> and at least one drug is marked No.

The record is assigned a *No Drugs* Initial Drug Regimen value (initdrc = '0') if the following condition is met:

- All of the following statements are true:
 - **Isoniazid** is not marked \underline{Yes} (initinh \neq '1')
 - **Rifampin** is not marked \underline{Yes} (initrif \neq '1')
 - **Pyrazinamide** is not marked \underline{Yes} (initpza \neq '1')
 - **Ethambutol** is not marked Yes (initemb ≠ '1')
 - **Streptomycin** is not marked <u>Yes</u> (initsm ≠ '1')
 - **Ethionamide** is not marked \underline{Yes} (initeth \neq '1')
 - Kanamycin is not marked <u>Yes</u> (initkan ≠ '1')
 - Cycloserine is not marked Yes (initcyc ≠ '1')
 Capreomycin is not marked Yes (initcap ≠ '1')

 - **Para-Amino Salicylic Acid** is not marked \underline{Yes} (initpas \neq '1')
 - Amikacin is not marked Yes (initam ≠ '1')
 - **Rifabutine** is not marked \underline{Yes} (initrib \neq '1')
 - Ciprofloxacin is not marked Yes (initcip ≠ '1')
 - Ofloxacin is not marked Yes (initof1 ≠ '1')
 - Other is not marked \underline{Yes} (initoth \neq '1')

- AND -

0 - No Drugs (continued)

- At least one of the following statements is true:
 - **Isoniazid** is marked No (initinh = '0')
 - **Rifampin** is marked <u>No</u> (initrif = '0')
 - Pyrazinamide is marked No (initpza = '0')
 - Ethambutol is marked No (initemb = '0')
 - Streptomycin is marked No (initsm = '0')
 - Ethionamide is marked No (initeth = '0')
 - **Kanamycin** is marked <u>No</u> (initkan = '0')
 - Cycloserine is marked No (initcyc = '0')
 - Capreomycin is marked No (initcap = '0')
 - Para-Amino Salicylic Acid is marked No (initpas = '0')
 - Amikacin is marked No (initam = '0')
 - **Rifabutine** is marked <u>No</u> (initrib = '0')
 - Ciprofloxacin is marked No (initcip = '0')
 - Ofloxacin is marked No (initofl = '0')
 - Other is marked No (initoth = '0')

1 - One Drug

Overview The record is assigned a **One Drug** Initial Drug Regimen value (initdrc = '1') if one and only one drug is marked Yes.

The record is assigned a *One Drug* Initial Drug Regimen value (initdrc = '1') if the following condition is met:

- One and only one of the following statements is true:
 - **Isoniazid** is marked Yes (initinh = '1')
 - Rifampin is marked Yes (initrif = '1')
 - Pyrazinamide is marked Yes (initpza = '1')
 - Ethambutol is marked Yes (initemb = '1')
 - Streptomycin is marked <u>Yes</u> (initsm = '1')
 - Ethionamide is marked <u>Yes</u> (initeth = '1')
 - Kanamycin is marked Yes (initkan = '1')
 - Cycloserine is marked <u>Yes</u> (initcyc = '1')
 - Capreomycin is marked Yes (initcap = '1')
 - Para-Amino Salicylic Acid is marked Yes (initpas = '1')
 - Amikacin is marked Yes (initam = '1')
 - **Rifabutine** is marked Yes (initrib = '1')
 - Ciprofloxacin is marked Yes (initcip = '1')
 - Ofloxacin is marked <u>Yes</u> (initofl = '1')
 - Other is marked Yes (initoth = '1')

SUR IV-18 TIMS User's Guide

2 - INH, RIF, PZA and EMB or SM

Overview The record is assigned a *INH*, *RIF*, *PZA* and *EMB* or *SM* Initial Drug Regimen value (initdrc = '2') if either:

- **Isoniazid**, **Rifampin**, **Pyrazinamide**, and **Ethambutol** are all marked Yes and no other drugs are marked Yes
- **Isoniazid**, **Rifampin**, **Pyrazinamide**, and **Streptomycin** are all marked Yes and no other drugs are marked Yes

The record is assigned a *INH*, *RIF*, *PZA* and *EMB* or *SM* Initial Drug Regimen value (initdrc = '2') if one of the following conditions are met:

Condition 1

- **Isoniazid** is marked <u>Yes</u> (initinh = '1')
- **Rifampin** is marked Yes (initrif = '1')
- **Pyrazinamide** is marked <u>Yes</u> (initpza = '1')
- Ethambutol is marked Yes (initemb = '1')

- AND -

- All of the following statements are true:
 - Streptomycin is not marked Yes (initsm ≠ '1')
 - Ethionamide is not marked \underline{Yes} (initeth \neq '1')
 - **Kanamycin** is not marked \underline{Yes} (initkan \neq '1')
 - Cycloserine is not marked \underline{Yes} (initcyc \neq '1')
 - Capreomycin is not marked Yes (initcap ≠ '1')
 - Para-Amino Salicylic Acid is not marked Yes (initpas ≠ '1')
 - Amikacin is not marked Yes (initam ≠ '1')
 - **Rifabutine** is not marked Yes (initrib \neq '1')
 - Ciprofloxacin is not marked Yes (initcip ≠ '1')
 - Of loxacin is not marked \underline{Yes} (initof1 \neq '1')
 - Other is not marked <u>Yes</u> (initoth ≠ '1')

2 - INH, RIF, PZA and EMB or SM (continued)

Condition 2

- **Isoniazid** is marked <u>Yes</u> (initinh = '1')
- **Rifampin** is marked <u>Yes</u> (initrif = '1')
- Pyrazinamide is marked Yes (initpza = '1')
- Streptomycin is marked Yes (initsm = '1')
 - AND -
- All of the following statements are true:
 - Ethambutol is not marked Yes (initemb \neq '1')
 - Ethionamide is not marked Yes (initeth ≠ '1')
 - Kanamycin is not marked \underline{Yes} (initkan \neq '1')
 - Cycloserine is not marked \underline{Yes} (initcyc \neq '1')
 - Capreomycin is not marked \underline{Yes} (initcap \neq '1')
 - Para-Amino Salicylic Acid is not marked Yes (initpas ≠ '1')
 - Amikacin is not marked <u>Yes</u> (initam ≠ '1')
 - **Rifabutine** is not marked \underline{Yes} (initrib \neq '1')
 - Ciprofloxacin is not marked <u>Yes</u> (initcip ≠ '1')
 - Ofloxacin is not marked Yes (initof1 ≠ '1')
 - Other is not marked <u>Yes</u> (initoth ≠ '1')

SUR IV-20 TIMS User's Guide

3 - INH, RIF and PZA

Overview The record is assigned an *INH*, *RIF* and *PZA* Initial Drug Regimen value (initdre='3') if **Isoniazid**, **Rifampin**, and **Pyrazinamide** are all marked Yes, and no other drugs are marked Yes.

The record is assigned a *INH*, *RIF* and *PZA* Initial Drug Regimen value (initdrc = '3') if the following condition is met:

- **Isoniazid** is marked <u>Yes</u> (initinh = '1')
- **Rifampin** is marked <u>Yes</u> (initrif = '1')
- **Pyrazinamide** is marked <u>Yes</u> (initpza = '1')

- AND -

- All of the following statements are true:
 - Ethambutol is not marked Yes (initemb \neq '1')
 - **Streptomycin** is not marked \underline{Yes} (initsm \neq '1')
 - Ethionamide is not marked \underline{Yes} (initeth \neq '1')
 - Kanamycin is not marked Yes (initkan ≠ '1')
 - Cycloserine is not marked Yes (initcyc \neq '1')
 - Capreomycin is not marked \underline{Yes} (initcap \neq '1')
 - Para-Amino Salicylic Acid is not marked Yes (initpas ≠ '1')
 - Amikacin is not marked Yes (initam ≠ '1')
 - **Rifabutine** is not marked Yes (initrib ≠ '1')
 - **Ciprofloxacin** is not marked \underline{Yes} (initcip \neq '1')
 - **Ofloxacin** is not marked \underline{Yes} (initof1 \neq '1')
 - Other is not marked Yes (initoth ≠ '1')

4 - INH and RIF

Overview The record is assigned an *INH and RIF* Initial Drug Regimen value (initdrc = '4') if **Isoniazid** and **Rifampin** are marked <u>Yes</u> and no other drugs are marked <u>Yes</u>.

The record is assigned a *INH and RIF* Initial Drug Regimen value (initdrc = '4') if the following condition is met:

- **Isoniazid** is marked <u>Yes</u> (initinh = '1')
- **Rifampin** is marked <u>Yes</u> (initrif = '1')

- AND -

- All of the following statements are true:
 - **Pyrazinamide** is not marked \underline{Yes} (initpza \neq '1')
 - Ethambutol is not marked Yes (initemb \neq '1')
 - Streptomycin is not marked <u>Yes</u> (initsm ≠ '1')
 - Ethionamide is not marked Yes (initeth ≠ '1')
 - **Kanamycin** is not marked \underline{Yes} (initkan \neq '1')
 - Cycloserine is not marked \underline{Yes} (initcyc \neq '1')
 - Capreomycin is not marked \underline{Yes} (initcap \neq '1')
 - Para-Amino Salicylic Acid is not marked Yes (initpas ≠ '1')
 - Amikacin is not marked Yes (initam ≠ '1')
 - **Rifabutine** is not marked \underline{Yes} (initrib \neq '1')
 - Ciprofloxacin is not marked \underline{Yes} (initcip \neq '1')
 - Ofloxacin is not marked Yes (initof1 ≠ '1')
 - Other is not marked \underline{Yes} (initoth \neq '1')

SUR IV-22 TIMS User's Guide

5 - Any Other Multiple Drug Combination

Overview The record is assigned an *Any Other Multiple Drug Combination* Initial Drug Regimen value (initdrc = '5') if two or more drugs are marked <u>Yes</u> in any combination that does not exactly match the combinations used for the following Initial Drug Regimen values:

- INH, RIF, PZA and EMB or SM
- INH, RIF and PZA
- INH and RIF

The record is assigned an *Any Other Multiple Drug Combination* Initial Drug Regimen value (initdrc = '5') if the following condition is met:

- Any combination of two or more drugs are marked **Yes** that are not exactly one of the following combinations:
 - *INH, RIF, PZA and EMB or SM* The following drugs and only the following drugs are marked Yes:
 - Isoniazid (initinh = '1')
 - **Rifampin** (initrif = '1')
 - Pyrazinamide (initpza = '1')
 - Ethambutol(initemb = '1')
 -or-
 - **Isoniazid** (initinh = '1')
 - **Rifampin** (initrif = '1')
 - Pyrazinamide (initpza = '1')
 - Streptomycin (initsm = '1')
 - *INH, RIF and PZA* The following drugs and only the following drugs are marked <u>Yes</u>:
 - Isoniazid (initinh = '1')
 - Rifampin (initrif = '1')
 - Pyrazinamide (initpza = '1')
 - *INH and RIF* The following drugs and only the following drugs are marked Yes:
 - **Isoniazid** (initinh = '1')
 - Rifampin (initrif = '1')

9 - Unknown

Overview The record is assigned an *Unknown* Initial Drug Regimen value (initdrc = '9') if all the drugs are either marked **Unknown** or are Missing.

The record is assigned an *Unknown* Initial Drug Regimen value (initdrc = '9') if the following condition is met:

- All of the following statements are true:
 - **Isoniazid** is marked either <u>Unknown</u> (initinh = '9') or is Missing (initinh = *null*)
 - **Rifampin** is marked either <u>Unknown</u> (initrif = '9') or is Missing (initrif = *null*)
 - Pyrazinamide is marked either <u>Unknown</u> (initpza = '9') or is Missing (initpza = null)
 - **Ethambutol** is marked either <u>Unknown</u> (initemb = '9') or is Missing (initemb = null)
 - **Streptomycin** is marked either <u>Unknown</u> (initsm = '9') or is Missing (initsm = *null*)
 - **Ethionamide** is marked either <u>Unknown</u> (initeth = '9') or is Missing (initeth = *null*)
 - **Kanamycin** is marked either <u>Unknown</u> (initkan = '9') or is Missing (initkan = *null*)
 - **Cycloserine** is marked either <u>Unknown</u> (initcyc = '9') or is Missing (initcyc = *null*)
 - Capreomycin is marked either <u>Unknown</u> (initcap = '9') or is Missing (initcap = null)
 - Para-Amino Salicylic Acid is marked either <u>Unknown</u> (initpas = '9') or is Missing (initpas = null)
 - Amikacin is marked either <u>Unknown</u> (initam = '9') or is Missing (initam = null)
 - **Rifabutine** is marked either <u>Unknown</u> (initrib = '9') or is Missing (initrib = *null*)
 - Ciprofloxacin is marked either <u>Unknown</u> (initcip = '9') or is Missing (initcip = null)
 - Ofloxacin is marked either <u>Unknown</u> (initofl = '9') or is Missing (initofl = null)
 - Other is marked either <u>Unknown</u> (initoth = '9') or is Missing (initoth = null)

SUR IV-24 TIMS User's Guide

Occupation

Note: This is not a TIMS variable stored in the databases. However, it is a part of the TIMS Surveillance Demographics report.

Health Care Worker

Overview The record is assigned a *Health Care Worker* Occupation if **Health Care**Worker and only **Health Care Worker** is selected.

The record is assigned a *Health Care Worker* Occupation if the following condition is met:

• Health Care Worker is selected (occhew = '1')

- AND -

- All of the following statements are true:
 - Correctional Employee is not selected (occcorr = null)
 - Migratory Agricultural Worker is not selected (occmig = null)
 - Other Occupation is not selected (occother = null)
 - Not Employed within Past 24 Months is not selected (occnot = null)
 - Unknown is not selected (occunk = null)

Correctional Employee

Overview The record is assigned a *Correctional Employee* Occupation if Correctional Employee and only Correctional Employee is selected.

The record is assigned a *Correctional Employee* Occupation if the following condition is met:

• Correctional Employee is selected (occcorr = '1')

- AND -

- All of the following statements are true:
 - Health Care Worker is not selected (occhew = null)
 - Migratory Agricultural Worker is not selected (occmig = null)
 - Other Occupation is not selected (occother = null)
 - Not Employed within Past 24 Months is not selected (occnot = null)
 - Unknown is not selected (occunk = null)

Migratory Agricultural Worker

Overview The record is assigned a *Migratory Agricultural Worker* Occupation if Migratory Agricultural Worker and only Migratory Agricultural Worker is selected.

The record is assigned a *Migratory Agricultural Worker* Occupation value if the following condition is met:

• Migratory Agricultural Worker is selected (occmig = '1')

- 4ND -

- All of the following statements are true:
 - **Health Care Worker** is not selected (occhew = null)
 - Correctional Employee is not selected (occcorr = null)
 - Other Occupation is not selected (occother = null)
 - Not Employed within Past 24 Months is not selected (occnot = null)
 - Unknown is not selected (occunk = null)

Other Occupation

Overview The record is assigned an *Other Occupation* Occupation if **Other Occupation** and only **Other Occupation** is selected.

The record is assigned an *Other Occupation* Occupation value if the following condition is met:

• Other Occupation is selected (occother = '1')

- AND -

- All of the following statements are true:
 - **Health Care Worker** is not selected (occhew = null)
 - Correctional Employee is not selected (occcorr = null)
 - Migratory Agricultural Worker is not selected (occmig = null)
 - Not Employed within Past 24 Months is not selected (occnot = null)
 - Unknown is not selected (occunk = null)

Multiple Occupations

Overview The record is assigned a *Multiple Occupations* Occupation if any combination of two or more of the following occupations are selected.

The record is assigned a *Multiple Occupations* Occupation value if the following condition is met:

- Any combination of two or more of the following occupations are selected:
 - Health Care Worker (occhcw = '1')
 - Correctional Employee (occcorr = '1')
 - Migratory Agricultural Worker (occmig = '1')
 - Other Occupation (occother = '1')

SUR IV-26 TIMS User's Guide

Not Employed

Overview The record is assigned a *Not Employed within Past 24 Months* Occupation value if **Not Employed within Past 24 Months** is selected.

The record is assigned a *Not Employed within Past 24 Months* Occupation value if the following condition is met:

• Not Employed within Past 24 Months is selected (occnot = '1')

Unknown

Overview The record is assigned an *Unknown* Occupation value if **Unknown** is selected.

The record is assigned an *Unknown* Occupation value if the following condition is met:


• Unknown is selected (occunk = '1')

Missing

Overview The record is assigned a *Missing* Occupation value if none of the Occupations has been selected.

The record is assigned a *Missing* Occupation value if the following condition is met:

- All of the following statements are true:
 - Health Care Worker is not selected (occhew = null)
 - Correctional Employee is not selected (occorr = null)
 - Migratory Agricultural Worker is not selected (occmig = null)
 - Other Occupation is not selected (occother = null)
 - Not Employed within Past 24 Months is not selected (occnot = null)
 - Unknown is not selected (occunk = null)



SUR IV-28 TIMS User's Guide