


# U.S. Decennial Life Tables for 1979-81

Volume II, State Life Tables  
Number 51, Wyoming



DHHS Publication No. (PHS) 86-1151-51

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Public Health Service  
National Center for Health Statistics

Hyattsville, Maryland  
February 1986

#### Copyright Information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

---

#### Suggested Citation

National Center for Health Statistics: State life tables, Alabama–Wyoming. *U.S. Decennial Life Tables for 1979–81*. Vol. II, Nos. 1–51. DHHS Pub. No. (PHS) 86–1151–1–51. Public Health Service. Washington. U.S. Government Printing Office, Feb. 1986.

---

#### Library of Congress Cataloging-in-Publication Data

Main entry under title:

U.S. decennial life tables for 1979–81.

(DHHS publication ; no. (PHS) 85–1150–1 )

Contents: v. 1, no. 1. United States life tables. no. 2. United States life tables, eliminating certain causes of death. no. 3. Methodology of the national and state life tables. no. 4. Some trends and comparison of United States life table data, 1900–81 — v. 2. State life tables, Alabama–Wyoming (51 v.)

1. Mortality—United States—Tables—Collected works. 2. Mortality—United States—Tables—Methodology—Collected works. 3. Mortality—United States—States—Tables—Collected works. 4. United States—Statistics, Vital—Collected works. I. National Center for Health Statistics (U.S.) II. Title: US decennial life tables for 1979–81. III. Series: DHHS publication; no. (PHS) 85–1150–1, etc.

HB1335.U17 1985 304.6'4'0973021 85–600190

---

For sale by the Superintendent of Documents  
U.S. Government Printing Office  
Washington, D.C. 20402

## **National Center for Health Statistics**

Manning Feinleib, M.D., Dr.P.H., *Director*

Robert A. Israel, *Deputy Director*

Jacob J. Feldman, Ph.D., *Associate Director for Analysis and Epidemiology*

Garrie J. Losee, *Associate Director for Data Processing and Services*

Alvan O. Zarate, Ph.D., *Assistant Director for International Statistics*

E. Earl Bryant, *Associate Director for Interview and Examination Statistics*

Stephen E. Nieberding, *Associate Director for Management*

Gail F. Fisher, Ph.D., *Associate Director for Program Planning, Evaluation, and Coordination*

Monroe G. Sirken, Ph.D., *Associate Director for Research and Methodology*

Peter L. Hurley, *Associate Director for Vital and Health Care Statistics*

Alice Haywood, *Information Officer*

### **Office of Research and Methodology**

Monroe G. Sirken, Ph.D., *Associate Director*

Robert J. Casady, Ph.D., *Chief, Statistical Methods Staff*

James T. Massey, Ph.D., *Chief, Survey Design Staff*

### **Vital and Health Care Statistics Program**

Peter L. Hurley, *Associate Director*

Gloria Kapantais, *Assistant to the Director for Data Policy, Planning, and Analysis*

### **Division of Vital Statistics**

John E. Patterson, *Director*

James A. Weed, Ph.D., *Deputy Director*

Robert J. Armstrong, *Actuarial Adviser*

Harry M. Rosenberg, Ph.D., *Chief, Mortality Statistics Branch*

Mabel G. Smith, *Chief, Statistical Resources Branch*

Joseph D. Farrell, *Chief, Computer Applications Staff*

# Contents

Preparation of the life tables .....	51-iv
Explanation of the State tables .....	51-1
Explanation of the columns of the life table .....	51-1
<b>Text table</b>	
Average lifetime in years by race and sex: United States and each State in rank order, 1979-81 .....	51-3
<b>Detailed tables</b>	
1. Life table for the total population: Wyoming, 1979-81 .....	51-4
2. Life table for males: Wyoming, 1979-81 .....	51-6
3. Life table for females: Wyoming, 1979-81 .....	51-8
4. Life table for the white population: Wyoming, 1979-81 .....	51-10
5. Life table for white males: Wyoming, 1979-81 .....	51-12
6. Life table for white females: Wyoming, 1979-81 .....	51-14
7. Standard errors of the probability of dying: Wyoming, 1979-81 .....	51-16
8. Standard errors of the average remaining lifetime: Wyoming, 1979-81 .....	51-18

---

## Symbols

---	Data not available
...	Category not applicable
-	Quantity zero
0.0	Quantity more than zero but less than 0.05
Z	Quantity more than zero but less than 500 where numbers are rounded to thousands
*	Figure does not meet standard of reliability or precision (not published when fewer than 700 male or female deaths for any racial group were registered in 1979-81)

---

# Preparation of the life tables

Robert J. Armstrong of the Division of Vital Statistics, National Center for Health Statistics, developed the content of the life tables and the methodology to produce them. He was also responsible for coordinating all the activities of the Social Security Administration, the U.S. Bureau of the Census, and the various components of the National Center for Health Statistics that contributed to the production of these life tables.

Nonie Atkinson of the Office of Research and Methodology was responsible for the overall computer systems analysis and design, and played a major role in writing the programs to produce the life tables and their variances.

Anne K. Stratton of the Computer Applications Staff of the Division of Vital Statistics coordinated all data processing and developed computer processes which eased the workload of the actuarial statistician and the Publications Branch. She

also provided major programming support in summarizing data basic to the calculation of the life tables.

John E. Mounts, Ann A. Swain, Arlett R. Brown, and Barbara B. Beals of the Publications Branch, Division of Data Services, provided consultation, publications management, and editorial review. Stephen L. Sloan supervised the production of the cover design, and Linda L. Bean coordinated the printing.

An ad hoc committee provided guidance and many helpful suggestions on the methodology and content of the life tables. This committee was headed by Thomas N. E. Greville of the University of Wisconsin. Other members were Francisco Bayo, Joseph Faber, and John Wilkin of the Office of the Actuary, Social Security Administration; Jacob S. Siegel and Jeffrey Passel of the U.S. Bureau of the Census; and various staff members of the National Center for Health Statistics.

# Wyoming Life Tables: 1979–81

## Explanation of the State tables

This report contains the 1979–81 life tables and standard error tables for this State. Other publications in this decennial series present life tables for the United States and the other individual States. Each of these reports shows life tables calculated for the white population, the population other than white, and the black population separately by sex and for both sexes combined. Also included are life tables for the total population, for total males, and for total females. Life tables, however, for any racial group in a State are not being published when the total number of deaths for either males or females during the 3-year period is less than 700.

The tables are based on the 1980 Census of Population and on the average annual number of resident deaths during the 3-year period 1979–81. In deriving life table values at ages under 2, reported births for the years 1977–81 have also been used. Mortality rates (proportions dying) at ages 95 and over are based on the experience of the Medicare program of the Social Security Administration. These rates are differentiated by race and sex but not by State. Values at ages 85–94 have also been adjusted to provide a smooth transition between the mortality rates based on the census and registered deaths and those derived from the Medicare program. Therefore the figures at ages 85 and above may fail to reflect adequately variation in mortality among the States. Such variation, however, is in general smaller than differences associated with race and sex. The population and death statistics at ages under 85 are known to be subject to certain errors, but these were not considered to be serious enough to require adjustment prior to the calculation of the life tables. However, in some instances fluctuations due to the small volume of data produced anomalous life-table values, which were eliminated by minor redistribution of deaths by age.

A separate report, in this series of 55 reports, describes the methods and formulas by which the national and State life tables were prepared, and an explanation of the columns of the life table precedes the tables in this State report.

The life table assumes that a hypothetical cohort traced from birth until the death of the last survivor is subject throughout its existence to the age by age mortality rates observed in a certain population or population subdivision during a specified period. For example, table 3 is a life table for females. This table shows the progress of a cohort starting with 100,000 live births and subject during its passage through successive years of age to the average annual mortality rates observed among females in this State in the 3-year period 1979–81.

Column 7 of table 3 shows the average number of years of life remaining to those in the cohort who attain each birthday.

This average remaining lifetime is commonly called the expectation of life, and the expectation of life at birth is frequently used as a measure of comparative longevity. According to the 1979–81 life tables for this State, the expectation of life at birth is 69.95 years for total males and 78.20 for total females. Among the 50 States and the District of Columbia in the expectation of life at birth for the total population, this State ranks 26th.

The ranking table shows the average lifetime (or expectation of life at birth) by race and sex for the population of the United States, each State, and the District of Columbia.

These life tables are based on a complete count of resident deaths in this State during the 3 years 1979, 1980, and 1981. As such, they are not subject to sampling error. However, even complete counts may be considered as one of a large series of possible results that could have arisen under the same circumstances. This type of variation is known as random error. The reader should remember that the standard errors shown in this report reflect this random error only. Other errors such as misreporting age on death certificates or in the census are not reflected in them.

Standard errors of the probability of dying and of life expectancy are being shown with these life tables for the first time. In both cases the standard errors contain one decimal place more than the corresponding variable in the life tables. In computing confidence intervals the limits are rounded to the same number of decimal places that the variable has in the life table.

To obtain a 68-percent confidence interval for the probability of dying at any age, take the point estimate from column 2 of the appropriate life table and add and subtract one standard error (from the Standard Errors of the Probability of Dying table). The 95-percent confidence interval is obtained by adding and subtracting two standard errors. For example, the probability that a 50-year-old white female will die before her 51st birthday is .00385 with a standard error of .000806. Therefore the 68-percent confidence interval is from .00304 to .00466 and the 95-percent confidence interval is from .00224 to .00546. The life expectancy of a 50-year-old white female is 31.14 years with a standard error of .172 years. The 68-percent confidence interval for the life expectancy is therefore from 30.97 to 31.31 years and the 95-percent confidence interval is from 30.80 to 31.48 years.

## Explanation of the columns of the life table

*Column 1—Year of age ( $x$  to  $x + 1$ )*—The year of age shown in column 1 is the interval of 1 year between the two

exact ages indicated. For instance, "21-22" indicates the interval between the 21st birthday and the 22d, in other words, the 22d year of life.

*Column 2—Proportion dying ( $q_x$ )*—This column shows the proportion of the members of the life-table cohort alive at the beginning of the indicated year of age who will die before reaching the next birthday on the basis of the mortality rates of 1979-81 in this State. For example, for females in the year of age 21-22, the proportion dying is .00071—of every 1,000 reaching their 21st birthday, 0.71 will die before reaching their 22d birthday.

*Column 3—Number surviving ( $l_x$ )*—This column shows the number of persons, starting with a cohort of 100,000 live births, who will survive to the birthday marking the beginning of the indicated year of age. Thus of 100,000 babies born alive in the cohort of table 3, 99,113 will complete the first year of life and enter the second, 98,320 will reach age 21, and 68,740 will live to age 75.

*Column 4—Number dying ( $d_x$ )*—This column shows the number dying in the indicated year of age of 100,000 live births. Thus out of 100,000 born alive in the cohort of table 3, 887 will die in the first year of life, 69 in the 22d year, and 2,050 in the 76th year. Each figure in column 4 is the difference between two successive figures in column 3.

*Columns 5 and 6—Stationary population ( $L_x$  and  $T_x$ )*—Suppose that a group of 100,000 persons like that assumed in columns 3 and 4 is born each year and that the proportion dying in each such group in each year of age throughout the lives of the members is exactly that shown in column 2. If there were no migration and if the births were evenly distributed over the year, the survivors of these births would constitute what is called a stationary population, because in such a population the number of persons living in any given year of age would never change. When an individual left an age, whether by death or by growing older and entering the next higher age, his place would immediately be taken by someone entering from the next lower age. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various ages. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons

who each year will reach the birthday that marks the beginning of the year of age indicated in column 1, and column 4 shows the number of persons who will die each year in that year of age.

Column 5,  $L_x$ , shows the number of persons in the stationary population in the indicated year of age. For example, the figure shown in table 3 for the year of age 21-22 is 98,285. This means that in a stationary population supported by 100,000 annual births and with proportions dying at each age always in accordance with column 2, a census taken on any date would show 98,285 persons at age 21 (that is, between exact ages 21 and 22 years).

Column 6,  $T_x$ , shows the total number of persons in the stationary population (column 5) in the indicated year of age and all subsequent years of age. For example, in the stationary population of females described in the preceding paragraph, column 6 shows that there would be at any given moment 5,745,888 persons who had reached their 21st birthday. The population at all ages 0 and above (in other words, the total stationary population of females) would be 7,820,416.

*Column 7—Average remaining lifetime ( $\hat{e}_x$ )*—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age, on the basis of a given set of age-specific rates of dying. In order to relate these figures to the preceding columns of the life table, it is necessary to observe that the figures in column 5 can also be interpreted in terms of a single life-table cohort without introducing the concept of a stationary population. From this point of view, each figure in column 5 represents the total time in years lived between the two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 98,285 for females in this State in the year of age 21-22 is the total number of years lived between their 21st and 22d birthdays by the 98,320 (column 3) who reached the 21st birthday out of the original cohort of 100,000, and the corresponding figure (5,745,888) in column 6 is the total number of years lived after attaining age 21 by the 98,320 reaching that age. This number of years divided by the number of persons (5,745,888 divided by 98,320) gives 58.44 as the average remaining lifetime at age 21 for females in this State.

AVERAGE LIFETIME IN YEARS BY RACE AND SEX: UNITED STATES AND EACH STATE IN RANK ORDER, 1979-81

(STATES ARE RANKED ACCORDING TO THE AVERAGE LIFETIME FOR THE TOTAL POPULATION)

RANK	AREA	TOTAL			WHITE			ALL OTHER						
		BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	TOTAL			BLACK			
								BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	
1	HAWAII.....	77.02	74.08	80.33	76.22	73.04	79.81	77.46	74.57	80.72	*	*	*	*
2	MINNESOTA.....	76.15	72.52	79.82	76.25	72.63	79.90	*	*	*	*	*	*	*
3	IOWA.....	75.81	72.00	79.60	75.88	72.09	79.64	*	*	*	*	*	*	*
4	UTAH.....	75.76	72.38	79.18	75.80	72.42	79.22	*	*	*	*	*	*	*
5	NORTH DAKOTA.....	75.71	72.09	79.68	76.03	72.45	79.95	*	*	*	*	*	*	*
6	NEBRASKA.....	75.49	71.52	79.29	75.24	71.97	79.53	*	*	*	*	*	*	*
7	WISCONSIN.....	75.35	71.86	78.87	75.53	72.05	79.05	71.17	67.53	74.83	70.53	66.98	74.09	
8	KANSAS.....	75.31	71.60	78.99	75.57	71.85	79.26	71.33	67.87	74.75	69.68	66.17	73.24	
9	COLORADO.....	75.30	71.78	78.80	75.37	71.84	78.89	74.09	70.74	77.32	71.01	67.41	74.66	
10	IDAHO.....	75.19	71.52	79.15	75.24	71.58	79.19	*	*	*	*	*	*	*
11	WASHINGTON.....	75.13	71.74	78.57	75.23	71.86	78.64	73.84	70.18	77.83	*	*	*	*
12	CONNECTICUT.....	75.12	71.51	78.57	75.46	71.90	78.86	71.45	67.13	75.55	70.32	65.80	74.62	
13	MASSACHUSETTS.....	75.01	71.27	78.46	75.11	71.38	78.54	73.66	69.60	77.51	71.74	67.53	75.73	
14	OREGON.....	74.99	71.35	78.77	75.03	71.41	78.79	*	*	*	*	*	*	*
15	NEW HAMPSHIRE.....	74.98	71.43	78.42	74.94	71.39	78.38	*	*	*	*	*	*	*
16	SOUTH DAKOTA.....	74.97	71.03	79.21	75.94	72.07	80.07	*	*	*	*	*	*	*
17	VERMONT.....	74.79	71.06	78.49	74.76	71.03	78.47	*	*	*	*	*	*	*
18	RHODE ISLAND.....	74.76	70.96	78.33	74.87	71.06	78.45	*	*	*	*	*	*	*
19	MAINE.....	74.59	70.78	78.41	74.58	70.77	78.39	*	*	*	*	*	*	*
20	CALIFORNIA.....	74.57	71.09	78.02	74.67	71.18	78.12	74.30	70.86	77.81	69.54	65.47	73.74	
21	ARIZONA.....	74.30	70.46	78.34	74.78	71.08	78.66	69.59	64.63	75.04	*	*	*	*
22	NEW MEXICO.....	74.01	69.91	78.34	74.44	70.46	78.63	70.54	65.32	76.12	*	*	*	*
23	FLORIDA.....	74.00	70.08	77.98	74.95	71.10	78.86	68.07	63.76	72.41	67.39	63.05	71.79	
23	NEW JERSEY.....	74.00	70.48	77.39	74.69	71.25	77.99	69.91	65.73	73.90	68.87	64.53	73.02	
25	MONTANA.....	73.93	70.47	77.68	74.46	71.00	78.19	*	*	*	*	*	*	*
	UNITED STATES....	73.88	70.11	77.62	74.53	70.82	78.22	69.84	65.63	74.00	68.52	64.10	72.88	
26	WYOMING.....	73.85	69.95	78.20	74.05	70.15	78.39	*	*	*	*	*	*	*
27	INDIANA.....	73.84	70.16	77.46	74.22	70.57	77.82	69.55	65.53	73.54	68.78	64.71	72.87	
27	MISSOURI.....	73.84	69.92	77.72	74.48	70.64	78.29	68.74	64.02	73.29	67.96	63.14	72.65	
29	ARKANSAS.....	73.72	69.73	77.83	74.44	70.46	78.59	69.95	65.51	74.16	69.49	65.00	73.77	
30	NEW YORK.....	73.70	70.02	77.18	74.44	70.90	77.80	70.13	65.58	74.26	68.97	64.14	73.28	
31	MICHIGAN.....	73.67	70.07	77.29	74.46	70.94	77.99	68.91	64.73	73.17	68.19	63.87	72.58	
31	OKLAHOMA.....	73.67	69.63	77.81	73.93	69.90	78.07	71.97	67.63	76.26	68.96	64.71	73.22	
33	TEXAS.....	73.64	69.70	77.67	74.22	70.30	78.22	69.69	65.40	74.05	68.88	64.44	73.42	
34	PENNSYLVANIA.....	73.58	69.90	77.16	74.13	70.52	77.64	68.58	64.07	72.93	67.89	63.27	72.35	
35	OHIO.....	73.49	69.85	77.06	74.01	70.42	77.53	69.21	65.16	73.24	68.67	64.56	72.75	
36	VIRGINIA.....	73.43	69.60	77.27	74.42	70.54	78.28	69.57	65.76	73.49	68.96	65.08	72.99	
37	ILLINOIS.....	73.37	69.55	77.13	74.29	70.57	77.96	68.71	64.32	72.99	67.63	63.02	72.09	
38	MARYLAND.....	73.32	69.71	76.83	74.36	70.86	77.73	69.83	65.89	73.81	69.17	65.13	73.25	
39	TENNESSEE.....	73.30	69.15	77.47	74.13	69.99	78.31	68.87	64.37	73.19	68.60	64.07	72.96	
40	DELAWARE.....	73.21	69.56	76.78	74.11	70.53	77.59	68.98	64.93	73.15	68.38	64.35	72.53	
41	KENTUCKY.....	73.06	69.14	77.12	73.39	69.46	77.46	68.91	64.90	72.93	68.32	64.31	72.38	
42	NORTH CAROLINA.....	72.96	68.60	77.35	74.27	70.02	78.53	68.61	63.66	73.58	68.31	63.33	73.32	
43	WEST VIRGINIA.....	72.84	68.86	76.93	72.98	68.99	77.09	69.05	65.03	72.88	67.91	63.66	71.94	
44	NEVADA.....	72.64	69.26	76.48	72.90	69.52	76.72	*	*	*	*	*	*	*
45	ALABAMA.....	72.53	68.28	76.79	73.88	69.67	78.15	68.52	63.76	73.05	68.33	63.54	72.89	
46	ALASKA.....	72.24	68.71	76.87	73.42	69.99	77.93	*	*	*	*	*	*	*
47	GEORGIA.....	72.22	68.01	76.35	73.80	69.56	78.01	67.87	63.41	72.06	67.66	63.18	71.88	
48	MISSISSIPPI.....	71.98	67.64	76.39	73.61	69.26	78.09	68.90	64.19	73.40	68.81	64.09	73.32	
49	SOUTH CAROLINA.....	71.85	67.56	76.12	73.60	69.40	77.81	67.78	62.96	72.47	67.58	62.73	72.31	
50	LOUISIANA.....	71.74	67.64	75.89	73.26	69.20	77.42	68.12	63.63	72.48	67.85	63.29	72.27	
51	DISTRICT OF COLUMBIA.....	69.20	64.55	73.70	74.83	71.24	77.88	67.17	62.10	72.19	66.96	61.88	72.01	



TABLE 1. LIFE TABLE FOR THE TOTAL POPULATION: WYOMING, 1979-81

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
0-1.....	.01130	100,000	1,130	99,079	7,384,983	73.85
1-2.....	.00098	98,870	97	98,822	7,285,904	73.69
2-3.....	.00068	98,773	67	98,739	7,187,082	72.76
3-4.....	.00059	98,706	58	98,677	7,088,343	71.81
4-5.....	.00048	98,648	48	98,624	6,989,666	70.85
5-6.....	.00042	98,600	41	98,579	6,891,042	69.89
6-7.....	.00038	98,559	38	98,540	6,792,463	68.92
7-8.....	.00035	98,521	35	98,503	6,693,923	67.94
8-9.....	.00031	98,486	31	98,471	6,595,420	66.97
9-10.....	.00026	98,455	26	98,442	6,496,949	65.99
10-11.....	.00022	98,429	22	98,418	6,398,507	65.01
11-12.....	.00023	98,407	23	98,396	6,300,089	64.02
12-13.....	.00033	98,384	32	98,368	6,201,693	63.04
13-14.....	.00053	98,352	51	98,326	6,103,325	62.06
14-15.....	.00079	98,301	78	98,262	6,004,999	61.09
15-16.....	.00106	98,223	104	98,171	5,906,737	60.14
16-17.....	.00130	98,119	127	98,056	5,808,566	59.20
17-18.....	.00148	97,992	145	97,920	5,710,510	58.28
18-19.....	.00160	97,847	157	97,768	5,612,590	57.36
19-20.....	.00167	97,690	163	97,608	5,514,822	56.45
20-21.....	.00172	97,527	168	97,443	5,417,214	55.55
21-22.....	.00177	97,359	173	97,273	5,319,771	54.64
22-23.....	.00179	97,186	174	97,099	5,222,498	53.74
23-24.....	.00177	97,012	172	96,926	5,125,399	52.83
24-25.....	.00173	96,840	167	96,757	5,028,473	51.93
25-26.....	.00167	96,673	161	96,593	4,931,716	51.01
26-27.....	.00162	96,512	156	96,433	4,835,123	50.10
27-28.....	.00157	96,356	152	96,280	4,738,690	49.18
28-29.....	.00154	96,204	148	96,130	4,642,410	48.26
29-30.....	.00153	96,056	147	95,982	4,546,280	47.33
30-31.....	.00152	95,909	146	95,836	4,450,298	46.40
31-32.....	.00151	95,763	145	95,691	4,354,462	45.47
32-33.....	.00152	95,618	145	95,545	4,258,771	44.54
33-34.....	.00157	95,473	150	95,398	4,163,226	43.61
34-35.....	.00165	95,323	157	95,245	4,067,828	42.67
35-36.....	.00176	95,166	167	95,082	3,972,583	41.74
36-37.....	.00189	94,999	179	94,910	3,877,501	40.82
37-38.....	.00202	94,820	192	94,723	3,782,591	39.89
38-39.....	.00216	94,628	204	94,526	3,687,868	38.97
39-40.....	.00229	94,424	216	94,316	3,593,342	38.06
40-41.....	.00244	94,208	230	94,093	3,499,026	37.14
41-42.....	.00263	93,978	247	93,855	3,404,933	36.23
42-43.....	.00285	93,731	267	93,598	3,311,078	35.33
43-44.....	.00311	93,464	290	93,319	3,217,480	34.42
44-45.....	.00341	93,174	318	93,014	3,124,161	33.53
45-46.....	.00375	92,856	349	92,682	3,031,147	32.64
46-47.....	.00411	92,507	380	92,317	2,938,465	31.76
47-48.....	.00450	92,127	414	91,920	2,846,148	30.89
48-49.....	.00490	91,713	450	91,488	2,754,228	30.03
49-50.....	.00530	91,263	484	91,021	2,662,740	29.18
50-51.....	.00570	90,779	517	90,521	2,571,719	28.33
51-52.....	.00611	90,262	552	89,986	2,481,198	27.49
52-53.....	.00655	89,710	588	89,416	2,391,212	26.65
53-54.....	.00705	89,122	628	88,808	2,301,796	25.83
54-55.....	.00760	88,494	673	88,157	2,212,988	25.01

TABLE 1. LIFE TABLE FOR THE TOTAL POPULATION: WYOMING, 1979-81—CON.

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
55-56.....	.00823	87,821	722	87,460	2,124,831	24.19
56-57.....	.00890	87,099	775	86,711	2,037,371	23.39
57-58.....	.00962	86,324	830	85,909	1,950,660	22.60
58-59.....	.01039	85,494	889	85,049	1,864,751	21.81
59-60.....	.01126	84,605	953	84,129	1,779,702	21.04
60-61.....	.01219	83,652	1,019	83,142	1,695,573	20.27
61-62.....	.01326	82,633	1,096	82,085	1,612,431	19.51
62-63.....	.01458	81,537	1,189	80,942	1,530,346	18.77
63-64.....	.01618	80,348	1,300	79,698	1,449,404	18.04
64-65.....	.01799	79,048	1,422	78,338	1,369,706	17.33
65-66.....	.01992	77,626	1,546	76,853	1,291,368	16.64
66-67.....	.02189	76,080	1,665	75,248	1,214,515	15.96
67-68.....	.02389	74,415	1,777	73,526	1,139,267	15.31
68-69.....	.02590	72,638	1,882	71,697	1,065,741	14.67
69-70.....	.02799	70,756	1,980	69,766	994,044	14.05
70-71.....	.03034	68,776	2,087	67,732	924,278	13.44
71-72.....	.03288	66,689	2,193	65,593	856,546	12.84
72-73.....	.03534	64,496	2,279	63,357	790,953	12.26
73-74.....	.03754	62,217	2,336	61,049	727,596	11.69
74-75.....	.03962	59,881	2,372	58,695	666,547	11.13
75-76.....	.04158	57,509	2,391	56,314	607,852	10.57
76-77.....	.04398	55,118	2,425	53,905	551,538	10.01
77-78.....	.04758	52,693	2,507	51,440	497,633	9.44
78-79.....	.05304	50,186	2,662	48,855	446,193	8.89
79-80.....	.06024	47,524	2,863	46,093	397,338	8.36
80-81.....	.06876	44,661	3,071	43,126	351,245	7.86
81-82.....	.07784	41,590	3,237	39,971	308,119	7.41
82-83.....	.08698	38,353	3,336	36,685	268,148	6.99
83-84.....	.09537	35,017	3,340	33,347	231,463	6.61
84-85.....	.10303	31,677	3,264	30,046	198,116	6.25
85-86.....	.11041	28,413	3,137	26,844	168,070	5.92
86-87.....	.11876	25,276	3,001	23,776	141,226	5.59
87-88.....	.12755	22,275	2,842	20,854	117,450	5.27
88-89.....	.13706	19,433	2,663	18,102	96,596	4.97
89-90.....	.14764	16,770	2,476	15,531	78,494	4.68
90-91.....	.15981	14,294	2,284	13,152	62,963	4.40
91-92.....	.17339	12,010	2,083	10,969	49,811	4.15
92-93.....	.18768	9,927	1,863	8,995	38,842	3.91
93-94.....	.20187	8,064	1,628	7,251	29,847	3.70
94-95.....	.21581	6,436	1,389	5,741	22,596	3.51
95-96.....	.22976	5,047	1,159	4,468	16,855	3.34
96-97.....	.24338	3,888	947	3,414	12,387	3.19
97-98.....	.25637	2,941	754	2,565	8,973	3.05
98-99.....	.26868	2,187	587	1,893	6,408	2.93
99-100.....	.28030	1,600	449	1,375	4,515	2.82
100-101.....	.29120	1,151	335	984	3,140	2.73
101-102.....	.30139	816	246	693	2,156	2.64
102-103.....	.31089	570	177	482	1,463	2.57
103-104.....	.31970	393	126	330	981	2.50
104-105.....	.32786	267	87	223	651	2.44
105-106.....	.33539	180	61	150	428	2.38
106-107.....	.34233	119	40	98	278	2.33
107-108.....	.34870	79	28	65	180	2.29
108-109.....	.35453	51	18	42	115	2.24
109-110.....	.35988	33	12	27	73	2.20

TABLE 2. LIFE TABLE FOR MALES: WYOMING, 1979-81

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
0-1.....	.01365	100,000	1,365	98,896	6,995,355	69.95
1-2.....	.00113	98,635	111	98,580	6,896,459	69.92
2-3.....	.00089	98,524	88	98,480	6,797,879	69.00
3-4.....	.00077	98,436	75	98,398	6,699,399	68.06
4-5.....	.00063	98,361	62	98,330	6,601,001	67.11
5-6.....	.00058	98,299	57	98,270	6,502,671	66.15
6-7.....	.00054	98,242	53	98,216	6,404,401	65.19
7-8.....	.00051	98,189	51	98,163	6,306,185	64.23
8-9.....	.00045	98,138	44	98,116	6,208,022	63.26
9-10.....	.00037	98,094	36	98,076	6,109,906	62.29
10-11.....	.00030	98,058	30	98,043	6,011,830	61.31
11-12.....	.00030	98,028	29	98,014	5,913,787	60.33
12-13.....	.00044	97,999	43	97,978	5,815,773	59.35
13-14.....	.00075	97,956	73	97,920	5,717,795	58.37
14-15.....	.00116	97,883	113	97,826	5,619,875	57.41
15-16.....	.00159	97,770	155	97,692	5,522,049	56.48
16-17.....	.00196	97,615	191	97,520	5,424,357	55.57
17-18.....	.00225	97,424	220	97,314	5,326,837	54.68
18-19.....	.00245	97,204	238	97,085	5,229,523	53.80
19-20.....	.00256	96,966	248	96,842	5,132,438	52.93
20-21.....	.00265	96,718	256	96,590	5,035,596	52.06
21-22.....	.00273	96,462	264	96,331	4,939,006	51.20
22-23.....	.00275	96,198	264	96,066	4,842,675	50.34
23-24.....	.00271	95,934	260	95,804	4,746,609	49.48
24-25.....	.00261	95,674	250	95,549	4,650,805	48.61
25-26.....	.00250	95,424	239	95,305	4,555,256	47.74
26-27.....	.00240	95,185	228	95,071	4,459,951	46.86
27-28.....	.00230	94,957	218	94,848	4,364,880	45.97
28-29.....	.00223	94,739	211	94,633	4,270,032	45.07
29-30.....	.00218	94,528	207	94,425	4,175,399	44.17
30-31.....	.00212	94,321	200	94,221	4,080,974	43.27
31-32.....	.00207	94,121	195	94,024	3,986,753	42.36
32-33.....	.00206	93,926	194	93,829	3,892,729	41.44
33-34.....	.00214	93,732	200	93,632	3,798,900	40.53
34-35.....	.00228	93,532	213	93,426	3,705,268	39.61
35-36.....	.00247	93,319	230	93,204	3,611,842	38.70
36-37.....	.00269	93,089	251	92,963	3,518,638	37.80
37-38.....	.00291	92,838	271	92,703	3,425,675	36.90
38-39.....	.00310	92,567	287	92,423	3,332,972	36.01
39-40.....	.00326	92,280	301	92,130	3,240,549	35.12
40-41.....	.00344	91,979	316	91,821	3,148,419	34.23
41-42.....	.00367	91,663	336	91,495	3,056,598	33.35
42-43.....	.00392	91,327	359	91,148	2,965,103	32.47
43-44.....	.00422	90,968	384	90,776	2,873,955	31.59
44-45.....	.00457	90,584	414	90,377	2,783,179	30.72
45-46.....	.00495	90,170	447	89,947	2,692,802	29.86
46-47.....	.00537	89,723	481	89,482	2,602,855	29.01
47-48.....	.00582	89,242	520	88,982	2,513,373	28.16
48-49.....	.00629	88,722	558	88,444	2,424,391	27.33
49-50.....	.00676	88,164	596	87,865	2,335,947	26.50
50-51.....	.00722	87,568	633	87,252	2,248,082	25.67
51-52.....	.00768	86,935	668	86,601	2,160,830	24.86
52-53.....	.00819	86,267	706	85,914	2,074,229	24.04
53-54.....	.00878	85,561	752	85,185	1,988,315	23.24
54-55.....	.00948	84,809	803	84,408	1,903,130	22.44

TABLE 2. LIFE TABLE FOR MALES: WYOMING, 1979-81--CON.

AGE IN YEARS  PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED  (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAIN- ING LIFETIME
	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR (2)	NUMBER LIVING AT BEGINNING OF YEAR OF AGE (3)	NUMBER DYING DURING YEAR OF AGE (4)	IN YEAR OF AGE (5)	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS (6)	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE (7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
55-56.....	.01028	84,006	864	83,573	1,818,722	21.65
56-57.....	.01116	83,142	928	82,678	1,735,149	20.87
57-58.....	.01212	82,214	996	81,716	1,652,471	20.10
58-59.....	.01315	81,218	1,069	80,683	1,570,755	19.34
59-60.....	.01429	80,149	1,145	79,577	1,490,072	18.59
60-61.....	.01551	79,004	1,225	78,391	1,410,495	17.85
61-62.....	.01692	77,779	1,317	77,121	1,332,104	17.13
62-63.....	.01869	76,462	1,429	75,747	1,254,983	16.41
63-64.....	.02091	75,033	1,569	74,248	1,179,236	15.72
64-65.....	.02351	73,464	1,727	72,600	1,104,988	15.04
65-66.....	.02635	71,737	1,891	70,792	1,032,388	14.39
66-67.....	.02931	69,846	2,047	68,822	961,596	13.77
67-68.....	.03237	67,799	2,195	66,702	892,774	13.17
68-69.....	.03544	65,604	2,325	64,442	826,072	12.59
69-70.....	.03853	63,279	2,438	62,060	761,630	12.04
70-71.....	.04190	60,841	2,549	59,566	699,570	11.50
71-72.....	.04545	58,292	2,649	56,967	640,004	10.98
72-73.....	.04873	55,643	2,712	54,287	583,037	10.48
73-74.....	.05161	52,931	2,732	51,565	528,750	9.99
74-75.....	.05428	50,199	2,725	48,837	477,185	9.51
75-76.....	.05685	47,474	2,699	46,125	428,348	9.02
76-77.....	.05998	44,775	2,685	43,432	382,223	8.54
77-78.....	.06463	42,090	2,721	40,730	338,791	8.05
78-79.....	.07164	39,369	2,820	37,959	298,061	7.57
79-80.....	.08080	36,549	2,953	35,072	260,102	7.12
80-81.....	.09173	33,596	3,082	32,055	225,030	6.70
81-82.....	.10350	30,514	3,158	28,935	192,975	6.32
82-83.....	.11481	27,356	3,141	25,786	164,040	6.00
83-84.....	.12404	24,215	3,004	22,713	138,254	5.71
84-85.....	.13103	21,211	2,779	19,821	115,541	5.45
85-86.....	.13657	18,432	2,517	17,174	95,720	5.19
86-87.....	.14305	15,915	2,277	14,776	78,546	4.94
87-88.....	.15048	13,638	2,052	12,612	63,770	4.68
88-89.....	.15978	11,586	1,851	10,660	51,158	4.42
89-90.....	.17117	9,735	1,667	8,901	40,498	4.16
90-91.....	.18423	8,068	1,486	7,325	31,597	3.92
91-92.....	.19853	6,582	1,307	5,929	24,272	3.69
92-93.....	.21421	5,275	1,130	4,710	18,343	3.48
93-94.....	.23037	4,145	955	3,668	13,633	3.29
94-95.....	.24619	3,190	785	2,797	9,965	3.12
95-96.....	.26149	2,405	629	2,091	7,168	2.98
96-97.....	.27438	1,776	487	1,532	5,077	2.86
97-98.....	.28654	1,289	370	1,104	3,545	2.75
98-99.....	.29797	919	274	783	2,441	2.65
99-100.....	.30867	645	199	545	1,658	2.57
100-101.....	.31865	446	142	376	1,113	2.49
101-102.....	.32792	304	100	254	737	2.43
102-103.....	.33650	204	68	170	483	2.36
103-104.....	.34443	136	47	112	313	2.31
104-105.....	.35174	89	31	73	201	2.26
105-106.....	.35845	58	21	48	128	2.22
106-107.....	.36461	37	14	30	80	2.18
107-108.....	.37024	23	8	19	50	2.14
108-109.....	.37539	15	6	12	31	2.10
109-110.....	.38009	9	3	7	19	2.07

TABLE 3. LIFE TABLE FOR FEMALES: WYOMING, 1979-81

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
0-1.....	.00887	100,000	887	99,268	7,820,416	78.20
1-2.....	.00083	99,113	81	99,072	7,721,148	77.90
2-3.....	.00046	99,032	46	99,009	7,622,076	76.97
3-4.....	.00040	98,986	40	98,966	7,523,067	76.00
4-5.....	.00033	98,946	33	98,929	7,424,101	75.03
5-6.....	.00025	98,913	25	98,901	7,325,172	74.06
6-7.....	.00021	98,888	21	98,877	7,226,271	73.08
7-8.....	.00018	98,867	18	98,858	7,127,394	72.09
8-9.....	.00016	98,849	16	98,841	7,028,536	71.10
9-10.....	.00015	98,833	15	98,825	6,929,695	70.12
10-11.....	.00014	98,818	14	98,811	6,830,870	69.13
11-12.....	.00016	98,804	16	98,796	6,732,059	68.14
12-13.....	.00021	98,788	21	98,777	6,633,263	67.15
13-14.....	.00029	98,767	29	98,753	6,534,486	66.16
14-15.....	.00039	98,738	38	98,719	6,435,733	65.18
15-16.....	.00050	98,700	50	98,675	6,337,014	64.21
16-17.....	.00059	98,650	58	98,621	6,238,339	63.24
17-18.....	.00066	98,592	65	98,559	6,139,718	62.27
18-19.....	.00069	98,527	69	98,492	6,041,159	61.32
19-20.....	.00070	98,458	69	98,424	5,942,667	60.36
20-21.....	.00070	98,389	69	98,355	5,844,243	59.40
21-22.....	.00071	98,320	69	98,285	5,745,888	58.44
22-23.....	.00071	98,251	70	98,216	5,647,603	57.48
23-24.....	.00072	98,181	70	98,146	5,549,387	56.52
24-25.....	.00072	98,111	71	98,075	5,451,241	55.56
25-26.....	.00073	98,040	72	98,004	5,353,166	54.60
26-27.....	.00073	97,968	72	97,933	5,255,162	53.64
27-28.....	.00074	97,896	73	97,859	5,157,229	52.68
28-29.....	.00076	97,823	74	97,787	5,059,370	51.72
29-30.....	.00079	97,749	78	97,710	4,961,583	50.76
30-31.....	.00083	97,671	80	97,631	4,863,873	49.80
31-32.....	.00087	97,591	85	97,548	4,766,242	48.84
32-33.....	.00090	97,506	88	97,462	4,668,694	47.88
33-34.....	.00092	97,418	90	97,373	4,571,232	46.92
34-35.....	.00094	97,328	91	97,283	4,473,859	45.97
35-36.....	.00096	97,237	94	97,190	4,376,576	45.01
36-37.....	.00100	97,143	96	97,095	4,279,386	44.05
37-38.....	.00105	97,047	102	96,996	4,182,291	43.10
38-39.....	.00113	96,945	110	96,889	4,085,295	42.14
39-40.....	.00124	96,835	120	96,775	3,988,406	41.19
40-41.....	.00136	96,715	132	96,650	3,891,631	40.24
41-42.....	.00151	96,583	145	96,510	3,794,981	39.29
42-43.....	.00169	96,438	164	96,356	3,698,471	38.35
43-44.....	.00193	96,274	185	96,182	3,602,115	37.42
44-45.....	.00220	96,089	211	95,983	3,505,933	36.49
45-46.....	.00251	95,878	241	95,758	3,409,950	35.57
46-47.....	.00283	95,637	270	95,502	3,314,192	34.65
47-48.....	.00315	95,367	301	95,216	3,218,690	33.75
48-49.....	.00347	95,066	329	94,901	3,123,474	32.86
49-50.....	.00377	94,737	358	94,558	3,028,573	31.97
50-51.....	.00407	94,379	384	94,187	2,934,015	31.09
51-52.....	.00439	93,995	413	93,789	2,839,828	30.21
52-53.....	.00474	93,582	443	93,361	2,746,039	29.34
53-54.....	.00515	93,139	480	92,899	2,652,678	28.48
54-55.....	.00559	92,659	518	92,400	2,559,779	27.63

TABLE 3. LIFE TABLE FOR FEMALES: WYOMING, 1979-81--CON.

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
55-56.....	.00608	92,141	560	91,860	2,467,379	26.78
56-57.....	.00658	91,581	603	91,280	2,375,519	25.94
57-58.....	.00710	90,978	647	90,654	2,284,239	25.11
58-59.....	.00764	90,331	690	89,986	2,193,585	24.28
59-60.....	.00824	89,641	738	89,272	2,103,599	23.47
60-61.....	.00887	88,903	789	88,509	2,014,327	22.66
61-62.....	.00960	88,114	846	87,691	1,925,818	21.86
62-63.....	.01050	87,268	916	86,810	1,838,127	21.06
63-64.....	.01158	86,352	1,000	85,852	1,751,317	20.28
64-65.....	.01277	85,352	1,090	84,807	1,665,465	19.51
65-66.....	.01405	84,262	1,184	83,670	1,580,658	18.76
66-67.....	.01533	83,078	1,273	82,441	1,496,988	18.02
67-68.....	.01655	81,805	1,354	81,128	1,414,547	17.29
68-69.....	.01771	80,451	1,425	79,739	1,333,419	16.57
69-70.....	.01890	79,026	1,494	78,279	1,253,680	15.86
70-71.....	.02026	77,532	1,571	76,747	1,175,401	15.16
71-72.....	.02184	75,961	1,659	75,131	1,098,654	14.46
72-73.....	.02361	74,302	1,754	73,426	1,023,523	13.78
73-74.....	.02554	72,548	1,853	71,621	950,097	13.10
74-75.....	.02765	70,695	1,955	69,718	878,476	12.43
75-76.....	.02982	68,740	2,050	67,715	808,758	11.77
76-77.....	.03234	66,690	2,156	65,612	741,043	11.11
77-78.....	.03581	64,534	2,312	63,378	675,431	10.47
78-79.....	.04068	62,222	2,531	60,957	612,053	9.84
79-80.....	.04691	59,691	2,800	58,291	551,096	9.23
80-81.....	.05418	56,891	3,083	55,349	492,805	8.66
81-82.....	.06198	53,808	3,335	52,141	437,456	8.13
82-83.....	.07014	50,473	3,540	48,703	385,315	7.63
83-84.....	.07828	46,933	3,674	45,096	336,612	7.17
84-85.....	.08648	43,259	3,740	41,389	291,516	6.74
85-86.....	.09523	39,519	3,764	37,637	250,127	6.33
86-87.....	.10501	35,755	3,755	33,878	212,490	5.94
87-88.....	.11510	32,000	3,683	30,159	178,612	5.58
88-89.....	.12546	28,317	3,553	26,541	148,453	5.24
89-90.....	.13648	24,764	3,379	23,074	121,912	4.92
90-91.....	.14910	21,385	3,189	19,791	98,838	4.62
91-92.....	.16321	18,196	2,970	16,711	79,047	4.34
92-93.....	.17756	15,226	2,703	13,874	62,336	4.09
93-94.....	.19133	12,523	2,396	11,325	48,462	3.87
94-95.....	.20467	10,127	2,073	9,091	37,137	3.67
95-96.....	.21823	8,054	1,758	7,175	28,046	3.48
96-97.....	.23221	6,296	1,462	5,565	20,871	3.31
97-98.....	.24560	4,834	1,187	4,241	15,306	3.17
98-99.....	.25834	3,647	942	3,176	11,065	3.03
99-100.....	.27040	2,705	732	2,339	7,889	2.92
100-101.....	.28176	1,973	556	1,696	5,550	2.81
101-102.....	.29242	1,417	414	1,210	3,854	2.72
102-103.....	.30237	1,003	303	851	2,644	2.64
103-104.....	.31163	700	218	591	1,793	2.56
104-105.....	.32023	482	155	404	1,202	2.50
105-106.....	.32817	327	107	274	798	2.44
106-107.....	.33550	220	74	183	524	2.38
107-108.....	.34224	146	50	121	341	2.33
108-109.....	.34843	96	33	80	220	2.28
109-110.....	.35411	63	23	51	140	2.24

TABLE 4. LIFE TABLE FOR THE WHITE POPULATION: WYOMING, 1979-81

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
0-1.....	.01121	100,000	1,121	99,079	7,404,513	74.05
1-2.....	.00080	98,879	80	98,838	7,305,434	73.88
2-3.....	.00066	98,799	66	98,767	7,206,596	72.94
3-4.....	.00057	98,733	56	98,705	7,107,829	71.99
4-5.....	.00050	98,677	49	98,653	7,009,124	71.03
5-6.....	.00043	98,628	42	98,607	6,910,471	70.07
6-7.....	.00040	98,586	39	98,566	6,811,864	69.10
7-8.....	.00037	98,547	36	98,528	6,713,298	68.12
8-9.....	.00033	98,511	33	98,495	6,614,770	67.15
9-10.....	.00027	98,478	27	98,465	6,516,275	66.17
10-11.....	.00023	98,451	23	98,440	6,417,810	65.19
11-12.....	.00023	98,428	23	98,417	6,319,370	64.20
12-13.....	.00032	98,405	31	98,389	6,220,953	63.22
13-14.....	.00052	98,374	51	98,349	6,122,564	62.24
14-15.....	.00077	98,323	76	98,285	6,024,215	61.27
15-16.....	.00103	98,247	101	98,196	5,925,930	60.32
16-17.....	.00126	98,146	124	98,084	5,827,734	59.38
17-18.....	.00144	98,022	142	97,952	5,729,650	58.45
18-19.....	.00157	97,880	153	97,803	5,631,698	57.54
19-20.....	.00164	97,727	160	97,648	5,533,895	56.63
20-21.....	.00170	97,567	165	97,484	5,436,247	55.72
21-22.....	.00175	97,402	170	97,317	5,338,763	54.81
22-23.....	.00176	97,232	172	97,145	5,241,446	53.91
23-24.....	.00174	97,060	168	96,976	5,144,301	53.00
24-25.....	.00168	96,892	164	96,810	5,047,325	52.09
25-26.....	.00162	96,728	156	96,651	4,950,515	51.18
26-27.....	.00155	96,572	150	96,497	4,853,864	50.26
27-28.....	.00150	96,422	144	96,350	4,757,367	49.34
28-29.....	.00146	96,278	141	96,207	4,661,017	48.41
29-30.....	.00144	96,137	138	96,068	4,564,810	47.48
30-31.....	.00141	95,999	136	95,932	4,468,742	46.55
31-32.....	.00139	95,863	133	95,796	4,372,810	45.62
32-33.....	.00140	95,730	134	95,663	4,277,014	44.68
33-34.....	.00144	95,596	138	95,527	4,181,351	43.74
34-35.....	.00153	95,458	146	95,386	4,085,824	42.80
35-36.....	.00165	95,312	157	95,233	3,990,438	41.87
36-37.....	.00179	95,155	171	95,070	3,895,205	40.94
37-38.....	.00193	94,984	183	94,893	3,800,135	40.01
38-39.....	.00205	94,801	194	94,704	3,705,242	39.08
39-40.....	.00216	94,607	205	94,504	3,610,538	38.16
40-41.....	.00229	94,402	216	94,294	3,516,034	37.25
41-42.....	.00245	94,186	230	94,072	3,421,740	36.33
42-43.....	.00266	93,956	250	93,831	3,327,668	35.42
43-44.....	.00293	93,706	274	93,569	3,233,837	34.51
44-45.....	.00325	93,432	304	93,280	3,140,268	33.61
45-46.....	.00361	93,128	336	92,960	3,046,988	32.72
46-47.....	.00399	92,792	371	92,607	2,954,028	31.83
47-48.....	.00440	92,421	406	92,218	2,861,421	30.96
48-49.....	.00481	92,015	443	91,793	2,769,203	30.10
49-50.....	.00522	91,572	479	91,333	2,677,410	29.24
50-51.....	.00563	91,093	512	90,837	2,586,077	28.39
51-52.....	.00604	90,581	547	90,307	2,495,240	27.55
52-53.....	.00647	90,034	583	89,742	2,404,933	26.71
53-54.....	.00693	89,451	620	89,142	2,315,191	25.88
54-55.....	.00744	88,831	661	88,501	2,226,049	25.06

TABLE 4. LIFE TABLE FOR THE WHITE POPULATION: WYOMING, 1979-81—CON.

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
		PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
55-56.....	.00801	88,170	706	87,817	2,137,548	24.24
56-57.....	.00863	87,464	756	87,086	2,049,731	23.44
57-58.....	.00932	86,708	808	86,304	1,962,645	22.63
58-59.....	.01009	85,900	867	85,467	1,876,341	21.84
59-60.....	.01097	85,033	933	84,566	1,790,874	21.06
60-61.....	.01192	84,100	1,002	83,600	1,706,308	20.29
61-62.....	.01301	83,098	1,081	82,557	1,622,708	19.53
62-63.....	.01436	82,017	1,178	81,428	1,540,151	18.78
63-64.....	.01599	80,839	1,292	80,193	1,458,723	18.04
64-65.....	.01784	79,547	1,419	78,837	1,378,530	17.33
65-66.....	.01981	78,128	1,548	77,354	1,299,693	16.64
66-67.....	.02182	76,580	1,671	75,745	1,222,339	15.96
67-68.....	.02384	74,909	1,785	74,017	1,146,594	15.31
68-69.....	.02586	73,124	1,891	72,178	1,072,577	14.67
69-70.....	.02795	71,233	1,991	70,238	1,000,399	14.04
70-71.....	.03029	69,242	2,097	68,193	930,161	13.43
71-72.....	.03283	67,145	2,204	66,043	861,968	12.84
72-73.....	.03527	64,941	2,291	63,795	795,925	12.26
73-74.....	.03748	62,650	2,348	61,476	732,130	11.69
74-75.....	.03956	60,302	2,385	59,110	670,654	11.12
75-76.....	.04155	57,917	2,407	56,713	611,544	10.56
76-77.....	.04398	55,510	2,441	54,290	554,831	10.00
77-78.....	.04758	53,069	2,525	51,807	500,541	9.43
78-79.....	.05300	50,544	2,679	49,204	448,734	8.88
79-80.....	.06012	47,865	2,878	46,426	399,530	8.35
80-81.....	.06848	44,987	3,080	43,447	353,104	7.85
81-82.....	.07740	41,907	3,244	40,285	309,657	7.39
82-83.....	.08646	38,663	3,343	36,991	269,372	6.97
83-84.....	.09493	35,320	3,353	33,644	232,381	6.58
84-85.....	.10284	31,967	3,287	30,324	198,737	6.22
85-86.....	.11055	28,680	3,171	27,094	168,413	5.87
86-87.....	.11921	25,509	3,041	23,989	141,319	5.54
87-88.....	.12825	22,468	2,881	21,027	117,330	5.22
88-89.....	.13793	19,587	2,702	18,236	96,303	4.92
89-90.....	.14866	16,885	2,510	15,630	78,067	4.62
90-91.....	.16107	14,375	2,315	13,217	62,437	4.34
91-92.....	.17505	12,060	2,111	11,004	49,220	4.08
92-93.....	.18985	9,949	1,889	9,004	38,216	3.84
93-94.....	.20468	8,060	1,650	7,235	29,212	3.62
94-95.....	.21940	6,410	1,406	5,707	21,977	3.43
95-96.....	.23432	5,004	1,173	4,417	16,270	3.25
96-97.....	.24900	3,831	954	3,355	11,853	3.09
97-98.....	.26304	2,877	757	2,499	8,498	2.95
98-99.....	.27638	2,120	586	1,827	5,999	2.83
99-100.....	.28900	1,534	443	1,313	4,172	2.72
100-101.....	.30087	1,091	328	926	2,859	2.62
101-102.....	.31200	763	238	644	1,933	2.53
102-103.....	.32238	525	169	440	1,289	2.46
103-104.....	.33203	356	118	297	849	2.39
104-105.....	.34098	238	81	197	552	2.32
105-106.....	.34926	157	55	129	355	2.27
106-107.....	.35688	102	36	84	226	2.22
107-108.....	.36390	66	24	53	142	2.17
108-109.....	.37033	42	16	34	89	2.13
109-110.....	.37623	26	10	22	55	2.08



TABLE 5. LIFE TABLE FOR WHITE MALES: WYCMING, 1979-81

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
0-1.....	.01368	100,000	1,368	98,888	7,015,248	70.15
1-2.....	.00097	98,632	95	98,585	6,916,360	70.12
2-3.....	.00084	98,537	83	98,495	6,817,775	69.19
3-4.....	.00071	98,454	70	98,419	6,719,280	68.25
4-5.....	.00065	98,384	64	98,352	6,620,861	67.30
5-6.....	.00058	98,320	57	98,291	6,522,509	66.34
6-7.....	.00056	98,263	55	98,236	6,424,218	65.38
7-8.....	.00053	98,208	52	98,181	6,325,982	64.41
8-9.....	.00047	98,156	47	98,133	6,227,801	63.45
9-10.....	.00039	98,109	38	98,090	6,129,668	62.48
10-11.....	.00032	98,071	31	98,055	6,031,578	61.50
11-12.....	.00031	98,040	31	98,024	5,933,523	60.52
12-13.....	.00044	98,009	43	97,988	5,835,499	59.54
13-14.....	.00074	97,966	72	97,930	5,737,511	58.57
14-15.....	.00114	97,894	112	97,838	5,639,581	57.61
15-16.....	.00156	97,782	152	97,706	5,541,743	56.67
16-17.....	.00192	97,630	187	97,537	5,444,037	55.76
17-18.....	.00221	97,443	215	97,335	5,346,500	54.87
18-19.....	.00240	97,228	234	97,111	5,249,165	53.99
19-20.....	.00252	96,994	245	96,871	5,152,054	53.12
20-21.....	.00263	96,749	254	96,622	5,055,183	52.25
21-22.....	.00271	96,495	262	96,364	4,958,561	51.39
22-23.....	.00273	96,233	263	96,102	4,862,197	50.53
23-24.....	.00268	95,970	257	95,842	4,766,095	49.66
24-25.....	.00258	95,713	247	95,589	4,670,253	48.79
25-26.....	.00246	95,466	235	95,349	4,574,664	47.92
26-27.....	.00234	95,231	223	95,120	4,479,315	47.04
27-28.....	.00224	95,008	212	94,902	4,384,195	46.15
28-29.....	.00215	94,796	204	94,693	4,289,293	45.25
29-30.....	.00209	94,592	197	94,493	4,194,600	44.34
30-31.....	.00201	94,395	190	94,300	4,100,107	43.44
31-32.....	.00193	94,205	182	94,114	4,005,807	42.52
32-33.....	.00191	94,023	179	93,934	3,911,693	41.60
33-34.....	.00197	93,844	186	93,751	3,817,759	40.68
34-35.....	.00212	93,658	198	93,559	3,724,008	39.76
35-36.....	.00233	93,460	218	93,351	3,630,449	38.85
36-37.....	.00256	93,242	238	93,123	3,537,098	37.93
37-38.....	.00277	93,004	258	92,875	3,443,975	37.03
38-39.....	.00293	92,746	272	92,610	3,351,100	36.13
39-40.....	.00304	92,474	281	92,334	3,258,490	35.24
40-41.....	.00316	92,193	291	92,047	3,166,156	34.34
41-42.....	.00333	91,902	306	91,749	3,074,109	33.45
42-43.....	.00357	91,596	327	91,433	2,982,360	32.56
43-44.....	.00391	91,269	357	91,090	2,890,927	31.67
44-45.....	.00434	90,912	395	90,715	2,799,837	30.80
45-46.....	.00482	90,517	436	90,299	2,709,122	29.93
46-47.....	.00533	90,081	481	89,840	2,618,823	29.07
47-48.....	.00586	89,600	524	89,338	2,528,983	28.23
48-49.....	.00636	89,076	567	88,793	2,439,645	27.39
49-50.....	.00682	88,509	604	88,207	2,350,852	26.56
50-51.....	.00727	87,905	639	87,586	2,262,645	25.74
51-52.....	.00773	87,266	674	86,929	2,175,059	24.92
52-53.....	.00820	86,592	711	86,236	2,088,130	24.11
53-54.....	.00874	85,881	750	85,506	2,001,894	23.31
54-55.....	.00936	85,131	797	84,733	1,916,388	22.51

TABLE 5. LIFE TABLE FOR WHITE MALES: WYOMING, 1979-81--CON.

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
55-56.....	.01008	84,334	850	83,909	1,831,655	21.72
56-57.....	.01087	83,484	907	83,030	1,747,746	20.94
57-58.....	.01177	82,577	973	82,090	1,664,716	20.16
58-59.....	.01280	81,604	1,044	81,082	1,582,626	19.39
59-60.....	.01397	80,560	1,125	79,998	1,501,544	18.64
60-61.....	.01523	79,435	1,210	78,830	1,421,546	17.90
61-62.....	.01668	78,225	1,304	77,572	1,342,716	17.16
62-63.....	.01848	76,921	1,422	76,210	1,265,144	16.45
63-64.....	.02073	75,499	1,565	74,717	1,188,934	15.75
64-65.....	.02336	73,934	1,727	73,070	1,114,217	15.07
65-66.....	.02622	72,207	1,894	71,260	1,041,147	14.42
66-67.....	.02921	70,313	2,054	69,286	969,887	13.79
67-68.....	.03228	68,259	2,203	67,158	900,601	13.19
68-69.....	.03535	66,056	2,335	64,888	833,443	12.62
69-70.....	.03842	63,721	2,448	62,497	768,555	12.06
70-71.....	.04177	61,273	2,560	59,993	706,058	11.52
71-72.....	.04530	58,713	2,659	57,383	646,065	11.00
72-73.....	.04855	56,054	2,722	54,693	588,682	10.50
73-74.....	.05139	53,332	2,740	51,962	533,989	10.01
74-75.....	.05401	50,592	2,733	49,225	482,027	9.53
75-76.....	.05654	47,859	2,706	46,506	432,802	9.04
76-77.....	.05963	45,153	2,692	43,807	386,296	8.56
77-78.....	.06421	42,461	2,727	41,097	342,489	8.07
78-79.....	.07112	39,734	2,826	38,321	301,392	7.59
79-80.....	.08011	36,908	2,956	35,430	263,071	7.13
80-81.....	.09079	33,952	3,083	32,411	227,641	6.70
81-82.....	.10226	30,869	3,156	29,291	195,230	6.32
82-83.....	.11340	27,713	3,143	26,141	165,939	5.99
83-84.....	.12278	24,570	3,017	23,062	139,798	5.69
84-85.....	.13026	21,553	2,808	20,149	116,736	5.42
85-86.....	.13656	18,745	2,559	17,465	96,587	5.15
86-87.....	.14371	16,186	2,326	15,023	79,122	4.89
87-88.....	.15167	13,860	2,103	12,809	64,099	4.62
88-89.....	.16130	11,757	1,896	10,809	51,290	4.36
89-90.....	.17291	9,861	1,705	9,008	40,481	4.11
90-91.....	.18628	8,156	1,519	7,397	31,473	3.86
91-92.....	.20108	6,637	1,335	5,969	24,076	3.63
92-93.....	.21731	5,302	1,152	4,726	18,107	3.42
93-94.....	.23399	4,150	971	3,665	13,381	3.22
94-95.....	.25031	3,179	796	2,781	9,716	3.06
95-96.....	.26617	2,383	634	2,066	6,935	2.91
96-97.....	.28001	1,749	490	1,504	4,869	2.78
97-98.....	.29311	1,259	369	1,074	3,365	2.67
98-99.....	.30545	890	272	754	2,291	2.57
99-100.....	.31703	618	196	521	1,537	2.49
100-101.....	.32784	422	138	353	1,016	2.41
101-102.....	.33791	284	96	236	663	2.34
102-103.....	.34724	188	65	155	427	2.28
103-104.....	.35588	123	44	101	272	2.22
104-105.....	.36384	79	29	64	171	2.17
105-106.....	.37117	50	18	41	107	2.12
106-107.....	.37790	32	12	26	66	2.08
107-108.....	.38407	20	8	16	40	2.04
108-109.....	.38971	12	5	9	24	2.01
109-110.....	.39486	7	3	6	15	1.97

TABLE 6. LIFE TABLE FOR WHITE FEMALES: WYOMING, 1979-81

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
		PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
0-1.....	.00867	100,000	867	99,276	7,839,296	78.39
1-2.....	.00063	99,133	63	99,101	7,740,020	78.08
2-3.....	.00048	99,070	47	99,047	7,640,919	77.13
3-4.....	.00042	99,023	42	99,002	7,541,872	76.16
4-5.....	.00034	98,981	33	98,964	7,442,870	75.19
5-6.....	.00026	98,948	27	98,935	7,343,906	74.22
6-7.....	.00022	98,921	22	98,910	7,244,971	73.24
7-8.....	.00019	98,899	19	98,890	7,146,061	72.26
8-9.....	.00017	98,880	16	98,872	7,047,171	71.27
9-10.....	.00015	98,864	15	98,857	6,948,299	70.28
10-11.....	.00014	98,849	14	98,842	6,849,442	69.29
11-12.....	.00016	98,835	15	98,828	6,750,600	68.30
12-13.....	.00020	98,820	20	98,810	6,651,772	67.31
13-14.....	.00028	98,800	27	98,786	6,552,962	66.33
14-15.....	.00037	98,773	37	98,754	6,454,176	65.34
15-16.....	.00047	98,736	47	98,713	6,355,422	64.37
16-17.....	.00057	98,689	56	98,661	6,256,709	63.40
17-18.....	.00063	98,633	62	98,602	6,158,048	62.43
18-19.....	.00066	98,571	65	98,539	6,059,446	61.47
19-20.....	.00067	98,506	66	98,473	5,960,907	60.51
20-21.....	.00067	98,440	66	98,407	5,862,434	59.55
21-22.....	.00068	98,374	67	98,340	5,764,027	58.59
22-23.....	.00068	98,307	67	98,273	5,665,687	57.63
23-24.....	.00068	98,240	66	98,207	5,567,414	56.67
24-25.....	.00067	98,174	66	98,141	5,469,207	55.71
25-26.....	.00066	98,108	65	98,075	5,371,066	54.75
26-27.....	.00066	98,043	65	98,011	5,272,991	53.78
27-28.....	.00066	97,978	64	97,946	5,174,980	52.82
28-29.....	.00067	97,914	66	97,881	5,077,034	51.85
29-30.....	.00070	97,848	68	97,814	4,979,153	50.89
30-31.....	.00073	97,780	72	97,744	4,881,339	49.92
31-32.....	.00077	97,708	75	97,671	4,783,595	48.96
32-33.....	.00081	97,633	79	97,593	4,685,924	48.00
33-34.....	.00084	97,554	82	97,513	4,588,331	47.03
34-35.....	.00086	97,472	84	97,430	4,490,818	46.07
35-36.....	.00090	97,388	87	97,344	4,393,388	45.11
36-37.....	.00094	97,301	92	97,255	4,296,044	44.15
37-38.....	.00101	97,209	98	97,160	4,198,789	43.19
38-39.....	.00110	97,111	107	97,057	4,101,629	42.24
39-40.....	.00121	97,004	117	96,946	4,004,572	41.28
40-41.....	.00134	96,887	130	96,822	3,907,626	40.33
41-42.....	.00149	96,757	144	96,685	3,810,804	39.39
42-43.....	.00167	96,613	162	96,532	3,714,119	38.44
43-44.....	.00187	96,451	181	96,361	3,617,587	37.51
44-45.....	.00210	96,270	202	96,169	3,521,226	36.58
45-46.....	.00235	96,068	226	95,955	3,425,057	35.65
46-47.....	.00262	95,842	251	95,717	3,329,102	34.74
47-48.....	.00291	95,591	278	95,452	3,233,385	33.83
48-49.....	.00322	95,313	307	95,159	3,137,933	32.92
49-50.....	.00353	95,006	336	94,839	3,042,774	32.03
50-51.....	.00385	94,670	364	94,488	2,947,935	31.14
51-52.....	.00419	94,306	395	94,108	2,853,447	30.26
52-53.....	.00454	93,911	427	93,698	2,759,339	29.38
53-54.....	.00494	93,484	462	93,253	2,665,641	28.51
54-55.....	.00538	93,022	500	92,772	2,572,388	27.65

TABLE 6. LIFE TABLE FOR WHITE FEMALES: WYOMING, 1979-81—CON.

AGE IN YEARS	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED	PROPORTION OF PERSONS ALIVE AT BEGINNING OF YEAR OF AGE DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF YEAR OF AGE	NUMBER DYING DURING YEAR OF AGE	IN YEAR OF AGE	IN THIS YEAR OF AGE AND ALL SUBSEQUENT YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF YEAR OF AGE
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+1$	$q_x$	$l_x$	$d_x$	$L_x$	$T_x$	$e_x$
55-56.....	.00586	92,522	542	92,251	2,479,616	26.80
56-57.....	.00636	91,980	585	91,687	2,387,365	25.96
57-58.....	.00687	91,395	628	91,081	2,295,678	25.12
58-59.....	.00740	90,767	671	90,432	2,204,597	24.29
59-60.....	.00798	90,096	720	89,736	2,114,165	23.47
60-61.....	.00861	89,376	769	88,992	2,024,429	22.65
61-62.....	.00934	88,607	827	88,193	1,935,437	21.84
62-63.....	.01025	87,780	900	87,330	1,847,244	21.04
63-64.....	.01137	86,880	988	86,386	1,759,914	20.26
64-65.....	.01261	85,892	1,084	85,350	1,673,528	19.48
65-66.....	.01394	84,808	1,182	84,217	1,588,178	18.73
66-67.....	.01527	83,626	1,277	82,987	1,503,961	17.98
67-68.....	.01653	82,349	1,362	81,668	1,420,974	17.26
68-69.....	.01772	80,987	1,435	80,270	1,339,306	16.54
69-70.....	.01892	79,552	1,505	78,800	1,259,036	15.83
70-71.....	.02028	78,047	1,583	77,256	1,180,236	15.12
71-72.....	.02188	76,464	1,672	75,628	1,102,980	14.42
72-73.....	.02366	74,792	1,770	73,906	1,027,352	13.74
73-74.....	.02562	73,022	1,871	72,087	953,446	13.06
74-75.....	.02778	71,151	1,977	70,162	881,359	12.39
75-76.....	.03001	69,174	2,076	68,136	811,197	11.73
76-77.....	.03260	67,098	2,188	66,004	743,061	11.07
77-78.....	.03612	64,910	2,344	63,738	677,057	10.43
78-79.....	.04099	62,566	2,565	61,284	613,319	9.80
79-80.....	.04717	60,001	2,830	58,586	552,035	9.20
80-81.....	.05434	57,171	3,106	55,618	493,449	8.63
81-82.....	.06203	54,065	3,354	52,388	437,831	8.10
82-83.....	.07014	50,711	3,557	48,933	385,443	7.60
83-84.....	.07831	47,154	3,692	45,308	336,510	7.14
84-85.....	.08664	43,462	3,766	41,579	291,202	6.70
85-86.....	.09552	39,696	3,792	37,800	249,623	6.29
86-87.....	.10540	35,904	3,784	34,012	211,823	5.90
87-88.....	.11557	32,120	3,712	30,264	177,811	5.54
88-89.....	.12599	28,408	3,579	26,619	147,547	5.19
89-90.....	.13711	24,829	3,404	23,126	120,928	4.87
90-91.....	.14991	21,425	3,212	19,819	97,802	4.56
91-92.....	.16433	18,213	2,993	16,716	77,983	4.28
92-93.....	.17914	15,220	2,727	13,857	61,267	4.03
93-94.....	.19355	12,493	2,418	11,284	47,410	3.79
94-95.....	.20770	10,075	2,092	9,029	36,126	3.59
95-96.....	.22228	7,983	1,775	7,096	27,097	3.39
96-97.....	.23729	6,208	1,473	5,471	20,001	3.22
97-98.....	.25173	4,735	1,192	4,139	14,530	3.07
98-99.....	.26551	3,543	941	3,073	10,391	2.93
99-100.....	.27859	2,602	725	2,240	7,318	2.81
100-101.....	.29094	1,877	546	1,604	5,078	2.70
101-102.....	.30255	1,331	403	1,130	3,474	2.61
102-103.....	.31342	928	291	783	2,344	2.52
103-104.....	.32355	637	206	534	1,561	2.45
104-105.....	.33297	431	143	360	1,027	2.38
105-106.....	.34168	288	99	238	667	2.32
106-107.....	.34973	189	66	156	429	2.26
107-108.....	.35715	123	44	102	273	2.21
108-109.....	.36397	79	29	64	171	2.17
109-110.....	.37022	50	18	41	107	2.12

TABLE 7. STANDARD ERRORS OF THE PROBABILITY OF DYING: WYOMING, 1979-81

EXACT AGE IN YEARS	TOTAL			WHITE			ALL OTHER					
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	TOTAL			BLACK		
							BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0.....	.000603	.000928	.000762	.000616	.000953	.000772	*	*	*	*	*	*
1.....	.000189	.000282	.000248	.000175	.000268	.000223	*	*	*	*	*	*
2.....	.000160	.000257	.000189	.000161	.000253	.000195	*	*	*	*	*	*
3.....	.000152	.000242	.000181	.000152	.000237	.000187	*	*	*	*	*	*
4.....	.000140	.000222	.000165	.000144	.000230	.000171	*	*	*	*	*	*
5.....	.000131	.000214	.000146	.000135	.000218	.000152	*	*	*	*	*	*
6.....	.000126	.000209	.000135	.000131	.000216	.000141	*	*	*	*	*	*
7.....	.000122	.000204	.000127	.000127	.000212	.000132	*	*	*	*	*	*
8.....	.000116	.000194	.000121	.000121	.000202	.000124	*	*	*	*	*	*
9.....	.000108	.000178	.000116	.000112	.000186	.000119	*	*	*	*	*	*
10.....	.000101	.000162	.000116	.000104	.000169	.000117	*	*	*	*	*	*
11.....	.000103	.000162	.000123	.000105	.000168	.000123	*	*	*	*	*	*
12.....	.000122	.000196	.000140	.000123	.000200	.000139	*	*	*	*	*	*
13.....	.000153	.000255	.000164	.000154	.000258	.000163	*	*	*	*	*	*
14.....	.000185	.000313	.000187	.000186	.000316	.000186	*	*	*	*	*	*
15.....	.000211	.000360	.000208	.000212	.000362	.000207	*	*	*	*	*	*
16.....	.000230	.000394	.000224	.000231	.000396	.000222	*	*	*	*	*	*
17.....	.000241	.000414	.000232	.000242	.000417	.000230	*	*	*	*	*	*
18.....	.000246	.000421	.000233	.000247	.000425	.000231	*	*	*	*	*	*
19.....	.000245	.000420	.000230	.000247	.000424	.000228	*	*	*	*	*	*
20.....	.000244	.000417	.000226	.000246	.000422	.000224	*	*	*	*	*	*
21.....	.000243	.000415	.000223	.000245	.000420	.000222	*	*	*	*	*	*
22.....	.000241	.000410	.000221	.000243	.000416	.000219	*	*	*	*	*	*
23.....	.000238	.000404	.000221	.000240	.000409	.000218	*	*	*	*	*	*
24.....	.000235	.000398	.000223	.000236	.000401	.000218	*	*	*	*	*	*
25.....	.000232	.000390	.000224	.000232	.000393	.000217	*	*	*	*	*	*
26.....	.000230	.000384	.000226	.000228	.000385	.000217	*	*	*	*	*	*
27.....	.000229	.000380	.000230	.000227	.000379	.000220	*	*	*	*	*	*
28.....	.000231	.000380	.000237	.000227	.000378	.000226	*	*	*	*	*	*
29.....	.000235	.000384	.000247	.000231	.000380	.000235	*	*	*	*	*	*
30.....	.000240	.000388	.000259	.000234	.000382	.000247	*	*	*	*	*	*
31.....	.000246	.000394	.000273	.000239	.000385	.000261	*	*	*	*	*	*
32.....	.000254	.000405	.000286	.000246	.000394	.000275	*	*	*	*	*	*
33.....	.000265	.000424	.000298	.000258	.000413	.000287	*	*	*	*	*	*
34.....	.000280	.000451	.000308	.000273	.000441	.000299	*	*	*	*	*	*
35.....	.000298	.000486	.000320	.000292	.000477	.000313	*	*	*	*	*	*
36.....	.000318	.000525	.000336	.000314	.000518	.000331	*	*	*	*	*	*
37.....	.000340	.000565	.000354	.000336	.000557	.000351	*	*	*	*	*	*
38.....	.000360	.000599	.000376	.000355	.000588	.000375	*	*	*	*	*	*
39.....	.000379	.000628	.000402	.000373	.000613	.000403	*	*	*	*	*	*
40.....	.000400	.000658	.000430	.000392	.000638	.000433	*	*	*	*	*	*
41.....	.000423	.000693	.000462	.000414	.000669	.000466	*	*	*	*	*	*
42.....	.000448	.000732	.000498	.000439	.000706	.000502	*	*	*	*	*	*
43.....	.000477	.000774	.000539	.000469	.000754	.000540	*	*	*	*	*	*
44.....	.000508	.000821	.000584	.000502	.000809	.000579	*	*	*	*	*	*
45.....	.000540	.000871	.000630	.000537	.000869	.000619	*	*	*	*	*	*
46.....	.000573	.000921	.000676	.000572	.000928	.000660	*	*	*	*	*	*
47.....	.000604	.000967	.000719	.000605	.000980	.000700	*	*	*	*	*	*
48.....	.000630	.001002	.000756	.000632	.001018	.000738	*	*	*	*	*	*
49.....	.000653	.001029	.000788	.000655	.001044	.000773	*	*	*	*	*	*
50.....	.000672	.001049	.000818	.000675	.001063	.000806	*	*	*	*	*	*
51.....	.000692	.001071	.000849	.000694	.001084	.000838	*	*	*	*	*	*
52.....	.000715	.001102	.000883	.000717	.001113	.000873	*	*	*	*	*	*
53.....	.000745	.001149	.000922	.000746	.001157	.000913	*	*	*	*	*	*
54.....	.000782	.001212	.000967	.000781	.001216	.000957	*	*	*	*	*	*

TABLE 7. STANDARD ERRORS OF THE PROBABILITY OF DYING: WYOMING, 1979-81—CON.

EXACT AGE IN YEARS	TOTAL			WHITE			ALL OTHER					
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	TOTAL			BLACK		
							BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
55.....	.000823	.001285	.001013	.000819	.001284	.001003	*	*	*	*	*	*
56.....	.000865	.001361	.001059	.000860	.001356	.001050	*	*	*	*	*	*
57.....	.000911	.001444	.001110	.000906	.001437	.001101	*	*	*	*	*	*
58.....	.000963	.001532	.001169	.000958	.001526	.001160	*	*	*	*	*	*
59.....	.001022	.001626	.001237	.001018	.001623	.001229	*	*	*	*	*	*
60.....	.001086	.001730	.001312	.001084	.001729	.001306	*	*	*	*	*	*
61.....	.001158	.001847	.001396	.001158	.001850	.001391	*	*	*	*	*	*
62.....	.001239	.001985	.001487	.001241	.001990	.001484	*	*	*	*	*	*
63.....	.001327	.002143	.001580	.001330	.002151	.001580	*	*	*	*	*	*
64.....	.001417	.002318	.001669	.001423	.002328	.001674	*	*	*	*	*	*
65.....	.001510	.002506	.001758	.001517	.002517	.001766	*	*	*	*	*	*
66.....	.001606	.002703	.001850	.001614	.002715	.001860	*	*	*	*	*	*
67.....	.001707	.002906	.001948	.001716	.002920	.001959	*	*	*	*	*	*
68.....	.001819	.003115	.002059	.001828	.003129	.002071	*	*	*	*	*	*
69.....	.001942	.003331	.002188	.001952	.003345	.002201	*	*	*	*	*	*
70.....	.002082	.003563	.002340	.002092	.003578	.002354	*	*	*	*	*	*
71.....	.002233	.003814	.002509	.002243	.003829	.002524	*	*	*	*	*	*
72.....	.002390	.004079	.002691	.002401	.004095	.002708	*	*	*	*	*	*
73.....	.002547	.004369	.002877	.002559	.004386	.002897	*	*	*	*	*	*
74.....	.002710	.004697	.003069	.002724	.004715	.003094	*	*	*	*	*	*
75.....	.002883	.005069	.003268	.002901	.005091	.003299	*	*	*	*	*	*
76.....	.003086	.005505	.003499	.003108	.005532	.003537	*	*	*	*	*	*
77.....	.003340	.006037	.003791	.003366	.006068	.003835	*	*	*	*	*	*
78.....	.003667	.006679	.004170	.003694	.006711	.004216	*	*	*	*	*	*
79.....	.004060	.007414	.004633	.004086	.007443	.004678	*	*	*	*	*	*
80.....	.004511	.008259	.005160	.004534	.008278	.005202	*	*	*	*	*	*
81.....	.005003	.009203	.005727	.005021	.009210	.005766	*	*	*	*	*	*
82.....	.005520	.010170	.006337	.005537	.010172	.006376	*	*	*	*	*	*
83.....	.006045	.011099	.006984	.006066	.011111	.007025	*	*	*	*	*	*
84.....	.006586	.011991	.007681	.006617	.012032	.007729	*	*	*	*	*	*
85.....	.007158	.012860	.008460	.007202	.012943	.008513	*	*	*	*	*	*
86.....	.007816	.013835	.009359	.007871	.013961	.009415	*	*	*	*	*	*
87.....	.008586	.015030	.010386	.008653	.015200	.010445	*	*	*	*	*	*
88.....	.009536	.016641	.011591	.009616	.016855	.011656	*	*	*	*	*	*
89.....	.010733	.018813	.013045	.010831	.019082	.013123	*	*	*	*	*	*
90.....	.012268	.021669	.014880	.012396	.022029	.014980	*	*	*	*	*	*
91.....	.014202	.025289	.017182	.014378	.025798	.017318	*	*	*	*	*	*
92.....	.016597	.029903	.019977	.016840	.030618	.020167	*	*	*	*	*	*
93.....	.019434	.035451	.023255	.019755	.036391	.023517	*	*	*	*	*	*
94.....	.022775	.041967	.027121	.023184	.043096	.027480	*	*	*	*	*	*
95.....	.027554	.050378	.033019	.027677	.051002	.032998	*	*	*	*	*	*
96.....	.032572	.059802	.038995	.032873	.060811	.039161	*	*	*	*	*	*
97.....	.038101	.071971	.045367	.038621	.073863	.045746	*	*	*	*	*	*
98.....	.044856	.086191	.053115	.045696	.088896	.053810	*	*	*	*	*	*
99.....	.053147	.103898	.062584	.054450	.107760	.063739	*	*	*	*	*	*
100.....	.063368	.126043	.074208	.065335	.131545	.076030	*	*	*	*	*	*
101.....	.076017	.153846	.088538	.078935	.161670	.091318	*	*	*	*	*	*
102.....	.091745	.188884	.106276	.095975	.199988	.110422	*	*	*	*	*	*
103.....	.111356	.233197	.128313	.117481	.248926	.134397	*	*	*	*	*	*
104.....	.135899	.289426	.155790	.144690	.311667	.164610	*	*	*	*	*	*
105.....	.166714	.361000	.190163	.179247	.392395	.202833	*	*	*	*	*	*
106.....	.205521	.452372	.233298	.223294	.496618	.251365	*	*	*	*	*	*
107.....	.254531	.569338	.287587	.279625	.631602	.313203	*	*	*	*	*	*
108.....	.316591	.719450	.356102	.351893	.806946	.392249	*	*	*	*	*	*
109.....	.395371	.912555	.442796	.444878	.035345	.493601	*	*	*	*	*	*

TABLE 8. STANDARD ERRORS OF THE AVERAGE REMAINING LIFETIME: WYOMING, 1979-81

EXACT AGE IN YEARS	TOTAL			WHITE			ALL OTHER					
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	TOTAL			BLACK		
							BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0.....	.145	.199	.201	.146	.201	.201	*	*	*	*	*	*
1.....	.140	.191	.193	.140	.192	.193	*	*	*	*	*	*
2.....	.139	.190	.193	.140	.191	.193	*	*	*	*	*	*
3.....	.139	.189	.192	.139	.191	.192	*	*	*	*	*	*
4.....	.138	.189	.192	.139	.190	.192	*	*	*	*	*	*
5.....	.138	.188	.191	.139	.190	.191	*	*	*	*	*	*
6.....	.138	.188	.191	.139	.189	.191	*	*	*	*	*	*
7.....	.138	.187	.191	.138	.189	.191	*	*	*	*	*	*
8.....	.137	.187	.191	.138	.189	.191	*	*	*	*	*	*
9.....	.137	.187	.191	.138	.188	.191	*	*	*	*	*	*
10.....	.137	.187	.190	.138	.188	.190	*	*	*	*	*	*
11.....	.137	.186	.190	.138	.188	.190	*	*	*	*	*	*
12.....	.137	.186	.190	.137	.187	.190	*	*	*	*	*	*
13.....	.137	.186	.190	.137	.187	.190	*	*	*	*	*	*
14.....	.136	.185	.190	.137	.187	.190	*	*	*	*	*	*
15.....	.136	.185	.189	.137	.186	.189	*	*	*	*	*	*
16.....	.136	.184	.189	.136	.185	.189	*	*	*	*	*	*
17.....	.135	.183	.189	.136	.184	.189	*	*	*	*	*	*
18.....	.135	.182	.188	.135	.183	.188	*	*	*	*	*	*
19.....	.134	.181	.188	.135	.182	.188	*	*	*	*	*	*
20.....	.134	.180	.187	.134	.181	.187	*	*	*	*	*	*
21.....	.133	.179	.187	.134	.181	.187	*	*	*	*	*	*
22.....	.133	.179	.187	.133	.180	.187	*	*	*	*	*	*
23.....	.132	.178	.186	.133	.179	.186	*	*	*	*	*	*
24.....	.132	.177	.186	.132	.178	.186	*	*	*	*	*	*
25.....	.132	.177	.186	.132	.178	.186	*	*	*	*	*	*
26.....	.131	.176	.186	.132	.177	.186	*	*	*	*	*	*
27.....	.131	.176	.185	.132	.177	.185	*	*	*	*	*	*
28.....	.131	.175	.185	.131	.176	.185	*	*	*	*	*	*
29.....	.131	.175	.185	.131	.176	.185	*	*	*	*	*	*
30.....	.130	.174	.185	.131	.175	.185	*	*	*	*	*	*
31.....	.130	.174	.184	.130	.175	.184	*	*	*	*	*	*
32.....	.130	.174	.184	.130	.175	.184	*	*	*	*	*	*
33.....	.129	.173	.184	.130	.174	.184	*	*	*	*	*	*
34.....	.129	.173	.183	.130	.174	.183	*	*	*	*	*	*
35.....	.129	.172	.183	.129	.173	.183	*	*	*	*	*	*
36.....	.128	.172	.183	.129	.173	.183	*	*	*	*	*	*
37.....	.128	.171	.182	.129	.172	.182	*	*	*	*	*	*
38.....	.128	.170	.182	.128	.171	.182	*	*	*	*	*	*
39.....	.127	.169	.181	.128	.170	.181	*	*	*	*	*	*
40.....	.127	.168	.181	.127	.170	.181	*	*	*	*	*	*
41.....	.126	.168	.180	.127	.169	.180	*	*	*	*	*	*
42.....	.126	.167	.180	.126	.168	.180	*	*	*	*	*	*
43.....	.125	.166	.179	.125	.167	.179	*	*	*	*	*	*
44.....	.124	.164	.178	.125	.166	.178	*	*	*	*	*	*
45.....	.123	.163	.177	.124	.165	.177	*	*	*	*	*	*
46.....	.123	.162	.176	.123	.164	.176	*	*	*	*	*	*
47.....	.122	.161	.175	.122	.162	.175	*	*	*	*	*	*
48.....	.121	.159	.174	.122	.161	.174	*	*	*	*	*	*
49.....	.120	.158	.173	.121	.159	.173	*	*	*	*	*	*
50.....	.119	.157	.172	.120	.158	.172	*	*	*	*	*	*
51.....	.118	.156	.171	.119	.157	.171	*	*	*	*	*	*
52.....	.118	.155	.170	.118	.156	.170	*	*	*	*	*	*
53.....	.117	.154	.168	.117	.155	.169	*	*	*	*	*	*
54.....	.116	.153	.167	.117	.154	.167	*	*	*	*	*	*

TABLE 8. STANDARD ERRORS OF THE AVERAGE REMAINING LIFETIME: WYOMING, 1979-81--CON.

EXACT AGE IN YEARS	TOTAL			WHITE			ALL OTHER					
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	TOTAL			BLACK		
							BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
55.....	.115	.152	.166	.116	.153	.166	*	*	*	*	*	*
56.....	.115	.151	.165	.115	.152	.165	*	*	*	*	*	*
57.....	.114	.150	.164	.114	.151	.164	*	*	*	*	*	*
58.....	.113	.149	.163	.114	.150	.163	*	*	*	*	*	*
59.....	.113	.148	.161	.113	.149	.162	*	*	*	*	*	*
60.....	.112	.147	.160	.112	.148	.160	*	*	*	*	*	*
61.....	.111	.146	.159	.111	.147	.159	*	*	*	*	*	*
62.....	.110	.145	.158	.111	.146	.158	*	*	*	*	*	*
63.....	.109	.144	.156	.110	.145	.156	*	*	*	*	*	*
64.....	.109	.143	.155	.109	.144	.155	*	*	*	*	*	*
65.....	.108	.143	.153	.108	.144	.153	*	*	*	*	*	*
66.....	.107	.142	.152	.107	.143	.152	*	*	*	*	*	*
67.....	.106	.141	.151	.106	.142	.151	*	*	*	*	*	*
68.....	.106	.140	.149	.106	.141	.149	*	*	*	*	*	*
69.....	.105	.140	.148	.105	.141	.148	*	*	*	*	*	*
70.....	.104	.139	.147	.104	.140	.147	*	*	*	*	*	*
71.....	.104	.139	.146	.104	.140	.145	*	*	*	*	*	*
72.....	.103	.139	.144	.103	.140	.144	*	*	*	*	*	*
73.....	.102	.139	.143	.103	.140	.143	*	*	*	*	*	*
74.....	.102	.139	.142	.102	.140	.141	*	*	*	*	*	*
75.....	.101	.139	.140	.101	.140	.140	*	*	*	*	*	*
76.....	.101	.139	.139	.101	.140	.139	*	*	*	*	*	*
77.....	.101	.139	.138	.100	.140	.138	*	*	*	*	*	*
78.....	.100	.140	.138	.100	.140	.137	*	*	*	*	*	*
79.....	.100	.140	.137	.100	.140	.137	*	*	*	*	*	*
80.....	.100	.141	.137	.100	.141	.136	*	*	*	*	*	*
81.....	.101	.142	.137	.100	.142	.136	*	*	*	*	*	*
82.....	.101	.144	.137	.101	.143	.136	*	*	*	*	*	*
83.....	.102	.146	.138	.102	.145	.137	*	*	*	*	*	*
84.....	.104	.148	.139	.103	.148	.138	*	*	*	*	*	*
85.....	.106	.152	.141	.105	.151	.139	*	*	*	*	*	*
86.....	.108	.156	.144	.107	.155	.142	*	*	*	*	*	*
87.....	.112	.162	.148	.110	.160	.145	*	*	*	*	*	*
88.....	.116	.169	.153	.114	.168	.150	*	*	*	*	*	*
89.....	.122	.179	.159	.120	.177	.156	*	*	*	*	*	*
90.....	.129	.191	.167	.126	.189	.164	*	*	*	*	*	*
91.....	.137	.206	.177	.134	.204	.173	*	*	*	*	*	*
92.....	.148	.225	.189	.144	.222	.184	*	*	*	*	*	*
93.....	.160	.247	.204	.156	.244	.198	*	*	*	*	*	*
94.....	.175	.274	.223	.170	.270	.215	*	*	*	*	*	*
95.....	.194	.308	.245	.187	.302	.236	*	*	*	*	*	*
96.....	.214	.348	.269	.207	.342	.259	*	*	*	*	*	*
97.....	.238	.398	.296	.231	.392	.286	*	*	*	*	*	*
98.....	.267	.457	.330	.260	.452	.319	*	*	*	*	*	*
99.....	.304	.531	.372	.296	.526	.360	*	*	*	*	*	*
100.....	.348	.623	.423	.340	.620	.411	*	*	*	*	*	*
101.....	.403	.738	.485	.396	.736	.474	*	*	*	*	*	*
102.....	.471	.880	.563	.464	.881	.552	*	*	*	*	*	*
103.....	.555	1.058	.658	.550	1.061	.648	*	*	*	*	*	*
104.....	.658	1.280	.776	.657	1.284	.769	*	*	*	*	*	*
105.....	.787	1.559	.922	.790	1.557	.919	*	*	*	*	*	*
106.....	.947	1.906	1.104	.956	1.879	1.106	*	*	*	*	*	*
107.....	1.147	2.339	1.330	1.163	2.237	1.338	*	*	*	*	*	*
108.....	1.398	2.873	1.615	1.417	2.565	1.628	*	*	*	*	*	*
109.....	1.714	3.525	1.975	1.728	2.649	1.985	*	*	*	*	*	*



# U.S. Decennial Life Tables, 1979-81

These 55 reports are published once each 10-year period by the National Center for Health Statistics.

## VOLUME I

- Number 1** *United States Life Tables.* This first report contains life tables by single years of age from birth to age 110 for the United States. Tables are included for the total population, the white population, the population other than white, and the black population. Within these large populations are tables showing the race-sex categories of male, female, and both sexes combined. Standard error tables for the probability of dying and of the average remaining lifetime are included for the first time in this series.
- Number 2** *United States Life Tables Eliminating Certain Causes of Death.* This report provides life tables analyzed by major groups of causes of death.
- Number 3** *Methodology of the National and State Life Tables.* This report describes in detail the methods of construction of the national and State life tables.
- Number 4** *Some Trends and Comparisons of United States Life Table Data: 1900-1981.* This report deals with trends and interpretations related to life expectancy and survivorship.

## VOLUME II

- Numbers 1 through 51** *Alabama through Wyoming, State Life Tables.* Each of these 51 reports contains life tables for a particular State and a table which ranks each State in the order of life expectancy. All States have tables for the total population and the white population by sex. In addition 35 States have tables for the other than white population and 31 have tables for the black population. Standard error tables for the probability of dying and of the average remaining lifetime are included for the first time in this series.