

VITAL STATISTICS OF THE UNITED STATES

1974

VOLUME II—MORTALITY

PART A



U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland: 1978
(PHS) 79-1101

NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, *Director*

ROBERT A. ISRAEL, *Deputy Director*

JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis*

GAIL F. FISHER, Ph.D., *Associate Director for the Cooperative Health Statistics System*

ELIJAH L. WHITE, *Associate Director for Data Systems*

JAMES T. BAIRD, JR., Ph.D., *Associate Director for International Statistics*

ROBERT C. HUBER, *Associate Director for Management*

MONROE G. SIRKEN, Ph.D., *Associate Director for Mathematical Statistics*

PETER L. HURLEY, *Associate Director for Operations*

JAMES M. ROBEY, Ph.D., *Associate Director for Program Development*

PAUL E. LEAVERTON, Ph.D., *Associate Director for Research*

ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*

ALICE M. HETZEL, *Deputy Director*

MARVIN C. TEMPLETON, *Assistant to the Director*

ROBERT J. ARMSTRONG, M.S., *Actuarial Adviser*

HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*

ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*

ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*

LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*

WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*

MARSHALL C. EVANS, *Chief, Data Control Branch*

MABEL G. SMITH, *Acting Chief, Statistical Resources Branch*

RITA U. HOFFMAN, *Chief, Programming Branch*

VITAL STATISTICS OF THE UNITED STATES, 1974

VOLUME II — MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality; and deaths for the 50 largest standard metropolitan statistical areas. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, month, date of death, and report of autopsy.

Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, and cause of death, and by State and the 50 largest standard metropolitan statistical areas. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by color, age of mother, legitimacy status, geographic areas, and population-size groups; and fetal-death rates by plurality and sex. Numbers of deaths by additional categories—month, birth order, attendant, period of gestation, and birth weight.

Section 4. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accidents and by person injured. Data shown by cause of death, age, color, and sex for the United States and by color and sex for each State. Deaths from accidental poisoning by age, color, and sex.

Section 5. Life Tables

Abridged life tables and interpolated values of the l_x and e_x^0 by single years of age for the national population by color and sex.

Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 8. Guam, Puerto Rico, and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 1

[All data are for deaths occurring in the United States. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Data for 1972 are based on a 50-percent sample of death certificates]

TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	-27	-28	-29	-30	
PAGE: 1	-2	-3	-4	-6	-6	-6	-7	-8	-26	-45	-46	-47	-48	-60	-73	-74	-74	-75	-77	-80	-81	-89	-90	-170	-178	-186	-252	-356	-357	-358	
Geographic area:																															
Divisions-----										10 ¹	11	12	13	14			17														
50 largest standard metropolitan statistical areas, 1974-----																		18													
States-----											11	12	13	14			17		19 ²	20 ¹	21	22					27				
United States-----	1 ³	2 ³	3	4	5	6	7	8	9	10 ³	11	12	13	14	15	16 ⁴	17		19	20	21	22	23	24	25	26	27	28	29	30	
Years:																															
1900-1974-----	1	2								10 ⁵																					
1915-74-----																16 ⁵															
1965-74-----			3								11																				
1968-74-----							7																								
1972-74-----																	17 ⁷														
1974 only-----			4	5	6		8	9			12	13	14	15			18	19	20	21	22	23	24	25	26	27	28	29	30		
Type of entry:																															
Age-adjusted rates-----		2				6																									
Number of deaths---	1		4								12	13		15			18	19	20	21	22	23	24	25	26	27		29	30		
Percent distribution of deaths by cause-----					5																										
Death rates-----	1		3		5		7	8	9	10	11	12		14	15	16	17	18					23					28 ⁸	29 ⁸		
Characteristics:																															
Age-----			3	4			8	9			12			15												26		28			
10-year age groups-----			3					9																				28			
5-year age groups-----							8							15												26					
Single years of age after 84----			4																												
Cause of death:																															
Each cause-----																							23								
Selected causes--					6																									30	
281 selected causes-----																								24	25	26	27				
69 selected causes-----							7	8	9			13	14																	29	
15 leading causes-----				5																											
Maternal causes only-----														15	16	17															
Color-----	1 ⁹	2 ⁹	3	4		6	8	9						15	16 ⁹	17					21		23					27	28		
Race-----																						22			25	26					
Sex-----	1 ¹¹	2	3	4		6	8	9														21	22	23		25	26	27	28		
Month-----																							20	21			24				30
Day of month-----																															30
Day of week-----																															30
Autopsy-----																													28	29	
Autopsy findings used-----																														29	

¹Deaths by place of occurrence.
²Deaths by place of occurrence and place of residence.
³Entire United States for 1933-74, death-registration States for 1900-1932.
⁴Entire United States for 1933-74, birth-registration States for 1915-32.
⁵Data by 5-year averages for 1900-1959 and by single years for 1960-74.
⁶Data by 5-year averages for 1915-39 and by single years for 1940-74.
⁷Data by 3-year average.
⁸Number of autopsies per 100 deaths.
⁹New Jersey did not require the reporting of color or race in 1962 and 1963.
¹⁰For death rates only.

Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence. Data for 1972 are based on a 50-percent sample of death certificates]

	TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15
	PAGE: 2	-3	-3	-3	-4	-5	-6	-7	-8	-10	-28	-37	-38	-44	-50	-68
Geographic area:																
Divisions-----						6	7									
50 largest standard metropolitan statistical areas, 1974-----									8							
Metropolitan and nonmetropolitan counties-----														13		
Population-size groups-----														13		
States-----						6	7		9	10						15
United States-----	1 ¹	2	3	4	5	6	7		9	10	11	12	13	14	15	
Years:																
1915-74-----	1															
1965-74-----				4												
1970-74-----						6	7									
1968-74-----												11				
1974 only-----		2	3		5				8	9	10		12	13	14	15
Type of entry:																
Number of infant deaths-----			3						8	9	10		12	13	14	15
Infant mortality rates (per 1,000 live births)---	1		3			6	7	8								
Infant mortality rates (per 100,000 live births)-		2		4	5							11				
Characteristics:																
Age:																
Under 1 year-----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	
Under 28 days-----	1	2	3	4			7	8	9	10		12	13	14	15	
28 days to 11 months-----			3									12		14	15	
Detailed age groups (under 1 day-11 months)----		2		4					9	-10 ²					14	
Cause of death (65 selected causes)-----					5							11	12	13	14	15
Color-----	1 ³	2		4	5	6	7			10				13	14	15
Month-----										10		12				
Race-----			3						9							
Sex-----		2	3						9	10 ²					14	

¹Entire United States for 1933-74; birth-registration States, for 1915-32.

²For the United States only.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents]

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-5	-5	-6	-8	-9	-12	-16	-18	-22	-26	-29	-30	-31	-34
Geographic area:																	
Divisions-----						6	7										
Metropolitan and non-metropolitan counties-----						6											
Population-size groups-----						6 ¹											
Selected areas-----			3 ²	4 ³													
States-----	1 ⁴						7	8 ⁵	9		11	12	13			16	17
United States-----	1	2			5	6	7	8	9	10	11	12	13	14	15	16	17
Years:																	
1942-74-----		2															
1970-74-----							7										
1974 only-----	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry:																	
Number of fetal deaths-----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17
Percent distribution-----			3														
Rates (per 1,000 live births and fetal deaths)-----					5												
Ratios (per 1,000 live births)-		2		4		6	7										
Minimum period required for reporting-----	1																
Characteristics:																	
Age of mother-----			3	4						10	11						
Attendant-----												13					
Color-----		2 ⁶		4	5	6	7		9	10	11	12	13	14	15	16	17
Legitimacy status-----				4													
Month-----								9									
Period of gestation-----	1		3			6							13		15		17
Plural births-----					5									14	15		
Sex-----					5					10				14	15	16 ¹	17 ¹
Total-birth order-----										10		12					
Weight at birth-----														14		16	

¹For the United States only.

²Combined totals for 5 States which report all periods of gestation.

³Combined totals for 38 areas which report legitimacy status.

⁴Fetal deaths by place of occurrence.

⁵Fetal deaths by place of occurrence and place of residence.

⁶New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 4

[Frequencies only. All data are for accidental deaths occurring in the United States during 1974.
Data for geographic areas within the United States are by place of residence]

TABLE: 4	-1	-2	-3	-4	-5	-6	-7
PAGE: 4	-2	-4	-12	-17	-21	-32	-36
Geographic area: States-----			3				7
United States-----	1	2	3	4	5	6	7
Subject matter: Accidental poisoning-----				4			
Motor vehicle accidents by person injured-----	1	2	3				
Nontransport accidents by place of accident-----					5	6	7
Characteristics: Age-----				4			
5-year age groups-----		2				6	
Color-----	1		3	4	5		7
Motor vehicle accidents by exact cause of death--	1						
Nontransport accidents by exact cause of death---					5		
Race-----		2				6	
Sex-----	1	2	3	4	5	6	7

Guide to tables in Section 5

[Life tables. Data for 1972 are based on a 50-percent sample of death certificates]

	TABLE: 5	-1	-2	-3	-4	-5
	PAGE: 5	-4	-7	-8	-9	-11
Years:						
1900-1974-----						5 ¹
1974 only-----		1	2	3		
Specified years and 1974-----					4 ²	
Type of entry:						
Proportion dying (${}_nq_x$)-----		1				
Number surviving (${}_nL_x$)-----		1	2		4	
Number dying (${}_nd_x$)-----		1				
Stationary population (${}_nL_x$) and (T_x)-----		1				
Average remaining lifetime (\bar{e}_x)-----		1		3	4	
Estimated average length of life (\bar{e}_0)-----						5
Characteristics:						
Age by:						
Single years-----			2	3		
5-year intervals-----		1			4	
Sex-color specific-----		1	2	3	4	5 ³
Sex specific-----		1	2	3		5
Color specific-----		1	2	3		5 ³
Total population-----		1	2	3		5

¹Entire United States for 1929-74; death-registration States for 1900-1928.

²Entire United States for specified years from 1929 to 1974; death-registration States for specified years from 1900 to 1921.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 6

[Population tables. Populations exclusive of Armed Forces stationed outside the United States and estimated as of July 1 unless otherwise noted]

		TABLE: 6	-1	-2	-3
		PAGE: 6	-22	-23	-24
Geographic area:					
Divisions -----					3
States -----					3
United States -----		1 ^{1,2}	2		3
Guam-----					3
Puerto Rico-----					3
Virgin Islands-----					3
Years:					
1900-1974 ³ -----		1			
1974 -----			2		3
Characteristics:					
Age -----			2		3 ⁴
Race -----			2		
Sex -----			2		

¹Entire United States for 1900-1974; birth- and death-registration States for 1900-1932.

²Populations both inclusive and exclusive of Armed Forces stationed outside the United States.

³Population enumerated as of April 1, 1940, 1950, 1960, and 1970, and estimated as of July 1 for all other years.

⁴For United States and each State only.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1974. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

	TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
	PAGE: 7	-2	-75	-93	-111	-150	-168	-474	-484	-520
Geographic area:										
Counties-----		1 ¹								9
Metropolitan and nonmetropolitan counties-----			2	3						9
Specified urban places-----		1								9
Standard metropolitan statistical areas-----					4				8	
States-----		1 ¹	2	3			6	7 ²		9
United States-----		1	2	3		5		7		9
Population-size groups-----			2							9
Type of entry:										
Number of deaths-----		1	2	3	4	5	6	7	8	9
Number of fetal deaths-----		1	2							
Number of infant deaths-----		1	2	3	4	5	6			
Number of neonatal deaths-----		1	2							
Fetal-death ratios (per 1,000 live births)-----			2							
Infant mortality rates (per 1,000 live births)---			2							
Neonatal mortality rates (per 1,000 live births)-			2							
Characteristics:										
Age:										
5-year age groups-----						5	6			
10-year age groups-----				3	4					
Cause of death:										
34 selected causes-----										9
69 selected causes-----						5	6	7	8	
Color-----			2	3	4	5	6			
Race-----		1								
Sex-----				3	4	5	6			

¹Deaths by place of occurrence and place of residence.

²Deaths by place of occurrence.

Guide to tables in Section 8

[All data are for deaths occurring in Guam, Puerto Rico, or the Virgin Islands. Data are by place of residence unless otherwise noted]

	TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
	PAGE: 8	-3	-3	-4	-8	-12	-17	-17	-18	-18	-19	-19	-20
Geographic area:													
Guam-----		1	2	3			6	7		9	10	11	12
Puerto Rico-----		1	2		4		6	7	8		10	11	12
Municipios-----									8				
Virgin Islands-----		1	2			5	6	7		9	10	11	12
Islands-----										9			
Specified urban place-----										9			
Years:													
1940-74-----		1											
1974 only-----			2	3	4	5	6	7	8	9	10	11	12
Type of entry:													
Number of deaths-----		1	2	3	4	5	6	7	8 ¹	9 ¹			
Death rates-----		1											
Number of infant deaths-----				3	4	5			8	9	10	11	12
Number of neonatal deaths-----									8	9	10	11	12
Number of postneonatal deaths-----												11	12
Characteristics:													
Age of decedent-----				3	4	5						11	
Cause of death:													
65 selected causes of infant mortality-----													12
69 selected causes-----				3	4	5							
Motor vehicle accidents-----							6						
Nontransport accidents-----								7					
Person injured-----							6						
Color (for Virgin Islands only)-----			2			5	6	7		9	10	11	12
Month-----			2								10		
Place of accident-----								7					
Sex-----			2	3	4	5	6	7				11	

¹Deaths by place of occurrence and place of residence.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Section 1. General Mortality

Table	Page
1-1. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-74 -----	1-2
1-2. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-74--	1-3
1-3. Death rates by age, color, and sex: United States, 1965-74 -----	1-4
1-4. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1974-----	1-6
1-5. Mortality from 15 leading causes of death: United States, 1974 -----	1-6
1-6. Age-adjusted death rates for selected causes, by color and sex: United States, 1974 -----	1-6
1-7. Death rates for 69 selected causes: United States, 1968-74 -----	1-7
1-8. Death rates for 69 selected causes, by 5-year age groups, color, and sex: United States, 1974 -----	1-8
1-9. Death rates for 69 selected causes, by 10-year age groups, color, and sex: United States, 1974 -----	1-26
1-10. Death rates for geographic divisions by place of occurrence: United States, 1900-1974 -----	1-45
1-11. Death rates: United States, each division and State, 1965-74 -----	1-46
1-12. Deaths and death rates by age: United States, each division and State, 1974 -----	1-47
1-13. Deaths from 69 selected causes: United States, each division and State, 1974 -----	1-48
1-14. Death rates for 69 selected causes: United States, each division and State, 1974 -----	1-60
1-15. Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1974 -----	1-73
1-16. Maternal mortality rates by color: Birth-registration States or United States, 1915-74 -----	1-74
1-17. Maternal mortality rates by color: United States, each division and State, 1972-74 (3-year average) -----	1-74
1-18. Deaths and death rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1974 -----	1-75
1-19. Deaths by State of occurrence, distributed according to State of residence: United States and each State, 1974--	1-77
1-20. Deaths by month and State of occurrence: United States and each State, 1974 -----	1-80
1-21. Deaths by month, color, and sex: United States and each State, 1974 -----	1-81
1-22. Deaths by specified race or national origin and sex: United States and each State, 1974 -----	1-89
1-23. Deaths and death rates for each cause, by color and sex: United States, 1974-----	1-90
1-24. Deaths from 281 selected causes, by month: United States, 1974 -----	1-170
1-25. Deaths from 281 selected causes, by specified race or national origin and sex: United States, 1974 -----	1-178
1-26. Deaths from 281 selected causes, by age, race, and sex: United States, 1974 -----	1-186
1-27. Deaths from 281 selected causes, by color and sex: United States and each State, 1974 -----	1-252
1-28. Percent of deaths for which autopsies were reported, by age, color, and sex: United States, 1974 -----	1-356
1-29. Deaths from 69 selected causes, by number and percent for which autopsies were reported and item "findings used" was on certificate, by number and percent for which autopsy findings were used: United States, 1974--	1-357
1-30. Deaths occurring in the United States from selected causes, by date of death: 1974-----	1-358

SECTION 1 - GENERAL MORTALITY

1-3

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-74

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1974 ¹	6.7	6.8	4.9	6.4	6.4	4.7	9.0	11.5	6.9
1973 ¹	6.9	9.1	5.1	6.6	8.7	4.8	9.5	12.1	7.4
1972 ^{1,2}	7.0	9.2	5.2	6.7	8.8	4.9	9.7	12.3	7.5
1971 ¹	7.0	9.2	5.2	6.7	8.8	4.9	9.6	12.1	7.5
1970 ¹	7.1	9.3	5.3	6.8	8.9	5.0	9.8	12.3	7.7
1969	7.3	9.5	5.5	6.9	9.0	5.2	10.5	13.0	8.3
1968	7.5	9.6	5.6	7.1	9.2	5.3	10.8	13.3	8.6
1967	7.3	9.4	5.5	6.9	9.0	5.2	10.2	12.4	8.2
1966	7.5	9.5	5.7	7.1	9.2	5.3	10.5	12.7	8.6
1965	7.4	9.4	5.7	7.1	9.1	5.3	10.3	12.4	8.5
1964	7.4	9.4	5.7	7.1	9.0	5.3	10.3	12.2	8.6
1963 ³	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.5	8.9
1962 ³	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.8	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.6	9.4	6.0	7.3	9.1	5.6	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.7	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.6	9.3	6.1	7.3	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.7	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.2	9.8	6.6	7.8	9.4	6.2	11.7	13.3	10.2
1951	8.3	9.8	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.8	8.0	9.6	6.5	12.3	13.6	11.0
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES⁴									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.5	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.8	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	26.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.5	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	26.3	26.9	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.⁴Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY

1-5

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1965-74—Con.

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL OTHER, FEMALE												
1974 ²	7.2	26.1	1.0	0.4	0.9	1.8	4.0	8.5	17.2	34.4	60.2	103.4
1973 ²	7.6	27.0	1.1	0.4	1.0	1.9	4.4	9.3	18.2	36.6	62.9	111.2
1972 ^{2,3}	7.6	28.2	1.1	0.4	1.0	2.1	4.6	9.3	18.3	36.8	61.8	109.4
1971 ²	7.6	29.0	1.1	0.4	1.1	2.2	4.8	9.5	18.3	36.3	62.0	112.7
1970 ²	7.8	31.7	1.2	0.4	1.1	2.2	4.9	9.8	18.9	36.8	63.9	102.9
1969	8.0	28.6	1.2	0.4	1.1	2.4	5.2	10.0	20.6	46.1	58.5	98.1
1968	8.3	30.2	1.2	0.4	1.1	2.5	5.5	10.3	21.5	47.6	60.9	109.9
1967	7.9	32.0	1.2	0.4	1.0	2.5	5.1	10.1	20.6	44.1	57.4	104.1
1966	8.3	35.0	1.4	0.5	1.0	2.5	5.3	10.4	21.4	45.2	62.2	114.6
1965	8.2	35.9	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9

¹Figures for age not stated included in "Total" but not distributed among age groups.²Excludes deaths of nonresidents of the United States.³Deaths based on a 50-percent sample.

SECTION 1 - GENERAL MORTALITY

Table 1-4. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1974

Age	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over	286,332	108,915	179,419	101,627	169,397	7,286	10,032
85 years	44,161	18,753	25,408	17,548	24,033	1,205	1,375
86 years	39,815	16,399	23,416	15,348	22,188	1,051	1,228
87 years	34,184	13,624	20,560	12,843	19,560	781	1,000
88 years	32,000	12,460	19,540	11,712	18,567	748	973
89 years	28,115	10,611	17,504	9,943	16,616	668	888
90 years	23,927	8,774	15,153	8,204	14,341	570	812
91 years	18,649	7,070	12,579	6,642	11,910	428	659
92 years	16,404	5,713	10,691	5,321	10,126	392	565
93 years	13,231	4,416	8,815	4,095	8,504	321	511
94 years	10,416	3,356	7,060	3,105	6,664	251	396
95 years	7,495	2,228	5,267	2,049	4,945	179	322
96 years	5,853	1,801	3,852	1,647	3,608	154	244
97 years	4,235	1,245	2,990	1,122	2,804	123	186
98 years	3,076	839	2,237	799	2,052	100	185
99 years	2,041	579	1,462	512	1,323	67	139
100 years	1,353	346	1,007	296	886	50	121
101 years	873	251	622	199	547	52	75
102 years	608	160	448	119	380	41	68
103 years	379	101	278	73	206	28	72
104 years	281	62	219	40	161	22	58
105 years	148	47	101	28	64	19	37
106 years	86	21	65	18	41	3	24
107 years	59	13	46	10	22	3	24
108 years	40	7	33	3	18	4	15
109 years	26	10	16	4	7	6	9
110 years	27	10	17	3	8	7	9
111 years	7	1	6	-	4	1	2
112 years	9	5	4	2	-	3	4
113 years	12	7	5	2	1	5	4
114 years	2	1	1	-	-	1	1
115 years	8	2	6	-	1	2	5
116 years	1	1	1	-	-	-	1
117 years	2	1	1	-	-	1	1
118 years	3	-	3	-	-	-	3
119 years	1	-	1	-	-	-	1
120 years	2	-	2	-	-	-	2
121 years	-	-	-	-	-	-	-
122 years	-	-	-	-	-	-	-
123 years	1	-	1	-	-	-	1
124 years	-	-	-	-	-	-	-
125 years	2	-	2	-	-	-	2
126 years	-	-	-	-	-	-	-

Table 1-5. Mortality From 15 Leading Causes of Death: United States, 1974

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965, For method of ranking, see Technical Appendix]

Rank order	Cause of death	Rate	Percent of total deaths
	All causes	915.1	100.0
1	Diseases of heart	349.2	38.2
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	170.5	18.6
3	Cerebrovascular diseases	98.1	10.7
4	Accidents	49.5	5.4
...	Motor vehicle accidents	22.0	2.4
...	All other accidents	27.5	3.0
5	Influenza and pneumonia	25.9	2.8
6	Diabetes mellitus	17.7	1.9
7	Cirrhosis of liver	15.8	1.7
8	Arteriosclerosis	15.3	1.7
9	Certain causes of mortality in early infancy	15.6	1.5
10	Bronchitis, emphysema and asthma	12.7	1.4
11	Suicide	12.1	1.3
12	Homicide	10.2	1.1
13	Congenital anomalies	6.4	0.7
14	Nephritis and nephrosis	3.8	0.4
15	Peptic ulcer	3.3	0.4
...	All other causes	111.0	12.1

Table 1-6. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1974

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes	666.2	877.8	492.9	635.4	843.0	466.4	901.3	1,149.1	693.1
Major cardiovascular diseases									
Diseases of heart	310.8	413.7	228.1	302.9	409.1	217.8	374.9	449.1	312.5
Hypertension	232.7	325.6	153.2	228.8	322.8	152.9	262.8	325.8	210.8
Cerebrovascular diseases	2.1	2.6	1.7	1.7	2.2	1.4	5.6	6.5	5.0
Arteriosclerosis	59.9	66.5	54.9	56.4	63.0	51.4	90.9	98.3	84.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7.6	8.6	6.9	7.6	8.7	6.9	7.3	8.2	6.6
Accidents	131.8	162.3	109.2	129.0	159.3	107.6	156.6	199.0	122.4
Motor vehicle accidents	46.0	69.4	23.8	44.3	66.6	22.9	58.5	92.3	29.0
All other accidents	21.8	33.2	10.9	21.7	32.8	11.0	23.2	37.5	10.8
Influenza and pneumonia	24.2	36.2	12.8	22.6	33.8	12.0	35.3	54.8	18.2
Cirrhosis of liver	16.9	22.6	12.8	15.7	21.0	12.0	25.4	35.1	17.5
Diabetes mellitus	14.8	20.7	9.7	13.4	19.0	8.6	25.0	34.0	17.4
Suicide	12.5	12.2	12.7	11.4	11.5	11.2	23.4	18.8	27.1
Homicide	12.2	18.2	6.7	12.8	19.0	7.1	7.2	11.7	3.3
Bronchitis, emphysema, and asthma	10.8	17.3	4.6	9.0	2.9	2.9	44.5	77.8	15.5
Tuberculosis, all forms	9.2	15.9	4.3	9.4	16.4	4.4	6.4	10.4	3.2
	1.3	2.1	0.7	0.9	1.5	0.5	4.6	7.2	2.5

SECTION I - GENERAL MORTALITY

1-7

Table 1-7. Death Rates for 69 Selected Causes: United States, 1968-74

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	1974 ¹	1973 ¹	1972 ^{1,2}	1971 ¹	1970 ¹	1969	1968
All causes	915.1	940.2	943.2	934.7	945.3	951.9	965.7
Bacillary dysentery and amebiasis	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Enteritis and other diarrheal diseases	1.1	1.1	1.1	1.2	1.3	1.3	1.5
Tuberculosis, all forms	1.7	1.8	2.1	2.2	2.6	2.8	3.1
Tuberculosis of respiratory system	1.3	1.4	1.7	1.7	2.0	2.2	2.5
Tuberculosis, other forms	0.3	0.4	0.4	0.4	0.5	0.5	0.6
Whooping cough	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Streptococcal sore throat and scarlet fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meningococcal infections	0.1	0.2	0.2	0.2	0.3	0.4	0.4
Septicemia	2.5	2.2	2.0	1.9	1.7	1.5	1.5
Acute poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Measles	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Syphilis and its sequelae	0.1	0.2	0.2	0.2	0.2	0.3	0.3
Other infective and parasitic diseases	1.9	1.9	1.9	2.0	2.0	2.0	2.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	170.5	167.3	166.0	163.6	162.8	160.0	159.4
Malignant neoplasms of buccal cavity and pharynx	3.8	3.7	3.6	3.7	3.7	3.7	3.6
Malignant neoplasms of digestive organs and peritoneum	46.8	46.0	46.0	46.0	46.6	46.5	46.8
Malignant neoplasms of respiratory system	39.5	37.8	37.0	35.4	34.2	32.7	31.8
Malignant neoplasms of breast	15.3	15.3	15.1	14.7	14.7	14.4	14.6
Malignant neoplasms of genital organs	20.4	20.3	20.3	20.4	20.3	20.3	20.5
Malignant neoplasms of urinary organs	7.8	7.6	7.6	7.4	7.6	7.4	7.4
Malignant neoplasms of all other and unspecified sites	20.6	20.3	20.0	19.7	19.2	18.7	18.6
Leukemia	6.9	6.9	6.9	7.0	7.1	7.2	7.2
Other neoplasms of lymphatic and hematopoietic tissues	9.4	9.3	9.4	9.3	9.2	9.0	8.9
Benign neoplasms and neoplasms of unspecified nature	2.4	2.4	2.4	2.4	2.4	2.3	2.5
Diabetes mellitus	17.7	18.2	18.6	18.6	18.9	19.1	19.2
Avitaminoses and other nutritional deficiencies	1.2	1.2	1.2	1.2	1.2	1.3	1.3
Anemia	1.6	1.6	1.6	1.7	1.7	1.6	1.7
Meningitis	0.7	0.7	0.7	0.8	0.8	0.9	0.9
Major cardiovascular diseases	478.2	494.4	497.1	493.3	496.0	501.7	512.1
Diseases of heart	349.2	360.8	363.0	360.5	362.0	366.1	372.6
Active rheumatic fever and chronic rheumatic heart disease	6.3	6.5	6.8	7.1	7.3	7.6	8.2
Hypertensive heart disease	3.4	3.5	3.7	3.8	4.1	4.4	4.9
Hypertensive heart and renal disease	2.3	2.6	2.8	3.0	3.2	3.6	3.9
Ischemic heart disease	314.5	326.0	328.7	327.0	328.1	331.7	337.6
Acute myocardial infarction	158.1	167.6	171.9	173.5	175.8	179.1	184.9
Other acute and subacute forms of ischemic heart disease	2.1	2.1	2.2	2.0	2.1	2.3	2.3
Chronic ischemic heart disease	154.2	156.2	154.6	151.5	150.1	150.2	150.2
Angina pectoris	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Chronic disease of endocardium and other myocardial insufficiency	2.3	2.4	2.7	3.0	3.3	3.7	3.9
All other forms of heart disease	20.4	19.7	18.3	16.6	15.9	15.0	14.0
Hypertension	8.3	8.5	8.7	8.8	9.1	9.2	9.5
Cerebrovascular diseases	98.1	102.1	102.5	101.4	101.9	102.6	105.8
Cerebral hemorrhage	14.4	16.2	17.6	18.7	20.4	21.4	23.5
Cerebral thrombosis	25.3	27.0	27.6	27.8	28.5	29.1	30.2
Cerebral embolism	0.4	0.5	0.5	0.5	0.4	0.5	0.6
All other cerebrovascular diseases	57.9	58.5	56.7	54.5	52.7	51.6	51.5
Arteriosclerosis	15.3	15.5	15.6	15.3	15.6	16.4	16.8
Other diseases of arteries, arterioles, and capillaries	12.4	12.4	12.3	12.3	12.5	12.4	12.4
Acute bronchitis and bronchiolitis	0.4	0.4	0.6	0.6	0.6	0.6	0.7
Influenza and pneumonia	25.9	28.8	30.1	27.7	30.9	33.9	36.8
Influenza	1.0	2.4	2.4	0.7	1.8	3.0	3.5
Pneumonia	24.9	27.4	27.7	27.0	29.0	30.9	33.2
Bronchitis, emphysema, and asthma	12.7	14.2	14.8	14.7	15.2	15.4	16.6
Chronic and unqualified bronchitis	2.4	2.6	2.8	2.7	2.9	2.9	3.1
Emphysema	9.4	10.6	10.8	10.9	11.2	11.4	12.1
Asthma	0.9	0.9	1.1	1.0	1.1	1.2	1.3
Peptic ulcer	3.3	3.7	3.8	3.9	4.2	4.6	4.7
Appendicitis	0.4	0.5	0.6	0.6	0.7	0.7	0.7
Hernia and intestinal obstruction	3.1	3.2	3.3	3.4	3.6	3.7	3.9
Cirrhosis of liver	15.8	15.9	15.6	15.4	15.5	14.8	14.6
Cholelithiasis, cholecystitis and cholangitis	1.5	1.6	1.8	1.8	2.0	2.1	2.2
Nephritis and nephrosis	3.8	4.0	4.1	4.1	4.4	4.7	4.7
Acute nephritis and nephrotic syndrome	0.7	0.7	0.7	0.7	0.7	0.7	0.6
Chronic and unqualified nephritis and renal sclerosis	3.1	3.2	3.4	3.4	3.7	4.0	4.0
Infections of kidney	2.6	2.9	3.3	3.7	4.0	4.3	4.7
Hyperplasia of prostate	0.7	0.8	0.9	0.9	1.1	1.2	1.3
Complications of pregnancy, childbirth, and the puerperium	0.2	0.2	0.3	0.3	0.4	0.4	0.4
Abortions	0.0	0.0	0.0	0.0	0.1	0.1	0.1
Other complications of pregnancy, childbirth, and the puerperium	0.2	0.2	0.3	0.3	0.3	0.3	0.4
Congenital anomalies	6.4	6.7	7.1	7.7	8.3	8.4	8.4
Cerebral causes of mortality in early infancy	13.6	14.5	16.2	18.7	21.3	21.4	21.9
Birth injury, difficult labor, and other anoxic and hypoxic conditions	7.6	8.1	9.0	10.2	11.2	10.9	11.1
Other causes of mortality in early infancy	6.1	6.5	7.2	8.5	10.0	10.5	10.9
Symptoms and ill-defined conditions	14.7	14.5	13.2	12.9	12.7	13.0	11.8
All other diseases	56.0	54.7	53.2	50.8	49.8	48.5	48.7
Accidents	49.5	55.2	55.4	55.0	56.4	57.6	57.5
Motor vehicle accidents	22.0	26.5	27.0	26.4	26.9	27.6	27.5
All other accidents	27.5	28.7	28.4	28.6	29.5	30.0	30.0
Suicide	12.1	12.0	12.0	11.7	11.6	11.1	10.7
Homicide	10.2	9.8	9.4	9.1	8.3	7.7	7.3
Other external causes	2.4	2.4	2.4	2.5	2.7	2.5	2.2

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1	ALL CAUSES-----	915.1	1,755.7	73.9	37.7	38.7	105.9	139.5	137.3
2	MALE-----	1,041.0	1,970.4	82.3	44.8	48.8	154.4	212.0	197.5
3	FEMALE-----	795.6	1,530.7	65.2	30.3	28.2	56.1	67.9	78.5
4	WHITE-----	921.9	1,524.5	67.1	35.4	37.4	102.6	124.4	116.6
5	MALE-----	1,041.6	1,727.0	75.3	42.0	47.1	150.0	189.8	166.9
6	FEMALE-----	807.6	1,312.6	58.5	28.5	27.3	53.8	58.9	66.5
7	ALL OTHER-----	869.1	2,922.9	107.8	49.2	45.5	124.4	234.5	284.9
8	MALE-----	1,036.3	3,212.7	117.5	59.3	58.1	180.3	359.2	433.9
9	FEMALE-----	716.3	2,614.2	98.2	39.1	32.8	69.0	121.7	157.9
10	BACILLARY DYSENTERY AND AMEBIASIS-----004,006	0.0	0.2	0.0	0.0	0.0	0.0	-	0.0
11	MALE-----	0.0	0.3	0.0	0.0	0.0	0.0	-	0.0
12	FEMALE-----	0.0	-	0.0	0.0	0.0	0.0	-	0.0
13	WHITE-----	0.0	0.2	0.0	0.0	0.0	0.0	-	0.0
14	MALE-----	0.0	0.3	0.0	0.0	0.0	0.0	-	0.0
15	FEMALE-----	0.0	-	-	0.0	0.0	-	-	0.0
16	ALL OTHER-----	0.0	0.2	0.1	0.1	-	0.0	-	-
17	MALE-----	0.0	0.4	0.1	-	-	-	-	-
18	FEMALE-----	0.0	-	0.2	0.1	-	0.1	-	-
19	ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.1	22.7	0.8	0.1	0.1	0.1	0.1	0.1
20	MALE-----	1.0	25.4	0.8	0.1	0.1	0.1	0.1	0.1
21	FEMALE-----	1.1	19.9	0.8	0.1	0.1	0.0	0.1	0.1
22	WHITE-----	1.0	15.8	0.7	0.1	0.1	0.0	0.1	0.1
23	MALE-----	0.9	18.0	0.8	0.1	0.1	0.1	0.1	0.1
24	FEMALE-----	1.0	13.4	0.6	0.1	0.1	0.0	0.1	0.1
25	ALL OTHER-----	1.8	57.5	1.4	0.2	0.1	0.1	0.1	0.2
26	MALE-----	1.8	62.7	1.1	0.3	0.1	0.1	0.2	-
27	FEMALE-----	1.7	52.0	1.7	0.1	0.1	0.2	-	0.3
28	TUBERCULOSIS, ALL FORMS-----010-019	1.7	0.4	0.1	0.0	0.0	0.0	0.1	0.3
29	MALE-----	2.4	0.4	0.1	0.0	0.0	0.0	0.1	0.3
30	FEMALE-----	1.0	0.3	0.1	0.0	0.0	0.1	0.2	0.3
31	WHITE-----	1.3	0.3	0.0	0.0	0.0	0.0	0.1	0.1
32	MALE-----	1.8	0.3	0.0	0.0	-	0.0	0.0	0.1
33	FEMALE-----	0.8	0.3	0.1	-	0.0	0.0	0.1	0.1
34	ALL OTHER-----	4.1	0.6	0.4	0.1	0.1	0.1	0.7	1.6
35	MALE-----	6.0	0.8	0.4	-	0.1	-	0.7	2.1
36	FEMALE-----	2.3	0.4	0.3	0.1	-	0.2	0.7	1.1
37	TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.3	0.2	0.0	0.0	-	0.0	0.1	0.2
38	MALE-----	1.9	0.2	0.0	-	-	0.0	0.1	0.2
39	FEMALE-----	0.7	0.2	0.0	0.0	-	0.0	0.1	0.2
40	WHITE-----	1.0	0.2	-	-	-	0.0	0.0	0.1
41	MALE-----	1.5	0.2	-	-	-	0.0	0.0	0.1
42	FEMALE-----	0.6	0.2	-	-	-	0.0	0.1	0.1
43	ALL OTHER-----	3.2	0.2	0.1	0.0	-	0.0	0.6	1.2
44	MALE-----	4.9	0.4	0.1	-	-	-	0.5	1.5
45	FEMALE-----	1.7	-	0.1	0.1	-	0.1	0.6	0.8
46	TUBERCULOSIS, OTHER FORMS-----013-019	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1
47	MALE-----	0.4	0.2	0.1	0.0	0.0	-	0.0	0.1
48	FEMALE-----	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.1
49	WHITE-----	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0
50	MALE-----	0.3	0.2	0.0	0.0	-	-	0.0	-
51	FEMALE-----	0.2	0.1	0.1	-	0.0	0.0	0.0	0.0
52	ALL OTHER-----	0.9	0.4	0.3	0.0	0.1	0.1	0.1	0.4
53	MALE-----	1.2	0.4	0.4	-	0.1	-	0.2	0.5
54	FEMALE-----	0.6	0.4	0.2	0.1	-	0.1	0.1	0.3
55	WHOOPING COUGH-----033	0.0	0.4	0.0	-	-	-	-	-
56	MALE-----	0.0	0.3	-	-	-	-	-	-
57	FEMALE-----	0.0	0.6	0.0	-	-	-	-	-
58	WHITE-----	0.0	0.4	-	-	-	-	-	-
59	MALE-----	0.0	0.3	-	-	-	-	-	-
60	FEMALE-----	0.0	0.6	-	-	-	-	-	-
61	ALL OTHER-----	0.0	0.4	0.0	-	-	-	-	-
62	MALE-----	-	-	-	-	-	-	-	-
63	FEMALE-----	0.0	0.8	0.1	-	-	-	-	-
64	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
65	MALE-----	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-
66	FEMALE-----	0.0	-	0.0	-	-	-	-	-
67	WHITE-----	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
68	MALE-----	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-
69	FEMALE-----	0.0	-	0.0	-	-	-	-	-
70	ALL OTHER-----	0.0	-	0.0	-	-	-	0.0	-
71	MALE-----	0.0	-	0.1	-	-	-	0.1	-
72	FEMALE-----	0.0	-	-	-	-	-	-	-
73	MENINGOCOCCAL INFECTIONS-----036	0.1	1.6	0.6	0.2	0.1	0.1	0.1	0.0
74	MALE-----	0.2	1.8	0.7	0.2	0.1	0.2	0.1	0.1
75	FEMALE-----	0.1	1.3	0.6	0.1	0.1	0.1	0.0	0.0
76	WHITE-----	0.1	1.4	0.6	0.1	0.1	0.1	0.1	0.0
77	MALE-----	0.1	1.5	0.6	0.1	0.1	0.1	0.1	0.0
78	FEMALE-----	0.1	1.2	0.6	0.1	0.1	0.1	0.0	0.0
79	ALL OTHER-----	0.3	2.6	0.9	0.4	0.2	0.2	0.2	0.1
80	MALE-----	0.4	3.6	1.0	0.5	0.2	0.3	0.4	0.2
81	FEMALE-----	0.2	1.6	0.7	0.3	0.3	0.1	0.1	-

¹FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1	SEPTICEMIA-----038	2.5	30.3	0.5	0.2	0.1	0.2	0.2	0.4
2	MALE-----	2.8	34.2	0.6	0.1	0.2	0.2	0.2	0.4
3	FEMALE-----	2.2	26.2	0.4	0.2	0.1	0.2	0.2	0.3
4	WHITE-----	2.2	24.7	0.4	0.2	0.1	0.2	0.2	0.3
5	MALE-----	2.5	28.3	0.4	0.1	0.1	0.1	0.1	0.4
6	FEMALE-----	2.0	20.9	0.3	0.2	0.1	0.2	0.2	0.3
7	ALL OTHER-----	4.2	58.4	1.0	0.2	0.4	0.4	0.5	0.8
8	MALE-----	4.9	64.3	1.2	0.3	0.7	0.3	0.6	0.9
9	FEMALE-----	3.6	52.0	0.8	0.1	0.2	0.5	0.4	0.7
10	ACUTE POLIOMYELITIS-----040-043	0.0	-	-	-	-	-	-	0.0
11	MALE-----	0.0	-	-	-	-	-	-	0.0
12	FEMALE-----	0.0	-	-	-	-	-	-	-
13	WHITE-----	0.0	-	-	-	-	-	-	-
14	MALE-----	0.0	-	-	-	-	-	-	-
15	FEMALE-----	0.0	-	-	-	-	-	-	-
16	ALL OTHER-----	0.0	-	-	-	-	-	-	0.1
17	MALE-----	0.0	-	-	-	-	-	-	0.1
18	FEMALE-----	-	-	-	-	-	-	-	-
19	MEASLES-----055	0.0	0.1	0.1	0.0	0.0	0.0	-	-
20	MALE-----	0.0	-	0.1	-	0.0	0.0	-	-
21	FEMALE-----	0.0	0.2	0.0	0.0	0.0	-	-	-
22	WHITE-----	0.0	-	0.0	0.0	0.0	-	-	-
23	MALE-----	0.0	-	0.1	-	0.0	0.0	-	-
24	FEMALE-----	0.0	-	0.0	0.0	0.0	-	-	-
25	ALL OTHER-----	0.0	0.6	0.2	0.0	-	-	-	-
26	MALE-----	0.0	-	0.4	-	-	-	-	-
27	FEMALE-----	0.0	1.2	0.1	0.1	-	-	-	-
28	SYPHILIS AND ITS SEQUELAE-----090-097	0.1	0.2	-	-	-	0.0	0.0	0.0
29	MALE-----	0.2	0.2	-	-	-	0.0	0.0	0.0
30	FEMALE-----	0.1	0.3	-	-	-	-	-	-
31	WHITE-----	0.1	0.1	-	-	-	0.0	0.0	-
32	MALE-----	0.1	0.1	-	-	-	0.0	0.0	-
33	FEMALE-----	0.1	0.2	-	-	-	-	-	-
34	ALL OTHER-----	0.5	0.8	-	-	-	-	-	0.1
35	MALE-----	0.6	0.8	-	-	-	-	-	0.1
36	FEMALE-----	0.4	0.8	-	-	-	-	-	-
37	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.9	9.5	1.3	0.6	0.5	0.5	0.8	0.8
38	MALE-----	2.0	10.0	1.4	0.6	0.5	0.5	0.7	0.8
39	FEMALE-----	1.8	9.1	1.2	0.5	0.5	0.6	0.9	0.8
40	WHITE-----	1.7	8.9	1.2	0.6	0.5	0.5	0.7	0.7
41	MALE-----	1.8	9.1	1.3	0.6	0.5	0.5	0.6	0.7
42	FEMALE-----	1.6	8.8	1.1	0.6	0.5	0.7	0.7	0.6
43	ALL OTHER-----	2.9	12.7	1.8	0.4	0.4	0.6	1.6	1.7
44	MALE-----	2.9	14.7	1.8	0.6	0.6	0.3	1.0	1.3
45	FEMALE-----	2.9	10.6	1.8	0.3	0.3	1.0	2.1	2.0
46	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	170.5	3.8	5.9	5.9	4.6	6.2	7.7	11.5
47	MALE-----	191.1	4.1	6.4	6.8	5.2	7.4	9.5	11.9
48	FEMALE-----	151.0	3.5	5.4	5.0	4.0	4.9	5.9	11.1
49	WHITE-----	174.4	3.6	6.3	6.1	4.7	6.2	7.7	11.4
50	MALE-----	193.7	3.8	6.7	7.1	5.3	7.5	9.7	12.1
51	FEMALE-----	156.1	3.4	5.9	5.1	4.1	4.9	5.7	10.7
52	ALL OTHER-----	144.1	5.0	4.0	4.8	4.3	6.3	7.6	12.3
53	MALE-----	173.5	5.6	4.9	5.4	4.7	7.1	8.3	10.6
54	FEMALE-----	117.2	4.5	3.2	4.2	3.8	5.4	7.0	13.7
55	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.8	-	0.0	0.0	0.0	0.1	0.1	0.1
56	MALE-----	5.5	-	-	0.0	0.0	0.1	0.1	0.1
57	FEMALE-----	2.1	-	0.0	0.0	0.0	0.0	0.0	0.1
58	WHITE-----	3.8	-	0.0	0.0	0.0	0.1	0.0	0.1
59	MALE-----	5.5	-	-	0.0	0.1	0.2	0.0	0.1
60	FEMALE-----	2.2	-	0.0	0.0	-	0.0	0.0	0.0
61	ALL OTHER-----	3.6	-	-	-	0.0	0.1	0.2	0.2
62	MALE-----	5.5	-	-	-	-	0.1	0.3	-
63	FEMALE-----	1.8	-	-	-	0.1	0.1	0.1	0.3
64	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	46.8	0.3	0.2	0.1	0.1	0.2	0.5	1.2
65	MALE-----	50.8	0.3	0.2	0.1	0.1	0.2	0.6	1.2
66	FEMALE-----	43.0	0.3	0.2	0.1	0.1	0.1	0.5	1.1
67	WHITE-----	47.6	0.3	0.2	0.1	0.1	0.1	0.4	0.9
68	MALE-----	50.9	0.3	0.2	0.1	0.1	0.2	0.4	1.0
69	FEMALE-----	44.4	0.2	0.2	0.1	0.0	0.1	0.4	0.8
70	ALL OTHER-----	41.4	0.4	0.1	0.0	0.2	0.4	1.1	2.9
71	MALE-----	49.9	0.4	0.1	0.1	0.1	0.5	1.4	2.8
72	FEMALE-----	33.7	0.4	0.2	-	0.4	0.4	0.9	2.9
73	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	39.5	0.1	0.0	0.0	0.0	0.1	0.1	0.4
74	MALE-----	63.4	0.1	0.1	0.0	0.0	0.1	0.2	0.5
75	FEMALE-----	16.8	0.1	0.0	0.0	0.1	0.0	0.1	0.3
76	WHITE-----	40.4	0.1	0.1	0.0	0.1	0.1	0.2	0.4
77	MALE-----	64.5	0.1	0.1	0.0	0.0	0.1	0.2	0.5
78	FEMALE-----	17.5	0.1	0.0	0.0	0.1	0.1	0.1	0.3
79	ALL OTHER-----	33.3	-	-	-	0.1	0.0	0.0	0.5
80	MALE-----	56.4	-	-	-	-	-	-	0.7
81	FEMALE-----	12.1	-	-	-	0.1	-	0.1	0.4

¹FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

1-11

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.5	0.5	0.8	1.2	2.0	2.8	4.0	6.2	10.2	15.3	22.1	32.9	1
0.5	0.5	1.0	1.3	2.2	3.3	5.1	7.9	13.7	21.1	31.7	43.0	2
0.6	0.5	0.6	1.0	1.8	2.3	3.0	4.9	7.6	11.5	16.5	27.9	3
0.4	0.4	0.6	0.8	1.6	2.3	3.3	5.6	8.9	14.5	21.4	31.3	4
0.3	0.4	0.7	1.0	1.8	2.7	4.4	7.2	12.0	19.8	30.7	41.3	5
0.5	0.4	0.4	0.7	1.5	1.9	2.5	4.3	6.6	11.1	16.2	26.4	6
1.2	1.7	2.2	3.8	5.0	7.5	10.0	12.0	24.7	24.5	29.2	49.4	7
1.5	1.7	3.0	4.4	6.2	9.4	12.0	14.7	30.6	34.8	41.7	57.9	8
1.0	1.7	1.6	3.3	3.9	5.8	8.2	9.8	19.6	16.7	20.8	44.3	9
-	-	-	0.0	-	0.0	-	-	-	-	-	-	10
-	-	-	0.0	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	0.0	-	0.0	-	-	-	-	-	-	13
-	-	-	0.0	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	18
0.0	-	-	-	-	-	-	-	-	-	-	-	19
0.0	-	-	-	-	-	-	-	-	-	-	-	20
0.0	-	-	-	-	-	-	-	-	-	-	-	21
0.0	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	27
-	0.0	0.0	0.1	0.1	0.2	0.5	0.8	0.9	1.2	1.1	0.6	28
-	0.0	-	0.1	0.1	0.3	0.6	1.1	1.2	1.9	1.8	0.5	29
-	-	0.0	0.1	0.1	0.1	0.3	0.5	0.7	0.8	0.7	0.7	30
-	0.0	0.0	0.0	0.0	0.1	0.3	0.5	0.6	0.9	0.9	0.5	31
-	0.0	-	-	0.0	0.1	0.3	0.8	0.9	1.3	1.5	0.4	32
-	-	0.0	0.0	0.1	0.1	0.2	0.3	0.4	0.6	0.5	0.6	33
-	0.1	0.1	0.6	0.6	1.4	2.4	3.2	4.0	5.9	3.3	1.9	34
-	0.2	-	0.8	0.9	1.8	3.4	3.8	4.6	9.1	4.8	1.8	35
-	-	0.1	0.4	0.5	1.0	1.6	2.7	3.5	3.4	2.4	2.1	36
1.0	1.1	1.6	1.7	2.3	2.6	3.2	4.9	5.2	6.8	9.6	14.3	37
0.9	1.0	1.4	2.0	2.4	2.7	3.9	6.1	7.3	7.8	13.7	15.6	38
1.1	1.2	1.5	1.4	2.3	2.5	2.6	3.9	3.7	6.2	7.2	13.7	39
0.8	0.7	1.2	1.5	2.0	2.2	3.0	4.6	4.8	6.5	9.3	14.5	40
0.8	0.7	1.2	1.9	2.1	2.3	3.5	5.6	7.1	7.4	13.8	16.0	41
0.8	0.7	1.1	1.1	1.9	2.1	2.5	3.7	3.2	5.9	6.7	13.8	42
2.6	3.9	4.6	3.5	5.1	6.8	5.4	7.4	9.2	11.1	12.9	12.3	43
1.9	3.3	5.3	2.9	4.8	7.0	7.7	10.1	9.1	12.1	13.1	12.3	44
3.1	4.5	3.9	4.0	5.4	6.6	3.5	5.3	9.2	10.3	12.8	12.4	45
19.2	38.1	72.1	140.0	227.1	360.1	523.1	676.2	909.6	1,153.3	1,304.6	1,414.7	46
17.6	33.1	64.8	138.1	242.7	410.1	649.1	904.0	1,248.6	1,632.8	1,849.0	1,984.7	47
20.8	42.8	79.1	141.9	212.6	314.6	412.8	494.8	661.3	840.7	990.3	1,133.9	48
18.9	36.2	68.0	133.6	216.3	347.3	510.0	669.8	887.5	1,152.3	1,321.1	1,449.3	49
17.7	31.8	60.4	129.7	226.8	389.3	629.6	890.9	1,221.0	1,629.5	1,870.6	2,034.0	50
20.1	40.5	75.5	137.3	206.6	308.8	404.9	493.7	646.0	845.1	1,008.0	1,164.8	51
21.4	51.2	101.0	191.9	319.5	485.1	645.1	732.5	1,152.9	1,166.0	1,115.8	1,067.5	52
16.7	43.1	98.9	208.7	385.7	619.3	830.3	1,022.5	1,518.7	1,668.2	1,625.0	1,535.1	53
25.4	57.7	102.9	177.1	262.3	368.9	484.9	505.0	840.4	785.1	773.6	792.8	54
0.2	0.6	1.7	3.9	6.4	10.8	14.6	15.1	16.9	20.5	21.5	24.8	55
0.2	0.9	2.5	5.8	9.8	16.5	23.1	25.4	29.0	36.2	37.8	41.9	56
0.1	0.3	4.0	2.1	3.2	5.6	7.2	6.9	8.1	10.3	12.0	16.3	57
0.2	0.4	1.3	3.3	5.7	10.3	14.4	15.2	16.8	20.7	22.2	26.0	58
0.2	0.6	1.8	5.0	8.7	15.5	22.6	25.5	29.0	36.4	39.3	44.6	59
0.1	0.2	0.7	1.7	2.9	5.6	7.2	7.0	8.0	10.7	12.4	16.9	60
0.3	1.8	4.9	8.7	12.3	15.2	16.2	14.3	18.0	18.0	12.9	12.3	61
0.4	3.0	7.7	12.4	19.5	26.7	27.2	24.3	28.8	34.1	22.6	17.5	62
0.2	0.8	2.6	5.5	6.0	5.2	6.8	6.4	8.8	5.7	6.4	9.3	63
2.7	6.3	12.6	26.8	48.7	84.6	134.8	187.5	274.6	370.8	456.6	519.2	64
3.1	6.7	14.1	31.6	58.7	104.7	169.5	241.4	344.5	471.7	566.4	637.4	65
2.3	5.8	11.1	22.3	39.5	66.3	104.4	144.5	223.4	305.0	393.2	461.1	66
2.5	5.8	11.5	24.7	44.9	79.6	128.4	183.6	265.6	368.6	464.8	534.4	67
2.9	6.2	12.8	28.9	53.1	97.4	160.9	234.0	334.7	466.0	578.0	655.8	68
2.2	5.4	10.3	20.7	37.3	63.2	100.0	143.3	215.5	305.9	400.3	475.4	69
4.1	9.8	20.3	44.0	81.6	134.0	193.6	222.4	373.0	396.4	362.2	364.9	70
4.9	11.1	24.6	54.8	108.8	177.6	249.8	308.4	440.2	533.3	445.2	470.2	71
3.4	8.7	16.6	34.6	57.9	96.3	144.9	155.0	315.0	292.5	306.4	303.1	72
1.5	5.7	16.4	37.8	65.3	108.0	155.8	187.1	214.2	222.5	183.3	141.1	73
2.0	8.0	23.2	55.7	101.6	172.4	264.6	344.7	417.5	456.0	387.8	287.0	74
1.1	3.5	10.0	21.1	31.6	49.3	60.4	61.6	65.4	70.3	65.1	69.0	75
1.5	5.3	15.2	35.5	61.5	103.9	153.8	188.1	212.4	225.0	185.8	144.2	76
1.9	7.3	21.1	51.5	94.2	163.6	259.9	345.0	415.5	464.3	396.2	294.2	77
1.1	3.3	9.5	20.3	30.9	49.3	60.6	63.0	65.4	71.0	65.9	71.3	78
1.8	8.5	25.2	56.8	98.4	147.3	174.0	177.7	234.5	192.8	154.5	109.1	79
2.7	13.6	39.9	91.3	168.0	260.3	308.9	341.9	435.2	365.9	301.2	221.1	80
1.0	4.4	13.0	26.9	37.7	49.5	57.9	48.4	64.6	61.5	56.0	43.3	81

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES--CON.									
1	MALIGNANT NEOPLASM OF BREAST-----174	15.3	-	-	-	0.0	0.0	0.1	0.9
2	MALE-----	0.3	-	-	-	0.0	0.0	0.0	-
3	FEMALE-----	29.6	-	-	-	-	0.0	0.2	1.7
4	WHITE-----	16.0	-	-	-	0.0	0.0	0.1	0.9
5	MALE-----	0.3	-	-	-	0.0	-	0.0	-
6	FEMALE-----	31.0	-	-	-	-	0.0	0.1	1.7
7	ALL OTHER-----	11.1	-	-	-	-	0.0	0.6	0.8
8	MALE-----	0.3	-	-	-	-	0.1	-	-
9	FEMALE-----	20.9	-	-	-	-	-	1.0	1.5
10	MALIGNANT NEOPLASMS OF GENITAL ORGANS--180-187	20.4	0.0	0.1	0.0	0.1	0.4	1.2	1.8
11	MALE-----	19.6	0.1	0.1	0.0	0.0	0.5	1.6	1.7
12	FEMALE-----	21.1	-	0.1	0.0	0.2	0.4	0.8	1.9
13	WHITE-----	20.1	0.0	0.1	0.0	0.1	0.4	1.2	1.8
14	MALE-----	19.1	0.1	0.1	0.0	0.1	0.6	1.8	2.0
15	FEMALE-----	21.1	-	0.1	0.0	0.2	0.3	0.7	1.7
16	ALL OTHER-----	22.2	-	0.1	0.1	0.1	0.5	0.8	2.0
17	MALE-----	23.4	-	0.1	-	-	0.1	0.3	-
18	FEMALE-----	21.1	-	0.1	0.1	0.1	0.8	1.3	3.6
19	MALIGNANT NEOPLASMS OF URINARY ORGANS--188,189	7.8	0.1	0.3	0.2	0.0	0.1	0.1	0.2
20	MALE-----	10.7	0.1	0.4	0.2	0.0	0.1	0.1	0.2
21	FEMALE-----	5.0	0.1	0.3	0.3	0.0	0.1	0.1	0.1
22	WHITE-----	8.2	0.1	0.4	0.2	0.0	0.1	0.1	0.1
23	MALE-----	11.3	0.2	0.4	0.2	0.0	0.1	0.1	0.2
24	FEMALE-----	5.3	0.1	0.3	0.2	0.0	0.1	0.1	0.1
25	ALL OTHER-----	4.8	-	0.2	0.4	0.1	0.2	0.4	0.5
26	MALE-----	6.1	-	0.3	0.2	0.1	0.1	0.7	0.7
27	FEMALE-----	3.6	-	0.1	0.5	-	0.3	0.1	0.3
28	MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES--170-173,190-199	20.6	1.9	2.8	2.0	1.7	2.4	2.6	3.1
29	MALE-----	22.3	2.0	2.8	2.2	1.8	2.7	3.4	3.7
30	FEMALE-----	19.1	1.8	2.7	1.8	1.7	2.2	1.8	2.6
31	WHITE-----	21.2	1.7	2.9	2.0	1.8	2.4	2.7	3.3
32	MALE-----	22.8	1.7	2.9	2.2	1.8	2.7	3.5	3.9
33	FEMALE-----	19.7	1.7	2.9	1.7	1.8	2.1	1.8	2.7
34	ALL OTHER-----	16.9	3.0	2.0	2.3	1.6	2.4	1.9	2.2
35	MALE-----	18.7	3.6	2.3	2.3	1.8	2.7	2.3	2.5
36	FEMALE-----	15.2	2.4	1.6	2.2	1.3	2.2	1.6	1.9
37	LEUKEMIA-----204-207	6.9	1.3	2.1	2.9	1.9	1.8	1.5	1.8
38	MALE-----	8.0	1.3	2.4	3.3	2.2	2.3	1.8	1.9
39	FEMALE-----	5.8	1.3	1.9	2.5	1.6	1.4	1.3	1.6
40	WHITE-----	7.3	1.3	2.3	3.2	2.0	1.9	1.5	1.7
41	MALE-----	8.4	1.3	2.6	3.5	2.3	2.3	1.8	1.9
42	FEMALE-----	6.2	1.2	2.0	2.8	1.6	1.5	1.3	1.5
43	ALL OTHER-----	4.3	1.4	1.3	1.7	1.7	1.5	1.3	2.0
44	MALE-----	5.2	1.2	1.6	2.2	1.9	2.1	1.7	2.0
45	FEMALE-----	3.6	1.6	1.1	1.2	1.6	0.8	1.0	2.1
46	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES--200-203,208,209	9.4	0.1	0.3	0.5	0.6	1.1	1.5	2.1
47	MALE-----	10.5	0.2	0.5	0.9	0.9	1.4	1.8	2.5
48	FEMALE-----	8.4	-	0.2	0.2	0.3	0.7	1.2	1.6
49	WHITE-----	9.8	0.1	0.4	0.6	0.6	1.0	1.5	2.2
50	MALE-----	10.9	0.2	0.4	0.9	0.9	1.4	1.8	2.6
51	FEMALE-----	8.8	-	0.3	0.2	0.4	0.7	1.2	1.8
52	ALL OTHER-----	6.6	0.2	0.3	0.3	0.5	1.1	1.2	1.4
53	MALE-----	8.0	0.4	0.5	0.4	0.8	1.4	1.6	2.0
54	FEMALE-----	5.3	-	0.1	0.1	0.3	0.8	0.9	0.8
55	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE--210-239	2.4	2.0	0.4	0.3	0.4	0.4	0.3	0.5
56	MALE-----	2.4	2.2	0.5	0.3	0.3	0.5	0.3	0.6
57	FEMALE-----	2.4	1.8	0.3	0.4	0.4	0.4	0.3	0.5
58	WHITE-----	2.4	2.0	0.4	0.3	0.4	0.4	0.3	0.5
59	MALE-----	2.4	1.9	0.5	0.3	0.3	0.5	0.3	0.5
60	FEMALE-----	2.4	2.0	0.4	0.3	0.4	0.3	0.3	0.4
61	ALL OTHER-----	2.4	2.2	0.4	0.5	0.5	0.6	0.5	1.1
62	MALE-----	2.3	3.6	0.6	0.3	0.4	0.5	0.6	1.0
63	FEMALE-----	2.5	0.8	0.2	0.6	0.6	0.7	0.4	1.1
64	DIABETES MELLITUS-----250	17.7	0.5	0.1	0.1	0.2	0.3	0.7	1.4
65	MALE-----	14.7	0.5	0.1	0.1	0.1	0.3	0.7	1.3
66	FEMALE-----	20.5	0.5	0.1	0.2	0.2	0.4	0.8	1.4
67	WHITE-----	17.0	0.4	0.1	0.1	0.2	0.3	0.7	1.2
68	MALE-----	14.5	0.4	0.1	0.1	0.1	0.3	0.7	1.1
69	FEMALE-----	19.5	0.5	0.1	0.2	0.3	0.3	0.7	1.3
70	ALL OTHER-----	21.9	0.6	0.0	0.1	0.2	0.5	1.0	2.6
71	MALE-----	16.3	0.8	-	0.1	0.1	0.3	0.9	3.0
72	FEMALE-----	27.1	0.4	0.1	0.1	0.2	0.7	1.0	2.2
73	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES--260-269	1.2	3.3	0.1	0.1	0.0	0.0	0.1	0.1
74	MALE-----	1.1	4.1	0.1	0.1	0.0	0.0	0.0	0.1
75	FEMALE-----	1.3	2.5	0.1	0.0	0.0	0.0	0.1	0.1
76	WHITE-----	1.2	2.2	0.1	0.0	0.0	0.0	0.0	0.1
77	MALE-----	1.0	2.5	0.1	0.1	0.0	0.0	0.0	0.1
78	FEMALE-----	1.3	1.8	0.0	0.0	0.0	0.0	0.1	0.1
79	ALL OTHER-----	1.5	9.1	0.3	0.1	-	0.1	0.2	0.2
80	MALE-----	1.7	12.3	0.4	0.1	-	0.1	0.2	0.2
81	FEMALE-----	1.3	5.7	0.3	0.1	-	0.1	0.1	0.2

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1	ANEMIAS-----280-285	1.6	1.0	0.7	0.3	0.3	0.3	0.4	0.5
2	MALE-----	1.5	1.2	0.8	0.3	0.3	0.4	0.4	0.5
3	FEMALE-----	1.6	0.8	0.6	0.3	0.3	0.3	0.3	0.4
4	WHITE-----	1.4	0.6	0.3	0.1	0.3	0.2	0.2	0.2
5	MALE-----	1.4	0.8	0.3	0.2	0.2	0.3	0.2	0.2
6	FEMALE-----	1.5	0.4	0.3	0.1	0.3	0.2	0.1	0.2
7	ALL OTHER-----	2.6	3.2	2.6	0.9	0.8	1.0	1.6	2.4
8	MALE-----	2.8	3.6	2.9	0.8	0.9	1.3	1.9	3.0
9	FEMALE-----	2.5	2.8	2.3	1.1	0.8	0.8	1.3	1.9
10	MENINGITIS-----320	0.7	18.9	1.7	0.2	0.1	0.2	0.1	0.1
11	MALE-----	0.8	20.5	1.9	0.3	0.1	0.2	0.1	0.1
12	FEMALE-----	0.6	17.1	1.5	0.2	0.1	0.1	0.0	0.1
13	WHITE-----	0.6	14.6	1.4	0.2	0.1	0.1	0.1	0.0
14	MALE-----	0.7	16.6	1.7	0.2	0.1	0.2	0.1	0.0
15	FEMALE-----	0.5	12.5	1.1	0.2	0.1	0.1	0.0	0.1
16	ALL OTHER-----	1.8	40.4	3.0	0.4	0.3	0.4	0.2	0.3
17	MALE-----	1.9	40.9	2.9	0.4	0.2	0.7	0.4	0.5
18	FEMALE-----	1.6	39.8	3.2	0.4	0.4	0.1	-	0.1
19	MAJOR CARDIOVASCULAR DISEASES-----390-448	478.2	28.4	2.9	1.4	1.9	3.5	5.6	9.1
20	MALE-----	519.1	30.9	2.9	1.5	2.0	4.3	6.4	11.0
21	FEMALE-----	439.4	25.8	2.8	1.4	1.8	2.7	4.9	7.3
22	WHITE-----	494.2	22.0	2.4	1.3	1.8	3.1	4.8	7.2
23	MALE-----	535.9	24.8	2.4	1.4	1.9	3.9	5.6	8.8
24	FEMALE-----	454.3	19.1	2.5	1.3	1.6	2.3	4.0	5.7
25	ALL OTHER-----	370.7	60.8	4.8	1.8	2.7	5.6	10.9	22.8
26	MALE-----	403.4	62.3	5.2	2.0	2.5	6.9	11.6	28.1
27	FEMALE-----	340.8	58.9	4.5	1.7	2.9	4.4	10.3	18.3
28	DISEASES OF HEART-----390-398,402,404,410-429	349.2	22.0	2.0	0.8	1.0	2.1	3.5	5.6
29	MALE-----	399.7	23.7	1.9	0.8	1.0	2.7	4.2	7.4
30	FEMALE-----	301.2	20.2	2.1	0.8	1.0	1.5	2.9	3.8
31	WHITE-----	362.7	16.9	1.7	0.7	0.9	1.8	2.9	4.3
32	MALE-----	415.5	19.1	1.6	0.7	1.0	2.4	3.6	5.8
33	FEMALE-----	312.3	14.6	1.8	0.7	0.8	1.2	2.1	2.8
34	ALL OTHER-----	258.0	47.9	3.5	1.3	1.8	3.8	7.7	14.6
35	MALE-----	291.0	47.2	3.6	1.4	1.5	4.7	8.2	20.1
36	FEMALE-----	227.9	48.4	3.5	1.2	2.1	3.0	7.2	9.8
37	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	6.3	0.1	0.1	0.1	0.2	0.4	0.6	0.9
38	MALE-----	5.8	0.1	0.1	0.1	0.2	0.4	0.6	0.9
39	FEMALE-----	6.8	0.1	0.1	0.1	0.3	0.3	0.6	0.9
40	WHITE-----	6.6	0.0	0.1	0.1	0.1	0.2	0.5	0.7
41	MALE-----	6.0	0.1	0.1	0.1	0.1	0.3	0.5	0.7
42	FEMALE-----	7.2	-	0.1	0.1	0.1	0.2	0.4	0.7
43	ALL OTHER-----	4.4	0.4	0.1	0.3	0.7	1.0	1.7	1.9
44	MALE-----	4.7	-	0.2	0.3	0.4	1.0	1.6	2.2
45	FEMALE-----	4.1	0.8	0.1	0.2	0.9	1.0	1.8	1.7
46	HYPERTENSIVE HEART DISEASE-----402	3.4	0.1	0.0	-	-	0.0	0.0	0.1
47	MALE-----	2.8	-	-	-	-	0.0	0.1	0.1
48	FEMALE-----	3.9	0.1	0.0	-	-	0.0	0.0	0.0
49	WHITE-----	3.0	0.0	0.0	-	-	0.0	0.0	0.1
50	MALE-----	2.5	-	-	-	-	0.0	0.0	0.1
51	FEMALE-----	3.5	0.1	0.0	-	-	0.0	0.0	0.0
52	ALL OTHER-----	6.0	0.2	-	-	-	0.0	0.1	0.2
53	MALE-----	5.4	-	-	-	-	-	0.2	0.3
54	FEMALE-----	6.5	0.4	-	-	-	0.1	-	0.1
55	HYPERTENSIVE HEART AND RENAL DISEASE-----404	2.3	-	-	-	0.0	0.0	0.0	0.0
56	MALE-----	2.1	-	-	-	0.0	0.0	0.0	0.0
57	FEMALE-----	2.5	-	-	-	-	-	0.0	-
58	WHITE-----	2.3	-	-	-	0.0	-	0.0	-
59	MALE-----	2.0	-	-	-	0.0	-	0.0	-
60	FEMALE-----	2.5	-	-	-	-	-	0.0	-
61	ALL OTHER-----	2.6	-	-	-	-	0.0	0.1	0.1
62	MALE-----	2.7	-	-	-	-	0.1	0.2	0.1
63	FEMALE-----	2.6	-	-	-	-	-	-	-
64	ISCHEMIC HEART DISEASE-----410-413	314.5	0.5	0.0	0.0	0.1	0.3	0.6	2.0
65	MALE-----	363.1	0.5	0.0	0.0	0.1	0.3	0.9	3.1
66	FEMALE-----	268.4	0.6	0.1	0.0	0.1	0.2	0.4	0.9
67	WHITE-----	329.2	0.5	0.1	0.0	0.1	0.2	0.5	1.6
68	MALE-----	380.3	0.5	0.0	0.0	0.1	0.3	0.8	2.5
69	FEMALE-----	280.5	0.6	0.1	0.0	0.1	0.2	0.2	0.7
70	ALL OTHER-----	215.2	0.6	-	0.0	0.2	0.4	1.3	4.5
71	MALE-----	244.0	0.4	-	0.1	0.1	0.4	1.2	7.3
72	FEMALE-----	188.9	0.8	-	-	0.3	0.3	1.3	2.1
73	ACUTE MYOCARDIAL INFARCTION-----410	158.1	0.4	0.0	0.0	0.0	0.2	0.3	1.2
74	MALE-----	202.9	0.5	0.0	0.0	0.0	0.2	0.4	1.9
75	FEMALE-----	115.6	0.4	0.1	-	0.0	0.1	0.2	0.5
76	WHITE-----	168.2	0.4	0.0	0.0	0.0	0.2	0.3	1.1
77	MALE-----	216.6	0.5	0.0	0.0	0.0	0.2	0.4	1.7
78	FEMALE-----	122.0	0.3	0.1	-	0.0	0.1	0.1	0.4
79	ALL OTHER-----	89.6	0.6	-	0.0	0.1	0.3	0.6	2.1
80	MALE-----	108.0	0.4	-	0.1	0.1	0.3	0.5	3.6
81	FEMALE-----	72.8	0.8	-	-	0.2	0.2	0.7	0.7

FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER-1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
MAJOR CARDIOVASCULAR DISEASES—CON. DISEASES OF HEART—CON.									
1	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	2.1	--	--	--	0.0	0.0	0.0	0.0
2	MALE-----	2.0	--	--	--	--	0.0	0.0	0.1
3	FEMALE-----	1.5	--	--	--	0.0	0.0	0.0	0.0
4	WHITE-----	2.1	--	--	--	0.0	0.0	0.0	0.0
5	MALE-----	2.7	--	--	--	--	0.0	0.0	0.1
6	FEMALE-----	1.4	--	--	--	0.0	0.0	0.0	--
7	ALL OTHER-----	2.2	--	--	--	0.0	--	0.0	0.2
8	MALE-----	2.9	--	--	--	--	--	--	0.3
9	FEMALE-----	1.6	--	--	--	0.1	--	0.1	--
10	CHRONIC ISCHEMIC HEART DISEASE-----412	154.2	0.1	0.0	0.0	0.0	0.1	0.3	0.7
11	MALE-----	157.3	--	--	--	0.0	0.1	0.4	1.0
12	FEMALE-----	151.3	0.2	0.0	0.0	0.0	0.0	0.2	0.4
13	WHITE-----	158.8	0.1	0.0	0.0	0.0	0.1	0.2	0.5
14	MALE-----	160.8	--	--	--	0.0	0.1	0.4	0.7
15	FEMALE-----	156.9	0.2	0.0	0.0	0.0	0.0	0.1	0.3
16	ALL OTHER-----	123.4	--	--	--	--	0.1	0.6	2.3
17	MALE-----	133.0	--	--	--	--	0.1	0.7	3.4
18	FEMALE-----	114.6	--	--	--	--	0.1	0.4	1.4
19	ANGINA PECTORIS-----413	0.1	--	--	--	--	--	--	--
20	MALE-----	0.1	--	--	--	--	--	--	--
21	FEMALE-----	0.1	--	--	--	--	--	--	--
22	WHITE-----	0.1	--	--	--	--	--	--	--
23	MALE-----	0.1	--	--	--	--	--	--	--
24	FEMALE-----	0.1	--	--	--	--	--	--	--
25	ALL OTHER-----	0.1	--	--	--	--	--	--	--
26	MALE-----	0.1	--	--	--	--	--	--	--
27	FEMALE-----	0.0	--	--	--	--	--	--	--
28	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	2.3	0.9	0.2	0.1	0.1	0.2	0.2	0.3
29	MALE-----	2.3	0.8	0.2	0.1	0.1	0.2	0.3	0.4
30	FEMALE-----	2.3	1.1	0.2	0.1	0.1	0.1	0.2	0.2
31	WHITE-----	2.3	0.8	0.2	0.0	0.1	0.2	0.2	0.2
32	MALE-----	2.3	0.7	0.2	0.0	0.1	0.2	0.3	0.3
33	FEMALE-----	2.3	0.8	0.2	0.0	0.1	0.1	0.2	0.1
34	ALL OTHER-----	2.2	1.8	0.4	0.2	0.2	0.2	0.4	0.8
35	MALE-----	2.3	1.2	0.4	0.1	0.2	0.3	0.7	1.1
36	FEMALE-----	2.0	2.4	0.3	0.2	0.2	0.2	0.1	0.6
37	ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	20.4	20.4	1.6	0.6	0.6	1.3	2.0	2.4
38	MALE-----	23.6	1.6	0.6	0.6	0.7	1.8	2.3	3.0
39	FEMALE-----	17.3	1.8	1.7	0.6	0.6	0.9	1.7	1.8
40	WHITE-----	19.3	1.5	1.4	0.6	0.6	1.2	1.6	1.7
41	MALE-----	22.4	1.7	1.3	0.6	0.7	1.5	2.0	2.2
42	FEMALE-----	16.4	1.3	1.4	0.6	0.6	0.8	1.3	1.2
43	ALL OTHER-----	27.6	44.9	3.0	0.8	0.8	2.2	4.2	7.0
44	MALE-----	31.9	45.6	2.9	0.8	0.8	3.0	4.3	9.1
45	FEMALE-----	23.7	43.9	3.2	0.8	0.8	1.4	4.0	5.3
46	HYPERTENSION-----400, 401, 403	3.3	--	0.0	0.0	0.0	0.0	0.1	0.2
47	MALE-----	3.4	--	--	0.0	0.0	0.0	0.1	0.2
48	FEMALE-----	3.1	--	0.0	--	0.0	0.0	0.1	0.2
49	WHITE-----	3.0	--	0.0	0.0	0.0	0.0	0.1	0.1
50	MALE-----	3.1	--	--	0.0	0.0	0.0	0.1	0.1
51	FEMALE-----	2.9	--	0.0	--	0.0	0.0	0.0	0.1
52	ALL OTHER-----	5.3	--	--	--	--	--	0.2	0.9
53	MALE-----	5.6	--	--	--	--	--	0.1	0.8
54	FEMALE-----	4.9	--	--	--	--	--	0.2	0.9
55	CEREBROVASCULAR DISEASES-----430-438	98.1	5.1	0.8	0.5	0.7	1.2	1.6	2.8
56	MALE-----	87.8	5.9	0.9	0.6	0.8	1.3	1.6	2.6
57	FEMALE-----	107.9	4.2	0.7	0.5	0.6	1.0	1.5	2.9
58	WHITE-----	99.2	3.9	0.7	0.6	0.7	1.1	1.4	2.3
59	MALE-----	87.6	4.5	0.8	0.6	0.8	1.2	1.5	2.2
60	FEMALE-----	110.3	3.2	0.7	0.6	0.6	0.9	1.4	2.4
61	ALL OTHER-----	90.9	11.3	1.2	0.5	0.8	1.6	2.5	6.0
62	MALE-----	89.4	13.1	1.3	0.6	0.8	1.8	2.8	5.8
63	FEMALE-----	92.3	9.3	1.0	0.4	0.8	1.4	2.2	6.3
64	CEREBRAL HEMORRHAGE-----431	14.4	2.4	0.2	0.2	0.2	0.3	0.5	0.7
65	MALE-----	13.6	3.1	0.3	0.2	0.2	0.3	0.5	0.7
66	FEMALE-----	15.2	1.7	0.2	0.2	0.2	0.3	0.4	0.7
67	WHITE-----	14.1	1.8	0.2	0.2	0.2	0.3	0.4	0.5
68	MALE-----	13.1	2.4	0.2	0.2	0.2	0.2	0.4	0.6
69	FEMALE-----	15.1	1.1	0.2	0.2	0.2	0.3	0.3	0.5
70	ALL OTHER-----	16.6	5.8	0.4	0.2	0.3	0.4	1.1	1.9
71	MALE-----	17.3	6.7	0.5	0.2	0.2	0.5	1.2	1.3
72	FEMALE-----	16.0	4.9	0.3	0.1	0.4	0.3	1.0	1.7
73	CEREBRAL THROMBOSIS-----433	25.3	0.2	0.0	0.0	0.0	0.0	0.1	0.2
74	MALE-----	22.4	0.1	0.0	0.0	0.0	0.1	--	0.2
75	FEMALE-----	28.1	0.3	0.0	0.0	0.0	0.0	0.1	0.2
76	WHITE-----	26.2	0.2	0.0	0.0	0.0	0.0	0.1	0.1
77	MALE-----	23.0	0.1	0.0	0.0	0.0	0.0	--	0.1
78	FEMALE-----	29.3	0.2	0.0	0.0	0.0	0.0	0.1	0.2
79	ALL OTHER-----	19.2	0.4	0.1	--	--	0.1	0.1	0.6
80	MALE-----	18.5	0.4	0.1	--	--	0.1	--	0.9
81	FEMALE-----	19.8	0.4	0.1	--	--	0.1	--	0.4

¹FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 · GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1974—Con.
 numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.1	0.4	1.0	1.7	2.8	4.3	5.9	7.7	9.8	13.6	17.7	30.6	1
0.3	0.5	1.6	2.8	4.4	6.9	9.4	12.4	14.8	20.4	23.2	37.3	2
0.0	0.3	0.3	0.8	1.4	1.9	2.8	4.0	6.2	9.1	14.6	27.4	3
0.1	0.3	0.8	1.5	2.6	3.9	5.6	7.5	9.1	13.4	17.6	30.9	4
0.2	0.3	1.4	2.4	4.2	6.3	9.0	12.2	14.1	20.4	23.1	36.2	5
-	0.3	0.3	0.7	1.2	1.6	2.5	3.7	5.4	8.9	14.5	28.3	6
0.4	1.2	1.8	3.1	4.4	8.3	9.3	9.6	18.2	15.4	18.7	27.9	7
0.8	1.7	2.8	5.4	5.9	12.1	13.5	13.3	21.9	20.5	23.8	47.4	8
0.1	0.8	0.9	1.1	3.2	5.0	5.8	6.6	15.0	11.5	15.2	16.5	9
2.6	7.4	19.7	40.5	73.3	133.1	235.1	386.1	732.2	1,331.6	2,350.7	5,038.8	10
3.9	11.1	30.2	63.6	112.2	200.4	340.9	547.8	964.4	1,651.8	2,723.7	5,330.5	11
1.4	3.8	9.8	18.8	37.2	71.8	142.4	257.3	562.1	1,122.7	2,135.4	4,898.8	12
1.9	5.9	15.9	34.2	63.0	119.6	215.5	364.9	694.0	1,319.8	2,398.8	5,231.1	13
3.1	9.4	26.2	56.9	101.0	185.9	322.8	528.4	930.8	1,649.8	2,796.1	5,563.3	14
0.7	2.5	5.9	12.8	27.6	58.7	121.2	234.6	522.4	1,107.4	2,172.4	5,069.5	15
7.5	17.7	47.0	90.7	161.5	265.1	416.4	576.4	1,131.3	1,470.9	1,799.5	3,087.7	16
9.6	24.2	60.9	120.0	212.6	345.7	509.6	723.7	1,295.9	1,674.2	1,973.8	3,207.0	17
5.6	12.3	35.5	65.3	117.0	195.3	335.7	461.4	1,025.0	1,316.7	1,682.4	3,017.5	18
-	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.5	0.6	1.1	1.7	19
-	0.1	0.0	0.0	0.1	0.1	0.3	0.5	0.7	0.8	1.3	2.6	20
-	-	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0.5	1.0	1.3	21
-	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.5	0.6	1.1	1.8	22
-	0.1	0.0	0.0	0.1	0.1	0.3	0.5	0.7	0.8	1.4	2.5	23
-	-	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.5	1.0	1.4	24
-	-	0.1	-	0.2	-	0.1	0.4	0.8	0.3	0.5	1.3	25
-	-	0.2	-	0.3	-	0.2	0.3	0.5	0.8	-	3.5	26
-	-	0.1	-	-	-	-	0.5	1.2	-	0.8	-	27
0.4	0.6	0.8	1.2	1.7	2.3	3.8	5.6	9.7	15.5	28.3	69.2	28
0.5	0.7	1.0	1.4	2.2	3.3	4.9	7.3	12.7	18.2	32.1	73.1	29
0.3	0.4	0.6	1.0	1.3	1.5	2.9	4.2	7.5	13.8	26.2	67.3	30
0.3	0.5	0.8	1.1	1.6	2.2	3.5	5.3	9.3	15.2	28.5	71.4	31
0.4	0.7	0.9	1.2	2.1	3.0	4.5	7.0	12.4	17.8	33.3	76.2	32
0.2	0.3	0.6	0.9	1.2	1.5	2.6	3.9	7.0	13.5	25.8	69.1	33
0.9	1.3	1.2	2.1	2.3	3.9	7.1	8.0	14.4	19.9	25.8	46.8	34
1.0	1.1	2.0	2.3	2.8	6.3	8.7	9.5	15.5	23.5	19.0	45.6	35
0.8	1.4	0.5	2.0	2.0	1.7	5.8	6.8	13.5	17.2	30.4	47.4	36
3.6	5.5	8.2	13.6	20.0	30.5	44.6	59.6	91.9	139.1	208.1	391.7	37
4.3	6.9	10.9	18.9	27.6	43.8	64.0	86.1	126.5	189.0	266.4	464.6	38
2.9	4.2	5.7	8.5	13.0	18.5	27.6	38.6	66.6	106.6	174.5	356.0	39
2.4	3.8	6.5	11.1	17.0	26.3	39.0	56.0	82.9	132.1	206.3	389.1	40
2.9	4.9	8.8	15.9	23.8	38.8	58.0	79.9	116.2	180.5	267.2	466.9	41
2.0	2.8	4.3	6.6	10.5	14.8	22.3	33.4	58.8	100.9	171.6	351.3	42
11.8	17.1	20.5	33.1	46.6	71.8	96.3	109.7	190.4	222.2	228.7	421.4	43
15.0	21.7	27.0	44.4	61.0	92.8	119.5	141.9	229.2	280.3	257.1	443.9	44
9.0	13.3	15.1	23.2	34.1	53.6	76.3	84.5	156.9	178.2	209.6	408.2	45
0.4	0.7	1.1	1.7	2.3	3.3	5.4	8.2	15.0	27.0	43.0	91.7	46
0.4	0.8	1.2	1.9	2.7	3.9	6.5	10.3	20.3	34.8	54.4	118.2	47
0.4	0.7	0.9	1.4	1.9	2.8	4.3	6.5	11.1	21.9	36.4	78.6	48
0.2	0.3	0.4	0.9	1.3	2.3	4.1	6.6	12.7	25.7	41.8	93.5	49
0.2	0.3	0.5	1.0	1.6	2.7	5.2	8.9	18.2	33.4	52.0	121.2	50
0.2	0.3	0.4	0.8	1.0	1.9	3.2	4.8	8.6	20.7	36.1	80.0	51
1.8	3.8	5.6	7.8	10.5	13.6	17.0	22.2	40.8	42.2	56.5	74.0	52
2.3	4.2	6.9	10.1	12.3	15.7	19.2	22.5	41.6	49.2	79.8	91.2	53
1.4	3.5	4.6	5.8	9.0	11.8	15.1	21.9	40.0	36.8	40.8	63.9	54
4.5	9.4	17.2	27.1	43.5	72.7	129.7	233.8	472.7	911.9	1,575.6	2,996.8	55
4.4	9.3	17.3	28.5	47.1	84.6	154.3	288.6	561.4	1,018.3	1,698.2	2,969.5	56
4.6	9.5	17.2	25.7	40.2	61.9	108.1	190.1	407.8	842.4	1,504.8	3,013.0	57
3.4	7.5	13.1	21.4	35.3	61.7	112.3	212.1	438.8	896.2	1,601.0	3,094.2	58
3.3	7.3	13.1	22.2	38.4	72.2	136.1	266.3	530.3	1,003.7	1,738.6	3,073.5	59
3.6	7.7	13.1	20.6	32.3	52.0	91.4	168.9	372.5	827.0	1,522.6	3,104.3	60
12.0	22.6	46.6	72.2	114.8	180.1	289.9	428.2	844.4	1,097.1	1,284.7	2,011.7	61
12.9	23.9	49.9	81.3	125.0	208.5	324.5	490.5	870.8	1,175.8	1,279.8	2,021.1	62
11.3	21.5	43.9	64.2	106.0	155.5	259.6	379.9	818.8	1,037.4	1,288.0	2,006.2	63
1.1	2.9	5.7	8.9	13.9	20.1	30.5	44.4	73.7	117.4	172.2	263.2	64
1.3	3.2	6.2	10.1	15.7	23.1	35.4	53.3	83.7	126.6	179.9	254.2	65
1.0	2.5	5.2	7.7	12.2	17.3	26.2	37.3	66.4	111.4	167.8	267.8	66
0.7	2.0	3.9	6.9	11.2	16.9	27.3	41.3	69.4	116.3	175.4	271.2	67
0.7	2.2	4.4	7.5	12.8	19.3	32.0	50.0	79.2	125.6	184.9	281.0	68
0.6	1.7	3.4	5.6	9.6	14.7	23.3	34.4	62.3	110.3	169.9	276.2	69
4.4	9.2	17.9	27.6	37.1	50.8	69.6	91.6	121.1	150.1	135.9	181.8	70
5.5	10.8	19.6	32.2	41.6	60.5	86.8	112.4	128.3	137.1	127.4	193.0	71
3.5	7.8	16.5	23.5	33.2	42.3	53.2	63.2	114.6	124.7	141.6	175.3	72
0.2	0.5	1.1	2.7	5.1	11.3	27.0	54.5	124.7	254.1	457.0	882.9	73
0.3	0.5	1.2	3.3	6.3	14.9	33.5	69.8	151.3	281.9	496.6	876.4	74
0.2	0.5	1.0	2.1	4.0	8.1	21.2	42.3	105.1	236.0	434.1	889.9	75
0.2	0.5	0.8	2.1	4.1	9.6	23.3	50.3	117.8	251.9	469.0	915.3	76
0.3	0.5	0.8	2.6	5.1	12.9	29.6	66.2	146.6	280.9	512.8	905.8	77
0.2	0.4	0.8	1.6	3.1	6.5	17.7	37.6	97.0	233.3	444.1	919.9	78
0.4	0.8	3.2	7.3	13.8	28.4	61.2	91.8	199.4	280.1	319.1	554.5	79
0.3	0.9	4.4	9.2	16.6	34.5	69.7	101.7	198.6	293.2	329.8	547.4	80
0.5	0.8	2.2	5.7	11.3	23.1	53.8	84.2	199.2	270.1	312.0	558.8	81

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
MAJOR CARDIOVASCULAR DISEASES—CON. CEREBROVASCULAR DISEASES—CON.									
1	CEREBRAL EMBOLISM-----434	0.4	--	0.0	--	--	0.0	0.0	0.0
2	MALE-----	0.4	--	0.0	--	--	0.0	0.0	0.0
3	FEMALE-----	0.5	--	0.0	--	--	0.0	--	0.0
4	WHITE-----	0.4	--	0.0	--	--	0.0	0.0	0.0
5	MALE-----	0.4	--	0.0	--	--	0.0	0.0	0.0
6	FEMALE-----	0.5	--	0.0	--	--	0.0	--	0.0
7	ALL OTHER-----	0.3	--	--	--	--	--	0.0	0.1
8	MALE-----	0.3	--	--	--	--	--	0.1	0.1
9	FEMALE-----	0.3	--	--	--	--	--	--	--
10	ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	57.9	2.5	0.5	0.4	0.5	0.8	1.1	1.9
11	MALE-----	51.4	2.7	0.5	0.3	0.6	1.0	1.1	1.8
12	FEMALE-----	64.1	2.2	0.5	0.4	0.4	0.7	1.0	2.0
13	WHITE-----	58.4	2.0	0.5	0.4	0.5	0.8	1.0	1.6
14	MALE-----	51.1	2.0	0.5	0.3	0.6	0.9	1.0	1.5
15	FEMALE-----	65.3	1.9	0.4	0.4	0.4	0.6	1.0	1.7
16	ALL OTHER-----	54.8	5.0	0.7	0.3	0.4	1.1	1.3	3.9
17	MALE-----	53.3	6.0	0.7	0.3	0.5	1.2	1.5	3.5
18	FEMALE-----	56.2	4.1	0.6	0.3	0.3	1.1	1.0	4.2
19	ARTERIOSCLEROSIS-----440	15.3	0.0	--	0.0	--	--	0.0	0.0
20	MALE-----	12.9	0.1	--	0.0	--	--	0.0	0.0
21	FEMALE-----	17.5	--	--	--	--	--	--	0.0
22	WHITE-----	16.2	0.0	--	0.0	--	--	0.0	0.0
23	MALE-----	13.5	0.1	--	0.0	--	--	0.0	0.0
24	FEMALE-----	18.9	--	--	--	--	--	--	--
25	ALL OTHER-----	8.5	--	--	--	--	--	--	0.1
26	MALE-----	8.3	--	--	--	--	--	--	0.1
27	FEMALE-----	8.7	--	--	--	--	--	--	0.1
28	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	12.4	1.3	0.1	0.1	0.1	0.2	0.5	0.6
29	MALE-----	15.4	1.3	0.1	0.1	0.1	0.3	0.4	0.7
30	FEMALE-----	9.6	1.4	0.0	0.1	0.1	0.1	0.5	0.5
31	WHITE-----	13.0	1.3	0.1	0.1	0.1	0.2	0.4	0.5
32	MALE-----	16.3	1.2	0.1	0.1	0.1	0.2	0.4	0.7
33	FEMALE-----	10.0	1.4	0.1	0.1	0.1	0.2	0.4	0.4
34	ALL OTHER-----	8.0	1.6	0.1	0.0	0.1	0.2	0.6	1.3
35	MALE-----	9.1	2.0	0.3	--	0.2	0.4	0.5	1.3
36	FEMALE-----	6.9	1.2	--	0.1	0.1	--	0.7	1.2
37	ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.4	3.9	0.4	0.1	0.0	0.0	0.0	0.0
38	MALE-----	0.4	4.6	0.5	0.1	0.0	0.0	0.1	0.0
39	FEMALE-----	0.3	3.1	0.3	0.1	0.1	0.0	0.0	0.1
40	WHITE-----	0.4	3.2	0.3	0.0	0.0	0.0	0.0	0.0
41	MALE-----	0.4	3.9	0.4	0.1	0.0	0.0	0.1	0.0
42	FEMALE-----	0.3	2.5	0.2	0.0	0.0	0.0	0.0	0.1
43	ALL OTHER-----	0.4	7.0	1.0	0.1	0.1	--	0.0	0.1
44	MALE-----	0.4	8.3	1.2	0.1	--	--	0.1	--
45	FEMALE-----	0.3	5.7	0.7	0.1	0.1	--	--	0.2
46	INFLUENZA AND PNEUMONIA-----470-474,480-486	25.9	86.9	4.7	1.3	1.3	1.5	1.9	2.1
47	MALE-----	28.9	95.1	4.8	1.2	1.4	1.7	2.2	2.5
48	FEMALE-----	23.0	78.4	4.5	1.3	1.2	1.3	1.6	1.8
49	WHITE-----	25.9	65.6	3.7	1.2	1.2	1.5	1.7	1.7
50	MALE-----	28.4	70.9	4.0	1.2	1.3	1.7	2.0	1.9
51	FEMALE-----	23.6	60.0	3.5	1.2	1.1	1.2	1.5	1.6
52	ALL OTHER-----	25.7	194.8	9.1	1.5	1.7	1.9	2.7	4.9
53	MALE-----	32.9	218.3	9.0	1.3	2.0	1.8	3.2	6.8
54	FEMALE-----	19.2	169.9	9.3	1.6	1.4	1.9	2.3	3.4
55	INFLUENZA-----470-474	1.0	1.2	0.2	0.1	0.1	0.1	0.1	0.1
56	MALE-----	1.0	1.2	0.2	0.0	0.1	0.1	0.1	0.1
57	FEMALE-----	1.1	1.2	0.2	0.1	0.1	0.0	0.2	0.0
58	WHITE-----	1.1	1.1	0.2	0.1	0.1	0.1	0.1	0.1
59	MALE-----	1.0	1.2	0.2	0.1	0.1	0.1	0.1	0.1
60	FEMALE-----	1.2	1.0	0.2	0.1	0.1	0.0	0.1	0.1
61	ALL OTHER-----	0.6	1.6	0.2	0.0	0.1	0.0	0.1	0.1
62	MALE-----	0.6	1.2	0.2	--	0.1	0.1	--	0.1
63	FEMALE-----	0.5	2.0	0.3	0.1	0.1	--	0.2	--
64	PNEUMONIA-----480-486	24.9	85.7	4.5	1.2	1.2	1.5	1.8	2.0
65	MALE-----	28.0	93.8	4.7	1.2	1.3	1.6	2.1	2.3
66	FEMALE-----	21.9	77.2	4.2	1.2	1.0	1.3	1.4	1.7
67	WHITE-----	24.8	64.4	3.6	1.2	1.1	1.4	1.6	1.6
68	MALE-----	27.4	69.7	3.8	1.2	1.2	1.6	2.0	1.8
69	FEMALE-----	22.4	59.0	3.2	1.1	1.0	1.2	1.3	1.5
70	ALL OTHER-----	25.2	193.2	8.9	1.4	1.6	1.8	2.6	4.9
71	MALE-----	32.2	217.1	8.8	1.3	1.9	1.8	3.2	6.7
72	FEMALE-----	18.7	167.9	9.0	1.5	1.3	1.9	2.1	3.4
73	BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	12.7	2.8	0.4	0.2	0.2	0.3	0.4	0.4
74	MALE-----	19.6	3.7	0.5	0.1	0.2	0.4	0.4	0.4
75	FEMALE-----	6.2	1.8	0.4	0.2	0.2	0.3	0.5	0.4
76	WHITE-----	13.7	2.2	0.4	0.2	0.2	0.3	0.3	0.3
77	MALE-----	21.1	3.0	0.4	0.1	0.2	0.2	0.3	0.3
78	FEMALE-----	6.7	1.3	0.4	0.1	0.1	0.3	0.3	0.3
79	ALL OTHER-----	6.0	6.0	0.6	0.4	0.4	0.8	1.2	1.1
80	MALE-----	9.2	7.5	0.9	0.3	0.4	1.2	0.8	1.1
81	FEMALE-----	3.1	4.5	0.4	0.6	0.4	0.4	1.6	1.0

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1974-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.0	0.1	0.1	0.1	0.3	0.5	0.8	1.3	2.3	3.9	5.3	10.5	1
0.0	0.1	0.1	0.2	0.2	0.4	1.1	1.8	2.5	4.1	4.4	11.8	2
0.0	0.1	0.1	0.1	0.4	0.5	0.6	1.0	2.1	3.7	5.8	9.9	3
0.0	0.0	0.1	0.1	0.3	0.5	0.8	1.3	2.3	3.9	5.5	10.8	4
0.0	0.1	0.0	0.2	0.2	0.4	1.0	1.7	2.5	4.0	4.7	12.5	5
0.0	0.0	0.1	0.1	0.3	0.5	0.6	1.0	2.1	3.9	6.0	10.0	6
-	0.1	0.1	0.1	0.4	0.6	1.4	1.9	2.1	3.6	2.4	7.1	7
-	-	0.3	-	0.3	0.7	1.9	2.9	2.3	5.3	1.2	5.3	8
-	0.3	-	-	0.5	0.6	1.0	1.1	1.9	2.3	3.2	8.2	9
3.1	6.0	10.4	15.4	24.3	40.9	71.4	133.6	272.1	536.4	941.1	1,840.3	10
2.9	5.5	9.8	14.9	24.9	46.2	84.4	163.8	323.9	605.7	1,017.3	1,833.1	11
3.4	6.5	10.9	15.8	23.6	36.0	60.0	109.6	234.2	491.3	897.1	1,845.4	12
2.5	5.1	8.3	12.7	19.7	34.7	61.0	119.2	249.3	524.0	951.0	1,896.9	13
2.3	4.6	7.8	12.0	20.3	39.6	73.5	140.4	302.0	593.2	1,036.2	1,894.2	14
2.8	5.5	8.8	13.3	19.2	30.3	50.0	96.0	211.1	479.5	902.5	1,898.1	15
7.2	12.5	25.3	37.2	63.6	100.3	167.7	262.8	521.8	683.3	827.3	1,268.2	16
7.2	12.2	25.6	39.8	66.5	112.8	186.1	303.5	541.6	740.2	821.4	1,275.4	17
7.3	12.7	25.2	35.0	61.1	89.5	151.5	231.3	503.1	640.2	831.2	1,263.9	18
0.0	0.1	0.3	0.7	1.4	3.3	8.8	18.6	49.4	116.4	272.3	850.6	19
0.0	0.1	0.4	1.0	1.8	4.7	11.4	24.9	61.2	137.0	307.8	850.3	20
0.0	0.1	0.2	0.4	1.0	2.0	6.4	13.6	40.8	102.9	251.8	851.5	21
0.0	0.1	0.2	0.6	1.2	3.0	8.2	17.2	47.3	115.5	279.3	890.5	22
0.0	0.1	0.3	0.9	1.7	4.2	10.9	23.7	59.8	136.4	316.9	890.4	23
0.0	0.1	0.2	0.3	0.8	1.9	5.7	12.1	38.2	102.1	257.9	890.6	24
0.1	0.1	0.9	1.5	2.7	6.3	14.3	31.1	73.2	126.1	191.4	444.8	25
-	0.2	1.3	1.6	2.8	9.4	16.3	35.8	74.9	143.9	213.1	484.2	26
0.1	-	0.7	1.4	2.7	3.7	12.6	27.4	71.5	112.6	176.8	421.6	27
0.8	1.4	2.3	4.4	7.4	14.8	26.7	44.4	73.6	111.6	147.9	232.0	28
0.8	1.4	3.0	5.2	10.0	22.3	41.3	72.0	118.4	171.6	210.7	274.9	29
0.7	1.5	1.7	3.7	4.9	8.0	13.9	22.4	40.8	72.4	111.6	211.0	30
0.7	1.2	1.9	4.1	6.8	14.4	26.7	45.2	74.0	113.2	152.3	241.4	31
0.7	1.1	2.3	4.8	9.4	21.8	41.8	74.2	122.2	177.3	221.4	291.0	32
0.7	1.3	1.5	3.4	4.4	7.7	13.4	22.1	39.0	72.0	113.0	217.3	33
1.4	2.6	5.5	7.3	12.0	18.7	26.3	36.7	70.3	91.5	97.1	136.4	34
1.5	3.1	8.3	9.2	15.0	27.1	35.8	51.4	79.9	110.6	100.0	128.1	35
1.2	2.2	3.1	5.7	9.4	11.5	18.1	25.1	61.9	77.0	95.2	141.2	36
0.1	0.0	0.1	0.2	0.2	0.3	0.5	0.9	1.3	1.8	2.8	5.4	37
0.1	0.1	0.0	0.1	0.2	0.5	0.6	1.2	1.7	2.8	4.4	6.4	38
0.0	0.0	0.2	0.2	0.2	0.2	0.4	0.7	1.0	1.2	1.8	4.9	39
0.0	0.0	0.1	0.2	0.2	0.3	0.5	0.9	1.3	1.9	3.0	5.8	40
0.0	0.0	-	0.2	0.2	0.5	0.6	1.2	1.7	2.8	4.7	6.9	41
0.1	0.0	0.2	0.2	0.2	0.2	0.4	0.7	1.1	1.3	2.0	5.2	42
0.1	0.1	0.3	0.1	0.5	0.5	0.8	1.2	1.8	2.3	3.5	6.3	43
0.3	0.2	0.2	-	0.5	0.4	-	0.9	1.2	1.2	1.2	1.8	44
-	-	0.4	0.1	0.5	0.6	0.6	0.5	0.8	-	-	1.0	45
3.0	4.7	6.8	9.9	13.6	20.9	33.1	51.2	92.8	194.2	357.4	806.9	46
3.6	5.8	8.4	12.4	17.3	29.9	46.3	74.9	135.8	283.2	502.3	1,021.0	47
2.5	3.6	5.2	7.6	10.1	12.7	21.5	32.3	61.4	136.1	273.7	701.7	48
2.2	3.3	5.1	7.9	11.5	18.6	30.4	48.2	87.9	192.9	365.8	839.8	49
2.4	3.7	6.0	9.4	14.1	26.0	42.1	70.3	130.1	281.3	515.7	1,064.8	50
2.0	2.8	4.2	6.5	9.0	11.8	20.2	30.6	57.4	136.1	280.4	730.3	51
8.6	14.9	18.7	25.9	31.5	43.5	57.6	78.1	146.7	208.8	260.8	473.4	52
12.1	22.0	26.8	37.5	45.3	69.1	85.6	116.8	192.7	304.5	363.1	621.1	53
5.8	9.0	11.9	15.9	19.5	21.4	33.4	47.7	107.3	136.2	192.0	386.6	54
0.1	0.1	0.2	0.4	0.4	0.7	1.0	1.8	3.6	7.4	16.1	38.5	55
0.1	0.1	0.3	0.3	0.4	1.0	1.1	2.4	4.8	8.8	18.6	40.2	56
0.1	0.1	0.1	0.5	0.5	0.5	1.0	1.4	2.7	6.4	14.7	37.7	57
0.1	0.1	0.2	0.4	0.4	0.7	1.8	1.8	3.4	7.6	16.9	41.1	58
0.1	0.1	0.2	0.3	0.4	0.9	1.1	2.4	4.5	9.2	19.7	42.5	59
0.1	0.1	0.1	0.5	0.4	0.6	0.9	1.4	2.7	6.6	15.3	40.4	60
0.1	0.3	0.4	0.5	0.4	0.8	1.3	1.9	4.8	4.2	7.7	12.3	61
-	0.5	0.8	0.7	0.2	1.8	1.4	2.6	7.3	4.5	7.1	19.3	62
0.2	0.1	0.1	0.4	0.6	-	1.2	1.4	2.7	4.0	8.0	8.2	63
2.9	4.6	6.6	9.5	13.1	20.2	32.0	49.4	89.3	186.8	341.3	768.4	64
3.5	5.7	8.1	12.1	16.8	29.0	45.1	72.5	131.0	274.5	483.8	980.8	65
2.4	3.5	5.1	7.1	9.7	12.1	20.5	30.9	58.7	129.6	259.0	664.0	66
2.1	3.2	4.9	7.5	11.0	17.8	29.4	46.4	84.5	185.3	349.0	798.7	67
2.3	3.6	5.8	9.1	13.7	25.1	40.9	67.9	125.5	272.1	496.1	1,022.3	68
1.9	2.7	4.0	6.0	8.6	11.2	19.3	29.2	54.8	129.4	265.2	689.9	69
8.5	14.6	18.3	25.4	31.1	42.7	56.2	76.2	141.8	204.6	253.1	461.0	70
12.1	21.6	26.1	36.8	45.1	67.3	84.1	114.2	185.4	300.0	356.0	601.8	71
5.5	8.8	11.8	15.4	18.9	21.4	32.2	46.3	104.6	132.2	184.0	378.4	72
0.5	1.1	2.3	4.5	9.4	19.3	36.3	58.5	88.1	113.2	117.3	108.4	73
0.6	1.1	2.5	5.6	12.7	27.8	57.7	102.2	166.7	227.3	250.0	228.8	74
0.4	1.1	2.1	3.6	6.4	11.7	17.5	23.7	30.5	38.9	40.7	48.9	75
0.4	0.7	2.0	4.3	9.5	19.7	37.7	61.4	92.0	118.3	123.8	114.4	76
0.5	0.7	2.1	5.3	12.5	27.9	59.7	106.7	175.3	239.2	266.0	263.3	77
0.3	0.8	1.8	3.4	6.6	12.1	18.4	25.2	31.7	40.5	42.8	51.7	78
1.1	3.7	4.9	6.0	9.1	16.2	23.2	32.5	46.0	53.3	43.5	46.8	79
1.2	4.1	5.8	7.4	14.5	26.2	39.4	61.0	80.4	99.2	84.5	96.5	80
1.0	3.3	4.1	4.8	4.4	7.6	9.3	10.0	16.9	18.4	16.0	17.5	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year
 [Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
BRONCHITIS, EMPHYSEMA, AND ASTHMA--CON.									
1	CHRONIC AND UNQUALIFIED BRONCHITIS--490,491	2.4	2.4	0.2	0.1	0.1	0.1	0.1	0.1
2	MALE	3.5	3.3	0.3	0.1	0.1	0.1	0.1	0.1
3	FEMALE	1.4	1.6	0.2	0.0	0.0	0.1	0.1	0.1
4	WHITE	2.6	1.8	0.2	0.1	0.1	0.1	0.1	0.1
5	MALE	3.7	2.6	0.2	0.1	0.1	0.1	0.1	0.1
6	FEMALE	1.5	1.1	0.2	0.1	0.0	0.1	0.1	0.1
7	ALL OTHER	1.2	5.4	0.2	0.1	0.1	0.1	0.4	0.1
8	MALE	1.8	6.7	0.4	0.1	0.1	0.1	0.2	-
9	FEMALE	0.6	4.1	-	-	-	0.1	0.5	0.1
10	ENPHYSEMA--492	9.4	0.3	0.0	-	0.0	0.0	0.0	0.0
11	MALE	15.3	0.4	0.0	-	0.0	0.1	0.1	0.0
12	FEMALE	3.8	0.2	0.1	-	0.1	0.0	0.0	0.1
13	WHITE	10.3	0.3	0.1	-	0.0	0.0	0.0	0.0
14	MALE	16.7	0.3	0.0	-	0.0	0.1	0.1	0.0
15	FEMALE	4.2	0.2	0.1	-	0.0	-	0.0	0.1
16	ALL OTHER	3.4	0.4	-	-	0.1	0.1	0.0	0.2
17	MALE	6.0	0.8	-	-	-	0.1	0.1	0.1
18	FEMALE	0.9	-	-	-	0.3	0.1	-	0.2
19	ASTHMA--493	0.9	0.1	0.2	0.1	0.1	0.2	0.3	0.2
20	MALE	0.8	0.1	0.2	0.1	0.1	0.2	0.2	0.3
21	FEMALE	1.0	0.1	0.1	0.2	0.1	0.2	0.3	0.2
22	WHITE	0.8	0.0	0.1	0.1	0.1	0.1	0.2	0.2
23	MALE	0.7	0.1	0.2	0.0	0.1	0.1	0.2	0.2
24	FEMALE	0.9	-	0.1	0.1	0.1	0.2	0.2	0.2
25	ALL OTHER	1.5	0.2	0.4	0.4	0.2	0.6	0.8	0.9
26	MALE	1.4	-	0.4	0.1	0.2	1.0	0.5	1.0
27	FEMALE	1.5	0.4	0.4	0.6	0.2	0.3	1.0	0.7
28	PEPTIC ULCER--531-533	3.3	1.0	0.1	0.0	0.0	0.1	0.1	0.3
29	MALE	4.3	1.4	0.1	0.0	0.0	0.1	0.2	0.4
30	FEMALE	2.4	0.5	0.1	0.0	0.0	0.0	0.1	0.2
31	WHITE	3.5	0.5	0.1	0.0	0.0	0.1	0.1	0.2
32	MALE	4.4	0.8	0.1	0.0	0.0	0.1	0.1	0.3
33	FEMALE	2.5	0.2	0.1	0.0	0.0	0.1	0.1	0.2
34	ALL OTHER	2.5	3.2	0.0	0.0	-	0.0	0.3	0.4
35	MALE	3.6	4.8	0.1	-	-	0.1	0.6	0.7
36	FEMALE	1.4	1.6	-	0.1	-	-	-	0.2
37	APPENDICITIS--540-543	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1
38	MALE	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1
39	FEMALE	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1
40	WHITE	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1
41	MALE	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1
42	FEMALE	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1
43	ALL OTHER	0.5	0.2	0.1	0.1	0.2	0.2	0.1	0.2
44	MALE	0.7	0.4	0.1	0.3	0.2	0.3	0.2	0.2
45	FEMALE	0.4	-	0.1	-	0.1	0.1	0.1	0.1
46	HERNIA AND INTESTINAL OBSTRUCTION--550-553,560	3.1	16.5	0.3	0.1	0.1	0.1	0.2	0.2
47	MALE	2.7	17.2	0.4	0.1	0.1	0.2	0.2	0.2
48	FEMALE	3.5	15.9	0.2	0.1	0.1	0.1	0.1	0.2
49	WHITE	3.1	16.7	0.3	0.1	0.1	0.1	0.1	0.1
50	MALE	2.6	17.0	0.4	0.1	0.1	0.2	0.2	0.2
51	FEMALE	3.6	16.4	0.2	0.1	0.0	0.1	0.1	0.1
52	ALL OTHER	2.8	15.5	0.4	0.1	0.2	0.1	0.4	0.5
53	MALE	3.1	17.9	0.5	0.1	0.2	0.2	0.4	0.4
54	FEMALE	2.6	13.0	0.2	0.1	0.1	0.1	0.3	0.5
55	CIRRHOSIS OF LIVER--571	15.8	1.1	0.1	0.0	0.1	0.2	0.6	2.1
56	MALE	21.2	1.4	0.1	0.1	0.1	0.2	0.7	2.6
57	FEMALE	10.6	0.9	0.1	0.0	0.1	0.2	0.5	1.5
58	WHITE	15.1	1.0	0.1	0.0	0.1	0.2	0.4	1.3
59	MALE	20.4	1.2	0.1	0.1	0.1	0.2	0.6	1.6
60	FEMALE	10.0	0.8	0.1	0.0	0.1	0.2	0.3	0.9
61	ALL OTHER	20.4	1.6	0.2	0.0	0.1	0.4	1.7	7.8
62	MALE	26.7	2.0	0.2	0.1	0.1	0.2	1.9	10.3
63	FEMALE	14.7	1.2	0.3	-	0.1	0.5	1.6	5.7
64	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS--574-575	1.5	0.0	-	-	-	0.0	0.1	0.1
65	MALE	1.4	0.1	-	-	-	0.0	0.1	0.1
66	FEMALE	1.7	-	-	-	-	0.0	0.1	0.1
67	WHITE	1.6	0.0	-	-	-	0.0	0.1	0.1
68	MALE	1.4	0.1	-	-	-	0.0	0.1	0.1
69	FEMALE	1.8	-	-	-	-	0.0	0.1	0.1
70	ALL OTHER	0.9	-	-	-	-	0.1	0.0	0.1
71	MALE	0.9	-	-	-	-	0.1	0.1	0.1
72	FEMALE	1.0	-	-	-	-	0.1	-	-
73	NEPHRITIS AND NEPHROSIS--580-584	3.8	0.7	0.1	0.1	0.2	0.3	0.6	0.6
74	MALE	4.2	0.7	0.2	0.1	0.1	0.3	0.7	0.8
75	FEMALE	3.4	0.7	0.1	0.1	0.2	0.2	0.4	0.5
76	WHITE	3.2	0.6	0.1	0.1	0.1	0.2	0.3	0.4
77	MALE	3.6	0.5	0.1	0.1	0.1	0.2	0.5	0.5
78	FEMALE	2.9	0.7	0.1	0.1	0.1	0.2	0.2	0.3
79	ALL OTHER	7.9	1.2	0.3	0.3	0.3	0.7	2.0	2.2
80	MALE	8.5	2.0	0.4	0.3	0.2	0.9	2.5	3.0
81	FEMALE	7.4	0.4	0.2	0.3	0.4	0.5	1.6	1.6

¹FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.1	0.2	0.4	0.8	1.7	3.5	6.1	9.5	15.5	21.8	24.0	29.0	1
0.1	0.2	0.4	1.1	2.2	4.6	8.9	16.2	28.1	39.6	47.1	53.9	2
0.0	0.3	0.4	0.6	1.2	2.4	3.6	4.3	6.3	10.2	10.7	16.6	3
0.1	0.2	0.4	0.9	1.7	3.5	6.3	9.9	16.0	22.8	25.4	30.8	4
0.1	0.1	0.3	1.1	2.2	4.7	9.0	16.7	29.3	41.8	50.3	57.1	5
0.1	0.2	0.4	0.6	1.3	2.5	3.8	4.5	6.4	10.5	11.3	18.0	6
0.1	0.5	0.9	0.5	1.4	2.9	4.7	6.4	10.0	10.1	7.7	10.4	7
0.1	0.5	1.3	1.0	2.4	4.3	7.9	11.3	16.0	15.9	13.1	24.6	8
-	0.5	0.5	0.1	0.6	1.7	1.9	2.5	5.0	5.7	4.0	2.1	9
0.1	0.4	1.1	2.8	6.4	14.0	27.8	45.9	69.3	86.9	88.3	74.9	10
0.2	0.6	1.6	3.9	9.3	21.4	46.6	82.9	135.0	182.8	196.1	169.5	11
0.1	0.2	0.7	1.7	3.7	7.3	11.3	16.5	21.1	24.3	26.0	28.1	12
0.1	0.3	1.0	2.8	6.6	14.6	29.2	48.6	72.8	90.9	93.1	79.0	13
0.2	0.4	1.4	3.8	9.4	21.8	48.7	87.2	142.5	192.5	208.5	180.8	14
0.1	0.2	0.7	1.9	4.0	7.9	12.1	17.7	22.3	25.6	27.4	29.5	15
0.2	1.0	1.9	2.6	4.6	8.6	14.3	21.9	30.8	38.6	33.0	33.1	16
0.3	1.9	3.3	4.6	8.6	16.6	26.9	43.4	58.9	78.8	67.9	66.7	17
0.1	0.3	0.7	0.8	1.1	1.7	3.5	5.0	6.9	8.0	9.6	13.4	18
0.3	0.5	0.7	0.9	1.3	1.9	2.4	3.1	3.4	4.6	5.0	4.5	19
0.3	0.3	0.5	0.6	1.2	1.8	2.2	3.2	3.7	4.9	6.8	5.4	20
0.3	0.6	1.0	1.2	1.4	1.9	2.6	3.0	3.2	4.4	4.0	4.1	21
0.2	0.2	0.6	0.7	1.1	1.6	2.2	2.9	3.2	4.6	5.2	4.7	22
0.2	0.1	0.4	0.4	0.9	1.4	2.0	2.8	3.5	4.9	7.1	5.4	23
0.2	0.4	0.7	0.9	1.3	1.7	2.4	3.0	3.0	4.4	4.1	4.3	24
0.8	2.2	2.1	2.9	3.1	4.7	4.2	4.2	5.2	4.6	2.9	3.2	25
0.8	1.7	1.3	1.6	3.5	5.4	4.6	6.4	5.5	4.5	3.6	5.3	26
0.9	2.6	2.9	3.8	2.7	4.1	3.9	2.5	5.0	4.6	2.4	2.1	27
0.4	0.7	1.4	2.1	3.3	5.6	8.7	11.5	16.6	25.7	34.2	50.1	28
0.6	1.1	2.0	3.1	5.0	8.4	12.6	17.8	25.6	40.0	50.8	71.6	29
0.2	0.4	0.8	1.1	1.8	3.0	5.4	6.4	10.1	16.4	24.6	39.5	30
0.3	0.6	1.3	1.9	3.1	5.5	8.7	11.1	16.8	26.5	35.8	52.2	31
0.5	0.8	1.9	2.8	4.7	8.0	12.5	17.3	26.0	41.2	53.2	74.8	32
0.1	0.4	0.7	1.1	1.7	3.2	5.3	6.2	10.1	17.0	25.9	41.3	33
0.8	1.8	2.4	3.3	5.2	6.5	9.2	14.5	15.1	16.7	16.3	28.6	34
1.3	3.3	3.0	5.7	7.8	12.1	13.0	22.8	21.0	26.5	26.2	42.1	35
0.4	0.5	1.8	1.1	3.0	1.6	6.0	8.0	10.0	9.2	9.6	20.6	36
0.1	0.1	0.2	0.3	0.5	0.6	0.9	1.1	1.8	2.4	3.6	4.9	37
0.1	0.2	0.3	0.3	0.6	0.8	1.2	1.7	2.5	3.9	4.5	8.1	38
0.1	0.1	0.1	0.2	0.4	0.3	0.7	0.7	1.2	1.7	3.0	3.3	39
0.1	0.1	0.2	0.2	0.4	0.5	0.8	1.0	1.5	2.6	3.8	5.0	40
0.1	0.1	0.2	0.3	0.5	0.7	1.1	1.4	2.1	3.9	4.8	8.1	41
0.1	0.1	0.1	0.2	0.3	0.3	0.6	0.6	1.0	1.7	3.1	3.6	42
0.2	0.2	0.3	0.6	1.1	1.4	1.9	2.5	5.0	2.6	1.4	3.9	43
0.4	0.3	0.3	0.8	1.4	2.5	2.4	4.0	5.9	3.8	1.2	8.8	44
0.1	0.1	0.3	0.4	0.9	0.4	1.4	1.4	4.2	1.7	1.6	1.0	45
0.3	0.4	0.7	1.2	1.8	2.9	4.4	7.8	13.2	24.0	41.6	70.4	46
0.3	0.4	0.7	1.1	1.7	2.7	4.5	8.5	14.3	24.4	41.6	69.5	47
0.2	0.4	0.8	1.3	1.9	3.1	4.4	7.2	12.5	23.7	41.6	70.8	48
0.2	0.3	0.6	1.0	1.6	2.7	4.1	7.2	12.7	23.6	42.7	73.1	49
0.2	0.3	0.5	0.9	1.4	2.5	4.0	8.0	13.7	23.5	42.1	71.0	50
0.2	0.3	0.7	1.1	1.8	3.0	4.2	6.6	12.0	23.7	43.0	74.2	51
0.8	1.2	1.6	2.8	3.7	4.8	7.7	12.9	19.2	28.4	29.2	42.2	52
1.3	1.3	2.0	2.9	4.1	5.4	9.1	13.3	20.5	34.8	36.9	56.1	53
0.3	1.2	1.2	2.7	3.3	4.3	6.4	12.6	18.1	23.6	24.0	34.0	54
6.9	13.7	23.6	35.5	41.8	49.5	52.4	49.7	40.5	32.7	24.8	18.5	55
9.0	18.2	30.7	48.0	56.8	68.3	75.0	77.6	63.0	50.2	41.0	28.4	56
4.8	9.5	16.7	23.7	27.9	32.4	32.6	27.5	24.1	21.2	15.4	13.6	57
4.2	9.8	19.1	31.0	38.8	47.4	51.9	50.7	41.5	33.3	25.6	19.3	58
5.8	13.1	25.2	42.5	52.8	65.6	74.4	79.3	65.0	51.7	42.4	30.2	59
2.7	6.6	13.1	20.1	25.7	30.8	32.2	28.0	24.4	21.5	16.0	14.0	60
25.3	41.2	55.4	70.8	68.3	69.8	56.9	40.5	30.5	25.2	15.8	9.7	61
33.5	57.0	73.2	93.8	93.4	95.1	81.0	62.7	42.0	34.8	26.2	12.3	62
18.3	28.2	40.6	50.8	46.5	48.0	36.1	23.1	20.8	17.8	8.8	8.2	63
0.2	0.2	0.3	0.6	0.9	1.4	2.4	4.2	7.9	13.2	22.5	38.5	64
0.1	0.2	0.3	0.5	0.9	1.3	2.8	4.9	9.1	15.7	25.6	36.2	65
0.2	0.3	0.3	0.7	0.8	1.4	2.0	3.6	7.0	11.6	20.8	39.6	66
0.1	0.2	0.3	0.5	0.8	1.3	2.4	4.3	7.8	13.4	23.3	40.3	67
0.1	0.1	0.2	0.4	0.9	1.1	2.9	5.1	9.3	15.9	27.1	37.9	68
0.2	0.2	0.3	0.6	0.7	1.5	2.0	3.6	6.7	11.8	21.1	41.4	69
0.3	0.6	0.7	0.9	1.2	1.9	2.1	3.6	8.8	11.1	13.9	20.1	70
0.1	0.5	0.6	1.0	1.0	2.7	2.4	3.5	6.8	14.4	9.5	21.1	71
0.4	0.8	0.8	0.8	1.4	1.2	1.9	3.7	10.4	8.6	16.8	19.6	72
0.8	1.3	2.0	2.9	3.9	5.8	9.0	11.8	18.3	27.1	38.1	55.8	73
0.9	1.4	2.3	3.0	4.4	6.6	9.9	14.8	23.9	38.4	53.9	81.3	74
0.6	1.1	1.8	2.7	3.5	5.0	8.3	9.4	14.2	19.7	28.9	43.2	75
0.5	0.8	1.3	1.8	2.6	4.0	6.9	9.5	14.7	24.0	35.8	53.4	76
0.7	1.0	1.5	2.2	3.0	4.8	7.9	12.2	20.1	34.0	51.1	77.3	77
0.4	0.7	1.0	1.5	2.2	3.3	6.0	7.3	10.9	17.6	27.1	41.7	78
2.5	4.4	7.5	11.2	15.6	22.8	29.1	32.4	57.5	63.1	63.6	81.2	79
3.1	5.2	8.2	10.1	17.3	24.7	29.1	37.9	62.6	85.6	82.1	117.5	80
2.0	3.7	6.9	12.0	14.2	21.2	29.1	28.1	53.1	46.0	51.2	59.8	81

SECTION 1 - GENERAL MORTALITY

Table 1-8..Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
NEPHRITIS AND NEPHROSIS—CON.									
1	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	0.7	0.6	0.1	0.0	0.0	0.1	0.1	0.1
2	MALE	0.8	0.7	0.1	0.0	0.0	0.1	0.1	0.1
3	FEMALE	0.6	0.5	0.1	0.1	0.1	0.0	0.0	0.1
4	WHITE	0.7	0.5	0.1	0.0	0.0	0.1	0.0	0.1
5	MALE	0.8	0.4	0.1	0.0	0.0	0.1	0.0	0.1
6	FEMALE	0.6	0.6	0.0	0.1	0.0	0.0	0.0	0.0
7	ALL OTHER	1.1	1.0	0.2	0.0	0.1	0.1	0.3	0.3
8	MALE	1.2	2.0	0.2	—	—	0.1	0.6	0.3
9	FEMALE	0.9	—	0.2	0.1	0.2	0.1	0.1	0.3
10	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	3.1	0.1	0.1	0.1	0.1	0.2	0.5	0.5
11	MALE	3.4	0.1	0.1	0.1	0.1	0.2	0.6	0.7
12	FEMALE	2.8	0.2	0.0	0.1	0.1	0.2	0.4	0.4
13	WHITE	2.5	0.1	0.0	0.1	0.1	0.1	0.3	0.3
14	MALE	2.8	0.1	0.1	0.1	0.1	0.2	0.4	0.4
15	FEMALE	2.3	0.2	0.0	0.0	0.1	0.1	0.2	0.3
16	ALL OTHER	6.9	0.2	0.1	0.3	0.2	0.6	1.7	1.9
17	MALE	7.3	—	0.3	0.3	0.2	0.8	1.9	2.6
18	FEMALE	6.4	0.4	—	0.2	0.3	0.5	1.5	1.3
19	INFECTIONS OF KIDNEY—590	2.6	0.3	0.0	0.0	0.0	0.1	0.1	0.2
20	MALE	2.2	0.3	0.1	—	0.0	0.0	0.1	0.1
21	FEMALE	2.9	0.3	—	0.0	0.0	0.1	0.1	0.2
22	WHITE	2.5	0.2	0.0	0.0	0.0	0.1	0.1	0.1
23	MALE	2.2	0.2	0.0	—	0.0	0.0	0.1	0.1
24	FEMALE	2.9	0.3	—	0.0	0.1	0.1	0.1	0.1
25	ALL OTHER	3.0	0.8	0.1	—	—	0.1	0.1	0.4
26	MALE	2.7	1.2	0.2	—	—	—	0.1	0.2
27	FEMALE	3.2	0.4	—	—	—	0.2	0.1	0.6
28	HYPERPLASIA OF PROSTATE—600	0.7	—	—	—	—	—	—	—
29	MALE	1.3	—	—	—	—	—	—	—
30	WHITE	0.7	—	—	—	—	—	—	—
31	MALE	1.3	—	—	—	—	—	—	—
32	ALL OTHER	0.6	—	—	—	—	—	—	—
33	MALE	1.3	—	—	—	—	—	—	—
34	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	0.2	—	—	—	0.0	0.3	0.6	0.7
35	FEMALE	0.4	—	—	—	0.0	0.7	1.2	1.4
36	WHITE	0.1	—	—	—	—	0.2	0.4	0.5
37	FEMALE	0.3	—	—	—	—	0.3	0.7	1.0
38	ALL OTHER	0.8	—	—	—	0.1	1.2	2.2	2.3
39	FEMALE	1.4	—	—	—	0.1	2.4	4.1	4.3
40	ABORTIONS—640-645	0.0	—	—	—	—	0.0	0.0	0.0
41	FEMALE	0.0	—	—	—	—	0.1	0.1	0.1
42	WHITE	0.0	—	—	—	—	0.0	0.0	0.0
43	FEMALE	0.0	—	—	—	—	0.0	0.0	0.0
44	ALL OTHER	0.1	—	—	—	—	0.1	0.1	0.3
45	FEMALE	0.1	—	—	—	—	0.2	0.2	0.6
46	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639, 650-678	0.2	—	—	—	0.0	0.3	0.6	0.7
47	FEMALE	0.4	—	—	—	0.0	0.6	1.1	1.3
48	WHITE	0.1	—	—	—	—	0.2	0.3	0.5
49	FEMALE	0.3	—	—	—	—	0.3	0.7	1.0
50	ALL OTHER	0.7	—	—	—	0.1	1.1	2.0	2.0
51	FEMALE	1.3	—	—	—	0.1	2.2	3.9	3.7
52	CONGENITAL ANOMALIES—740-759	6.4	286.3	9.0	2.7	1.6	1.8	1.5	1.6
53	MALE	7.1	308.7	9.1	2.8	1.6	2.0	1.7	1.8
54	FEMALE	5.7	262.9	8.8	2.6	1.7	1.6	1.4	1.3
55	WHITE	6.2	283.7	8.7	2.8	1.7	1.8	1.5	1.5
56	MALE	6.8	304.2	8.9	2.8	1.6	2.0	1.6	1.6
57	FEMALE	5.5	262.4	8.6	2.7	1.7	1.6	1.4	1.3
58	ALL OTHER	8.1	299.4	10.0	2.6	1.5	1.8	1.8	2.1
59	MALE	9.4	331.7	10.3	2.7	1.4	2.4	2.1	3.0
60	FEMALE	6.9	265.0	9.7	2.4	1.6	1.3	1.6	1.3
61	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769, 2,769, 4-772, 774-778	13.6	955.2	0.1	0.0	0.0	0.0	0.0	—
62	MALE	16.2	1,083.9	0.1	0.0	—	0.0	0.0	—
63	FEMALE	11.1	820.2	0.0	—	0.0	—	—	—
64	WHITE	11.3	829.9	0.1	0.0	0.0	0.0	0.0	—
65	MALE	13.7	954.5	0.2	0.0	—	—	0.0	—
66	FEMALE	9.1	699.3	0.0	—	0.0	—	—	—
67	ALL OTHER	29.0	1,587.7	0.1	—	—	0.0	0.0	—
68	MALE	33.9	1,744.4	—	—	—	—	—	—
69	FEMALE	24.6	1,420.7	0.2	—	—	0.1	0.1	—
70	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768, 772, 776	7.6	529.9	0.1	0.0	0.0	0.0	0.0	—
71	MALE	9.2	615.5	0.1	0.0	—	—	0.0	—
72	FEMALE	6.0	440.3	0.0	—	0.0	—	—	—
73	WHITE	6.4	471.7	0.1	0.0	0.0	—	0.0	—
74	MALE	8.0	556.2	0.1	0.0	—	—	0.0	—
75	FEMALE	5.0	383.2	0.0	—	0.0	—	—	—
76	ALL OTHER	15.1	823.5	0.0	—	—	—	—	—
77	MALE	17.8	917.9	—	—	—	0.0	—	—
78	FEMALE	12.5	723.6	0.1	—	—	—	—	—

¹FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION I - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1974—Con.
 numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.1	0.2	0.3	0.4	0.6	1.0	1.7	2.6	3.6	5.6	8.1	9.6	1
0.2	0.2	0.4	0.4	0.6	1.0	1.8	2.8	4.7	8.0	12.2	13.0	2
0.1	0.2	0.2	0.4	0.5	1.0	1.7	1.7	2.7	4.0	5.8	7.9	3
0.1	0.2	0.2	0.3	0.4	0.8	1.6	2.3	3.4	5.3	8.1	9.1	4
0.1	0.2	0.3	0.4	0.5	0.9	1.5	2.4	3.5	7.5	12.3	12.5	5
0.1	0.1	0.1	0.3	0.4	0.7	1.6	1.5	2.5	3.9	5.6	7.5	6
0.5	0.7	1.1	0.9	1.7	2.5	3.3	5.5	5.6	8.8	8.6	14.3	7
0.6	0.6	1.3	0.7	2.1	1.3	4.3	8.1	6.4	12.9	10.7	17.5	8
0.4	0.8	1.0	1.1	1.4	3.5	2.5	3.4	5.0	5.7	7.2	12.4	9
0.6	1.0	1.7	2.4	3.4	4.8	7.3	9.1	14.7	21.5	30.0	46.2	10
0.8	1.2	1.9	2.6	3.8	5.6	8.1	10.9	19.2	30.4	41.7	68.3	11
0.5	0.9	1.6	2.3	3.0	4.0	6.6	7.7	11.5	15.7	23.2	35.3	12
0.4	0.7	1.1	1.5	2.1	3.2	5.3	7.1	11.4	18.7	27.8	44.2	13
0.6	0.8	1.2	1.8	2.5	3.9	6.3	8.9	15.5	26.4	38.9	64.8	14
0.3	0.6	1.0	1.1	1.8	2.6	4.4	5.8	8.3	13.7	21.5	34.2	15
1.9	3.7	6.4	10.3	13.9	20.3	25.8	28.9	51.9	54.2	55.0	66.9	16
2.4	4.5	6.9	9.5	15.2	23.3	24.8	29.8	56.2	72.7	71.4	100.0	17
1.5	2.9	5.9	10.9	12.8	17.7	26.6	24.7	48.1	40.2	44.0	47.4	18
0.2	0.3	0.6	0.8	1.1	1.8	3.9	6.8	13.7	23.7	38.9	69.0	19
0.1	0.2	0.4	0.6	0.9	1.8	3.8	7.5	14.6	25.1	43.8	82.0	20
0.2	0.3	0.8	1.0	1.3	1.8	4.0	6.3	13.1	22.8	36.1	62.7	21
0.1	0.2	0.5	0.6	0.9	1.5	3.2	5.8	12.4	22.7	39.5	70.4	22
0.1	0.2	0.3	0.4	0.8	1.5	3.2	6.3	13.4	23.5	44.6	83.1	23
0.1	0.2	0.6	0.8	0.9	1.4	3.2	5.4	11.6	22.2	36.5	64.2	24
0.8	0.8	1.6	2.3	3.1	5.3	10.4	16.1	28.5	35.6	33.0	55.8	25
0.5	0.5	0.9	2.3	1.7	4.9	9.4	17.9	26.5	42.4	35.7	71.9	26
1.1	1.0	2.1	2.3	4.2	5.6	11.3	14.6	30.0	30.5	31.2	46.4	27
-	-	-	0.0	0.0	0.2	0.5	1.4	3.3	6.6	11.9	24.7	28
-	-	-	0.0	0.1	0.4	1.1	3.3	7.9	16.6	32.5	74.5	29
-	-	-	-	0.0	0.1	0.5	1.2	3.0	6.2	11.6	25.4	30
-	-	-	-	0.1	0.3	1.1	2.8	7.2	15.9	31.8	77.7	31
-	-	-	0.2	0.1	0.7	0.8	3.2	7.1	10.8	15.8	16.9	32
-	-	-	0.3	0.2	1.6	1.7	7.2	15.5	25.0	39.3	45.6	33
0.7	0.4	0.2	0.0	-	-	-	-	-	-	-	0.1	34
1.3	0.8	0.4	0.0	-	-	-	-	-	-	-	0.1	35
0.4	0.3	0.2	0.0	-	-	-	-	-	-	-	0.1	36
0.9	0.6	0.4	0.0	-	-	-	-	-	-	-	0.1	37
2.3	1.3	0.4	0.1	-	-	-	-	-	-	-	-	38
4.2	2.4	0.8	0.1	-	-	-	-	-	-	-	-	39
0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	40
0.1	0.0	0.0	-	-	-	-	-	-	-	-	-	41
0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	42
0.1	0.0	0.0	-	-	-	-	-	-	-	-	-	43
0.1	0.1	-	-	-	-	-	-	-	-	-	-	44
0.1	0.1	-	-	-	-	-	-	-	-	-	-	45
0.6	0.4	0.2	0.0	-	-	-	-	-	-	-	0.1	46
1.2	0.8	0.4	0.0	-	-	-	-	-	-	-	0.1	47
0.4	0.3	0.2	0.0	-	-	-	-	-	-	-	0.1	48
0.8	0.6	0.3	0.0	-	-	-	-	-	-	-	0.1	49
2.2	1.3	0.4	0.1	-	-	-	-	-	-	-	-	50
4.1	2.3	0.8	0.1	-	-	-	-	-	-	-	-	51
1.3	1.4	1.5	1.8	1.8	2.3	2.5	2.7	2.6	3.0	2.8	3.1	52
1.4	1.5	1.8	1.8	2.1	2.4	2.4	3.2	2.7	4.1	4.3	4.2	53
1.3	1.2	1.3	1.7	1.5	2.1	2.5	2.3	2.6	2.3	1.9	2.6	54
1.3	1.4	1.4	1.7	1.8	2.2	2.5	2.8	2.6	3.0	2.8	3.1	55
1.3	1.5	1.6	1.7	2.1	2.4	2.4	3.2	2.5	4.1	4.6	4.4	56
1.2	1.2	1.2	1.7	1.5	2.0	2.6	2.4	2.7	2.4	1.8	2.5	57
1.6	1.4	2.2	2.1	1.8	2.9	2.1	2.4	3.1	2.6	2.4	2.4	58
2.1	1.7	2.8	2.9	2.1	2.7	2.4	2.9	4.1	3.8	1.2	1.8	59
1.3	1.2	1.7	1.4	1.5	3.1	1.9	2.1	2.3	1.7	3.2	3.1	60
0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.1	0.0	0.0	-	61
-	0.1	0.0	0.0	-	0.0	0.0	0.0	0.2	0.1	-	-	62
0.0	-	-	-	-	0.0	0.0	0.0	0.1	-	0.1	-	63
0.0	0.0	-	0.0	-	0.0	0.0	0.0	0.1	0.0	-	-	64
-	0.1	-	0.0	-	0.0	0.0	-	-	0.1	-	-	65
0.0	-	-	-	-	0.0	-	0.0	0.1	-	-	-	66
-	-	0.1	-	-	-	-	-	0.8	-	0.5	-	67
-	-	0.2	-	-	-	-	-	1.8	-	-	-	68
-	-	-	-	-	-	-	-	-	-	0.8	-	69
-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.1	0.0	0.0	-	70
-	0.1	0.0	0.0	-	0.0	0.0	-	0.1	0.1	-	-	71
-	-	-	-	-	-	-	0.0	0.0	-	0.1	-	72
-	0.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	-	73
-	0.1	-	0.0	-	0.0	0.0	-	-	0.1	-	-	74
-	-	-	-	-	-	-	0.0	0.0	-	-	-	75
-	-	0.1	-	-	-	-	-	0.6	-	0.5	-	76
-	-	0.2	-	-	-	-	-	1.4	-	-	-	77
-	-	-	-	-	-	-	-	-	-	0.8	-	78

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--CON.									
1	OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	6.1	425.2	0.0	0.0	-	0.0	0.0	-
2	MALE-----	7.0	468.5	0.0	0.0	-	-	0.0	-
3	FEMALE-----	5.2	380.0	0.0	-	-	0.0	-	-
4	WHITE-----	4.9	358.1	0.0	0.0	-	0.0	0.0	-
5	MALE-----	5.7	398.3	0.0	0.0	-	-	0.0	-
6	FEMALE-----	4.1	316.1	-	-	-	0.0	-	-
7	ALL OTHER-----	14.0	764.2	0.0	-	-	-	0.0	-
8	MALE-----	16.0	826.6	-	-	-	-	0.1	-
9	FEMALE-----	12.1	697.2	0.1	-	-	-	-	-
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796									
10	MALE-----	14.7	156.4	2.9	0.6	0.8	3.3	5.7	5.2
11	FEMALE-----	17.9	181.7	3.2	0.7	1.0	4.5	8.4	7.3
12	WHITE-----	11.7	129.8	2.5	0.5	0.7	2.0	3.0	3.2
13	MALE-----	12.0	120.5	2.1	0.5	0.7	2.8	4.5	3.8
14	FEMALE-----	14.6	146.0	2.2	0.6	0.9	3.7	6.7	5.3
15	ALL OTHER-----	9.5	93.8	2.0	0.4	0.6	1.8	2.3	2.2
16	MALE-----	33.4	337.2	6.7	1.5	1.3	6.3	13.1	15.5
17	FEMALE-----	41.0	363.9	8.1	1.7	1.6	9.1	19.7	22.5
18	ALL OTHER-----	26.4	308.5	5.2	1.2	1.0	3.5	7.0	9.4
ALL OTHER DISEASES-----RESIDUAL									
19	MALE-----	56.0	63.6	7.9	4.1	4.2	6.6	10.2	11.6
20	FEMALE-----	64.7	72.9	8.3	4.5	4.5	8.2	12.8	13.3
21	WHITE-----	47.7	53.8	7.4	3.7	3.8	5.0	7.6	9.9
22	MALE-----	55.2	55.1	7.6	4.1	4.1	6.2	8.4	9.1
23	FEMALE-----	63.5	63.5	8.0	4.4	4.5	7.9	10.7	10.3
24	ALL OTHER-----	47.4	46.3	7.2	3.8	3.8	4.3	6.2	7.9
25	MALE-----	61.3	106.2	9.3	4.0	4.3	9.2	21.5	29.5
26	FEMALE-----	73.3	120.6	10.1	4.6	4.6	9.9	27.2	37.2
27	ALL OTHER-----	50.2	91.1	8.6	3.3	4.0	8.5	16.3	23.0
ACCIDENTS-----E800-E949									
28	MALE-----	49.5	48.3	29.2	17.8	18.9	60.1	63.3	48.6
29	FEMALE-----	71.1	53.5	34.7	23.2	26.7	93.9	105.0	79.9
30	WHITE-----	29.0	42.9	23.4	12.2	10.8	25.5	22.1	17.8
31	MALE-----	48.5	41.2	27.1	16.1	18.5	63.0	63.0	46.5
32	FEMALE-----	69.1	45.7	32.8	21.0	25.9	97.9	104.3	76.5
33	ALL OTHER-----	28.9	36.5	21.1	11.0	10.7	27.1	21.7	16.5
34	MALE-----	56.0	84.3	39.7	26.2	21.0	43.5	65.0	63.0
35	FEMALE-----	85.3	93.3	44.5	34.4	31.0	70.4	109.9	106.1
36	ALL OTHER-----	29.3	74.8	35.0	18.0	10.9	16.8	24.4	26.2
MOTOR VEHICLE ACCIDENTS-----E810-E823									
37	MALE-----	22.0	7.5	9.9	8.8	8.6	40.5	40.5	28.1
38	FEMALE-----	33.2	6.6	10.8	10.9	11.1	61.1	66.2	45.4
39	WHITE-----	11.3	8.3	9.1	6.6	6.0	19.4	15.2	11.2
40	MALE-----	21.9	7.5	9.4	8.0	8.9	43.8	41.7	27.7
41	FEMALE-----	33.0	6.8	10.2	9.8	11.3	65.8	67.6	44.5
42	ALL OTHER-----	11.4	8.3	8.5	6.0	6.3	21.2	15.7	11.0
43	MALE-----	22.0	7.0	12.6	13.1	7.3	21.1	33.4	30.8
44	FEMALE-----	34.5	6.0	13.7	16.6	10.2	33.2	56.6	52.0
45	ALL OTHER-----	10.6	8.1	11.6	9.7	4.4	9.2	12.5	12.7
ALL OTHER ACCIDENTS-----E800-E807, E825-E949									
46	MALE-----	27.5	40.9	19.3	9.0	10.3	19.7	22.8	20.4
47	FEMALE-----	38.0	46.9	23.9	12.3	15.5	32.0	38.9	34.5
48	WHITE-----	17.7	34.6	14.4	5.5	4.8	6.2	6.8	6.6
49	MALE-----	26.6	33.7	17.7	8.2	9.6	19.2	21.4	18.8
50	FEMALE-----	36.1	39.0	22.6	11.2	14.6	32.1	36.7	32.0
51	ALL OTHER-----	17.5	28.2	12.5	5.0	4.5	5.9	6.0	5.6
52	MALE-----	34.0	77.3	27.1	13.1	13.7	22.4	31.5	32.2
53	FEMALE-----	50.7	87.3	30.7	17.9	20.7	37.2	53.3	54.1
54	ALL OTHER-----	18.7	66.7	23.5	8.3	6.5	7.6	11.8	13.5
SUICIDE-----E950-E959									
55	MALE-----	12.1	0.0	0.9	7.2	15.1	15.9
56	FEMALE-----	18.1	-	1.4	11.0	24.1	23.8
57	WHITE-----	6.5	0.0	0.4	3.2	6.2	8.1
58	MALE-----	13.0	0.0	1.0	7.6	15.5	16.1
59	FEMALE-----	19.2	-	1.5	11.9	24.5	23.8
60	ALL OTHER-----	7.1	0.0	0.4	3.3	6.4	8.4
61	MALE-----	6.5	-	0.6	4.5	12.8	14.2
62	FEMALE-----	10.2	-	0.7	6.2	21.3	24.0
63	ALL OTHER-----	3.0	-	0.4	2.8	5.0	5.9
HOMICIDE-----E960-E978									
64	MALE-----	10.2	5.5	2.2	0.8	1.3	9.7	19.2	19.7
65	FEMALE-----	16.3	5.1	2.4	0.8	1.6	14.5	30.7	32.1
66	WHITE-----	4.4	6.0	2.0	0.7	0.9	4.8	7.8	7.6
67	MALE-----	5.8	3.7	1.5	0.6	0.9	5.5	10.0	10.3
68	FEMALE-----	8.9	3.7	1.7	0.7	1.2	7.7	15.5	16.3
69	ALL OTHER-----	2.8	3.7	1.4	0.5	0.6	3.2	4.4	4.3
70	MALE-----	39.7	14.9	5.7	1.6	3.1	34.0	77.3	87.0
71	FEMALE-----	67.2	12.3	6.0	1.6	4.0	54.2	131.7	154.3
72	ALL OTHER-----	14.5	17.5	5.4	1.7	2.3	14.0	28.2	29.4
OTHER EXTERNAL CAUSES-----E980-E999									
73	MALE-----	2.4	3.6	1.3	0.3	0.4	2.0	3.6	3.3
74	FEMALE-----	3.5	3.8	1.3	0.4	0.7	3.0	5.7	4.9
75	WHITE-----	1.5	3.4	1.2	0.2	0.2	0.9	1.6	1.8
76	MALE-----	2.1	2.8	0.8	0.2	0.4	1.7	3.1	2.7
77	FEMALE-----	2.9	3.0	1.0	0.3	0.6	2.5	5.0	3.8
78	ALL OTHER-----	1.3	2.6	0.7	0.1	0.1	0.8	1.1	1.5
79	MALE-----	4.9	7.6	3.4	0.8	0.8	3.5	7.2	7.9
80	FEMALE-----	7.4	7.9	3.1	1.0	1.2	5.4	10.6	13.0
81	ALL OTHER-----	2.7	7.3	3.6	0.6	0.3	1.6	4.0	3.6

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER
0.0	-	-	-	-	0.0	-	-	0.1	-	-	1
0.0	-	-	-	-	-	-	-	0.0	-	-	2
0.0	-	-	-	-	0.0	-	-	0.1	-	-	3
0.0	-	-	-	-	-	-	-	0.0	-	-	4
0.0	-	-	-	-	0.0	-	-	-	-	-	5
-	-	-	-	-	-	-	-	0.1	-	-	6
-	-	-	-	-	-	-	-	0.2	-	-	7
-	-	-	-	-	-	-	-	0.5	-	-	8
-	-	-	-	-	-	-	-	-	-	-	9
5.3	6.8	9.1	11.3	14.1	18.2	27.4	33.1	45.7	60.3	84.5	194.7
6.9	8.5	11.0	14.9	19.3	26.3	38.2	49.1	64.0	81.4	115.4	228.2
3.8	5.3	7.3	9.2	10.8	17.9	20.3	26.9	34.5	46.6	56.7	178.3
3.7	4.8	6.3	8.6	11.2	14.8	21.9	26.9	34.5	50.2	72.4	168.3
4.7	5.7	7.5	11.1	15.7	21.7	31.8	40.7	49.1	68.1	98.2	195.2
2.7	3.8	5.1	6.2	6.9	8.5	13.3	16.0	24.0	38.6	57.8	155.2
16.5	21.3	29.3	33.0	39.3	50.8	77.8	88.0	167.4	181.0	223.4	468.8
23.2	29.5	38.5	47.0	52.0	72.0	98.1	124.9	212.8	223.5	294.0	529.8
10.7	14.6	21.8	20.8	28.4	32.4	60.2	59.1	128.5	148.9	176.0	433.0
14.4	20.1	30.2	40.9	58.5	83.9	125.4	179.1	263.7	377.6	494.5	700.9
16.6	23.1	36.4	47.8	70.4	105.1	165.1	246.6	366.2	535.5	694.2	912.5
12.3	17.2	26.2	34.5	47.5	64.6	90.6	125.3	188.6	274.6	379.2	596.7
10.7	15.0	23.9	34.8	51.7	77.8	119.7	175.5	256.7	375.3	502.0	719.6
11.9	16.7	26.9	40.0	62.0	96.8	158.2	243.8	361.3	535.6	710.6	936.0
9.5	13.4	20.9	29.9	42.1	60.5	85.8	121.2	180.9	272.1	383.2	614.4
40.5	55.7	75.0	89.7	116.7	142.9	178.0	210.4	341.2	404.9	408.1	511.7
52.4	72.2	92.0	112.8	144.9	187.9	229.1	272.3	414.2	534.1	525.0	698.2
30.4	42.1	60.9	69.7	92.3	103.9	133.8	162.1	278.5	306.9	329.6	402.1
41.6	39.1	40.9	43.3	43.6	48.7	53.9	60.6	80.3	120.8	181.7	360.3
67.5	63.2	63.7	66.8	66.5	73.4	80.1	89.2	113.5	159.2	230.6	420.5
16.4	16.4	19.3	21.2	22.5	26.2	31.0	37.8	55.9	95.8	153.5	330.9
38.9	36.1	37.5	39.7	40.6	45.5	51.0	58.2	76.6	121.0	186.4	373.9
42.7	58.0	57.7	60.9	61.1	67.7	75.3	84.4	107.7	159.2	236.0	437.7
15.3	15.0	17.9	19.7	21.5	25.2	29.7	37.3	54.0	96.5	158.2	342.9
60.2	60.4	65.5	71.8	69.7	79.7	81.0	82.0	120.7	118.6	127.8	222.1
103.6	102.8	110.0	116.7	114.5	130.3	125.0	133.2	171.2	159.1	175.0	263.2
23.5	25.5	28.4	32.9	30.6	35.9	43.1	41.8	77.7	87.9	96.0	197.9
22.0	19.3	18.8	18.6	18.0	18.8	20.3	20.5	25.7	31.7	31.4	26.8
35.2	30.8	28.9	28.9	26.9	27.4	30.1	30.0	38.3	47.6	52.8	55.3
9.3	8.4	9.5	9.0	9.7	10.9	11.6	12.8	16.6	21.3	19.1	12.8
21.2	18.2	17.9	17.9	17.7	19.5	19.5	19.9	24.5	31.8	31.7	26.8
33.7	28.9	26.7	27.5	24.9	25.5	28.6	28.3	35.7	47.6	53.0	55.6
8.8	7.9	9.3	8.8	9.5	10.6	11.4	13.2	16.3	21.7	19.4	12.8
27.7	26.7	25.0	26.6	26.5	29.3	27.6	25.2	39.7	30.1	27.8	27.3
46.4	45.5	42.4	41.1	44.2	46.4	44.2	45.4	63.9	47.7	51.2	52.6
11.9	11.3	10.5	10.3	11.0	14.6	13.2	9.4	19.2	16.7	12.0	12.4
19.5	19.9	22.2	24.7	25.7	29.9	33.7	40.1	54.5	89.2	150.3	333.5
32.3	32.4	35.2	37.9	39.6	45.9	50.0	59.2	75.2	111.6	177.8	365.2
7.1	9.0	9.3	12.2	12.8	15.3	19.4	24.9	39.3	74.5	134.4	318.1
17.7	17.9	19.6	21.8	23.7	27.8	31.5	38.3	52.1	89.2	154.7	347.1
29.0	29.1	30.9	33.4	36.2	42.2	46.7	56.0	72.0	111.6	183.0	382.1
6.4	7.0	8.6	10.9	12.0	14.6	18.2	24.1	37.7	74.8	138.5	330.1
32.4	33.7	40.5	47.2	43.2	50.4	58.4	66.8	81.0	100.0	100.0	194.8
57.2	57.3	67.7	75.6	70.3	83.9	80.8	87.9	107.3	111.4	123.8	210.5
11.5	14.2	18.0	22.5	19.6	21.4	29.9	32.4	58.5	71.3	84.0	185.6
15.6	16.3	17.3	19.3	19.8	20.5	18.8	18.1	19.8	21.5	20.1	17.5
22.6	23.1	22.5	25.8	27.3	30.7	29.7	30.5	36.4	42.5	45.2	45.2
8.7	9.8	12.4	13.2	12.8	11.2	9.3	8.3	7.6	7.7	5.7	3.8
15.9	17.3	18.4	20.9	21.1	21.7	20.1	19.3	20.9	22.4	21.3	18.6
22.8	24.1	23.5	27.7	28.9	32.4	31.7	32.2	38.7	44.6	48.3	48.5
9.0	10.7	13.5	14.4	13.9	12.0	10.0	8.9	8.0	8.2	6.0	4.0
13.6	9.4	9.7	7.0	8.4	8.3	6.9	7.9	7.7	9.8	6.7	6.5
21.5	15.9	15.2	10.3	13.6	13.9	11.1	15.3	13.2	19.7	13.1	15.8
6.8	4.0	5.1	4.1	3.9	3.5	3.3	2.1	3.1	2.3	2.4	1.0
18.7	17.7	15.2	12.5	10.9	8.2	7.7	5.8	5.9	5.7	4.6	4.2
30.5	29.2	24.7	21.3	18.3	13.7	13.1	9.7	9.2	9.0	7.0	6.2
7.3	6.8	6.1	4.2	4.1	3.1	3.0	2.8	3.5	3.6	3.3	3.3
9.8	9.5	8.4	7.3	6.2	5.0	5.1	4.1	4.2	4.6	4.3	3.7
15.3	15.1	13.2	11.8	9.9	8.0	8.2	6.2	6.2	7.1	6.0	5.4
4.4	4.1	3.7	2.9	2.7	2.3	2.4	2.4	2.7	2.9	3.3	2.9
80.4	75.3	63.5	54.3	51.9	38.7	31.9	21.4	24.5	19.3	8.6	9.7
144.5	137.5	113.3	100.3	93.1	70.9	59.4	41.3	38.8	28.8	17.9	14.0
26.2	24.2	21.9	14.4	16.0	10.9	8.2	5.7	12.3	12.1	2.4	7.2
3.0	3.3	3.4	3.3	3.0	2.9	2.8	2.8	2.8	2.7	2.8	3.7
4.2	4.8	4.6	4.3	4.1	4.1	4.1	4.5	4.1	3.9	4.6	6.9
1.9	2.0	2.3	2.4	1.9	1.8	1.7	1.5	1.8	2.0	1.7	2.1
2.4	2.6	2.7	3.0	2.6	2.5	2.6	2.5	2.5	2.4	2.8	3.6
3.3	3.6	3.4	3.8	3.5	3.5	3.6	3.7	3.8	3.4	4.8	6.5
1.6	1.7	2.0	2.4	1.9	1.7	1.7	1.5	1.6	1.8	1.6	2.2
7.0	8.4	5.5	5.5	6.0	6.1	5.3	6.0	6.2	2.9	2.9	4.5
11.2	14.1	14.1	8.5	9.8	10.1	9.1	11.3	7.8	9.1	2.4	10.5
3.5	3.7	4.5	3.0	2.7	2.7	2.1	1.8	4.2	4.0	3.2	1.0

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1	ALL CAUSES	915.1	1,755.7	73.9	38.2	121.7
2						
3	MALE	1,041.0	1,970.4	82.3	46.9	181.3
4	FEMALE	795.6	1,530.7	65.2	29.1	61.7
5	WHITE	921.9	1,524.5	67.1	36.5	113.0
6	MALE	1,041.6	1,727.0	75.3	44.8	168.8
7	FEMALE	807.6	1,312.6	58.5	27.9	56.2
8	ALL OTHER	869.1	2,922.9	107.8	47.3	174.1
9	MALE	1,036.3	3,212.7	117.5	58.7	259.0
	FEMALE	716.3	2,614.2	98.2	35.8	93.4
10	BACILLARY DYSENTERY AND AMEBIASIS—004,006	0.0	0.2	0.0	0.0	0.0
11	MALE	0.0	0.3	0.0	0.0	0.0
12	FEMALE	0.0	—	0.0	0.0	0.0
13	WHITE	0.0	0.2	0.0	0.0	0.0
14	MALE	0.0	0.3	0.0	0.0	0.0
15	FEMALE	0.0	—	—	0.0	—
16	ALL OTHER	0.0	0.2	0.1	0.0	0.0
17	MALE	0.0	0.4	0.1	—	—
18	FEMALE	0.0	—	0.2	0.1	0.0
19	ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	1.1	22.7	0.8	0.1	0.1
20	MALE	1.0	25.4	0.8	0.1	0.1
21	FEMALE	1.1	19.9	0.8	0.1	0.1
22	WHITE	1.0	15.8	0.7	0.1	0.1
23	MALE	0.9	18.0	0.8	0.1	0.1
24	FEMALE	1.0	13.4	0.6	0.1	0.1
25	ALL OTHER	1.8	57.5	1.4	0.1	0.1
26	MALE	1.8	62.7	1.1	0.2	0.1
27	FEMALE	1.7	52.0	1.7	0.1	0.1
28	TUBERCULOSIS, ALL FORMS—010-019	1.7	0.4	0.1	0.0	0.1
29	MALE	2.4	0.4	0.1	0.0	0.1
30	FEMALE	1.0	0.3	0.1	0.0	0.1
31	WHITE	1.3	0.3	0.0	0.0	0.0
32	MALE	1.8	0.3	0.0	0.0	0.0
33	FEMALE	0.8	0.3	0.1	0.0	0.1
34	ALL OTHER	4.1	0.6	0.4	0.1	0.4
35	MALE	6.0	0.8	0.4	0.1	0.3
36	FEMALE	2.3	0.4	0.3	0.1	0.4
37	TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	1.3	0.2	0.0	0.0	0.1
38	MALE	1.9	0.2	0.0	—	0.1
39	FEMALE	0.7	0.2	0.0	0.0	0.1
40	WHITE	1.0	0.2	—	—	0.0
41	MALE	1.5	0.2	—	—	0.0
42	FEMALE	0.6	0.2	—	—	0.0
43	ALL OTHER	3.2	0.2	0.1	0.0	0.3
44	MALE	4.9	0.4	0.1	—	0.2
45	FEMALE	1.7	—	0.1	0.0	0.3
46	TUBERCULOSIS, OTHER FORMS—013-019	0.3	0.2	0.1	0.0	0.0
47	MALE	0.4	0.2	0.1	0.0	0.0
48	FEMALE	0.3	0.1	0.1	0.0	0.0
49	WHITE	0.3	0.1	0.0	0.0	0.0
50	MALE	0.3	0.2	0.0	0.0	0.0
51	FEMALE	0.2	0.1	0.1	0.0	0.0
52	ALL OTHER	0.9	0.4	0.3	0.0	0.1
53	MALE	1.2	0.4	0.4	0.1	0.1
54	FEMALE	0.6	0.4	0.2	0.0	0.1
55	WHOOPING COUGH—033	0.0	0.4	0.0	—	—
56	MALE	0.0	0.3	—	—	—
57	FEMALE	0.0	0.6	0.0	—	—
58	WHITE	0.0	0.4	—	—	—
59	MALE	0.0	0.3	—	—	—
60	FEMALE	0.0	0.6	—	—	—
61	ALL OTHER	0.0	0.4	0.0	—	—
62	MALE	—	—	—	—	—
63	FEMALE	0.0	0.8	0.1	—	—
64	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	0.0	0.0	0.0	0.0	0.0
65	MALE	0.0	0.1	0.0	0.0	0.0
66	FEMALE	0.0	—	0.0	—	—
67	WHITE	0.0	0.0	0.0	0.0	0.0
68	MALE	0.0	0.1	—	0.0	0.0
69	FEMALE	0.0	—	0.0	—	—
70	ALL OTHER	0.0	—	0.0	—	0.0
71	MALE	0.0	—	0.1	—	0.0
72	FEMALE	0.0	—	—	—	—
73	MENINGOCOCCAL INFECTIONS—036	0.1	1.6	0.6	0.1	0.1
74	MALE	0.2	1.8	0.7	0.2	0.1
75	FEMALE	0.1	1.3	0.6	0.1	0.1
76	WHITE	0.1	1.4	0.6	0.1	0.1
77	MALE	0.1	1.5	0.6	0.1	0.1
78	FEMALE	0.1	1.2	0.6	0.1	0.1
79	ALL OTHER	0.3	2.6	0.9	0.3	0.2
80	MALE	0.4	3.6	1.0	0.4	0.3
81	FEMALE	0.2	1.6	0.7	0.3	0.1

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1974

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
146.8	278.6	675.0	1,549.2	3,327.6	7,654.8	16,532.8	1
205.1	358.5	890.5	2,111.9	4,584.8	9,786.9	18,875.7	2
89.9	202.7	473.7	1,045.8	2,361.0	6,329.5	15,387.6	3
122.9	237.6	617.4	1,471.6	3,231.0	7,703.9	17,055.6	4
170.6	305.1	820.3	2,026.1	4,509.6	9,903.1	19,543.7	5
75.5	172.1	426.4	973.6	2,252.5	6,354.6	15,845.4	6
314.4	568.4	1,153.3	2,285.1	4,266.9	7,080.8	11,245.5	7
467.8	768.7	1,499.7	2,942.3	5,285.0	8,555.6	12,782.5	8
184.0	402.8	852.2	1,716.3	3,442.8	6,015.4	10,342.3	9
0.0	0.0	0.0	0.0	0.1	0.1	0.2	10
0.0	0.0	0.0	0.0	0.1	0.2	0.2	11
0.0	-	-	0.0	0.0	0.1	0.2	12
0.0	0.0	0.0	0.0	0.1	0.1	0.2	13
0.0	0.0	0.0	0.0	0.2	0.1	0.2	14
0.0	-	-	0.0	0.0	0.1	0.2	15
0.0	-	0.1	0.1	-	0.4	-	16
-	-	0.2	0.1	0.1	0.5	-	17
0.1	-	-	-	-	0.3	-	18
0.1	0.3	0.4	0.8	2.1	6.9	18.2	19
0.1	0.2	0.3	0.8	2.3	6.7	17.5	20
0.1	0.3	0.4	0.9	2.0	7.0	18.5	21
0.1	0.2	0.3	0.8	2.1	6.9	19.3	22
0.1	0.2	0.3	0.7	2.2	6.8	18.7	23
0.1	0.3	0.3	0.8	1.9	7.0	19.6	24
0.2	0.5	0.7	1.5	2.9	6.6	6.5	25
0.2	0.4	0.3	1.3	3.0	6.5	7.0	26
0.2	0.6	1.0	1.7	2.7	6.7	6.2	27
0.4	1.0	2.1	3.9	6.6	10.4	15.5	28
0.5	1.4	3.2	6.2	10.8	17.7	27.0	29
0.3	0.6	1.0	1.9	3.4	5.9	9.8	30
0.1	0.4	1.4	2.9	5.6	9.1	14.0	31
0.1	0.6	2.1	4.6	8.9	15.7	23.8	32
0.1	0.3	0.7	1.3	3.0	5.0	9.3	33
2.4	4.9	7.9	13.9	17.1	25.8	30.5	34
3.4	7.4	12.8	21.7	28.8	38.9	56.1	35
1.5	2.9	3.7	7.1	7.6	16.4	15.5	36
0.3	0.8	1.6	3.1	5.2	8.3	13.1	37
0.4	1.1	2.6	5.1	8.8	14.6	23.2	38
0.3	0.5	0.7	1.3	2.4	4.4	8.1	39
0.1	0.4	1.0	2.2	4.4	7.2	11.9	40
0.1	0.6	1.6	3.7	7.3	13.0	20.4	41
0.1	0.2	0.5	0.9	2.2	3.7	7.8	42
1.8	3.8	6.4	11.4	13.2	21.0	25.3	43
2.5	5.6	10.6	18.4	23.2	31.9	49.1	44
1.3	2.2	2.8	5.3	5.2	13.0	11.3	45
0.1	0.2	0.4	0.8	1.4	2.1	2.4	46
0.1	0.2	0.6	1.2	2.0	3.1	3.8	47
0.1	0.1	0.3	0.6	1.0	1.5	1.7	48
0.0	0.1	0.3	0.7	1.2	1.9	2.1	49
0.0	0.1	0.4	0.9	1.7	2.8	3.5	50
0.0	0.0	0.2	0.4	0.8	1.3	1.5	51
0.5	1.2	1.4	2.5	3.9	4.9	5.2	52
0.8	1.7	2.2	3.2	5.7	6.9	7.0	53
0.3	0.7	0.8	1.8	2.4	3.3	4.1	54
-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	63
0.0	0.0	0.0	0.0	0.0	0.0	0.1	64
-	0.0	0.0	0.0	0.0	0.0	0.2	65
0.0	0.0	-	0.0	-	0.0	-	66
0.0	0.0	0.0	0.0	0.0	0.0	0.1	67
-	0.0	0.0	0.0	0.0	0.0	0.2	68
0.0	-	-	0.0	-	-	-	69
-	0.0	-	-	-	0.2	-	70
-	-	-	-	-	-	-	71
-	0.1	-	-	-	0.3	-	72
0.0	0.0	0.1	0.1	0.1	0.2	0.1	73
0.1	0.0	0.1	0.1	0.1	0.2	-	74
0.0	0.0	0.1	0.0	0.1	0.2	0.1	75
0.0	0.0	0.1	0.1	0.1	0.2	0.1	76
0.0	0.0	0.1	0.1	0.1	0.2	-	77
0.0	0.0	0.1	0.1	0.1	0.2	0.1	78
0.1	0.1	0.2	0.2	0.1	-	-	79
0.2	0.2	0.1	0.3	-	-	-	80
-	-	0.2	-	0.1	-	-	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1	SEPTICEMIA-----038	2.5	30.3	0.5	0.2	0.2
2	MALE	2.8	34.2	0.6	0.2	0.2
3	FEMALE	2.2	26.2	0.4	0.1	0.2
4	WHITE	2.2	24.7	0.4	0.1	0.2
5	MALE	2.5	28.3	0.4	0.1	0.1
6	FEMALE	2.0	20.9	0.3	0.2	0.2
7	ALL OTHER	4.2	56.4	1.0	0.3	0.4
8	MALE	4.9	64.3	1.2	0.5	0.4
9	FEMALE	3.6	52.0	0.8	0.1	0.5
10	ACUTE POLIOMYELITIS-----040-043	0.0	-	-	-	-
11	MALE	0.0	-	-	-	-
12	FEMALE	0.0	-	-	-	-
13	WHITE	0.0	-	-	-	-
14	MALE	0.0	-	-	-	-
15	FEMALE	0.0	-	-	-	-
16	ALL OTHER	0.0	-	-	-	-
17	MALE	0.0	-	-	-	-
18	FEMALE	-	-	-	-	-
19	MEASLES-----055	0.0	0.1	0.1	0.0	0.0
20	MALE	0.0	-	0.1	0.0	0.0
21	FEMALE	0.0	0.2	0.0	0.0	-
22	WHITE	0.0	-	0.0	0.0	0.0
23	MALE	0.0	-	0.1	0.0	0.0
24	FEMALE	0.0	-	0.0	0.0	-
25	ALL OTHER	0.0	0.6	0.2	0.0	-
26	MALE	0.0	-	0.4	-	-
27	FEMALE	0.0	1.2	0.1	0.0	-
28	SYPHILIS AND ITS SEQUELAE-----090-097	0.1	0.2	-	-	0.0
29	MALE	0.2	0.2	-	-	0.0
30	FEMALE	0.1	0.3	-	-	-
31	WHITE	0.1	0.1	-	-	0.0
32	MALE	0.1	0.1	-	-	0.0
33	FEMALE	0.1	0.2	-	-	-
34	ALL OTHER	0.5	0.8	-	-	-
35	MALE	0.6	0.8	-	-	-
36	FEMALE	0.4	0.8	-	-	-
37	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.9	9.5	1.3	0.6	0.7
38	MALE	2.0	10.0	1.4	0.6	0.6
39	FEMALE	1.8	9.1	1.2	0.5	0.8
40	WHITE	1.7	8.9	1.2	0.6	0.6
41	MALE	1.8	9.1	1.3	0.6	0.6
42	FEMALE	1.6	8.8	1.1	0.6	0.6
43	ALL OTHER	2.9	12.7	1.8	0.4	1.1
44	MALE	2.9	14.7	1.8	0.6	0.6
45	FEMALE	2.9	10.6	1.8	0.3	1.5
46	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	170.5	3.8	5.9	5.2	6.9
47	MALE	191.1	4.1	6.4	5.9	8.4
48	FEMALE	191.0	3.5	5.4	4.5	5.4
49	WHITE	174.4	3.6	6.3	5.4	6.9
50	MALE	193.7	3.8	6.7	6.1	8.5
51	FEMALE	156.1	3.4	5.9	4.6	5.3
52	ALL OTHER	144.1	5.0	4.0	4.5	6.9
53	MALE	173.5	5.6	4.9	5.0	7.6
54	FEMALE	117.2	4.5	3.2	4.0	6.1
55	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.8	-	0.0	0.0	0.1
56	MALE	5.5	-	-	0.0	0.1
57	FEMALE	2.1	-	0.0	0.0	0.0
58	WHITE	3.8	-	0.0	0.0	0.1
59	MALE	5.5	-	-	0.0	0.1
60	FEMALE	2.2	-	0.0	0.0	0.0
61	ALL OTHER	3.6	-	-	0.0	0.1
62	MALE	5.5	-	-	-	0.2
63	FEMALE	1.8	-	-	0.0	0.1
64	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	46.8	0.3	0.2	0.1	0.3
65	MALE	50.8	0.3	0.2	0.1	0.4
66	FEMALE	43.0	0.3	0.2	0.1	0.3
67	WHITE	47.6	0.3	0.2	0.1	0.3
68	MALE	50.9	0.3	0.2	0.1	0.3
69	FEMALE	44.4	0.2	0.2	0.1	0.2
70	ALL OTHER	41.4	0.4	0.1	0.1	0.7
71	MALE	49.9	0.4	0.1	0.1	0.9
72	FEMALE	33.7	0.4	0.2	0.2	0.6
73	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	39.5	0.1	0.0	0.0	0.1
74	MALE	63.4	0.1	0.1	0.0	0.1
75	FEMALE	16.8	0.1	0.0	0.0	0.1
76	WHITE	40.4	0.1	0.1	0.0	0.1
77	MALE	64.5	0.1	0.1	0.0	0.2
78	FEMALE	17.5	0.1	0.0	0.0	0.1
79	ALL OTHER	33.3	-	-	0.0	0.1
80	MALE	56.4	-	-	0.1	0.1
81	FEMALE	12.1	-	-	0.0	0.0

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.4	0.7	1.6	3.3	7.9	18.0	32.9	1
0.4	0.8	1.8	4.1	10.3	25.1	43.0	2
0.4	0.6	1.4	2.6	6.0	13.5	27.9	3
0.4	0.5	1.2	2.8	7.0	17.3	31.3	4
0.3	0.6	1.4	3.5	9.2	23.9	41.3	5
0.4	0.4	1.1	2.2	5.3	13.2	26.4	6
1.0	1.9	4.4	8.7	16.8	26.4	49.4	7
1.2	2.3	5.3	10.7	20.9	37.5	57.9	8
0.8	1.6	3.6	7.0	13.5	18.4	44.3	9
0.0	-	0.0	0.0	-	-	-	10
0.0	-	0.0	-	-	-	-	11
-	-	-	0.0	-	-	-	12
-	-	0.0	0.0	-	-	-	13
-	-	0.0	-	-	-	-	14
0.0	-	-	0.0	-	-	-	15
0.1	-	-	-	-	-	-	16
-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	18
0.0	-	-	-	-	-	-	19
0.0	-	-	-	-	-	-	20
-	-	-	-	-	-	-	21
0.0	-	-	-	-	-	-	22
0.0	-	-	-	-	-	-	23
-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	27
0.0	0.0	0.1	0.3	0.8	1.2	0.6	28
0.0	0.0	0.1	0.4	1.1	1.9	0.5	29
-	0.0	0.1	0.2	0.6	0.7	0.7	30
-	0.0	0.0	0.2	0.5	0.9	0.5	31
-	0.0	0.0	0.2	0.8	1.4	0.4	32
-	0.0	0.0	0.1	0.3	0.6	0.6	33
0.0	0.1	0.6	1.9	3.5	4.9	1.9	34
0.1	0.1	0.8	2.6	4.1	7.4	1.8	35
-	0.1	0.4	1.3	3.0	3.0	2.1	36
0.9	1.3	2.0	2.9	5.0	7.9	14.3	37
0.9	1.3	2.2	3.3	6.4	10.1	15.6	38
0.9	1.3	1.9	2.6	3.8	6.6	13.7	39
0.7	0.9	1.7	2.6	4.7	7.6	14.5	40
0.8	0.9	2.0	2.9	6.2	9.8	16.0	41
0.7	0.9	1.5	2.3	3.5	6.2	13.8	42
2.1	4.3	4.3	6.1	8.1	11.8	12.3	43
1.6	4.3	3.9	7.3	9.7	12.5	12.3	44
2.5	4.2	4.7	5.1	6.7	11.4	12.4	45
15.0	55.1	183.8	437.0	774.5	1,213.7	1,414.7	46
14.5	49.0	190.5	521.6	1,045.2	1,715.1	1,984.7	47
15.5	60.9	177.5	361.4	566.4	902.0	1,133.9	48
14.8	52.1	175.3	423.8	762.5	1,219.5	1,449.3	49
14.7	46.1	178.5	501.1	1,027.0	1,721.1	2,034.0	50
15.0	57.9	172.4	354.5	560.0	911.7	1,164.8	51
16.5	75.9	253.9	562.5	891.6	1,145.6	1,067.5	52
13.4	70.9	294.8	721.1	1,214.9	1,651.4	1,535.1	53
19.1	80.1	218.3	425.2	629.9	780.3	792.8	54
0.1	1.1	5.2	12.6	15.9	20.9	24.8	55
0.2	1.7	7.8	19.6	26.9	36.8	41.9	56
0.1	0.6	2.7	6.3	7.4	11.0	16.3	57
0.1	0.8	4.5	12.3	15.9	21.3	26.0	58
0.2	1.2	6.9	18.8	27.0	37.5	44.6	59
0.1	0.5	2.3	6.4	7.4	11.4	16.9	60
0.2	3.3	10.5	15.7	15.7	15.9	12.3	61
0.2	5.3	15.9	26.9	26.9	29.6	17.5	62
0.3	1.7	5.8	6.0	7.3	6.0	9.3	63
1.9	9.4	37.8	108.3	224.2	405.0	519.2	64
2.1	10.4	45.2	134.9	283.7	507.7	637.4	65
1.7	8.5	30.9	84.5	178.4	341.1	461.1	66
1.7	8.6	34.9	102.6	218.5	406.9	534.4	67
1.8	9.5	41.0	126.9	275.5	508.6	655.8	68
1.5	7.8	29.1	80.7	174.8	344.6	475.4	69
3.4	15.0	62.3	162.8	279.4	382.5	364.9	70
3.8	17.9	81.1	212.4	359.5	499.1	470.2	71
3.1	12.6	45.9	119.9	214.6	298.3	303.1	72
0.9	11.0	51.6	130.5	198.5	206.9	141.1	73
1.2	15.6	78.7	215.4	374.5	430.0	287.0	74
0.7	6.7	26.4	54.6	63.2	68.2	69.0	75
0.9	10.2	48.6	127.4	198.4	209.4	144.2	76
1.1	14.2	72.9	208.4	374.0	438.4	294.2	77
0.7	6.4	25.7	54.7	64.1	68.9	71.3	78
1.1	16.8	77.0	160.2	199.2	177.3	109.1	79
1.6	26.7	128.7	283.8	378.1	340.7	221.1	80
0.7	8.6	32.1	53.6	54.4	59.2	43.3	81

SECTION I - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—CON.						
1	MALIGNANT NEOPLASM OF BREAST—174	15.3	—	—	0.0	0.1
2	MALE	0.3	—	—	0.0	0.0
3	FEMALE	29.6	—	—	—	0.1
4	WHITE	16.0	—	—	0.0	0.0
5	MALE	0.3	—	—	0.0	0.0
6	FEMALE	31.0	—	—	—	0.1
7	ALL OTHER	11.1	—	—	—	0.3
8	MALE	0.3	—	—	—	0.0
9	FEMALE	20.9	—	—	—	0.5
10	MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	20.4	0.0	0.1	0.1	0.8
11	MALE	19.6	0.1	0.1	0.0	1.0
12	FEMALE	21.1	—	0.1	0.1	0.6
13	WHITE	20.1	0.0	0.1	0.1	0.8
14	MALE	19.1	0.1	0.1	0.0	1.2
15	FEMALE	21.1	—	0.1	0.1	0.5
16	ALL OTHER	22.2	—	0.1	0.1	0.6
17	MALE	23.4	—	0.1	—	0.2
18	FEMALE	21.1	—	0.1	0.1	1.0
19	MALIGNANT NEOPLASMS OF URINARY ORGANS—188, 189	7.8	0.1	0.3	0.1	0.1
20	MALE	10.7	0.1	0.4	0.1	0.1
21	FEMALE	5.0	0.1	0.3	0.1	0.1
22	WHITE	8.2	0.1	0.4	0.1	0.1
23	MALE	11.3	0.2	0.4	0.1	0.1
24	FEMALE	5.3	0.1	0.3	0.1	0.1
25	ALL OTHER	4.8	—	0.2	0.2	0.3
26	MALE	6.1	—	0.3	0.2	0.4
27	FEMALE	3.6	—	0.1	0.2	0.2
28	MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173, 190-199	20.6	1.9	2.8	1.9	2.5
29	MALE	22.3	2.0	2.8	2.0	3.0
30	FEMALE	19.1	1.8	2.7	1.7	2.0
31	WHITE	21.2	1.7	2.9	1.9	2.5
32	MALE	22.8	1.7	2.9	2.0	3.1
33	FEMALE	19.7	1.7	2.9	1.7	2.0
34	ALL OTHER	16.9	3.0	2.0	1.9	2.2
35	MALE	18.7	3.6	2.3	2.0	2.5
36	FEMALE	15.2	2.4	1.6	1.8	1.9
37	LEUKEMIA—204-207	6.9	1.3	2.1	2.4	1.7
38	MALE	8.0	1.3	2.4	2.7	2.0
39	FEMALE	5.8	1.3	1.9	2.1	1.3
40	WHITE	7.3	1.3	2.3	2.5	1.7
41	MALE	8.4	1.3	2.6	2.9	2.1
42	FEMALE	6.2	1.2	2.0	2.2	1.4
43	ALL OTHER	4.3	1.4	1.3	1.7	1.4
44	MALE	5.2	1.2	1.6	2.0	1.9
45	FEMALE	3.6	1.6	1.1	1.4	0.9
46	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203, 208, 209	9.4	0.1	0.3	0.6	1.3
47	MALE	10.5	0.2	0.5	0.9	1.6
48	FEMALE	8.4	—	0.2	0.3	0.9
49	WHITE	9.8	0.1	0.4	0.6	1.3
50	MALE	10.9	0.2	0.4	0.9	1.6
51	FEMALE	8.8	—	0.3	0.3	0.9
52	ALL OTHER	6.6	0.2	0.3	0.4	1.2
53	MALE	8.0	0.4	0.5	0.6	1.5
54	FEMALE	5.3	—	0.1	0.2	0.9
55	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	2.4	2.0	0.4	0.4	0.4
56	MALE	2.4	2.2	0.5	0.3	0.4
57	FEMALE	2.4	1.8	0.3	0.4	0.3
58	WHITE	2.4	2.0	0.4	0.3	0.3
59	MALE	2.4	1.9	0.5	0.3	0.4
60	FEMALE	2.4	2.0	0.4	0.4	0.3
61	ALL OTHER	2.4	2.2	0.4	0.5	0.6
62	MALE	2.3	3.6	0.6	0.4	0.5
63	FEMALE	2.5	0.8	0.2	0.6	0.6
64	DIABETES MELLITUS—250	17.7	0.5	0.1	0.2	0.5
65	MALE	14.7	0.5	0.1	0.1	0.5
66	FEMALE	20.5	0.5	0.1	0.2	0.6
67	WHITE	17.0	0.4	0.1	0.2	0.5
68	MALE	14.5	0.4	0.1	0.1	0.5
69	FEMALE	19.5	0.5	0.1	0.2	0.5
70	ALL OTHER	21.9	0.6	0.0	0.1	0.7
71	MALE	16.3	0.8	—	0.1	0.6
72	FEMALE	27.1	0.4	0.1	0.2	0.9
73	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	1.2	3.3	0.1	0.0	0.0
74	MALE	1.1	4.1	0.1	0.1	0.0
75	FEMALE	1.3	2.5	0.1	0.0	0.1
76	WHITE	1.2	2.2	0.1	0.0	0.0
77	MALE	1.0	2.5	0.1	0.1	0.0
78	FEMALE	1.3	1.8	0.0	0.0	0.1
79	ALL OTHER	1.5	9.1	0.3	0.0	0.1
80	MALE	1.7	12.3	0.4	0.0	0.1
81	FEMALE	1.3	5.7	0.3	0.0	0.1

¹FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

1-31

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
1.8	9.5	26.9	43.2	55.7	81.3	114.6	1
0.0	0.1	0.3	0.8	1.3	2.6	5.0	2
3.6	18.5	51.8	81.1	97.5	130.3	168.9	3
1.7	9.1	26.5	43.4	56.3	83.7	118.3	4
0.0	0.1	0.2	0.8	1.3	2.4	4.6	5
3.5	17.9	51.3	81.8	98.3	133.6	173.6	6
2.4	12.6	30.2	40.7	49.7	53.8	76.6	7
-	0.2	0.4	1.0	1.6	3.7	8.8	8
4.5	22.9	56.2	74.9	88.7	90.0	116.5	9
2.2	6.9	17.6	41.3	90.4	182.1	237.3	10
1.6	1.3	3.6	24.4	106.9	310.5	493.9	11
2.8	12.2	30.7	56.3	77.7	102.2	110.5	12
2.1	6.3	16.8	38.4	83.9	175.5	234.7	13
1.8	1.4	3.3	21.2	29.9	296.9	491.3	14
2.4	11.0	29.5	53.8	74.7	101.0	109.9	15
2.8	11.3	24.6	68.5	154.2	258.6	264.9	16
0.2	0.7	6.6	55.8	211.0	455.1	517.5	17
5.1	20.1	40.2	79.3	108.2	116.7	116.5	18
0.3	1.3	5.7	16.9	38.1	70.5	87.4	19
0.3	1.8	8.6	25.2	60.4	117.6	148.2	20
0.2	0.8	3.0	9.5	21.0	41.2	57.5	21
0.2	1.2	5.7	16.9	38.6	72.4	91.9	22
0.3	1.7	8.6	25.4	61.8	122.7	157.5	23
0.2	0.8	2.9	9.3	20.8	41.5	60.0	24
0.5	1.7	5.9	17.0	34.1	48.5	42.2	25
0.6	2.5	8.3	22.9	47.3	64.4	63.2	26
0.4	1.0	3.7	12.0	23.5	37.1	29.9	27
3.7	9.1	24.2	50.9	83.8	127.8	168.5	28
4.3	10.2	28.3	60.0	105.1	153.4	199.8	29
3.2	8.0	20.4	42.7	67.5	111.9	153.1	30
3.9	9.1	23.7	49.6	82.4	128.0	173.2	31
4.4	10.3	27.7	58.5	104.0	154.5	205.8	32
3.3	8.0	20.0	41.7	65.9	111.8	157.3	33
2.7	8.7	28.7	62.6	97.7	125.0	120.8	34
3.0	9.9	34.4	74.1	115.8	141.7	145.6	35
2.4	7.7	23.7	52.6	83.1	113.0	106.2	36
1.9	2.7	5.1	11.5	25.1	53.4	65.3	37
2.1	2.9	6.0	14.8	33.9	74.8	96.7	38
1.6	2.6	4.3	8.6	18.3	40.1	49.8	39
1.9	2.7	5.2	11.4	25.6	55.2	68.9	40
2.2	2.9	6.0	14.7	34.9	77.2	104.0	41
1.6	2.6	4.4	8.5	18.5	41.7	51.8	42
1.8	2.7	4.6	12.6	20.1	32.8	28.6	43
2.1	3.1	5.6	15.5	24.6	49.5	29.8	44
1.7	2.5	3.7	10.1	16.5	20.7	27.8	45
2.2	3.9	9.5	21.8	42.8	65.8	56.7	46
2.7	4.9	12.0	26.5	52.5	81.6	74.7	47
1.8	2.9	7.3	17.6	35.4	56.0	47.9	48
2.3	3.9	9.5	21.8	42.9	67.1	57.6	49
2.8	4.9	11.7	26.3	52.6	83.0	76.2	50
1.9	2.9	7.3	17.7	35.6	57.3	48.6	51
1.5	3.8	10.2	22.3	41.5	51.1	48.1	52
2.0	4.7	13.8	28.7	51.2	67.6	61.4	53
1.1	3.0	7.0	16.8	33.7	39.1	40.2	54
0.6	1.3	2.7	5.2	9.1	14.8	19.2	55
0.5	1.2	2.7	5.6	10.3	18.9	20.3	56
0.7	1.3	2.7	4.7	8.2	12.3	18.6	57
0.6	1.2	2.5	5.0	8.9	14.8	19.9	58
0.5	1.1	2.5	5.4	10.5	18.9	21.7	59
0.6	1.2	2.5	4.6	7.7	12.3	19.0	60
1.1	2.1	4.5	7.0	10.8	14.8	11.7	61
0.9	1.6	4.8	7.8	8.5	19.0	7.0	62
1.3	2.4	4.2	6.4	12.6	11.7	14.4	63
1.9	4.3	11.4	31.7	81.6	172.0	248.4	64
1.9	4.7	11.6	32.1	77.1	158.6	241.2	65
1.8	3.8	11.1	31.4	85.0	180.4	252.1	66
1.7	3.4	9.1	27.4	74.0	168.6	252.9	67
1.7	4.0	9.9	29.4	73.4	158.1	249.2	68
1.6	2.8	8.3	25.5	74.5	175.0	254.7	69
3.4	10.5	30.3	73.4	154.6	212.4	203.2	70
4.1	10.5	26.4	58.6	111.7	163.4	168.4	71
2.9	10.6	33.7	86.1	189.4	247.8	223.7	72
0.1	0.2	0.4	1.2	3.3	11.7	43.9	73
0.1	0.2	0.5	1.4	3.9	13.6	45.2	74
0.1	0.2	0.4	1.0	2.8	10.5	43.2	75
0.1	0.2	0.4	1.0	3.0	11.1	44.1	76
0.1	0.2	0.4	1.2	3.4	12.5	45.0	77
0.1	0.1	0.3	0.8	2.6	10.2	43.7	78
0.2	0.5	1.0	2.7	6.2	19.4	41.6	79
0.2	0.3	1.1	3.6	8.0	25.9	47.4	80
0.2	0.6	0.9	2.0	4.7	14.7	38.1	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1	ANEMIAS-----280-285	1.6	1.0	0.7	0.3	0.3
2	MALE-----	1.5	1.2	0.8	0.3	0.4
3	FEMALE-----	1.6	0.8	0.6	0.3	0.3
4	WHITE-----	1.4	0.6	0.3	0.2	0.2
5	MALE-----	1.4	0.8	0.3	0.2	0.2
6	FEMALE-----	1.5	0.4	0.3	0.2	0.1
7	ALL OTHER-----	2.6	3.2	2.6	0.9	1.3
8	MALE-----	2.8	3.6	2.9	0.9	1.6
9	FEMALE-----	2.5	2.8	2.3	0.9	1.0
10	MENINGITIS-----320	0.7	18.9	1.7	0.2	0.1
11	MALE-----	0.8	20.5	1.9	0.2	0.2
12	FEMALE-----	0.6	17.1	1.5	0.2	0.1
13	WHITE-----	0.6	14.6	1.4	0.1	0.1
14	MALE-----	0.7	16.6	1.7	0.2	0.1
15	FEMALE-----	0.5	12.5	1.1	0.1	0.1
16	ALL OTHER-----	1.8	40.4	3.0	0.3	0.3
17	MALE-----	1.9	40.9	2.9	0.3	0.5
18	FEMALE-----	1.6	39.8	3.2	0.4	0.0
19	MAJOR CARDIOVASCULAR DISEASES-----390-448	478.2	28.4	2.9	1.7	4.5
20	MALE-----	519.1	30.9	2.9	1.8	5.3
21	FEMALE-----	439.4	25.8	2.8	1.6	3.7
22	WHITE-----	494.2	22.0	2.4	1.6	3.9
23	MALE-----	535.9	24.8	2.4	1.7	4.7
24	FEMALE-----	454.3	19.1	2.5	1.4	3.2
25	ALL OTHER-----	370.7	60.8	4.8	2.3	8.0
26	MALE-----	403.4	62.3	5.2	2.2	9.0
27	FEMALE-----	340.8	58.9	4.5	2.3	7.2
28	DISEASES OF HEART-----390-398,402,404,410-429	349.2	22.0	2.0	0.9	2.8
29	MALE-----	399.7	23.7	1.9	0.9	3.4
30	FEMALE-----	301.2	20.2	2.1	0.9	2.1
31	WHITE-----	362.7	16.9	1.7	0.8	2.3
32	MALE-----	415.5	19.1	1.6	0.8	3.0
33	FEMALE-----	312.3	14.6	1.8	0.8	1.7
34	ALL OTHER-----	258.0	47.9	3.5	1.6	5.6
35	MALE-----	291.0	47.2	3.6	1.4	6.2
36	FEMALE-----	227.9	48.4	3.5	1.7	4.9
37	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	6.3	0.1	0.1	0.2	0.5
38	MALE-----	5.8	0.1	0.1	0.1	0.5
39	FEMALE-----	6.8	0.1	0.1	0.2	0.4
40	WHITE-----	6.6	0.0	0.1	0.1	0.3
41	MALE-----	6.0	0.1	0.1	0.1	0.4
42	FEMALE-----	7.2	-	0.1	0.1	0.3
43	ALL OTHER-----	4.4	0.4	0.1	0.5	1.3
44	MALE-----	4.7	-	0.2	0.4	1.2
45	FEMALE-----	4.1	0.8	0.1	0.6	1.4
46	HYPERTENSIVE HEART DISEASE-----402	3.4	0.1	0.0	-	0.0
47	MALE-----	2.8	-	-	-	0.0
48	FEMALE-----	3.9	0.1	0.0	-	0.0
49	WHITE-----	3.0	0.0	0.0	-	0.0
50	MALE-----	2.5	-	-	-	0.0
51	FEMALE-----	3.5	0.1	0.0	-	0.0
52	ALL OTHER-----	6.0	0.2	-	-	0.1
53	MALE-----	5.4	-	-	-	0.1
54	FEMALE-----	6.5	0.4	-	-	0.0
55	HYPERTENSIVE HEART AND RENAL DISEASE-----404	2.3	-	-	0.0	0.0
56	MALE-----	2.1	-	-	0.0	0.0
57	FEMALE-----	2.5	-	-	-	0.0
58	WHITE-----	2.3	-	-	0.0	0.0
59	MALE-----	2.0	-	-	0.0	0.0
60	FEMALE-----	2.5	-	-	-	0.0
61	ALL OTHER-----	2.6	-	-	-	0.1
62	MALE-----	2.7	-	-	-	0.1
63	FEMALE-----	2.6	-	-	-	-
64	ISCHEMIC HEART DISEASE-----410-413	314.5	0.5	0.0	0.1	0.4
65	MALE-----	363.1	0.5	0.0	0.1	0.6
66	FEMALE-----	268.4	0.6	0.1	0.1	0.3
67	WHITE-----	329.2	0.5	0.1	0.0	0.4
68	MALE-----	380.3	0.5	0.0	0.0	0.5
69	FEMALE-----	280.5	0.6	0.1	0.1	0.2
70	ALL OTHER-----	215.2	0.6	-	0.1	0.8
71	MALE-----	244.0	0.4	-	0.1	0.8
72	FEMALE-----	188.9	0.8	-	0.1	0.8
73	ACUTE MYOCARDIAL INFARCTION-----410	158.1	0.4	0.0	0.0	0.2
74	MALE-----	202.9	0.5	0.0	0.0	0.3
75	FEMALE-----	115.6	0.4	0.1	0.0	0.2
76	WHITE-----	168.2	0.4	0.0	0.0	0.2
77	MALE-----	216.6	0.5	0.0	0.0	0.3
78	FEMALE-----	122.0	0.3	0.1	0.0	0.1
79	ALL OTHER-----	89.6	0.6	-	0.1	0.4
80	MALE-----	108.0	0.4	-	0.1	0.4
81	FEMALE-----	72.8	0.8	-	0.1	0.5

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

1-33

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.5	0.5	0.8	1.9	4.8	14.1	31.3	1
0.5	0.5	0.8	2.2	5.4	16.6	37.3	2
0.4	0.5	0.8	1.7	4.4	12.5	28.4	3
0.2	0.3	0.6	1.7	4.4	13.9	31.6	4
0.2	0.3	0.6	2.0	4.9	16.6	37.7	5
0.2	0.3	0.6	1.5	4.0	12.3	28.6	6
2.3	2.0	2.6	3.8	8.3	15.7	28.6	7
2.8	2.3	2.4	4.3	9.2	16.7	33.3	8
2.0	1.7	2.8	3.4	7.6	15.1	25.8	9
0.1	0.3	0.5	0.7	1.2	1.4	2.4	10
0.1	0.3	0.6	0.8	1.3	1.7	1.6	11
0.1	0.2	0.3	0.6	1.1	1.2	2.7	12
0.1	0.2	0.4	0.6	1.0	1.1	1.8	13
0.1	0.2	0.5	0.6	1.2	1.4	1.5	14
0.1	0.1	0.2	0.5	0.9	0.9	2.0	15
0.3	0.9	1.3	1.8	2.9	4.9	7.8	16
0.5	1.2	1.5	2.2	2.8	4.6	1.8	17
0.2	0.6	1.2	1.4	3.0	5.0	11.3	18
14.0	72.0	259.8	720.9	1,834.3	4,955.3	12,154.2	19
17.4	102.8	392.9	1,061.6	2,534.4	6,013.3	13,109.9	20
10.7	42.7	135.5	416.1	1,296.0	4,297.7	11,691.8	21
11.0	62.3	239.0	685.2	1,781.8	5,006.0	12,586.0	22
14.0	92.8	373.9	1,033.7	2,509.7	6,119.5	13,645.2	23
8.0	32.8	112.1	372.2	1,224.7	4,322.9	12,070.7	24
34.8	140.1	431.8	1,060.3	2,344.6	4,362.3	7,778.6	25
43.0	179.6	557.2	1,332.4	2,763.0	4,887.5	8,226.3	26
27.9	107.3	322.7	824.8	2,005.9	3,982.9	7,515.5	27
9.4	55.7	215.5	590.8	1,400.5	3,440.8	7,983.1	28
12.8	86.1	343.7	900.4	1,988.9	4,305.2	8,897.1	29
6.1	26.8	95.8	313.8	948.1	2,903.5	7,537.7	30
7.5	49.9	203.1	570.9	1,376.6	3,487.5	8,266.4	31
10.5	80.3	333.8	889.4	1,989.3	4,397.0	9,269.2	32
4.5	20.5	80.1	284.9	907.7	2,929.6	7,778.6	33
23.3	96.3	318.1	779.3	1,633.3	2,894.8	5,111.7	34
31.0	130.8	429.2	1,006.4	1,981.8	3,332.9	5,501.8	35
16.9	67.7	221.4	582.7	1,351.1	2,578.3	4,882.5	36
1.1	3.1	7.8	16.8	28.3	35.1	41.7	37
1.2	3.0	8.4	17.5	28.5	33.6	38.6	38
1.1	3.3	7.2	16.2	28.1	36.0	43.2	39
1.0	2.8	7.7	17.1	29.4	36.1	43.8	40
1.0	2.7	8.2	17.5	29.4	34.3	40.8	41
0.9	3.0	7.1	16.8	29.3	37.3	45.3	42
2.4	5.2	9.1	13.6	17.6	22.3	20.1	43
2.8	5.2	10.1	17.7	20.0	25.9	19.3	44
2.1	5.2	8.3	10.1	15.6	19.7	20.6	45
0.1	0.7	2.2	5.5	13.9	33.9	73.2	46
0.1	0.7	2.5	6.3	15.8	28.7	54.2	47
0.1	0.6	1.9	4.8	12.5	37.1	82.7	48
0.1	0.4	1.4	4.0	11.2	31.7	72.1	49
0.1	0.4	1.8	4.9	13.1	26.4	52.9	50
0.1	0.3	1.0	3.2	9.8	35.0	81.4	51
0.5	2.7	8.4	19.5	40.3	59.6	85.7	52
0.5	3.1	8.2	20.0	41.2	52.8	66.7	53
0.6	2.3	8.5	19.1	39.5	64.5	96.9	54
0.0	0.2	0.7	1.9	7.0	27.2	91.7	55
0.0	0.2	0.7	2.2	8.6	30.1	104.2	56
0.0	0.1	0.6	1.7	5.8	25.4	85.6	57
0.0	0.1	0.4	1.4	6.0	26.6	93.7	58
0.0	0.1	0.5	1.7	7.5	29.8	105.2	59
0.0	0.0	0.4	1.2	4.9	24.7	88.1	60
0.1	0.8	2.5	7.0	16.8	34.2	71.4	61
0.2	0.9	2.6	7.4	19.3	32.9	94.7	62
0.1	0.7	2.4	6.6	14.8	35.1	57.7	63
4.9	44.2	186.6	526.3	1,270.7	3,157.4	7,315.5	64
7.4	72.5	307.1	817.2	1,823.8	3,970.9	8,162.2	65
2.3	17.3	74.1	266.1	845.5	2,651.7	6,902.8	66
4.1	40.9	178.2	513.3	1,256.6	3,210.9	7,596.3	67
6.5	69.5	301.8	814.0	1,835.2	4,069.3	8,527.3	68
1.7	13.1	61.9	243.3	813.9	2,684.3	7,143.4	69
10.2	67.6	256.2	650.0	1,407.9	2,531.5	4,466.2	70
14.6	95.6	393.4	848.1	1,713.6	2,928.2	4,831.6	71
6.5	44.4	171.7	478.6	1,160.5	2,244.8	4,251.5	72
3.2	29.9	127.3	339.9	729.9	1,403.4	2,244.4	73
5.0	50.8	215.5	542.9	1,091.4	1,888.4	2,791.9	74
1.5	10.1	45.0	158.3	452.0	1,101.9	1,975.4	75
2.9	29.4	127.3	343.8	743.2	1,445.6	2,332.5	76
4.6	50.7	219.4	556.5	1,127.3	1,961.4	2,925.4	77
1.2	8.6	40.7	152.7	449.3	1,129.1	2,044.2	78
5.3	33.7	127.3	302.8	600.6	910.1	1,349.4	79
7.8	50.7	182.6	410.4	751.2	1,115.3	1,573.7	80
3.1	19.7	79.2	209.8	478.7	761.9	1,217.5	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
MAJOR CARDIOVASCULAR DISEASES--CON. DISEASES OF HEART--CON.						
1	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	2.1	-	-	0.0	0.0
2	MALE-----	2.8	-	-	-	0.0
3	FEMALE-----	1.5	-	-	0.0	0.0
4	WHITE-----	2.1	-	-	0.0	0.0
5	MALE-----	2.7	-	-	-	0.0
6	FEMALE-----	1.4	-	-	0.0	0.0
7	ALL OTHER-----	2.2	-	-	0.0	0.0
8	MALE-----	2.9	-	-	-	-
9	FEMALE-----	1.6	-	-	0.0	0.0
10	CHRONIC ISCHEMIC HEART DISEASE-----412	154.2	0.1	0.0	0.0	0.2
11	MALE-----	157.3	-	-	0.0	0.2
12	FEMALE-----	151.3	0.2	0.0	0.0	0.1
13	WHITE-----	158.8	0.1	0.0	0.0	0.1
14	MALE-----	160.8	-	-	0.0	0.2
15	FEMALE-----	156.9	0.2	0.0	0.0	0.1
16	ALL OTHER-----	123.4	-	-	-	0.3
17	MALE-----	133.0	-	-	-	0.4
18	FEMALE-----	114.6	-	-	-	0.3
19	ANGINA PECTORIS-----413	0.1	-	-	-	-
20	MALE-----	0.1	-	-	-	-
21	FEMALE-----	0.1	-	-	-	-
22	WHITE-----	0.1	-	-	-	-
23	MALE-----	0.1	-	-	-	-
24	FEMALE-----	0.1	-	-	-	-
25	ALL OTHER-----	0.1	-	-	-	-
26	MALE-----	0.1	-	-	-	-
27	FEMALE-----	0.0	-	-	-	-
28	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	2.3	0.9	0.2	0.1	0.2
29	MALE-----	2.3	0.8	0.2	0.1	0.3
30	FEMALE-----	2.3	1.1	0.2	0.1	0.1
31	WHITE-----	2.3	0.8	0.2	0.1	0.2
32	MALE-----	2.3	0.7	0.2	0.1	0.2
33	FEMALE-----	2.3	0.8	0.2	0.0	0.1
34	ALL OTHER-----	2.2	1.8	0.4	0.2	0.3
35	MALE-----	2.3	1.2	0.4	0.2	0.5
36	FEMALE-----	2.0	2.4	0.3	0.2	0.1
37	ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	20.4	20.4	1.6	0.6	1.6
38	MALE-----	23.6	22.4	1.6	0.7	2.0
39	FEMALE-----	17.3	18.3	1.7	0.6	1.3
40	WHITE-----	19.3	15.5	1.4	0.6	1.4
41	MALE-----	22.4	17.8	1.3	0.6	1.7
42	FEMALE-----	16.4	13.1	1.4	0.6	1.0
43	ALL OTHER-----	27.6	44.9	3.0	0.8	3.1
44	MALE-----	31.9	45.6	2.9	0.8	3.6
45	FEMALE-----	23.7	43.9	3.2	0.8	2.6
46	HYPERTENSION-----400, 401, 403	3.3	-	0.0	0.0	0.0
47	MALE-----	3.4	-	-	0.0	0.0
48	FEMALE-----	3.1	-	0.0	0.0	0.0
49	WHITE-----	3.0	-	0.0	0.0	0.0
50	MALE-----	3.1	-	-	0.0	0.0
51	FEMALE-----	2.9	-	0.0	0.0	0.0
52	ALL OTHER-----	5.3	-	-	-	0.1
53	MALE-----	5.6	-	-	-	0.0
54	FEMALE-----	4.9	-	-	-	0.1
55	CEREBROVASCULAR DISEASES-----430-438	98.1	5.1	0.8	0.6	1.4
56	MALE-----	87.8	5.9	0.9	0.7	1.5
57	FEMALE-----	107.9	4.2	0.7	0.6	1.3
58	WHITE-----	99.2	3.9	0.7	0.7	1.3
59	MALE-----	87.6	4.5	0.8	0.7	1.3
60	FEMALE-----	110.3	3.2	0.7	0.6	1.2
61	ALL OTHER-----	90.9	11.3	1.2	0.6	2.0
62	MALE-----	89.4	13.1	1.3	0.7	2.3
63	FEMALE-----	92.3	9.3	1.0	0.6	1.8
64	CEREBRAL HEMORRHAGE-----431	14.4	2.4	0.2	0.2	0.4
65	MALE-----	13.6	3.1	0.3	0.2	0.4
66	FEMALE-----	15.2	1.7	0.2	0.2	0.3
67	WHITE-----	14.1	1.8	0.2	0.2	0.3
68	MALE-----	13.1	2.4	0.2	0.2	0.3
69	FEMALE-----	15.1	1.1	0.2	0.2	0.3
70	ALL OTHER-----	16.6	5.8	0.4	0.2	0.7
71	MALE-----	17.3	6.7	0.5	0.2	0.8
72	FEMALE-----	16.0	4.9	0.3	0.3	0.6
73	CEREBRAL THROMBOSIS-----433	25.3	0.2	0.0	0.0	0.1
74	MALE-----	22.4	0.1	0.0	0.0	0.0
75	FEMALE-----	28.1	0.3	0.0	0.0	0.1
76	WHITE-----	26.2	0.2	0.0	0.0	0.1
77	MALE-----	23.0	0.1	0.0	0.0	0.0
78	FEMALE-----	29.3	0.2	0.0	0.0	0.1
79	ALL OTHER-----	19.2	0.4	0.1	0.0	0.1
80	MALE-----	18.5	0.4	0.1	0.0	0.1
81	FEMALE-----	19.8	0.4	0.1	0.1	0.1

¹FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

1-35

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER		
0.1	0.7	2.3	5.0	8.6	15.2	30.6	1	
0.2	1.1	3.6	8.1	13.4	21.5	37.3	2	
0.0	0.3	1.1	2.4	4.9	11.4	27.4	3	
0.1	0.6	2.1	4.7	8.2	15.1	30.9	4	
0.1	0.9	3.3	7.6	13.0	21.5	36.2	5	
-	0.3	0.9	2.0	4.4	11.2	28.3	6	
0.3	1.5	3.8	8.8	12.8	16.7	27.9	7	
0.5	2.3	5.6	12.8	16.6	21.8	47.4	8	
0.1	0.8	2.1	5.4	9.7	13.0	16.5	9	
1.6	13.5	57.0	181.3	531.9	1,738.0	5,038.8	10	
2.3	20.6	87.9	266.0	718.5	2,060.0	5,330.5	11	
0.9	6.8	28.1	105.5	388.4	1,537.8	4,898.8	12	
1.1	10.9	48.8	164.7	504.9	1,749.4	5,231.1	13	
1.8	17.8	79.0	249.6	694.3	2,085.5	5,563.3	14	
0.5	4.2	20.3	88.5	360.0	1,543.3	5,069.5	15	
4.7	32.3	125.1	338.3	794.0	1,604.3	3,087.7	16	
6.3	42.5	165.0	424.8	945.5	1,790.7	3,207.0	17	
3.4	23.8	90.4	263.4	671.3	1,469.6	3,017.5	18	
-	0.0	0.0	0.1	0.4	0.8	1.7	19	
-	0.0	0.1	0.2	0.6	1.0	2.6	20	
-	0.0	0.0	0.1	0.2	0.7	1.3	21	
-	0.0	0.0	0.1	0.4	0.8	1.8	22	
-	0.0	0.0	0.2	0.6	1.0	2.5	23	
-	0.0	0.0	0.1	0.2	0.7	1.4	24	
-	0.1	0.1	0.1	0.6	0.4	1.3	25	
-	0.1	0.2	0.1	0.4	0.5	3.5	26	
-	0.1	-	-	0.7	0.3	-	27	
0.3	0.7	1.4	3.0	7.3	20.6	69.2	28	
0.4	0.9	1.8	4.0	9.5	23.5	73.1	29	
0.2	0.5	1.1	2.2	5.6	18.8	67.3	30	
0.3	0.6	1.4	2.8	7.0	20.5	71.4	31	
0.3	0.8	1.7	3.7	9.2	23.7	76.2	32	
0.2	0.4	1.0	2.0	5.3	18.5	69.1	33	
0.8	1.2	2.2	5.4	10.5	22.3	46.8	34	
1.1	1.6	2.5	7.4	11.9	21.8	45.6	35	
0.7	1.0	2.0	3.7	9.3	22.7	47.4	36	
2.9	6.9	16.8	37.2	73.2	166.6	391.7	37	
3.6	8.9	23.3	53.2	102.7	218.4	464.6	38	
2.3	5.0	10.8	22.9	50.6	134.4	356.0	39	
2.0	5.2	14.1	32.3	66.3	161.6	389.1	40	
2.5	6.9	19.9	47.8	94.9	213.5	466.9	41	
1.6	3.6	8.6	18.4	44.5	129.9	351.3	42	
9.2	18.8	39.6	83.7	140.2	224.9	421.4	43	
11.8	24.4	52.4	105.7	175.8	271.3	443.9	44	
7.0	14.2	28.5	64.6	111.5	191.3	408.2	45	
0.3	0.9	2.0	4.3	11.1	33.4	91.7	46	
0.3	1.0	2.3	5.1	14.4	42.2	118.2	47	
0.3	0.8	1.6	3.5	8.5	27.9	78.6	48	
0.1	0.4	1.1	2.1	9.2	32.1	92.5	49	
0.1	0.4	1.3	3.8	12.7	40.5	121.2	50	
0.1	0.3	0.9	2.5	6.5	27.0	80.0	51	
1.3	4.7	9.1	15.3	29.2	48.0	74.0	52	
1.5	5.6	11.2	17.4	29.9	61.1	91.2	53	
1.2	4.0	7.4	13.4	28.7	38.5	63.9	54	
3.6	13.3	35.3	99.6	334.4	1,176.6	2,996.8	55	
3.4	13.3	37.9	117.2	400.4	1,277.2	2,969.5	56	
3.7	13.3	33.0	83.9	283.7	1,114.0	3,013.0	57	
2.8	10.3	28.4	85.5	308.6	1,176.8	3,096.2	58	
2.7	10.2	30.4	101.9	375.1	1,283.0	3,073.5	59	
2.9	10.4	26.5	70.7	257.7	1,111.7	3,104.3	60	
8.8	34.5	92.9	233.2	585.7	1,173.2	2,011.7	61	
9.1	36.9	102.6	264.5	637.9	1,216.2	2,021.1	62	
8.6	32.6	84.4	206.0	543.4	1,142.1	2,006.2	63	
0.9	4.3	11.4	25.0	56.7	139.3	263.2	64	
0.9	4.7	12.9	28.8	65.7	146.9	254.2	65	
0.8	3.8	9.9	21.6	49.8	134.5	267.8	66	
0.6	2.9	8.9	21.8	53.3	139.8	271.2	67	
0.6	3.3	10.2	25.2	62.1	148.1	261.0	68	
0.6	2.6	7.6	18.8	46.5	136.7	276.2	69	
2.8	13.5	32.2	55.0	90.3	132.4	181.8	70	
3.2	15.2	36.8	63.6	100.2	133.3	193.0	71	
2.5	12.1	28.2	47.6	82.4	131.8	175.3	72	
0.2	0.8	3.9	18.7	84.0	335.0	882.9	73	
0.2	0.9	4.8	23.6	103.2	363.7	870.4	74	
0.2	0.7	3.1	14.3	69.3	317.2	889.9	75	
0.2	0.6	3.1	16.0	79.0	338.4	915.3	76	
0.2	0.6	3.9	20.7	99.3	369.0	905.8	77	
0.2	0.6	2.4	11.8	63.5	319.6	919.9	78	
0.5	2.0	10.4	44.3	132.5	295.9	554.5	79	
0.6	2.7	12.8	51.5	139.3	307.4	547.4	80	
0.5	1.5	8.4	38.0	127.1	287.6	558.8	81	

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
MAJOR CARDIOVASCULAR DISEASES--CON.						
CEREBROVASCULAR DISEASES--CON.						
1	CEREBRAL EMBOLISM-----434	0.4	-	0.0	-	0.0
2	MALE-----	0.4	-	0.0	-	0.0
3	FEMALE-----	0.5	-	0.0	-	0.0
4	WHITE-----	0.4	-	0.0	-	0.0
5	MALE-----	0.4	-	0.0	-	0.0
6	FEMALE-----	0.5	-	0.0	-	0.0
7	ALL OTHER-----	0.3	-	-	-	0.0
8	MALE-----	0.3	-	-	-	0.0
9	FEMALE-----	0.3	-	-	-	-
10	ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	57.9	2.5	0.5	0.4	0.9
11	MALE-----	51.4	2.7	0.5	0.5	1.0
12	FEMALE-----	64.1	2.2	0.5	0.4	0.8
13	WHITE-----	58.4	2.0	0.5	0.4	0.9
14	MALE-----	51.1	2.0	0.5	0.5	1.0
15	FEMALE-----	65.3	1.9	0.4	0.4	0.8
16	ALL OTHER-----	54.8	5.0	0.7	0.3	1.2
17	MALE-----	53.3	6.0	0.7	0.4	1.3
18	FEMALE-----	56.2	4.1	0.6	0.3	1.1
19	ARTERIOSCLEROSIS-----440	15.3	0.0	-	0.0	0.0
20	MALE-----	12.9	0.1	-	0.0	0.0
21	FEMALE-----	17.5	-	-	-	-
22	WHITE-----	16.2	0.0	-	0.0	0.0
23	MALE-----	13.5	0.1	-	0.0	0.0
24	FEMALE-----	18.9	-	-	-	-
25	ALL OTHER-----	8.5	-	-	-	-
26	MALE-----	8.3	-	-	-	-
27	FEMALE-----	8.7	-	-	-	-
28	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	12.4	1.3	0.1	0.1	0.3
29	MALE-----	15.4	1.3	0.1	0.1	0.4
30	FEMALE-----	9.6	1.4	0.0	0.1	0.3
31	WHITE-----	13.0	1.3	0.1	0.1	0.3
32	MALE-----	16.3	1.2	0.1	0.1	0.3
33	FEMALE-----	10.0	1.4	0.1	0.1	0.3
34	ALL OTHER-----	8.0	1.6	0.1	0.1	0.4
35	MALE-----	9.1	2.0	0.3	0.1	0.4
36	FEMALE-----	6.9	1.2	-	0.1	0.3
37	ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.4	3.9	0.4	0.1	0.0
38	MALE-----	0.4	4.6	0.5	0.0	0.0
39	FEMALE-----	0.3	3.1	0.3	0.1	0.0
40	WHITE-----	0.4	3.2	0.3	0.0	0.0
41	MALE-----	0.4	3.9	0.4	0.0	0.0
42	FEMALE-----	0.3	2.5	0.2	0.0	0.0
43	ALL OTHER-----	0.4	7.0	1.0	0.1	0.0
44	MALE-----	0.4	8.3	1.2	0.0	0.0
45	FEMALE-----	0.3	5.7	0.7	0.1	-
46	INFLUENZA AND PNEUMONIA-----470-474,480-486	25.9	86.9	4.7	1.3	1.7
47	MALE-----	28.9	95.1	4.8	1.3	1.9
48	FEMALE-----	23.0	78.4	4.5	1.2	1.5
49	WHITE-----	25.9	65.6	3.7	1.2	1.6
50	MALE-----	28.4	70.9	4.0	1.3	1.9
51	FEMALE-----	23.6	60.0	3.5	1.2	1.3
52	ALL OTHER-----	25.7	194.8	9.1	1.6	2.3
53	MALE-----	32.9	218.3	9.0	1.7	2.4
54	FEMALE-----	19.2	169.9	9.3	1.5	2.1
55	INFLUENZA-----470-474	1.0	1.2	0.2	0.1	0.1
56	MALE-----	1.0	1.2	0.2	0.1	0.1
57	FEMALE-----	1.1	1.2	0.2	0.1	0.1
58	WHITE-----	1.1	1.1	0.2	0.1	0.1
59	MALE-----	1.0	1.2	0.2	0.1	0.1
60	FEMALE-----	1.2	1.0	0.2	0.1	0.1
61	ALL OTHER-----	0.6	1.6	0.2	0.1	0.1
62	MALE-----	0.6	1.2	0.2	0.1	0.0
63	FEMALE-----	0.5	2.0	0.3	0.1	0.1
64	PNEUMONIA-----480-486	24.9	85.7	4.5	1.2	1.6
65	MALE-----	28.0	93.8	4.7	1.2	1.9
66	FEMALE-----	21.9	77.2	4.2	1.1	1.4
67	WHITE-----	24.8	64.4	3.6	1.1	1.5
68	MALE-----	27.4	69.7	3.8	1.2	1.8
69	FEMALE-----	22.4	59.0	3.2	1.0	1.3
70	ALL OTHER-----	25.2	193.2	8.9	1.5	2.2
71	MALE-----	32.2	217.1	8.8	1.6	2.4
72	FEMALE-----	18.7	167.9	9.0	1.4	2.0
73	BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	12.7	2.8	0.4	0.2	0.4
74	MALE-----	19.6	3.7	0.5	0.2	0.4
75	FEMALE-----	6.2	1.8	0.4	0.2	0.4
76	WHITE-----	13.7	2.2	0.4	0.1	0.3
77	MALE-----	21.1	3.0	0.4	0.1	0.3
78	FEMALE-----	6.7	1.3	0.4	0.1	0.3
79	ALL OTHER-----	6.0	6.0	0.6	0.4	1.0
80	MALE-----	9.2	7.5	0.9	0.3	1.0
81	FEMALE-----	3.1	4.5	0.4	0.5	0.9

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

1-37

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.0	0.1	0.2	0.6	1.7	4.5	10.5	1
0.0	0.1	0.2	0.7	2.1	4.2	11.8	2
0.0	0.1	0.2	0.6	1.5	4.4	9.9	3
0.0	0.1	0.2	0.6	1.7	4.6	10.8	4
0.0	0.1	0.2	0.7	2.0	4.3	12.5	5
0.0	0.1	0.2	0.5	1.5	4.7	10.0	6
0.0	0.1	0.2	1.0	2.0	3.1	7.1	7
0.1	0.2	0.3	1.3	2.7	3.7	5.3	8
-	0.1	0.2	0.8	1.4	2.7	8.2	9
2.4	8.2	19.8	55.3	191.9	697.8	1,840.3	10
2.3	7.7	19.9	64.0	229.4	762.4	1,833.1	11
2.6	8.7	19.8	47.4	163.2	657.6	1,845.4	12
2.0	6.7	16.2	47.1	174.6	694.1	1,896.9	13
1.9	6.2	16.2	55.3	211.7	761.6	1,894.2	14
2.2	7.1	16.3	39.7	146.2	652.6	1,898.1	15
5.4	18.9	50.0	132.9	360.8	741.7	1,268.2	16
5.2	18.9	52.8	148.1	395.8	771.8	1,275.4	17
5.6	18.8	47.6	119.6	332.5	720.1	1,263.9	18
0.0	0.2	1.0	5.9	31.6	178.5	850.6	19
0.0	0.2	1.4	7.8	39.8	202.0	850.3	20
0.0	0.2	0.7	4.1	25.3	163.9	851.5	21
0.0	0.2	0.9	5.4	30.0	180.7	890.5	22
0.0	0.2	1.3	7.3	38.6	205.0	890.4	23
0.0	0.1	0.6	3.7	23.5	165.9	890.6	24
0.1	0.5	2.1	10.2	47.0	152.6	444.8	25
0.1	0.7	2.2	12.8	51.0	170.8	484.2	26
0.1	0.3	2.0	8.0	43.8	139.5	421.6	27
0.7	1.9	5.9	20.4	56.7	126.0	232.0	28
0.8	2.2	7.6	31.1	91.0	186.5	274.9	29
0.6	1.6	4.3	10.8	30.3	88.5	211.0	30
0.6	1.6	5.5	20.2	57.4	128.8	241.4	31
0.7	1.7	7.1	31.1	94.0	194.1	291.0	32
0.5	1.4	3.9	10.4	29.5	88.8	217.3	33
1.3	4.0	9.6	22.4	49.4	93.8	136.4	34
1.4	5.7	12.0	31.3	62.5	106.5	128.1	35
1.2	2.7	7.5	14.7	38.8	84.6	141.2	36
0.1	0.1	0.2	0.4	1.1	2.2	5.4	37
0.0	0.0	0.2	0.5	1.4	3.4	6.4	38
0.1	0.1	0.2	0.3	0.8	1.4	4.9	39
0.0	0.1	0.2	0.4	1.1	2.3	5.8	40
0.0	0.0	0.2	0.6	1.4	3.5	6.9	41
0.1	0.1	0.2	0.3	0.9	1.6	5.2	42
0.1	0.2	0.3	0.4	0.8	0.8	1.3	43
0.1	0.2	0.3	0.2	1.1	1.9	1.8	44
0.1	0.2	0.3	0.6	0.6	0.6	1.0	45
2.5	5.7	11.7	26.6	68.7	259.3	806.9	46
3.0	7.1	14.8	37.6	99.9	366.7	1,021.0	47
2.1	4.4	8.9	16.9	44.8	192.5	701.7	48
2.0	4.2	9.7	24.1	65.1	261.8	839.8	49
2.2	4.9	11.8	33.5	94.9	370.4	1,064.8	50
1.7	3.5	7.8	15.8	42.3	195.1	730.3	51
6.6	16.8	28.6	50.3	104.0	229.9	473.4	52
9.2	24.4	41.3	77.0	146.2	327.3	621.1	53
4.5	10.4	17.6	27.2	69.9	159.5	386.6	54
0.1	0.2	0.4	0.9	2.6	10.8	38.5	55
0.1	0.2	0.4	1.0	3.4	12.5	40.2	56
0.1	0.1	0.5	0.7	1.9	9.8	37.7	57
0.1	0.1	0.4	0.9	2.5	11.3	41.1	58
0.1	0.2	0.4	1.0	3.3	13.1	42.5	59
0.1	0.1	0.5	0.8	1.9	10.2	40.4	60
0.1	0.4	0.5	1.1	3.0	5.6	12.3	61
0.1	0.6	0.4	1.6	4.4	5.6	19.3	62
0.1	0.1	0.5	0.6	1.9	5.7	8.2	63
2.4	5.6	11.3	25.8	66.2	248.4	768.4	64
2.9	6.9	14.5	36.5	96.5	354.2	980.8	65
2.0	4.3	8.4	16.1	42.9	182.7	664.0	66
1.9	4.0	9.3	23.3	62.6	250.5	798.7	67
2.0	4.7	11.4	32.5	91.7	357.2	1,022.3	68
1.7	3.4	7.3	15.0	40.4	185.0	689.9	69
6.6	16.4	28.1	49.2	101.0	224.3	461.0	70
9.1	23.8	40.8	75.4	141.8	321.8	601.8	71
4.4	10.3	17.1	26.6	68.1	153.8	378.4	72
0.4	1.7	7.0	27.3	71.0	114.9	108.4	73
0.5	1.8	9.1	41.8	128.6	235.9	228.8	74
0.4	1.6	5.0	14.4	26.6	39.6	48.9	75
0.3	1.3	6.9	28.1	74.4	120.5	114.4	76
0.4	1.4	8.9	42.7	135.0	249.4	243.3	77
0.3	1.3	5.0	15.1	28.1	41.4	51.7	78
1.1	4.3	7.5	19.6	37.6	49.3	46.8	79
1.1	4.9	10.8	32.6	68.5	93.5	96.5	80
1.0	3.7	4.6	8.4	12.6	17.4	17.5	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
BRONCHITIS, EMPHYSEMA, AND ASTHMA—CON.						
1	CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	2.4	2.4	0.2	0.1	0.1
2	MALE	3.5	3.3	0.3	0.1	0.1
3	FEMALE	1.4	1.6	0.2	0.0	0.1
4	WHITE	2.4	1.8	0.2	0.1	0.1
5	MALE	3.7	2.6	0.2	0.1	0.1
6	FEMALE	1.5	1.1	0.2	0.1	0.1
7	ALL OTHER	1.2	5.4	0.2	0.1	0.2
8	MALE	1.8	6.7	0.4	0.1	0.1
9	FEMALE	0.6	4.1	-	-	0.3
10	EMPHYSEMA—492	9.4	0.3	0.0	0.0	0.0
11	MALE	15.3	0.4	0.0	0.0	0.1
12	FEMALE	3.8	0.2	0.1	0.0	0.0
13	WHITE	10.3	0.3	0.1	0.0	0.0
14	MALE	16.7	0.3	0.0	0.0	0.1
15	FEMALE	4.2	0.2	0.1	0.0	0.0
16	ALL OTHER	3.4	0.4	-	0.1	0.1
17	MALE	6.0	0.8	-	-	0.1
18	FEMALE	0.9	-	-	0.1	0.0
19	ASTHMA—493	0.9	0.1	0.2	0.1	0.2
20	MALE	0.8	0.1	0.2	0.1	0.2
21	FEMALE	1.0	0.1	0.1	0.1	0.3
22	WHITE	0.8	0.0	0.1	0.1	0.2
23	MALE	0.7	0.1	0.2	0.1	0.1
24	FEMALE	0.9	-	0.1	0.1	0.2
25	ALL OTHER	1.5	0.2	0.4	0.3	0.7
26	MALE	1.4	-	0.4	0.2	0.8
27	FEMALE	1.5	0.4	0.4	0.4	0.6
28	PEPTIC ULCER—531-533	3.3	1.0	0.1	0.0	0.1
29	MALE	4.2	1.4	0.1	0.0	0.1
30	FEMALE	2.4	0.5	0.1	0.0	0.1
31	WHITE	3.5	0.5	0.1	0.0	0.1
32	MALE	4.4	0.8	0.1	0.0	0.1
33	FEMALE	2.5	0.2	0.1	0.0	0.1
34	ALL OTHER	2.5	3.2	0.0	0.0	0.1
35	MALE	3.6	4.8	0.1	-	0.3
36	FEMALE	1.4	1.6	-	0.0	-
37	APPENDICITIS—540-543	0.4	0.2	0.1	0.1	0.1
38	MALE	0.5	0.1	0.1	0.1	0.1
39	FEMALE	0.3	0.3	0.1	0.1	0.1
40	WHITE	0.4	0.2	0.1	0.1	0.1
41	MALE	0.5	0.1	0.1	0.1	0.1
42	FEMALE	0.3	0.3	0.1	0.1	0.1
43	ALL OTHER	0.5	0.2	0.1	0.1	0.2
44	MALE	0.7	0.4	0.1	0.2	0.3
45	FEMALE	0.4	-	0.1	0.1	0.1
46	HERNIA AND INTESTINAL OBSTRUCTION—550-553, 560	3.1	16.5	0.3	0.1	0.1
47	MALE	2.7	17.2	0.4	0.1	0.2
48	FEMALE	3.5	15.9	0.2	0.1	0.1
49	WHITE	3.1	16.7	0.3	0.1	0.1
50	MALE	2.6	17.0	0.4	0.1	0.2
51	FEMALE	3.6	16.4	0.2	0.1	0.1
52	ALL OTHER	2.8	15.5	0.4	0.1	0.2
53	MALE	3.1	17.9	0.5	0.1	0.3
54	FEMALE	2.6	13.0	0.2	0.1	0.2
55	CIRRHOSIS OF LIVER—571	15.8	1.1	0.1	0.1	0.4
56	MALE	21.2	1.4	0.1	0.1	0.5
57	FEMALE	10.6	0.9	0.1	0.1	0.3
58	WHITE	15.1	1.0	0.1	0.1	0.3
59	MALE	20.4	1.2	0.1	0.1	0.4
60	FEMALE	10.0	0.8	0.1	0.1	0.2
61	ALL OTHER	20.4	1.6	0.2	0.1	1.0
62	MALE	26.7	2.0	0.2	0.1	0.9
63	FEMALE	14.7	1.2	0.3	0.1	1.0
64	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574, 575	1.5	0.0	-	-	0.0
65	MALE	1.4	0.1	-	-	0.0
66	FEMALE	1.7	-	-	-	0.1
67	WHITE	1.6	0.0	-	-	0.0
68	MALE	1.4	0.1	-	-	0.0
69	FEMALE	1.8	-	-	-	0.0
70	ALL OTHER	0.9	-	-	-	0.1
71	MALE	0.9	-	-	-	0.1
72	FEMALE	1.0	-	-	-	0.1
73	NEPHRITIS AND NEPHROSIS—580-584	3.8	0.7	0.1	0.1	0.4
74	MALE	4.2	0.7	0.2	0.1	0.5
75	FEMALE	3.4	0.7	0.1	0.2	0.3
76	WHITE	3.2	0.6	0.1	0.1	0.3
77	MALE	3.6	0.5	0.1	0.1	0.3
78	FEMALE	2.9	0.7	0.1	0.1	0.2
79	ALL OTHER	7.9	1.2	0.3	0.3	1.3
80	MALE	8.5	2.0	0.4	0.3	1.6
81	FEMALE	7.4	0.4	0.2	0.4	1.0

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

1-39

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.1	0.3	1.3	4.7	12.0	22.7	29.0	1
0.1	0.3	1.7	6.6	21.0	42.4	53.9	2
0.1	0.3	0.9	3.0	5.1	10.4	16.6	3
0.1	0.3	1.3	4.8	12.5	23.8	30.8	4
0.1	0.2	1.6	6.7	21.9	45.0	57.1	5
0.1	0.3	1.0	3.1	5.3	10.8	18.0	6
0.1	0.7	1.0	3.8	7.8	9.1	10.4	7
0.1	0.9	1.7	6.0	13.1	14.8	24.6	8
0.1	0.5	0.4	1.8	3.4	5.0	2.1	9
0.1	0.8	4.6	20.5	55.7	87.4	74.9	10
0.1	1.1	6.6	33.1	104.2	187.9	169.5	11
0.1	0.5	2.7	9.2	18.5	25.0	28.1	12
0.1	0.7	4.7	21.5	58.9	91.8	79.0	13
0.1	0.9	6.6	34.3	110.0	198.6	180.8	14
0.1	0.5	3.0	9.9	19.7	26.3	29.5	15
0.2	1.4	3.6	11.4	25.3	36.3	33.1	16
0.2	2.6	6.6	21.6	49.4	74.5	66.7	17
0.2	0.5	0.9	2.6	5.7	8.7	13.4	18
0.3	0.6	1.1	2.1	3.2	4.8	4.5	19
0.3	0.4	0.9	2.0	3.4	5.6	5.4	20
0.3	0.8	1.3	2.2	3.1	4.2	4.1	21
0.2	0.4	0.9	1.9	3.1	4.8	4.7	22
0.2	0.3	0.7	1.7	3.1	5.8	5.4	23
0.2	0.5	1.1	2.0	3.0	4.3	4.3	24
0.8	2.2	3.0	4.5	4.6	3.9	3.2	25
0.9	1.5	2.6	5.0	6.0	4.2	5.3	26
0.8	2.7	3.3	4.0	3.4	3.7	2.1	27
0.3	1.1	2.7	7.1	13.6	29.1	50.1	28
0.5	1.5	4.1	10.3	21.0	44.1	71.6	29
0.2	0.6	1.4	4.1	8.0	19.8	39.5	30
0.3	0.9	2.5	7.0	13.5	30.2	52.2	31
0.4	1.3	3.8	10.1	20.9	45.8	74.8	32
0.2	0.5	1.4	4.2	7.9	20.6	41.3	33
0.6	2.1	4.2	7.8	14.7	16.5	28.6	34
0.9	3.1	6.7	12.5	22.1	26.4	42.1	35
0.3	1.2	2.0	3.7	8.7	9.4	20.6	36
0.1	0.2	0.4	0.7	1.4	3.0	4.9	37
0.1	0.2	0.5	1.0	2.0	4.1	8.1	38
0.1	0.1	0.3	0.5	0.9	2.3	3.3	39
0.1	0.1	0.3	0.7	1.2	3.0	5.0	40
0.1	0.2	0.4	0.9	1.7	4.2	8.1	41
0.1	0.1	0.2	0.5	0.8	2.3	3.6	42
0.2	0.2	0.9	1.6	3.5	2.1	3.9	43
0.3	0.3	1.1	2.4	4.8	2.8	8.8	44
0.1	0.2	0.7	0.9	2.4	1.7	1.0	45
0.2	0.6	1.5	3.6	10.1	31.0	70.4	46
0.2	0.5	1.4	3.5	10.9	31.0	69.5	47
0.2	0.6	1.6	3.7	9.4	31.0	70.8	48
0.2	0.5	1.3	3.4	9.5	31.2	73.1	49
0.2	0.4	1.2	3.2	10.3	30.5	71.0	50
0.2	0.5	1.4	3.5	8.9	31.6	74.2	51
0.6	1.4	3.2	6.2	15.3	28.7	42.2	52
0.8	1.6	3.5	7.2	16.1	35.6	56.1	53
0.4	1.2	3.0	5.3	14.6	23.7	34.0	54
4.2	18.6	38.7	50.9	45.9	29.5	18.5	55
5.5	24.4	52.4	71.4	67.6	46.7	28.4	56
3.0	13.1	25.8	32.5	26.1	18.8	13.6	57
2.6	14.4	34.9	49.5	46.8	30.2	19.3	58
3.5	19.2	47.7	69.7	73.4	48.1	30.2	59
1.7	9.8	22.9	31.4	26.4	19.2	14.0	60
15.9	48.2	69.6	63.6	36.7	21.4	9.7	61
20.9	65.1	93.6	88.3	54.7	31.5	12.3	62
11.6	34.3	48.7	42.2	22.2	14.0	8.2	63
0.1	0.3	0.7	1.8	5.7	16.9	38.5	64
0.1	0.2	0.7	2.0	6.6	19.5	36.2	65
0.1	0.3	0.7	1.7	5.1	15.3	39.6	66
0.1	0.2	0.7	1.8	5.8	17.3	40.3	67
0.1	0.2	0.7	1.9	6.8	20.1	37.9	68
0.1	0.3	0.7	1.7	5.0	15.6	41.4	69
0.2	0.7	1.1	2.0	5.5	12.2	20.1	70
0.1	0.5	1.0	2.6	4.8	12.5	21.1	71
0.2	0.8	1.1	1.5	6.2	12.0	19.6	72
0.7	1.7	3.4	7.3	14.5	31.4	55.8	73
0.9	1.9	3.7	8.1	18.5	44.3	81.3	74
0.5	1.5	3.1	6.6	11.4	23.5	43.2	75
0.5	1.1	2.2	5.3	11.7	28.7	53.4	76
0.6	1.2	2.6	6.2	15.5	40.5	77.3	77
0.3	0.9	1.8	4.6	8.8	21.5	41.7	78
2.3	5.9	13.3	25.8	41.9	63.3	81.2	79
3.0	6.7	13.6	26.8	47.4	84.3	117.5	80
1.8	5.3	13.1	25.0	37.4	48.2	59.8	81

SECTION I - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
NEPHRITIS AND NEPHROSIS—CON.						
1	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	0.7	0.6	0.1	0.0	0.1
2	MALE	0.8	0.7	0.1	0.0	0.1
3	FEMALE	0.6	0.5	0.1	0.1	0.0
4	WHITE	0.7	0.5	0.1	0.0	0.0
5	MALE	0.8	0.4	0.1	0.0	0.0
6	FEMALE	0.6	0.6	0.0	0.0	0.0
7	ALL OTHER	1.1	1.0	0.2	0.1	0.2
8	MALE	1.2	2.0	0.2	—	0.3
9	FEMALE	0.9	—	0.2	0.1	0.1
10	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	3.1	0.1	0.1	0.1	0.2
11	MALE	3.4	0.1	0.1	0.1	0.4
12	FEMALE	2.8	0.2	0.0	0.1	0.3
13	WHITE	2.5	0.1	0.0	0.1	0.2
14	MALE	2.8	0.1	0.1	0.1	0.3
15	FEMALE	2.3	0.2	0.0	0.1	0.2
16	ALL OTHER	6.9	0.2	0.1	0.3	1.1
17	MALE	7.3	—	0.3	0.3	1.3
18	FEMALE	6.4	0.4	—	0.2	0.9
19	INFECTIONS OF KIDNEY—590	2.6	0.3	0.0	0.0	0.1
20	MALE	2.2	0.3	0.1	0.0	0.1
21	FEMALE	2.9	0.3	—	0.0	0.1
22	WHITE	2.5	0.2	0.0	0.0	0.1
23	MALE	2.2	0.2	0.0	0.0	0.1
24	FEMALE	2.9	0.3	—	0.0	0.1
25	ALL OTHER	3.0	0.8	0.1	—	0.1
26	MALE	2.7	1.2	0.2	—	0.0
27	FEMALE	3.2	0.4	—	—	0.2
28	HYPERPLASIA OF PROSTATE—600	0.7	—	—	—	—
29	MALE	1.3	—	—	—	—
30	WHITE	0.7	—	—	—	—
31	MALE	1.3	—	—	—	—
32	ALL OTHER	0.6	—	—	—	—
33	MALE	1.3	—	—	—	—
34	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	0.2	—	—	0.0	0.5
35	FEMALE	0.4	—	—	0.0	0.9
36	WHITE	0.1	—	—	—	0.3
37	FEMALE	0.3	—	—	—	0.5
38	ALL OTHER	0.8	—	—	0.0	1.6
39	FEMALE	1.4	—	—	0.1	3.2
40	ABORTIONS—640-645	0.0	—	—	—	0.0
41	FEMALE	0.0	—	—	—	0.1
42	WHITE	0.0	—	—	—	0.0
43	FEMALE	0.0	—	—	—	0.0
44	ALL OTHER	0.1	—	—	—	0.1
45	FEMALE	0.1	—	—	—	0.2
46	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639, 650-678	0.2	—	—	0.0	0.4
47	FEMALE	0.4	—	—	0.0	0.9
48	WHITE	0.1	—	—	—	0.2
49	FEMALE	0.3	—	—	—	0.5
50	ALL OTHER	0.7	—	—	0.0	1.5
51	FEMALE	1.3	—	—	0.1	3.0
52	CONGENITAL ANOMALIES—740-759	6.4	286.3	9.0	2.1	1.7
53	MALE	7.1	308.7	9.1	2.2	1.8
54	FEMALE	5.7	262.9	8.8	2.1	1.5
55	WHITE	6.2	283.7	8.7	2.2	1.6
56	MALE	6.8	304.2	8.9	2.2	1.8
57	FEMALE	5.5	262.4	8.6	2.2	1.5
58	ALL OTHER	8.1	299.4	10.0	2.0	1.8
59	MALE	9.4	391.7	10.3	2.0	2.3
60	FEMALE	6.9	265.0	9.7	2.0	1.4
61	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769, 2,769-4-772, 774-778	13.6	955.2	0.1	0.0	0.0
62	MALE	16.2	1,083.9	0.1	0.0	0.0
63	FEMALE	11.1	820.2	0.0	0.0	0.0
64	WHITE	11.3	829.9	0.1	0.0	0.0
65	MALE	13.7	954.5	0.2	0.0	0.0
66	FEMALE	9.1	699.3	0.0	0.0	0.0
67	ALL OTHER	29.0	1,587.7	0.1	—	0.0
68	MALE	33.9	1,744.4	—	—	0.0
69	FEMALE	24.6	1,420.7	0.2	—	0.1
70	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768, 772, 776	7.6	529.9	0.1	0.0	0.0
71	MALE	9.2	615.5	0.1	0.0	0.0
72	FEMALE	6.0	440.3	0.0	0.0	—
73	WHITE	6.4	471.7	0.1	0.0	0.0
74	MALE	8.0	556.2	0.1	0.0	0.0
75	FEMALE	5.0	383.2	0.0	0.0	0.0
76	ALL OTHER	15.1	823.5	0.0	—	0.0
77	MALE	17.8	917.9	—	—	0.0
78	FEMALE	12.5	723.6	0.1	—	—

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.1	0.3	0.5	1.3	3.0	6.6	9.6	1
0.1	0.3	0.5	1.4	4.2	9.6	13.0	2
0.1	0.2	0.5	1.3	2.1	4.7	7.9	3
0.1	0.2	0.4	1.2	2.8	6.4	9.1	4
0.1	0.2	0.4	1.2	3.8	9.3	12.5	5
0.0	0.1	0.4	1.1	2.0	4.6	7.5	6
0.4	0.9	1.3	2.9	5.5	8.7	14.3	7
0.5	0.9	1.3	2.8	7.4	12.0	17.5	8
0.4	0.9	1.2	3.0	4.0	6.4	12.4	9
0.6	1.4	2.9	6.0	11.5	24.9	46.2	10
0.7	1.5	3.2	6.8	14.3	34.7	68.3	11
0.4	1.2	2.6	5.3	9.3	18.8	35.3	12
0.4	0.9	1.8	4.2	8.9	22.3	44.2	13
0.5	1.0	2.2	5.0	11.6	31.1	64.8	14
0.3	0.8	1.5	3.5	6.9	16.9	34.2	15
1.9	5.0	12.0	22.9	36.3	56.6	66.9	16
2.5	5.7	12.3	24.0	40.0	72.2	100.0	17
1.4	4.4	11.8	22.0	33.4	41.8	47.4	18
0.2	0.4	1.0	2.8	9.7	29.8	69.0	19
0.1	0.3	0.8	2.8	10.4	32.3	82.0	20
0.2	0.6	1.1	2.9	9.2	28.3	62.7	21
0.1	0.3	0.8	2.3	8.6	29.4	70.4	22
0.1	0.2	0.6	2.3	9.2	31.5	83.1	23
0.1	0.4	0.9	2.3	8.1	28.1	64.2	24
0.6	1.2	2.7	7.8	20.7	34.6	55.8	25
0.4	0.7	2.0	7.1	21.2	39.8	71.9	26
0.8	1.6	3.2	8.4	20.3	30.8	46.4	27
-	-	0.0	0.3	2.2	8.7	24.7	28
-	-	0.1	0.7	5.2	22.7	74.5	29
-	-	0.0	0.3	2.0	8.3	25.4	30
-	-	0.0	0.6	4.6	21.9	77.7	31
-	-	0.1	0.8	4.7	12.8	16.9	32
-	-	0.3	1.6	10.4	30.6	45.6	33
0.7	0.3	0.0	-	-	-	0.1	34
1.4	0.6	0.0	-	-	-	0.1	35
0.5	0.2	0.0	-	-	-	0.1	36
0.9	0.5	0.0	-	-	-	0.1	37
2.3	0.9	0.0	-	-	-	-	38
4.3	1.6	0.1	-	-	-	-	39
0.0	0.0	-	-	-	-	-	40
0.1	0.0	-	-	-	-	-	41
0.0	0.0	-	-	-	-	-	42
0.0	0.0	-	-	-	-	-	43
0.2	0.0	-	-	-	-	-	44
0.4	0.1	-	-	-	-	-	45
0.7	0.3	0.0	-	-	-	0.1	46
1.3	0.6	0.0	-	-	-	0.1	47
0.4	0.2	0.0	-	-	-	0.1	48
0.9	0.4	0.0	-	-	-	0.1	49
2.1	0.9	0.0	-	-	-	-	50
3.9	1.6	0.1	-	-	-	-	51
1.4	1.4	1.8	2.3	2.7	2.9	3.1	52
1.6	1.7	2.0	2.4	3.0	4.2	4.2	53
1.3	1.2	1.6	2.3	2.5	2.2	2.6	54
1.4	1.4	1.8	2.3	2.7	3.0	3.1	55
1.5	1.6	1.9	2.4	2.9	4.3	4.4	56
1.3	1.2	1.6	2.3	2.5	2.1	2.5	57
1.9	1.8	2.0	2.5	2.7	2.5	2.6	58
2.5	2.3	2.5	2.6	3.4	2.8	1.8	59
1.3	1.4	1.5	2.5	2.1	2.3	3.1	60
0.0	0.0	0.0	0.0	0.1	0.0	-	61
-	0.0	0.0	0.0	0.1	0.0	-	62
0.0	-	-	0.0	0.1	0.0	-	63
0.0	0.0	0.0	0.0	0.0	0.0	-	64
-	0.0	0.0	0.0	-	0.0	-	65
0.0	-	-	0.0	0.1	-	-	66
-	0.0	-	-	0.3	0.2	-	67
-	0.1	-	-	0.7	-	-	68
-	-	-	-	-	0.3	-	69
-	0.0	0.0	0.0	0.0	0.0	-	70
-	0.0	0.0	0.0	0.1	0.0	-	71
-	-	-	-	0.0	0.0	-	72
-	0.0	0.0	0.0	0.0	0.0	-	73
-	0.0	0.0	0.0	-	0.0	-	74
-	-	-	-	0.0	-	-	75
-	0.0	-	-	0.2	0.2	-	76
-	0.1	-	-	0.5	-	-	77
-	-	-	-	-	0.3	-	78

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--CON.						
1	OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	6.1	425.2	0.0	0.0	0.0
2	MALE-----	7.0	468.5	0.0	0.0	0.0
3	FEMALE-----	5.2	380.0	0.0	-	0.0
4	WHITE-----	4.9	358.1	0.0	0.0	0.0
5	MALE-----	5.7	398.3	0.0	0.0	0.0
6	FEMALE-----	4.1	316.1	-	-	0.0
7	ALL OTHER-----	14.0	764.2	0.0	-	0.0
8	MALE-----	16.0	826.6	-	-	0.0
9	FEMALE-----	12.1	697.2	0.1	-	-
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796						
10	MALE-----	14.7	156.4	2.9	0.7	4.4
11	FEMALE-----	17.9	181.7	3.2	0.9	6.4
12	WHITE-----	11.7	129.8	2.5	0.6	2.5
13	MALE-----	12.0	120.5	2.1	0.6	3.6
14	FEMALE-----	14.6	146.0	2.2	0.7	5.2
15	ALL OTHER-----	9.5	93.8	2.0	0.5	2.0
16	MALE-----	33.4	337.2	6.7	1.4	9.4
17	FEMALE-----	41.0	363.9	8.1	1.7	13.8
18	ALL OTHER-----	26.4	308.5	5.2	1.1	5.1
ALL OTHER DISEASES-----RESIDUAL						
19	MALE-----	56.0	63.6	7.9	4.1	8.3
20	FEMALE-----	64.7	72.9	8.3	4.5	10.4
21	WHITE-----	47.7	53.8	7.4	3.8	6.2
22	MALE-----	55.2	55.1	7.6	4.1	7.2
23	FEMALE-----	63.5	63.5	8.0	4.5	9.2
24	ALL OTHER-----	47.4	46.3	7.2	3.8	5.2
25	MALE-----	61.3	106.2	9.3	4.1	14.7
26	FEMALE-----	73.3	120.6	10.1	4.6	17.5
27	ALL OTHER-----	50.2	91.1	8.6	3.7	12.1
ACCIDENTS-----E800-E949						
28	MALE-----	49.5	48.3	29.2	18.4	61.6
29	FEMALE-----	71.1	53.5	34.7	25.1	99.1
30	WHITE-----	29.0	42.9	23.4	11.4	23.9
31	MALE-----	48.5	41.2	27.1	17.4	63.0
32	FEMALE-----	69.1	45.7	32.8	23.7	100.9
33	ALL OTHER-----	28.9	36.5	21.1	10.9	24.5
34	MALE-----	56.0	84.3	39.7	23.4	53.2
35	FEMALE-----	85.3	93.3	44.5	32.6	87.8
36	ALL OTHER-----	29.3	74.8	35.0	14.2	20.3
MOTOR VEHICLE ACCIDENTS-----E810-E823						
37	MALE-----	22.0	7.5	9.9	8.7	40.5
38	FEMALE-----	33.2	6.6	10.8	11.0	63.4
39	WHITE-----	11.3	8.3	9.1	6.3	17.4
40	MALE-----	21.9	7.5	9.4	8.4	42.8
41	FEMALE-----	33.0	6.8	10.2	10.6	66.7
42	ALL OTHER-----	11.4	8.3	8.5	6.2	18.5
43	MALE-----	22.0	7.0	12.6	10.0	26.7
44	FEMALE-----	34.5	6.0	13.7	13.2	43.5
45	ALL OTHER-----	10.6	8.1	11.6	6.9	10.7
ALL OTHER ACCIDENTS-----E800-E807, E825-E949						
46	MALE-----	27.5	40.9	19.3	9.7	21.1
47	FEMALE-----	38.0	46.9	23.9	14.1	35.6
48	WHITE-----	17.7	34.6	14.4	5.1	6.5
49	MALE-----	26.6	33.7	17.7	9.0	20.2
50	FEMALE-----	36.1	39.0	22.6	13.1	34.2
51	ALL OTHER-----	17.5	28.2	12.5	4.7	6.0
52	MALE-----	34.0	77.3	27.1	13.4	26.5
53	FEMALE-----	50.7	87.3	30.7	19.4	44.3
54	ALL OTHER-----	18.7	66.7	23.5	7.3	9.6
SUICIDE-----E950-E959						
55	MALE-----	12.1	0.5	10.9
56	FEMALE-----	18.1	0.7	17.1
57	WHITE-----	6.5	0.2	4.6
58	MALE-----	13.0	0.5	11.4
59	FEMALE-----	19.2	0.8	17.8
60	ALL OTHER-----	7.1	0.2	4.8
61	MALE-----	6.5	0.3	8.3
62	FEMALE-----	10.2	0.4	12.9
63	ALL OTHER-----	3.0	0.2	3.9
HOMICIDE-----E960-E978						
64	MALE-----	10.2	5.5	2.2	1.0	14.2
65	FEMALE-----	16.3	5.1	2.4	1.3	22.1
66	WHITE-----	4.4	6.0	2.0	0.8	6.3
67	MALE-----	5.8	3.7	1.5	0.8	7.6
68	FEMALE-----	8.9	3.7	1.7	1.0	11.4
69	ALL OTHER-----	2.8	3.7	1.4	0.6	3.8
70	MALE-----	39.7	14.9	5.7	2.4	53.6
71	FEMALE-----	67.2	12.3	6.0	2.9	88.3
72	ALL OTHER-----	14.5	17.5	5.4	2.0	20.5
OTHER EXTERNAL CAUSES-----E980-E999						
73	MALE-----	2.4	3.6	1.3	0.4	2.7
74	FEMALE-----	3.5	3.8	1.3	0.6	4.3
75	WHITE-----	1.5	3.4	1.2	0.2	1.2
76	MALE-----	2.1	2.8	0.8	0.3	2.3
77	FEMALE-----	2.9	3.0	1.0	0.5	3.7
78	ALL OTHER-----	1.3	2.6	0.7	0.1	1.0
79	MALE-----	4.9	7.6	3.4	0.8	5.2
80	FEMALE-----	7.4	7.9	3.1	1.1	7.7
81	ALL OTHER-----	2.7	7.3	3.6	0.5	2.7

¹ FIGURES FOR AGE NOT STATED INCLUDED IN "TOTAL" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1974—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.0	-	-	0.0	0.0	-	-	1
-	-	-	-	0.0	-	-	2
0.0	-	-	0.0	0.0	-	-	3
0.0	-	-	0.0	0.0	-	-	4
-	-	-	-	-	-	-	5
0.0	-	-	0.0	0.0	-	-	6
-	-	-	-	0.1	-	-	7
-	-	-	-	-	0.2	-	8
-	-	-	-	-	-	-	9
5.3	8.0	12.7	22.5	38.4	70.0	194.7	10
7.1	9.7	17.1	31.8	55.2	94.3	228.2	11
3.5	6.3	8.6	14.2	25.4	54.9	178.3	12
3.7	5.5	9.9	18.2	30.2	59.0	168.3	13
5.0	6.6	13.4	26.4	44.2	79.6	195.2	14
2.4	4.5	6.6	10.8	19.5	46.4	155.2	15
15.9	25.3	36.1	63.8	118.1	198.3	468.8	16
22.9	34.0	49.4	84.6	158.9	250.9	529.8	17
10.0	18.1	24.5	45.9	85.0	160.2	433.0	18
12.9	25.1	49.7	103.5	214.7	424.2	700.9	19
14.8	28.7	59.1	133.1	295.6	595.9	912.5	20
11.0	21.7	41.0	77.0	152.5	317.5	596.7	21
9.8	19.4	43.3	97.5	210.1	425.8	719.6	22
11.0	21.8	51.1	125.4	292.2	602.1	936.0	23
8.6	17.1	36.1	72.5	147.2	317.6	614.4	24
34.6	65.3	102.9	159.9	259.9	406.2	511.7	25
44.2	82.1	128.4	207.8	327.3	530.6	698.2	26
26.4	51.4	80.6	118.4	205.4	316.4	402.1	27
45.4	40.0	43.5	51.2	68.9	145.1	360.3	28
74.3	63.4	66.7	76.5	99.2	186.4	420.5	29
17.2	17.8	21.8	28.5	45.6	119.5	330.9	30
43.0	36.8	40.2	48.1	66.0	147.1	373.9	31
70.3	57.8	61.0	71.2	94.0	188.4	437.7	32
16.0	16.4	20.6	27.3	44.6	121.7	342.9	33
61.7	62.9	70.8	80.3	96.7	122.3	222.1	34
105.0	106.4	115.6	127.7	148.0	165.3	263.2	35
24.9	26.9	31.8	39.4	55.2	91.3	197.9	36
25.3	19.0	18.3	19.5	22.7	31.6	26.8	37
40.8	29.7	27.9	28.7	33.4	49.6	55.3	38
10.3	8.9	9.3	11.3	14.4	20.4	12.8	39
24.8	18.1	17.4	18.5	21.9	31.8	26.8	40
39.6	27.8	26.2	27.0	31.4	49.6	55.6	41
10.0	8.6	9.2	11.0	14.6	20.9	12.8	42
29.4	25.8	25.5	28.5	30.7	29.1	27.3	43
49.4	43.9	42.6	45.4	52.6	49.1	52.6	44
12.4	10.9	10.7	13.9	13.0	14.7	12.4	45
20.0	21.0	25.2	31.7	46.2	113.5	333.5	46
33.5	33.8	38.8	47.8	65.8	136.8	365.2	47
6.9	6.9	12.5	17.2	31.1	99.1	318.1	48
18.3	18.7	22.8	29.5	44.2	115.3	347.1	49
30.7	30.0	34.8	44.3	62.6	138.8	382.1	50
6.0	7.8	11.4	16.3	30.0	100.9	330.1	51
32.3	37.1	45.3	51.9	66.0	93.2	194.8	52
55.5	62.5	73.0	82.4	95.4	116.2	210.5	53
12.6	16.1	21.1	25.5	42.1	76.6	185.6	54
15.7	16.8	19.6	19.7	18.8	20.9	17.5	55
23.3	22.8	26.6	30.2	32.9	43.5	45.2	56
8.4	11.1	13.0	10.3	8.0	6.9	3.8	57
16.0	17.8	21.0	21.0	20.0	22.0	18.6	58
23.3	23.8	28.3	32.1	34.9	46.0	48.5	59
8.7	12.1	14.1	11.0	8.5	7.3	4.0	60
13.9	9.5	7.7	7.6	7.8	8.5	6.5	61
22.9	15.6	11.9	12.5	14.5	17.1	15.8	62
6.3	4.5	4.0	3.4	2.4	2.3	1.0	63
19.3	16.4	11.7	8.0	5.9	5.3	4.2	64
31.4	27.0	19.8	13.4	9.5	8.2	6.2	65
7.5	6.5	4.2	3.1	3.1	3.4	3.3	66
10.1	9.0	6.7	5.1	4.1	4.5	3.7	67
15.8	14.1	10.9	8.1	6.2	6.7	5.4	68
4.3	3.9	2.8	2.4	2.6	3.1	2.9	69
83.9	69.4	53.1	35.4	22.6	15.0	9.7	70
149.8	125.5	96.8	65.3	40.4	24.5	14.0	71
27.9	23.1	15.2	9.6	8.2	8.0	7.2	72
3.2	3.4	3.2	2.9	2.8	2.7	3.7	73
4.6	4.7	4.2	4.1	4.3	4.2	6.9	74
1.8	2.1	2.2	1.7	1.6	1.9	1.9	75
2.6	2.6	2.8	2.6	2.5	2.6	2.6	76
3.6	3.5	3.6	3.5	3.7	3.9	6.5	77
1.5	1.8	2.1	1.7	1.5	1.7	2.2	78
7.5	8.6	5.8	5.7	5.9	4.9	4.5	79
12.2	14.1	9.2	9.6	9.9	6.5	10.5	80
3.5	4.1	2.8	2.4	2.7	3.7	1.0	81

SECTION 1 - GENERAL MORTALITY

1-45

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1974

[Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area. Data by place of occurrence include deaths to nonresidents]

Year	United States	Geographic division								
		New England ¹	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1974	9.2	9.4	9.8	9.0	9.8	9.3	9.9	8.9	7.7	8.2
1973	9.4	9.6	10.0	9.2	10.0	9.7	10.2	9.2	8.0	8.4
1972 ²	9.4	9.6	10.1	9.3	10.1	9.7	10.1	9.2	7.9	8.5
1971	9.4	9.6	10.2	9.2	10.0	9.4	10.0	8.9	8.2	8.4
1970	9.5	9.8	10.2	9.3	10.1	9.6	10.1	9.1	8.2	8.4
1969	9.5	10.1	10.2	9.4	10.3	9.5	9.9	9.0	8.2	8.6
1968	9.7	10.4	10.7	9.7	10.3	9.5	9.8	9.1	8.2	8.4
1967	9.4	10.3	10.2	9.5	10.1	9.1	9.4	8.6	7.8	8.3
1966	9.5	10.3	10.3	9.8	10.4	9.3	9.7	8.7	8.0	8.5
1965	9.4	10.5	10.2	9.5	10.2	9.2	9.6	8.6	8.0	8.4
1964	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1	8.5
1963	9.6	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962	9.5	10.5	10.4	8.5	10.2	9.1	9.6	8.7	7.9	8.4
1961	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8.4
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59	9.4	10.6	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	16.2	---	---	---	---	---	---	---	---
1900-1904	16.2	16.8	---	---	---	---	---	---	---	---

¹Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix.

²Deaths based on a 50-percent sample.

SECTION 1 - GENERAL MORTALITY

Table 1-11. Death Rates: United States, Each Division and State, 1965-74

[Rates per 1,000 population in each area]

Division and State	1974 ¹	1973 ²	1972 ^{1,2}	1971 ¹	1970 ¹	1969	1968	1967	1966	1965
United States	9.2	9.4	9.4	9.3	9.5	9.5	9.7	9.4	9.5	9.4
Geographic divisions:										
New England	9.4	9.6	9.6	9.6	9.8	10.1	10.4	10.3	10.3	10.5
Middle Atlantic	9.8	10.0	10.2	10.2	10.3	10.3	10.7	10.2	10.4	10.3
East North Central	9.1	9.3	9.4	9.2	9.4	9.5	9.7	9.5	9.7	9.8
West North Central	9.7	9.9	10.1	9.9	10.1	10.3	10.3	10.1	10.3	10.2
South Atlantic	9.3	9.6	9.6	9.3	9.5	9.4	9.5	9.1	9.2	9.1
East South Central	9.8	10.1	10.0	9.9	10.0	9.8	9.8	9.4	9.6	9.5
West South Central	8.9	9.2	9.1	8.9	9.1	9.0	9.1	8.6	8.7	8.6
Mountain	7.5	7.9	7.8	8.0	8.0	8.1	8.2	7.9	7.9	7.8
Pacific	8.1	8.4	8.3	8.4	8.3	8.5	8.4	8.3	8.5	8.4
New England:										
Maine	10.2	10.6	10.9	10.7	11.1	11.2	11.4	11.4	11.1	11.0
New Hampshire	9.6	9.6	9.7	9.8	10.0	10.5	10.6	10.6	10.5	10.9
Vermont	9.4	9.7	9.4	9.6	10.0	10.1	10.7	10.9	11.1	11.4
Massachusetts	9.7	9.9	9.9	9.9	10.1	10.6	10.9	10.7	10.7	11.0
Rhode Island	9.7	9.8	9.8	9.7	10.0	10.2	10.6	10.4	10.5	10.8
Connecticut	8.5	8.7	8.6	8.5	8.6	8.7	9.0	8.9	9.1	9.1
Middle Atlantic:										
New York	9.8	9.9	10.1	10.1	10.3	10.3	10.7	10.2	10.3	10.2
New Jersey	9.2	9.3	9.4	9.4	9.5	9.5	9.7	9.4	9.6	9.6
Pennsylvania	10.4	10.6	10.7	10.7	10.8	10.8	11.2	10.8	11.0	10.9
East North Central:										
Ohio	9.2	9.5	9.5	9.3	9.4	9.4	9.7	9.4	9.6	9.6
Indiana	9.1	9.3	9.3	9.3	9.3	9.7	9.8	9.6	9.9	9.8
Illinois	9.7	9.8	9.9	9.8	10.0	10.1	10.3	10.1	10.4	10.2
Michigan	8.4	8.7	8.7	8.6	8.6	8.8	8.9	8.8	8.9	8.9
Wisconsin	8.8	9.0	9.3	9.0	9.2	9.7	9.8	9.5	9.7	9.7
West North Central:										
Minnesota	8.6	8.7	8.9	8.7	8.9	9.1	9.3	9.2	9.3	9.1
Iowa	10.1	10.1	10.4	10.4	10.4	10.6	10.8	10.5	10.8	10.7
Missouri	10.6	10.8	11.1	10.7	11.1	11.3	11.3	11.0	11.6	11.2
North Dakota	9.1	9.0	8.9	9.0	9.1	9.1	8.9	8.5	8.9	8.5
South Dakota	9.6	9.7	10.3	10.0	9.9	10.3	10.0	9.5	9.7	9.5
Nebraska	9.7	9.7	10.2	10.0	10.1	10.3	10.4	10.1	10.2	10.2
Kansas	9.8	10.0	9.9	9.8	9.7	9.8	9.8	9.6	9.8	9.7
South Atlantic:										
Delaware	8.7	8.5	8.7	8.6	9.0	8.8	9.2	8.8	9.3	9.0
Maryland	8.1	8.0	8.3	8.1	8.4	8.6	8.7	8.4	8.8	8.7
District of Columbia	10.9	10.8	11.3	11.6	11.7	11.0	10.9	10.9	11.4	11.2
Virginia	8.2	8.6	8.6	8.4	8.4	8.4	8.7	8.2	8.3	8.4
West Virginia	10.9	11.1	11.5	11.2	11.5	10.9	11.0	10.7	10.8	10.6
North Carolina	8.6	9.1	9.1	8.7	8.8	8.6	8.7	8.4	8.5	8.4
South Carolina	8.7	9.1	8.9	8.8	8.8	8.5	8.8	8.4	8.6	8.5
Georgia	8.8	9.2	9.1	8.9	9.1	8.9	9.1	8.5	8.6	8.7
Florida	10.9	11.5	11.3	10.9	11.0	11.4	11.3	10.6	10.5	10.3
East South Central:										
Kentucky	10.0	10.3	10.3	10.2	10.3	10.2	10.3	10.0	9.9	9.8
Tennessee	9.5	9.6	9.7	9.5	9.7	9.5	9.4	9.2	9.3	9.1
Alabama	9.7	10.0	9.8	9.7	9.8	9.6	9.4	9.0	9.4	9.3
Mississippi	10.0	10.5	10.5	10.5	10.5	10.1	10.2	9.6	10.0	9.8
West South Central:										
Arkansas	10.8	10.9	10.9	10.7	10.7	10.4	10.5	9.9	9.9	9.9
Louisiana	8.9	9.3	9.2	9.0	9.2	9.0	9.2	8.7	9.0	9.0
Oklahoma	10.1	10.3	10.2	9.9	10.5	10.1	10.2	10.0	10.1	9.7
Texas	8.3	8.6	8.6	8.3	8.4	8.4	8.5	8.0	8.1	7.9
Mountain:										
Montana	8.9	8.5	9.6	9.7	9.5	9.7	9.5	9.4	9.8	9.4
Idaho	8.1	8.4	8.4	8.6	8.6	8.6	8.6	8.4	8.6	8.6
Wyoming	8.8	8.7	8.9	9.0	8.8	9.2	9.4	8.8	8.1	8.5
Colorado	7.2	7.7	7.5	7.8	7.9	8.2	8.7	8.3	8.3	8.3
New Mexico	7.2	7.3	7.4	7.4	7.3	7.3	7.1	6.9	6.8	6.7
Arizona	7.9	8.2	8.1	8.5	8.4	8.3	8.3	7.9	7.9	7.6
Utah	6.3	6.6	6.5	6.6	6.7	6.5	6.7	6.4	6.8	6.7
Nevada	7.6	7.8	7.7	7.9	7.9	8.1	7.9	7.5	7.2	7.4
Pacific:										
Washington	8.6	9.0	8.7	8.8	8.8	9.0	9.3	9.5	9.8	9.2
Oregon	9.0	9.4	9.2	9.3	9.3	9.6	9.5	9.5	9.7	9.4
California	8.2	8.4	8.3	8.4	8.3	8.5	8.3	8.2	8.3	8.3
Alaska	4.4	4.4	4.4	4.7	4.8	4.6	4.9	4.7	4.6	5.0
Hawaii	5.1	5.3	5.3	5.3	5.2	5.1	5.3	5.2	5.2	5.1

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	GEOGRAPHIC DIVISIONS								
		NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
ALL CAUSES	1,934,388	114,070	367,103	372,808	162,532	307,172	130,821	182,601	70,884	226,397
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	57	-	6	11	2	3	3	13	7	12
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	2,255	107	305	387	210	356	190	321	135	244
TUBERCULOSIS, ALL FORMS-----010-019	3,513	141	759	564	200	673	335	373	140	328
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	2,775	114	619	446	142	540	263	309	99	243
TUBERCULOSIS, OTHER FORMS-----013-019	738	27	140	118	58	133	72	64	41	85
WHOOPING COUGH-----033	14	-	3	4	-	-	2	2	1	2
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	22	1	2	4	3	2	2	1	1	6
MENINGOCOCCAL INFECTIONS-----036	305	13	45	66	23	59	29	41	6	23
SEPTICEMIA-----038	5,243	351	1,122	797	315	1,065	348	629	211	405
ACUTE POLIOMYELITIS-----040-043	3	1	-	-	-	2	-	-	1	-
MEASLES-----055	20	-	3	3	4	3	1	3	1	2
SYPHILIS AND ITS SEQUELAE-----090-097	300	8	48	70	23	70	16	27	6	32
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	3,990	205	670	658	330	696	345	436	181	469
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	360,472	23,210	72,520	69,031	29,238	55,724	21,995	32,430	12,011	44,313
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	7,968	571	1,543	1,464	558	1,407	449	702	211	1,063
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	98,913	6,993	21,912	19,039	8,274	14,117	5,563	7,994	3,235	11,786
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-169	83,475	4,968	15,873	15,648	5,948	13,906	5,528	8,483	2,531	10,590
MALIGNANT NEOPLASM OF BREAST-----174	32,424	2,199	7,157	6,364	2,647	4,681	1,744	2,471	1,097	4,064
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	43,111	2,586	8,076	8,433	3,716	6,918	2,908	3,878	1,500	5,096
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	16,457	1,109	3,320	3,323	1,464	2,477	857	1,269	574	2,064
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	43,620	2,667	8,150	7,967	3,428	7,221	2,911	4,381	1,593	5,302
LEUKEMIA-----204-207	14,575	873	2,666	2,912	1,344	2,112	890	1,460	531	1,787
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	19,929	1,244	3,823	3,881	1,859	2,885	1,145	1,792	739	2,561
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	5,060	364	1,114	881	310	823	271	435	226	636
DIABETES MELLITUS-----250	37,329	2,281	7,629	8,066	3,009	5,897	2,380	3,443	1,268	3,356
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	2,527	111	375	468	262	434	159	270	125	323
ANEMIAS-----280-285	3,312	164	613	628	262	605	246	366	101	327
MENINGITIS-----320	1,539	67	237	279	91	306	114	207	75	163
MAJOR CARDIOVASCULAR DISEASES-----390-448	1,010,926	60,800	196,297	202,024	88,830	155,419	67,858	92,101	32,091	115,506
DISEASES OF HEART-----390-398, 402, 404, 410-429	738,171	45,192	151,860	149,083	62,843	112,057	47,090	64,431	22,865	82,750
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	13,302	817	2,957	2,555	1,117	1,911	570	773	629	1,973
HYPERTENSIVE HEART DISEASE-----402	7,167	564	1,329	1,613	564	971	390	692	219	825
HYPERTENSIVE HEART AND RENAL DISEASE-----404	4,916	208	678	1,362	590	783	304	452	107	432
ISCHEMIC HEART DISEASE-----410-413	664,854	40,813	139,918	134,188	56,509	100,735	41,506	55,476	19,958	75,751
ACUTE MYOCARDIAL INFARCTION-----410	334,196	20,853	66,265	68,115	30,341	51,234	24,891	30,040	10,482	31,975
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	4,418	237	692	529	222	1,205	139	613	473	308
CHRONIC ISCHEMIC HEART DISEASE-----412	326,065	19,710	72,945	65,517	25,907	48,268	16,465	24,807	8,996	43,450
ANGINA PECTORIS-----413	175	13	16	27	39	28	11	16	7	18
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	4,895	230	629	919	536	918	419	553	175	516
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	43,037	2,560	6,349	8,446	3,527	6,739	3,901	6,485	1,777	3,253

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	UNITED STATES	GEOGRAPHIC DIVISIONS								
		NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
MAJOR CARDIOVASCULAR DISEASES—CON.										
HYPERTENSION-----400-401,403	6,894	408	1,065	1,479	632	1,202	587	633	212	676
CEREBROVASCULAR DISEASES-----430-438	207,424	11,938	33,492	39,742	19,628	33,326	16,599	21,421	6,784	24,894
CEREBRAL HEMORRHAGE-----431	30,515	2,150	5,416	6,384	2,694	4,794	2,338	2,898	860	2,981
CEREBRAL THROMBOSIS-----433	53,542	3,521	9,770	10,943	4,652	8,696	3,986	3,787	1,301	6,886
CEREBRAL EMBOLISM-----434	910	57	174	163	117	48	77	37	37	106
ALL OTHER CEREBROVASCULAR DISEASES-----430-432,435-438	122,457	5,810	18,132	22,252	12,165	19,705	10,227	14,659	4,586	14,921
ARTERIOSCLEROSIS-----440	32,239	2,025	5,075	6,759	3,366	4,583	2,046	3,326	1,248	3,811
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	26,198	1,637	4,805	4,961	2,361	4,251	1,536	2,290	982	3,375
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	750	42	159	109	56	94	38	79	58	115
INFLUENZA AND PNEUMONIA-----470-474,480-486	54,777	4,085	11,001	9,567	5,159	8,396	3,367	5,236	2,204	5,762
INFLUENZA-----470-474	2,201	129	236	398	415	326	188	185	108	216
PNEUMONIA-----480-486	52,576	3,956	10,765	9,169	4,744	8,070	3,179	5,051	2,096	5,546
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	26,880	1,397	4,120	5,431	2,374	4,192	1,673	2,516	1,441	3,728
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	5,097	307	827	1,018	431	788	336	452	259	679
EMPHYSEMA-----492	19,907	974	2,992	4,090	1,790	3,070	1,219	1,911	1,072	2,789
ASTHMA-----493	1,876	116	309	323	153	334	118	153	110	260
PEPTIC ULCER-----531-533	7,069	374	1,500	1,414	646	943	439	620	245	888
APPENDICITIS-----540-543	864	43	153	174	67	66	79	44	44	103
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	6,506	366	1,187	1,316	637	980	392	623	286	719
CIRRHOSIS OF LIVER-----571	33,319	2,148	7,144	6,024	1,701	5,500	1,392	2,334	1,387	5,689
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	3,194	190	559	616	331	454	237	314	157	336
NEPHRITIS AND NEPHROSIS-----580-584	8,068	382	1,573	1,484	593	1,552	648	931	260	645
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	1,541	74	346	287	119	251	109	180	56	119
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	6,527	308	1,227	1,197	474	1,301	539	751	204	526
INFECTIIONS OF KIDNEY-----590	5,451	250	627	922	432	953	586	665	163	575
HYPERPLASIA OF PROSTATE-----600	1,377	60	254	285	150	215	153	88	54	118
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	462	6	63	79	34	89	61	62	23	45
ABORTIONS-----640-645	27	-	5	2	2	6	3	4	1	4
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUEPPERIUM-----630-639,650-678	435	6	58	77	32	83	58	58	22	41
CONGENITAL ANOMALIES-----740-759	13,526	666	2,095	2,685	1,085	2,125	982	1,480	680	1,728
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,769,4-772,774-778	28,786	1,294	4,674	5,782	2,121	5,032	2,252	3,307	1,349	2,895
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	15,974	627	2,493	3,297	1,153	2,673	1,278	2,016	801	1,656
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	12,812	667	2,181	2,485	968	2,359	974	1,371	548	1,259
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	31,145	989	5,623	4,767	2,388	5,141	4,579	4,305	1,536	1,617
ALL OTHER DISEASES-----RESIDUAL	118,396	7,056	22,328	21,156	9,569	20,459	7,660	11,255	5,546	13,387
ACCIDENTS-----E800-E949	104,622	5,072	13,733	17,701	8,867	18,529	8,378	11,868	6,240	14,234
MOTOR VEHICLE ACCIDENTS-----E810-E823	46,402	2,033	5,945	7,728	3,975	8,635	3,877	5,195	3,052	5,962
ALL OTHER ACCIDENTS-----E800-E807, E825-E949	58,220	3,039	7,788	9,973	4,892	9,894	4,501	6,673	3,188	8,272
SUICIDE-----E950-E959	25,683	1,165	3,165	4,520	1,943	4,499	1,539	2,515	1,629	4,708
HOMICIDE-----E960-E978	21,465	483	3,232	3,908	917	5,013	1,796	2,900	749	2,467
OTHER EXTERNAL CAUSES-----E980-E999	5,161	190	1,757	857	350	734	289	246	247	491

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.
 [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW ENGLAND DIVISION					MIDDLE ATLANTIC DIVISION			
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
ALL CAUSES	10,717	7,723	4,398	55,996	9,107	26,129	176,959	67,160	122,984
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	-	-	-	-	-	3	3	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	11	3	5	37	11	40	154	63	88
TUBERCULOSIS, ALL FORMS-----010-019	12	5	8	75	10	31	357	147	255
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	11	3	7	62	7	24	293	117	209
TUBERCULOSIS, OTHER FORMS-----013-019	1	2	1	13	3	7	64	30	46
WHOOPING COUGH-----033	-	-	-	-	-	-	3	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	-	-	-	-	1	2	-	-
MENINGOCOCCAL INFECTIONS-----036	5	1	1	5	1	-	18	13	14
SEPTICEMIA-----038	18	16	5	206	26	80	487	200	435
ACUTE POLIOMYELITIS-----040-043	1	-	-	-	-	-	-	-	-
MEASLES-----055	-	-	-	-	-	-	2	1	-
SYPHILIS AND ITS SEQUELAE-----090-097	-	-	-	2	2	4	20	6	22
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	22	17	5	87	16	58	323	115	232
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	2,036	1,560	807	11,221	1,902	5,684	35,435	13,985	23,100
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	46	48	15	267	44	151	758	333	452
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	608	444	225	3,385	592	1,739	10,953	4,349	6,610
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	443	345	192	2,417	392	1,179	7,756	3,136	4,981
MALIGNANT NEOPLASM OF BREAST-----174	192	116	81	1,079	181	550	3,565	1,369	2,223
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	237	181	98	1,273	216	581	3,885	1,525	2,666
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	112	101	35	496	102	263	1,649	628	1,043
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	206	170	82	1,317	203	689	3,665	1,413	3,072
LEUKEMIA-----204-207	80	63	33	408	59	230	1,291	532	843
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	112	92	46	579	113	302	1,913	700	1,210
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	32	16	17	178	37	84	570	158	386
DIABETES MELLITUS-----250	196	187	75	1,114	202	507	3,675	1,431	2,523
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	21	12	4	47	6	21	153	70	152
ANEMIAS-----280-285	19	13	3	86	17	26	292	121	200
MEINGITIS-----320	3	4	-	37	6	17	114	47	76
MAJOR CARDIOVASCULAR DISEASES-----390-448	5,779	4,022	2,364	29,863	4,993	13,779	93,070	36,484	66,743
DISEASES OF HEART-----390-398, 402, 404, 410-429	4,277	2,784	1,741	22,293	4,039	10,058	73,077	28,276	50,507
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	64	55	31	413	81	173	1,452	539	966
HYPERTENSIVE HEART DISEASE-----402	37	34	18	299	34	142	698	238	393
HYPERTENSIVE HEART AND RENAL DISEASE-----404	42	26	7	81	13	39	235	111	332
ISCHEMIC HEART DISEASE-----410-413	3,881	2,530	1,583	20,225	3,713	8,881	67,688	26,362	45,868
ACUTE MYOCARDIAL INFARCTION-----410	2,385	1,431	693	10,102	1,862	4,380	29,395	12,701	24,169
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	7	12	7	47	148	16	406	64	222
CHRONIC ISCHEMIC HEART DISEASE-----412	1,487	1,087	882	10,070	1,701	4,483	37,882	13,592	21,471
ANGINA PECTORIS-----413	2	-	1	6	2	2	5	5	6
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	40	26	18	92	13	41	241	66	322
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	213	113	84	1,183	185	782	2,763	960	2,626

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW ENGLAND DIVISION					MIDDLE ATLANTIC DIVISION			
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
MAJOR CARDIOVASCULAR DISEASES—CON.									
HYPERTENSION—400,401,403	29	39	17	199	28	96	514	197	354
CEREBROVASCULAR DISEASES—430-438	1,106	900	446	5,634	717	2,735	15,130	6,376	11,986
CEREBRAL HEMORRHAGE—431	208	155	63	1,174	103	447	2,553	1,051	1,812
CEREBRAL THROMBOSIS—433	249	254	119	1,774	211	914	4,180	2,101	3,489
CEREBRAL EMBOLISM—434	4	-	-	37	4	12	77	36	61
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	645	491	264	2,649	399	1,362	8,320	3,188	6,624
ARTERIOSCLEROSIS—440	215	179	90	948	102	491	2,122	767	2,186
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	152	120	70	789	107	399	2,227	868	1,710
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	3	3	-	24	2	10	88	35	36
INFLUENZA AND PNEUMONIA—470-474,480-486	340	186	139	2,367	242	811	6,230	1,752	3,019
INFLUENZA—470-474	32	7	7	39	5	39	124	40	72
PNEUMONIA—480-486	308	179	132	2,328	237	772	6,106	1,712	2,947
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	191	133	57	619	97	300	2,085	745	1,298
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	43	32	15	137	21	59	442	166	219
EMPHYSEMA—492	138	94	36	416	66	224	1,487	535	970
ASTHMA—493	10	7	6	66	10	17	156	44	109
PEPTIC ULCER—531-533	32	26	19	191	22	84	807	265	428
APPENDICITIS—540-543	1	2	3	22	6	9	79	22	52
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	45	23	13	188	37	60	579	210	398
CIRRHOSIS OF LIVER—571	178	126	61	1,107	164	512	3,905	1,293	1,946
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	17	15	9	91	17	41	276	124	159
NEPHRITIS AND NEPHROSIS—580-584	32	22	13	204	32	79	778	277	518
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	9	6	2	35	11	11	178	62	106
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	23	16	11	169	21	68	600	215	412
INFECTIONS OF KIDNEY—590	25	16	18	128	14	57	427	161	239
HYPERPLASIA OF PROSTATE—600	4	8	1	35	5	7	136	63	55
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	-	1	-	1	-	4	42	12	9
ABORTIONS—640-645	-	-	-	-	-	-	4	1	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	-	1	-	1	-	4	38	11	9
CONGENITAL ANOMALIES—740-759	75	52	37	294	46	162	1,038	419	638
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769,2,769,4-772,774-778	134	91	53	566	105	345	2,241	868	1,565
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	66	46	26	287	52	150	1,214	480	799
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	68	45	27	279	53	195	1,027	388	766
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	67	203	34	432	30	223	2,531	636	2,656
ALL OTHER DISEASES—RESIDUAL	679	460	323	3,410	554	1,610	10,521	3,576	8,231
ACCIDENTS—E800-E949	598	352	237	2,552	359	1,018	5,967	2,653	5,113
MOTOR VEHICLE ACCIDENTS—E810-E823	214	153	112	1,001	134	419	2,575	1,123	2,247
ALL OTHER ACCIDENTS—E800-E807, E825-E949	344	199	125	1,551	221	599	3,392	1,530	2,866
SUICIDE—E950-E959	139	112	68	480	100	266	1,331	540	1,294
HOMICIDE—E960-E978	27	24	13	270	35	114	1,860	511	861
OTHER EXTERNAL CAUSES—E980-E999	15	12	6	57	15	85	1,360	154	243

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	FAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION						
	DHID	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
ALL CAUSES-----	99,254	48,269	108,171	76,249	40,865	33,500	28,773	50,652	5,766	6,581	15,025	22,235
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	1	1	8	1	-	-	1	-	-	1	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	99	55	98	97	38	49	38	55	15	6	14	23
TUBERCULOSIS, ALL FORMS-----010-019	135	69	172	143	45	29	26	96	8	6	9	26
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	105	59	139	110	33	17	20	69	5	4	6	21
TUBERCULOSIS, OTHER FORMS-----013-019	30	10	33	33	12	12	6	27	3	2	3	5
WHOOPING COUGH-----033	1	-	1	2	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	2	-	-	1	1	-	1	2	-	-	-	-
MENINGOCOCCAL INFECTIONS-----036	22	6	16	13	9	7	1	8	2	4	1	-
SEPTICEMIA-----038	215	113	202	190	77	70	47	115	6	7	20	50
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-----055	1	-	1	-	1	1	-	1	-	2	-	-
SYPHILIS AND ITS SEQUELAE-----090-097	31	9	11	11	8	5	2	8	1	-	2	5
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	172	93	180	139	74	59	56	109	13	11	28	54
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	18,403	8,707	19,953	14,251	7,717	6,180	5,347	8,931	1,044	1,126	2,657	3,953
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	389	169	450	312	144	119	91	195	18	22	60	53
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	5,069	2,266	5,666	3,847	2,191	1,801	1,617	2,359	292	335	809	1,061
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-169	4,334	2,021	4,532	3,275	1,486	1,112	1,039	2,068	173	200	483	873
MALIGNANT NEOPLASM OF BREAST-----174	1,671	759	1,877	1,307	750	624	484	744	89	108	222	376
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	2,209	1,084	2,482	1,702	956	798	713	1,069	163	155	320	498
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	877	430	932	673	411	325	282	390	68	69	141	189
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173,190-199	2,090	1,159	2,099	1,728	901	631	532	1,240	122	121	296	486
LEUKEMIA-----204-207	739	360	838	590	385	325	239	347	52	47	151	183
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203,208,209	1,035	459	1,077	817	493	445	350	519	67	69	175	234
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	237	141	279	159	65	73	57	88	7	14	35	36
DIABETES MELLITUS-----250	2,215	1,129	2,004	1,945	773	516	560	956	95	126	293	463
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	131	69	108	98	62	49	37	95	10	7	20	44
ANEMIAS-----280-285	171	85	166	143	63	51	46	93	11	7	15	39
MENINGITIS-----320	78	43	67	60	31	20	12	26	3	11	6	13
MAJOR CARDIOVASCULAR DISEASES-----390-448	53,781	26,360	59,717	39,417	22,749	18,271	16,200	27,319	3,060	3,561	8,265	12,154
DISEASES OF HEART-----390-398,402,404,410-429	39,407	18,296	45,562	29,247	16,571	12,697	11,393	19,635	2,220	2,541	5,730	8,627
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	683	343	705	541	283	304	180	335	42	27	108	121
HYPERTENSIVE HEART DISEASE-----402	364	147	623	344	135	125	92	183	22	18	58	66
HYPERTENSIVE HEART AND RENAL DISEASE-----404	481	335	331	117	98	65	116	195	19	21	117	57
ISCHEMIC HEART DISEASE-----410-413	35,853	16,326	40,409	26,750	14,850	11,454	10,275	17,513	1,980	2,308	5,074	7,905
ACUTE MYOCARDIAL INFARCTION-----410	16,781	9,102	20,975	14,130	7,127	5,772	5,913	8,881	1,234	1,367	2,777	4,397
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	184	49	136	71	89	65	31	62	18	9	23	14
CHRONIC ISCHEMIC HEART DISEASE-----412	18,882	7,173	19,293	12,538	7,631	5,612	4,330	8,538	728	932	2,274	3,493
ANGINA PECTORIS-----413	6	2	5	11	3	5	1	32	-	-	-	1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	198	198	273	110	140	95	135	145	16	12	56	77
ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	1,828	947	3,221	1,385	1,065	654	595	1,264	141	155	317	401

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION						
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
MAJOR CARDIOVASCULAR DISEASES--CON.												
HYPERTENSION-----400,401,403	363	184	524	272	136	94	136	198	21	17	65	101
CEREBROVASCULAR DISEASES-----430-438	10,690	6,029	10,762	7,650	4,611	4,340	3,591	5,828	618	769	1,895	2,587
CEREBRAL HEMORRHAGE-----431	1,568	1,022	2,061	1,106	627	556	409	865	89	106	264	405
CEREBRAL THROMBOSIS-----433	2,928	1,403	3,279	2,284	1,049	943	862	1,535	132	170	431	579
CEREBRAL EMBOLISM-----434	45	28	45	26	19	14	22	49	2	2	13	15
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,439-438	6,149	3,576	5,377	4,234	2,916	2,827	2,298	3,379	395	491	1,187	1,588
ARTERIOSCLEROSIS-----440	1,933	1,198	1,622	1,191	815	683	654	959	116	130	342	482
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	1,388	653	1,247	1,057	616	457	426	699	85	104	233	357
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	38	13	31	23	4	14	9	14	5	3	3	8
INFLUENZA AND PNEUMONIA-----470-474,480-486	2,473	1,192	3,068	1,694	1,140	1,155	983	1,385	227	207	507	695
INFLUENZA-----470-474	131	45	84	57	81	115	77	70	10	17	47	79
PNEUMONIA-----480-486	2,342	1,147	2,984	1,637	1,059	1,040	906	1,315	217	190	460	616
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	1,550	689	1,472	1,164	556	435	490	705	85	88	225	346
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	344	112	253	217	92	105	78	116	16	15	54	47
EMPHYSEMA-----492	1,136	540	1,116	878	420	288	393	550	60	68	157	274
ASTHMA-----493	70	37	103	69	44	42	19	39	9	5	14	25
PEPTIC ULCER-----531-533	357	169	455	271	162	124	104	199	26	25	76	92
APPENDICITIS-----540-543	51	26	50	30	17	16	13	18	-	3	12	5
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	352	170	365	281	148	128	127	174	24	38	55	91
CIRRHOSIS OF LIVER-----571	1,441	574	1,853	1,647	509	415	234	532	55	81	167	217
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	140	80	203	97	96	75	62	104	11	14	30	35
NEPHRITIS AND NEPHROSIS-----580-584	434	190	423	290	137	101	100	214	30	17	50	81
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	65	49	84	64	25	23	24	35	9	4	10	14
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	369	141	349	226	112	78	76	179	21	13	40	67
INFECTIONS OF KIDNEY-----590	270	152	296	158	108	63	73	155	16	15	35	75
HYPERPLASIA OF PROSTATE-----600	84	30	82	40	49	33	31	47	6	3	13	17
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	20	10	28	18	3	4	5	11	2	3	3	6
ABORTIONS-----640-645	1	-	1	-	-	-	-	-	2	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	19	10	27	18	3	4	5	11	-	3	3	6
CONGENITAL ANOMALIES-----740-759	691	374	756	569	295	238	175	327	56	53	96	140
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,769,4-772,774-778	1,440	727	1,836	1,311	468	438	336	628	101	115	205	298
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	749	416	1,203	684	245	234	157	345	59	64	114	180
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	691	311	633	627	223	204	179	283	42	51	91	118
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,301	471	2,122	596	277	298	122	1,563	37	63	112	193
ALL OTHER DISEASES-----RESIDUAL	5,886	2,761	5,495	4,550	2,464	2,059	1,550	2,933	302	405	947	1,373
ACCIDENTS-----E800-E949	4,547	2,570	4,381	4,221	1,982	1,910	1,512	2,487	408	468	880	1,202
MOTOR VEHICLE ACCIDENTS-----E810-E823	1,837	1,222	1,846	1,931	892	867	726	1,020	183	230	409	540
ALL OTHER ACCIDENTS-----E800-E807, E825-E949	2,710	1,348	2,535	2,290	1,090	1,043	786	1,467	225	238	471	662
SUICIDE-----E950-E959	1,357	591	867	1,181	524	400	323	620	74	68	160	298
HOMICIDE-----E960-E978	960	460	1,090	1,244	154	128	67	490	12	17	62	141
OTHER EXTERNAL CAUSES-----E980-E999	159	140	305	194	59	86	26	144	14	6	22	52

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.
 [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA
ALL CAUSES-----	4,986	32,965	7,848	40,358	19,558	46,278	24,211	42,953	88,015
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	-	-	-	-	1	-	-	2
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	7	23	7	41	14	43	39	81	101
TUBERCULOSIS, ALL FORMS-----010-019	12	75	37	86	40	108	66	95	154
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	11	64	32	65	35	52	52	78	125
TUBERCULOSIS, OTHER FORMS-----013-019	1	11	5	21	5	30	14	17	29
WHOOPING COUGH-----033	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	-	-	-	-	1	-	1	-
MENINGOCOCCAL INFECTIONS-----036	-	5	-	6	4	15	8	6	14
SEPTICEMIA-----038	8	155	49	141	54	155	76	170	257
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	1	1
MEASLES-----055	-	-	-	-	-	1	1	-	1
SYPHILIS AND ITS SEQUELAE-----090-097	-	3	3	9	6	6	3	17	23
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	8	88	34	91	32	119	51	104	169
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	1,061	6,705	1,535	7,483	3,254	7,537	3,781	6,720	17,648
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	25	172	56	183	56	180	96	180	459
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	293	1,687	415	1,889	781	1,778	914	1,651	4,709
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	256	1,686	335	1,911	830	1,726	908	1,613	4,641
MALIGNANT NEOPLASM OF BREAST-----174	92	613	147	645	249	666	334	574	1,361
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	125	792	228	833	406	1,018	488	871	2,157
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	60	327	64	318	132	306	149	265	856
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	124	864	183	1,037	503	1,147	520	942	1,901
LEUKEMIA-----204-207	76	246	42	274	128	300	164	271	651
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	50	318	65	393	169	416	208	353	913
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	13	136	16	93	57	136	61	105	206
DIABETES MELLITUS-----250	154	790	160	722	357	985	580	696	1,453
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	7	44	12	52	33	54	26	60	146
ANEMIAS-----280-285	11	62	15	69	27	83	58	81	199
MEINGITIS-----320	5	48	14	31	11	41	32	61	63
MAJOR CARDIOVASCULAR DISEASES-----390-448	2,527	16,332	3,323	20,261	10,558	23,743	11,985	21,783	44,907
DISEASES OF HEART-----390-398, 402, 404, 410-429	2,012	12,739	2,328	14,690	7,937	16,726	8,382	14,886	32,357
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	29	249	49	209	142	275	117	176	665
HYPERTENSIVE HEART DISEASE-----402	16	88	41	119	65	124	81	202	235
HYPERTENSIVE HEART AND RENAL DISEASE-----404	12	71	31	153	52	139	74	127	124
ISCHEMIC HEART DISEASE-----410-413	1,862	11,465	2,034	13,166	7,034	15,128	7,373	12,863	29,810
ACUTE MYOCARDIAL INFARCTION-----410	844	5,071	565	6,445	3,879	8,610	4,202	7,739	13,899
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	5	52	5	685	19	136	56	57	190
CHRONIC ISCHEMIC HEART DISEASE-----412	1,013	6,341	1,484	6,033	3,132	6,378	3,112	5,063	15,712
ANGINA PECTORIS-----413	-	1	-	3	4	4	3	4	9
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	10	258	17	169	49	112	65	91	147
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	83	608	156	874	595	948	672	1,427	1,376

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA
MAJOR CARDIOVASCULAR DISEASES--CON.									
HYPERTENSION-----400,401,403	18	103	38	147	81	240	103	172	300
CEREBROVASCULAR DISEASES-----430-438	356	2,587	657	4,185	1,951	5,530	2,886	5,606	9,568
CEREBRAL HEMORRHAGE-----431	52	412	114	613	336	747	468	948	1,104
CEREBRAL THROMBOSIS-----433	89	570	160	1,015	526	1,491	691	1,367	2,787
CEREBRAL EMBOLISM-----434	3	9	-	10	11	17	11	20	50
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	212	1,596	383	2,547	1,078	3,275	1,716	3,271	5,627
ARTERIOSCLEROSIS-----440	79	466	206	648	311	663	280	621	1,309
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	62	437	94	591	278	584	334	498	1,373
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	-	6	3	13	5	20	4	9	34
INFLUENZA AND PNEUMONIA-----470-474,480-486	140	707	268	1,359	565	1,286	619	1,301	2,151
INFLUENZA-----470-474	5	39	4	59	21	55	18	72	53
PNEUMONIA-----480-486	135	668	264	1,300	544	1,231	601	1,229	2,098
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	67	326	55	525	300	597	302	586	1,434
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	14	80	9	118	57	129	55	116	210
EMPHYSEMA-----492	49	221	37	353	222	405	225	414	1,144
ASTHMA-----493	4	25	9	54	21	63	22	56	80
PEPTIC ULCER-----531-533	10	103	25	129	63	134	67	122	290
APPENDICITIS-----540-543	1	15	5	11	14	12	13	25	39
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	15	119	37	120	66	155	85	135	248
CIRRHOSIS OF LIVER-----571	106	725	449	641	269	714	310	629	1,657
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	2	55	9	45	43	69	38	60	133
NEPHRITIS AND NEPHROSIS-----580-584	23	167	54	191	66	256	154	258	383
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	6	30	8	31	10	34	17	30	85
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	17	137	46	160	56	222	137	228	298
INFECTIONS OF KIDNEY-----590	10	53	27	105	58	169	87	102	262
HYPERPLASIA OF PROSTATE-----600	1	24	10	25	18	27	22	31	57
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	3	7	4	8	3	18	8	26	12
ABORTIONS-----640-645	-	-	2	2	-	-	-	2	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	3	7	2	6	3	18	8	24	12
CONGENITAL ANOMALIES-----740-759	42	241	54	297	124	345	209	337	476
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,769,4-772,774-778	76	470	173	691	326	930	546	792	1,028
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXYC AND HYPOXYC CONDITIONS-----764-768,772,776	35	245	39	360	182	505	279	461	567
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	41	225	134	331	144	425	267	331	461
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	42	442	99	479	525	678	737	672	1,467
ALL OTHER DISEASES-----RESIDUAL	271	2,333	640	2,775	1,293	3,125	1,505	2,922	5,595
ACCIDENTS-----E800-E949	219	1,640	323	2,557	1,006	3,224	1,886	3,132	4,542
MOTOR VEHICLE ACCIDENTS-----E810-E823	115	756	82	1,026	449	1,592	864	1,579	2,172
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	104	884	241	1,531	557	1,632	1,022	1,553	2,370
SUICIDE-----E950-E959	61	435	77	707	221	666	297	673	1,362
HOMICIDE-----E960-E978	63	503	275	556	93	731	486	1,045	1,261
OTHER EXTERNAL CAUSES-----E980-E999	21	128	55	39	53	94	69	35	240

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.
 [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION				WEST SOUTH CENTRAL DIVISION			
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS
ALL CAUSES	33,506	39,425	34,737	23,153	22,226	33,647	27,237	99,491
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	1	1	1	-	2	1	10
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	31	42	62	55	32	40	42	207
TUBERCULOSIS, ALL FORMS-----010-019	97	110	83	45	34	84	52	203
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	73	85	70	35	25	74	44	166
TUBERCULOSIS, OTHER FORMS-----013-019	24	25	13	10	9	10	8	37
WHOOPING COUGH-----033	2	-	-	-	1	-	-	1
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	1	1	-	-	1	-	1
MENINGOCOCCAL INFECTIONS-----036	4	12	8	5	1	15	2	23
SEPTICEMIA-----038	94	95	89	70	79	121	90	339
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-
MEASLES-----055	-	-	-	1	1	-	-	2
SYPHILIS AND ITS SEQUELAE-----090-097	4	5	3	4	2	6	4	15
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	81	112	99	53	58	74	49	255
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	5,895	6,697	5,680	3,723	3,970	5,967	4,742	17,751
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	148	139	96	66	74	137	101	390
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	1,608	1,623	1,377	955	960	1,491	1,138	4,405
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	1,540	1,680	1,367	941	1,012	1,606	1,169	4,696
MALIGNANT NEOPLASMS OF BREAST-----174	425	576	485	258	298	426	376	1,371
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	747	870	757	534	475	671	616	2,116
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	254	264	211	128	158	217	191	703
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	683	904	853	501	575	876	674	2,256
LEUKEMIA-----204-207	230	260	237	163	177	258	210	815
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	290	381	297	177	241	285	267	999
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	70	56	99	46	51	104	71	209
DIABETES MELLITUS-----250	628	616	714	422	414	805	414	1,810
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	42	49	48	20	27	43	41	159
ANEMIAS-----280-285	63	72	68	43	47	82	48	189
MENINGITIS-----320	16	36	41	21	19	40	27	121
MAJOR CARDIOVASCULAR DISEASES-----390-448	18,256	21,068	17,173	11,361	11,705	17,194	14,500	48,702
DISEASES OF HEART-----390-398, 402, 404, 410-429	13,174	14,599	11,580	7,737	7,958	12,397	10,179	33,897
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	155	202	139	74	78	122	122	451
HYPERTENSIVE HEART DISEASE-----402	84	78	128	100	89	139	109	355
HYPERTENSIVE HEART AND RENAL DISEASE-----404	107	64	86	47	62	83	104	203
ISCHEMIC HEART DISEASE-----410-413	11,622	13,425	9,769	6,690	6,697	11,098	9,084	28,597
ACUTE MYOCARDIAL INFARCTION-----410	6,961	8,169	5,852	3,909	4,048	5,544	5,160	15,288
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	37	31	34	37	18	16	449	130
CHRONIC ISCHEMIC HEART DISEASE-----412	4,621	5,223	3,879	2,742	2,627	5,537	3,472	13,171
ANGINA PECTORIS-----413	3	2	4	2	4	1	3	8
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	92	160	104	63	59	110	60	324
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	1,114	670	1,354	763	973	845	700	3,967

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.
 [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION				WEST SOUTH CENTRAL DIVISION			
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS
MAJOR CARDIOVASCULAR DISEASES—CON.								
HYPERTENSION.....400,401,403	120	168	173	126	93	116	93	331
CEREBROVASCULAR DISEASES.....430-438	3,925	5,186	4,538	2,950	2,983	3,697	3,336	11,405
CEREBRAL HEMORRHAGE.....431	575	596	720	447	398	527	434	1,539
CEREBRAL THROMBOSIS.....433	921	1,301	1,160	604	477	714	683	1,913
CEREBRAL EMBOLISM.....434	13	17	10	8	10	8	25	34
ALL OTHER CEREBROVASCULAR DISEASES.....430,432,435-438	2,416	3,272	2,648	1,891	2,098	2,448	2,194	7,919
ARTERIOSCLEROSIS.....440	595	650	503	298	384	581	535	1,826
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....441-448	442	465	379	250	287	403	357	1,243
ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	8	12	13	5	10	14	9	46
INFLUENZA AND PNEUMONIA.....470-474,480-486	933	1,038	840	556	561	813	852	3,010
INFLUENZA.....470-474	31	76	58	23	13	21	43	108
PNEUMONIA.....480-486	902	962	782	533	548	792	809	2,902
BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	432	573	423	245	298	422	324	1,472
CHRONIC AND UNQUALIFIED BRONCHITIS.....490,491	73	131	81	49	53	77	43	279
EMPHYSEMA.....492	324	400	314	181	229	311	262	1,109
ASTHMA.....493	35	40	28	15	16	34	19	84
PEPTIC ULCER.....531-533	127	140	100	72	62	106	121	331
APPENDICITIS.....540-543	18	16	21	11	10	16	—	53
HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	110	109	104	69	65	120	108	330
CIRRHOSIS OF LIVER.....571	390	437	367	198	185	399	341	1,409
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	67	80	48	42	33	57	44	180
NEPHRITIS AND NEPHROSIS.....580-584	127	177	208	136	127	221	143	440
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME.....580,581	33	22	30	24	26	28	23	103
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	94	155	178	112	101	193	120	337
INFECTIONS OF KIDNEY.....590	121	185	168	112	75	125	116	349
HYPERPLASIA OF PROSTATE.....600	38	56	29	30	9	14	11	54
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630-678	9	22	18	12	4	9	5	44
ABORTIONS.....640-645	—	—	1	2	—	—	—	4
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630-639,650-678	9	22	17	10	4	9	5	40
CONGENITAL ANOMALIES.....740-759	259	281	273	169	132	302	174	872
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....760-769-2,769.4-772,774-778	446	615	649	542	297	679	409	2,002
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS.....764-768,772,776	263	330	389	296	176	397	242	1,201
OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....REMAINDER OF 760-778	183	285	260	246	121	282	167	801
SYMPTOMS AND ILL-DEFINED CONDITIONS.....780-796	285	711	1,901	1,682	843	328	358	2,776
ALL OTHER DISEASES.....RESIDUAL	2,107	2,266	2,004	1,283	1,290	2,094	1,773	6,098
ACCIDENTS.....E800-E949	1,927	2,534	2,399	1,518	1,264	2,278	1,687	6,639
MOTOR VEHICLE ACCIDENTS.....E810-E823	797	1,284	1,099	697	538	832	755	3,070
ALL OTHER ACCIDENTS.....E800-E807,E825-E949	1,130	1,250	1,300	821	726	1,446	932	3,569
SUICIDE.....E950-E959	421	543	362	213	223	407	370	1,515
HOMICIDE.....E960-E978	338	569	558	331	238	622	267	1,773
OTHER EXTERNAL CAUSES.....E980-E999	60	89	83	57	59	43	42	102

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MOUNTAIN DIVISION								PACIFIC DIVISION				
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII
ALL CAUSES-----	6,558	6,460	3,142	17,922	8,030	17,050	7,384	4,338	29,827	20,335	170,403	1,489	4,343
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	-	-	1	1	4	1	-	3	1	8	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	9	11	7	27	22	37	20	2	29	20	184	1	10
TUBERCULOSIS, ALL FORMS-----010-019	16	4	7	25	23	55	7	3	29	31	252	8	8
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	13	3	5	17	18	39	2	2	24	23	186	5	5
TUBERCULOSIS, OTHER FORMS-----013-019	3	1	2	8	5	16	5	1	5	8	66	3	3
WHOOPING COUGH-----033	-	-	-	-	1	-	-	-	-	-	2	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	-	-	1	-	-	-	-	1	-	5	-	-
MENINGOCOCCAL INFECTIONS-----036	1	-	-	3	2	-	-	-	3	1	17	1	1
SEPTICEMIA-----038	14	14	5	53	32	61	25	7	49	28	314	1	13
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-----055	-	-	-	-	1	-	-	-	-	-	2	-	-
SYPHILIS AND ITS SEQUELAE-----090-097	-	1	-	1	1	2	-	1	3	3	26	-	-
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	7	8	7	46	25	70	14	4	52	47	351	3	16
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	1,124	1,070	490	3,037	1,289	3,052	1,141	808	5,877	3,685	33,638	181	932
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	19	17	12	38	22	70	15	18	113	89	815	6	40
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	326	281	123	853	362	780	309	201	1,562	992	8,875	40	317
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	255	200	97	585	253	740	183	218	1,404	884	8,038	51	213
MALIGNANT NEOPLASM OF BREAST-----174	87	96	37	304	118	251	120	76	543	322	3,123	18	58
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	150	158	65	369	176	361	146	75	672	454	3,867	12	91
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	56	51	27	153	64	134	54	35	297	178	1,548	7	34
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	110	142	64	404	183	414	161	115	699	377	4,094	36	96
LEUKEMIA-----204-207	41	52	26	148	54	125	57	28	234	145	1,369	7	32
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	80	73	39	183	57	177	88	42	353	244	1,909	4	51
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	12	23	6	58	29	57	27	14	76	58	488	3	11
DIABETES MELLITUS-----250	103	114	60	337	170	271	157	56	539	270	2,431	15	101
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	5	10	9	28	20	30	13	10	58	32	218	-	15
ANEURYSMS-----280-285	13	11	6	20	10	19	16	6	43	26	249	2	7
HEMORRHAGES-----320	5	6	5	17	14	18	6	4	15	15	126	4	1
MAJOR CARDIOVASCULAR DISEASES-----390-448	3,167	3,214	1,448	8,531	2,904	7,519	3,446	1,862	15,307	10,651	87,255	414	1,879
DISEASES OF HEART-----390-398, 402, 404, 410-429	2,209	2,270	1,040	6,141	1,926	5,530	2,449	1,300	10,884	7,430	62,751	296	1,389
ACTIVE RHEUMATIC FEVER AND CHRONIC PNEUMATIC HEART DISEASE-----390-398	49	72	18	166	53	133	107	31	254	181	1,496	7	35
HYPERTENSIVE HEART DISEASE-----402	27	20	4	47	19	59	34	9	122	60	627	-	16
HYPERTENSIVE HEART AND RENAL DISEASE-----404	6	19	5	39	13	12	10	3	99	93	232	1	7
ISCHEMIC HEART DISEASE-----410-413	1,854	1,976	905	5,426	1,632	4,941	2,068	1,156	9,629	6,764	57,868	230	1,260
ACUTE MYOCARDIAL INFARCTION-----410	1,008	1,167	543	2,836	906	2,265	1,049	708	4,537	2,719	23,977	141	601
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	13	4	4	43	8	333	60	8	62	19	219	1	7
CHRONIC ISCHEMIC HEART DISEASE-----412	833	803	357	2,547	717	2,342	959	438	5,024	4,023	33,663	88	652
ANGINA PECTORIS-----413	-	2	1	-	1	1	-	2	6	3	9	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	28	20	6	30	29	28	22	12	94	42	366	4	10
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	245	163	102	433	180	357	208	89	686	290	2,162	54	61

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1974—Con.
 [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MOUNTAIN DIVISION								PACIFIC DIVISION				
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII
MAJOR CARDIOVASCULAR DISEASES—CON.													
HYPERTENSION—400,401,403	17	20	7	58	31	47	22	10	82	58	524	1	11
CEREBROVASCULAR DISEASES—430-438	669	686	298	1,674	725	1,503	779	450	3,260	2,387	18,759	96	392
CEREBRAL HEMORRHAGE—431	72	89	38	195	119	202	88	57	378	267	2,227	13	96
CEREBRAL THROMBOSIS—433	141	131	36	309	155	258	188	83	812	571	5,407	11	85
CEREBRAL EMBOLISM—434	3	5	1	4	3	11	8	2	6	10	88	1	1
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	453	461	223	1,166	448	1,032	495	308	2,064	1,539	11,037	71	210
ARTERIOSCLEROSIS—440	173	131	38	389	129	234	114	40	625	455	2,689	11	31
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	99	107	65	269	93	205	82	62	456	321	2,532	10	56
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	6	1	1	12	4	23	2	9	15	5	91	1	3
INFLUENZA AND PNEUMONIA—470-474,480-486	205	181	109	658	257	485	218	91	789	598	4,173	42	160
INFLUENZA—470-474	12	8	8	47	5	16	12	—	45	33	131	2	5
PNEUMONIA—480-486	193	173	101	611	252	469	206	91	744	565	4,042	40	155
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	118	116	56	353	177	415	118	88	506	367	2,787	13	55
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	14	22	10	59	33	89	23	9	96	63	500	6	14
EMPHYSEMA—492	93	85	44	270	132	291	82	75	372	277	2,102	6	32
ASTHMA—493	11	9	2	24	12	35	13	4	38	27	185	1	9
PEPTIC ULCER—531-533	13	25	22	60	24	61	30	10	124	64	680	4	16
APPENDICITIS—540-543	7	5	1	6	7	12	2	4	6	14	79	—	4
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	26	35	9	70	45	48	35	18	82	58	569	2	8
CIRRHOSIS OF LIVER—571	99	79	48	337	208	395	93	128	552	363	4,673	35	66
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	16	12	5	34	31	33	16	10	40	29	256	1	10
NEPHRITIS AND NEPHROSIS—580-584	21	36	9	52	35	63	31	13	75	57	490	2	21
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	6	8	1	13	9	14	4	1	9	14	94	—	2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	15	28	8	39	26	49	27	12	66	43	396	2	19
INFECTIONS OF KIDNEY—590	13	13	11	42	14	55	8	7	72	54	431	2	16
HYPERPLASIA OF PROSTATE—600	6	6	3	16	8	9	4	2	14	13	88	1	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	—	—	—	8	8	5	2	—	3	2	37	—	3
ABORTIONS—640-645	—	—	—	1	—	—	—	—	—	—	4	—	—
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	—	—	—	7	8	5	2	—	3	2	33	—	3
CONGENITAL ANOMALIES—740-759	56	53	31	159	94	157	99	31	211	148	1,275	23	71
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769,2,769,4-772,774-778	116	123	56	310	176	274	195	99	399	221	2,074	65	136
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	58	71	33	180	112	166	118	63	238	115	1,186	35	62
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	58	52	23	130	64	108	77	36	161	106	888	30	74
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	217	97	44	242	370	297	214	55	264	305	933	50	65
ALL OTHER DISEASES—RESIDUAL	417	381	237	1,404	766	1,362	620	359	1,937	1,240	9,834	126	250
ACCIDENTS—E800-E949	558	632	359	1,313	906	1,463	622	387	1,851	1,379	10,349	397	258
MOTOR VEHICLE ACCIDENTS—E810-E823	284	315	171	627	492	705	273	185	813	670	4,283	75	121
ALL OTHER ACCIDENTS—E800-E807,E825-E949	274	317	188	686	414	758	349	202	1,038	709	6,066	322	137
SUICIDE—E950-E959	127	127	62	447	192	394	130	155	531	355	3,683	41	98
HOMICIDE—E960-E978	40	43	18	155	128	243	44	78	190	121	2,062	34	60
OTHER EXTERNAL CAUSES—E980-E999	26	9	11	59	36	61	28	17	82	74	271	17	47

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	GEOGRAPHIC DIVISIONS								
		NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
ALL CAUSES-----	915.1	938.8	984.8	912.4	974.3	925.0	977.2	887.1	753.2	813.4
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.1	0.9	0.8	0.9	1.3	1.1	1.4	1.6	1.4	0.9
TUBERCULOSIS, ALL FORMS-----010-019	1.7	1.2	2.0	1.4	1.2	2.0	2.5	1.8	1.5	1.2
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.3	0.9	1.7	1.1	0.9	1.6	2.0	1.5	1.1	0.9
TUBERCULOSIS, OTHER FORMS-----013-019	0.3	0.2	0.4	0.3	0.3	0.4	0.5	0.3	0.4	0.3
WHOOPING COUGH-----033	0.0	-	0.0	0.0	-	-	0.0	0.0	0.0	0.0
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MENINGOCOCCAL INFECTIONS-----036	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.1
SEPTICEMIA-----038	2.5	2.9	3.0	2.0	1.9	3.2	2.6	3.1	2.2	1.5
ACUTE POLIOMYELITIS-----040-043	0.0	0.0	-	-	-	0.0	-	-	-	-
MEASLES-----055	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SYPHILIS AND ITS SEQUELAE-----090-097	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.9	1.7	1.8	1.6	2.0	2.1	2.6	2.1	1.9	1.7
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	170.5	191.0	194.5	168.9	175.3	167.8	164.3	157.5	127.6	159.2
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.8	4.7	4.1	3.6	3.3	4.2	3.4	3.4	2.2	3.8
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	46.8	57.6	58.8	46.6	49.6	42.5	41.6	38.8	34.4	42.3
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	39.5	40.9	42.6	38.3	35.7	41.9	41.3	41.2	26.9	38.0
MALIGNANT NEOPLASMS OF BREAST-----174	15.3	18.1	19.2	15.6	15.9	14.1	13.0	12.0	11.7	14.6
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	20.4	21.3	21.7	20.6	22.3	20.8	21.7	18.8	15.9	18.3
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	7.8	9.1	8.9	8.1	8.8	7.5	6.4	6.2	6.1	7.4
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	20.6	22.0	21.9	19.5	20.5	21.7	21.7	21.3	16.9	19.0
LEUKEMIA-----204-207	6.9	7.2	7.2	7.1	8.1	6.4	6.6	7.1	5.6	6.4
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	9.4	10.2	10.3	9.5	11.1	8.7	8.6	8.7	7.9	9.2
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.4	3.0	3.0	2.2	1.9	2.5	2.0	2.1	2.4	2.3
DIABETES MELLITUS-----250	17.7	18.4	20.5	19.7	18.0	17.8	17.8	16.7	13.5	12.1
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.2	0.9	1.0	1.1	1.6	1.3	1.2	1.3	1.3	1.2
ANEMIAS-----280-285	1.6	1.3	1.6	1.5	1.6	1.8	1.8	1.8	1.1	1.2
MENINGITIS-----320	0.7	0.6	0.6	0.7	0.5	0.9	0.9	1.0	0.8	0.6
MAJOR CARDIOVASCULAR DISEASES-----390-448	478.2	500.4	526.6	494.4	532.5	468.0	506.9	447.4	341.0	415.0
DISEASES OF HEART-----390-398, 402, 404, 410-429	349.2	372.0	407.4	364.8	376.7	337.5	351.8	313.0	243.0	297.3
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	6.3	6.7	7.9	6.3	6.7	5.8	4.3	3.8	6.7	7.1
HYPERTENSIVE HEART DISEASE-----402	3.4	4.6	3.6	3.9	3.4	2.9	2.9	3.4	2.3	3.0
HYPERTENSIVE HEART AND RENAL DISEASE-----404	2.3	1.7	1.8	3.3	3.5	2.4	2.3	2.2	1.1	1.6
ISCHEMIC HEART DISEASE-----410-413	314.5	335.9	375.4	328.4	338.7	303.4	310.0	269.5	212.1	272.2
ACUTE MYOCARDIAL INFARCTION-----410	158.1	171.6	177.8	166.7	181.9	154.3	185.9	145.9	111.4	114.9
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	2.1	2.0	1.9	1.3	1.3	3.6	1.0	3.0	5.0	1.1
CHRONIC ISCHEMIC HEART DISEASE-----412	154.2	162.2	195.7	160.3	155.3	145.4	123.0	120.5	95.6	156.1
ANGINA PECTORIS-----413	0.1	0.1	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	2.3	1.9	1.7	2.2	3.2	2.8	3.1	2.7	1.9	1.9
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	20.4	21.1	17.0	20.7	21.1	20.3	29.1	31.5	18.9	11.7

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	UNITED STATES	GEOGRAPHIC DIVISIONS								
		NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION-----400,401,403	3.3	3.4	2.9	3.6	3.8	3.6	4.4	3.1	2.3	2.4
CEREBROVASCULAR DISEASES-----430-438	98.1	95.0	89.8	97.3	117.7	100.4	124.0	104.1	72.1	89.4
CEREBRAL HEMORRHAGE-----431	14.4	17.7	14.5	15.6	16.1	14.4	17.5	14.1	9.1	10.7
CEREBRAL THROMBOSIS-----433	25.3	29.0	26.2	26.8	27.9	26.2	29.8	18.4	13.8	24.7
CEREBRAL EMBOLISM-----434	0.4	0.5	0.5	0.4	0.7	0.4	0.4	0.4	0.4	0.4
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	57.9	47.8	48.6	54.5	72.9	59.3	76.4	71.2	48.7	53.6
ARTERIOSCLEROSIS-----440	19.3	16.7	13.6	16.5	20.2	13.8	15.3	16.2	13.3	13.7
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	12.4	13.5	12.9	12.1	14.2	12.8	11.5	11.1	10.4	12.1
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.6	0.4
INFLUENZA AND PNEUMONIA-----470-474,480-486	25.9	33.6	29.5	23.4	30.9	25.3	25.2	25.4	23.4	20.7
INFLUENZA-----470-474	1.0	1.1	0.6	1.0	2.5	1.0	1.4	0.9	1.1	0.8
PNEUMONIA-----480-486	24.9	32.6	28.9	22.4	28.4	24.3	23.7	24.5	22.3	19.9
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	12.7	11.5	11.1	13.3	14.2	12.6	12.5	12.2	15.3	13.4
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	2.4	2.5	2.2	2.5	2.6	2.4	2.5	2.2	2.8	2.4
EMPHYSEMA-----492	9.4	8.0	8.0	10.0	10.7	9.2	9.1	9.3	11.4	10.0
ASTHMA-----493	0.9	1.0	0.8	0.8	0.9	1.0	0.9	0.7	1.2	0.9
PEPTIC ULCER-----531-533	3.3	3.1	4.0	3.5	3.9	2.8	3.3	3.0	2.6	3.2
APPENDICITIS-----540-543	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.5	0.4
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3.1	3.0	3.2	3.2	3.0	3.0	2.9	3.0	3.0	2.6
CIRRHOSIS OF LIVER-----571	15.8	17.7	19.2	14.7	10.2	16.6	10.4	11.3	14.7	20.4
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.5	1.6	1.5	1.5	2.0	1.4	1.8	1.5	1.7	1.2
NEPHRITIS AND NEPHROSIS-----580-584	3.8	3.1	4.2	3.6	3.6	4.7	4.8	4.5	2.8	2.3
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	0.7	0.6	0.9	0.7	0.7	0.8	0.8	0.9	0.6	0.4
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	3.1	2.5	3.3	2.9	2.8	3.9	4.0	3.6	2.2	1.9
INFECTIONS OF KIDNEY-----590	2.6	2.1	2.2	2.4	2.6	2.9	4.4	3.2	1.7	2.1
HYPERPLASIA OF PROSTATE-----600	0.7	0.5	0.7	0.7	0.9	0.6	1.1	0.4	0.6	0.4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	0.2	0.0	0.2	0.2	0.2	0.3	0.5	0.3	0.2	0.2
ABORTIONS-----640-645	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	0.2	0.0	0.2	0.2	0.2	0.2	0.4	0.3	0.2	0.1
CONGENITAL ANOMALIES-----740-759	6.4	5.5	5.6	6.6	6.5	6.4	7.3	7.2	7.2	6.2
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,772,774-778	13.6	10.7	12.5	14.2	12.7	15.2	16.8	16.5	14.3	10.4
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	7.6	5.2	6.7	8.1	6.9	8.0	9.5	9.8	8.5	5.9
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	6.1	5.5	5.9	6.1	5.8	7.1	7.3	6.7	5.8	4.5
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	14.7	8.1	15.6	11.7	14.3	15.5	34.2	20.9	16.3	5.8
ALL OTHER DISEASES-----RESIDUAL	56.0	57.9	59.9	51.8	57.4	61.6	57.2	54.7	58.9	48.1
ACCIDENTS-----E800-E949	49.5	41.7	36.8	43.3	53.2	55.8	62.6	57.7	66.3	51.1
MOTOR VEHICLE ACCIDENTS-----E810-E823	22.0	16.7	15.9	18.9	23.8	26.0	29.0	25.2	32.4	21.4
ALL OTHER ACCIDENTS-----E800-E807, E825-E949	27.5	25.0	20.9	24.4	29.3	29.8	33.6	32.4	33.9	29.7
SUICIDE-----E950-E959	12.1	9.6	8.5	11.1	11.6	13.5	11.5	12.2	17.3	16.9
HOMICIDE-----E960-E978	10.2	4.0	8.7	9.6	5.5	15.1	13.4	14.1	8.0	8.9
OTHER EXTERNAL CAUSES-----E980-E999	2.4	1.6	4.7	2.1	2.1	2.2	2.2	1.2	2.6	1.8

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW ENGLAND DIVISION					MIDDLE ATLANTIC DIVISION			
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
ALL CAUSES	1,023.6	955.8	935.7	965.4	971.9	946.1	977.1	916.2	1,039.2
BACILLARY DYSENTERY AND AMEBIASIS-----004, 006	-	-	-	-	-	-	0.0	0.0	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008, 009	1.1	0.4	1.1	0.6	1.2	1.3	0.9	0.9	0.7
TUBERCULOSIS, ALL FORMS-----010-019	1.1	0.6	1.7	1.3	1.1	1.0	2.0	2.0	2.2
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.1	0.4	1.5	1.1	0.7	0.8	1.6	1.6	1.8
TUBERCULOSIS, OTHER FORMS-----013-019	0.1	0.2	0.2	0.2	0.3	0.2	0.4	0.4	0.4
WHOOPING COUGH-----033	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	-	-	-	-	-	0.0	-	-
MENINGOCOCCAL INFECTIONS-----036	0.5	-	-	-	-	0.0	0.0	-	-
SEPTICEMIA-----038	1.7	0.1	0.2	0.1	0.1	-	0.1	0.2	0.1
ACUTE POLIOMYELITIS-----040-043	0.1	2.0	1.1	3.6	2.8	2.6	2.7	2.7	3.7
MEASLES-----055	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE-----090-097	-	-	-	0.0	0.2	0.1	0.0	0.0	-
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	2.1	2.1	1.1	1.5	1.7	1.9	1.8	1.6	2.0
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	194.5	193.1	171.7	193.5	203.0	184.1	195.7	190.8	195.2
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	4.4	5.9	3.2	4.6	4.7	4.9	4.2	4.5	3.8
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	58.1	55.0	47.9	58.4	63.2	56.3	60.5	59.3	55.9
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	42.3	42.7	40.9	41.7	41.8	38.2	42.8	42.8	42.1
MALIGNANT NEOPLASM OF BREAST-----174	18.3	14.4	17.2	18.6	19.3	17.8	19.7	18.7	18.8
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	22.6	22.4	20.9	21.9	23.1	18.8	21.5	20.8	22.5
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188, 189	10.7	12.5	7.4	8.6	10.9	8.5	9.1	8.6	8.8
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	19.7	21.0	17.4	22.7	21.7	22.3	20.2	19.3	26.0
LEUKEMIA-----204-207	7.6	7.8	7.0	7.0	6.3	7.4	7.1	7.3	7.1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	10.7	11.4	9.8	10.0	12.1	9.8	10.6	9.5	10.2
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	3.1	2.0	3.6	3.1	3.9	2.7	3.1	2.2	3.3
DIABETES MELLITUS-----250	18.7	23.1	16.0	19.2	21.6	16.4	20.3	19.5	21.3
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	2.0	1.5	0.9	0.8	0.6	0.7	0.8	1.0	1.3
ANEMIAS-----280-285	1.8	1.6	0.6	1.5	1.8	0.8	1.6	1.7	1.7
MENINGITIS-----320	0.3	0.5	-	0.6	0.6	0.6	0.6	0.6	0.6
MAJOR CARDIOVASCULAR DISEASES-----390-448	552.0	497.8	503.0	514.9	532.9	446.2	513.9	497.7	563.9
DISEASES OF HEART-----390-398, 402, 404, 410-429	408.5	344.6	370.4	384.4	431.1	325.7	493.5	385.8	426.8
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	6.1	6.8	6.6	7.1	8.6	5.6	8.0	7.4	8.2
HYPERTENSIVE HEART DISEASE-----402	3.5	4.2	3.8	5.2	3.6	4.6	3.9	3.2	3.3
HYPERTENSIVE HEART AND RENAL DISEASE-----404	4.0	3.2	1.5	1.4	1.4	1.3	1.3	1.5	2.8
ISCHEMIC HEART DISEASE-----410-413	370.7	313.1	336.8	348.7	396.3	287.6	373.7	359.6	387.6
ACUTE MYOCARDIAL INFARCTION-----410	227.8	177.1	147.4	174.2	198.7	141.8	162.3	173.3	204.2
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	0.7	1.5	1.5	0.8	15.8	0.5	2.2	0.9	1.9
CHRONIC ISCHEMIC HEART DISEASE-----412	142.0	134.5	187.7	173.6	181.5	145.2	209.2	185.4	181.4
ANGINA PECTORIS-----413	0.2	-	0.2	0.1	0.2	0.1	0.0	0.1	0.1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	3.8	3.2	3.8	1.6	1.4	1.3	1.3	0.9	2.7
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	20.3	14.0	17.9	20.4	19.7	25.3	15.3	13.1	22.2

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW ENGLAND DIVISION					MIDDLE ATLANTIC DIVISION			
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
MAJOR CARDIOVASCULAR DISEASES—CON.									
HYPERTENSION—400, 401, 403	2.8	4.8	3.6	3.4	3.0	3.1	2.8	2.7	3.0
CEREBROVASCULAR DISEASES—430-438	105.6	111.4	94.9	97.1	76.5	88.6	83.5	87.0	101.3
CEREBRAL HEMORRHAGE—431	19.9	19.2	13.4	20.2	11.0	14.5	14.1	14.3	15.3
CEREBRAL THROMBOSIS—433	23.8	31.4	25.3	30.6	22.5	29.6	23.1	28.7	29.5
CEREBRAL EMBOLISM—434	0.4	-	-	0.6	0.4	0.4	0.4	0.5	0.5
ALL OTHER CEREBROVASCULAR DISEASES—430, 432, 435-438	61.6	60.8	56.2	45.7	42.6	44.1	45.9	43.5	56.0
ARTERIOSCLEROSIS—440	20.5	22.2	19.1	16.3	10.9	15.9	11.7	10.5	18.5
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	14.5	14.9	14.9	13.6	11.4	12.9	12.3	11.8	14.4
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	0.3	0.4	-	0.4	0.2	0.3	0.5	0.5	0.3
INFLUENZA AND PNEUMONIA—470-474, 480-486	32.5	23.0	29.6	40.8	25.8	26.3	34.4	23.9	25.5
INFLUENZA—470-474	3.1	0.9	1.5	0.7	0.5	1.3	0.7	0.5	0.6
PNEUMONIA—480-486	29.4	22.2	28.1	40.1	25.3	25.0	33.7	23.4	24.9
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	18.2	16.5	12.1	10.7	10.4	9.7	11.5	10.2	11.0
CHRONIC AND UNQUALIFIED BRONCHITIS—490, 491	4.1	4.0	3.2	2.4	2.2	1.9	2.4	2.3	1.9
EMPHYSEMA—492	13.2	11.6	7.7	7.2	7.0	7.3	8.2	7.3	8.2
ASTHMA—493	1.0	0.9	1.3	1.1	1.1	0.6	0.9	0.6	0.9
PEPTIC ULCER—531-533	3.1	3.2	4.0	3.3	2.3	2.7	4.5	3.6	3.6
APPENDICITIS—540-543	0.1	0.2	0.6	0.4	0.6	0.3	0.4	0.3	0.4
HERNIA AND INTESTINAL OBSTRUCTION—550-553, 560	4.3	2.8	2.8	3.2	3.9	1.9	3.2	2.9	3.4
CIRRHOSIS OF LIVER—571	17.0	15.6	13.0	19.1	17.5	16.6	21.6	17.6	16.4
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574, 575	1.6	1.9	1.9	1.6	1.8	1.3	1.5	1.7	1.3
NEPHRITIS AND NEPHROSIS—580-584	3.1	2.7	2.8	3.5	3.4	2.6	4.3	3.8	4.4
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580, 581	0.9	0.7	0.4	0.6	1.2	0.4	1.0	0.8	0.9
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	2.2	2.0	2.3	2.9	2.2	2.2	3.3	2.9	3.5
INFECTIONS OF KIDNEY—590	2.4	2.0	3.8	2.2	1.5	1.8	2.4	2.2	2.0
HYPERPLASIA OF PROSTATE—600	0.4	1.0	0.2	0.6	0.5	0.2	0.8	0.9	0.5
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	-	0.1	-	0.0	-	0.1	0.2	0.2	0.1
ARORTIONS—640-645	-	-	-	-	-	-	0.0	0.0	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639, 650-678	-	0.1	-	0.0	-	0.1	0.2	0.2	0.1
CONGENITAL ANOMALIES—740-759	7.2	6.4	7.9	5.1	4.9	5.2	5.7	5.7	5.4
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769, 772, 774-778	12.8	11.3	11.3	9.8	11.2	11.2	12.4	11.8	13.2
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768, 772, 776	6.3	5.7	5.5	4.9	5.5	4.9	6.7	6.5	6.8
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	6.5	5.6	5.7	4.8	5.7	6.3	5.7	5.3	6.5
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	6.4	5.1	7.2	7.4	3.2	7.2	14.0	8.7	22.4
ALL OTHER DISEASES—RESIDUAL	64.9	56.9	68.7	58.8	59.1	52.1	58.1	48.8	69.5
ACCIDENTS—E800-E949	53.3	43.6	50.4	44.0	37.9	33.0	32.9	36.2	43.2
MOTOR VEHICLE ACCIDENTS—E810-E823	20.4	18.9	23.8	17.3	14.3	13.6	14.2	15.3	19.0
ALL OTHER ACCIDENTS—E800-E807, E825-E949	32.9	24.6	26.6	26.7	23.6	19.4	18.7	20.9	24.2
SUICIDE—E950-E959	13.3	13.9	14.5	8.3	10.7	8.6	7.3	7.4	10.9
HOMICIDE—E960-E978	2.6	3.0	2.8	4.7	3.7	3.7	10.3	7.0	7.3
OTHER EXTERNAL CAUSES—E980-E999	1.4	1.5	1.3	1.0	1.6	2.8	7.5	2.1	2.1

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	FAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION						
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
ALL CAUSES	924.4	905.6	971.8	838.1	895.0	855.2	1,007.8	1,060.3	905.2	965.0	973.8	979.5
BACILLARY DYSENTERY AND AMEBIASIS—004,006	0.0	0.0	0.1	0.0	-	-	0.0	-	-	0.1	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	0.9	1.0	0.9	1.1	0.8	1.3	1.3	1.2	2.4	0.9	0.9	1.5
TUBERCULOSIS, ALL FORMS—010-019	1.3	1.3	1.5	1.6	1.0	0.7	0.9	2.0	1.3	0.9	0.6	1.1
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	1.0	1.1	1.2	1.2	0.7	0.4	0.7	1.4	0.8	0.6	0.4	0.9
TUBERCULOSIS, OTHER FORMS—013-019	0.3	0.2	0.3	0.4	0.3	0.3	0.2	0.6	0.5	0.3	0.2	0.2
WHOOPING COUGH—033	0.0	-	0.0	0.0	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	0.0	-	-	0.0	0.0	-	-	0.0	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	0.2	0.1	0.1	0.1	0.2	0.2	0.0	0.2	0.3	0.6	0.1	-
SEPTICEMIA—038	2.0	2.1	1.8	2.1	1.7	1.8	1.6	2.4	0.9	1.0	1.3	2.2
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	0.0	-	0.0	-	0.0	0.0	-	0.0	-	0.3	-	-
SYPHILIS AND ITS SEQUELAE—090-097	0.3	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.2	-	0.1	0.2
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	1.6	1.7	1.6	1.5	1.6	1.5	2.0	2.3	2.0	1.6	1.8	2.4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	171.4	163.4	179.3	156.6	169.0	157.8	187.3	187.0	163.9	165.1	172.2	174.1
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	3.6	3.2	4.0	3.4	3.2	3.0	3.2	4.1	2.8	3.2	3.9	2.3
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	47.2	42.5	50.9	42.3	48.0	46.0	56.6	49.4	45.8	49.1	52.4	46.7
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	40.4	37.9	40.7	36.0	32.5	28.4	36.4	43.3	27.2	29.3	31.3	38.5
MALIGNANT NEOPLASM OF BREAST—174	15.6	14.2	16.9	14.4	16.4	15.9	17.0	15.6	14.0	15.0	14.4	16.6
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	20.6	20.3	22.3	18.7	20.9	20.4	25.0	22.4	25.6	22.7	20.7	21.9
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	8.2	8.1	8.4	7.4	9.0	8.3	9.9	8.2	10.7	10.1	9.1	8.3
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173, 190-199	19.4	21.7	18.9	19.0	19.7	16.1	18.6	26.0	19.2	17.7	19.2	21.4
LEUKEMIA—204-207	6.9	6.8	7.5	6.5	8.4	8.3	8.4	7.3	8.2	6.9	9.8	8.1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203, 208, 209	9.6	8.6	9.7	9.0	10.8	11.4	12.3	10.9	10.5	10.1	11.3	10.3
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	2.2	2.6	2.5	1.7	1.4	1.9	2.0	1.8	1.1	2.1	2.3	1.6
DIABETES MELLITUS—250	20.6	21.2	18.0	21.4	16.9	13.2	19.6	20.0	14.9	18.5	19.0	20.4
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	1.2	1.3	1.0	1.1	1.3	1.3	1.3	2.0	1.6	1.0	1.3	1.9
ANEMIAS—280-285	1.6	1.6	1.5	1.6	1.4	1.3	1.6	1.9	1.7	1.0	1.0	1.7
MENINGITIS—320	0.7	0.8	0.6	0.7	0.7	0.5	0.4	0.5	0.5	1.6	0.4	0.6
MAJOR CARDIOVASCULAR DISEASES—390-448	500.9	494.6	536.5	433.2	498.2	466.5	567.4	571.9	480.4	522.1	535.6	535.4
DISEASES OF HEART—390-398, 402, 404, 410-429	367.0	343.3	409.3	321.5	362.9	324.2	399.1	411.0	348.5	372.6	371.4	380.0
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	6.4	6.4	6.3	5.9	6.2	7.8	6.3	7.0	6.6	4.0	7.0	5.3
HYPERTENSIVE HEART DISEASE—402	3.4	2.8	5.6	3.8	3.0	3.2	3.2	3.8	3.5	2.6	3.8	2.9
HYPERTENSIVE HEART AND RENAL DISEASE—404	4.5	6.3	3.0	1.3	2.1	1.7	4.1	4.1	3.0	3.1	7.6	2.5
ISCHEMIC HEART DISEASE—410-413	333.9	306.3	363.0	294.0	325.2	292.4	359.9	366.6	310.8	338.4	328.8	348.2
ACUTE MYOCARDIAL INFARCTION	156.3	170.8	188.4	153.3	156.1	147.4	207.1	185.9	193.7	200.4	180.0	193.7
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	1.7	0.9	1.2	0.8	1.9	1.7	1.1	1.3	2.8	1.3	1.5	0.6
CHRONIC ISCHEMIC HEART DISEASE—412	175.9	134.6	173.3	137.8	167.1	143.3	151.7	178.7	114.3	136.7	147.4	153.9
ANGINA PECTORIS—413	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.7	-	-	-	0.0
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424, 428	1.8	3.7	2.5	1.2	3.1	2.4	4.7	3.0	2.5	1.8	3.6	3.4
ALL OTHER FORMS OF HEART DISEASE—420-423, 425-427, 429	17.0	17.8	28.9	15.2	23.3	16.7	20.8	26.5	22.1	22.7	20.5	17.7

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION						
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
MAJOR CARDIOVASCULAR DISEASES—CON.												
HYPERTENSION—400-401,403	3.4	3.5	4.7	3.0	3.0	2.4	4.8	4.1	3.3	2.5	4.2	4.4
CEREBROVASCULAR DISEASES—430-438	99.6	113.1	96.7	84.1	101.0	110.8	125.8	122.0	97.0	112.8	122.8	114.0
CEREBRAL HEMORRHAGE—431	14.6	19.2	18.5	12.2	13.7	14.2	14.3	18.1	14.0	15.5	17.1	17.8
CEREBRAL THROMBOSIS—433	27.3	26.3	29.5	25.1	23.0	24.1	30.2	32.1	20.7	24.9	27.9	25.5
CEREBRAL EMBOLISM—434	0.4	0.5	0.4	0.3	0.4	0.4	0.8	1.0	0.3	0.3	0.8	0.7
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	57.3	67.1	48.3	46.5	63.9	72.2	80.5	70.7	62.0	72.0	76.9	70.0
ARTERIOSCLEROSIS—440	18.0	22.5	14.6	14.6	17.8	17.4	22.9	20.1	18.2	19.1	22.2	21.2
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	12.9	12.3	11.2	11.6	13.5	11.7	14.9	14.6	13.3	15.2	15.1	15.7
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	0.4	0.2	0.3	0.3	0.1	0.4	0.3	0.3	0.8	0.4	0.2	0.4
INFLUENZA AND PNEUMONIA—470-474,480-486	23.0	22.4	27.6	18.6	25.0	29.5	34.4	29.0	35.6	30.4	32.9	30.6
INFLUENZA—470-474	1.2	0.8	0.8	0.6	1.8	2.9	2.7	1.5	1.6	2.5	3.0	3.5
PNEUMONIA—480-486	21.8	21.5	26.8	18.0	23.2	26.6	31.7	27.5	34.1	27.9	29.8	27.1
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	14.4	12.9	13.2	12.8	12.2	11.1	17.2	14.8	13.3	12.9	14.6	15.2
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	3.2	2.1	2.3	2.4	2.0	2.7	2.7	2.4	2.5	2.2	3.5	2.1
EMPHYSEMA—492	10.6	10.1	10.0	9.7	9.2	7.4	13.8	11.5	9.4	10.0	10.2	12.1
ASTHMA—493	0.7	0.7	0.9	0.8	1.0	1.1	0.7	0.8	1.4	0.7	0.9	1.1
PEPTIC ULCER—531-533	3.3	3.2	4.1	3.0	3.5	3.2	3.6	4.2	4.1	3.7	4.9	4.1
APPENDICITIS—540-543	0.5	0.5	0.4	0.3	0.4	0.4	0.5	0.4	—	0.4	0.8	0.2
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	3.3	3.2	3.3	3.1	3.2	3.3	4.4	3.6	3.8	5.6	3.6	4.0
CIRRHOSIS OF LIVER—571	13.4	10.8	16.6	18.1	11.1	10.6	8.2	11.1	8.6	11.9	10.8	9.6
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	1.3	1.5	1.8	1.1	2.1	1.9	2.2	2.2	1.7	2.1	1.9	1.5
NEPHRITIS AND NEPHROSIS—580-584	4.0	3.6	3.9	3.2	3.0	2.6	3.5	4.5	4.7	2.5	3.2	3.6
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	0.6	0.9	0.8	0.7	0.5	0.6	0.8	0.7	1.4	0.6	0.6	0.6
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	3.4	2.6	3.1	2.5	2.5	2.0	2.7	3.7	3.3	1.9	2.6	3.0
INFECTIONS OF KIDNEY—590	2.6	2.9	2.7	1.7	2.4	1.6	2.6	3.2	2.5	2.2	2.3	3.3
HYPERPLASIA OF PROSTATE—600	0.8	0.6	0.7	0.4	1.1	0.8	1.1	1.0	0.9	0.4	0.8	0.7
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	0.2	0.2	0.3	0.2	0.1	0.1	0.2	0.2	0.3	0.4	0.2	0.3
ABORTIONS—640-645	0.0	—	0.0	—	—	—	—	—	0.3	—	—	—
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	—	0.4	0.2	0.3
CONGENITAL ANOMALIES—740-759	6.4	7.0	6.8	6.3	6.5	6.1	6.1	6.8	8.8	7.8	6.2	6.2
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769,772,774-778	13.4	13.6	16.5	14.4	10.2	11.2	11.8	13.1	15.9	16.9	13.3	13.1
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—744-768,772,776	7.0	7.8	10.8	7.5	5.4	6.0	5.5	7.2	9.3	9.4	7.4	7.9
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	6.4	5.8	5.7	6.9	4.9	5.2	6.3	5.9	6.6	7.5	5.9	5.2
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	12.1	8.8	19.1	6.6	6.1	7.6	4.3	32.7	5.8	9.2	7.3	8.5
ALL OTHER DISEASES—RESIDUAL	54.8	51.8	49.4	50.0	54.0	52.6	54.3	61.4	47.4	59.4	61.4	60.5
ACCIDENTS—E800-E949	42.3	48.2	39.4	46.4	43.4	48.8	53.0	52.1	64.1	68.6	57.0	53.0
MOTOR VEHICLE ACCIDENTS—E810-E823	17.1	22.9	16.6	21.2	19.5	22.1	25.4	21.4	28.7	33.7	26.5	23.8
ALL OTHER ACCIDENTS—E800-E807, E825-E949	25.2	25.3	22.8	25.2	23.9	26.6	27.5	30.7	35.3	34.9	30.5	29.2
SUICIDE—E950-E959	12.6	11.1	7.5	13.0	11.5	10.2	11.3	13.0	11.6	10.0	10.4	13.1
HOMICIDE—E960-E978	8.9	8.6	9.8	13.7	3.4	3.3	2.3	10.3	1.9	2.5	4.0	6.2
OTHER EXTERNAL CAUSES—E980-E999	1.5	2.6	2.7	2.1	1.3	2.2	0.9	3.0	2.2	0.9	1.4	2.3

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA
ALL CAUSES-----	870.2	805.2	1,085.5	822.3	1,092.0	862.9	869.6	879.8	1,087.9
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	-	-	-	-	0.0	-	-	0.0
ENTERITIS AND OTHER DIARRHEAL DYSFASES-----008,009	1.2	0.6	1.0	0.8	0.8	0.8	1.4	1.7	1.2
TUBERCULOSIS, ALL FORMS-----010-019	2.1	1.8	5.1	1.8	2.2	2.0	2.4	1.9	1.9
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.9	1.6	4.4	1.3	2.0	1.5	1.9	1.6	1.5
TUBERCULOSIS, OTHER FORMS-----013-019	0.2	0.3	0.7	0.4	0.3	0.6	0.5	0.3	0.4
WHOOPING COUGH-----033	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL THROAT AND SCARLET FEVER-----034	-	-	-	-	-	0.0	-	0.0	-
MENINGOCOCCAL INFECTIONS-----036	-	0.1	0.1	0.1	0.2	0.3	0.3	0.1	0.2
SEPTICEMIA-----038	1.4	3.8	6.8	2.9	3.0	2.9	2.7	3.5	3.2
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	0.0	0.0
MEASLES-----055	-	-	-	-	-	0.0	0.0	-	0.0
SYPHILIS AND ITS SEQUELAE-----090-097	-	0.1	0.4	0.2	0.3	0.1	0.1	0.3	0.3
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.4	2.1	4.7	1.9	1.8	2.2	1.8	2.1	2.1
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	185.2	163.8	212.3	152.5	181.7	140.5	135.8	137.6	218.1
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	4.4	4.2	7.7	3.7	3.1	3.4	3.4	3.7	5.7
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	51.1	41.2	57.4	38.5	43.6	33.2	32.8	33.8	58.2
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	44.7	41.2	46.3	38.9	46.3	32.2	32.6	33.0	57.4
MALIGNANT NEOPLASM OF BREAST-----174	16.1	15.0	20.3	13.1	13.9	12.4	12.0	11.8	16.8
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	21.8	19.3	31.5	17.0	22.7	19.0	17.5	17.8	26.7
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	10.5	8.0	8.9	6.5	7.4	5.7	5.4	5.4	10.6
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	21.6	21.1	25.3	21.1	28.1	21.4	18.7	19.3	23.5
LEUKEMIA-----204-207	6.3	6.0	5.8	5.6	7.1	5.6	5.9	5.6	8.0
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	8.7	7.8	9.0	8.0	9.4	7.8	7.5	7.2	11.3
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.3	3.3	2.2	1.9	3.2	2.5	2.2	2.2	2.5
DIABETES MELLITUS-----250	26.9	19.3	22.1	14.7	19.9	18.4	20.8	14.3	18.0
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.2	1.1	1.7	1.1	1.8	1.0	0.9	1.2	1.8
ANEMIAS-----280-283	1.9	1.5	2.1	1.4	1.5	1.5	2.1	1.7	2.5
MENINGITIS-----320	0.9	1.2	1.9	0.6	0.6	0.8	1.1	1.2	0.8
MAJOR CARDIOVASCULAR DISEASES-----390-448	441.0	398.9	459.6	412.8	589.5	442.7	430.5	446.2	555.1
DISEASES OF HEART-----390-398, 402, 404, 410-429	351.1	311.2	322.0	299.3	443.2	311.9	301.1	304.9	400.0
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	5.1	6.1	6.8	4.3	7.9	5.1	4.2	3.6	8.2
HYPERTENSIVE HEART DISEASE-----402	2.8	2.1	5.7	2.4	3.6	2.3	2.9	4.1	2.9
HYPERTENSIVE HEART AND RENAL DISEASE-----404	2.1	1.7	4.3	3.1	2.9	2.6	2.7	2.6	1.5
ISCHEMIC HEART DISEASE-----410-413	325.0	280.0	281.3	268.3	392.7	282.1	264.8	263.5	368.5
ACUTE MYOCARDIAL INFARCTION-----410	147.3	123.9	75.4	131.3	216.6	160.5	150.9	158.5	171.8
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	0.9	1.3	0.7	14.0	1.1	2.5	2.0	1.2	2.3
CHRONIC ISCHEMIC HEART DISEASE-----412	176.8	154.9	205.3	122.9	174.9	118.9	111.8	103.7	194.2
ANGINA PECTORIS-----413	-	0.0	-	0.1	0.2	0.1	0.1	0.1	0.1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	1.7	6.3	2.4	3.4	2.7	2.1	2.3	1.9	1.8
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	14.5	14.9	21.6	17.8	33.2	17.7	24.1	29.2	17.0

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA
MAJOR CARDIOVASCULAR DISEASES—CON.									
HYPERTENSION—400,401,403	3.1	2.5	5.3	3.0	4.5	4.5	3.7	3.5	3.7
CEREBROVASCULAR DISEASES—430-438	62.1	63.2	90.9	85.3	108.9	103.1	103.7	114.8	118.3
CEREBRAL HEMORRHAGE—431	9.1	10.1	15.8	12.5	18.8	13.9	16.8	19.4	13.6
CEREBRAL THROMBOSIS—433	15.5	13.9	22.1	20.7	29.4	27.8	24.8	28.0	34.4
CEREBRAL EMBOLISM—434	0.5	0.2	—	0.2	0.6	0.3	0.4	0.4	0.6
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	37.0	39.0	53.0	51.9	60.2	61.1	61.6	67.0	69.6
ARTERIOSCLEROSIS—440	13.8	11.4	28.5	13.2	17.4	12.4	10.1	12.7	16.2
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	10.8	10.7	13.0	12.0	15.5	10.9	12.0	10.2	17.0
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	—	0.1	0.4	0.3	0.3	0.4	0.1	0.2	0.4
INFLUENZA AND PNEUMONIA—470-474,480-486	24.4	17.3	37.1	27.7	31.5	24.0	22.2	26.6	26.6
INFLUENZA—470-474	0.9	1.0	0.6	1.2	1.2	1.0	0.6	1.5	0.7
PNEUMONIA—480-486	23.6	16.3	36.5	26.5	30.4	23.0	21.6	25.2	25.9
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	11.7	8.0	7.6	10.7	16.8	11.1	10.8	12.0	17.7
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	2.4	2.0	1.2	2.4	3.2	2.4	2.0	2.4	2.6
EMPHYSEMA—492	8.6	5.4	5.1	7.2	12.4	7.6	8.1	8.5	14.1
ASTHMA—493	0.7	0.6	1.2	1.1	1.2	1.2	0.8	1.1	1.0
PEPTIC ULCER—531-533	1.7	2.5	3.5	2.6	3.5	2.5	2.4	2.5	3.6
APPENDICITIS—540-543	0.2	0.4	0.7	0.2	0.8	0.2	0.5	0.5	0.5
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	2.6	2.9	5.1	2.4	3.7	2.9	3.1	2.8	3.1
CIRRHOSIS OF LIVER—571	18.5	17.7	62.1	13.1	15.0	13.3	11.1	12.9	20.5
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	0.3	1.3	1.2	0.9	2.4	1.3	1.4	1.2	1.6
NEPHRITIS AND NEPHROSIS—580-584	4.0	4.1	7.5	3.9	3.7	4.8	5.5	5.3	4.7
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	1.0	0.7	1.1	0.6	0.6	0.6	0.6	0.6	1.1
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	3.0	3.3	6.4	3.3	3.1	4.1	4.9	4.7	3.7
INFECTIONS OF KIDNEY—590	1.7	1.3	3.7	2.1	3.2	3.2	3.1	3.7	3.2
HYPERPLASIA OF PROSTATE—600	0.2	0.6	1.4	0.5	1.0	0.5	0.8	0.6	0.7
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	0.5	0.2	0.6	0.2	0.2	0.3	0.3	0.5	0.1
ABORTIONS—640-645	—	—	0.3	0.0	—	—	—	0.0	—
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	0.5	0.2	0.3	0.1	0.2	0.3	0.3	0.5	0.1
CONGENITAL ANOMALIES—740-759	7.3	5.9	7.5	6.1	6.9	6.4	7.5	6.9	5.9
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769,2,769.4-772,774-778	13.3	11.5	23.9	14.1	18.2	17.3	19.6	16.2	12.7
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	6.1	6.0	5.4	7.3	10.2	9.4	10.0	9.4	7.0
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	7.2	5.5	18.5	6.7	8.0	7.9	9.6	6.8	5.7
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	7.3	10.8	13.7	9.8	29.3	12.6	26.5	13.8	18.1
ALL OTHER DISEASES—RESIDUAL	47.3	57.0	88.5	56.5	72.2	58.3	54.1	59.9	69.2
ACCIDENTS—E800-E949	38.2	40.1	44.7	52.1	56.2	60.1	67.7	64.2	56.1
MOTOR VEHICLE ACCIDENTS—E810-E823	20.1	18.5	11.3	20.9	25.1	29.7	31.0	32.3	26.8
ALL OTHER ACCIDENTS—E800-E807, E825-E949	18.2	21.6	33.3	31.2	31.1	30.4	36.7	31.8	29.3
SUICIDE—E950-E959	10.6	10.6	10.7	14.4	10.7	12.4	18.7	13.8	16.8
HOMICIDE—E960-E978	11.0	12.3	38.0	11.3	5.2	13.6	17.5	21.4	15.6
OTHER EXTERNAL CAUSES—E980-E999	3.7	3.1	7.6	0.8	3.0	1.8	2.5	0.7	3.0

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION				WEST SOUTH CENTRAL DIVISION			
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS
ALL CAUSES	998.1	954.8	971.1	996.3	1,077.9	893.9	1,005.4	825.7
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	0.0	0.0	0.0	-	0.1	0.0	0.1
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	0.9	1.0	1.7	2.4	1.6	1.1	1.6	1.7
TUBERCULOSIS, ALL FORMS-----010-019	2.9	2.7	2.3	1.9	1.6	2.2	1.9	1.7
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	2.2	2.1	2.0	1.5	1.2	2.0	1.6	1.4
TUBERCULOSIS, OTHER FORMS-----013-019	0.7	0.6	0.4	0.4	0.4	0.3	0.3	0.3
WHOOPING COUGH-----033	0.1	-	-	-	-	-	-	0.0
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	0.0	0.0	-	0.0	0.0	-	-
MENINGOCOCCAL INFECTIONS-----036	0.1	0.3	0.2	0.2	0.2	0.4	0.1	0.2
SEPTICEMIA-----038	2.8	2.3	2.5	3.0	3.8	3.2	3.3	2.8
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-
MEASLES-----055	-	-	-	0.0	0.0	-	-	0.0
SYPHILIS AND ITS SEQUELAE-----090-097	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	2.4	2.7	2.8	2.3	2.8	2.0	1.8	2.1
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	175.6	162.2	158.8	160.2	192.5	158.5	175.0	147.3
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	4.4	3.4	2.7	2.8	3.6	3.6	3.7	3.2
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	47.9	39.3	38.5	41.1	46.6	39.6	42.0	36.6
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	45.9	40.7	38.2	40.5	49.1	42.7	43.2	39.0
MALIGNANT NEOPLASM OF BREAST-----174	12.7	14.0	13.6	11.1	14.5	11.3	13.9	11.4
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	22.3	21.1	21.2	23.0	23.0	17.8	22.7	17.6
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	7.6	6.4	5.9	5.5	7.7	5.8	7.1	5.8
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	19.5	21.9	23.8	21.6	27.9	23.3	24.9	18.7
LEUKEMIA-----204-207	6.9	6.3	6.6	7.0	8.6	6.9	7.8	6.8
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	8.6	9.2	8.3	7.6	11.7	7.6	9.9	8.3
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.1	1.4	2.8	2.0	2.5	2.8	2.6	1.7
DIABETES MELLITUS-----280	18.7	14.9	20.0	18.2	20.1	21.4	15.3	15.0
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.3	1.2	1.3	0.9	1.3	1.1	1.5	1.3
ANEMIAS-----200-205	1.9	1.7	1.9	1.9	2.3	2.2	1.8	1.6
MENINGITIS-----320	0.5	0.9	1.1	0.9	0.9	1.1	1.0	1.0
MAJOR CARDIOVASCULAR DISEASES-----390-448	543.8	510.2	480.1	488.9	567.7	456.8	535.3	404.2
DISEASES OF HEART-----390-398, 402, 404, 410-429	392.4	353.6	323.7	332.9	385.9	329.4	375.7	281.3
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	4.6	4.9	3.9	3.2	3.8	3.2	4.5	3.7
HYPERTENSIVE HEART DISEASE-----402	2.9	1.9	3.6	4.3	4.3	3.7	4.0	2.9
HYPERTENSIVE HEART AND RENAL DISEASE-----404	3.2	1.6	2.4	2.0	3.0	2.2	3.8	1.7
ISCHEMIC HEART DISEASE-----410-413	346.2	325.1	273.1	287.9	324.8	294.8	335.3	237.3
ACUTE MYOCARDIAL INFARCTION-----410	207.4	197.8	163.6	168.2	196.3	147.3	190.5	126.9
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	1.1	0.8	1.0	1.6	0.9	0.4	16.6	1.1
CHRONIC ISCHEMIC HEART DISEASE-----412	137.7	126.5	108.4	118.0	127.4	147.1	128.2	109.3
ANGINA PECTORIS-----413	0.1	0.0	0.1	0.1	0.2	0.0	0.1	0.1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	2.7	3.9	2.9	2.7	2.9	2.9	2.2	2.7
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	33.2	16.2	37.9	32.8	47.2	22.4	25.8	32.9

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION				WEST SOUTH CENTRAL DIVISION			
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS
MAJOR CARDIOVASCULAR DISEASES—CON.								
HYPERTENSION—400,401,403	3.6	4.1	4.8	5.4	4.5	3.1	3.4	2.7
CEREBROVASCULAR DISEASES—430-438	116.9	125.6	126.9	126.9	144.7	98.2	123.1	94.6
CEREBRAL HEMORRHAGE—431	17.1	14.4	20.1	19.2	19.3	14.0	16.0	12.8
CEREBRAL THROMBOSIS—433	27.4	31.5	32.4	26.0	23.1	19.0	25.2	15.9
CEREBRAL EMBOLISM—434	0.4	0.4	0.3	0.3	0.5	0.2	0.9	0.3
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	72.0	79.2	74.0	81.4	101.7	65.0	81.0	65.7
ARTERIOSCLEROSIS—440	17.7	15.7	14.1	12.8	18.6	15.4	19.7	15.2
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	13.2	11.3	10.6	10.8	13.9	10.7	13.2	10.3
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	0.2	0.3	0.4	0.2	0.5	0.4	0.3	0.4
INFLUENZA AND PNEUMONIA—470-474,480-486	27.8	25.1	23.5	23.9	27.2	21.6	31.5	25.0
INFLUENZA—470-474	0.9	1.8	1.6	1.0	0.6	0.5	1.6	0.9
PNEUMONIA—480-486	26.9	23.3	21.9	22.9	26.6	21.0	29.9	24.1
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	12.9	13.9	11.8	10.5	14.5	11.2	12.0	12.2
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	2.2	3.2	2.3	2.1	2.6	2.0	1.6	2.3
EMPHYSEMA—492	9.7	9.7	8.8	7.8	11.1	8.3	9.7	9.2
ASTHMA—493	1.0	1.0	0.8	0.6	0.8	0.9	0.7	0.7
PEPTIC ULCER—531-533	3.8	3.4	2.8	3.1	3.0	2.8	4.5	2.7
APPENDICITIS—540-543	0.5	0.4	0.6	0.5	0.5	0.4	—	0.4
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	3.3	2.6	2.9	3.0	3.2	3.2	4.0	2.7
CIRRHOSIS OF LIVER—571	11.6	10.6	10.3	8.5	9.0	10.6	12.6	11.7
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	2.0	1.9	1.3	1.8	1.6	1.5	1.6	1.5
NEPHRITIS AND NEPHROSIS—580-584	3.8	4.3	5.8	5.9	6.2	5.9	5.3	3.7
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	1.0	0.5	0.8	1.0	1.3	0.7	0.8	0.9
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	2.8	3.8	5.0	4.8	4.9	5.1	4.4	2.8
INFECTIONS OF KIDNEY—590	3.6	4.5	4.7	4.8	3.6	3.3	4.3	2.9
HYPERPLASIA OF PROSTATE—600	1.1	1.4	0.8	1.3	0.4	0.4	0.4	0.4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	0.3	0.5	0.5	0.5	0.2	0.2	0.2	0.4
ABORTIONS—640-645	—	—	0.0	0.1	—	—	—	0.0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	0.3	0.5	0.5	0.4	0.2	0.2	0.2	0.3
CONGENITAL ANOMALIES—740-759	7.7	6.8	7.6	7.3	6.4	8.0	6.4	7.2
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769,2,769,4-772,774-778	13.3	14.9	18.1	23.3	14.4	18.0	15.1	16.6
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	7.8	8.0	10.9	12.7	8.5	10.5	8.9	10.0
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	5.5	6.9	7.3	10.6	5.9	7.5	6.2	6.6
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	8.5	17.2	53.1	72.4	40.9	8.7	13.2	23.0
ALL OTHER DISEASES—RESIDUAL	62.8	54.9	56.0	55.2	62.6	55.6	65.4	50.6
ACCIDENTS—E800-E949	57.4	61.4	67.1	65.3	61.3	60.5	62.3	55.1
MOTOR VEHICLE ACCIDENTS—E810-E823	23.7	31.1	30.7	30.0	26.1	22.1	27.9	25.5
ALL OTHER ACCIDENTS—E800-E807,E825-E949	33.7	30.3	36.3	35.3	35.2	38.4	34.4	29.6
SUICIDE—E950-E959	12.5	13.2	10.1	9.2	10.8	10.8	13.7	12.6
HOMICIDE—E960-E978	10.1	13.8	15.6	14.2	11.5	16.5	9.9	14.7
OTHER EXTERNAL CAUSES—E980-E999	1.8	2.2	2.3	2.5	2.9	1.1	1.6	0.8

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MOUNTAIN DIVISION							PACIFIC DIVISION					
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII
ALL CAUSES-----	892.2	808.5	875.2	710.0	715.7	791.9	629.5	757.1	858.1	897.4	815.1	441.8	512.8
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	-	-	0.0	0.1	0.2	0.1	-	0.1	0.0	0.0	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.2	1.4	1.9	1.1	2.0	1.7	1.7	0.3	0.8	0.9	0.9	0.3	1.2
TUBERCULOSIS, ALL FORMS-----010-019	2.2	0.5	1.9	1.0	2.0	2.6	0.6	0.5	0.8	1.4	1.2	2.4	0.9
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.8	0.4	1.4	0.7	1.6	1.8	0.2	0.3	0.7	1.0	0.9	1.5	0.6
TUBERCULOSIS, OTHER FORMS-----013-019	0.4	0.1	0.6	0.3	0.4	0.7	0.4	0.2	0.1	0.4	0.3	0.9	0.4
WHOOPING COUGH-----035	-	-	-	-	0.1	-	-	-	-	-	0.0	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	-	-	0.0	-	-	-	-	0.0	-	0.0	-	-
MENINGOCOCCAL INFECTIONS-----036	0.1	-	-	0.1	0.2	-	-	-	0.1	0.0	0.1	0.3	0.1
SEPTICEMIA-----038	1.9	1.8	1.4	2.1	2.9	2.8	2.1	1.2	1.4	1.2	1.5	0.3	1.5
ACUTE OBLITERATIVE PNEUMONITIS-----040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-----055	-	-	-	-	0.1	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE-----090-097	-	0.1	-	0.0	0.1	0.1	-	0.2	0.1	0.1	0.0	-	-
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.0	1.0	1.9	1.8	2.2	3.3	1.2	0.7	1.5	2.1	1.7	0.9	1.9
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	152.9	133.9	136.5	121.7	114.9	141.8	97.3	141.0	169.1	162.6	160.9	53.7	110.0
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	2.6	2.1	3.3	1.5	2.0	3.3	1.3	3.1	3.3	3.9	3.9	1.8	4.7
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	44.4	35.2	34.3	34.2	32.3	36.2	26.3	35.1	44.9	43.8	42.4	11.9	37.4
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	34.7	25.0	27.0	23.4	22.5	34.4	15.6	38.0	40.4	39.0	38.4	15.1	25.1
MALIGNANT NEOPLASM OF BREAST-----174	11.8	12.0	10.3	12.2	10.5	11.7	10.9	13.3	15.6	14.2	14.9	5.3	6.8
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	20.4	19.8	18.1	14.8	15.7	16.8	12.4	13.1	19.3	20.0	18.5	3.6	10.7
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	7.6	6.4	7.5	6.1	5.7	6.2	4.6	6.1	8.5	7.9	7.4	2.1	4.0
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	15.0	17.8	17.8	16.2	16.3	19.2	13.7	20.1	20.1	16.6	19.6	10.7	11.3
LEUKEMIA-----204-207	5.6	6.5	7.2	5.9	4.8	5.8	4.9	4.9	6.7	6.4	6.5	2.1	3.8
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----208-209, 208, 209	10.9	9.1	10.9	7.3	5.1	8.2	7.5	7.3	10.2	10.8	9.1	1.2	6.0
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	1.6	2.9	1.7	2.3	2.6	2.6	2.3	2.4	2.2	2.6	2.3	0.9	1.3
DIABETES MELLITUS-----250	14.0	14.3	16.7	13.5	15.2	12.6	13.4	9.8	15.5	11.9	11.6	4.5	11.9
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	0.7	1.3	2.5	1.1	1.8	1.4	1.1	1.7	1.7	1.4	1.0	-	1.8
ANEMIAS-----280-285	1.8	1.4	1.7	0.8	0.9	0.9	1.4	1.0	1.2	1.1	1.2	0.6	0.8
MENINGITIS-----320	0.7	0.8	1.4	0.7	1.2	0.8	0.5	0.7	0.4	0.7	0.6	1.2	0.1
MAJOR CARDIOVASCULAR DISEASES-----390-448	430.9	402.3	403.3	341.8	258.8	349.2	293.8	325.0	440.4	470.0	417.3	122.8	221.8
DISEASES OF HEART-----390-398, 402, 404, 410-429	300.5	284.1	289.7	246.0	171.7	256.9	208.8	226.9	313.1	327.9	300.1	87.8	164.0
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	6.7	9.0	5.0	6.7	4.7	6.2	9.1	5.4	7.3	8.0	7.2	2.1	4.1
HYPERTENSIVE HEART DISEASE-----402	3.7	2.5	1.1	1.9	1.7	2.7	2.9	1.6	3.5	2.6	3.0	-	1.9
HYPERTENSIVE HEART AND RENAL DISEASE-----404	0.8	2.4	1.4	1.6	1.2	0.6	0.9	0.5	2.8	4.1	1.1	0.3	0.8
ISCHEMIC HEART DISEASE-----410-413	252.2	247.3	252.1	217.4	145.5	229.5	176.3	201.7	277.0	298.5	276.8	68.2	148.8
ACUTE MYOCARDIAL INFARCTION-----410	137.1	146.1	151.3	113.6	80.7	105.2	89.4	123.6	130.5	120.0	114.7	41.8	71.0
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	1.8	0.5	1.1	1.7	0.7	15.5	5.1	1.4	1.8	0.8	1.0	0.3	0.8
CHRONIC ISCHEMIC HEART DISEASE-----412	113.3	100.5	99.4	102.0	63.9	108.8	81.8	76.4	144.5	177.5	161.0	26.1	77.0
ANGINA PECTORIS-----413	-	0.3	0.3	-	0.1	0.0	-	0.3	0.2	0.1	0.0	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	3.8	2.5	1.7	1.2	2.6	1.3	1.9	2.1	2.7	1.9	1.8	1.2	1.2
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	33.3	20.4	28.4	17.3	16.0	16.6	17.7	15.5	19.7	12.8	10.3	16.0	7.2

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1974—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	MOUNTAIN DIVISION							PACIFIC DIVISION					
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII
MAJOR CARDIOVASCULAR DISEASES—CON.													
HYPERTENSION—400,401,403	2.3	2.5	1.9	2.3	2.8	2.2	1.9	1.7	2.4	2.6	2.5	0.3	1.3
CEREBROVASCULAR DISEASES—430-438	91.0	85.9	83.0	67.1	64.6	69.8	66.4	78.5	93.8	105.3	89.7	28.5	46.3
CEREBRAL HEMORRHAGE—431	9.8	11.1	10.6	7.8	10.6	9.4	7.5	9.9	10.9	11.8	10.7	3.9	11.3
CEREBRAL THROMBOSIS—433	19.2	16.4	18.0	12.4	13.8	12.0	16.0	14.5	23.4	25.2	25.9	3.3	10.0
CEREBRAL EMBOLISM—434	0.4	0.6	0.3	0.2	0.3	0.5	0.7	0.3	0.2	0.4	0.4	0.3	0.1
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	61.6	57.7	62.1	46.7	39.9	47.9	42.2	53.8	59.4	67.9	52.8	21.1	24.8
ARTERIOSCLEROSIS—440	23.5	16.4	10.6	15.6	11.5	10.9	9.7	7.0	16.0	20.1	12.9	3.3	3.7
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	13.5	13.4	18.1	10.8	8.3	9.5	7.0	10.8	13.1	14.2	12.1	3.0	6.6
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	0.8	0.1	0.3	0.5	0.4	1.1	0.2	1.6	0.4	0.2	0.4	0.3	0.4
INFLUENZA AND PNEUMONIA—470-474,480-486	27.9	22.7	30.4	26.4	22.9	22.5	18.6	15.9	22.7	26.4	20.0	12.5	18.9
INFLUENZA—470-474	1.6	1.0	2.2	1.9	0.4	0.7	1.0	-	1.3	1.5	0.6	0.6	0.6
PNEUMONIA—480-486	26.3	21.7	28.1	24.5	22.5	21.8	17.6	15.9	21.4	24.9	19.3	11.9	18.3
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	16.1	14.5	15.6	14.1	15.8	19.3	10.1	15.4	14.6	16.2	13.3	3.9	6.5
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	1.9	2.8	2.8	2.4	2.9	4.1	2.0	1.6	2.8	2.8	2.4	1.8	1.7
EMPHYSEMA—492	12.7	10.6	12.3	10.8	11.8	13.5	7.0	13.1	10.7	12.2	10.1	1.8	3.8
ASTHMA—493	1.5	1.1	0.6	1.0	1.1	1.6	1.1	0.7	1.1	1.2	0.9	0.3	1.1
PEPTIC ULCER—531-533	1.8	3.1	6.1	2.4	2.1	2.8	2.6	1.7	3.6	2.8	3.3	1.2	1.9
APPENDICITIS—540-543	1.0	0.6	0.3	0.2	0.6	0.6	0.2	0.7	0.2	0.6	0.4	-	0.5
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	3.5	4.4	2.5	2.8	4.0	2.2	3.0	3.1	2.4	2.6	2.7	0.6	0.9
CIRRHOSIS OF LIVER—571	13.5	9.9	13.4	13.5	18.5	18.3	7.9	22.3	15.9	16.0	22.4	10.4	7.8
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	2.2	1.5	1.4	1.4	2.8	1.5	1.4	1.7	1.2	1.3	1.2	0.3	1.2
NEPHRITIS AND NEPHROSIS—580-584	2.9	4.5	2.5	2.1	3.1	2.9	2.6	2.3	2.2	2.5	2.3	0.6	2.5
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	0.8	1.0	0.3	0.5	0.8	0.7	0.3	0.2	0.3	0.6	0.4	-	0.2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	2.0	3.5	2.2	1.6	2.3	2.3	2.3	2.1	1.9	1.9	1.9	0.6	2.2
INFECTIONS OF KIDNEY—590	1.8	1.6	3.1	1.7	1.2	2.6	0.7	1.2	2.1	2.4	2.1	0.6	1.9
HYPERPLASIA OF PROSTATE—600	0.8	0.8	0.8	0.6	0.7	0.4	0.3	0.3	0.4	0.6	0.4	0.3	0.2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	-	-	-	0.3	0.7	0.2	0.2	-	0.1	0.1	0.2	-	0.4
ABORTIONS—640-645	-	-	-	0.0	-	-	-	-	-	-	0.0	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	-	-	-	0.3	0.7	0.2	0.2	-	0.1	0.1	0.2	-	0.4
CONGENITAL ANOMALIES—740-759	7.6	6.6	8.6	6.4	8.4	7.3	8.4	5.4	6.1	6.5	6.1	6.8	8.4
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769,774-778	15.8	15.4	15.6	12.4	15.7	12.7	16.6	17.3	11.5	9.8	9.9	19.3	16.1
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	7.9	8.9	9.2	7.2	10.0	7.7	10.1	11.0	6.8	5.1	5.7	10.4	7.3
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	7.9	6.5	6.4	5.2	5.7	5.0	6.6	6.3	4.6	4.7	4.2	8.9	8.7
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	29.5	12.1	12.3	9.7	33.0	13.8	18.2	9.6	7.6	13.5	4.5	14.8	7.7
ALL OTHER DISEASES—RESIDUAL	56.7	47.7	66.0	56.3	68.3	63.3	52.9	62.7	55.7	54.7	47.0	37.4	29.5
ACCIDENTS—E800-E949	75.9	79.1	100.0	52.6	80.7	68.0	53.0	67.5	53.3	60.9	49.5	117.8	30.5
MOTOR VEHICLE ACCIDENTS—E810-E823	38.6	39.4	47.6	25.1	43.9	32.7	23.3	32.3	23.4	29.6	20.5	22.3	14.3
ALL OTHER ACCIDENTS—E800-E807,E825-E949	37.3	39.7	52.4	27.5	36.9	35.2	29.8	35.3	29.9	31.3	29.0	95.5	16.2
SUICIDE—E950-E959	16.6	15.9	17.3	17.9	17.1	14.3	11.1	27.1	15.2	15.7	17.6	12.2	11.6
HOMICIDE—E960-E978	5.4	5.4	5.0	6.2	11.4	11.3	3.8	13.6	5.5	5.3	9.9	10.1	7.1
OTHER EXTERNAL CAUSES—E980-E999	3.5	1.1	3.1	2.4	3.2	2.8	2.4	3.0	2.4	3.3	1.3	5.0	5.5

SECTION 1 - GENERAL MORTALITY

1-73

Table 1-15. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1974

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-678 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group]

Cause of death and color	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over ¹
NUMBER OF DEATHS								
Complications of pregnancy, childbirth and the puerperium-----630-678	462	69	111	116	90	48	24	4
White-----	257	30	56	70	51	29	18	3
All other--	205	39	55	46	39	19	6	1
Ectopic pregnancy-----631	51	4	17	18	10	1	1	-
White-----	20	1	5	10	3	1	-	-
All other--	31	3	12	8	7	-	1	-
Toxemia of pregnancy and the puerperium, except abortion with toxemia-----636-639	91	22	26	27	8	6	1	1
White-----	48	7	13	18	4	4	1	1
All other--	43	15	13	9	4	2	-	-
Hemorrhage of pregnancy and childbirth-----632, 651-653	53	6	6	9	19	8	5	-
White-----	34	2	6	6	11	5	4	-
All other--	19	4	-	3	8	3	1	-
Abortions-----640-645	27	6	5	8	5	2	1	-
White-----	15	3	2	2	4	1	1	-
All other--	14	3	3	6	1	1	-	-
Abortion induced for legal indications-----640, 641	6	3	1	1	-	1	-	-
White-----	1	1	-	-	-	-	-	-
All other--	5	2	1	1	-	1	-	-
Abortion induced for other reasons-----642	1	-	-	1	-	-	-	-
White-----	-	-	-	-	-	-	-	-
All other--	1	-	-	1	-	-	-	-
Spontaneous abortion-----643	7	1	1	1	4	-	-	-
White-----	6	1	1	-	4	-	-	-
All other--	1	-	-	1	-	-	-	-
Other and unspecified abortions-----644, 645	13	2	3	5	1	1	1	-
White-----	6	1	1	2	-	1	1	-
All other--	7	1	2	3	1	-	-	-
Sepsis of childbirth and puerperium-----670, 671, 673	96	13	25	23	20	7	5	3
White-----	61	8	16	12	14	4	5	2
All other--	35	5	9	11	6	3	-	1
All other complications of pregnancy, childbirth, and the puerperium-----630, 633-635, 654-662, 672, 674-678	143	18	32	31	28	23	11	-
White-----	80	9	14	22	15	13	7	-
All other--	63	9	18	9	13	10	4	-
Delivery without mention of complications-----650	1	-	-	-	-	1	-	-
White-----	1	-	-	-	-	1	-	-
All other--	-	-	-	-	-	-	-	-
RATE PER 100,000 LIVE BIRTHS								
Complications of pregnancy, childbirth, and the puerperium-----630-678	14.6	11.3	10.0	12.6	24.1	40.6	86.1	233.8
White-----	10.0	7.1	6.1	8.7	16.1	30.3	81.6	226.1
All other--	35.1	21.3	28.0	38.3	69.8	84.3	102.9	260.4
Ectopic pregnancy-----631	1.6	0.7	1.5	1.9	2.7	0.8	3.6	-
White-----	0.8	0.2	0.5	1.2	0.9	1.0	-	-
All other--	5.3	1.6	6.1	6.7	12.5	-	17.1	-
Toxemia of pregnancy and the puerperium, except abortion with toxemia-----636-639	2.9	3.6	2.3	2.9	2.1	5.1	3.6	58.4
White-----	1.9	1.6	1.4	2.2	1.3	4.2	4.5	75.4
All other--	7.4	8.2	6.6	7.5	7.2	8.9	-	-
Hemorrhage of pregnancy and childbirth-----632, 651-653	1.7	1.0	0.5	1.0	5.1	6.8	17.9	-
White-----	1.3	0.5	0.7	0.7	3.5	5.2	16.1	-
All other--	3.3	2.2	-	2.5	14.3	13.3	17.1	-
Abortions-----640-645	0.9	1.0	0.5	0.9	1.3	1.7	3.6	-
White-----	0.5	0.7	0.2	0.2	1.3	1.0	4.5	-
All other--	2.4	1.6	1.5	5.0	1.6	4.4	-	-
Abortion induced for legal indications-----640, 641	0.2	0.5	0.1	0.1	-	0.8	-	-
White-----	0.0	0.2	-	-	-	-	-	-
All other--	0.9	1.1	0.5	0.8	-	4.4	-	-
Abortion induced for other reasons-----642	0.0	-	-	0.1	-	-	-	-
White-----	-	-	-	-	-	-	-	-
All other--	0.2	-	-	0.8	-	-	-	-
Spontaneous abortion-----643	0.2	0.2	0.1	0.1	1.1	-	-	-
White-----	0.2	0.2	0.1	-	1.3	-	-	-
All other--	0.2	-	-	0.8	-	-	-	-
Other and unspecified abortions-----644, 645	0.4	0.3	0.3	0.5	0.3	0.8	3.6	-
White-----	0.2	0.2	0.1	0.2	-	1.0	4.5	-
All other--	1.2	0.5	1.0	2.5	1.8	-	-	-
Sepsis of childbirth and puerperium-----670, 671, 673	3.0	2.1	2.3	2.5	5.4	5.9	17.9	175.3
White-----	2.4	1.9	1.8	1.5	4.4	4.2	22.7	150.7
All other--	6.0	2.7	4.6	9.2	10.7	13.3	-	260.4
All other complications of pregnancy, childbirth, and the puerperium-----630, 633-635, 654-662, 672, 674-678	4.5	3.0	2.9	3.4	7.5	19.5	39.5	-
White-----	3.1	2.1	1.5	2.7	4.7	13.6	31.8	-
All other--	10.8	4.9	9.2	7.5	25.3	44.4	68.6	-
Delivery without mention of complications-----650	0.0	-	-	-	-	0.8	-	-
White-----	0.0	-	-	-	-	1.0	-	-
All other--	-	-	-	-	-	-	-	-

¹Rates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

SECTION 1 - GENERAL MORTALITY

Table 1-16. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-74

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Classification of Diseases in use at the time]

Year	Total	White	All other	Year	Total	White	All other
1974 ¹	14.6	10.0	35.1	1954	82.4	37.2	143.8
1973 ¹	15.2	10.7	34.6	1953	61.1	44.1	166.1
1972 ^{1,2}	18.8	14.3	38.5	1952	67.8	48.9	188.1
1971 ¹	18.8	13.0	45.3	1951	75.0	54.9	201.3
1970 ¹	21.5	14.4	55.9	1950	85.3	61.1	221.6
1969	22.2	15.5	55.7	1949	90.3	68.1	234.8
1968	24.5	16.6	63.6	1948	116.6	89.4	301.0
1967	28.0	19.5	69.5	1947	154.5	108.6	334.6
1966	29.1	20.2	72.4	1946	156.7	130.7	358.9
1965	31.6	21.0	83.7	1945	207.2	172.1	454.8
1964	33.3	22.5	89.9	1944	227.9	169.4	506.0
1963 ³	35.8	24.0	96.9	1943	245.2	210.5	509.9
1962 ³	35.2	23.8	95.9	1942	258.7	221.8	544.0
1961	36.9	24.9	101.3	1941	316.5	266.0	678.1
1960	37.1	26.0	97.9	1940	376.0	319.8	775.5
1959	37.4	26.8	102.1	1935-39	493.9	439.9	875.5
1958	37.6	26.3	101.8	1930-34 ⁴	656.0	575.4	1,080.7
1957	41.0	27.5	118.3	1925-29	668.6	615.0	1,163.7
1956	40.9	28.7	110.7	1920-24	689.5	649.2	1,134.5
1955	47.0	32.8	130.3	1915-19	727.8	700.3	1,233.5

¹Excludes deaths of nonresidents of the United States.
²Deaths based on a 50-percent sample.
³Figures by color exclude data for residents of New Jersey; see Technical Appendix.
⁴For 1932-34, Mexicans are included with "All other."

Table 1-17. Maternal Mortality Rates by Color: United States, Each Division and State, 1972-74 (3-Year Average)

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-678 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group, 1972-74. Deaths for 1972 are based on a 50-percent sample. Asterisk indicates rate based on a frequency of less than 20]

Division and State	Total	White	All other	Division and State	Total	White	All other
United States	16.2	11.7	36.1	South Atlantic:			
Geographic divisions:				Delaware	*19.7	*20.2	*18.0
New England:	6.5	6.6	*6.1	Maryland	13.9	*7.4	*32.2
Middle Atlantic:	16.0	11.2	38.0	District of Columbia	*30.4	-	*34.8
East North Central:	15.5	10.2	30.3	Virginia	13.7	*8.4	*31.4
West North Central:	12.4	10.9	*27.8	West Virginia	*11.8	*11.1	*26.7
South Atlantic:	18.3	9.6	39.4	North Carolina	17.4	*10.6	32.3
East South Central:	29.7	17.6	57.7	South Carolina	27.1	*8.9	65.8
West South Central:	22.4	17.4	40.7	Georgia	24.6	*10.7	50.9
Mountain:	14.5	12.3	*35.9	Florida	15.9	9.1	35.0
Pacific:	12.7	11.9	16.9	East South Central:			
New England:				Kentucky	19.1	14.2	*67.5
Maine	*4.3	*4.3	-	Tennessee	27.2	20.4	51.6
New Hampshire	*14.2	*14.3	-	Alabama	35.4	17.0	69.8
Vermont	-	-	-	Mississippi	33.4	*20.0	47.8
Massachusetts	*5.5	*6.9	-	West South Central:			
Rhode Island	*2.7	*2.9	-	Arkansas	*17.7	*9.2	*42.8
Connecticut	*9.7	*9.0	*14.6	Louisiana	16.4	*7.4	30.4
Middle Atlantic:				Oklahoma	17.5	*11.6	*45.0
New York	19.0	12.9	42.8	Texas	26.0	21.9	47.2
New Jersey	14.8	11.1	*29.4	Mountain:			
Pennsylvania	12.2	8.8	34.6	Montana	*5.7	*6.3	-
East North Central:				Idaho	-	-	-
Ohio	12.4	10.4	*25.6	Wyoming	*10.7	*11.3	-
Indiana	13.0	10.1	*36.4	Colorado	*11.2	*11.9	-
Illinois	15.9	12.3	27.6	New Mexico	*27.0	*20.8	*59.9
Michigan	15.5	9.5	41.9	Arizona	18.2	*10.3	*60.6
Wisconsin	*6.2	*6.7	-	Utah	*16.5	*17.0	-
West South Central:				Nevada	*15.0	*17.8	-
Minnesota	*8.4	*6.9	*47.0	Pacific:			
Iowa	*6.7	*6.9	-	Washington	*8.2	*6.7	*24.0
Missouri	18.0	14.2	*36.9	Oregon	*6.3	*6.7	-
North Dakota	*16.8	*18.2	-	California	14.4	13.1	21.7
South Dakota	*15.3	*17.6	-	Alaska	-	-	-
Nebraska	*11.4	*10.6	*23.3	Hawaii	*10.8	*38.9	-
Kansas	*12.2	*12.3	*11.4				

SECTION 1 - GENERAL MORTALITY

1-75

Table 1-18. Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component

Counties: 1974

[Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1974 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1974. For further explanation of areas, see Technical Appendix. Rates per 1,000 population]

Area	Number	Rate	Area	Number	Rate	Area	Number	Rate
50 largest U.S. S.M.S.A.'s	675,519	8.9	Dayton, Ohio	6,645	7.9	New York, N.Y.-N.J.	99,656	10.3
Albany-Schenectady-Troy, N.Y.	8,267	10.3	Montgomery	4,771	8.0	New York (city), N.Y.	61,728	10.8
Albany	5,154	10.9	Greene	791	6.3	Bronx	15,870	10.0
Rensselaer	1,636	10.6	Miami	771	8.8	Brooklyn	25,294	10.3
Schenectady	1,669	10.4	Preble	312	8.7	Manhattan	19,271	13.4
Montgomery	735	13.1	Denver-Boulder, Colo.	9,385	6.7	Queens	20,618	10.5
Saratoga	1,103	7.8	Boulder	843	5.2	Richmond	2,675	8.3
Anaheim-Santa Ana-Garden Grove, Calif.	10,098	6.1	Denver	4,891	9.8	Putnam, N.Y.	467	7.1
Orange	10,098	6.1	Adams	1,042	4.9	Rockland, N.Y.	1,594	6.5
Atlanta, Ga.	12,960	7.3	Atascosa	1,020	5.0	Westchester, N.Y.	8,283	9.4
De Kalb	2,715	5.9	Douglas	55	3.8	Bergen, N.J.	7,594	8.7
Fulton	5,815	10.0	Gilpin	17	10.6	Newark, N.J.	10,273	9.0
Butts	127	10.7	Jefferson	1,515	5.2	Essex	9,318	10.4
Cherokee	289	7.6	Detroit, Mich.	57,689	8.5	Morris	2,661	6.7
Clayton	561	4.4	Wayne	25,076	9.8	Somerset	1,372	8.9
Cobb	1,327	5.7	Lapeer	415	6.9	Union	4,922	9.3
Douglas	253	5.8	Livingston	477	6.3	Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	5,908	7.7
Fayette	101	6.0	Macomb	4,011	6.1	Chesapeake (city), Va.	759	7.5
Forsyth	155	7.3	Oakland	6,466	6.8	Norfolk (city), Va.	2,531	8.8
Gwinnett	591	6.5	St. Clair	1,244	9.6	Portsmouth (city), Va.	1,118	10.2
Henry	205	7.1	Ft. Lauderdale-Hollywood, Fla.	9,101	11.3	Suffolk (city), Va.	477	10.0
Newton	275	8.6	Edward	9,101	11.3	Virginia Beach (city), Va.	906	4.3
Paulding	161	7.5	Hartford, Conn.	6,872	8.3	Currituck, N.C.	117	12.3
Rockdale	172	6.6	Hartford	6,872	8.3	Oklahoma City, Okla.	6,205	8.1
Walton	235	8.2	Houston, Tex.	15,015	6.8	Canadian	315	7.0
Baltimore, Md.	19,166	8.0	Harris	12,862	6.8	Cleveland	823	5.1
Baltimore (city)	10,252	11.9	Brazoria	722	6.1	McClain	176	9.8
Anne Arundel	1,865	5.8	Fort Bend	416	5.8	Oklahoma	4,628	8.4
Baltimore	5,145	8.1	Liberty	395	10.6	Pottawattomie	563	11.4
Carroll	627	7.9	Montgomery	502	6.3	Philadelphia, Pa.-N.J.	47,175	8.8
Harford	771	5.7	Waller	118	7.7	Philadelphia, Pa.	22,463	12.2
Howard	405	4.4	Indianapolis, Ind.	9,535	8.3	Bucks, Pa.	3,131	7.0
Birmingham, Ala.	8,098	10.3	Marion	6,981	8.8	Chester, Pa.	2,178	7.6
Jefferson	6,668	10.4	Boone	297	9.3	Delaware, Pa.	5,678	9.6
St. Clair	337	10.3	Hamilton	449	6.9	Montgomery, Pa.	5,708	9.0
Shelby	390	8.2	Hancock	478	6.9	Burlington, N.J.	2,162	6.2
Walker	703	11.1	Hendricks	377	6.3	Camden, N.J.	4,357	9.1
Boston, Mass.	52,320	9.5	Johnson	451	6.7	Gloucester, N.J.	1,496	8.0
Suffolk	8,353	11.7	Morgan	332	7.0	Phoenix, Ariz.	9,239	7.9
Essex	6,671	10.4	Shelby	370	9.5	Maricopa	9,239	7.9
Middlesex	11,998	8.5	Kansas City, Mo.-Kans.	10,891	8.4	Pittsburgh, Pa.	24,541	10.6
Norfolk	5,298	8.6	Clay, Mo.	788	5.9	Allegheny	16,636	11.0
Bridgeport, Conn.	6,482	8.2	Jackson, Mo.	6,301	9.7	Beaver	1,942	9.3
Fairfield	6,482	8.2	Cass, Mo.	351	7.1	Washington	2,248	10.5
Ruffalo, N.Y.	13,190	9.8	Platte, Mo.	215	5.8	Westmoreland	3,515	9.3
Eric	10,960	10.0	Ray, Mo.	222	11.6	Portland, Oreg.-Wash.	9,807	8.1
Niagara	2,230	9.4	Johnson, Kans.	1,246	5.4	Multnomah, Oreg.	6,043	11.2
Chicago, Ill.	64,682	9.3	Wyandotte, Kans.	1,790	9.6	Clackamas, Oreg.	1,457	7.2
Cook	33,668	10.0	Los Angeles-Long Beach, Calif.	60,195	8.7	Washington, Oreg.	1,155	6.0
Du Page	3,289	6.1	Los Angeles	60,195	8.7	Clark, Wash.	1,154	7.7
Kane	2,110	8.0	Louisville, Ky.-Ind.	8,233	9.2	Providence-Warwick-Pawtucket, R.I.	7,807	10.2
Lake	2,597	6.6	Jefferson, Ky.	6,750	9.6	Kent	1,272	8.6
McHenry	991	8.1	Bullitt, Ky.	163	5.2	Providence	6,201	10.8
Will	2,026	7.2	Oldham, Ky.	108	6.7	Bristol	334	7.3
Cincinnati, Ohio-Ky.-Ind.	13,076	9.5	Clark, Ind.	644	8.0	Riverside-San Bernardino-Ontario, Calif.	10,939	9.0
Hamilton, Ohio	8,901	9.9	Floyd, Ind.	563	9.8	Riverside	5,151	10.1
Clermont, Ohio	737	7.0	Memphis, Tenn.-Ark.-Miss.	7,789	9.1	San Bernardino	5,788	8.2
Warren, Ohio	544	6.3	Shelby, Tenn.	6,714	9.3	Rochester, N.Y.	8,238	8.5
Boone, Ky.	238	6.6	Pipton, Tenn.	236	10.0	Monroe	5,950	8.4
Campbell, Ky.	962	11.3	Crittenden, Ark.	472	8.4	Livingston	458	8.2
Kenton, Ky.	1,360	10.4	De Soto, Miss.	284	5.8	Ontario	740	8.7
Dearborn, Ind.	334	10.8	Miami, Fla.	15,128	10.7	Orleans	365	9.2
Cleveland, Ohio	19,401	9.8	Dade	15,128	10.7	Wayne	753	9.1
Cuyahoga	16,976	10.5	Milwaukee, Wis.	12,246	8.7	Sacramento, Calif.	6,640	7.5
Geauga	464	7.0	Milwaukee	9,849	9.5	Sacramento	5,056	7.4
Inke	1,345	6.7	Ozaukee	406	6.5	Flacey	845	9.3
Medina	616	6.5	Washington	498	8.8	Yolo	701	6.7
Columbus, Ohio	8,389	7.9	Waukesha	1,493	6.1	St. Louis, Mo.-Ill.	23,311	9.8
Franklin	6,659	7.8	Minneapolis-St. Paul, Minn.-Wis.	14,915	7.4	St. Louis (city), Mo.	8,200	15.4
Delaware	393	7.8	Hennepin, Minn.	7,813	8.4	Franklin, Mo.	651	10.0
Fairfield	720	8.7	Ramsey, Minn.	3,951	8.6	Jefferson, Mo.	830	7.0
Madison	269	8.7	Anoka, Minn.	612	3.4	St. Charles, Mo.	630	5.8
Pickaway	348	7.9	Carver, Minn.	206	6.2	St. Louis, Mo.	7,349	7.6
Dallas-Fort Worth, Tex.	18,909	7.6	Chisago, Minn.	201	9.3	Clinton, Ill.	283	9.9
Dallas	9,910	7.2	Dakota, Minn.	724	4.3	Madison, Ill.	2,359	9.5
Tarrant	5,715	7.9	Scott, Minn.	225	6.0	Monroe, Ill.	183	9.7
Collin	565	6.4	Washington, Minn.	481	4.8	St. Clair, Ill.	2,828	10.1
Denton	537	5.6	Wright, Minn.	399	8.5	San Antonio, Tex.	7,141	7.3
Ellis	554	10.8	St. Croix, Wis.	305	8.0	Bexar	6,549	7.2
Hood	114	12.0	Nassau-Suffolk, N.Y.	20,194	7.7	Comal	248	8.3
Johnson	515	9.4	Nassau	11,447	8.2	Guadalupe	344	9.0
Kaufman	426	11.8	Suffolk	8,747	7.2	New Orleans, La.	10,138	9.3
Parker	278	8.4	New Orleans, La.	10,138	9.3	Orleans	6,762	11.9
Rockwall	56	6.1	Orleans	6,762	11.9	Jefferson	2,365	6.0
Wise	229	11.1	St. Bernard	383	6.7	St. Bernard	383	6.7
			St. Tammany	629	8.6	St. Tammany	629	8.6

*On January 1, 1974, Nansensmond merged with the independent city of Suffolk; deaths for Nansensmond have been included with those for Suffolk.

SECTION 1 - GENERAL MORTALITY

Table 1-18. Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1974—Con.

[Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1974 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1974. For further explanation of areas, see Technical Appendix. Rates per 1,000 population]

Area	Number	Rate	Area	Number	Rate	Area	Number	Rate
San Diego, Calif-----	11,510	7.6	Seattle-Everett, Wash-----	11,327	8.1	Toledo, Ohio-Mich.--Con.		
San Diego-----	11,510	7.6	King-----	9,440	8.3	Wood, Ohio-----	638	8.3
			Snohomish-----	1,887	7.2	Monroe, Mich-----	899	7.2
San Francisco-Oakland, Calif-----	26,950	8.6						
Alameda-----	9,167	8.4	Tampa-St. Petersburg, Fla-----	17,560	15.2	Washington, D.C.-Md.-Va-----	20,206	6.7
San Francisco-----	8,497	12.6	Hillsborough-----	5,284	9.3	District of Columbia-----	7,848	10.9
Contra Costa-----	3,969	6.8	Pasco-----	1,924	15.8	Charles, Md-----	315	5.3
Marin-----	1,339	6.3	Pinellas-----	10,372	16.2	Montgomery, Md-----	3,479	6.2
San Mateo-----	3,978	6.9				Prince Georges, Md-----	3,490	5.1
			Toledo, Ohio-Mich-----	7,305	9.4	Alexandria (city), Va-----	866	8.0
San Jose, Calif-----	6,755	5.7	Lucas, Ohio-----	5,069	10.5	Arlington, Va-----	1,159	7.6
Santa Clara-----	6,755	5.7	Fulton, Ohio-----	333	9.4	Fairfax, Va ^a -----	2,242	4.1
			Ottawa, Ohio-----	388	9.6	Loudoun, Va-----	318	7.0
						Prince William, Va-----	469	3.5

^aFigures are included for cities of Fairfax and Falls Church.

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1974—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence--Con.																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
United States-----	4,841	2,050	1,372	1,599	1,776	796	338	2,947	1,396	2,035	1,162	1,312	1,925	334	682	343	776	3,840	578	
Alabama-----	18	9	1	2	9	22	2	6	3	18	2	160	4	1	-	1	1	4	2	
Alaska-----	-	-	-	1	-	-	-	-	2	1	2	-	1	2	1	-	-	-	-	
Arizona-----	66	20	21	16	6	3	7	5	6	43	28	3	21	15	11	29	-	12	50	
Arkansas-----	26	12	9	19	4	58	-	-	1	8	4	40	248	-	3	-	-	3	2	
California-----	136	35	40	23	8	23	6	20	33	79	47	2	44	20	33	200	7	50	27	
Colorado-----	35	9	22	104	2	4	1	3	6	20	10	-	33	16	112	3	-	9	60	
Connecticut-----	5	1	1	2	-	1	12	4	163	1	2	-	6	-	1	-	13	60	-	
Delaware-----	1	-	-	1	-	2	1	1	182	2	3	-	1	-	-	-	1	128	-	
District of Columbia-----	10	5	1	4	8	-	3	1,827	9	10	2	2	5	-	-	2	-	34	-	
Florida-----	264	157	45	10	58	21	42	67	170	416	40	22	44	3	6	5	37	275	6	
Georgia-----	18	20	4	1	18	11	2	8	9	28	6	6	9	-	2	2	1	33	-	
Hawaii-----	14	4	2	-	1	1	1	1	4	9	3	3	6	1	-	-	-	2	1	
Idaho-----	7	1	3	2	-	-	-	1	-	5	3	1	5	28	-	11	-	2	2	
Illinois-----	...	612	94	17	73	9	3	5	14	107	23	14	515	-	5	-	2	14	2	
Indiana-----	878	...	13	6	212	2	-	9	5	316	9	9	14	1	2	1	-	6	-	
Iowa-----	484	11	...	14	-	-	-	4	3	9	68	-	172	3	220	-	-	6	1	
Kansas-----	15	11	14	...	1	2	-	3	-	9	4	2	570	1	54	-	-	4	7	
Kentucky-----	122	420	6	-	...	9	-	5	-	31	1	2	14	-	1	-	1	9	1	
Louisiana-----	15	7	6	7	7	...	-	1	2	9	5	5	191	11	3	1	-	9	3	
Maine-----	3	1	1	2	1	1	...	2	96	1	-	-	-	-	-	-	78	13	-	
Maryland-----	21	6	5	4	4	1	1	...	21	4	9	5	4	1	3	-	5	48	-	
Massachusetts-----	13	2	1	1	2	1	74	14	...	7	1	1	2	2	1	1	433	59	2	
Michigan-----	124	129	8	6	17	2	1	4	9	...	9	5	10	3	4	1	1	7	1	
Minnesota-----	122	38	291	10	5	2	-	5	4	52	...	3	30	19	21	1	-	11	2	
Mississippi-----	37	7	-	4	7	255	-	2	4	10	5	...	15	-	-	1	1	4	1	
Missouri-----	1,180	34	93	1,023	29	6	-	6	8	20	13	13	...	-	16	1	-	7	3	
Montana-----	4	3	6	2	-	1	-	-	-	3	10	-	-	...	8	1	1	-	2	
Nebraska-----	21	4	389	83	1	1	1	1	3	7	14	2	32	-	...	-	-	1	1	
Nevada-----	16	5	1	3	1	1	1	2	3	8	6	1	3	6	1	...	1	9	-	
New Hampshire-----	-	-	-	-	-	-	126	2	223	2	-	-	-	-	-	-	...	15	-	
New Jersey-----	15	4	1	4	3	3	9	37	30	9	-	3	3	-	-	-	9	...	2	
New Mexico-----	10	4	4	10	2	4	-	3	1	6	7	1	13	2	2	4	-	
New York-----	52	15	4	-	5	4	17	29	112	30	4	1	10	1	3	3	19	1,483	4	
North Carolina-----	14	11	1	2	10	3	3	27	10	10	1	5	6	2	2	2	-	42	2	
North Dakota-----	2	1	5	2	-	-	-	1	-	3	406	-	-	28	1	1	-	-	-	
Ohio-----	54	284	11	3	563	3	2	11	11	377	9	6	12	1	2	3	3	20	2	
Oklahoma-----	15	4	5	120	2	4	-	3	2	2	1	6	64	-	4	4	-	3	2	
Oregon-----	7	3	6	2	-	-	-	-	1	3	2	2	-	13	3	5	-	3	1	
Pennsylvania-----	26	15	3	8	7	8	3	236	17	26	1	2	4	-	1	1	4	1,321	1	
Rhode Island-----	2	1	-	-	2	-	-	-	329	-	1	-	-	-	-	-	6	9	1	
South Carolina-----	3	1	-	2	2	1	3	9	6	3	3	1	1	-	-	-	-	17	-	
South Dakota-----	7	2	92	3	-	-	-	1	1	2	118	-	3	12	88	-	-	3	1	
Tennessee-----	63	32	4	2	484	27	-	11	4	43	2	753	111	-	-	-	1	11	1	
Texas-----	88	45	34	59	16	293	6	5	3	40	37	41	52	1	22	6	3	25	360	
Utah-----	7	2	1	2	-	2	-	2	4	6	-	-	2	34	2	44	1	1	7	
Vermont-----	-	-	-	-	-	1	8	1	39	3	-	-	3	-	-	-	145	9	-	
Virginia-----	25	29	1	3	31	2	3	160	15	24	3	1	6	2	2	3	5	39	1	
Washington-----	10	3	11	6	2	1	-	5	2	6	10	-	8	79	1	5	-	3	1	
West Virginia-----	7	4	2	-	173	-	-	197	1	10	-	-	1	-	-	-	-	8	3	
Wisconsin-----	573	25	105	3	-	-	-	-	5	194	227	3	3	3	3	1	-	5	3	
Wyoming-----	6	4	5	1	-	1	1	-	-	4	7	-	5	37	37	1	-	-	4	

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1974—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence--Con.																			Deaths of non-residents of the United States
	N.Y.	N.C.	N. Dak.	Ohio	Okl.	Oreg.	Pa.	R. I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States-----	4,612	1,379	400	3,071	1,424	730	3,593	456	1,212	515	1,127	1,454	217	403	2,486	633	1,661	1,174	322	2,088
Alabama-----	18	13	1	19	5	-	8	-	14	-	154	19	1	1	8	-	3	3	-	10
Alaska-----	1	-	-	-	1	7	1	-	-	-	-	3	-	1	2	23	-	-	-	11
Arizona-----	37	1	12	35	19	20	25	2	2	6	5	36	13	-	3	17	2	18	6	120
Arkansas-----	3	4	-	4	451	3	5	-	1	-	56	140	-	-	3	1	1	3	-	4
California-----	133	9	8	86	29	144	73	5	7	13	10	85	33	1	17	116	2	37	12	339
Colorado-----	21	3	11	14	34	11	10	2	-	44	6	70	16	3	3	10	3	14	88	14
Connecticut-----	575	2	-	2	-	-	17	35	3	-	2	2	-	3	6	1	-	3	-	16
Delaware-----	18	-	-	3	-	-	148	-	1	-	1	2	-	-	13	-	1	1	-	1
District of Columbia-----	41	35	1	10	1	-	49	1	7	-	5	8	-	-	546	3	32	2	-	17
Florida-----	905	71	3	337	8	3	258	31	31	2	79	43	-	25	63	3	38	71	2	300
Georgia-----	42	119	-	37	3	2	31	2	495	2	131	15	1	2	26	2	11	6	-	12
Hawaii-----	11	1	1	5	1	8	7	1	-	-	1	11	3	-	4	18	-	2	1	72
Idaho-----	3	-	1	1	1	65	2	-	2	-	1	4	26	-	-	100	-	2	9	12
Illinois-----	37	5	2	51	6	4	32	5	-	3	21	31	4	1	8	7	-	166	2	23
Indiana-----	11	6	-	331	5	3	18	-	4	1	17	11	1	-	4	1	6	14	-	11
Iowa-----	4	-	2	4	1	2	4	-	2	54	1	6	2	-	2	4	-	51	1	5
Kansas-----	4	-	1	5	159	7	6	1	1	3	-	28	1	-	3	8	2	3	3	7
Kentucky-----	12	6	-	275	1	-	12	-	2	-	226	11	-	1	45	2	210	5	-	5
Louisiana-----	11	6	-	9	15	1	15	-	3	-	12	350	1	-	7	-	1	4	1	31
Maine-----	28	1	-	2	-	-	8	6	-	-	-	-	-	10	1	2	1	1	-	25
Maryland-----	73	40	1	30	2	2	324	7	11	-	6	10	-	-	381	3	189	2	-	33
Massachusetts-----	251	4	-	13	1	-	37	312	2	-	1	5	-	46	16	2	-	3	-	47
Michigan-----	30	9	-	208	7	3	35	2	4	2	17	17	1	1	11	5	5	147	1	65
Minnesota-----	13	4	244	18	4	3	10	-	1	190	1	16	1	1	2	18	1	500	1	53
Mississippi-----	5	-	-	7	9	1	6	-	2	1	89	22	1	-	3	1	-	3	-	2
Missouri-----	6	6	2	19	81	3	10	1	1	2	29	35	-	-	1	6	3	8	2	6
Montana-----	1	1	33	1	4	12	2	-	1	4	-	1	7	-	-	42	-	11	52	19
Nebraska-----	6	2	1	6	6	2	1	2	-	75	1	8	2	-	-	5	-	3	23	1
Nevada-----	13	1	1	11	7	24	11	1	-	1	1	13	32	1	3	18	1	2	-	16
New Hampshire-----	31	1	-	1	-	-	8	8	-	1	1	2	1	244	2	-	-	-	-	5
New Jersey-----	1,100	11	-	20	1	1	853	5	4	-	2	10	1	5	27	2	7	1	-	36
New Mexico-----	9	3	3	8	20	1	3	1	1	1	1	127	16	-	2	4	1	4	3	20
New York-----	...	19	2	79	2	2	666	13	17	1	9	15	3	50	40	7	11	8	-	186
North Carolina-----	66	...	1	24	1	-	49	1	513	-	75	12	1	1	327	2	20	1	-	9
North Dakota-----	1	-	...	3	1	-	-	-	-	72	-	3	-	-	-	9	1	4	-	4
Ohio-----	61	11	1	...	4	2	387	1	6	1	24	17	2	-	30	2	547	9	-	23
Oklahoma-----	6	8	-	8	...	2	6	-	1	1	7	170	4	-	3	-	2	1	-	3
Oregon-----	3	1	4	3	4	...	8	-	-	3	-	7	4	-	2	343	-	1	2	13
Pennsylvania-----	572	15	1	510	6	2	...	1	5	-	6	10	2	3	33	2	147	7	-	28
Rhode Island-----	27	-	-	1	-	-	4	...	-	1	-	-	-	-	1	-	-	1	-	1
South Carolina-----	37	331	-	12	1	1	23	1	...	-	10	5	-	1	25	2	8	5	-	5
South Dakota-----	2	-	35	1	1	3	1	-	...	1	4	2	2	-	8	1	4	4	27	3
Tennessee-----	23	120	-	42	9	1	14	1	25	-	...	23	2	-	485	2	12	8	1	6
Texas-----	57	19	13	43	496	12	30	2	14	5	31	...	6	1	14	7	5	24	8	344
Utah-----	5	1	-	2	-	3	-	1	2	2	-	5	...	-	4	12	-	2	73	8
Vermont-----	176	-	-	1	-	-	8	3	-	-	-	1	-	...	1	-	-	-	-	11
Virginia-----	91	455	-	53	5	1	84	1	24	2	83	11	-	1	...	4	386	1	-	27
Washington-----	8	1	8	5	2	366	5	-	1	4	3	6	6	-	4	...	-	5	4	62
West Virginia-----	13	12	-	694	-	1	268	-	2	-	2	3	-	-	302	1	...	-	-	1
Wisconsin-----	10	1	4	15	1	-	6	1	-	2	-	12	-	-	2	2	1	...	-	14
Wyoming-----	3	1	3	3	9	2	7	-	-	11	1	9	21	-	1	8	-	3	...	2

SECTION 1 - GENERAL MORTALITY

Table 1-20. Deaths by Month and State of Occurrence: United States and Each State, 1974

[Deaths by place of occurrence include deaths to nonresidents]

AREA	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES	1,936,476	172,223	156,169	172,334	164,586	160,222	153,558	160,658	152,573	151,419	162,385	156,885	173,464
ALABAMA	34,600	3,020	2,736	3,075	2,811	2,916	2,658	2,706	2,788	2,701	2,960	2,834	3,475
ALASKA	1,491	107	97	129	107	120	137	155	149	137	133	106	114
ARIZONA	17,396	1,565	1,503	1,642	1,463	1,461	1,341	1,344	1,405	1,310	1,391	1,363	1,608
ARKANSAS	21,915	2,005	1,804	1,893	1,794	1,821	1,762	1,869	1,710	1,677	1,799	1,784	1,997
CALIFORNIA	170,672	14,956	13,653	15,067	14,147	14,281	13,667	14,010	13,647	13,645	14,244	14,007	15,348
COLORADO	18,449	1,603	1,463	1,653	1,675	1,551	1,492	1,509	1,467	1,432	1,513	1,509	1,587
CONNECTICUT	26,194	2,340	2,150	2,332	2,243	2,227	2,062	2,128	1,983	2,059	2,237	2,131	2,302
DELAWARE	5,191	453	381	479	483	439	396	423	433	389	426	428	461
DISTRICT OF COLUMBIA	9,759	865	865	901	778	851	757	809	719	745	845	812	812
FLORIDA	89,495	7,979	7,495	8,195	7,501	7,454	6,800	7,013	7,065	6,729	7,074	7,343	8,847
GEORGIA	43,550	3,645	3,476	3,733	3,660	3,524	3,436	3,498	3,487	3,465	3,738	3,572	4,316
HAWAII	4,599	423	356	391	366	364	336	346	408	386	367	418	438
IDAHO	6,239	524	467	543	516	530	534	547	518	510	522	525	503
ILLINOIS	105,562	9,446	8,604	9,187	9,021	8,879	8,477	8,873	8,297	8,132	9,059	8,431	9,136
INDIANA	48,256	4,406	3,913	4,175	4,138	4,047	3,890	3,968	3,712	3,855	4,133	3,858	4,161
IOWA	28,615	2,636	2,331	2,483	2,308	2,325	2,236	2,627	2,255	2,292	2,278	2,304	2,540
KANSAS	21,686	1,993	1,813	1,950	1,885	1,888	1,715	1,857	1,654	1,736	1,813	1,681	1,941
KENTUCKY	33,238	3,022	2,629	2,965	2,927	2,599	2,632	2,638	2,616	2,623	2,953	2,630	3,004
LOUISIANA	33,859	2,976	2,766	2,911	2,692	2,695	2,766	2,787	2,726	2,777	2,798	2,803	3,198
MAINE	10,711	996	832	876	926	955	840	920	904	856	858	888	860
MARYLAND	32,129	2,807	2,536	3,037	2,865	2,630	2,448	2,632	2,554	2,488	2,671	2,623	2,838
MASSACHUSETTS	56,388	5,200	4,511	5,136	5,057	4,524	4,448	4,717	4,376	4,241	4,814	4,474	4,890
MICHIGAN	75,364	6,547	5,940	6,647	6,374	6,338	6,059	6,533	5,812	5,893	6,564	6,207	6,450
MINNESOTA	34,154	3,083	2,743	2,923	2,876	2,788	2,762	2,843	2,677	2,791	2,805	2,745	3,118
MISSISSIPPI	22,728	2,053	1,885	1,885	1,806	1,858	1,768	1,867	1,782	1,839	1,879	1,830	2,276
MISSOURI	51,672	4,629	4,096	4,507	4,254	4,178	4,124	4,570	4,090	4,075	4,305	4,257	4,587
MONTANA	6,500	583	500	541	508	541	529	568	562	508	565	525	570
NEBRASKA	15,107	1,419	1,227	1,351	1,277	1,254	1,213	1,282	1,187	1,130	1,235	1,227	1,305
NEVADA	4,656	385	332	416	382	409	381	415	382	384	383	381	406
NEW HAMPSHIRE	7,673	704	617	639	646	645	667	664	613	585	689	577	627
NEW JERSEY	65,786	5,912	5,538	6,237	5,649	5,297	5,104	5,430	5,242	5,126	5,455	5,141	5,655
NEW MEXICO	8,029	652	639	694	721	693	670	697	635	621	645	652	710
NEW YORK	176,007	15,689	14,365	16,384	15,362	14,250	13,940	14,718	13,591	13,467	14,813	14,278	15,150
NORTH CAROLINA	46,366	3,994	3,740	4,038	3,869	3,789	3,680	3,708	3,686	3,809	3,987	3,831	4,235
NORTH DAKOTA	5,928	532	472	482	436	480	492	524	455	498	504	473	580
OHIO	98,964	8,701	7,868	9,015	8,854	8,321	7,725	8,202	7,765	7,682	8,330	7,969	8,532
OKLAHOMA	26,440	2,423	2,240	2,312	2,193	2,103	2,162	2,165	2,114	2,090	2,111	2,075	2,452
OREGON	20,363	1,803	1,533	1,776	1,662	1,727	1,684	1,776	1,693	1,624	1,669	1,661	1,755
PENNSYLVANIA	122,793	11,080	10,064	11,138	10,706	10,262	9,703	9,991	9,546	9,417	10,457	9,759	10,670
RHODE ISLAND	9,155	843	684	808	817	764	707	796	783	650	792	701	810
SOUTH CAROLINA	23,776	2,036	1,817	2,084	2,009	2,102	1,803	1,896	1,860	1,904	2,023	1,966	2,276
SOUTH DAKOTA	6,525	574	513	582	540	538	520	602	511	491	551	542	561
TENNESSEE	41,822	3,597	3,295	3,464	3,560	3,559	3,356	3,446	3,309	3,226	3,590	3,379	4,041
TEXAS	100,981	9,215	8,199	8,726	8,340	8,250	7,985	8,357	7,937	7,969	8,250	8,298	9,455
UTAH	7,705	668	563	656	646	677	675	663	641	633	620	623	640
VERMONT	4,427	414	334	394	372	370	369	375	334	345	379	350	391
VIRGINIA	39,725	3,452	3,180	3,696	3,432	3,269	3,050	3,373	3,148	2,999	3,298	3,311	3,517
WASHINGTON	30,051	2,758	2,226	2,588	2,478	2,542	2,518	2,514	2,435	2,436	2,552	2,486	2,518
WEST VIRGINIA	19,652	1,659	1,529	1,817	1,713	1,595	1,537	1,542	1,558	1,554	1,696	1,623	1,829
WISCONSIN	41,027	3,581	3,420	3,863	3,489	3,488	3,284	3,482	3,158	3,253	3,368	3,265	3,694
WYOMING	3,090	270	229	238	252	254	261	283	274	235	284	229	281

SECTION 1 - GENERAL MORTALITY

1-81

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1974

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES	1,934,388	172,015	156,000	172,120	164,415	160,092	153,410	160,465	152,381	151,250	162,218	156,735	173,287
MALE	1,071,627	94,923	85,866	94,885	90,649	89,198	85,424	89,456	84,902	84,234	89,559	87,194	95,337
FEMALE	862,761	77,092	70,134	77,235	73,766	70,894	67,986	71,009	67,479	67,016	72,659	69,541	77,950
WHITE	1,697,295	151,475	136,870	151,342	144,746	140,760	134,684	140,484	133,171	132,449	142,233	137,386	151,695
MALE	936,640	83,251	75,131	83,082	79,473	78,072	74,827	78,017	73,924	73,567	78,197	76,061	83,038
FEMALE	760,655	68,224	61,739	68,260	65,273	62,688	59,857	62,467	59,247	58,882	64,036	61,325	68,657
ALL OTHER	237,093	20,540	19,130	20,778	19,669	19,332	18,726	19,981	19,210	18,801	19,985	19,349	21,592
MALE	134,987	11,672	10,735	11,803	11,176	11,126	10,597	11,439	10,978	10,667	11,362	11,133	12,299
FEMALE	102,106	8,868	8,395	8,975	8,493	8,206	8,129	8,542	8,232	8,134	8,623	8,216	9,293
ALABAMA	34,737	3,034	2,746	3,072	2,810	2,949	2,690	2,723	2,717	2,694	2,987	2,836	3,479
MALE	19,595	1,682	1,541	1,771	1,597	1,705	1,499	1,526	1,497	1,540	1,664	1,641	1,932
FEMALE	15,142	1,352	1,205	1,301	1,213	1,244	1,191	1,197	1,220	1,154	1,323	1,195	1,547
WHITE	24,556	2,161	1,928	2,185	1,973	2,085	1,904	1,940	1,910	1,893	2,155	1,987	2,433
MALE	14,027	1,191	1,096	1,274	1,138	1,215	1,077	1,108	1,076	1,086	1,211	1,173	1,382
FEMALE	10,529	970	832	911	835	870	829	832	834	807	944	814	1,051
ALL OTHER	10,181	873	818	887	837	864	784	783	801	832	849	849	1,046
MALE	5,568	491	445	497	459	490	422	418	421	454	453	468	550
FEMALE	4,613	382	373	390	378	374	362	365	386	347	379	381	496
ALASKA	1,489	118	101	138	113	123	131	141	140	126	139	102	117
MALE	1,020	77	74	93	85	85	86	85	100	79	96	73	87
FEMALE	469	41	27	45	28	38	45	56	40	47	43	29	30
WHITE	1,010	86	71	87	64	67	90	58	98	83	108	70	88
MALE	714	61	54	64	51	46	58	60	71	57	76	51	65
FEMALE	296	25	17	23	13	21	32	38	27	26	32	19	23
ALL OTHER	479	32	30	51	49	56	41	43	42	43	31	32	29
MALE	306	16	20	29	34	39	28	25	29	22	20	22	22
FEMALE	173	16	10	22	15	17	13	18	13	21	11	10	7
ARIZONA	17,050	1,496	1,430	1,578	1,425	1,433	1,346	1,367	1,398	1,305	1,382	1,338	1,552
MALE	10,336	915	844	936	893	887	810	825	847	787	816	817	959
FEMALE	6,714	581	586	642	532	546	536	542	551	518	566	521	593
WHITE	15,488	1,366	1,310	1,445	1,304	1,292	1,211	1,224	1,260	1,186	1,249	1,230	1,411
MALE	9,360	835	773	866	812	795	724	732	757	713	723	754	876
FEMALE	6,128	531	537	579	492	497	487	492	503	473	526	476	535
ALL OTHER	1,562	130	120	133	121	141	135	143	138	119	133	108	141
MALE	976	80	71	70	81	92	86	83	90	74	93	63	83
FEMALE	586	50	49	63	40	49	49	50	48	45	40	45	58
ARKANSAS	22,226	2,016	1,847	1,908	1,844	1,857	1,782	1,862	1,729	1,714	1,834	1,803	2,030
MALE	12,745	1,169	1,016	1,065	1,093	1,065	1,049	1,087	992	996	1,055	1,027	1,131
FEMALE	9,481	847	831	843	751	792	733	775	737	718	779	776	899
WHITE	17,958	1,612	1,483	1,566	1,500	1,485	1,452	1,486	1,406	1,404	1,505	1,453	1,606
MALE	10,344	926	829	867	888	852	879	870	812	822	873	835	891
FEMALE	7,614	686	654	699	612	633	573	616	594	582	632	618	715
ALL OTHER	4,268	404	364	342	344	372	330	376	323	310	329	350	424
MALE	2,401	243	187	198	205	213	170	217	180	174	182	192	240
FEMALE	1,867	161	177	144	139	159	160	159	143	136	147	158	184
CALIFORNIA	170,403	14,871	13,587	14,918	14,096	14,311	13,678	14,070	13,689	13,666	14,271	13,968	15,278
MALE	93,062	8,026	7,528	8,125	7,710	7,917	7,402	7,745	7,529	7,508	7,676	7,636	8,260
FEMALE	77,341	6,845	6,059	6,793	6,386	6,394	6,276	6,325	6,160	6,158	6,595	6,332	7,018
WHITE	156,148	13,651	12,483	13,732	12,921	13,109	12,545	12,815	12,507	12,521	13,051	12,787	14,026
MALE	84,565	7,277	6,842	7,423	7,007	7,196	6,755	6,991	6,824	6,818	6,958	6,951	7,523
FEMALE	71,583	6,374	5,641	6,309	5,914	5,913	5,790	5,824	5,683	5,703	6,093	5,836	6,503
ALL OTHER	14,255	1,220	1,104	1,186	1,175	1,202	1,133	1,255	1,182	1,145	1,220	1,181	1,252
MALE	8,497	749	686	702	703	721	647	754	705	690	718	685	737
FEMALE	5,758	471	418	484	472	481	486	501	477	455	502	496	515
COLORADO	17,922	1,583	1,421	1,619	1,649	1,515	1,456	1,428	1,397	1,371	1,465	1,480	1,538
MALE	9,949	859	753	905	869	852	803	803	802	782	838	836	847
FEMALE	7,973	724	668	714	780	663	653	625	595	589	627	644	691
WHITE	17,316	1,590	1,375	1,572	1,598	1,475	1,382	1,382	1,349	1,325	1,391	1,441	1,496
MALE	9,599	836	727	872	839	827	760	777	769	753	800	812	827
FEMALE	7,717	694	648	700	759	648	622	605	580	572	591	629	669
ALL OTHER	606	53	46	47	51	40	74	46	48	46	74	39	42
MALE	350	23	26	33	30	25	43	26	33	29	38	24	20
FEMALE	256	30	20	14	21	15	31	20	15	17	36	15	22

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1974—Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
CONNECTICUT	26,129	2,327	2,179	2,348	2,240	2,210	2,069	2,106	1,988	2,042	2,201	2,130	2,289
MALE	13,988	1,250	1,162	1,249	1,206	1,175	1,098	1,151	1,059	1,084	1,205	1,181	1,168
FEMALE	12,141	1,077	1,017	1,099	1,034	1,035	971	955	929	958	996	949	1,121
WHITE	24,869	2,213	2,074	2,259	2,149	2,122	1,958	2,008	1,879	1,944	2,083	2,013	2,167
MALE	13,271	1,186	1,098	1,206	1,159	1,124	1,032	1,086	999	1,035	1,134	1,114	1,098
FEMALE	11,598	1,027	976	1,053	990	998	926	922	880	909	949	899	1,069
ALL OTHER	1,260	114	105	89	91	88	111	98	109	98	118	117	122
MALE	717	64	64	43	47	51	66	65	60	49	71	67	70
FEMALE	543	50	41	46	44	37	45	33	49	49	47	50	52
DELAWARE	4,986	438	371	467	464	421	382	406	409	360	417	407	444
MALE	2,758	226	215	250	245	227	213	236	232	189	240	244	241
FEMALE	2,228	212	156	217	219	194	169	170	177	171	177	163	203
WHITE	4,146	358	309	406	374	363	312	341	336	291	345	329	382
MALE	2,243	178	177	216	185	192	180	198	178	148	195	193	203
FEMALE	1,903	180	132	190	189	171	132	143	158	143	150	136	179
ALL OTHER	840	80	62	61	96	58	70	65	73	69	72	78	62
MALE	515	48	38	34	60	35	33	38	54	41	45	51	78
FEMALE	325	32	24	27	30	23	37	27	19	28	27	27	24
DISTRICT OF COLUMBIA	7,848	706	691	717	620	682	622	654	583	589	667	638	679
MALE	4,246	391	345	383	352	373	350	347	335	313	344	347	366
FEMALE	3,602	315	346	334	268	309	272	307	248	276	323	291	313
WHITE	2,676	233	255	261	218	237	210	212	186	170	229	220	245
MALE	1,261	121	106	112	110	112	102	52	98	84	95	111	118
FEMALE	1,415	112	149	149	108	125	108	120	88	86	134	109	127
ALL OTHER	5,172	473	436	456	402	445	412	442	397	419	438	410	434
MALE	2,985	270	239	271	242	261	248	255	237	229	249	236	248
FEMALE	2,187	203	197	185	160	184	164	187	160	190	189	182	186
FLORIDA	88,015	7,531	6,974	7,596	7,217	7,435	6,907	7,211	7,239	6,919	7,198	7,233	8,555
MALE	51,073	4,431	4,044	4,462	4,168	4,295	4,031	4,164	4,196	4,025	4,162	4,169	4,926
FEMALE	36,942	3,100	2,930	3,134	3,049	3,140	2,876	3,047	3,043	2,894	3,036	3,064	3,629
WHITE	76,986	6,581	6,075	6,674	6,294	6,564	6,032	6,306	6,305	6,056	6,336	6,322	7,441
MALE	44,672	3,854	3,498	3,932	3,634	3,802	3,555	3,629	3,652	3,507	3,658	3,644	4,307
FEMALE	32,314	2,727	2,577	2,742	2,660	2,762	2,477	2,677	2,653	2,549	2,678	2,678	3,134
ALL OTHER	11,029	950	899	922	923	871	873	905	934	863	862	911	1,114
MALE	6,401	577	546	530	534	493	476	535	544	518	504	525	619
FEMALE	4,628	373	353	392	389	378	399	370	390	345	358	386	495
GEORGIA	42,953	3,603	3,402	3,684	3,631	3,440	3,359	3,443	3,445	3,455	3,688	3,537	4,266
MALE	24,009	2,045	1,926	2,053	2,048	1,955	1,919	1,943	1,893	1,863	2,066	1,978	2,320
FEMALE	18,944	1,558	1,476	1,631	1,583	1,485	1,440	1,500	1,552	1,592	1,622	1,559	1,946
WHITE	30,330	2,565	2,358	2,566	2,592	2,432	2,328	2,430	2,430	2,419	2,601	2,532	3,077
MALE	17,201	1,470	1,347	1,464	1,474	1,401	1,382	1,383	1,355	1,329	1,501	1,427	1,668
FEMALE	13,129	1,095	1,011	1,102	1,118	1,031	946	1,047	1,075	1,090	1,100	1,105	1,409
ALL OTHER	12,623	1,038	1,044	1,118	1,039	1,008	1,031	1,013	1,015	1,036	1,087	1,005	1,189
MALE	6,808	575	579	589	574	554	537	560	538	534	565	551	652
FEMALE	5,815	463	465	529	465	454	494	453	477	502	522	454	537
HAWAII	4,343	406	323	364	341	339	314	337	383	368	350	396	422
MALE	2,649	276	180	224	206	210	186	213	216	206	211	245	276
FEMALE	1,694	130	143	140	135	129	128	124	167	162	139	151	146
WHITE	1,361	121	106	132	112	106	93	98	126	97	112	112	146
MALE	800	83	50	79	64	63	54	57	68	58	66	69	89
FEMALE	561	38	56	53	48	43	39	41	58	39	46	43	57
ALL OTHER	2,982	285	217	232	229	233	221	239	257	271	238	284	276
MALE	1,849	193	130	145	142	147	132	156	148	148	145	176	187
FEMALE	1,133	92	87	87	87	86	89	83	109	123	93	108	89
IDAHO	6,460	558	498	559	544	561	538	558	518	529	533	546	518
MALE	3,834	318	318	336	324	340	316	348	305	314	291	317	307
FEMALE	2,626	240	180	223	220	221	222	210	213	215	242	229	211
WHITE	6,357	553	492	547	533	556	531	549	504	520	523	536	513
MALE	3,767	313	313	327	319	337	313	343	296	307	286	308	305
FEMALE	2,590	240	179	220	214	219	218	206	208	213	237	228	208
ALL OTHER	103	5	6	12	11	5	7	9	14	9	10	10	5
MALE	67	5	5	9	5	3	3	5	9	7	5	9	2
FEMALE	36	-	1	3	6	2	4	4	5	2	5	1	3

SECTION 1 - GENERAL MORTALITY

1-83

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1974—Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
ILLINOIS	108,171	9,646	8,860	9,445	9,235	9,099	8,704	9,112	8,520	8,328	9,274	8,596	9,350
MALE	59,378	5,245	4,799	5,154	5,058	5,046	4,735	5,050	4,713	4,632	5,083	4,758	5,105
FEMALE	48,793	4,401	4,061	4,291	4,177	4,053	3,969	4,062	3,807	3,696	4,193	3,838	4,245
WHITE	94,173	8,443	7,741	8,301	8,064	7,901	7,569	7,871	7,405	7,212	8,060	7,442	8,164
MALE	51,407	4,579	4,189	4,507	4,378	4,353	4,109	4,366	4,072	4,014	4,389	4,054	4,397
FEMALE	42,766	3,864	3,552	3,794	3,686	3,548	3,460	3,505	3,333	3,198	3,671	3,388	3,767
ALL OTHER	13,998	1,203	1,119	1,144	1,171	1,198	1,135	1,241	1,115	1,116	1,216	1,154	1,186
MALE	7,971	666	610	647	680	693	626	684	641	618	694	704	708
FEMALE	6,027	537	509	497	491	505	509	557	474	498	522	450	478
INDIANA	48,269	4,438	3,924	4,215	4,122	4,038	3,886	3,960	3,695	3,836	4,087	3,864	4,204
MALE	26,456	2,467	2,113	2,326	2,225	2,189	2,149	2,146	2,009	2,148	2,251	2,183	2,250
FEMALE	21,813	1,971	1,811	1,889	1,897	1,849	1,737	1,814	1,686	1,688	1,836	1,681	1,954
WHITE	44,712	4,130	3,628	3,891	3,827	3,746	3,583	3,661	3,423	3,548	3,825	3,561	3,889
MALE	24,421	2,279	1,959	2,132	2,073	2,023	1,974	1,983	1,842	1,973	2,100	2,003	2,080
FEMALE	20,291	1,851	1,669	1,759	1,754	1,723	1,609	1,678	1,581	1,575	1,725	1,558	1,809
ALL OTHER	3,557	308	296	324	295	292	303	299	272	288	262	303	315
MALE	2,035	188	154	194	152	166	175	163	167	175	151	180	170
FEMALE	1,522	120	142	130	143	126	128	136	105	113	111	123	145
IOWA	28,773	2,627	2,362	2,515	2,333	2,322	2,254	2,599	2,259	2,309	2,303	2,317	2,573
MALE	15,702	1,456	1,258	1,297	1,280	1,273	1,251	1,414	1,280	1,277	1,235	1,290	1,391
FEMALE	13,071	1,171	1,104	1,218	1,053	1,049	1,003	1,185	979	1,032	1,068	1,027	1,182
WHITE	28,438	2,600	2,339	2,485	2,303	2,296	2,232	2,564	2,223	2,283	2,277	2,289	2,547
MALE	15,505	1,442	1,244	1,281	1,263	1,255	1,238	1,393	1,260	1,260	1,222	1,272	1,375
FEMALE	12,933	1,158	1,095	1,204	1,040	1,041	994	1,171	963	1,023	1,055	1,017	1,172
ALL OTHER	335	27	23	30	30	26	26	35	36	26	26	28	26
MALE	197	14	14	16	17	18	13	21	20	17	13	18	16
FEMALE	138	13	9	14	13	8	9	14	16	9	13	10	10
KANSAS	22,235	2,059	1,874	1,998	1,920	1,722	1,741	1,921	1,717	1,771	1,810	1,716	1,986
MALE	12,180	1,144	1,028	1,082	1,033	961	951	1,064	948	951	998	924	1,096
FEMALE	10,055	915	846	916	887	761	790	857	769	820	812	792	890
WHITE	21,065	1,953	1,779	1,888	1,827	1,612	1,652	1,808	1,622	1,695	1,711	1,620	1,898
MALE	11,567	1,090	977	1,030	984	895	900	1,012	898	912	939	870	1,060
FEMALE	9,498	863	802	858	843	717	752	796	724	783	772	750	838
ALL OTHER	1,170	106	95	110	93	110	89	113	95	76	99	96	88
MALE	613	54	51	52	49	66	51	52	50	39	59	54	36
FEMALE	557	52	44	58	44	44	38	61	45	37	40	42	52
KENTUCKY	33,506	3,053	2,657	2,997	2,939	2,601	2,654	2,678	2,610	2,647	2,961	2,676	3,033
MALE	18,995	1,721	1,519	1,680	1,672	1,483	1,501	1,546	1,495	1,499	1,638	1,506	1,735
FEMALE	14,511	1,332	1,138	1,317	1,267	1,118	1,153	1,132	1,115	1,148	1,323	1,170	1,298
WHITE	30,582	2,786	2,430	2,743	2,686	2,377	2,435	2,454	2,361	2,384	2,720	2,433	2,773
MALE	17,395	1,593	1,397	1,540	1,527	1,361	1,398	1,421	1,351	1,353	1,502	1,370	1,582
FEMALE	13,187	1,193	1,033	1,203	1,159	1,016	1,037	1,033	1,010	1,031	1,218	1,063	1,191
ALL OTHER	2,924	267	227	254	253	224	219	249	249	263	243	243	260
MALE	1,600	128	122	140	145	122	103	125	144	146	136	136	153
FEMALE	1,324	139	105	114	108	102	116	99	105	117	105	107	107
LOUISIANA	33,647	2,950	2,728	2,903	2,666	2,689	2,744	2,773	2,713	2,751	2,773	2,788	3,169
MALE	18,977	1,631	1,548	1,651	1,482	1,535	1,547	1,558	1,525	1,570	1,596	1,528	1,806
FEMALE	14,670	1,319	1,180	1,252	1,184	1,154	1,197	1,215	1,188	1,181	1,177	1,260	1,363
WHITE	22,582	1,968	1,822	1,970	1,803	1,819	1,866	1,858	1,796	1,859	1,863	1,845	2,113
MALE	12,931	1,086	1,077	1,141	1,027	1,042	1,062	1,064	1,036	1,083	1,086	1,026	1,201
FEMALE	9,651	882	745	829	776	777	804	794	760	776	777	819	912
ALL OTHER	11,065	982	906	933	863	878	878	915	917	892	910	943	1,056
MALE	6,046	545	471	510	455	493	485	494	489	487	510	502	605
FEMALE	5,019	437	435	423	408	377	393	421	428	405	400	441	451
MAINE	10,717	1,010	849	892	941	952	832	882	865	845	867	892	890
MALE	5,883	550	473	488	518	511	479	497	492	456	462	477	480
FEMALE	4,834	460	376	404	423	441	353	385	373	389	405	415	410
WHITE	10,682	1,008	849	888	936	946	830	879	864	843	864	890	885
MALE	5,858	548	473	484	514	507	477	495	491	455	461	476	477
FEMALE	4,824	460	376	404	422	439	353	384	373	388	403	414	408
ALL OTHER	35	2	-	4	5	6	2	3	1	2	3	2	5
MALE	25	2	-	4	4	4	2	2	1	1	1	1	3
FEMALE	10	-	-	-	1	2	-	1	-	1	2	1	2

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1974—Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MARYLAND	32,965	2,881	2,613	3,131	2,919	2,669	2,518	2,701	2,660	2,540	2,760	2,699	2,874
MALE	18,383	1,592	1,439	1,751	1,639	1,512	1,397	1,539	1,480	1,385	1,511	1,516	1,622
FEMALE	14,582	1,289	1,174	1,380	1,280	1,157	1,121	1,162	1,180	1,155	1,249	1,183	1,252
WHITE	26,527	2,323	2,097	2,555	2,378	2,160	2,039	2,143	2,064	2,041	2,193	2,247	2,287
MALE	14,538	1,259	1,132	1,385	1,322	1,196	1,099	1,214	1,129	1,094	1,177	1,262	1,269
FEMALE	11,989	1,064	965	1,170	1,056	964	940	929	935	947	1,016	985	1,018
ALL OTHER	6,438	558	516	576	541	509	479	558	596	499	567	452	587
MALE	3,845	333	307	366	317	316	298	325	351	291	354	254	393
FEMALE	2,593	225	209	210	224	193	181	233	245	208	233	198	234
MASSACHUSETTS	55,996	5,188	4,464	5,120	5,055	4,511	4,397	4,667	4,356	4,163	4,801	4,442	4,832
MALE	29,342	2,640	2,371	2,634	2,627	2,390	2,337	2,475	2,320	2,181	2,527	2,329	2,511
FEMALE	26,654	2,548	2,093	2,486	2,428	2,121	2,060	2,192	2,036	1,982	2,274	2,113	2,321
WHITE	54,498	5,067	4,374	4,985	4,920	4,374	4,276	4,549	4,230	4,053	4,659	4,313	4,698
MALE	28,432	2,570	2,309	2,557	2,543	2,315	2,264	2,408	2,233	2,114	2,438	2,251	2,430
FEMALE	26,066	2,497	2,065	2,428	2,377	2,059	2,012	2,141	1,997	1,939	2,221	2,062	2,268
ALL OTHER	1,498	121	90	135	135	137	121	118	126	110	142	129	134
MALE	910	70	62	77	84	75	73	67	87	67	89	78	81
FEMALE	588	51	28	58	51	62	48	51	39	43	53	51	53
MICHIGAN	76,249	6,633	6,065	6,800	6,503	6,407	6,051	6,554	5,842	5,910	6,609	6,269	6,566
MALE	43,063	3,686	3,393	3,846	3,701	3,537	3,501	3,735	3,266	3,405	3,701	3,592	3,700
FEMALE	33,186	2,947	2,672	2,954	2,802	2,870	2,550	2,819	2,576	2,505	2,908	2,677	2,866
WHITE	66,805	5,814	5,337	5,956	5,645	5,637	5,403	5,756	5,090	5,136	5,761	5,522	5,748
MALE	37,400	3,230	2,976	3,337	3,166	3,085	3,059	3,245	2,794	2,959	3,205	3,120	3,224
FEMALE	29,405	2,584	2,361	2,619	2,479	2,552	2,344	2,511	2,296	2,177	2,556	2,402	2,524
ALL OTHER	9,444	819	728	844	858	770	688	798	752	774	848	747	818
MALE	5,663	456	417	509	535	452	442	490	472	446	496	472	476
FEMALE	3,781	363	311	335	323	318	246	308	280	328	352	275	342
MINNESOTA	33,500	3,068	2,689	2,872	2,865	2,715	2,689	2,792	2,581	2,712	2,728	2,705	3,084
MALE	18,540	1,720	1,487	1,605	1,583	1,523	1,477	1,575	1,408	1,481	1,484	1,514	1,683
FEMALE	14,960	1,348	1,202	1,267	1,282	1,192	1,212	1,217	1,173	1,231	1,244	1,191	1,401
WHITE	33,023	3,022	2,642	2,847	2,823	2,675	2,657	2,753	2,544	2,669	2,688	2,651	3,052
MALE	18,267	1,696	1,456	1,590	1,561	1,501	1,460	1,551	1,388	1,460	1,462	1,481	1,661
FEMALE	14,756	1,326	1,186	1,257	1,262	1,174	1,197	1,202	1,156	1,209	1,226	1,170	1,391
ALL OTHER	477	46	47	25	42	40	32	39	37	43	40	54	32
MALE	273	24	31	15	22	22	17	24	20	21	22	33	22
FEMALE	204	22	16	10	20	18	15	15	17	22	18	21	10
MISSISSIPPI	23,153	2,097	1,922	1,930	1,850	1,880	1,802	1,916	1,817	1,871	1,918	1,846	2,304
MALE	13,112	1,189	1,115	1,087	1,032	1,034	1,041	1,132	1,042	1,039	1,083	1,038	1,280
FEMALE	10,041	908	807	843	818	846	761	784	775	832	835	808	1,024
WHITE	14,279	1,267	1,184	1,181	1,155	1,175	1,109	1,178	1,167	1,179	1,183	1,150	1,411
MALE	8,288	732	717	681	663	645	660	705	674	673	705	650	783
FEMALE	5,991	535	467	500	492	530	449	473	493	506	478	500	628
ALL OTHER	8,874	830	738	749	695	705	693	738	710	692	735	696	893
MALE	4,824	457	398	406	369	389	381	427	368	366	378	388	497
FEMALE	4,050	373	340	343	326	316	312	311	342	326	357	308	396
MISSOURI	50,652	4,537	4,036	4,418	4,157	4,065	4,063	4,469	4,001	4,009	4,187	4,210	4,500
MALE	27,573	2,496	2,136	2,435	2,209	2,291	2,205	2,390	2,217	2,193	2,282	2,262	2,457
FEMALE	23,079	2,041	1,900	1,983	1,948	1,774	1,858	2,079	1,784	1,816	1,905	1,948	2,043
WHITE	45,521	4,067	3,667	3,984	3,775	3,655	3,638	3,578	3,575	3,646	3,777	3,750	4,009
MALE	24,679	2,229	1,937	2,195	1,994	2,040	1,966	2,130	1,982	1,985	2,055	2,000	2,166
FEMALE	20,842	1,838	1,730	1,789	1,781	1,615	1,672	1,848	1,593	1,661	1,722	1,750	1,843
ALL OTHER	5,131	470	369	434	382	410	425	491	426	363	410	460	491
MALE	2,894	267	199	240	215	251	239	260	235	208	227	262	291
FEMALE	2,237	203	170	194	167	159	186	231	191	155	183	198	200
MONTANA	6,558	604	513	552	517	545	512	566	550	504	572	538	585
MALE	3,891	363	282	322	306	320	309	336	342	292	324	335	360
FEMALE	2,667	241	231	230	211	225	203	230	208	212	248	203	225
WHITE	6,255	581	485	525	497	518	482	543	524	477	550	518	555
MALE	3,702	350	266	309	292	306	289	319	326	277	307	321	340
FEMALE	2,553	231	219	216	205	212	193	224	198	200	243	197	215
ALL OTHER	303	23	28	27	20	27	30	23	26	27	22	20	30
MALE	189	13	16	13	14	14	20	17	16	15	17	14	20
FEMALE	114	10	12	14	6	13	10	6	10	12	5	6	10

SECTION 1 - GENERAL MORTALITY

1-85

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1974—Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
NEBRASKA	15,025	1,410	1,210	1,353	1,275	1,250	1,202	1,279	1,180	1,116	1,229	1,216	1,305
MALE	8,139	787	633	725	668	676	664	658	642	614	653	670	709
FEMALE	6,886	623	577	628	607	574	538	581	538	502	576	546	596
WHITE	14,588	1,372	1,176	1,316	1,230	1,215	1,167	1,236	1,134	1,090	1,202	1,183	1,267
MALE	7,881	764	616	704	647	654	638	678	613	598	635	646	688
FEMALE	6,707	608	560	612	583	561	529	558	521	492	567	537	579
ALL OTHER	437	38	34	37	45	35	35	46	26	26	27	33	38
MALE	258	23	17	21	21	22	26	20	29	16	18	24	21
FEMALE	179	15	17	16	24	13	9	23	17	10	9	9	17
NEVADA	4,338	364	307	406	350	371	361	386	363	348	350	357	375
MALE	2,653	224	184	257	217	217	233	237	214	220	228	194	228
FEMALE	1,685	140	123	149	133	154	128	149	149	128	122	163	147
WHITE	4,012	339	284	375	321	342	326	359	346	320	324	326	350
MALE	2,461	208	169	237	201	202	209	223	204	206	214	173	215
FEMALE	1,551	131	115	138	120	140	117	136	142	114	110	153	135
ALL OTHER	326	25	23	31	29	29	35	27	17	28	26	31	25
MALE	192	16	15	20	16	15	24	14	10	14	14	21	13
FEMALE	134	9	8	11	13	14	11	13	7	14	12	10	12
NEW HAMPSHIRE	7,723	714	641	660	653	652	661	646	585	586	675	591	659
MALE	4,271	403	366	353	371	354	344	372	315	320	376	330	367
FEMALE	3,452	311	275	307	282	298	317	274	270	266	299	261	292
WHITE	7,701	712	641	659	650	651	660	642	584	583	673	591	655
MALE	4,259	401	366	352	368	354	344	371	314	318	375	330	366
FEMALE	3,442	311	275	307	282	297	316	271	270	265	298	261	289
ALL OTHER	22	2	—	1	3	1	1	4	1	3	2	—	4
MALE	12	2	—	1	3	—	—	1	1	2	1	—	1
FEMALE	10	—	—	—	—	1	1	3	—	1	1	—	3
NEW JERSEY	67,160	6,042	5,664	6,370	5,791	5,388	5,159	5,501	5,307	5,224	5,585	5,320	5,809
MALE	36,211	3,231	3,038	3,437	3,070	2,933	2,798	2,988	2,921	2,900	2,991	2,862	3,042
FEMALE	30,949	2,811	2,626	2,933	2,721	2,455	2,361	2,513	2,386	2,324	2,594	2,458	2,767
WHITE	60,364	5,454	5,101	5,681	5,217	4,872	4,640	4,852	4,750	4,710	5,047	4,770	5,230
MALE	32,335	2,923	2,718	3,033	2,761	2,647	2,499	2,648	2,592	2,603	2,674	2,534	2,703
FEMALE	28,029	2,531	2,383	2,648	2,456	2,225	2,141	2,244	2,158	2,107	2,373	2,236	2,527
ALL OTHER	6,796	588	563	689	574	516	519	609	557	514	538	550	579
MALE	3,876	308	320	404	309	286	299	340	329	297	317	328	339
FEMALE	2,920	280	243	285	265	230	220	269	228	217	221	222	240
NEW MEXICO	8,030	651	646	704	720	656	671	706	626	643	641	648	718
MALE	4,723	369	402	431	430	367	399	405	350	374	379	392	425
FEMALE	3,307	282	244	273	290	289	272	301	276	269	262	256	293
WHITE	7,197	589	582	625	647	592	611	632	560	578	573	567	641
MALE	4,207	327	359	383	385	326	361	368	307	338	337	338	378
FEMALE	2,990	262	223	242	262	266	250	264	253	240	236	229	263
ALL OTHER	833	62	64	79	73	64	60	74	66	65	68	81	77
MALE	516	42	43	48	45	41	38	37	43	36	42	54	47
FEMALE	317	20	21	31	28	23	22	37	23	29	26	27	30
NEW YORK	176,959	15,869	14,511	16,615	15,441	14,326	13,945	14,769	13,601	13,483	14,814	14,321	15,264
MALE	94,335	8,417	7,728	8,889	8,145	7,659	7,561	7,807	7,254	7,258	7,833	7,648	8,136
FEMALE	82,624	7,452	6,783	7,726	7,296	6,667	6,384	6,962	6,347	6,225	6,981	6,673	7,128
WHITE	157,779	14,248	12,895	14,821	13,906	12,824	12,456	13,076	12,087	11,951	13,147	12,797	13,571
MALE	83,488	7,513	6,825	7,886	7,264	6,804	6,705	6,831	6,428	6,357	6,930	6,769	7,176
FEMALE	74,291	6,735	6,070	6,935	6,642	6,020	5,751	6,245	5,659	5,594	6,217	6,028	6,395
ALL OTHER	19,180	1,621	1,616	1,794	1,535	1,502	1,489	1,693	1,514	1,532	1,667	1,524	1,693
MALE	10,847	904	903	1,003	881	855	856	976	826	901	903	879	960
FEMALE	8,333	717	713	791	654	647	633	717	688	631	764	645	733
NORTH CAROLINA	46,278	4,011	3,753	4,034	3,881	3,755	3,670	3,705	3,689	3,729	3,986	3,846	4,219
MALE	26,543	2,266	2,093	2,303	2,240	2,196	2,064	2,114	2,123	2,166	2,321	2,230	2,427
FEMALE	19,735	1,745	1,660	1,731	1,641	1,559	1,606	1,591	1,566	1,563	1,665	1,616	1,792
WHITE	34,344	3,017	2,791	2,978	2,840	2,760	2,679	2,746	2,729	2,791	3,027	2,840	3,146
MALE	19,686	1,697	1,548	1,695	1,665	1,628	1,501	1,567	1,549	1,628	1,746	1,657	1,805
FEMALE	14,658	1,320	1,243	1,283	1,175	1,132	1,178	1,179	1,180	1,163	1,281	1,183	1,341
ALL OTHER	11,934	994	962	1,056	1,041	995	991	959	960	938	959	1,006	1,073
MALE	6,857	569	545	608	575	568	563	547	574	538	575	573	622
FEMALE	5,077	425	417	448	466	427	428	412	386	400	384	433	451

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1974—Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
NORTH DAKOTA	5,766	518	475	476	427	469	469	494	422	482	483	463	588
MALE	3,426	298	276	273	244	278	284	290	259	315	286	287	336
FEMALE	2,340	220	199	203	183	191	185	204	163	167	197	176	252
WHITE	5,610	510	467	465	419	457	458	478	406	471	465	444	570
MALE	3,320	293	271	266	238	268	278	279	246	308	275	272	326
FEMALE	2,290	217	196	199	181	189	180	199	160	163	190	172	244
ALL OTHER	156	8	8	11	8	12	11	16	16	11	18	19	18
MALE	106	5	5	7	6	10	6	11	13	7	11	15	10
FEMALE	50	3	3	4	2	2	5	5	3	4	7	4	8
OHIO	99,254	8,690	7,925	9,042	8,863	8,358	7,860	8,202	7,795	7,661	8,327	7,941	8,590
MALE	54,006	4,708	4,262	4,883	4,760	4,547	4,307	4,459	4,286	4,155	4,555	4,320	4,724
FEMALE	45,248	3,982	3,663	4,159	4,103	3,811	3,553	3,703	3,509	3,506	3,772	3,621	3,866
WHITE	89,693	7,925	7,221	8,185	7,979	7,589	7,122	7,384	7,016	6,908	7,465	7,145	7,754
MALE	48,674	4,288	3,863	4,418	4,284	4,121	3,894	4,038	3,845	3,736	4,065	3,871	4,251
FEMALE	41,019	3,637	3,358	3,767	3,695	3,468	3,228	3,346	3,171	3,172	3,400	3,274	3,503
ALL OTHER	9,561	765	704	857	884	769	738	818	779	753	862	796	836
MALE	5,332	420	399	465	476	426	413	461	441	419	490	449	473
FEMALE	4,229	345	305	392	408	343	325	357	338	334	372	347	363
OKLAHOMA	27,237	2,487	2,269	2,392	2,266	2,161	2,227	2,248	2,197	2,155	2,190	2,126	2,519
MALE	15,124	1,402	1,242	1,298	1,251	1,224	1,212	1,260	1,267	1,180	1,218	1,174	1,396
FEMALE	12,113	1,085	1,027	1,094	1,015	937	1,015	988	920	975	972	952	1,123
WHITE	24,548	2,253	2,037	2,161	2,059	1,960	1,993	2,013	1,994	1,928	1,981	1,904	2,265
MALE	13,639	1,264	1,125	1,166	1,136	1,110	1,073	1,137	1,143	1,056	1,112	1,053	1,264
FEMALE	10,909	989	912	995	923	850	920	876	851	872	869	851	1,001
ALL OTHER	2,689	234	232	231	207	201	234	235	203	227	209	222	254
MALE	1,485	138	117	132	115	114	139	123	124	124	106	121	132
FEMALE	1,204	96	115	99	92	87	95	112	79	103	103	101	122
OREGON	20,335	1,827	1,541	1,778	1,672	1,705	1,672	1,749	1,685	1,615	1,651	1,673	1,767
MALE	11,598	1,032	870	1,005	943	999	988	976	969	904	910	1,008	994
FEMALE	8,737	795	671	773	729	706	684	773	716	711	741	665	773
WHITE	19,903	1,793	1,503	1,743	1,633	1,662	1,638	1,709	1,647	1,576	1,621	1,640	1,738
MALE	11,327	1,015	847	982	922	969	970	947	944	877	888	984	982
FEMALE	8,576	778	656	761	711	693	668	762	703	699	733	656	756
ALL OTHER	432	34	38	35	39	43	34	40	38	39	30	33	29
MALE	271	17	23	23	21	30	18	29	25	27	22	24	12
FEMALE	161	17	15	12	18	13	16	11	13	12	8	9	17
PENNSYLVANIA	122,984	11,119	10,098	11,193	10,746	10,315	9,586	10,013	9,597	9,442	10,457	9,737	10,681
MALE	66,837	5,957	5,346	6,031	5,836	5,621	5,263	5,519	5,273	5,159	5,719	5,323	5,790
FEMALE	56,147	5,162	4,752	5,162	4,910	4,694	4,323	4,454	4,324	4,283	4,738	4,414	4,891
WHITE	111,695	10,156	9,162	10,161	9,809	9,410	8,717	9,043	8,689	8,536	9,450	8,962	9,700
MALE	60,303	5,414	4,829	5,411	5,300	5,091	4,767	4,932	4,753	4,636	5,126	4,814	5,230
FEMALE	51,392	4,742	4,333	4,750	4,509	4,319	3,950	4,111	3,936	3,900	4,324	4,048	4,470
ALL OTHER	11,289	963	936	1,032	937	905	869	970	906	906	1,007	875	981
MALE	6,534	543	517	620	536	530	496	587	528	523	593	509	560
FEMALE	4,755	420	419	412	401	375	373	383	388	383	414	366	421
RHODE ISLAND	9,107	833	679	803	802	760	716	750	760	661	779	707	817
MALE	4,828	442	369	406	415	403	375	401	420	350	427	373	447
FEMALE	4,279	391	310	397	387	357	341	349	340	311	352	334	370
WHITE	8,871	809	665	782	774	742	702	766	739	646	757	690	799
MALE	4,682	428	359	395	397	392	363	390	407	339	412	364	436
FEMALE	4,189	381	306	387	377	350	339	376	332	307	345	326	363
ALL OTHER	236	24	14	21	28	18	14	24	21	15	22	17	18
MALE	146	14	10	11	18	11	12	11	13	11	15	9	11
FEMALE	90	10	4	10	10	7	2	13	8	4	7	8	7
SOUTH CAROLINA	24,211	2,078	1,863	2,132	2,013	2,149	1,835	1,931	1,879	1,970	2,030	2,002	2,329
MALE	13,857	1,203	1,072	1,203	1,138	1,198	1,074	1,121	1,096	1,152	1,142	1,141	1,317
FEMALE	10,354	875	791	929	875	951	761	810	783	818	888	861	1,012
WHITE	15,959	1,345	1,190	1,397	1,324	1,417	1,192	1,318	1,273	1,328	1,332	1,320	1,423
MALE	9,213	788	691	807	755	780	696	758	756	784	762	774	862
FEMALE	6,746	557	499	590	569	637	496	560	517	544	570	546	661
ALL OTHER	8,252	733	673	735	689	732	643	613	604	642	698	682	806
MALE	4,644	415	381	396	383	418	378	363	340	368	380	367	455
FEMALE	3,608	318	292	339	306	314	265	250	266	274	318	315	351

SECTION 1 - GENERAL MORTALITY

1-87

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1974-Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
SOUTH DAKOTA	6,581	588	525	599	522	535	529	592	520	484	561	560	566
MALE	3,757	339	294	340	303	315	300	334	288	280	309	336	319
FEMALE	2,824	249	231	259	219	220	229	258	232	204	252	224	247
WHITE	6,177	557	489	572	494	504	491	562	485	447	522	524	530
MALE	3,521	316	274	326	288	296	276	315	269	261	288	316	296
FEMALE	2,656	241	215	246	206	208	215	247	216	186	234	208	234
ALL OTHER	404	31	36	27	28	31	38	30	35	37	39	36	36
MALE	236	23	20	14	15	19	24	19	19	19	21	20	23
FEMALE	168	8	16	13	13	12	14	11	16	18	18	16	13
TENNESSEE	39,425	3,390	3,111	3,250	3,343	3,384	3,175	3,218	3,095	3,050	3,396	3,202	3,811
MALE	22,091	1,921	1,716	1,816	1,909	1,917	1,789	1,825	1,740	1,694	1,903	1,783	2,078
FEMALE	17,334	1,469	1,395	1,434	1,434	1,467	1,386	1,393	1,355	1,356	1,493	1,419	1,733
WHITE	32,262	2,737	2,525	2,645	2,800	2,772	2,584	2,646	2,496	2,481	2,769	2,631	3,176
MALE	18,216	1,577	1,419	1,485	1,607	1,587	1,466	1,511	1,397	1,399	1,553	1,481	1,734
FEMALE	14,046	1,160	1,106	1,160	1,193	1,185	1,118	1,135	1,099	1,082	1,216	1,150	1,442
ALL OTHER	7,163	653	586	605	543	612	591	572	599	569	627	571	635
MALE	3,875	344	297	331	302	330	323	314	343	295	350	302	344
FEMALE	3,288	309	289	274	241	282	268	258	256	274	277	269	291
TEXAS	99,491	9,069	8,074	8,554	8,219	8,133	7,892	8,261	7,852	7,857	8,129	8,157	9,294
MALE	56,222	5,111	4,531	4,683	4,652	4,676	4,518	4,834	4,431	4,449	4,650	4,588	5,099
FEMALE	43,269	3,958	3,543	3,871	3,567	3,457	3,374	3,427	3,421	3,408	3,479	3,569	4,195
WHITE	85,352	7,793	6,895	7,299	7,079	6,987	6,811	7,038	6,721	6,732	6,958	7,042	7,997
MALE	48,351	4,398	3,885	4,005	4,031	4,023	3,927	4,133	3,815	3,816	3,977	3,953	4,388
FEMALE	37,001	3,395	3,010	3,294	3,048	2,964	2,884	2,905	2,906	2,916	2,981	3,089	3,609
ALL OTHER	14,139	1,276	1,179	1,255	1,140	1,146	1,081	1,223	1,131	1,125	1,171	1,115	1,297
MALE	7,871	713	646	678	621	653	591	701	616	633	673	635	711
FEMALE	6,268	563	533	577	519	493	490	522	515	492	498	480	586
UTAH	7,384	649	543	628	619	643	654	638	604	595	592	594	625
MALE	4,146	356	305	354	345	366	371	374	329	335	331	333	347
FEMALE	3,238	293	238	274	274	277	283	264	275	260	261	261	278
WHITE	7,205	629	528	618	601	629	637	621	585	582	579	583	613
MALE	4,041	343	298	349	332	358	359	362	319	328	325	328	340
FEMALE	3,164	286	230	269	269	271	278	259	266	254	254	255	273
ALL OTHER	179	20	15	10	18	14	17	17	19	13	13	11	12
MALE	105	13	7	5	13	8	12	12	10	7	6	5	7
FEMALE	74	7	8	5	5	6	5	5	9	6	7	6	5
VERMONT	4,398	420	347	390	372	364	371	364	324	341	372	350	383
MALE	2,453	220	189	221	211	205	212	206	187	188	198	201	215
FEMALE	1,945	200	158	169	161	159	159	158	137	153	174	149	168
WHITE	4,385	419	346	388	369	364	371	363	323	339	371	349	383
MALE	2,443	220	188	220	208	205	212	205	187	186	197	200	215
FEMALE	1,942	199	158	168	161	159	159	158	136	153	174	149	168
ALL OTHER	13	1	1	2	3	-	-	1	1	2	1	1	-
MALE	10	-	1	1	3	-	-	1	1	1	1	1	-
FEMALE	3	1	-	1	-	-	-	-	-	-	-	-	-
VIRGINIA	40,358	3,518	3,272	3,779	3,497	3,342	3,086	3,414	3,157	3,062	3,321	3,362	3,548
MALE	22,930	1,987	1,829	2,170	1,943	1,940	1,754	1,911	1,835	1,749	1,847	1,936	2,029
FEMALE	17,428	1,531	1,443	1,609	1,554	1,402	1,332	1,503	1,322	1,313	1,474	1,426	1,519
WHITE	31,152	2,730	2,509	2,917	2,679	2,597	2,353	2,679	2,414	2,382	2,565	2,588	2,739
MALE	17,591	1,535	1,399	1,674	1,470	1,499	1,344	1,503	1,393	1,353	1,404	1,466	1,551
FEMALE	13,561	1,195	1,110	1,243	1,209	1,098	1,009	1,176	1,021	1,029	1,161	1,122	1,188
ALL OTHER	9,206	788	763	862	818	745	733	735	743	680	756	774	809
MALE	5,339	452	430	496	473	441	410	408	442	396	443	470	478
FEMALE	3,867	336	333	366	345	304	323	327	301	284	313	304	331
WASHINGTON	29,827	2,749	2,212	2,587	2,457	2,531	2,500	2,461	2,404	2,404	2,547	2,476	2,499
MALE	16,738	1,550	1,235	1,452	1,359	1,404	1,412	1,383	1,342	1,383	1,446	1,390	1,382
FEMALE	13,089	1,199	977	1,135	1,098	1,127	1,088	1,078	1,062	1,021	1,101	1,086	1,117
WHITE	28,726	2,659	2,136	2,489	2,363	2,448	2,401	2,372	2,309	2,306	2,447	2,386	2,410
MALE	16,404	1,498	1,189	1,388	1,301	1,358	1,344	1,324	1,282	1,314	1,383	1,328	1,333
FEMALE	12,684	1,161	947	1,101	1,062	1,090	1,057	1,048	1,027	992	1,064	1,058	1,077
ALL OTHER	1,101	90	76	96	94	83	89	89	85	88	100	90	89
MALE	696	52	46	64	58	58	68	59	60	69	63	62	49
FEMALE	405	38	30	34	36	37	31	30	35	29	37	28	40

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1974--Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
WEST VIRGINIA-----	19,558	1,662	1,525	1,812	1,729	1,582	1,515	1,538	1,540	1,547	1,684	1,616	1,808
MALE-----	11,183	960	866	1,028	967	897	883	903	875	882	961	928	1,033
FEMALE-----	8,375	702	659	784	762	685	632	635	665	665	723	688	775
WHITE-----	18,470	1,563	1,424	1,715	1,638	1,494	1,440	1,457	1,469	1,456	1,583	1,530	1,701
MALE-----	10,547	896	809	965	911	846	840	855	837	828	905	880	975
FEMALE-----	7,923	667	615	750	727	648	600	602	632	628	678	650	726
ALL OTHER-----	1,088	99	101	97	91	88	75	81	71	91	101	86	107
MALE-----	636	64	57	63	56	51	43	48	38	54	56	48	58
FEMALE-----	452	35	44	34	35	37	32	33	33	37	45	38	49
WISCONSIN-----	40,865	3,623	3,447	3,551	3,471	3,498	3,236	3,401	3,107	3,227	3,359	3,259	3,686
MALE-----	22,925	2,027	1,978	1,956	1,903	1,944	1,816	1,899	1,783	1,871	1,883	1,840	2,025
FEMALE-----	17,940	1,596	1,469	1,595	1,568	1,554	1,420	1,502	1,324	1,356	1,476	1,419	1,661
WHITE-----	39,905	3,553	3,382	3,467	3,382	3,420	3,165	3,317	3,028	3,150	3,288	3,176	3,577
MALE-----	22,362	1,984	1,934	1,905	1,851	1,901	1,779	1,848	1,737	1,835	1,841	1,790	1,957
FEMALE-----	17,543	1,569	1,448	1,562	1,531	1,519	1,386	1,469	1,291	1,315	1,447	1,386	1,620
ALL OTHER-----	960	70	65	84	89	78	71	84	79	77	71	83	109
MALE-----	563	43	44	51	52	43	37	51	46	36	42	50	68
FEMALE-----	397	27	21	33	37	35	34	33	33	41	29	33	41
WYOMING-----	3,142	256	236	256	270	274	257	263	271	234	276	239	310
MALE-----	1,892	148	135	161	168	171	161	170	163	141	154	144	176
FEMALE-----	1,250	108	101	95	102	103	96	93	108	93	122	95	134
WHITE-----	3,054	254	228	252	262	268	249	251	263	224	268	235	300
MALE-----	1,837	147	131	159	164	167	156	162	156	134	149	142	170
FEMALE-----	1,217	107	97	93	98	101	93	89	107	90	119	93	130
ALL OTHER-----	88	2	8	4	8	6	8	12	8	10	8	4	10
MALE-----	55	1	4	2	4	4	5	8	7	7	5	2	6
FEMALE-----	33	1	4	2	4	2	3	4	1	3	3	2	4

SECTION 1 - GENERAL MORTALITY

1-89

Table 1-22. Deaths by Specified Race or National Origin and Sex: United States and Each State, 1974

Area	Total			White		Negro		Indian ¹		Chinese		Japanese		Other	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
United States	1,934,388	1,071,627	862,761	936,640	760,655	126,036	96,912	3,721	2,420	1,583	668	1,480	1,126	2,167	1,000
Alabama	54,737	19,585	15,142	14,027	10,529	5,561	4,609	4	3	-	-	-	-	3	1
Alaska	1,489	1,020	469	714	296	21	8	276	164	1	-	-	1	8	8
Arizona	17,356	10,356	6,714	9,560	6,128	338	215	616	358	14	5	3	2	5	6
Arkansas	22,228	12,745	9,481	10,344	7,614	2,395	1,863	2	3	-	-	-	-	1	1
California	170,403	93,062	77,341	84,565	71,583	6,409	4,720	197	124	611	308	537	409	745	197
Colorado	17,922	9,949	7,973	9,599	7,717	287	202	29	25	5	3	21	19	8	7
Connecticut	26,129	13,980	12,141	13,271	11,598	698	537	7	2	3	3	-	-	9	1
Delaware	4,986	2,758	2,228	2,243	1,903	512	323	1	1	-	-	1	-	1	1
District of Columbia	7,848	4,246	3,602	1,861	1,415	2,952	2,177	1	-	26	2	-	2	6	6
Florida	89,015	51,073	38,942	44,672	32,314	6,365	4,613	14	7	10	4	-	-	8	7
Georgia	42,953	24,009	18,944	17,201	13,129	6,805	5,610	-	-	1	1	-	-	2	4
Hawaii	4,343	2,649	1,694	800	561	16	8	4	6	159	87	733	532	2,937	3,500
Idaho	6,840	3,834	2,626	5,767	2,590	17	5	42	21	1	1	5	9	2	-
Illinois	108,171	59,378	48,793	51,407	42,766	7,801	5,937	39	23	54	18	35	23	45	26
Indiana	48,269	26,456	21,813	24,421	20,291	2,029	1,517	1	1	2	-	-	2	1	2
Iowa	28,773	15,702	13,071	15,505	12,933	182	128	12	9	1	-	-	-	2	1
Kansas	22,235	12,180	10,055	11,567	9,498	577	535	29	17	4	1	-	1	5	3
Kentucky	33,506	18,595	14,511	17,395	13,187	1,596	1,318	1	1	1	-	-	1	2	3
Louisiana	33,647	18,977	14,670	12,931	9,651	6,026	5,007	14	8	3	1	-	-	3	3
Maine	10,717	5,883	4,854	5,858	4,824	12	5	12	4	1	-	-	-	-	1
Maryland	32,965	18,383	14,592	14,536	11,989	3,802	2,568	11	5	11	8	1	5	20	7
Massachusetts	55,936	29,342	26,654	28,432	26,066	842	658	5	6	51	17	1	1	11	6
Michigan	76,249	43,063	33,135	37,400	28,405	5,546	3,712	79	49	14	6	5	2	19	12
Minnesota	33,400	18,440	14,860	18,267	14,756	171	123	81	71	3	3	3	3	5	5
Mississippi	23,153	13,112	10,041	8,288	5,991	4,794	4,035	19	10	9	2	-	-	2	-
Missouri	50,652	27,573	23,079	24,679	20,042	2,863	2,221	9	2	6	3	2	1	14	10
Montana	6,558	3,891	2,667	5,702	2,553	10	4	172	110	1	-	4	-	1	-
Nebraska	15,025	8,139	6,888	7,881	6,707	209	143	44	29	1	1	4	4	1	2
Nevada	4,338	2,833	1,685	2,461	1,551	145	102	35	26	6	-	1	4	5	2
New Hampshire	7,725	4,271	3,452	4,259	3,442	11	9	1	-	-	-	-	-	-	1
New Jersey	67,160	36,211	30,949	32,335	28,029	3,790	2,863	6	1	26	12	3	2	51	42
New Mexico	8,030	4,723	3,307	4,207	2,990	86	63	426	253	2	-	-	-	2	1
New York	176,959	94,335	82,624	93,468	74,291	10,240	8,096	93	61	406	94	15	10	93	52
North Carolina	46,278	26,343	19,735	12,686	14,638	6,677	4,942	174	130	5	1	-	-	1	4
North Dakota	5,766	3,426	2,340	3,320	2,290	5	2	97	46	1	-	1	1	2	1
Ohio	99,254	54,006	45,248	48,674	41,019	5,274	4,195	12	13	25	6	9	3	12	12
Oklahoma	27,237	15,124	12,113	13,639	10,809	1,047	876	434	322	2	2	-	-	2	4
Oregon	20,335	11,598	8,737	11,327	8,576	165	100	64	32	17	6	19	18	16	5
Pennsylvania	122,994	66,837	56,147	60,303	51,392	6,494	4,722	3	8	19	8	2	2	16	15
Rhode Island	9,107	4,828	4,279	4,682	4,169	132	92	9	4	6	-	-	-	-	-
South Carolina	24,211	13,857	10,354	9,213	6,746	4,635	3,604	5	1	-	1	-	-	4	2
South Dakota	6,581	3,757	2,824	3,521	2,636	4	5	232	163	-	-	-	-	-	-
Tennessee	39,425	22,081	17,334	18,216	14,046	3,867	3,280	3	2	3	1	-	-	2	5
Texas	99,491	56,222	43,268	48,351	37,001	7,829	6,236	12	8	16	12	8	4	8	8
Utah	7,384	4,146	3,238	4,041	3,164	37	14	48	49	6	2	10	7	4	2
Vermont	4,398	2,453	1,945	1,945	1,942	7	3	2	-	-	-	-	-	1	-
Virginia	40,358	22,930	17,428	17,591	13,561	5,310	3,944	6	3	10	3	1	3	12	14
Washington	29,827	16,738	13,080	15,042	12,694	328	192	217	133	33	16	46	48	72	16
West Virginia	19,559	11,183	8,375	10,547	7,923	336	451	-	-	-	1	-	-	-	-
Wisconsin	40,885	22,925	17,940	22,352	17,543	466	321	89	68	3	1	1	5	4	2
Wyoming	3,142	1,892	1,250	1,837	1,217	15	9	34	19	2	3	4	2	-	-

¹Includes deaths among Aleuts and Eskimos.²Includes 451 deaths among Hawaiians and Part-Hawaiians. (In addition there were 27 deaths among Hawaiians and Part-Hawaiians residing in other States.)³Includes 329 deaths among Hawaiians and Part-Hawaiians. (In addition there were 14 deaths among Hawaiians and Part-Hawaiians residing in other States.)

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
01	ALL CAUSES	1,934,388	1,071,627	862,761
I. INFECTIVE AND PARASITIC DISEASES				
02	INTESTINAL INFECTIOUS DISEASES 000-009	2,385	1,118	1,267
03	CHOLERA 000	-	-	-
04	CLASSICAL 000.0	-	-	-
05	EL TOR 000.1	-	-	-
06	UNSPECIFIED 000.9	-	-	-
07	TYPHOID FEVER 001	3	2	1
08	PARATYPHOID FEVER 002	1	1	-
09	PARATYPHOID FEVER A 002.0	-	-	-
10	PARATYPHOID FEVER B 002.1	-	-	-
11	PARATYPHOID FEVER C 002.2	-	-	-
12	PARATYPHOID FEVER, UNSPECIFIED 002.9	1	1	-
13	OTHER SALMONELLA INFECTIONS 003	58	35	23
14	WITH FOOD AS VEHICLE OF INFECTION 003.0	-	-	-
15	WITHOUT MENTION OF FOOD AS VEHICLE OF INFECTION 003.9	58	35	23
16	BACILLARY DYSENTERY 004	32	21	11
17	SHIGA 004.0	-	-	-
18	FLEXNER 004.1	1	1	-
19	BOYD 004.2	-	-	-
20	SONNE 004.3	-	-	-
21	SCHMITZ (STUTZER) 004.4	-	-	-
22	OTHER SPECIFIED BACILLARY 004.8	1	-	1
23	UNSPECIFIED 004.9	30	20	10
24	FOOD POISONING (BACTERIAL) 005	10	3	7
25	STAPHYLOCOCCAL 005.0	1	-	1
26	BUTYLISM 005.1	6	1	5
27	DUE TO OTHER CLOSTRIDIA 005.2	-	-	-
28	OTHER SPECIFIED BACTERIAL FOOD POISONING 005.8	-	-	-
29	FOOD POISONING, UNSPECIFIED 005.9	3	2	1
30	AMEBIASIS 006	25	18	7
31	WITH LIVER ABSCESS 006.0	8	7	1
32	WITHOUT MENTION OF LIVER ABSCESS 006.9	17	11	6
33	OTHER PROTOZOAL INTESTINAL DISEASES 007	1	1	-
34	BALANTIDIASIS 007.0	-	-	-
35	GIARDIASIS 007.1	1	1	-
36	COCCIDIOSIS 007.2	-	-	-
37	OTHER AND UNSPECIFIED 007.9	-	-	-
38	ENTERITIS DUE TO OTHER SPECIFIED ORGANISMS 008	247	118	129
39	ESCHERICHIA COLI 008.0	9	5	4
40	ARIZONA 008.1	-	-	-
41	OTHER SPECIFIED BACTERIA 008.2	18	9	9
42	BACTERIAL ENTERITIS, UNSPECIFIED 008.3	15	8	7
43	ENTERITIS DUE TO SPECIFIED VIRUS 008.8	-	-	-
44	OTHER ORGANISM NOT ELSEWHERE CLASSIFIABLE 008.9	205	96	109
45	DIARRHEAL DISEASES 009	2,008	919	1,089
46	DYSENTERY, UNSPECIFIED 009.0	7	4	3
47	DIARRHEA 009.1	272	126	146
48	GASTROENTERITIS AND COLITIS 009.2	1,729	789	940
49	OTHER DIARRHEAL DISEASES 009.9	-	-	-
50	TUBERCULOSIS 010-019	3,513	2,432	1,081
51	SILICOTUBERCULOSIS 010	90	89	1
52	PULMONARY TUBERCULOSIS 011	2,342	1,713	629
53	ACTIVE, MINIMAL 011.0	3	2	1
54	ACTIVE, MODERATELY ADVANCED 011.1	24	16	8
55	ACTIVE, FAR ADVANCED 011.2	375	288	87
56	ACTIVE, STAGE UNSPECIFIED 011.3	277	222	55
57	MILIARY, LUNG, NOT OTHERWISE SPECIFIED 011.4	29	16	13
58	RADIOLOGIC EVIDENCE ALONE 011.5	-	-	-
59	PULMONARY TUBERCULOSIS NOT OTHERWISE SPECIFIED 011.9	1,634	1,169	465
60	OTHER RESPIRATORY TUBERCULOSIS 012	343	178	165
61	PRIMARY 012.0	2	-	2
62	PLEURISY SPECIFIED AS TUBERCULOUS 012.1	24	15	9
63	PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE 012.2	315	161	154
64	TUBERCULOUS LARYNGITIS 012.3	1	1	-
65	OTHER RESPIRATORY TUBERCULOSIS 012.9	1	1	-
66	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 013	84	47	37
67	TUBERCULOUS MENINGITIS 013.0	80	45	35
68	OTHER CENTRAL NERVOUS SYSTEM 013.9	4	2	2
69	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 014	19	9	10
70	TUBERCULOSIS OF BONES AND JOINTS 015	32	12	20
71	OF VERTEBRAL COLUMN 015.0	25	7	18
72	OF HIP 015.1	1	1	-
73	OF KNEE 015.2	1	-	1
74	OF OTHER SPECIFIED BONES AND JOINTS 015.8	2	2	-
75	OF UNSPECIFIED BONES AND JOINTS 015.9	3	2	1
76	TUBERCULOSIS OF GENITOURINARY SYSTEM 016	19	12	7
77	KIDNEY 016.0	16	9	7
78	OTHER URINARY ORGANS 016.1	2	2	-
79	GENITAL ORGANS (MALE AND FEMALE) 016.2	1	1	-
80	GENITOURINARY SYSTEM, SITE UNSPECIFIED 016.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
TUBERCULOSIS—CON.				
01	TUBERCULOSIS OF OTHER ORGANS.....-017	32	17	15
02	OF SKIN AND SUBCUTANEOUS CELLULAR TISSUE.....-017.0	14	3	11
03	OF PERIPHERAL LYMPHATIC GLANDS.....-017.1	3	1	2
04	OF EYE.....-017.2	-	-	-
05	OF EAR.....-017.3	-	-	-
06	OF OTHER ORGANS.....-017.9	15	13	2
07	DISSEMINATED TUBERCULOSIS.....-018	153	94	59
08	ACUTE MILIARY TUBERCULOSIS SPECIFIED AS NONPULMONARY.....-018.0	-	-	-
09	ACUTE MILIARY TUBERCULOSIS, UNSPECIFIED.....-018.1	2	2	-
10	OTHER FORMS OF DISSEMINATED TUBERCULOSIS.....-018.9	151	92	59
11	LATE EFFECTS OF TUBERCULOSIS.....-019	399	261	138
12	RESPIRATORY TUBERCULOSIS.....-019.0	398	261	137
13	OF CENTRAL NERVOUS SYSTEM.....-019.1	-	-	-
14	OF GENITOURINARY SYSTEM.....-019.2	1	-	1
15	OF VERTEBRAL COLUMN.....-019.3	-	-	-
16	OF HIP.....-019.4	-	-	-
17	OF KNEE.....-019.5	-	-	-
18	OF OTHER BONES AND JOINTS.....-019.6	-	-	-
19	OF OTHER SPECIFIED ORGANS.....-019.9	-	-	-
20	ZOOONOTIC BACTERIAL DISEASES.....-020-027	42	21	21
21	PLAGUE.....-020	1	-	1
22	BUBONIC.....-020.0	1	1	1
23	PULMONIC.....-020.1	-	-	-
24	UNSPECIFIED.....-020.9	-	-	-
25	TULAREMIA.....-021	2	2	-
26	ANTHRAX.....-022	-	-	-
27	BRUCELLOSIS.....-023	-	-	-
28	BRUCELLA MELITENSIS.....-023.0	-	-	-
29	BRUCELLA ABORTUS.....-023.1	-	-	-
30	BRUCELLA SUIIS.....-023.2	-	-	-
31	UNSPECIFIED.....-023.9	-	-	-
32	GLANDERS.....-024	-	-	-
33	MELIOIDOSIS.....-025	-	-	-
34	RAT-BITE FEVER.....-026	-	-	-
35	SPIRILLUM MINUS.....-026.0	-	-	-
36	STREPTOBACILLUS MONILIFORMIS.....-026.1	-	-	-
37	UNSPECIFIED.....-026.9	-	-	-
38	OTHER ZOOONOTIC BACTERIAL DISEASES.....-027	39	19	20
39	LISTERIOSIS.....-027.0	39	19	20
40	ERYSIPLOTHRIX INFECTION.....-027.1	-	-	-
41	OTHER.....-027.9	-	-	-
42	OTHER BACTERIAL DISEASES.....-030-039	6,305	3,463	2,842
43	LEPROSY.....-030	2	2	-
44	LEPROMATOUS.....-030.0	-	-	-
45	TUBERCULOID.....-030.1	-	-	-
46	INDETERMINATE.....-030.2	-	-	-
47	BORDERLINE.....-030.3	-	-	-
48	OTHER AND UNSPECIFIED.....-030.9	2	2	-
49	OTHER DISEASES DUE TO MYCOBACTERIA.....-031	49	30	19
50	PULMONARY.....-031.0	46	27	19
51	OTHER AND UNSPECIFIED.....-031.9	3	3	-
52	DIPHTHERIA.....-032	5	2	3
53	WHOOPING COUGH.....-033	14	4	10
54	BORDETELLA PERTUSSIS.....-033.0	1	-	1
55	BORDETELLA PARAPERTUSSIS.....-033.1	-	-	-
56	OTHER AND UNSPECIFIED.....-033.9	13	4	9
57	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....-034	22	16	6
58	STREPTOCOCCAL SORE THROAT.....-034.0	19	13	6
59	SCARLET FEVER.....-034.1	3	3	-
60	ERYSIPELAS.....-035	2	-	2
61	MENINGOCOCCAL INFECTIONS.....-036	305	173	132
62	MENINGOCOCCAL MENINGITIS.....-036.0	135	78	57
63	MENINGOCOCCEMIA WITHOUT MENTION OF MENINGITIS.....-036.1	169	94	75
64	OTHER FORMS OF MENINGOCOCCAL INFECTION.....-036.8	-	-	-
65	UNSPECIFIED.....-036.9	1	1	-
66	TETANUS.....-037	44	23	21
67	SEPTICEMIA.....-038	5,243	2,854	2,389
68	STREPTOCOCCAL.....-038.0	128	73	55
69	STAPHYLOCOCCAL.....-038.1	223	132	91
70	PNEUMOCOCCAL.....-038.2	52	25	27
71	OTHER BACTERIAL SEPTICEMIA.....-038.8	320	169	151
72	UNSPECIFIED.....-038.9	4,520	2,455	2,065
73	OTHER BACTERIAL DISEASES.....-039	619	359	260
74	GAS GANGRENE.....-039.0	92	53	39
75	RHINOSCLEROMA.....-039.1	1	1	-
76	OTHER.....-039.9	526	305	221
77	POLIOYELITIS AND OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM.....-040-046	164	86	78
78	ACUTE PARALYTIC POLIOYELITIS SPECIFIED AS BULBAR.....-040	-	-	-
79	ACUTE POLIOYELITIS WITH OTHER PARALYSIS.....-041	-	-	-
80	ACUTE NONPARALYTIC POLIOYELITIS.....-042	-	-	-
81	ACUTE POLIOYELITIS, UNSPECIFIED.....-043	3	2	1
82	LATE EFFECTS OF ACUTE POLIOYELITIS.....-044	86	43	43

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
POLIOMYELITIS AND OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM—CON.				
01	ASEPTIC MENINGITIS DUE TO ENTEROVIRUS.....-045	39	26	13
02	COXSACKIE VIRUS.....-045.0	—	—	—
03	ECHO VIRUS.....-045.1	—	—	—
04	ASEPTIC MENINGITIS, UNSPECIFIED.....-045.9	39	26	13
05	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM.....-046	56	15	21
06	VIRAL DISEASES ACCOMPANIED BY EXANTHEMS.....-050-057	372	183	189
07	SMALLPOX.....-050	—	—	—
08	VARIOLA MAJOR.....-050.0	—	—	—
09	VARIOLA MINOR.....-050.1	—	—	—
10	UNSPECIFIED.....-050.9	—	—	—
11	CHUMPOX.....-051	—	—	—
12	CHICKENPOX.....-052	106	45	61
13	HERPES ZOSTER.....-053	112	48	64
14	OF EYE.....-053.0	3	1	2
15	OF OTHER PARTS OF FACE.....-053.1	3	2	1
16	OF TRUNK.....-053.2	—	—	—
17	OF OTHER AND UNSPECIFIED SITES.....-053.9	106	45	61
18	HERPES SIMPLEX.....-054	119	71	48
19	MEASLES.....-055	20	11	9
20	RUBELLA.....-056	15	8	7
21	OTHER VIRAL EXANTHEMS.....-057	—	—	—
22	ERYTHEMA INFECTIONOSUM.....-057.0	—	—	—
23	EXANTHEMA SUBITUM.....-057.1	—	—	—
24	OTHER.....-057.8	—	—	—
25	UNSPECIFIED.....-057.9	—	—	—
26	ARTHROPOD-BORNE VIRAL DISEASES.....-060-068	306	158	148
27	YELLOW FEVER.....-060	—	—	—
28	SYLVATIC.....-060.0	—	—	—
29	URBAN.....-060.1	—	—	—
30	UNSPECIFIED.....-060.9	—	—	—
31	DENGUE.....-061	—	—	—
32	MOSQUITO-BORNE VIRAL ENCEPHALITIS.....-062	4	1	3
33	JAPANESE ENCEPHALITIS.....-062.0	—	—	—
34	WESTERN EQUINE ENCEPHALITIS.....-062.1	—	—	—
35	EASTERN EQUINE ENCEPHALITIS.....-062.2	1	1	—
36	ST. LOUIS ENCEPHALITIS.....-062.3	3	—	3
37	MURRAY VALLEY ENCEPHALITIS.....-062.4	—	—	—
38	OTHER AND UNSPECIFIED.....-062.9	—	—	—
39	TICK-BORNE VIRAL ENCEPHALITIS.....-063	—	—	—
40	RUSSIAN SPRING-SUMMER (TAIGA) ENCEPHALITIS.....-063.0	—	—	—
41	LOUPEING ILL.....-063.1	—	—	—
42	CENTRAL EUROPEAN ENCEPHALITIS.....-063.2	—	—	—
43	OTHER AND UNSPECIFIED.....-063.9	—	—	—
44	VIRAL ENCEPHALITIS TRANSMITTED BY OTHER ARTHROPODS.....-064	—	—	—
45	VIRAL ENCEPHALITIS, UNSPECIFIED.....-065	268	133	135
46	LATE EFFECTS OF VIRAL ENCEPHALITIS.....-066	34	24	10
47	ARTHROPOD-BORNE HEMORRHAGIC FEVER.....-067	—	—	—
48	CRIMEAN HEMORRHAGIC FEVER.....-067.0	—	—	—
49	OMSK HEMORRHAGIC FEVER.....-067.1	—	—	—
50	KYASANUR FOREST DISEASE.....-067.2	—	—	—
51	OTHER TICK-BORNE HEMORRHAGIC FEVER.....-067.3	—	—	—
52	MOSQUITO-BORNE HEMORRHAGIC FEVER.....-067.4	—	—	—
53	HEMORRHAGIC NEPHROSIS-NEPHRITIS.....-067.5	—	—	—
54	OTHER AND UNSPECIFIED ARTHROPOD-BORNE HEMORRHAGIC FEVER.....-067.9	—	—	—
55	OTHER ARTHROPOD-BORNE VIRAL DISEASES.....-068	—	—	—
56	PHLEBOTOMUS FEVER.....-068.0	—	—	—
57	TICK-BORNE FEVER.....-068.1	—	—	—
58	MOSQUITO-BORNE FEVER.....-068.2	—	—	—
59	OTHER ARTHROPOD-BORNE VIRAL DISEASES.....-068.9	—	—	—
60	OTHER VIRAL DISEASES.....-070-079	1,109	469	640
61	INFECTIOUS HEPATITIS.....-070	630	260	370
62	RABIES.....-071	—	—	—
63	HUMPS.....-072	6	4	2
64	PSITTACOSIS.....-073	—	—	—
65	SPECIFIC DISEASES DUE TO COXSACKIE VIRUS.....-074	9	7	2
66	HERPANGINA.....-074.0	—	—	—
67	EPIDEMIC PLEURODYNIA.....-074.1	—	—	—
68	COXSACKIE MYOCARDITIS.....-074.2	8	6	2
69	OTHER.....-074.9	1	1	—
70	INFECTIOUS MONONUCLEOSIS.....-075	24	11	13
71	TRACHOMA, ACTIVE.....-076	—	—	—
72	LATE EFFECTS OF TRACHOMA.....-077	—	—	—
73	OTHER VIRAL DISEASES OF THE CONJUNCTIVA.....-078	—	—	—
74	INCLUSION CONJUNCTIVITIS.....-078.0	—	—	—
75	EPIDEMIC KERATOCONJUNCTIVITIS.....-078.1	—	—	—
76	ACUTE ADENOVIRAL FOLLICULAR CONJUNCTIVITIS.....-078.2	—	—	—
77	OTHER.....-078.8	—	—	—
78	VIRAL CONJUNCTIVITIS, UNSPECIFIED.....-078.9	—	—	—

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER VIRAL DISEASES—CON.				
01	OTHER VIRAL DISEASES.....079	440	187	253
02	MOLLUSCUM CONTAGIOSUM.....079.0	-	-	-
03	VIRAL WARTS.....079.1	-	-	-
04	LYMPHO CYTIC CHORIO MENINGITIS.....079.2	4	1	3
05	CAT-SCRATCH DISEASE.....079.3	-	-	-
06	FOOT-AND-MOUTH DISEASE.....079.4	-	-	-
07	CYTOMEGALIC INCLUSION DISEASE.....079.5	25	14	11
08	OTHER.....079.8	1	1	-
09	VIRAL INFECTION, UNSPECIFIED.....079.9	410	171	239
10	RICKETTSIOSES AND OTHER ARTHROPOD-BORNE DISEASES.....080-089	55	40	15
11	EPIDEMIC LOUSE-BORNE TYPHUS.....080	-	-	-
12	OTHER TYPHUS.....081	-	-	-
13	ENDEMIC FLEA-BORNE.....081.0	-	-	-
14	BRILL'S DISEASE.....081.1	-	-	-
15	MITE-BORNE.....081.2	-	-	-
16	UNSPECIFIED.....081.9	-	-	-
17	TICK-BORNE RICKETTSIOSES.....082	49	38	11
18	SPOTTED FEVERS.....082.0	49	38	11
19	BOUENNEUSE FEVER.....082.1	-	-	-
20	NORTH ASIAN TICK-BORNE TYPHUS FEVER.....082.2	-	-	-
21	OTHER.....082.9	-	-	-
22	OTHER RICKETTSIOSES.....083	2	-	2
23	RICKETTSIAL POX.....083.0	-	-	-
24	Q-FEVER.....083.1	-	-	-
25	WOLHYNIAN FEVER.....083.2	-	-	-
26	OTHER.....083.8	-	-	-
27	UNSPECIFIED.....083.9	2	-	2
28	MALARIA.....084	4	2	2
29	FALCIPARUM MALARIA (MALIGNANT TERTIAN).....084.0	3	2	1
30	VIVAX MALARIA (BENIGN TERTIAN).....084.1	-	-	-
31	MALARIAE MALARIA (QUARTAN).....084.2	-	-	-
32	OVALE MALARIA.....084.3	-	-	-
33	BLACKWATER FEVER.....084.4	-	-	-
34	RECURRENT INDUCED MALARIA.....084.5	-	-	-
35	OTHER.....084.8	-	-	-
36	UNSPECIFIED FORMS.....084.9	1	-	1
37	LEISHMANIASIS.....085	-	-	-
38	VISCERAL (KALA-AZAR).....085.0	-	-	-
39	CUTANEOUS (ORIENTAL SORE).....085.1	-	-	-
40	MUCOCUTANEOUS (AMERICAN).....085.2	-	-	-
41	UNSPECIFIED.....085.9	-	-	-
42	AMERICAN TRYPANOSOMIASIS.....086	-	-	-
43	WITH HEART INVOLVEMENT.....086.0	-	-	-
44	WITH OTHER ORGAN INVOLVEMENT.....086.8	-	-	-
45	WITHOUT MENTION OF ORGAN INVOLVEMENT.....086.9	-	-	-
46	OTHER TRYPANOSOMIASIS.....087	-	-	-
47	GAMBIAN.....087.0	-	-	-
48	RHODESIAN.....087.1	-	-	-
49	AFRICAN TRYPANOSOMIASIS, UNSPECIFIED.....087.8	-	-	-
50	TRYPANOSOMIASIS, UNSPECIFIED.....087.9	-	-	-
51	RELAPSING FEVER.....088	-	-	-
52	LOUSE-BORNE.....088.0	-	-	-
53	TICK-BORNE.....088.1	-	-	-
54	UNSPECIFIED.....088.9	-	-	-
55	OTHER ARTHROPOD-BORNE DISEASES.....089	-	-	-
56	BARTONNELLOSIS.....089.0	-	-	-
57	OTHER.....089.9	-	-	-
58	SYPHILIS AND OTHER VENERAL DISEASES.....090-099	305	177	128
59	CONGENITAL SYPHILIS.....090	16	8	8
60	EARLY CONGENITAL SYPHILIS, SYMPTOMATIC.....090.0	4	1	3
61	EARLY CONGENITAL SYPHILIS, LATENT.....090.1	-	-	-
62	EARLY CONGENITAL SYPHILIS, UNSPECIFIED.....090.2	2	1	1
63	INTERSTITIAL KERATITIS.....090.3	-	-	-
64	JUVENILE NEUROSYPHILIS.....090.4	6	4	2
65	OTHER LATE CONGENITAL SYPHILIS, SYMPTOMATIC.....090.5	-	-	-
66	LATE CONGENITAL SYPHILIS, LATENT.....090.6	-	-	-
67	LATE CONGENITAL SYPHILIS, UNSPECIFIED.....090.7	1	-	1
68	CONGENITAL SYPHILIS, UNSPECIFIED.....090.9	3	2	1
69	EARLY SYPHILIS, SYMPTOMATIC.....091	1	1	-
70	PRIMARY SYPHILIS, EXCEPT EXTRAGENITAL CHANCRE.....091.0	1	1	-
71	EXTRAGENITAL CHANCRE.....091.1	-	-	-
72	SECONDARY SYPHILIS OF SKIN AND MUCOUS MEMBRANES.....091.2	-	-	-
73	SECONDARY SYPHILIS, RELAPSE (TREATED OR UNTREATED).....091.3	-	-	-
74	OTHER RECENTLY ACQUIRED SYPHILIS, SYMPTOMATIC.....091.8	-	-	-
75	EARLY SYPHILIS, UNSPECIFIED.....091.9	-	-	-
76	CARDIOVASCULAR SYPHILIS.....093	148	78	70
77	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	16	10	6
78	OTHER CARDIOVASCULAR SYPHILIS.....093.9	132	68	64
79	SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094	112	74	38
80	TABES DORSALIS.....094.0	20	12	8
81	GENERAL PARESIS.....094.1	34	18	16
82	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	58	44	14
83	OTHER FORMS OF LATE SYPHILIS WITH SYMPTOMS.....095	3	2	1

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
164	219	23	34	0.2	0.2	0.2	0.2	0.2	0.2	0.2	01
-	-	-	-	-	-	-	-	-	-	-	02
1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	03
-	-	-	-	-	-	-	-	-	-	-	04
10	7	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05
1	-	-	-	0.0	0.0	-	-	-	-	-	06
152	209	19	30	0.2	0.2	0.2	0.2	0.2	0.1	0.2	07
34	14	6	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	08
-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
32	10	6	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17
32	10	6	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	20
-	2	-	-	0.0	-	0.0	-	-	0.0	-	21
-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	25
-	2	-	-	0.0	-	0.0	-	-	0.0	-	26
-	-	-	-	-	-	-	-	-	-	-	27
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	28
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	29
-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	34
-	1	-	-	0.0	-	0.0	-	-	0.0	-	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	57
99	73	78	55	0.1	0.2	0.1	0.1	0.1	0.6	0.4	58
5	5	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59
1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	60
-	-	-	-	-	-	-	-	-	-	-	61
-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0	62
-	-	-	-	-	-	-	-	-	-	-	63
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	64
-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	66
-	1	-	-	0.0	-	0.0	-	-	0.0	-	67
-	-	2	1	0.0	0.0	0.0	-	-	0.0	0.0	68
1	-	-	-	0.0	0.0	-	0.0	-	-	-	69
1	-	-	-	0.0	0.0	-	0.0	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	75
33	37	45	33	0.1	0.1	0.1	0.0	0.0	0.3	0.2	76
6	3	4	3	2.0	0.0	0.0	0.0	0.0	0.0	0.0	77
27	34	41	30	1.1	0.1	0.1	0.0	0.0	0.3	0.2	78
51	26	23	12	0.1	0.1	0.0	0.1	0.0	0.2	0.1	79
11	5	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80
9	13	9	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	81
31	8	13	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	82
1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0	83

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
SYPHILIS AND OTHER VENERAL DISEASES—CON.				
01	OTHER SYPHILIS AND NOT SPECIFIED.....097	20	12	8
02	LATE SYPHILIS, UNSPECIFIED.....097.0	11	9	2
03	SYPHILIS, UNSPECIFIED.....097.9	9	3	6
04	GONOCOCCAL INFECTIONS.....098	1	-	1
05	ACUTE, OF GENITOURINARY TRACT.....098.0	-	-	-
06	CHRONIC, OF GENITOURINARY SYSTEM.....098.1	-	-	-
07	OF EYE.....098.2	-	-	-
08	OF JOINT.....098.3	-	-	-
09	OF OTHER SITES.....098.8	1	-	1
10	SITE UNSPECIFIED.....098.9	-	-	-
11	OTHER VENERAL DISEASES.....099	4	2	2
12	CHANCROID.....099.0	-	-	-
13	LYMPHOGRANULOMA VENEREUM.....099.1	2	1	1
14	GRANULOMA INGUINALE.....099.2	-	-	-
15	OTHER AND UNSPECIFIED.....099.9	2	1	1
16	OTHER SPIROCHETAL DISEASES.....100-104	5	4	1
17	LEPTOSPIROSIS.....100	5	4	1
18	LEPTOSPIROSIS ICTEROHEMORRHAGICA.....100.0	1	-	1
19	OTHER.....100.8	-	-	-
20	UNSPECIFIED.....100.9	4	4	-
21	VINCENT'S ANGINA.....101	-	-	-
22	YAWS.....102	-	-	-
23	INITIAL LESIONS.....102.0	-	-	-
24	MULTIPLE PAPULOMATA AND "WET CRAB" YAWS.....102.1	-	-	-
25	OTHER EARLY SKIN LESIONS.....102.2	-	-	-
26	HYPERKERATOSIS.....102.3	-	-	-
27	GUMMATA, ULCERS.....102.4	-	-	-
28	GANGOSA.....102.5	-	-	-
29	BONE AND JOINT LESIONS.....102.6	-	-	-
30	OTHER MANIFESTATIONS.....102.7	-	-	-
31	LATENT YAWS.....102.8	-	-	-
32	YAWS, UNSPECIFIED.....102.9	-	-	-
33	PINTA.....103	-	-	-
34	PRIMARY LESIONS.....103.0	-	-	-
35	INTERMEDIATE LESIONS.....103.1	-	-	-
36	LATE LESIONS.....103.2	-	-	-
37	MIXED LESIONS.....103.3	-	-	-
38	UNSPECIFIED.....103.9	-	-	-
39	OTHER SPIROCHETAL INFECTIONS.....104	-	-	-
40	NONVENERAL ENDEMIC SYPHILIS.....104.0	-	-	-
41	OTHER.....104.9	-	-	-
42	MYCOSES.....110-117	610	379	231
43	DERMATOPHYTOSIS.....110	-	-	-
44	OF SCALP AND BEARD.....110.0	-	-	-
45	OF FOOT.....110.1	-	-	-
46	OF OTHER AND UNSPECIFIED SITES.....110.9	-	-	-
47	DERMATOMYCOSES, OTHER AND UNSPECIFIED.....111	-	-	-
48	PITYRIASIS VERSICOLOR.....111.0	-	-	-
49	TINEA NIGRA.....111.1	-	-	-
50	TINEA BLANCA.....111.2	-	-	-
51	OTHER.....111.8	-	-	-
52	UNSPECIFIED.....111.9	-	-	-
53	MONILIASIS.....112	190	104	86
54	ACTINOMYCOSIS.....113	9	6	3
55	COCCIDIOIDOMYCOSIS.....114	61	38	23
56	HISTOPLASMOYOSIS.....115	58	48	10
57	BLASTOMYCOSIS.....116	143	87	56
58	EUROPEAN.....116.0	122	69	53
59	NORTH AMERICAN.....116.1	-	-	-
60	SOUTH AMERICAN.....116.2	1	1	-
61	OTHER AND UNSPECIFIED.....116.9	20	17	3
62	OTHER SYSTEMIC MYCOSES.....117	149	96	53
63	RHINOSPORIDIOSIS.....117.0	-	-	-
64	SPOROTRICHOSIS.....117.1	-	-	-
65	CHROMOMYCOSIS.....117.2	1	-	1
66	ASPERGILLOSIS.....117.3	50	32	18
67	MADUROMYCOSIS.....117.4	-	-	-
68	OTHER.....117.8	37	24	13
69	UNSPECIFIED.....117.9	61	40	21
70	HELMINTHIASIS.....120-129	16	9	7
71	SCHISTOSOMIASIS.....120	-	-	-
72	SCHISTOSOMA HEMATOBIUM.....120.0	-	-	-
73	SCHISTOSOMA MANSONI.....120.1	-	-	-
74	SCHISTOSOMA JAPONICUM.....120.2	-	-	-
75	CUTANEOUS.....120.3	-	-	-
76	OTHER.....120.8	-	-	-
77	UNSPECIFIED.....120.9	-	-	-
78	OTHER TREMATODE INFESTATIONS.....121	-	-	-
79	OPISTHORCHIASIS.....121.0	-	-	-
80	CLONORCHIASIS.....121.1	-	-	-
81	PARAGONHIASIS.....121.2	-	-	-
82	FASCIOLIASIS.....121.3	-	-	-
83	FASCIOLEPSIASIS.....121.4	-	-	-
84	OTHER AND UNSPECIFIED.....121.9	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
HELMINTHIASES--CON.					
01	HYDATIDOSIS	122	5	2	3
02	OF LIVER	122.0	4	2	2
03	OF LUNG	122.1	-	-	-
04	OF OTHER SPECIFIED SITE	122.8	-	-	-
05	OF UNSPECIFIED SITE	122.9	1	-	1
06	OTHER CESTODE INFESTATIONS	123	2	1	1
07	TAENIA SOLIUM INFESTATION, INTESTINAL FORM	123.0	-	-	-
08	CYSTICERCOSIS	123.1	1	1	-
09	TAENIA SAGINATA INFESTATION	123.2	-	-	-
10	TAENIASIS, UNSPECIFIED	123.3	-	-	-
11	DIPHYLLOBOOTHRIASIS, INTESTINAL	123.4	-	-	-
12	SPARGANESIS (LARVAL DIPHYLLOBOOTHRIASIS)	123.5	-	-	-
13	HYMENOLEPIASIS	123.6	-	-	-
14	OTHER AND UNSPECIFIED	123.9	1	-	1
15	TRICHINIASIS	124	-	-	-
16	FILARIAL INFESTATIONS	125	-	-	-
17	WUCHERERIASIS	125.0	-	-	-
18	BRUGIA FILARIASIS	125.1	-	-	-
19	LOIASIS	125.2	-	-	-
20	ONCHOCERCOSIS	125.3	-	-	-
21	ACANTHOCEILONEMIASIS	125.4	-	-	-
22	MANSONELLIASIS	125.5	-	-	-
23	OTHER FILARIASIS	125.8	-	-	-
24	UNSPECIFIED	125.9	-	-	-
25	ANGYLOSTOMIASIS	126	-	-	-
26	ANGYLOSTOMA DUDDENALE	126.0	-	-	-
27	NECATOR AMERICANUS	126.1	-	-	-
28	OTHER ANGYLOSTOMA	126.8	-	-	-
29	UNSPECIFIED	126.9	-	-	-
30	OTHER INTESTINAL HELMINTHIASES	127	8	6	2
31	ASCARIASIS	127.0	4	2	2
32	STRONGYLOIDIASIS	127.1	4	4	-
33	TRICHURIASIS	127.2	-	-	-
34	ENTEROBIASIS	127.3	-	-	-
35	OTHER INTESTINAL NEMATODE INFESTATION	127.4	-	-	-
36	MIXED INTESTINAL HELMINTHIASIS	127.5	-	-	-
37	INTESTINAL HELMINTHIASIS, UNSPECIFIED	127.9	-	-	-
38	OTHER AND UNSPECIFIED HELMINTHIASES	129	1	-	1
39	LARVA MIGRANS, VISCERAL	128.0	1	-	1
40	OTHER	128.8	-	-	-
41	UNSPECIFIED	128.9	-	-	-
42	INTESTINAL PARASITISM, UNSPECIFIED	129	-	-	-
43	OTHER INFECTIVE AND PARASITIC DISEASES	130-136	535	229	306
44	TOXOPLASMOSES	130	13	4	9
45	ACQUIRED	130.0	-	-	-
46	CONGENITAL, ACTIVE	130.1	6	2	4
47	LATE EFFECTS OF INTRAUTERINE INFECTION	130.2	-	-	-
48	UNSPECIFIED	130.9	7	2	5
49	TRICHOMONIASIS UROGENITALIS	131	-	-	-
50	PEDICULOSIS	132	1	1	-
51	ACARIASIS	133	-	-	-
52	SCABIES	133.0	-	-	-
53	OTHER	133.9	-	-	-
54	OTHER INFESTATIONS	134	-	-	-
55	MYIASIS	134.0	-	-	-
56	PHTHIRUS INFESTATION	134.1	-	-	-
57	OTHER ARTHROPOD INFESTATIONS	134.2	-	-	-
58	HIRUDINIASIS	134.3	-	-	-
59	OTHER AND UNSPECIFIED	134.9	-	-	-
60	SARCIDOSIS	135	255	96	159
61	OTHER AND UNSPECIFIED INFECTIVE AND PARASITIC DISEASES	136	266	128	138
II. NEOPLASMS					
62	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	140-149	7,968	5,686	2,282
63	MALIGNANT NEOPLASM OF LIP	140	162	144	18
64	UPPER LIP	140.0	6	6	-
65	LOWER LIP	140.1	35	30	5
66	BOTH LIPS	140.2	2	-	-
67	LIP UNSPECIFIED	140.9	119	106	13
68	MALIGNANT NEOPLASM OF TONGUE	141	1,836	1,327	509
69	BASE OF TONGUE	141.0	197	157	40
70	DORSAL SURFACE OF TONGUE	141.1	-	-	-
71	BORDERS AND TIP OF TONGUE	141.2	1	1	-
72	VENTRAL SURFACE OF TONGUE	141.3	1	1	-
73	PART UNSPECIFIED	141.9	1,637	1,168	469
74	MALIGNANT NEOPLASM OF SALIVARY GLAND	142	664	383	281
75	PAROTID GLAND	142.0	524	307	217
76	OTHER SPECIFIED SALIVARY GLAND	142.8	69	37	32
77	UNSPECIFIED SALIVARY GLAND	142.9	71	39	32
78	MALIGNANT NEOPLASM OF GUM	143	121	66	55
79	UPPER GUM	143.0	6	4	2
80	LOWER GUM	143.1	23	10	13
81	GUM UNSPECIFIED	143.9	92	52	40

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see [Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
											01
2	3			0.0	0.0	0.0	0.0	0.0			02
2	2			0.0	0.0	0.0	0.0	0.0			03
											04
	1			0.0		0.0		0.0			05
1	1			0.0	0.0	0.0	0.0	0.0			06
1				0.0	0.0						07
											08
											09
											10
											11
											12
	1			0.0		0.0		0.0			13
											14
											15
											16
											17
											18
											19
											20
											21
											22
											23
											24
											25
											26
											27
											28
											29
5	2	1		0.0	0.0	0.0	0.0	0.0	0.0		30
2	2			0.0	0.0	0.0	0.0	0.0			31
3		1		0.0	0.0			0.0	0.0		32
											33
											34
											35
											36
											37
			1	0.0		0.0					38
			1	0.0		0.0				0.0	39
											40
											41
											42
152	191	77	115	0.3	0.2	0.3	0.2	0.2	0.6	0.8	43
4	8		1	0.0	0.0	0.0	0.0	0.0		0.0	44
											45
2	3		1	0.0	0.0	0.0	0.0	0.0		0.0	46
											47
2	5			0.0	0.0	0.0	0.0	0.0			48
1				0.0	0.0						49
											50
											51
											52
											53
											54
											55
											56
											57
											58
44	75	52	84	0.1	0.1	0.1	0.0	0.1	0.4	0.6	59
103	108	25	30	0.1	0.1	0.1	0.1	0.1	0.2	0.2	60
											61
4,968	2,030	718	252	3.8	5.5	2.1	5.5	2.2	5.5	1.8	62
141	15	3	3	0.1	0.1	0.0	0.2	0.0	0.0	0.0	63
5		1		0.0	0.0		0.0		0.0		64
29	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65
2				0.0	0.0		0.0				66
105	12	1	1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	67
1,179	454	148	55	0.9	1.3	0.5	1.3	0.5	1.1	0.4	68
137	38	20	2	0.1	0.2	0.0	0.2	0.0	0.2	0.0	69
											70
1				0.0	0.0		0.0				71
1				0.0	0.0		0.0				72
1,040	416	128	53	0.8	1.1	0.4	1.2	0.4	1.0	0.4	73
											74
354	262	29	19	0.3	0.4	0.3	0.4	0.3	0.2	0.1	75
286	203	21	14	0.2	0.3	0.2	0.3	0.2	0.2	0.1	76
33	30	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	77
35	29	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78
55	49	11	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	79
3	2	1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	80
9	13	1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
43	34	9	6	0.0	0.1	0.0	0.0	0.0	0.1	0.0	82

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—CON.					
01	MALIGNANT NEOPLASM OF FLOOR OF MOUTH	144	511	399	112
02	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED PARTS OF MOUTH	145	1,149	743	406
03	BUCCAL MUCOSA	145.0	94	56	38
04	PALATE (HARD OR SOFT)	145.1	294	189	105
05	OTHER SPECIFIED PARTS	145.8	24	17	7
06	PART UNSPECIFIED	145.9	737	481	256
07	MALIGNANT NEOPLASM OF OROPHARYNX	146	978	720	258
08	TONSILS	146.0	702	519	183
09	OTHER SPECIFIED PARTS	146.8	31	23	8
10	PART UNSPECIFIED	146.9	245	178	67
11	MALIGNANT NEOPLASM OF NASOPHARYNX	147	616	435	181
12	MALIGNANT NEOPLASM OF HYPOPHARYNX	148	576	460	116
13	POSTCRICOID REGION	148.0	3	2	1
14	PYRIFORM FOSSA	148.1	210	180	30
15	OTHER SPECIFIED PARTS	148.8	1	1	—
16	PART UNSPECIFIED	148.9	362	277	85
17	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED	149	1,355	1,009	346
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159					
18	MALIGNANT NEOPLASM OF ESOPHAGUS	150	6,652	4,917	1,735
19	MALIGNANT NEOPLASM OF STOMACH	151	15,171	9,159	6,012
20	CARDIA	151.0	223	182	41
21	PYLORUS	151.1	36	24	12
22	OTHER SPECIFIED PARTS	151.8	80	50	30
23	PART UNSPECIFIED	151.9	14,832	8,903	5,929
24	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM	152	661	344	317
25	DUODENUM	152.0	244	124	120
26	JEJUNUM	152.1	77	38	39
27	ILEUM	152.2	83	49	34
28	PART UNSPECIFIED	152.9	257	133	124
29	MALIGNANT NEOPLASM OF LARGE INTESTINE, EXCEPT RECTUM	153	39,431	18,392	21,039
30	CECUM, APPENDIX, AND ASCENDING COLON	153.0	4,155	1,850	2,305
31	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES	153.1	1,135	526	599
32	DESCENDING COLON	153.2	928	441	487
33	SIGMOID COLON	153.3	4,157	1,993	2,164
34	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED	153.8	27,103	12,740	14,363
35	INTESTINAL TRACT, PART UNSPECIFIED	153.9	1,953	832	1,121
36	MALIGNANT NEOPLASMS OF RECTUM AND RECTOSIGMOID JUNCTION	154	9,911	5,476	4,435
37	RECTOSIGMOID JUNCTION	154.0	1,450	767	683
38	RECTUM	154.1	8,412	4,654	3,718
39	ANAL CANAL	154.2	49	15	34
MALIGNANT NEOPLASMS OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY—155					
41	LIVER	155.0	2,465	1,600	865
42	INTRAHEPATIC BILE DUCTS	155.1	2,265	1,498	767
43	MALIGNANT NEOPLASMS OF GALLBLADDER AND BILE DUCTS	156	200	102	98
44	GALLBLADDER	156.0	4,315	1,512	2,803
45	EXTRAHEPATIC BILE DUCTS	156.1	2,476	627	1,849
46	AMPULLA OF VATER	156.2	1,180	564	616
47	BILIARY TRACT, UNSPECIFIED	156.9	353	186	167
48	MALIGNANT NEOPLASM OF PANCREAS	157	306	135	171
49	HEAD	157.0	18,896	10,208	8,688
50	OTHER SPECIFIED PARTS	157.8	2,053	1,113	940
51	UNSPECIFIED	157.9	349	212	137
52	MALIGNANT NEOPLASMS OF PERITONEUM AND RETROPERITONEAL TISSUE	158	16,494	8,883	7,611
53	RETROPERITONEAL TISSUE	158.0	754	361	393
54	OTHER PARTS	158.9	487	254	233
55	MALIGNANT NEOPLASMS OF UNSPECIFIED DIGESTIVE ORGANS	159	267	107	160
56			657	321	336
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163					
57	MALIGNANT NEOPLASMS OF NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES	160	570	336	234
58	NOSE (INTERNAL) AND NASAL CAVITIES	160.0	126	72	54
59	EUSTACHIAN TUBE AND MIDDLE EAR	160.1	25	12	13
60	MAXILLARY SINUS	160.2	289	183	106
61	OTHER SINUS	160.8	69	35	34
62	UNSPECIFIED SINUS	160.9	61	34	27
63	MALIGNANT NEOPLASM OF LARYNX	161	3,262	2,824	436
64	GLOTTIS (TRUE VOCAL CORD)	161.0	67	61	6
65	OTHER SPECIFIED PARTS	161.8	151	124	27
66	PART UNSPECIFIED	161.9	3,044	2,641	403
67	MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	162	78,873	61,611	17,262
68	TRACHEA	162.0	153	104	49
69	BRONCHUS AND LUNG	162.1	78,720	61,507	17,213
70	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED RESPIRATORY ORGANS	163	770	531	239
71	PLEURA	163.0	209	202	87
72	MEDIASTINUM	163.1	320	228	92
73	SITE UNSPECIFIED	163.9	161	101	60
74					
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST—170-174					
75	MALIGNANT NEOPLASMS OF BONE	170	40,861	5,190	35,671
76	BONES OF SKULL AND FACE	170.0	1,810	1,038	772
77	LOWER JAW BONE	170.1	264	142	122
78	VERTEBRAL COLUMN (EXCLUDING SACRUM AND COCCYX)	170.2	185	120	65
79	RIBS, STERNUM, AND CLAVICLE	170.3	251	150	101
80	LONG BONES OF UPPER LIMB AND SCAPULA	170.4	48	29	19
81	UPPER LIMB, SHORT BONES	170.5	53	32	21
82	PELVIC BONES, SACRUM, AND COCCYX	170.6	160	98	62
83	LOWER LIMB, LONG BONES	170.7	182	101	81
84	LOWER LIMB, SHORT BONES	170.8	19	9	10
85	SITE UNSPECIFIED	170.9	648	357	291
86					

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
332	98	67	14	0.2	0.4	0.1	0.4	0.1	0.5	0.1	01
647	364	96	42	0.5	0.7	0.4	0.7	0.4	0.7	0.3	02
49	35	7	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0	03
162	88	27	17	0.1	0.2	0.1	0.2	0.1	0.2	0.1	04
17	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-	05
419	234	62	22	0.3	0.5	0.2	0.5	0.2	0.5	0.2	06
614	227	106	31	0.5	0.7	0.2	0.7	0.2	0.8	0.2	07
434	158	85	25	0.3	0.5	0.2	0.5	0.2	0.7	0.2	08
20	6	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09
160	63	18	4	0.1	0.2	0.1	0.2	0.1	0.1	0.1	10
370	148	65	33	0.3	0.4	0.2	0.4	0.2	0.5	0.2	11
405	98	55	18	0.3	0.4	0.1	0.5	0.1	0.4	0.1	12
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	13
162	22	18	8	0.1	0.2	0.0	0.2	0.0	0.1	0.1	14
1	-	-	-	0.0	0.0	-	0.0	-	-	-	15
240	75	37	10	0.2	0.3	0.1	0.3	0.1	0.3	0.1	16
871	315	138	31	0.6	1.0	0.3	1.0	0.3	1.1	0.2	17
45,796	41,826	6,494	4,797	46.8	50.8	43.0	50.9	44.4	49.9	33.7	18
3,704	1,339	1,213	396	3.1	4.8	1.6	4.1	1.4	9.3	2.8	19
7,604	5,124	1,555	888	7.2	8.9	5.5	8.5	5.4	11.9	6.2	20
177	39	5	2	0.1	0.2	0.0	0.2	0.0	0.0	0.0	21
21	12	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	22
38	28	12	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	23
7,368	5,045	1,535	884	7.0	8.6	5.5	8.2	5.4	11.8	6.2	24
292	282	52	35	0.3	0.3	0.3	0.3	0.3	0.4	0.2	25
111	106	13	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	26
32	33	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
39	30	10	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	28
110	113	23	11	0.1	0.1	0.1	0.1	0.1	0.2	0.1	29
16,839	19,290	1,553	1,749	18.7	17.9	19.4	18.7	20.5	11.9	12.3	30
1,713	2,137	137	168	2.0	1.8	2.1	1.9	2.3	1.1	1.2	31
483	555	53	44	0.5	0.5	0.6	0.5	0.6	0.4	0.3	32
402	438	39	49	0.4	0.4	0.4	0.4	0.5	0.3	0.3	33
1,869	2,028	124	136	2.0	1.9	2.0	2.1	2.2	1.0	1.0	34
11,601	13,083	1,139	1,280	12.8	12.4	13.2	12.9	13.9	8.7	9.0	35
771	1,049	61	72	0.9	0.8	1.0	0.9	1.1	0.5	0.5	36
4,960	4,036	516	399	4.7	5.3	4.1	5.5	4.3	4.0	2.8	37
713	630	54	53	0.7	0.7	0.6	0.8	0.7	0.4	0.4	38
4,234	3,378	460	340	4.0	4.6	3.4	4.7	3.6	3.5	2.4	39
13	28	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40
1,296	731	304	134	1.2	1.6	0.8	1.4	0.8	2.3	0.9	41
1,204	642	294	125	1.1	1.5	0.7	1.3	0.7	2.3	0.9	42
92	89	10	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	43
1,381	2,622	131	181	2.0	1.5	2.6	1.5	2.8	1.0	1.3	44
567	1,725	60	124	1.2	0.6	1.7	0.6	1.8	0.5	0.9	45
522	585	42	31	0.6	0.5	0.6	0.6	0.6	0.3	0.2	46
169	154	17	13	0.2	0.2	0.2	0.2	0.2	0.1	0.1	47
123	158	12	13	0.1	0.1	0.2	0.1	0.2	0.1	0.1	48
5,123	7,755	1,085	933	8.9	9.9	8.0	10.1	8.2	8.3	6.5	49
970	823	143	117	1.0	1.1	0.9	1.1	0.9	1.1	0.8	50
187	123	25	14	0.2	0.2	0.1	0.2	0.1	0.2	0.1	51
7,966	6,809	917	802	7.8	8.6	7.0	8.9	7.2	7.0	5.6	52
326	361	35	32	0.4	0.4	0.4	0.4	0.4	0.3	0.2	53
230	215	24	18	0.2	0.2	0.2	0.3	0.2	0.2	0.1	54
96	146	11	14	0.1	0.1	0.1	0.1	0.2	0.1	0.1	55
271	286	50	50	0.3	0.3	0.3	0.3	0.3	0.4	0.4	56
57,956	16,447	7,348	1,724	39.5	63.4	16.8	64.5	17.5	56.4	12.1	57
283	219	53	15	0.3	0.3	0.2	0.3	0.2	0.4	0.1	58
67	52	5	2	0.1	0.1	0.0	0.1	0.1	0.0	0.0	59
12	13	-	-	0.0	0.0	0.0	0.0	0.0	-	-	60
144	95	39	11	0.1	0.2	0.1	0.2	0.1	0.3	0.1	61
29	34	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	62
31	25	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63
2,431	372	395	64	1.5	2.7	0.4	2.7	0.4	3.0	0.4	64
49	6	12	-	0.0	0.1	0.0	0.1	0.0	0.1	-	65
110	26	14	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	66
2,272	340	369	63	1.4	2.6	0.4	2.5	0.4	2.8	0.4	67
54,762	15,646	6,849	1,616	37.3	59.8	15.9	60.9	16.6	52.6	11.3	68
91	43	13	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0	69
54,671	15,603	6,836	1,610	37.2	59.7	15.9	60.8	16.6	52.5	11.3	70
480	210	51	29	0.4	0.5	0.2	0.5	0.2	0.4	0.2	71
188	76	14	11	0.1	0.2	0.1	0.2	0.1	0.1	0.1	72
204	82	24	10	0.2	0.2	0.1	0.2	0.1	0.2	0.1	73
88	52	13	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	74
4,848	32,463	342	3,208	19.3	5.0	32.9	5.4	34.5	2.6	22.5	75
913	687	125	85	0.9	1.0	0.7	1.0	0.7	1.0	0.6	76
121	104	21	18	0.1	0.1	0.1	0.1	0.1	0.2	0.1	77
101	55	19	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	78
132	95	18	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	79
26	19	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	80
31	15	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
-	-	-	-	-	-	-	-	-	-	-	82
90	58	8	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	83
88	71	13	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	84
8	7	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85
316	263	41	28	0.3	0.3	0.3	0.4	0.3	0.3	0.2	86

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST--CON.				
01	MALIGNANT NEOPLASMS OF CONNECTIVE AND OTHER SOFT TISSUE-----171	1,482	794	688
02	HEAD, FACE, AND NECK-----171.0	40	20	20
03	TRUNK-----171.1	279	146	133
04	UPPER LIMB (INCLUDING SHOULDER)-----171.2	64	27	37
05	LOWER LIMB (INCLUDING HIP)-----171.3	196	109	92
06	SITE UNSPECIFIED-----171.9	903	497	406
07	MALIGNANT MELANOMA OF SKIN-----172	3,737	2,203	1,534
08	LIPS-----172.0	5	3	2
09	EYELIDS, INCLUDING CANTHI-----172.1	1	-	1
10	EAR AND EXTERNAL AURICULAR CANAL-----172.2	23	20	3
11	OTHER AND UNSPECIFIED PARTS OF FACE-----172.3	89	57	32
12	SCALP AND NECK-----172.4	87	55	32
13	SCROTUM-----172.5	2	2	-
14	TRUNK, EXCEPT SCROTUM-----172.6	252	166	86
15	UPPER LIMB-----172.7	132	75	57
16	LOWER LIMB-----172.8	213	73	140
17	SITE UNSPECIFIED-----172.9	2,933	1,752	1,181
18	OTHER MALIGNANT NEOPLASMS OF SKIN-----173	1,408	867	545
19	LIPS-----173.0	11	10	1
20	EYELIDS, INCLUDING CANTHI-----173.1	13	7	6
21	EAR AND EXTERNAL AURICULAR CANAL-----173.2	77	56	21
22	OTHER AND UNSPECIFIED PARTS OF FACE-----173.3	566	333	233
23	SCALP AND NECK-----173.4	226	170	56
24	SCROTUM-----173.5	15	15	-
25	TRUNK, EXCEPT SCROTUM-----173.6	212	90	122
26	UPPER LIMB-----173.7	36	28	8
27	LOWER LIMB-----173.8	58	28	30
28	SITE UNSPECIFIED-----173.9	194	126	68
29	MALIGNANT NEOPLASM OF BREAST-----174	32,424	292	32,132
30	MALIGNANT NEOPLASMS OF GENITOURINARY ORGANS-----180-189	59,568	31,178	28,390
31	MALIGNANT NEOPLASM OF CERVIX UTERI-----180	5,963	---	5,963
32	CHORIOEPITHELIOMA-----181	38	---	38
33	OTHER MALIGNANT NEOPLASM OF UTERUS-----182	5,603	---	5,603
34	CORPUS UTERI-----182.0	2,252	---	2,252
35	UTERUS, UNSPECIFIED-----182.9	3,351	---	3,351
36	MALIGNANT NEOPLASMS OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT-----183	10,335	---	10,335
37	OVARY-----183.0	10,203	---	10,203
38	FALLOPIAN TUBE AND BROAD LIGAMENT-----183.1	126	---	126
39	PART UNSPECIFIED-----183.9	6	---	6
40	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS-----184	980	---	980
41	VAGINA-----184.0	399	---	399
42	VULVA-----184.1	498	---	498
43	OTHER SPECIFIED SITES-----184.8	4	---	4
44	SITE UNSPECIFIED-----184.9	79	---	79
45	MALIGNANT NEOPLASM OF PROSTATE-----185	19,184	19,184	---
46	MALIGNANT NEOPLASM OF TESTIS-----186	755	755	---
47	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS-----187	253	253	---
48	PENIS-----187.0	226	226	---
49	OTHER SPECIFIED SITES-----187.8	14	14	---
50	SITE UNSPECIFIED-----187.9	13	13	---
51	MALIGNANT NEOPLASM OF BLADDER-----188	9,397	6,568	2,829
52	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED URINARY ORGANS-----189	7,060	4,418	2,642
53	KIDNEY, EXCEPT PELVIS-----189.0	6,573	4,153	2,420
54	PELVIS OF KIDNEY-----189.1	80	51	29
55	URETER-----189.2	227	131	96
56	OTHER AND UNSPECIFIED-----189.9	180	83	97
57	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES-----190-199	35,183	18,027	17,156
58	MALIGNANT NEOPLASM OF EYE-----190	331	176	155
59	MALIGNANT NEOPLASM OF BRAIN-----191	6,396	3,606	2,790
60	MALIGNANT NEOPLASMS OF OTHER PARTS OF NERVOUS SYSTEM-----192	2,003	1,134	869
61	CRANIAL NERVES (INCLUDING OPTIC)-----192.0	19	13	6
62	CEREBRAL MENINGES-----192.1	34	21	13
63	SPINAL CORD-----192.2	135	74	61
64	SPINAL MENINGES-----192.3	3	2	1
65	PERIPHERAL NERVES-----192.4	148	73	75
66	SYMPATHETIC NERVOUS SYSTEM-----192.5	259	136	123
67	SITE UNSPECIFIED-----192.9	1,405	819	590
68	MALIGNANT NEOPLASM OF THYROID GLAND-----193	979	316	663
69	MALIGNANT NEOPLASMS OF OTHER ENDOCRINE GLANDS-----194	410	220	190
70	SUPRARENAL GLAND-----194.0	257	130	127
71	PARATHYROID GLAND-----194.1	9	5	4
72	THYMUS-----194.2	76	41	35
73	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT-----194.3	33	19	14
74	PINEAL GLAND-----194.4	14	8	6
75	OTHER-----194.8	21	17	4
76	UNSPECIFIED ENDOCRINE GLAND-----194.9	-	-	-
77	MALIGNANT NEOPLASMS OF ILL-DEFINED SITES-----195	2,871	1,185	1,686
78	ABDOMEN AND INTRA-ABDOMINAL-----195.0	1,660	595	1,065
79	PELVIS, PELVIC VISCERA, AND RECTOVAGINAL SEPTUM-----195.1	381	53	328
80	OTHER-----195.9	830	537	293
81	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPH NODES-----196	169	101	68
82	HEAD, FACE, AND NECK-----196.0	60	40	20
83	INTRATHORACIC-----196.1	9	3	6
84	INTRA-ABDOMINAL-----196.2	3	2	1
85	AXILLARY AND UPPER LIMB-----196.3	6	2	4
86	INGUINAL AND LOWER LIMB-----196.4	11	8	3
87	OTHER SPECIFIED SITE-----196.7	4	3	1
88	MULTIPLE SITES-----196.8	17	8	9
89	SITE UNSPECIFIED-----196.9	59	35	24

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
712	613	82	75	0.7	0.8	0.6	0.8	0.7	0.6	0.5	01
19	15	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	02
130	122	16	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	03
25	36	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	04
94	79	10	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	05
444	361	53	45	0.4	0.5	0.4	0.5	0.4	0.4	0.4	06
2,166	1,499	37	35	1.8	2.1	1.4	2.4	1.6	0.3	0.2	07
3	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	08
—	1	—	—	0.0	—	0.0	—	0.0	—	—	09
20	3	—	—	0.0	0.0	0.0	0.0	0.0	—	—	10
56	32	1	—	0.0	0.1	0.0	0.1	0.0	0.0	—	11
54	32	1	—	0.0	0.1	0.0	0.1	0.0	0.0	—	12
2	—	—	—	0.0	0.0	—	0.0	—	—	—	13
165	85	1	1	0.1	0.2	0.1	0.2	0.1	0.0	0.0	14
74	56	1	1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	15
67	133	6	7	0.1	0.1	0.1	0.1	0.1	0.0	0.0	16
1,725	1,155	27	26	1.4	1.7	1.1	1.9	1.2	0.2	0.2	17
805	508	58	37	0.7	0.8	0.5	0.9	0.5	0.4	0.3	18
9	1	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	19
7	6	—	—	0.0	0.0	0.0	0.0	0.0	—	—	20
56	20	—	1	0.0	0.1	0.0	0.1	0.0	—	0.0	21
324	227	9	6	0.3	0.3	0.2	0.4	0.2	0.1	0.0	22
154	51	16	5	0.1	0.2	0.1	0.2	0.1	0.1	0.0	23
12	—	3	—	0.0	0.0	—	0.0	—	0.0	—	24
79	111	11	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	25
26	7	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26
24	23	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
114	62	12	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	28
252	29,156	40	2,976	15.3	0.3	29.6	0.3	31.0	0.3	20.9	29
27,329	24,870	3,849	3,520	28.2	30.3	26.2	30.4	26.4	29.5	24.7	30
...	4,631	...	1,332	2.8	...	5.5	...	4.9	...	9.3	31
...	27	...	11	0.0	...	0.0	...	0.0	...	0.1	32
...	4,843	...	760	2.7	...	5.2	...	5.1	...	5.3	33
...	1,972	...	280	1.1	...	2.1	...	2.1	...	2.0	34
...	2,871	...	480	1.6	...	3.1	...	3.0	...	3.4	35
...	9,536	...	799	4.9	...	9.5	...	10.1	...	5.6	36
...	9,425	...	778	4.8	...	9.4	...	10.0	...	5.5	37
...	107	...	19	0.1	...	0.1	...	0.1	...	0.1	38
...	4	...	2	0.0	...	0.0	...	0.0	...	0.0	39
...	873	...	107	0.5	...	0.9	...	0.9	...	0.8	40
...	351	...	48	0.2	...	0.4	...	0.4	...	0.3	41
...	454	...	44	0.2	...	0.5	...	0.5	...	0.3	42
...	2	...	2	0.0	...	0.0	...	0.0	...	0.0	43
...	66	...	13	0.0	...	0.1	...	0.1	...	0.1	44
16,202	...	2,982	...	9.1	18.6	...	18.0	...	22.9	...	45
732	...	23	...	0.4	0.7	...	0.8	...	0.2	...	46
207	...	46	...	0.1	0.2	...	0.2	...	0.4	...	47
185	...	41	...	0.1	0.2	...	0.2	...	0.3	...	48
13	...	1	...	0.0	0.0	...	0.0	...	0.0	...	49
9	...	4	...	0.0	0.0	...	0.0	...	0.0	...	50
4,100	2,508	468	321	4.4	6.4	2.6	6.8	2.7	3.6	2.3	51
4,088	2,452	330	190	3.3	4.3	2.4	4.5	2.6	2.5	1.3	52
3,849	2,250	304	170	3.1	4.0	2.4	4.3	2.4	2.3	1.2	53
50	26	1	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	54
127	93	4	3	0.1	0.1	0.1	0.1	0.1	0.0	0.0	55
62	83	21	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1	56
15,895	15,218	2,132	1,938	16.6	17.5	15.8	17.7	16.2	16.4	13.6	57
163	152	13	3	0.2	0.2	0.1	0.2	0.2	0.1	0.0	58
3,407	2,612	199	178	3.0	3.5	2.6	3.8	2.8	1.5	1.2	59
1,045	804	89	65	0.9	1.1	0.8	1.2	0.9	0.7	0.5	60
12	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61
19	10	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
67	56	7	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0	63
2	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	64
60	69	13	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	65
118	109	18	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	66
767	554	48	36	0.7	0.8	0.5	0.9	0.6	0.4	0.3	67
283	596	33	67	0.5	0.3	0.6	0.3	0.6	0.3	0.5	68
197	176	23	14	0.2	0.2	0.2	0.2	0.2	0.2	0.1	69
121	119	9	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	70
4	4	1	—	0.0	0.0	0.0	0.0	0.0	—	—	71
33	32	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	72
15	11	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
8	6	—	—	0.0	0.0	0.0	0.0	0.0	—	—	74
16	4	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	75
—	—	—	—	—	—	—	—	—	—	—	76
1,051	1,471	134	215	1.4	1.2	1.6	1.2	1.6	1.0	1.5	77
520	936	75	129	0.8	0.6	1.0	0.6	1.0	0.6	0.9	78
46	275	7	53	0.2	0.1	0.3	0.1	0.3	0.1	0.4	79
485	260	52	33	0.4	0.5	0.3	0.5	0.3	0.4	0.2	80
86	64	15	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	81
35	20	5	—	0.0	0.0	0.0	0.0	0.0	0.0	—	82
3	4	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	83
1	1	—	—	0.0	0.0	0.0	0.0	0.0	0.0	—	84
2	4	—	—	0.0	0.0	0.0	0.0	0.0	—	—	85
6	3	2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	86
3	—	—	1	0.0	0.0	0.0	0.0	—	—	0.0	87
8	9	—	—	0.0	0.0	0.0	0.0	0.0	—	—	88
28	23	7	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	89

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FFEMALE
MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES--CON.				
01	SECONDARY MALIGNANT NEOPLASMS OF RESPIRATORY AND DIGESTIVE SYSTEMS-----197	6,172	3,280	2,892
02	LUNG SPECIFIED AS SECONDARY-----197.0	842	457	385
03	MEDIASTINUM SPECIFIED AS SECONDARY-----197.1	34	20	14
04	PLEURA SPECIFIED AS SECONDARY-----197.2	166	67	99
05	OTHER RESPIRATORY ORGANS SPECIFIED AS SECONDARY-----197.3	45	25	20
06	SMALL INTESTINE, INCLUDING DUODENUM, SPECIFIED AS SECONDARY-----197.4	9	7	2
07	LARGE INTESTINE AND RECTUM SPECIFIED AS SECONDARY-----197.5	52	16	36
08	PERITONEUM SPECIFIED AS SECONDARY-----197.6	117	45	72
09	LIVER SPECIFIED AS SECONDARY-----197.7	2,044	1,101	943
10	LIVER, UNSPECIFIED-----197.8	2,814	1,513	1,301
11	OTHER DIGESTIVE ORGANS SPECIFIED AS SECONDARY-----197.9	49	29	20
12	OTHER SECONDARY MALIGNANT NEOPLASMS-----198	2,097	1,064	1,033
13	BLADDER SPECIFIED AS SECONDARY-----198.0	10	4	6
14	OTHER URINARY ORGANS SPECIFIED AS SECONDARY-----198.1	15	9	6
15	SKIN SPECIFIED AS SECONDARY-----198.2	39	26	13
16	BRAIN SPECIFIED AS SECONDARY-----198.3	681	371	310
17	OTHER PARTS OF NERVOUS SYSTEM SPECIFIED AS SECONDARY-----198.4	55	33	22
18	BONE SPECIFIED AS SECONDARY-----198.5	506	297	209
19	OTHER SITES SPECIFIED AS SECONDARY-----198.9	791	324	467
20	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE-----199	13,755	6,945	6,810
21	MULTIPLE-----199.0	11,966	5,989	5,977
22	OTHER-----199.1	1,789	956	833
23	NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-209	34,504	19,071	15,433
24	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA-----200	6,679	3,583	3,096
25	RETICULUM CELL SARCOMA-----200.0	2,758	1,443	1,315
26	LYMPHOSARCOMA-----200.1	3,921	2,140	1,781
27	HODGKIN'S DISEASE-----201	2,675	1,588	1,087
28	OTHER NEOPLASMS OF LYMPHOID TISSUE-----202	3,944	2,106	1,838
29	GIANT FOLLICULAR LYMPHOMA-----202.0	40	22	18
30	MYCOSIS FUNGOIDES-----202.1	125	77	48
31	OTHER PRIMARY MALIGNANT NEOPLASMS OF LYMPHOID TISSUE-----202.2	3,775	2,004	1,771
32	OTHER FORMS OF LYMPHOMA-----202.9	4	3	1
33	MULTIPLE MYELOMA-----203	5,120	2,690	2,430
34	LYMPHATIC LEUKEMIA-----204	4,581	2,700	1,881
35	ACUTE-----204.0	1,518	916	602
36	CHRONIC-----204.1	2,392	1,393	999
37	UNSPECIFIED-----204.9	671	351	280
38	MYELOID LEUKEMIA-----205	6,543	3,601	2,942
39	ACUTE-----205.0	4,277	2,332	1,945
40	CHRONIC-----205.1	1,770	1,006	764
41	UNSPECIFIED-----205.9	496	263	233
42	MONOCYTIC LEUKEMIA-----206	466	259	207
43	ACUTE-----206.0	335	188	147
44	CHRONIC-----206.1	19	9	10
45	UNSPECIFIED-----206.9	112	62	50
46	OTHER AND UNSPECIFIED LEUKEMIA-----207	2,985	1,671	1,314
47	LEUKEMIA, ACUTE-----207.0	1,521	844	677
48	LEUKEMIA, CHRONIC-----207.1	140	70	70
49	ERYTHREMA, ACUTE-----207.2	192	111	81
50	LEUKEMIA, UNSPECIFIED-----207.9	1,132	646	486
51	POLYCYTHEMIA VERA-----208	524	285	239
52	MYELOFIBROSIS-----209	987	588	399
53	BENIGN NEOPLASMS-----210-228	1,766	740	1,026
54	BENIGN NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----210	13	6	7
55	LIP-----210.0	-	-	-
56	TONGUE-----210.1	-	-	-
57	SALIVARY GLAND-----210.2	4	3	1
58	FLOOR OF MOUTH-----210.3	-	-	-
59	OTHER AND UNSPECIFIED PARTS OF MOUTH-----210.4	7	2	5
60	TONSIL-----210.5	-	-	-
61	OTHER PARTS OF OROPHARYNX-----210.6	-	-	-
62	NASOPHARYNX-----210.7	1	-	1
63	HYPOPHARYNX-----210.8	1	1	-
64	PHARYNX, UNSPECIFIED-----210.9	-	-	-
65	BENIGN NEOPLASMS OF OTHER PARTS OF DIGESTIVE SYSTEM-----211	203	101	102
66	ESOPHAGUS-----211.0	1	-	1
67	STOMACH-----211.1	35	14	21
68	SMALL INTESTINE-----211.2	21	9	12
69	LARGE INTESTINE, EXCEPT RECTUM-----211.3	97	60	37
70	RECTUM-----211.4	23	8	15
71	LIVER AND BILIARY PASSAGES-----211.5	12	6	6
72	PANCREAS-----211.6	8	3	5
73	PERITONEUM AND RETROPERITONEAL TISSUE-----211.7	3	-	3
74	UNSPECIFIED SITE-----211.9	3	1	2
75	BENIGN NEOPLASMS OF RESPIRATORY SYSTEM-----212	108	79	29
76	NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES-----212.0	-	-	-
77	LARYNX-----212.1	6	6	-
78	TRACHEA-----212.2	2	-	2
79	BRONCHUS AND LUNG-----212.3	78	55	23
80	PLEURA-----212.4	1	-	1
81	MEDIASTINUM-----212.5	5	3	2
82	UNSPECIFIED SITE-----212.9	16	15	1
83	BENIGN NEOPLASMS OF BONE AND CARTILAGE-----213	6	3	3
84	EXOSTOSIS-----213.0	1	-	1
85	OSTEOMA-----213.1	2	-	2
86	CHONDROMA, ENCHONDROMA, AND MYXOCHONDROMA-----213.2	1	1	-
87	OTHER AND UNSPECIFIED-----213.9	2	2	-

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
2,821	2,569	459	323	2.9	3.2	2.7	3.1	2.7	3.5	2.3	01	
406	348	51	37	0.4	0.4	0.4	0.5	0.4	0.4	0.3	02	
15	12	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	03	
54	81	13	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	04	
23	17	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05	
6	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06	
16	35	—	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	07	
40	65	5	7	0.1	0.0	0.1	0.0	0.1	0.1	0.0	08	
965	843	136	100	1.0	1.1	0.9	1.1	0.9	1.0	0.7	09	
1,272	1,148	241	152	1.3	1.5	1.2	1.4	1.2	1.3	1.1	10	
24	19	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	
954	932	110	101	1.0	1.0	1.0	1.1	1.0	0.8	0.7	12	
4	4	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	13	
7	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	
24	13	—	—	0.0	0.0	0.0	0.0	0.0	0.0	—	15	
335	281	36	29	0.3	0.4	0.3	0.4	0.3	0.3	0.2	16	
26	17	7	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	
270	197	27	12	0.2	0.3	0.2	0.3	0.2	0.2	0.1	18	
288	415	26	52	0.4	0.3	0.4	0.3	0.4	0.3	0.4	19	
5,888	5,842	1,057	958	6.5	6.7	6.3	6.5	6.2	8.1	6.8	20	
5,117	5,179	872	799	5.7	5.8	5.5	5.7	5.5	6.7	5.6	21	
771	664	185	169	0.8	0.9	0.8	0.9	0.7	1.4	1.2	22	
17,357	14,166	1,714	1,267	16.3	18.5	14.2	19.3	15.0	13.2	8.9	23	
3,330	2,928	253	168	3.2	3.5	2.9	3.7	3.1	1.9	1.2	24	
1,332	1,242	111	73	1.3	1.4	1.2	1.5	1.3	0.9	0.5	25	
1,998	1,686	142	95	1.9	2.1	1.6	2.2	1.8	1.1	0.7	26	
1,471	1,019	117	68	1.3	1.5	1.0	1.6	1.1	0.9	0.5	27	
1,938	1,720	168	118	1.9	2.0	1.7	2.2	1.8	1.3	0.9	28	
70	19	2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	29	
64	39	13	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1	30	
1,851	1,662	153	109	1.8	1.9	1.6	2.1	1.8	1.2	0.8	31	
3	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	32	
2,233	2,073	457	357	2.4	2.6	2.2	2.5	2.2	3.5	2.5	33	
2,479	1,744	221	137	2.2	2.6	1.7	2.8	1.9	1.7	1.0	34	
933	550	83	52	0.7	0.8	0.6	0.9	0.6	0.6	0.4	35	
1,278	928	115	71	1.1	1.4	0.9	1.4	1.0	0.9	0.5	36	
368	266	23	14	0.3	0.4	0.3	0.4	0.3	0.2	0.1	37	
3,330	2,710	271	232	3.1	3.5	2.7	3.7	2.9	2.1	1.6	38	
2,152	1,801	180	144	2.0	2.3	1.8	2.4	1.8	1.4	1.0	39	
627	694	79	70	0.8	1.0	0.7	1.0	0.7	0.6	0.5	40	
251	215	12	10	0.2	0.3	0.2	0.3	0.2	0.1	0.1	41	
738	191	21	16	0.2	0.3	0.2	0.3	0.2	0.2	0.1	42	
173	133	15	14	0.2	0.2	0.2	0.2	0.1	0.1	0.1	43	
6	9	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	
49	49	3	1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	45	
1,511	1,187	160	127	1.4	1.6	1.2	1.7	1.3	1.2	0.9	46	
770	623	74	54	0.7	0.8	0.6	0.9	0.7	0.6	0.4	47	
58	63	11	7	0.1	0.1	0.1	0.1	0.1	0.1	0.0	48	
105	73	6	8	0.1	0.1	0.1	0.1	0.1	0.0	0.1	49	
577	428	68	58	0.5	0.6	0.4	0.6	0.5	0.5	0.4	50	
275	224	10	15	0.2	0.3	0.2	0.3	0.2	0.1	0.1	51	
552	370	36	29	0.5	0.6	0.4	0.6	0.4	0.3	0.2	52	
427	847	113	179	0.8	0.7	0.9	0.7	0.9	0.9	1.2	53	
6	5	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	54	
—	—	—	—	—	—	—	—	—	—	—	55	
—	—	—	—	—	—	—	—	—	—	—	56	
3	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	57	
—	—	—	—	—	—	—	—	—	—	—	58	
2	4	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	59	
—	—	—	—	—	—	—	—	—	—	—	60	
—	—	—	—	—	—	—	—	—	—	—	61	
1	—	—	—	0.0	0.0	0.0	—	—	—	0.0	62	
—	—	—	—	0.0	0.0	—	—	—	—	—	63	
—	—	—	—	—	—	—	—	—	—	—	64	
85	86	16	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	65	
1	—	—	—	0.0	0.0	—	—	0.0	—	—	66	
11	15	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67	
9	10	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	68	
51	35	0	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0	69	
8	12	—	3	0.0	0.0	0.0	0.0	0.0	—	0.0	70	
4	6	1	—	0.0	0.0	0.0	0.0	0.0	—	—	71	
1	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72	
—	2	—	1	0.0	—	—	—	—	—	0.0	73	
—	1	1	1	0.0	0.0	0.0	—	0.0	0.0	0.0	74	
72	27	7	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0	75	
—	—	—	—	—	—	—	—	—	—	—	76	
4	—	2	—	0.0	0.0	—	0.0	—	0.0	—	77	
—	—	—	—	—	—	—	—	—	—	—	78	
51	21	4	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0	79	
—	1	—	—	0.0	—	—	—	—	—	—	80	
7	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	81	
14	1	1	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82	
3	3	—	—	0.0	0.0	0.0	0.0	0.0	—	—	83	
—	1	—	—	0.0	—	—	—	—	—	—	84	
—	2	—	—	0.0	—	—	—	0.0	—	—	85	
1	—	—	—	0.0	0.0	—	0.0	—	—	—	86	
2	—	—	—	0.0	0.0	—	0.0	—	—	—	87	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
BENIGN NEOPLASMS—CON.				
01	LIPOMA	10	4	6
02	SKIN AND SUBCUTANEOUS TISSUE	1	-	1
03	SPERMATIC CORD	-	-	...
04	OTHER AND UNSPECIFIED	9	4	5
05	OTHER BENIGN NEOPLASMS OF MUSCULAR AND CONNECTIVE TISSUES	47	18	29
06	BENIGN NEOPLASM OF SKIN	12	4	8
07	EPIDERMIS	-	-	-
08	HAIR FOLLICLES AND SEBACEOUS GLANDS	1	-	1
09	SWEAT GLANDS AND SWEAT DUCTS	-	-	-
10	OTHER	11	4	7
11	UNSPECIFIED	-	-	-
12	BENIGN NEOPLASM OF BREAST	4	-	4
13	UTERINE FIBROMA	89	...	89
14	OTHER BENIGN NEOPLASM OF UTERUS	5	...	5
15	PAPILLOMA, POLYP	3	...	3
16	BENIGN CYST	-	...	-
17	OTHER AND UNSPECIFIED	2	...	2
18	BENIGN NEOPLASM OF OVARY	71	...	71
19	TERATOMA (DERMOID) NOT SPECIFIED AS MALIGNANT	4	...	4
20	CYSTADENOMA AND BENIGN OVARIAN CYST	58	...	58
21	FIBROMA	3	...	3
22	OTHER AND UNSPECIFIED	6	...	6
23	BENIGN NEOPLASMS OF OTHER FEMALE GENITAL ORGANS	-	...	-
24	FALLOPIAN TUBE AND BROAD LIGAMENT	-	...	-
25	VAGINA	-	...	-
26	VULVA	-	...	-
27	OTHER SPECIFIED SITES	-	...	-
28	UNSPECIFIED SITE	-	...	-
29	BENIGN NEOPLASMS OF MALE GENITAL ORGANS	-	...	-
30	TESTIS	-	...	-
31	PENIS	-	...	-
32	OTHER SPECIFIED SITES	-	...	-
33	UNSPECIFIED SITE	-	...	-
34	BENIGN NEOPLASMS OF KIDNEY AND OTHER URINARY ORGANS	9	6	3
35	KIDNEY, EXCEPT PELVIS	4	2	2
36	PELVIS OF KIDNEY	-	-	-
37	URETER	1	-	1
38	BLADDER	4	4	-
39	OTHER SPECIFIED SITES	-	-	-
40	UNSPECIFIED SITE	-	-	-
41	BENIGN NEOPLASM OF EYE	-	-	-
42	BENIGN NEOPLASMS OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	774	298	476
43	BRAIN	134	65	69
44	CRANIAL NERVES (INCLUDING OPTIC)	72	31	41
45	CEREBRAL MENINGES	354	118	236
46	SPINAL CORD	9	4	5
47	SPINAL MENINGES	5	2	3
48	PERIPHERAL NERVES	18	9	9
49	SYMPATHETIC NERVOUS SYSTEM	3	1	2
50	UNSPECIFIED SITE	179	68	111
51	BENIGN NEOPLASMS OF ENDOCRINE GLANDS	214	99	115
52	SUPRARENAL GLAND	17	7	10
53	THYROID	18	9	9
54	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT (POUCH)	154	70	84
55	PINEAL GLAND	17	11	6
56	CAROTID BODY	1	-	1
57	OTHER SPECIFIED ENDOCRINE GLANDS	5	2	3
58	UNSPECIFIED SITE	2	-	2
59	HEMANGIOMA AND LYMPHANGIOMA	93	52	41
60	HEMANGIOMA (OF SKIN)	14	5	9
61	HEMANGIOMA OF OTHER SITES	36	19	17
62	LYMPHANGIOMA	43	28	15
63	BENIGN NEOPLASMS OF OTHER AND UNSPECIFIED ORGANS AND TISSUES	108	70	38
64	NEOPLASMS OF UNSPECIFIED NATURE	3,294	1,708	1,586
65	NEOPLASMS OF UNSPECIFIED NATURE OF DIGESTIVE ORGANS	299	142	157
66	ESOPHAGUS	10	9	1
67	STOMACH	41	19	22
68	SMALL INTESTINE	9	7	2
69	LARGE INTESTINE, EXCLUDING RECTUM	62	24	38
70	RECTUM	8	3	5
71	LIVER AND BILIARY PASSAGES	81	37	44
72	PANCREAS	45	22	23
73	PERITONEUM	24	11	13
74	UNSPECIFIED SITE	19	10	9
75	NEOPLASMS OF UNSPECIFIED NATURE OF RESPIRATORY ORGANS	377	245	132
76	NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES	1	-	1
77	LARYNX	6	5	1
78	TRACHEA	-	-	-
79	BRONCHUS AND LUNG	293	198	95
80	PLEURA	2	-	2
81	MEDIASTINUM	61	33	28
82	UNSPECIFIED SITE	14	9	5
83	NEOPLASMS OF UNSPECIFIED NATURE OF SKIN AND MUSCULOSKELETAL SYSTEM	41	18	23
84	BONE AND CARTILAGE	20	7	13
85	MUSCULAR AND CONNECTIVE TISSUE	17	9	8
86	SKIN	4	2	2
87	NEOPLASM OF UNSPECIFIED NATURE OF BREAST	-	-	-

SECTION I - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
NEOPLASMS OF UNSPECIFIED NATURE--CON.				
01	NEOPLASM OF UNSPECIFIED NATURE OF UTERUS-----234	15	...	15
02	CARCINOMA IN SITU OF CERVIX UTERI-----234.0	5	...	5
03	CERVIX UTERI, OTHER-----234.1	-	...	-
04	OTHER AND UNSPECIFIED PART-----234.9	10	...	10
05	NEOPLASM OF UNSPECIFIED NATURE OF OVARY-----235	25	...	25
06	NEOPLASMS OF UNSPECIFIED NATURE OF OTHER FEMALE GENITAL ORGANS-----236	1	...	1
07	FALLOPIAN TUBE AND BROAD LIGAMENTS-----236.0	-	...	-
08	VAGINA-----236.1	-	...	-
09	VULVA-----236.2	-	...	-
10	OTHER SPECIFIED SITES-----236.8	-	...	-
11	UNSPECIFIED SITE-----236.9	1	...	1
12	NEOPLASMS OF UNSPECIFIED NATURE OF OTHER GENITOURINARY ORGANS-----237	126	81	45
13	TESTIS-----237.0	1
14	PENIS-----237.1	-	...	-
15	OTHER AND UNSPECIFIED MALE GENITAL ORGANS-----237.2	-	...	-
16	KIDNEY, EXCEPT PELVIS-----237.3	93	31	22
17	PELVIS OF KIDNEY-----237.4	-	...	-
18	URETER-----237.5	3	2	1
19	BLADDER-----237.6	69	47	22
20	OTHER AND UNSPECIFIED URINARY ORGANS-----237.9	-	...	-
21	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM-----238	2,156	1,124	1,032
22	EYE-----238.0	1
23	BRAIN-----238.1	2,087	1,090	997
24	CRANIAL NERVES (INCLUDING OPTIC NERVE)-----238.2	4	...	4
25	CEREBRAL MENINGES-----238.3	-	...	-
26	SPINAL CORD-----238.4	56	30	26
27	SPINAL MENINGES-----238.5	-	...	-
28	PERIPHERAL NERVES-----238.6	-	...	-
29	SYMPATHETIC NERVOUS SYSTEM-----238.7	-	...	-
30	UNSPECIFIED SITE-----238.9	8	3	5
31	NEOPLASMS OF UNSPECIFIED NATURE OF OTHER AND UNSPECIFIED ORGANS-----239	254	98	156
32	BUCCAL CAVITY AND PHARYNX-----239.0	15	8	7
33	ENDOCRINE GLANDS-----239.1	26	9	17
34	OTHER AND UNSPECIFIED SITES-----239.9	213	81	132
III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES				
35	DISEASES OF THYROID GLAND-----240-246	766	163	603
36	SIMPLE GOITER-----240	28	8	20
37	ENDEMIC-----240.0	-	...	-
38	SPORADIC-----240.1	-	...	-
39	UNSPECIFIED-----240.9	28	8	20
40	NONTOXIC NODULAR GOITER-----241	9	2	7
41	ENDEMIC-----241.0	-	...	-
42	SPORADIC-----241.1	-	...	-
43	UNSPECIFIED-----241.9	9	2	7
44	THYROTOXICOSIS WITH OR WITHOUT GOITER-----242	290	56	234
45	TOXIC DIFFUSE GOITER-----242.0	24	3	21
46	TOXIC NODULAR GOITER-----242.1	14	1	13
47	THYROTOXICOSIS WITHOUT MENTION OF GOITER-----242.2	252	52	200
48	CRETINISM OF CONGENITAL ORIGIN-----243	7	1	6
49	MYXEDEMA-----244	309	87	222
50	THYROIDITIS-----245	12	4	8
51	ACUTE-----*245.0	2	1	1
52	CHRONIC-----*245.1	5	3	2
53	UNSPECIFIED-----*245.9	5
54	OTHER DISEASES OF THYROID GLAND-----246	21	5	16
55	DISEASES OF OTHER ENDOCRINE GLANDS-----250-258	38,686	15,776	22,910
56	DIABETES MELLITUS-----250	37,329	15,136	22,193
57	WITH MENTION OF ACIDOSIS OR COMA-----*250.0	3,863	1,494	2,369
58	WITHOUT MENTION OF ACIDOSIS OR COMA-----*250.9	33,466	13,642	19,824
59	DISORDERS OF PANCREATIC INTERNAL SECRETION OTHER THAN DIABETES MELLITUS-----251	223	115	108
60	DISEASES OF PARATHYROID GLAND-----252	106	34	72
61	HYPERTHYROIDISM-----252.0	87	28	59
62	HYPOPARATHYROIDISM-----252.1	17	5	12
63	OTHER AND UNSPECIFIED-----252.9	2	1	1
64	DISEASES OF PITUITARY GLAND-----253	236	120	116
65	ANTERIOR PITUITARY HYPERFUNCTION-----253.0	22	13	9
66	ANTERIOR PITUITARY HYPOFUNCTION-----253.1	56	19	37
67	CHROMOPHOBE ADENOMA, PITUITARY-----253.2	66	43	23
68	OTHER AND UNSPECIFIED-----253.9	92	45	47
69	DISEASES OF THYMUS GLAND-----254	28	16	12
70	DISEASES OF ADRENAL GLANDS-----255	370	155	215
71	ADRENAL CORTICAL HYPERFUNCTION-----255.0	5	2	3
72	ADRENAL CORTICAL HYPOFUNCTION-----255.1	135	55	80
73	PHEOCHROMOCYTOMA-----255.2	28	10	18
74	OTHER AND UNSPECIFIED-----255.9	202	88	114
75	OVARIAN DYSFUNCTION-----256	6	...	6
76	HYPERFUNCTION-----256.0	6	...	6
77	HYPOFUNCTION-----256.1	-	...	-
78	OTHER AND UNSPECIFIED-----256.9	-	...	-
79	TESTICULAR DYSFUNCTION-----257	-	...	-
80	HYPERFUNCTION-----257.0	-	...	-
81	HYPOFUNCTION-----257.1	-	...	-
82	OTHER AND UNSPECIFIED-----257.9	-	...	-

Table I-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
DISEASES OF OTHER ENDOCRINE GLANDS--CON.					
01	POLYGLANDULAR DYSFUNCTION AND OTHER DISEASES OF ENDOCRINE GLANDS-----	258	388	200	188
02	CUSHING'S SYNDROME-----	258.0	50	19	31
03	POLYGLANDULAR DYSFUNCTION-----	258.1	5	3	2
04	OTHER AND UNSPECIFIED DISEASES OF ENDOCRINE SYSTEM-----	258.9	333	178	155
05	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----	260-269	2,527	1,143	1,384
06	VITAMIN A DEFICIENCIES-----	260	-	-	-
07	NIGHT BLINDNESS-----	260.0	-	-	-
08	XEROPHTHALMIA AND KERATOMALACIA-----	260.1	-	-	-
09	OTHER MANIFESTATION-----	260.8	-	-	-
10	UNSPECIFIED-----	260.9	-	-	-
11	THIAMINE DEFICIENCY-----	261	2	1	1
12	NIACIN DEFICIENCY-----	262	2	-	2
13	OTHER VITAMIN B DEFICIENCIES-----	263	26	18	8
14	ARIBOFLAVINOSIS-----	263.0	-	-	-
15	VITAMIN B6 DEFICIENCY-----	263.1	-	-	-
16	OTHER-----	263.8	8	2	6
17	UNSPECIFIED-----	263.9	18	16	2
18	ASCORBIC ACID DEFICIENCY-----	264	-	-	-
19	VITAMIN D DEFICIENCIES-----	265	8	6	2
20	RICKETS, ACTIVE-----	265.0	1	1	-
21	RICKETS, LATE EFFECT-----	265.1	-	-	-
22	OSTEOMALACIA-----	265.2	7	5	2
23	UNSPECIFIED-----	265.9	-	-	-
24	OTHER VITAMIN DEFICIENCY STATES-----	266	10	6	4
25	VITAMIN K DEFICIENCY-----	266.0	-	-	-
26	OTHER-----	266.8	10	6	4
27	UNSPECIFIED-----	266.9	10	6	4
28	PROTEIN MALNUTRITION-----	267	8	3	5
29	NUTRITIONAL MARASMUS-----	268	552	269	283
30	OTHER NUTRITIONAL DEFICIENCIES-----	269	1,919	840	1,079
31	SPRUE AND STEATORRHEA-----	269.0	17	6	11
32	MALABSORPTION SYNDROME, UNSPECIFIED-----	269.1	117	49	68
33	OTHER AND UNSPECIFIED-----	269.9	1,785	785	1,000
34	OTHER METABOLIC DISEASES-----	270-279	3,709	1,901	1,808
35	CONGENITAL DISORDERS OF AMINO-ACID METABOLISM-----	270	46	32	14
36	PHENYLKETONURIA-----	270.0	-	-	-
37	CYSTINURIA-----	270.1	2	-	2
38	OTHER DISORDERS OF AMINO-ACID TRANSPORT-----	270.2	3	2	1
39	CYSTINOSIS-----	270.3	5	2	3
40	MAPLE SYRUP DISEASE-----	270.4	5	4	1
41	DISORDERS OF PURINE AND PYRIMIDINE METABOLISM-----	270.5	1	1	-
42	ALKAPTONURIA-----	270.6	-	-	-
43	OTHER-----	270.8	28	21	7
44	UNSPECIFIED-----	270.9	2	2	-
45	CONGENITAL DISORDERS OF CARBOHYDRATE METABOLISM-----	271	33	16	17
46	VON GIERKE'S DISEASE-----	271.0	3	1	2
47	OTHER AND UNSPECIFIED GLYCOGEN STORAGE DISEASES-----	271.1	25	12	13
48	GALACTOSEMIA-----	271.2	2	1	1
49	FRUCTOSURIA-----	271.3	-	-	-
50	OTHER-----	271.8	2	2	-
51	UNSPECIFIED-----	271.9	1	-	1
52	CONGENITAL DISORDERS OF LIPID METABOLISM-----	272	125	75	50
53	XANTHOMATOSIS-----	272.0	70	45	25
54	FAMILIAL LIPOPROTEIN DEFICIENCY DISORDERS-----	272.1	1	-	1
55	LIPID STORAGE DISORDERS-----	272.2	50	26	24
56	OTHER AND UNSPECIFIED-----	272.9	4	4	-
57	OTHER AND UNSPECIFIED CONGENITAL DISORDERS OF METABOLISM-----	273	810	419	391
58	CYSTIC FIBROSIS-----	273.0	540	259	281
59	DISORDERS OF PORPHYRIN METABOLISM-----	273.1	17	5	12
60	HEMOCHROMATOSIS-----	273.2	114	79	35
61	HEPATOENTERIC DEGENERATION-----	273.3	14	7	7
62	OTHER DISORDERS INVOLVING METABOLISM OF MINERALS-----	273.4	6	3	3
63	DEFECTIVE BILIRUBIN EXCRETION-----	273.5	1	-	1
64	DISORDERS OF STEROID METABOLISM-----	273.6	7	2	5
65	OTHER-----	273.8	105	60	45
66	UNSPECIFIED-----	273.9	6	4	2
67	GOUT-----	274	265	188	77
68	PLASMA PROTEIN ABNORMALITIES-----	275	349	188	161
69	AGAMMAGLOBULINEMIA-----	275.0	19	15	4
70	HYPOGAMMAGLOBULINEMIA-----	275.1	48	28	20
71	ANALBUMINEMIA-----	275.2	-	-	-
72	BISALBUMINEMIA-----	275.3	-	-	-
73	CRYOGLOBULINEMIA-----	275.4	4	1	3
74	MACROGLOBULINEMIA-----	275.5	134	83	51
75	OTHER AND UNSPECIFIED-----	275.9	144	61	83
76	AMYLOIDOSIS-----	276	279	160	119
77	OBESITY NOT SPECIFIED AS OF ENDOCRINE ORIGIN-----	277	1,221	491	730
78	OTHER HYPERALIMENTATION-----	278	5	1	4
79	HYPERVITAMINOSIS A-----	278.0	-	-	-
80	CAROTINEMIA-----	278.1	-	-	-
81	HYPERVITAMINOSIS D-----	278.2	-	-	-
82	OTHER AND UNSPECIFIED-----	278.9	5	1	4
83	OTHER AND UNSPECIFIED METABOLIC DISEASES-----	279	576	331	245

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
184	163	16	25	0.2	0.2	0.2	0.2	0.2	0.1	0.2	01
18	27	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	02
2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	03
164	134	14	21	0.2	0.2	0.1	0.2	0.1	0.1	0.1	04
923	1,204	220	180	1.2	1.1	1.3	1.0	1.3	1.7	1.3	05
-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	09
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	10
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	11
15	6	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12
-	-	-	-	-	-	-	-	-	-	-	13
2	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	14
13	1	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
-	-	-	-	-	-	-	-	-	-	-	16
4	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	17
1	-	-	-	0.0	0.0	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	19
3	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	20
-	-	-	-	-	-	-	-	-	-	-	21
6	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	22
-	-	-	-	-	-	-	-	-	-	-	23
4	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	24
2	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	25
219	240	50	43	0.3	0.3	0.3	0.2	0.3	0.4	0.3	26
676	946	144	133	0.9	0.8	1.0	0.8	1.0	1.3	0.9	27
6	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-	28
41	59	8	9	0.1	0.0	0.1	0.0	0.1	0.1	0.1	29
629	876	156	124	0.8	0.8	0.9	0.7	0.9	1.2	0.9	30
1,729	1,536	172	272	1.8	1.8	1.7	1.9	1.6	1.3	1.9	31
29	12	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32
-	-	-	-	-	-	-	-	-	-	-	33
-	2	-	-	0.0	-	0.0	-	0.0	-	-	34
1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	35
2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	36
4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	37
1	-	-	-	0.0	0.0	-	-	-	-	-	38
19	5	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39
2	-	-	-	0.0	0.0	-	-	-	-	-	40
12	9	4	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	41
-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-	42
9	6	3	7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	44
2	-	-	-	0.0	0.0	-	-	-	-	-	45
-	-	-	1	0.0	0.0	0.0	-	-	-	0.0	46
58	45	7	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0	47
40	24	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48
-	1	-	-	0.0	-	0.0	-	0.0	-	-	49
24	20	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50
4	-	-	-	0.0	0.0	-	-	-	-	-	51
394	376	25	15	0.4	0.4	0.4	0.4	0.4	0.2	0.1	52
251	278	8	3	0.3	0.3	0.3	0.3	0.3	0.1	0.0	53
2	11	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54
75	31	4	4	0.1	0.1	0.0	0.1	0.0	0.0	0.0	55
7	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	56
3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	57
-	1	-	-	0.0	-	0.0	-	0.0	-	-	58
1	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59
51	41	9	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0	60
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	61
169	60	19	17	0.1	0.2	0.1	0.2	0.1	0.1	0.1	62
177	141	11	20	0.2	0.2	0.1	0.2	0.1	0.1	0.1	63
14	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64
25	16	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65
-	-	-	-	-	-	-	-	-	-	-	66
1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	67
80	49	3	2	0.1	0.1	0.0	0.1	0.1	0.0	0.0	68
57	70	4	13	0.1	0.1	0.1	0.1	0.1	0.0	0.1	69
129	101	31	18	0.1	0.2	0.1	0.1	0.1	0.2	0.1	70
448	578	43	152	0.6	0.5	0.7	0.5	0.6	0.3	1.1	71
1	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	72
-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	74
1	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	75
302	211	29	34	0.3	0.3	0.2	0.3	0.2	0.2	0.2	76

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS				
01	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	5,354	2,559	2,795
02	IRON DEFICIENCY ANEMIAS-----280	86	29	57
03	OTHER DEFICIENCY ANEMIAS-----281	340	130	210
04	PERNICIOUS ANEMIA-----281.0	217	71	146
05	OTHER VITAMIN B12 DEFICIENCY ANEMIAS-----281.1	-	-	-
06	FOLIC ACID DEFICIENCY ANEMIA-----281.2	26	12	14
07	VITAMIN B6 DEFICIENCY ANEMIA-----281.3	-	-	-
08	PROTEIN DEFICIENCY ANEMIA-----281.4	1	1	-
09	OTHER AND UNSPECIFIED DEFICIENCY ANEMIAS-----281.9	96	46	50
10	HEREDITARY HEMOLYTIC ANEMIAS-----282	572	289	283
11	FAMILIAL ACHOLURIC JAUNICE-----282.0	10	5	5
12	HEREDITARY ELLIPTOCYTOSIS-----282.1	-	-	-
13	ANEMIAS DUE TO GLUCOSE 6-PHOSPHATE DEHYDROGENASE DEFICIENCY-----282.2	-	-	-
14	OTHER HEREDITARY NONSPHEROCYTIC HEMOLYTIC ANEMIAS-----282.3	-	-	-
15	MEDITERRANEAN ANEMIA-----282.4	30	16	14
16	HEMOGLOBINOPATHIES-----282.5	307	169	138
17	OTHER-----282.9	225	99	126
18	ACQUIRED HEMOLYTIC ANEMIAS-----283	139	56	83
19	ACUTE-----283.0	30	13	17
20	OTHER-----283.9	109	43	66
21	APLASTIC ANEMIA-----284	1,089	578	511
22	OTHER AND UNSPECIFIED ANEMIAS-----285	1,086	495	591
23	HYPOCHROMIC ANEMIA WITH IRON LOADING-----285.0	62	39	23
24	OTHER SPECIFIED ANEMIAS-----285.8	2	1	1
25	ANEMIA, UNSPECIFIED-----285.9	1,022	455	567
26	COAGULATION DEFECTS-----286	797	377	420
27	HEMOPHILIA-----286.0	37	33	4
28	CHRISTMAS DISEASE-----286.1	7	6	1
29	PLASMA THROMBOPLASTIN ANTECEDENT DEFICIENCY-----286.2	1	-	1
30	VASCULAR HEMOPHILIA-----286.3	9	7	2
31	HEMORRHAGIC FIBRINOLYSIS-----286.4	1	1	-
32	CIRCULATING ANTICOAGULANTS-----286.5	1	-	1
33	OTHER-----286.9	741	330	411
34	PURPURA AND OTHER HEMORRHAGIC CONDITIONS-----287	603	288	315
35	ALLERGIC PURPURA-----287.0	51	35	16
36	THROMBOCYTOPENIA-----287.1	459	199	260
37	HEMORRHAGIC THROMBOCYTHEMIA-----287.2	1	1	-
38	THROMBOCYTOPATHY-----287.3	2	1	1
39	OTHER AND UNSPECIFIED-----287.9	90	52	38
40	AGRANULOCYTOSIS-----288	343	159	184
41	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-----289	299	158	141
42	POLYCYTHEMIA, SECONDARY-----289.0	16	8	8
43	CHRONIC LYMPHADENITIS-----289.1	1	1	-
44	NONSPECIFIC MESENTERIC LYMPHADENITIS-----289.2	12	7	5
45	LYMPHADENITIS, UNSPECIFIED, EXCEPT MESENTERIC-----289.3	7	4	3
46	HYPERSPLENISM-----289.4	33	16	17
47	OTHER DISEASES OF SPLEEN-----289.5	98	55	43
48	OTHER AND UNSPECIFIED-----289.9	132	67	65
V. MENTAL DISORDERS				
49	PSYCHOSES-----290-299	1,601	896	705
50	SENILE AND PRESENILE DEMENTIAS-----290	826	363	463
51	SENILE DEMENTIA-----290.0	431	176	255
52	PRESENILE DEMENTIA-----290.1	395	187	208
53	ALCOHOLIC PSYCHOSES-----291	448	395	53
54	DELIRIUM TREMENS-----291.0	411	368	43
55	KORSAKOV'S PSYCHOSIS (ALCOHOLIC)-----291.1	24	15	9
56	OTHER ALCOHOLIC HALLUCINOSIS-----291.2	-	-	-
57	ALCOHOLIC PARANOIA-----291.3	-	-	-
58	OTHER AND UNSPECIFIED-----291.9	13	12	1
59	PSYCHOSES ASSOCIATED WITH OTHER PHYSICAL CONDITIONS-----294	2	1	1
60	CHILDBIRTH-----294.4	-	-	-
61	UNSPECIFIED PHYSICAL CONDITION-----294.9	2	1	1
62	SCHIZOPHRENIA-----295	112	40	72
63	SIMPLE TYPE-----295.0	-	-	-
64	HEBEPHRENIC TYPE-----295.1	2	2	-
65	Catatonic Type-----295.2	29	7	22
66	Paranoid Type-----295.3	13	8	5
67	ACUTE SCHIZOPHRENIA EPISODE-----295.4	-	-	-
68	LATENT SCHIZOPHRENIA-----295.5	-	-	-
69	RESIDUAL SCHIZOPHRENIA-----295.6	-	-	-
70	SCHIZOAFFECTIVE TYPE-----295.7	1	-	1
71	OTHER-----295.8	24	8	16
72	UNSPECIFIED TYPE-----295.9	43	15	28
73	AFFECTIVE PSYCHOSES-----296	38	13	25
74	INVOLUTIONAL MELANCHOLIA-----296.0	6	4	2
75	MANIC-DEPRESSIVE PSYCHOSIS, MANIC TYPE-----296.1	2	2	-
76	MANIC-DEPRESSIVE PSYCHOSIS, DEPRESSED TYPE-----296.2	18	4	14
77	MANIC-DEPRESSIVE PSYCHOSIS, CIRCULAR TYPE-----296.3	-	-	-
78	OTHER-----296.8	-	-	-
79	UNSPECIFIED-----296.9	12	3	9
80	PARANOID STATES-----297	2	-	2
81	PARANOIA-----297.0	-	-	-
82	INVOLUTIONAL PARAPHRENIA-----297.1	-	-	-
83	OTHER-----297.9	2	-	2

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
2,047	2,305	512	490	2.5	2.5	2.6	2.3	2.4	3.9	3.4	01	
21	45	8	12	0.0	0.0	0.1	0.0	0.0	0.1	0.1	02	
114	189	16	21	0.2	0.1	0.2	0.1	0.2	0.1	0.1	03	
66	132	5	14	0.1	0.1	0.1	0.1	0.1	0.0	0.1	04	
10	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05	
38	45	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06	
110	130	179	153	0.3	0.3	0.3	0.1	0.1	1.4	1.1	07	
5	5	—	—	0.0	0.0	0.0	0.0	0.0	—	—	08	
15	13	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09	
2	2	167	136	0.1	0.2	0.1	0.0	0.0	0.0	0.0	10	
88	110	11	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	11	
53	74	3	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1	12	
13	15	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	13	
40	59	3	7	0.1	0.0	0.1	0.0	0.1	0.0	0.0	14	
531	462	47	49	0.5	0.6	0.5	0.6	0.5	0.4	0.3	15	
388	485	107	106	0.5	0.5	0.5	0.4	0.5	0.8	0.7	16	
37	23	2	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	
1	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	18	
350	461	105	106	0.5	0.4	0.5	0.4	0.5	0.8	0.7	19	
307	346	70	74	0.4	0.4	0.4	0.3	0.4	0.5	0.5	20	
28	3	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	
5	1	1	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	
7	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	23	
1	—	—	—	0.0	0.0	0.0	0.0	0.0	—	—	24	
1	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	25	
266	338	64	73	0.4	0.3	0.4	0.3	0.4	0.5	0.5	26	
245	279	43	36	0.3	0.3	0.3	0.3	0.3	0.3	0.3	27	
27	13	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	28	
176	232	23	28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	29	
1	—	—	—	0.0	0.0	—	0.0	—	—	—	30	
1	—	—	—	0.0	0.0	0.0	0.0	0.0	—	—	31	
40	33	12	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0	32	
142	173	17	11	0.2	0.2	0.2	0.2	0.2	0.1	0.1	33	
136	122	22	19	0.1	0.2	0.1	0.2	0.1	0.2	0.1	34	
7	—	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	
1	—	—	—	0.0	0.0	—	0.0	—	—	—	36	
7	4	1	1	0.0	0.0	0.0	0.0	0.0	—	0.0	37	
2	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	
15	17	1	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	
45	39	10	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0	40	
59	55	8	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	41	
765	645	131	60	0.8	0.9	0.7	0.9	0.7	1.0	0.4	42	
347	441	16	22	0.4	0.4	0.4	0.4	0.5	0.1	0.2	43	
166	242	10	13	0.2	0.2	0.2	0.2	0.3	0.1	0.1	44	
181	199	6	9	0.2	0.2	0.2	0.2	0.2	0.0	0.1	45	
303	35	92	18	0.2	0.4	0.0	0.3	0.0	0.7	0.1	46	
279	26	89	17	0.2	0.4	0.0	0.3	0.0	0.7	0.1	47	
14	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	
10	1	2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	49	
1	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	50	
1	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	51	
38	63	2	9	0.1	0.0	0.1	0.0	0.1	0.0	0.1	52	
1	—	1	—	0.0	0.0	—	0.0	—	0.0	—	53	
6	18	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54	
8	5	—	—	0.0	0.0	0.0	0.0	0.0	—	—	55	
1	—	—	—	0.0	—	—	—	—	—	—	56	
8	12	—	4	0.0	0.0	0.0	0.0	0.0	—	0.0	57	
15	27	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	58	
13	24	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	59	
4	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	60	
2	—	—	—	0.0	0.0	—	0.0	—	—	—	61	
4	14	—	—	0.0	0.0	0.0	0.0	0.0	—	—	62	
3	8	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	63	
2	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	64	
2	—	—	—	0.0	—	—	—	—	—	—	65	
2	—	—	—	0.0	—	—	—	—	—	—	66	
2	—	—	—	0.0	—	—	—	—	—	—	67	
2	—	—	—	0.0	—	—	—	—	—	—	68	
2	—	—	—	0.0	—	—	—	—	—	—	69	
2	—	—	—	0.0	—	—	—	—	—	—	70	
2	—	—	—	0.0	—	—	—	—	—	—	71	
2	—	—	—	0.0	—	—	—	—	—	—	72	
2	—	—	—	0.0	—	—	—	—	—	—	73	
2	—	—	—	0.0	—	—	—	—	—	—	74	
2	—	—	—	0.0	—	—	—	—	—	—	75	
2	—	—	—	0.0	—	—	—	—	—	—	76	
2	—	—	—	0.0	—	—	—	—	—	—	77	
2	—	—	—	0.0	—	—	—	—	—	—	78	
2	—	—	—	0.0	—	—	—	—	—	—	79	
2	—	—	—	0.0	—	—	—	—	—	—	80	
2	—	—	—	0.0	—	—	—	—	—	—	81	
2	—	—	—	0.0	—	—	—	—	—	—	82	
2	—	—	—	0.0	—	—	—	—	—	—	83	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
PSYCHOSES—C7M.				
01	OTHER PSYCHOSES-----298	11	5	6
02	REACTIVE DEPRESSIVE PSYCHOSIS-----298.0	--	--	--
03	REACTIVE EXCITATION-----298.1	--	--	--
04	REACTIVE CONFUSION-----298.2	11	5	6
05	ACUTE PARANOID REACTION-----298.3	--	--	--
06	REACTIVE PSYCHOSIS, UNSPECIFIED-----298.4	--	--	--
07	UNSPECIFIED PSYCHOSIS-----299	162	79	83
08	NEUROSES, PERSONALITY DISORDERS, AND OTHER NONPSYCHOTIC MENTAL DISORDERS-----300-309	7,697	5,412	2,285
09	NEUROSES-----300	11	5	6
10	ANXIETY NEUROSIS-----300.0	1	1	--
11	HYSTERICAL NEUROSIS-----300.1	--	--	--
12	PHOBIC NEUROSIS-----300.2	--	--	--
13	OBSSSSIVE-COMPULSIVE NEUROSIS-----300.3	--	--	--
14	DEPRESSIVE NEUROSIS-----300.4	9	4	5
15	NEURASTHENIA-----300.5	--	--	--
16	DEPERSONALIZATION SYNDROME-----300.6	--	--	--
17	HYPOCHONDRIACAL NEUROSIS-----300.7	--	--	--
18	OTHER-----300.8	--	--	--
19	UNSPECIFIED NEUROSIS-----300.9	1	--	1
20	PERSONALITY DISORDERS-----301	--	--	--
21	PARANOID-----301.0	--	--	--
22	AFFECTIVE-----301.1	--	--	--
23	SCHIZOID-----301.2	--	--	--
24	EXPLOSIVE-----301.3	--	--	--
25	ANANKASTIC-----301.4	--	--	--
26	HYSTERICAL-----301.5	--	--	--
27	ASTHENIC-----301.6	--	--	--
28	ANTI SOCIAL-----301.7	--	--	--
29	OTHER-----301.8	--	--	--
30	UNSPECIFIED-----301.9	--	--	--
31	SEXUAL DEVIATIONS-----302	--	--	--
32	HOMOSEXUALITY-----302.0	--	--	--
33	FETISHISM-----302.1	--	--	--
34	PEDOPHILIA-----302.2	--	--	--
35	TRANSVESTITISM-----302.3	--	--	--
36	EXHIBITIONISM-----302.4	--	--	--
37	VIOLENCE-----302.5	--	--	--
38	SADISM-----302.6	--	--	--
39	MASOCHISM-----302.7	--	--	--
40	OTHER-----302.8	--	--	--
41	UNSPECIFIED-----302.9	--	--	--
42	ALCOHOLISM-----303	4,931	3,794	1,137
43	EPISODIC EXCESSIVE DRINKING-----303.0	--	--	--
44	HABITUAL EXCESSIVE DRINKING-----303.1	1	1	--
45	ALCOHOLIC ADDICTION-----303.2	2,725	2,115	610
46	OTHER AND UNSPECIFIED ALCOHOLISM-----303.9	2,205	1,678	527
47	DRUG DEPENDENCE-----304	1,174	917	257
48	OPTIUM, OPTIUM ALKALOIDS, AND THEIR DERIVATIVES-----304.0	164	133	31
49	SYNTHETIC ANALGESICS WITH MORPHINELIKE EFFECTS-----304.1	11	10	1
50	BARBITURATES-----304.2	8	6	2
51	OTHER HYPNOTICS AND SEDATIVES OR TRANQUILIZERS-----304.3	4	2	2
52	COCAINE-----304.4	--	--	--
53	CANNABIS SATIVA-----304.5	--	--	--
54	OTHER PSYCHOSTIMULANTS-----304.6	5	5	--
55	HALLUCINOGENICS-----304.7	2	1	1
56	OTHER-----304.8	11	6	5
57	UNSPECIFIED-----304.9	969	754	215
58	PHYSICAL DISORDERS OF PRESUMABLY PSYCHOGENIC ORIGIN-----305	21	10	11
59	SKIN-----305.0	--	--	--
60	MUSCULOSKELETAL-----305.1	--	--	--
61	RESPIRATORY-----305.2	--	--	--
62	CARDIOVASCULAR-----305.3	17	10	7
63	HEMIC AND LYMPHATIC-----305.4	--	--	--
64	GASTROINTESTINAL-----305.5	4	--	4
65	GENITOURINARY-----305.6	--	--	--
66	ENDOCRINE-----305.7	--	--	--
67	ORGANS OF SPECIAL SENSE-----305.8	--	--	--
68	OTHER-----305.9	--	--	--
69	SPECIAL SYMPTOMS NOT ELSEWHERE CLASSIFIABLE-----306	65	20	45
70	STAMMERING AND STUTTERING-----306.0	--	--	--
71	SPECIFIC LEARNING DISTURBANCES-----306.1	--	--	--
72	TICS-----306.2	--	--	--
73	OTHER PSYCHOMOTOR DISORDERS-----306.3	1	--	1
74	SPECIFIC DISORDERS OF SLEEP-----306.4	--	--	--
75	FEEDING DISTURBANCES-----306.5	63	19	44
76	ENURESIS-----306.6	--	--	--
77	ENCOPRESIS-----306.7	--	--	--
78	CEPHALALGIA-----306.8	--	--	--
79	OTHER-----306.9	1	1	--
80	TRANSIENT SITUATIONAL DISTURBANCES-----307	1	--	1
81	BEHAVIOR DISORDERS OF CHILDHOOD-----308	--	--	--
82	MENTAL DISORDERS NOT SPECIFIED AS PSYCHOTIC ASSOCIATED WITH PHYSICAL CONDITIONS-----309	1,494	666	828
83	MENTAL RETARDATION-----310-315	305	180	125
84	BORDERLINE MENTAL RETARDATION-----310	--	--	--
85	FOLLOWING INFECTIONS AND INTOXICATIONS-----310.0	--	--	--
86	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION-----310.8	--	--	--
87	OTHER AND UNSPECIFIED-----310.9	--	--	--

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
MENTAL RETARDATION—CON.				
01	MILD MENTAL RETARDATION—	311	1	—
02	FOLLOWING INFECTIONS AND INTOXICATIONS	311.0	—	—
03	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	311.8	—	—
04	OTHER AND UNSPECIFIED	311.9	1	—
05	MODERATE MENTAL RETARDATION—	312	1	—
06	FOLLOWING INFECTIONS AND INTOXICATIONS	312.0	—	—
07	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	312.8	—	—
08	OTHER AND UNSPECIFIED	312.9	1	—
09	SEVERE MENTAL RETARDATION—	313	80	41
10	FOLLOWING INFECTIONS AND INTOXICATIONS	313.0	—	—
11	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	313.8	—	—
12	OTHER AND UNSPECIFIED	313.9	80	41
13	PROFOUND MENTAL RETARDATION—	314	37	26
14	FOLLOWING INFECTIONS AND INTOXICATIONS	314.0	—	—
15	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	314.8	—	—
16	OTHER AND UNSPECIFIED	314.9	37	26
17	UNSPECIFIED MENTAL RETARDATION—	315	186	111
18	FOLLOWING INFECTIONS AND INTOXICATIONS	315.0	—	—
19	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	315.8	—	—
20	OTHER AND UNSPECIFIED	315.9	186	111
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS				
21	INFLAMMATORY DISEASES OF CENTRAL NERVOUS SYSTEM—	320-324	2,215	1,234
22	22 MENINGITIS—	320	1,539	843
23	23 H. INFLUENZAE—	320.0	212	118
24	24 PNEUMOCOCCUS—	320.1	261	138
25	25 DUE TO OTHER SPECIFIED ORGANISMS—	320.8	192	107
26	26 WITH NO ORGANISM SPECIFIED AS CAUSE—	320.9	874	480
27	27 PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES—	321	43	25
28	28 INTRACRANIAL AND INTRASPINAL ABSCESSES—	322	259	163
29	29 ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS—	323	286	158
30	30 LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION—	324	88	45
31	HEREDITARY AND FAMILIAL DISEASES OF NERVOUS SYSTEM—	330-333	1,319	865
32	32 HEREDITARY NEUROMUSCULAR DISORDERS—	330	825	634
33	33 NEUROPATHIC MUSCULAR ATROPHY—	330.0	11	7
34	34 FAMILIAL PROGRESSIVE SPINAL MUSCULAR ATROPHY—	330.1	111	58
35	35 MYOTONIA CONGENITA—	330.2	27	16
36	36 PROGRESSIVE MUSCULAR DYSTROPHY—	330.3	117	109
37	37 MYOTONIA ATROPHICA—	330.4	547	439
38	38 OTHER—	330.9	12	5
39	39 HEREDITARY DISEASES OF THE STRIATOPALLIDAL SYSTEM—	331	269	109
40	40 HEREDITARY CHOREA—	331.0	253	103
41	41 DYSTONIA MUSCULORUM DEFORMANS—	331.1	9	4
42	42 PROGRESSIVE FAMILIAL MYOCLONIC EPILEPSY—	331.2	3	1
43	43 OTHER—	331.9	4	1
44	44 HEREDITARY ATAXIA—	332	35	20
45	45 HEREDITARY SPINAL ATAXIA—	332.0	31	17
46	46 HEREDITARY CEREBELLAR ATAXIA—	332.1	2	2
47	47 OTHER AND UNSPECIFIED—	332.9	2	1
48	48 OTHER HEREDITARY AND FAMILIAL DISEASES OF NERVOUS SYSTEM—	333	190	102
49	49 ANAUPOTIC FAMILY IDIOCY—	333.0	36	20
50	50 PROGRESSIVE CEREBRAL LEUKODYSTROPHY—	333.1	63	31
51	51 OTHER AND UNSPECIFIED—	333.9	91	51
52	OTHER DISEASES OF CENTRAL NERVOUS SYSTEM—	340-349	13,299	7,100
53	53 MULTIPLE SCLEROSIS—	340	1,593	585
54	54 OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM—	341	68	38
55	55 PARALYSIS AGITANS—	342	3,438	1,880
56	56 CEREBRAL SPASTIC INFANTILE PARALYSIS—	343	671	384
57	57 SPASTIC HEMIPLEGIA—	343.0	6	4
58	58 OTHER SPASTIC PARALYSES—	343.1	132	85
59	59 ATHETOID—	343.2	2	1
60	60 OTHER AND UNSPECIFIED—	343.9	531	294
61	61 OTHER CEREBRAL PARALYSES—	344	858	498
62	62 MONOPLEGIA—	344.0	1	—
63	63 HEMIPLEGIA—	344.1	264	139
64	64 PARAPLEGIA—	344.2	143	56
65	65 QUADRIPLEGIA—	344.3	119	85
66	66 OTHER AND UNSPECIFIED—	344.9	331	177
67	67 EPILEPSY—	345	1,700	1,003
68	68 GENERALIZED NONCONVULSIVE—	345.0	8	3
69	69 GENERALIZED CONVULSIVE—	345.1	359	224
70	70 STATUS EPILEPTICUS—	345.2	504	295
71	71 PARTIAL (FOCALIZED), TEMPORAL LOBE OR PSYCHOMOTOR TYPE—	345.3	1	1
72	72 PARTIAL (FOCALIZED), MOTOR TYPE—	345.4	—	—
73	73 PARTIAL (FOCALIZED), OTHER AND UNSPECIFIED TYPE—	345.5	6	1
74	74 OTHER AND UNSPECIFIED—	345.9	822	479
75	75 MIGRAINE—	346	2	—
76	76 OTHER DISEASES OF BRAIN—	347	2,736	1,481
77	77 CATAPLEXY AND NARCOLEPSY—	347.0	3	2
78	78 CEREBRAL AND CORTICAL ATROPHY—	347.1	345	180
79	79 OTHER AND UNSPECIFIED—	347.9	2,388	1,300

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER			
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
1	-	-	-	0.0	0.0	-	0.0	-	-	-	01	
-	-	-	-	-	-	-	-	-	-	-	02	
-	-	-	-	-	-	-	-	-	-	-	03	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	04	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	05	
-	-	-	-	-	-	-	-	-	-	-	06	
-	-	-	-	-	-	-	-	-	-	-	07	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	08	
32	33	9	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	09	
-	-	-	-	-	-	-	-	-	-	-	10	
-	-	-	-	-	-	-	-	-	-	-	11	
32	33	9	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	12	
-	-	-	-	-	-	-	-	-	-	-	13	
24	10	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	
-	-	-	-	-	-	-	-	-	-	-	15	
24	10	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	
87	60	24	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1	17	
-	-	-	-	-	-	-	-	-	-	-	18	
-	-	-	-	-	-	-	-	-	-	-	19	
87	60	24	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1	20	
-	-	-	-	-	-	-	-	-	-	-	21	
914	691	320	290	1.0	1.2	0.9	1.0	0.7	2.5	2.0	21	
597	461	246	235	0.7	0.8	0.6	0.7	0.5	1.9	1.6	22	
95	64	23	30	0.1	0.1	0.1	0.1	0.1	0.2	0.2	23	
89	83	49	40	0.1	0.1	0.1	0.1	0.1	0.4	0.3	24	
80	55	27	30	0.1	0.1	0.1	0.1	0.1	0.2	0.2	25	
333	259	147	135	0.4	0.5	0.4	0.4	0.3	1.1	0.9	26	
19	14	6	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	
130	71	33	25	0.1	0.2	0.1	0.1	0.1	0.3	0.2	28	
134	106	24	22	0.1	0.2	0.1	0.1	0.1	0.2	0.2	29	
34	39	11	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	30	
-	-	-	-	-	-	-	-	-	-	-	31	
801	420	64	34	0.6	0.8	0.4	0.9	0.4	0.5	0.2	31	
586	172	48	19	0.4	0.6	0.2	0.7	0.2	0.4	0.1	32	
7	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	33	
52	46	6	7	0.1	0.1	0.0	0.1	0.0	0.0	0.0	34	
16	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-	35	
96	6	13	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0	36	
411	98	28	10	0.3	0.4	0.1	0.5	0.1	0.2	0.1	37	
4	7	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	
101	150	8	10	0.1	0.1	0.1	0.1	0.2	0.1	0.1	39	
95	142	8	8	0.1	0.1	0.1	0.1	0.2	0.1	0.1	40	
4	4	-	1	0.0	0.0	0.0	0.0	0.0	-	-	41	
1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	-	42	
1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	43	
-	-	-	-	-	-	-	-	-	-	-	44	
19	15	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	45	
17	14	-	-	0.0	0.0	0.0	0.0	0.0	-	-	46	
1	-	1	-	0.0	0.0	-	-	-	0.0	-	47	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	48	
95	83	7	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0	49	
20	16	-	-	0.0	0.0	0.0	0.0	0.0	-	-	50	
29	31	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	
46	36	5	4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	52	
6,160	5,545	940	654	6.3	6.9	5.7	6.9	5.9	7.2	4.6	52	
537	909	48	99	0.8	0.6	0.9	0.6	1.0	0.4	0.7	53	
34	29	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54	
1,803	1,510	77	48	1.6	1.8	1.4	2.0	1.6	0.6	0.3	55	
307	238	77	49	0.3	0.4	0.3	0.3	0.3	0.6	0.3	56	
3	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57	
69	41	16	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0	58	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	59	
234	194	60	43	0.3	0.3	0.2	0.3	0.2	0.5	0.3	60	
427	305	71	55	0.4	0.5	0.3	0.5	0.3	0.5	0.4	61	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	62	
122	110	17	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	63	
76	33	20	14	0.1	0.1	0.0	0.1	0.0	0.2	0.1	64	
60	25	25	9	0.1	0.1	0.0	0.1	0.0	0.2	0.1	65	
168	137	9	17	0.2	0.2	0.1	0.2	0.1	0.1	0.1	66	
693	536	310	161	0.8	1.0	0.6	0.8	0.6	2.4	1.1	67	
3	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-	68	
168	108	56	27	0.2	0.2	0.1	0.2	0.1	0.4	0.2	69	
200	158	95	51	0.2	0.3	0.2	0.2	0.2	0.7	0.4	70	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	71	
-	-	-	-	-	-	-	-	-	-	-	72	
1	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	73	
320	261	159	82	0.4	0.5	0.3	0.4	0.3	1.2	0.6	74	
-	-	-	-	-	-	-	-	-	-	-	75	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	76	
1,233	1,073	248	182	1.3	1.4	1.2	1.4	1.1	1.9	1.3	77	
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	78	
168	154	12	11	0.2	0.2	0.2	0.2	0.2	0.1	0.1	79	
1,064	917	236	171	1.1	1.3	1.0	1.2	1.0	1.8	1.2	79	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER DISEASES OF CENTRAL NERVOUS SYSTEM--CON.				
01	MOTOR NEURONE DISEASES-----348	2,025	1,111	914
02	AMYOTROPHIC LATERAL SCLEROSIS-----348.0	1,819	1,002	817
03	PROGRESSIVE BULBAR PALSY-----348.1	87	39	48
04	OTHER PROGRESSIVE MUSCULAR ATROPHY-----348.2	50	32	18
05	OTHER AND UNSPECIFIED MANIFESTATIONS-----348.9	69	38	31
06	OTHER DISEASES OF SPINAL CORD-----349	208	120	88
07	SYRINGOMYELIA AND SYRINGOBULBIA-----349.0	40	23	17
08	SPINAL PARALYSIS, MONOPLAGIC-----349.1	1	1	-
09	SPINAL PARALYSIS, HEMIPLEGIC-----349.2	1	1	-
10	SPINAL PARALYSIS, PARAPLEGIC-----349.3	-	-	-
11	SPINAL PARALYSIS, QUADRIPLEGIC-----349.4	2	2	-
12	SPINAL PARALYSIS, OTHER AND UNSPECIFIED-----349.5	17	10	7
13	COMPRESSION, OLD OR NOT SPECIFIED AS TRAUMATIC-----349.6	15	9	6
14	OTHER AND UNSPECIFIED-----349.9	132	74	58
15	DISEASES OF NERVES AND PERIPHERAL GANGLIA-----350-358	318	199	159
16	FACIAL PARALYSIS-----350	34	22	12
17	TRIGEMINAL NEURALGIA-----351	15	3	12
18	BRACHIAL NEURITIS-----352	-	-	-
19	SCIATICA-----353	3	-	3
20	POLYNEURITIS AND POLYRADICULITIS-----354	189	96	93
21	OTHER AND UNSPECIFIED FORMS OF NEURALGIA AND NEURITIS-----355	14	8	6
22	CRANIAL NOT ELSEWHERE CLASSIFIABLE-----355.0	3	2	1
23	SPINAL NOT ELSEWHERE CLASSIFIABLE-----355.1	1	-	1
24	OTHER AND UNSPECIFIED-----355.9	10	6	4
25	OTHER DISEASES OF CRANIAL NERVES-----356	9	5	4
26	OTHER DISEASES OF PERIPHERAL NERVES EXCEPT AUTONOMIC-----357	54	25	29
27	CERVICAL AND BRACHIAL PLEXUS-----357.0	-	-	-
28	AXILLARY NERVE-----357.1	-	-	-
29	MEDIAN NERVE-----357.2	1	-	1
30	ULNAR NERVE-----357.3	-	-	-
31	OTHER AND UNSPECIFIED-----357.9	53	25	28
32	DISEASES OF PERIPHERAL AUTONOMIC NERVOUS SYSTEM-----358	-	-	-
33	HORNER'S SYNDROME-----358.0	-	-	-
34	CARDIAC SINUS SYNDROME-----358.1	-	-	-
35	OTHER AND UNSPECIFIED-----358.9	-	-	-
36	INFLAMMATORY DISEASES OF EYE-----360-369	10	5	5
37	CONJUNCTIVITIS AND OPHTHALMIA-----360	1	-	1
38	BLEPHARITIS-----361	-	-	-
39	HORDEOLUM-----362	1	-	1
40	KERATITIS-----363	1	1	-
41	WITH ULCERATION-----363.0	1	1	-
42	WITHOUT MENTION OF ULCER-----363.9	-	-	-
43	IRITIS-----364	-	-	-
44	CHOROIODITIS-----365	1	1	-
45	OTHER INFLAMMATION OF UVEAL TRACT-----366	4	2	2
46	INFLAMMATION OF OPTIC NERVE AND RETINA-----367	-	-	-
47	INFLAMMATION OF LACRIMAL GLANDS AND DUCTS-----368	-	-	-
48	OTHER INFLAMMATORY DISEASES OF EYE-----369	3	1	2
49	ABSCESS AND CELLULITIS OF ORBIT-----369.0	2	1	1
50	OTHER AND UNSPECIFIED-----369.9	1	-	1
51	OTHER DISEASES AND CONDITIONS OF EYE-----370-379	71	30	41
52	REFRACTIVE ERRORS-----370	1	-	1
53	MYOPIA-----370.0	-	-	-
54	HYPEROPIA-----370.1	-	-	-
55	PRESBYOPIA-----370.2	-	-	-
56	ASTIGMATISM-----370.3	-	-	-
57	OTHER AND UNSPECIFIED-----370.9	1	-	1
58	CORNEAL OPACITY-----371	1	1	-
59	POSTOPERATIVE-----371.0	-	-	-
60	OTHER AND UNSPECIFIED-----371.9	1	1	-
61	PTERYGIUM-----372	-	-	-
62	STRABISMUS-----373	5	3	2
63	ESOTROPIA-----373.0	1	-	1
64	EXOTROPIA-----373.1	-	-	-
65	HYPERTROPIA-----373.2	-	-	-
66	OTHER AND UNSPECIFIED-----373.9	4	3	1
67	CATARACT-----374	42	15	27
68	TRAUMATIC-----374.0	-	-	-
69	SECONDARY-----374.1	-	-	-
70	OTHER SPECIFIED TYPE, EXCLUDING SENILE-----374.8	-	-	-
71	SENILE AND UNSPECIFIED TYPE-----374.9	42	15	27
72	GLAUCOMA-----375	10	4	6
73	PRIMARY, ACUTE-----375.0	1	-	1
74	CHRONIC (PRIMARY)-----375.1	-	-	-
75	SECONDARY-----375.2	-	-	-
76	UNSPECIFIED-----375.9	9	4	5
77	DETACHMENT OF RETINA-----376	2	2	-
78	OTHER DISEASES OF RETINA AND OPTIC NERVE-----377	4	2	2
79	VASCULAR LESIONS OF RETINA-----377.0	1	1	-
80	DEGENERATION OF RETINA-----377.1	-	-	-
81	AMBLYOPIA-----377.2	1	-	1
82	COLOR BLINDNESS-----377.3	-	-	-
83	OTHER DISEASES OF RETINA-----377.4	2	1	1
84	PAPILLOEDEMA-----377.5	-	-	-
85	OTHER DISEASES OF OPTIC NERVE-----377.6	-	-	-
86	UNSPECIFIED-----377.9	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER DISEASES AND CONDITIONS OF EYE—CON.				
01	OTHER DISEASES OF EYE.....	378	2	1
02	CHALAZION.....	378.0	-	-
03	TRICHTIASIS AND ENTROPION.....	378.1	-	-
04	OTHER DISEASES OF EYELID.....	378.2	1	1
05	DISEASES OF CONJUNCTIVA AND LACRIMAL TRACT NOT ELSEWHERE CLASSIFIABLE.....	378.3	-	-
06	DISEASES OF CORNEA NOT ELSEWHERE CLASSIFIABLE.....	378.4	-	-
07	PROLAPSE OF IRIS.....	378.5	-	-
08	OTHER DISEASES OF IRIS, CHOROID, AND UVEAL TRACT.....	378.6	-	-
09	APHAKIA, ACQUIRED.....	378.7	-	-
10	OTHER DISEASES OF LENS.....	378.8	-	-
11	DISEASES OF EYEBALL, OCULAR MUSCLE, AND ORBIT NOT ELSEWHERE CLASSIFIABLE.....	378.9	1	1
12	BLINDNESS.....	379	4	2
13	BLINDNESS, BOTH EYES, SPECIFICALLY DEFINED.....	379.0	-	-
14	BLINDNESS, BOTH EYES, NOT SPECIFICALLY DEFINED.....	379.1	4	2
15	BLINDNESS, ONE EYE, SPECIFICALLY DEFINED.....	379.2	-	-
16	BLINDNESS, ONE EYE, NOT SPECIFICALLY DEFINED.....	379.3	-	-
17	DISEASES OF EAR AND MASTOID PROCESS.....	380-389	124	74
18	OTITIS EXTERNA.....	380	3	2
19	OTITIS MEDIA WITHOUT MENTION OF MASTOIDITIS.....	381	86	49
20	ACUTE.....	381.0	6	4
21	CHRONIC.....	381.1	8	6
22	UNSPECIFIED.....	381.9	72	39
23	OTITIS MEDIA WITH MASTOIDITIS.....	382	10	6
24	ACUTE.....	382.0	1	1
25	CHRONIC.....	382.1	6	4
26	UNSPECIFIED.....	382.9	3	2
27	MASTOIDITIS WITHOUT MENTION OF OTITIS MEDIA.....	383	14	10
28	ACUTE.....	383.0	1	1
29	CHRONIC.....	383.1	5	4
30	UNSPECIFIED.....	383.9	8	6
31	OTHER INFLAMMATORY DISEASES OF EAR.....	384	3	1
32	LABYRINTHITIS.....	384.0	3	1
33	OTHER AND UNSPECIFIED.....	384.9	-	-
34	MENIERE'S DISEASE.....	385	1	1
35	OTOSCLEROSIS.....	386	1	1
36	OTHER DISEASES OF EAR AND MASTOID PROCESS.....	387	5	4
37	CHOLESTEATOMA OF EAR.....	387.0	5	4
38	WAX IN EAR.....	387.1	-	-
39	PERFORATION TYMPANIC MEMBRANE, NONTRAUMATIC.....	387.2	-	-
40	OTHER.....	387.9	-	-
41	DEAF MUTISM.....	388	1	-
42	OTHER DEAFNESS.....	389	-	-
43	DEAFNESS, BOTH EARS.....	389.0	-	-
44	DEAFNESS IN ONE EAR AND PARTIAL DEAFNESS IN OTHER.....	389.1	-	-
45	DEAFNESS, ONE EAR.....	389.2	-	-
46	IMPATRMENT OF HEARING, ONE OR BOTH EARS.....	389.9	-	-
VII. DISEASES OF THE CIRCULATORY SYSTEM				
47	ACTIVE RHEUMATIC FEVER.....	390-392	175	96
48	RHEUMATIC FEVER WITHOUT MENTION OF HEART INVOLVEMENT.....	390	26	11
49	RHEUMATIC FEVER WITH HEART INVOLVEMENT.....	391	146	84
50	ACTIVE RHEUMATIC PERICARDITIS.....	391.0	94	52
51	ACTIVE RHEUMATIC ENDOCARDITIS.....	391.1	5	2
52	ACTIVE RHEUMATIC MYOCARDITIS.....	391.2	7	1
53	OTHER ACTIVE RHEUMATIC HEART DISEASE.....	391.9	40	29
54	CHOREA.....	392	3	1
55	WITH HEART INVOLVEMENT.....	392.0	-	-
56	WITHOUT MENTION OF HEART INVOLVEMENT.....	392.9	3	1
57	CHRONIC RHEUMATIC HEART DISEASE.....	393-398	13,127	5,873
58	DISEASES OF PERICARDIUM.....	393	62	34
59	DISEASES OF MITRAL VALVE.....	394	3,554	1,185
60	SPECIFIED AS RHEUMATIC.....	394.0	2,002	590
61	NOT SPECIFIED AS RHEUMATIC.....	394.9	1,552	595
62	DISEASES OF AORTIC VALVE.....	395	3,970	2,493
63	SPECIFIED AS RHEUMATIC.....	395.0	803	477
64	NOT SPECIFIED AS RHEUMATIC.....	395.9	3,167	2,016
65	DISEASES OF MITRAL AND AORTIC VALVES.....	396	1,062	503
66	SPECIFIED AS RHEUMATIC.....	396.0	729	323
67	NOT SPECIFIED AS RHEUMATIC.....	396.9	333	180
68	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....	397	636	257
69	OF TRICUSPID VALVE.....	397.0	43	24
70	OF OTHER AND UNSPECIFIED ENDOCARDIAL STRUCTURES, SPECIFIED AS RHEUMATIC.....	397.9	593	233
71	OTHER HEART DISEASE SPECIFIED AS RHEUMATIC.....	398	3,843	1,401
72	HYPERTENSIVE DISEASE.....	400-404	18,977	8,599
73	MALIGNANT HYPERTENSION.....	400	870	474
74	WITHOUT MENTION OF ORGAN DAMAGE.....	400.0	47	25
75	WITH HEART INVOLVEMENT.....	400.1	47	26
76	WITH CEREBROVASCULAR INVOLVEMENT.....	400.2	374	202
77	WITH RENAL INVOLVEMENT.....	400.3	171	92
78	WITH MULTIPLE ORGAN INVOLVEMENT.....	400.9	231	129

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1	1	--	--	0.0	0.0	0.0	0.0	0.0	--	--	01
--	--	--	--	--	--	--	--	--	--	--	02
--	1	--	--	0.0	--	0.0	--	0.0	--	--	03
--	--	--	--	--	--	--	--	--	--	--	04
--	--	--	--	--	--	--	--	--	--	--	05
--	--	--	--	--	--	--	--	--	--	--	06
--	--	--	--	--	--	--	--	--	--	--	07
--	--	--	--	--	--	--	--	--	--	--	08
--	--	--	--	--	--	--	--	--	--	--	09
1	--	--	--	0.0	0.0	--	0.0	--	--	--	10
2	2	--	--	0.0	0.0	0.0	0.0	0.0	--	--	11
--	--	--	--	--	--	--	--	--	--	--	12
2	2	--	--	0.0	0.0	0.0	0.0	0.0	--	--	13
--	--	--	--	--	--	--	--	--	--	--	14
--	--	--	--	--	--	--	--	--	--	--	15
--	--	--	--	--	--	--	--	--	--	--	16
57	38	17	12	0.1	0.1	0.0	0.1	0.0	0.1	0.1	17
1	1	1	--	0.0	0.0	0.0	0.0	0.0	0.0	--	18
34	27	15	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1	19
2	2	2	--	0.0	0.0	0.0	0.0	0.0	0.0	--	20
5	--	1	2	0.0	0.0	0.0	0.0	0.0	--	0.0	21
27	25	12	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	22
6	4	--	--	0.0	0.0	0.0	0.0	0.0	--	--	23
--	1	--	--	0.0	--	0.0	--	0.0	--	--	24
4	2	--	--	0.0	0.0	0.0	0.0	0.0	--	--	25
2	1	--	--	0.0	0.0	0.0	0.0	0.0	--	--	26
9	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
--	1	--	--	0.0	--	0.0	--	0.0	--	--	28
4	1	--	--	0.0	0.0	0.0	0.0	0.0	--	--	29
5	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30
1	1	--	1	0.0	0.0	0.0	0.0	0.0	--	0.0	31
1	1	--	1	0.0	0.0	0.0	0.0	0.0	--	0.0	32
--	--	--	--	--	--	--	--	--	--	--	33
1	--	--	--	0.0	0.0	--	0.0	--	--	--	34
1	--	--	--	0.0	0.0	--	0.0	--	--	--	35
4	1	--	--	0.0	0.0	0.0	0.0	0.0	--	--	36
4	1	--	--	0.0	0.0	0.0	0.0	0.0	--	--	37
--	--	--	--	--	--	--	--	--	--	--	38
--	--	--	--	--	--	--	--	--	--	--	39
--	1	--	--	0.0	--	0.0	--	0.0	--	--	40
--	--	--	--	--	--	--	--	--	--	--	41
--	--	--	--	--	--	--	--	--	--	--	42
--	--	--	--	--	--	--	--	--	--	--	43
--	--	--	--	--	--	--	--	--	--	--	44
--	--	--	--	--	--	--	--	--	--	--	45
--	--	--	--	--	--	--	--	--	--	--	46
78	63	18	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	47
8	13	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48
69	48	15	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	49
44	36	8	6	0.0	0.1	0.0	0.0	0.0	0.1	0.0	50
2	2	--	1	0.0	0.0	0.0	0.0	0.0	--	0.0	51
1	3	--	3	0.0	0.0	0.0	0.0	0.0	--	0.0	52
22	7	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	53
1	2	--	--	0.0	0.0	0.0	0.0	0.0	--	--	54
--	--	--	--	--	--	--	--	--	--	--	55
1	2	--	--	0.0	0.0	0.0	0.0	0.0	--	--	56
5,276	6,686	597	568	6.2	5.7	6.7	5.9	7.1	4.6	4.0	57
28	25	6	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58
1,079	2,208	106	161	1.7	1.2	2.2	1.2	2.3	0.8	1.1	59
541	1,336	49	76	0.9	0.6	1.3	0.6	1.4	0.4	0.5	60
538	872	57	85	0.7	0.6	0.9	0.6	0.9	0.4	0.6	61
2,248	1,347	245	130	1.9	2.4	1.4	2.5	1.4	1.9	0.9	62
436	297	41	29	0.4	0.5	0.3	0.5	0.3	0.3	0.2	63
1,012	1,050	204	101	1.5	2.0	1.1	2.0	1.1	1.6	0.7	64
451	509	52	50	0.5	0.5	0.5	0.5	0.5	0.4	0.4	65
290	369	33	37	0.3	0.3	0.4	0.3	0.4	0.3	0.3	66
161	140	19	13	0.2	0.2	0.1	0.2	0.1	0.1	0.1	67
226	354	31	25	0.3	0.2	0.3	0.3	0.4	0.2	0.2	68
20	14	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69
206	340	27	20	0.3	0.2	0.3	0.2	0.4	0.2	0.1	70
1,244	2,243	157	199	1.8	1.4	2.3	1.4	2.4	1.2	1.4	71
6,814	8,383	1,785	1,995	9.0	8.4	9.6	7.6	8.9	13.7	14.0	72
271	240	203	156	0.4	0.5	0.4	0.3	0.3	1.6	1.1	73
16	16	9	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	74
14	12	12	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1	75
129	113	73	59	0.2	0.2	0.2	0.1	0.1	0.6	0.4	76
46	44	46	35	0.1	0.1	0.1	0.1	0.0	0.4	0.2	77
66	55	63	47	0.1	0.1	0.1	0.1	0.1	0.5	0.3	78

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
HYPERTENSIVE DISEASE—CON.					
01	ESSENTIAL BENIGN HYPERTENSION	401	1,201	524	677
02	HYPERTENSIVE HEART DISEASE	402	7,167	2,933	4,234
03	HYPERTENSIVE RENAL DISEASE	403	4,823	2,492	2,331
04	HYPERTENSIVE HEART AND RENAL DISEASE	404	4,916	2,176	2,740
05	ISCHEMIC HEART DISEASE	410-413	664,854	373,765	291,089
06	ACUTE MYOCARDIAL INFARCTION	410	334,196	208,871	125,325
07	WITH HYPERTENSIVE DISEASE	410.0	30,626	15,810	14,816
08	WITHOUT MENTION OF HYPERTENSIVE DISEASE	410.9	303,570	193,061	110,509
09	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	411	4,418	2,844	1,574
10	WITH HYPERTENSIVE DISEASE	411.0	280	155	125
11	WITHOUT MENTION OF HYPERTENSIVE DISEASE	411.9	4,138	2,689	1,449
12	CHRONIC ISCHEMIC HEART DISEASE	412	326,065	161,947	164,118
13	CHRONIC ISCHEMIC HEART DISEASE WITH OR WITHOUT CARDIOVASCULAR DISEASE WITH HYPERTENSIVE DISEASE	412.1	20,609	8,897	11,712
14	CARDIOVASCULAR DISEASE WITHOUT MENTION OF CHRONIC ISCHEMIC HEART DISEASE WITH HYPERTENSIVE DISEASE	412.2	22,138	9,237	12,901
15	CHRONIC ISCHEMIC HEART DISEASE WITH OR WITHOUT CARDIOVASCULAR DISEASE WITHOUT MENTION OF HYPERTENSIVE DISEASE	412.3	225,937	115,629	110,308
16	CARDIOVASCULAR DISEASE WITHOUT MENTION OF CHRONIC ISCHEMIC HEART DISEASE WITHOUT MENTION OF HYPERTENSIVE DISEASE	412.4	57,381	28,184	29,197
17	ANGINA PECTORIS	413	175	103	72
18	WITH HYPERTENSIVE DISEASE	413.0	30	14	16
19	WITHOUT MENTION OF HYPERTENSIVE DISEASE	413.9	145	89	56
20	OTHER FORMS OF HEART DISEASE	420-429	47,932	26,649	21,283
21	ACUTE PERICARDITIS, NONRHEUMATIC	420	51	21	30
22	ACUTE AND SUBACUTE ENDOCARDITIS	421	668	425	243
23	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS	421.0	652	416	236
24	OTHER ACUTE ENDOCARDITIS	421.9	16	9	7
25	ACUTE MYOCARDITIS	422	371	186	185
26	CHRONIC DISEASE OF PERICARDIUM, NONRHEUMATIC	423	519	299	220
27	CHRONIC DISEASE OF ENDOCARDIUM	424	1,206	566	640
28	OF MITRAL VALVE, NONRHEUMATIC	424.0	69	31	38
29	OF AORTIC VALVE, NONRHEUMATIC	424.1	207	107	100
30	OF OTHER ENDOCARDIAL STRUCTURES	424.9	930	428	502
31	CARDIOMYOPATHY	425	2,775	1,935	840
32	PULMONARY HEART DISEASE	426	1,217	659	558
33	SYMPTOMATIC HEART DISEASE	427	28,950	15,101	13,849
34	CONGESTIVE HEART FAILURE	427.0	14,599	7,127	7,472
35	LEFT VENTRICULAR FAILURE	427.1	319	165	154
36	CARDIAC ARREST NOT OTHERWISE SPECIFIED	427.2	10,228	5,795	4,433
37	OTHER HEART BLOCK	427.3	533	265	268
38	ATRIAL FIBRILLATION OR FLUTTER	427.4	1,228	551	677
39	PAROXYSMAL TACHYCARDIA (ATRIAL)	427.5	59	32	27
40	VENTRICULAR FIBRILLATION OR FLUTTER	427.6	638	383	255
41	OTHER AND UNSPECIFIED DISORDERS OF HEART RHYTHM	427.9	1,346	783	563
42	OTHER MYOCARDIAL INSUFFICIENCY	428	3,689	1,831	1,858
43	ILL-DEFINED HEART DISEASE	429	8,486	5,626	2,860
44	CARDIAC ENLARGEMENT AND HYPERTROPHY	429.0	319	210	109
45	OTHER AND UNSPECIFIED HEART DISEASE	429.9	8,167	5,416	2,751
46	CEREBROVASCULAR DISEASES	430-438	207,424	90,394	117,030
47	SUBARACHNOID HEMORRHAGE	430	8,881	3,614	5,267
48	WITH HYPERTENSION (BENIGN)	430.0	1,440	572	868
49	WITHOUT MENTION OF HYPERTENSION	430.9	7,441	3,042	4,399
50	CEREBRAL HEMORRHAGE	431	30,515	14,001	16,514
51	WITH HYPERTENSION (BENIGN)	431.0	8,635	3,859	4,776
52	WITHOUT MENTION OF HYPERTENSION	431.9	21,880	10,142	11,738
53	OCCLUSION OF PRECEREBRAL ARTERIES	432	3,223	1,796	1,427
54	WITH HYPERTENSION (BENIGN)	432.0	258	123	135
55	WITHOUT MENTION OF HYPERTENSION	432.9	2,965	1,673	1,292
56	CEREBRAL THROMBOSIS	433	53,542	23,075	30,467
57	WITH HYPERTENSION (BENIGN)	433.0	3,949	1,541	2,408
58	WITHOUT MENTION OF HYPERTENSION	433.9	49,593	21,534	28,059
59	CEREBRAL EMBOLISM	434	910	359	551
60	WITH HYPERTENSION (BENIGN)	434.0	56	21	35
61	WITHOUT MENTION OF HYPERTENSION	434.9	854	378	476
62	TRANSIENT CEREBRAL ISCHEMIA	435	74	34	40
63	WITH HYPERTENSION (BENIGN)	435.0	9	2	7
64	WITHOUT MENTION OF HYPERTENSION	435.9	65	32	33
65	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	436	67,931	30,199	37,732
66	WITH HYPERTENSION (BENIGN)	436.0	8,911	3,692	5,219
67	WITHOUT MENTION OF HYPERTENSION	436.9	59,020	26,507	32,513
68	GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE	437	38,851	15,657	23,194
69	WITH HYPERTENSION (BENIGN)	437.0	1,947	761	1,246
70	WITHOUT MENTION OF HYPERTENSION	437.9	36,904	14,956	21,948
71	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASES	438	3,497	1,619	1,878
72	WITH HYPERTENSION (BENIGN)	438.0	403	167	236
73	WITHOUT MENTION OF HYPERTENSION	438.9	3,094	1,452	1,642
74	DISEASES OF ARTERIES, ARTERICLES, AND CAPILLARIES	440-448	58,437	29,060	29,377
75	ARTERIOSCLEROSIS	440	32,239	13,229	19,010
76	OF AORTA	440.0	85	51	34
77	OF RENAL ARTERY	440.1	31	18	13
78	OF ARTERIES OF THE EXTREMITIES	440.2	124	78	46
79	OF OTHER SPECIFIED ARTERIES	440.3	24	16	8
80	GENERALIZED AND UNSPECIFIED	440.9	31,975	13,066	18,909

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE						
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
407	544	117	133	0.6	0.5	0.6	0.5	0.6	0.9	0.9
2,228	3,314	705	920	3.4	2.8	3.9	2.5	3.5	5.4	6.5
2,079	1,920	413	411	2.3	2.4	2.1	2.3	2.0	3.2	2.9
1,829	2,365	347	375	2.3	2.1	2.5	2.0	2.5	2.7	2.6
341,980	264,157	31,785	26,932	314.5	363.1	268.4	380.3	280.5	244.0	188.9
194,808	114,952	14,063	10,373	158.1	202.9	115.6	216.6	122.0	108.0	72.8
14,039	12,841	1,771	1,975	14.5	15.4	13.7	15.6	13.6	13.6	13.9
180,769	102,111	12,292	8,398	143.6	187.5	101.9	201.0	108.4	94.4	58.9
2,460	1,352	384	222	2.1	2.8	1.5	2.7	1.4	2.9	1.6
123	106	32	19	0.1	0.2	0.1	0.1	0.1	0.2	0.1
2,337	1,246	352	203	2.0	2.6	1.3	2.6	1.3	2.7	1.4
144,618	147,788	17,329	16,330	154.2	157.3	151.3	160.8	156.9	133.0	114.6
7,772	10,287	1,125	1,425	9.7	8.6	10.8	8.6	10.9	8.6	10.0
6,523	9,586	2,714	3,315	10.5	9.0	11.9	7.3	10.2	20.8	23.3
106,118	102,186	9,511	8,122	106.9	112.3	101.7	118.0	108.5	73.0	57.0
24,205	25,729	3,979	3,468	27.1	27.4	26.9	26.9	27.3	30.5	24.3
94	65	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
13	13	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
81	52	8	4	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22,201	17,610	4,448	3,673	22.7	25.9	19.6	24.7	18.7	34.1	25.8
18	25	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
359	193	66	50	0.3	0.4	0.2	0.4	0.2	0.5	0.4
352	189	64	47	0.3	0.4	0.2	0.4	0.2	0.5	0.3
7	4	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
152	154	34	31	0.2	0.2	0.2	0.2	0.2	0.3	0.2
239	173	60	47	0.2	0.3	0.2	0.3	0.2	0.5	0.3
490	583	76	57	0.6	0.5	0.6	0.5	0.6	0.6	0.4
30	38	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—
98	88	9	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
362	457	66	45	0.4	0.4	0.4	0.4	0.5	0.5	0.3
1,470	625	465	215	1.3	1.9	0.8	1.6	0.7	3.6	1.5
576	487	83	71	0.6	0.6	0.5	0.6	0.5	0.6	0.5
12,812	11,673	2,289	2,176	13.7	14.7	12.8	14.2	12.4	17.6	15.3
6,142	6,488	985	984	6.9	6.9	6.9	6.8	6.9	7.6	6.9
148	133	17	21	0.2	0.2	0.1	0.2	0.1	0.1	0.1
4,705	3,475	1,090	958	4.8	5.6	4.1	5.2	3.7	8.4	6.7
242	239	23	29	0.3	0.3	0.2	0.3	0.2	0.2	0.2
508	613	43	64	0.6	0.5	0.6	0.6	0.7	0.3	0.4
30	24	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
345	219	38	36	0.3	0.4	0.2	0.4	0.2	0.3	0.3
692	482	91	81	0.6	0.8	0.5	0.8	0.5	0.7	0.6
1,609	1,625	222	243	1.7	1.8	1.7	1.8	1.7	1.7	1.6
4,476	2,072	1,150	788	4.0	5.5	2.6	5.0	2.2	8.8	5.5
149	80	61	29	0.2	0.2	0.1	0.2	0.1	0.5	0.2
4,327	1,992	1,089	759	3.9	5.3	2.5	4.8	2.1	8.4	5.3
78,749	103,877	11,645	13,153	98.1	87.8	107.9	87.6	110.3	89.4	92.3
2,991	4,448	623	819	4.2	3.5	4.9	3.3	4.7	4.8	5.7
419	653	153	215	0.7	0.6	0.8	0.5	0.7	1.2	1.5
2,572	3,795	470	604	3.5	3.0	4.1	2.9	4.0	3.6	4.2
11,747	14,235	2,254	2,279	14.4	13.6	15.2	13.1	15.1	17.3	16.0
2,931	3,763	928	1,013	4.1	3.7	4.4	3.3	4.0	7.1	7.1
8,816	10,472	1,326	1,266	10.4	9.9	10.8	9.8	11.1	10.2	8.9
1,635	1,322	161	105	1.5	1.7	1.3	1.8	1.4	1.2	0.7
108	119	15	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1,527	1,203	146	89	1.4	1.6	1.2	1.7	1.3	1.1	0.6
20,666	27,643	2,409	2,824	25.3	22.4	28.1	23.0	29.3	18.5	19.8
1,261	2,024	280	384	1.9	1.5	2.2	1.4	2.1	2.1	2.7
19,405	25,619	2,129	2,440	23.5	20.9	25.9	21.6	27.2	16.3	17.1
355	472	44	39	0.4	0.4	0.5	0.4	0.5	0.3	0.3
17	30	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
339	442	40	34	0.4	0.4	0.4	0.4	0.5	0.3	0.2
31	37	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	7	—	—	0.0	0.0	0.0	0.0	0.0	—	—
29	30	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25,603	32,484	4,596	5,248	32.1	29.3	34.8	28.5	34.5	35.3	36.8
2,711	4,049	981	1,170	4.2	3.6	4.8	3.0	4.3	7.5	8.2
22,892	28,435	3,615	4,078	27.9	25.7	30.0	25.5	30.2	27.8	28.6
14,354	21,579	1,303	1,615	18.4	15.2	21.4	16.0	22.9	10.0	11.3
590	1,102	144	144	0.9	0.7	1.1	0.7	1.2	0.9	1.0
13,764	20,477	1,192	1,471	17.5	14.5	20.2	15.3	21.7	9.2	10.3
1,367	1,657	221	221	1.7	1.6	1.7	1.5	1.8	1.9	1.6
125	185	42	51	0.2	0.2	0.2	0.1	0.2	0.3	0.4
1,242	1,472	210	170	1.5	1.4	1.5	1.4	1.6	1.6	1.2
26,790	27,140	2,270	2,237	27.6	28.2	27.1	29.8	28.8	17.4	15.7
12,150	17,763	1,079	1,247	15.3	12.9	17.5	13.5	18.9	8.3	8.7
48	30	3	4	0.0	0.0	0.0	0.1	0.0	0.0	0.0
16	13	2	—	0.0	0.0	0.0	0.0	0.0	0.0	—
73	40	5	6	0.1	0.1	0.0	0.1	0.0	0.0	0.0
15	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11,998	17,674	1,068	1,235	15.1	12.7	17.4	13.3	18.8	8.2	8.7

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—CON.					
01	AORTIC ANEURYSM (NONSYPHILITIC)-----	441	14,038	10,037	4,001
02	DISSECTING ANEURYSM OF AORTA (ANY PART)-----	441.0	2,843	1,857	986
03	ANEURYSM OF THORACIC AORTA-----	441.1	1,259	772	487
04	ANEURYSM OF ABDOMINAL AORTA-----	441.2	6,616	5,071	1,545
05	UNSPECIFIED AORTIC ANEURYSM-----	441.9	3,320	2,337	983
06	OTHER ANEURYSMS-----	442	1,380	754	626
07	OTHER PERIPHERAL VASCULAR DISEASE-----	443	793	414	379
08	RAYNAUD'S SYNDROME-----	443.0	8	2	6
09	THROMBANGIITIS OBLITERANS (BUERGER'S DISEASE)-----	443.1	40	23	17
10	CHILBLAINS-----	443.2	1	1	-
11	OTHER-----	443.8	1	1	-
12	UNSPECIFIED-----	443.9	743	387	356
13	ARTERIAL EMBOLISM AND THROMBOSIS-----	444	5,674	2,481	3,193
14	OF ABDOMINAL AORTA-----	444.0	213	107	106
15	OF OTHER AORTAS-----	444.1	220	104	116
16	OF MESENTERIC ARTERY-----	444.2	3,730	1,547	2,183
17	OF RENAL ARTERY-----	444.3	91	45	46
18	OF ARTERIES OF THE EXTREMITIES-----	444.4	675	307	368
19	OF OTHER AND UNSPECIFIED ARTERIES-----	444.9	745	371	374
20	GANGRENE-----	445	2,957	1,390	1,567
21	ARTERIOSCLEROTIC GANGRENE-----	445.0	2,111	968	1,143
22	GANGRENE NOT ELSEWHERE CLASSIFIABLE-----	445.9	846	422	424
23	POLYARTERITIS NODOSA AND ALLIED CONDITIONS-----	446	569	293	276
24	POLYARTERITIS NODOSA-----	446.0	189	117	72
25	HEMORRHAGIC PULMONARY RENAL SYNDROME-----	446.1	39	24	15
26	OTHER HYPERSENSITIVITY ANGIITIS-----	446.2	62	27	35
27	WEGENER'S GRANULOMATOSIS-----	446.3	73	41	32
28	CRANIAL ARTERITIS-----	446.4	30	9	21
29	THROMBOTIC MICROANGIOPATHY-----	446.5	114	40	74
30	PULSELESS DISEASE-----	446.6	6	-	6
31	OTHER-----	446.9	56	35	21
32	OTHER DISEASES OF ARTERIES AND ARTERIOLES-----	447	751	441	310
33	DISEASES OF CAPILLARIES-----	448	36	21	15
34	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM-----	450-458	17,649	8,572	9,077
35	PULMONARY EMBOLISM AND INFARCTION-----	450	11,734	5,705	6,029
36	PHLEBITIS AND THROMBOPHLEBITIS-----	451	2,461	1,131	1,330
37	OF LOWER EXTREMITIES-----	451.0	1,272	589	683
38	OF OTHER AND UNSPECIFIED SITES-----	451.9	1,189	542	647
39	PORTAL VEIN THROMBOSIS-----	452	55	36	19
40	OTHER VENOUS EMBOLISM AND THROMBOSIS-----	453	1,556	696	860
41	VARICOSE VEINS OF LOWER EXTREMITIES-----	454	242	109	133
42	WITH ULCER-----	454.0	65	26	39
43	WITH STASIS DERMATITIS WITHOUT ULCER-----	454.1	3	1	2
44	OTHER AND UNSPECIFIED WITHOUT ULCER-----	454.9	174	82	92
45	HEMORRHOIDS-----	455	21	16	5
46	VARICOSE VEINS OF OTHER SITES-----	456	508	339	169
47	OF ESOPHAGUS-----	456.0	429	287	142
48	OF SCROTUM-----	456.1	-	-	-
49	OF OTHER SITES-----	456.9	79	52	27
50	NONINFECTIVE DISEASE OF LYMPHATIC CHANNELS-----	457	20	11	9
51	OTHER DISEASES OF CIRCULATORY SYSTEM-----	458	1,052	529	523
52	HYPOTENSION-----	458.0	152	87	65
53	OBSTRUCTION OF INFERIOR AND SUPERIOR VENA CAVA-----	458.1	13	8	5
54	OTHER AND UNSPECIFIED CIRCULATORY DISEASES-----	458.9	887	434	453
VIII. DISEASES OF THE RESPIRATORY SYSTEM					
55	ACUTE RESPIRATORY INFECTIONS, EXCEPT INFLUENZA-----	460-466	1,127	605	522
56	ACUTE NASOPHARYNGITIS (COMMON COLD)-----	460	24	14	10
57	ACUTE SINUSITIS-----	461	6	3	3
58	ACUTE MAXILLARY SINUSITIS-----	461.0	1	-	1
59	ACUTE FRONTAL SINUSITIS-----	461.1	2	-	2
60	OTHER AND UNSPECIFIED ACUTE SINUSITIS-----	461.9	3	3	-
61	ACUTE PHARYNGITIS-----	462	29	11	18
62	ACUTE TONSILLITIS-----	463	13	5	8
63	ACUTE LARYNGITIS AND TRACHEITIS-----	464	121	76	45
64	ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITES-----	465	184	88	96
65	ACUTE BRONCHITIS AND BRONCHIOLITIS-----	466	750	408	342
66	INFLUENZA-----	470-474	2,201	989	1,212
67	INFLUENZA, UNQUALIFIED-----	470	968	400	568
68	INFLUENZA WITH PNEUMONIA-----	471	1,115	524	591
69	INFLUENZA WITH OTHER RESPIRATORY MANIFESTATIONS-----	472	74	46	28
70	INFLUENZA WITH DIGESTIVE MANIFESTATIONS-----	473	28	14	14
71	INFLUENZA WITH NERVOUS MANIFESTATIONS-----	474	16	5	11
72	PNEUMONIA-----	480-486	52,576	28,798	23,778
73	VIRAL PNEUMONIA-----	480	1,275	610	665
74	PNEUMOCOCCAL PNEUMONIA-----	481	4,783	2,823	1,960
75	OTHER BACTERIAL PNEUMONIA-----	482	1,523	935	588
76	FRIEDLANDER'S BACILLUS-----	482.0	304	204	100
77	HEMOPHILUS INFLUENZAE-----	482.1	20	15	5
78	STREPTOCOCCUS-----	482.2	59	36	23
79	STAPHYLOCOCCUS-----	482.3	382	208	174
80	OTHER-----	482.9	758	472	286

SECTION 1 - GENERAL MORTALITY

1-127

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER			
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
9,484	3,636	553	365	6.6	9.7	3.7	10.5	3.9	4.2	2.6	01	
1,664	861	193	125	1.3	1.8	0.9	1.9	0.9	1.5	0.9	02	
687	424	85	63	0.6	0.7	0.4	0.8	0.5	0.7	0.4	03	
4,916	1,455	155	90	3.1	4.9	1.4	5.5	1.5	1.2	0.6	04	
2,217	896	120	87	1.6	2.3	0.9	2.5	1.0	0.9	0.6	05	
652	551	102	75	0.7	0.7	0.6	0.7	0.6	0.8	0.5	06	
365	338	49	41	0.4	0.4	0.3	0.4	0.4	0.4	0.3	07	
2	6	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	08	
21	16	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09	
1	-	-	-	0.0	0.0	0.0	0.0	-	-	-	10	
1	-	-	-	0.0	0.0	0.0	0.0	-	-	-	11	
340	316	47	40	0.4	0.4	0.3	0.4	0.3	0.4	0.3	12	
2,251	2,966	230	227	2.7	2.4	2.9	2.5	3.1	1.8	1.6	13	
101	104	6	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	14	
98	107	6	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1	15	
1,413	2,035	134	148	1.8	1.5	2.0	1.6	2.2	1.0	1.0	16	
39	41	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	
277	337	30	31	0.3	0.3	0.3	0.3	0.4	0.2	0.2	18	
323	342	48	32	0.4	0.4	0.3	0.4	0.4	0.4	0.2	19	
1,211	1,357	179	210	1.4	1.4	1.4	1.3	1.4	1.4	1.5	20	
874	1,019	94	124	1.0	0.9	1.1	1.0	1.1	0.7	0.9	21	
337	338	85	86	0.4	0.4	0.4	0.4	0.4	0.7	0.6	22	
266	243	27	33	0.3	0.3	0.3	0.3	0.3	0.2	0.2	23	
108	68	9	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	24	
23	15	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	25	
24	30	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	
38	30	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	
9	19	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	28	
30	59	10	15	0.1	0.0	0.1	0.0	0.1	0.1	0.1	29	
-	6	-	-	0.0	-	0.0	-	0.0	-	-	30	
34	16	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	
391	276	50	34	0.4	0.4	0.3	0.4	0.3	0.4	0.2	32	
20	10	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	
7,260	7,752	1,312	1,325	8.3	8.3	8.4	8.1	8.2	10.1	9.3	34	
4,769	5,099	936	930	5.6	5.5	5.6	5.3	5.4	7.2	6.5	35	
993	1,172	138	158	1.2	1.1	1.2	1.1	1.2	1.1	1.1	36	
518	610	71	73	0.6	0.6	0.6	0.6	0.6	0.5	0.5	37	
475	562	67	85	0.6	0.5	0.6	0.5	0.6	0.5	0.6	38	
35	18	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	
604	764	92	96	0.7	0.7	0.8	0.7	0.8	0.7	0.7	40	
101	110	8	23	0.1	0.1	0.1	0.1	0.1	0.1	0.2	41	
25	33	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	43	
75	75	7	17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	44	
11	5	5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	
294	146	45	23	0.2	0.3	0.2	0.3	0.2	0.3	0.2	46	
251	124	36	18	0.2	0.3	0.1	0.3	0.1	0.3	0.1	47	
-	-	-	-	-	-	-	-	-	-	-	48	
43	22	9	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0	49	
6	8	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	
447	430	82	93	0.5	0.5	0.5	0.5	0.5	0.6	0.7	51	
69	51	18	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	52	
6	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	
372	375	62	78	0.4	0.4	0.4	0.4	0.4	0.5	0.5	54	
514	441	91	81	0.5	0.6	0.5	0.6	0.5	0.7	0.6	55	
11	9	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56	
3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	57	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	58	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	59	
3	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-	60	
9	15	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61	
4	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62	
63	32	13	13	0.1	0.1	0.0	0.1	0.0	0.1	0.1	63	
73	80	15	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	64	
351	296	57	46	0.4	0.4	0.3	0.4	0.3	0.4	0.3	65	
905	1,144	84	68	1.0	1.0	1.1	1.0	1.2	0.6	0.5	66	
367	524	33	44	0.5	0.4	0.5	0.4	0.6	0.3	0.3	67	
481	569	43	22	0.5	0.5	0.5	0.5	0.6	0.3	0.2	68	
39	26	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	69	
13	14	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	70	
5	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-	71	
24,599	21,112	4,199	2,666	24.9	28.0	21.9	27.4	22.4	32.2	18.7	72	
509	578	101	87	0.6	0.6	0.6	0.6	0.6	0.8	0.6	73	
2,271	1,705	552	255	2.3	2.7	1.8	2.5	1.8	4.2	1.8	74	
779	498	156	90	0.7	0.9	0.5	0.9	0.5	1.2	0.6	75	
152	83	52	17	0.1	0.2	0.1	0.2	0.1	0.4	0.1	76	
14	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	77	
32	20	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78	
176	148	32	26	0.2	0.2	0.2	0.2	0.2	0.2	0.2	79	
405	244	67	42	0.4	0.5	0.3	0.5	0.3	0.5	0.3	80	

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
PNEUMONIA—CON.				
01	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISMS-----483	97	55	42
02	ACUTE INTERSTITIAL PNEUMONIA-----484	573	316	257
03	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED-----485	20,209	10,955	9,254
04	PNEUMONIA, UNSPECIFIED-----486	24,116	13,104	11,012
05 BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493				
06	BRONCHITIS, UNQUALIFIED-----490	680	368	312
07	CHRONIC BRONCHITIS-----491	4,417	3,193	1,224
08	EMPHYSEMA-----492	19,907	15,794	4,113
09	ASTHMA-----493	1,876	815	1,061
10 OTHER DISEASES OF UPPER RESPIRATORY TRACT-----500-508				
11	HYPERTROPHY OF TONSILS AND ADENOIDS-----500	36	21	15
12	PERITONSILLAR ABSCESS-----501	3	2	1
13	CHRONIC PHARYNGITIS AND NASOPHARYNGITIS-----502	2	2	-
14	CHRONIC PHARYNGITIS-----502.0	1	1	-
15	CHRONIC NASOPHARYNGITIS-----502.1	1	1	-
16	CHRONIC SINUSITIS-----503	34	14	20
17	MAXILLARY SINUSITIS (CHRONIC)-----503.0	2	2	-
18	FRONTAL SINUSITIS (CHRONIC)-----503.1	1	1	-
19	OTHER AND UNSPECIFIED SINUSITIS (CHRONIC)-----503.9	31	11	20
20	DEFLECTED NASAL SEPTUM-----504	2	2	-
21	NASAL POLYP-----505	-	-	-
22	CHRONIC LARYNGITIS-----506	2	-	2
23	HAY FEVER-----507	2	2	-
24	OTHER DISEASES OF UPPER RESPIRATORY TRACT-----508	386	227	159
25	PARALYSIS OF VOCAL CORDS OR LARYNX-----508.0	27	19	8
26	POLYP OF VOCAL CORDS OR LARYNX-----508.1	2	2	-
27	EDEMA OF LARYNX-----508.2	71	39	32
28	OTHER DISEASES OF VOCAL CORDS OR LARYNX NOT ELSEWHERE CLASSIFIABLE-----508.3	207	118	89
29	RETROPHARYNGEAL ABSCESS-----508.4	7	2	5
30	OTHER AND UNSPECIFIED DISEASES OF UPPER RESPIRATORY TRACT-----508.9	72	47	25
31 OTHER DISEASES OF RESPIRATORY SYSTEM-----510-519				
32	EMPHYSEMA-----510	338	221	117
33	PLEURISY-----511	387	206	181
34	WITHOUT MENTION OF EFFUSION OR TUBERCULOSIS-----511.0	91	58	33
35	WITH EFFUSION WITH MENTION OF A BACTERIAL CAUSE OTHER THAN TUBERCULOSIS-----511.1	1	1	-
36	OTHER SPECIFIED FORMS OF EFFUSION, EXCEPT TUBERCULOUS-----511.2	295	147	148
37	SPONTANEOUS PNEUMOTHORAX-----512	290	184	106
38	ABSCESS OF LUNG-----513	828	581	247
39	PULMONARY CONGESTION AND HYPOSTASIS-----514	995	486	509
40	PNEUMOCONIOSIS DUE TO SILICA AND SILICATES-----515	1,660	1,608	52
41	SILICOSIS-----515.0	242	241	1
42	ANTHRACOSILICOSIS-----515.1	997	989	8
43	ASBESTOSIS-----515.2	35	32	3
44	OTHER, INCLUDING PNEUMOCONIOSIS, UNSPECIFIED-----515.9	386	346	40
45	OTHER PNEUMOCONIOSES AND RELATED DISEASES-----516	14	12	2
46	DUE TO INHALATION OF OTHER INORGANIC DUST-----516.0	9	7	2
47	DUE TO INHALATION OF OTHER DUST-----516.1	4	4	-
48	DUE TO INHALATION OF FUMES-----516.2	1	1	-
49	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	3,054	1,856	1,198
50	BRONCHIECTASIS-----518	763	397	366
51	OTHER DISEASES OF RESPIRATORY SYSTEM-----519	17,723	13,162	4,561
52	PULMONARY COLLAPSE-----519.0	345	178	167
53	ACUTE EDEMA OF LUNG-----519.1	364	192	172
54	OTHER DISEASES OF LUNG-----519.2	1,977	1,342	635
55	CHRONIC OBSTRUCTIVE LUNG DISEASE WITHOUT MENTION OF ASTHMA, BRONCHITIS, OR EMPHYSEMA-----519.3	14,299	11,072	3,227
56	OTHER-----519.9	738	378	360
IX. DISEASES OF THE DIGESTIVE SYSTEM				
57 DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS-----520-529				
58	DISORDERS OF TOOTH DEVELOPMENT AND ERUPTION-----520	3	1	2
59	ANODONTIA-----520.0	-	-	-
60	SUPERNUMERARY TEETH-----520.1	-	-	-
61	ABNORMALITIES OF SIZE AND FORM-----520.2	-	-	-
62	MOTTLED TEETH-----520.3	-	-	-
63	ENAMEL HYPOPLASIA-----520.4	-	-	-
64	HEREDITARY DISTURBANCES IN TOOTH STRUCTURE NOT ELSEWHERE CLASSIFIABLE-----520.5	-	-	-
65	DISTURBANCES IN TOOTH ERUPTION-----520.6	3	1	2
66	TEETHING SYNDROME-----520.7	-	-	-
67	OTHER AND UNSPECIFIED-----520.9	-	-	-
68 DISEASES OF HARD TISSUES OF TEETH-----521				
69	DENTAL CARIES-----521.0	2	1	1
70	ATTRITION-----521.1	2	1	1
71	ABRASION-----521.2	-	-	-
72	EROSION-----521.3	-	-	-
73	RESORPTION-----521.4	-	-	-
74	HYPERCEMENTOSIS-----521.5	-	-	-
75	ANKYLOSIS-----521.6	-	-	-
76	POSTERUPTIVE COLOR CHANGES-----521.7	-	-	-
77	IRRADIATED ENAMEL-----521.8	-	-	-
78	OTHER AND UNSPECIFIED-----521.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS--CON.				
01	DISEASES OF PULP AND PERIAPICAL TISSUES-----522	8	6	2
02	PULPITIS-----522.0	-	-	-
03	NECROSIS OF THE PULP-----522.1	-	-	-
04	PULP DEGENERATIONS-----522.2	-	-	-
05	ABNORMAL HARD TISSUE FORMATION IN PULP-----522.3	-	-	-
06	ACUTE APICAL PERIODONTITIS-----522.4	2	1	1
07	PERIAPICAL ABSCESS-----522.5	6	5	1
08	CHRONIC APICAL PERIODONTITIS-----522.6	-	-	-
09	FISTULA FROM PERIAPICAL LESIONS-----522.7	-	-	-
10	RADICULAR CYST-----522.8	-	-	-
11	OTHER AND UNSPECIFIED-----522.9	-	-	-
12	PERIODONTAL DISEASES-----523	5	3	2
13	ACUTE GINGIVITIS-----523.0	-	-	-
14	CHRONIC GINGIVITIS-----523.1	2	1	1
15	GINGIVAL RECESSION-----523.2	-	-	-
16	ACUTE PERIODONTITIS-----523.3	2	2	-
17	CHRONIC PERIODONTITIS-----523.4	-	-	-
18	PERIODONTOSIS-----523.5	-	-	-
19	ACCRETIONS ON TEETH-----523.6	-	-	-
20	OTHER AND UNSPECIFIED-----523.9	1	-	1
21	DENTOFACIAL ANOMALIES, INCLUDING MALOCCLUSION-----524	5	4	1
22	MAJOR ANOMALIES OF JAW SIZE-----524.0	4	3	1
23	ANOMALIES OF JAW-CRANIAL BASE RELATIONSHIP-----524.1	-	-	-
24	ANOMALIES OF DENTAL ARCH RELATIONSHIP-----524.2	-	-	-
25	ANOMALIES OF TOOTH POSITION-----524.3	-	-	-
26	MALOCCLUSION, UNQUALIFIED-----524.4	-	-	-
27	DENTOFACIAL FUNCTIONAL ABNORMALITIES-----524.5	-	-	-
28	OTHER AND UNSPECIFIED-----524.9	1	1	-
29	OTHER DISEASES AND CONDITIONS OF THE TEETH AND SUPPORTING STRUCTURES-----525	16	5	11
30	ACQUIRED ABSENCE OF TEETH-----525.0	-	-	-
31	ATROPHY OF EDENTULOUS ALVEOLAR RIDGE-----525.1	-	-	-
32	OTHER AND UNSPECIFIED-----525.9	16	5	11
33	DISEASES OF THE JAWS-----526	11	8	3
34	DEVELOPMENTAL DENTAL CYSTS-----526.0	-	-	-
35	FISSURAL CYSTS-----526.1	-	-	-
36	OTHER CYSTS OF JAWS-----526.2	-	-	-
37	REPARATIVE GIANT CELL GRANULOMA-----526.3	-	-	-
38	INFLAMMATORY CONDITIONS-----526.4	5	3	2
39	ALVEOLITIS-----526.5	6	5	1
40	OTHER AND UNSPECIFIED-----526.9	-	-	-
41	DISEASES OF THE SALIVARY GLANDS-----527	49	15	34
42	ATROPHY-----527.0	-	-	-
43	HYPERTROPHY-----527.1	-	-	-
44	SIALOADENITIS-----527.2	44	13	31
45	ABSCESS-----527.3	3	1	2
46	FISTULA-----527.4	-	-	-
47	SIALOLITHIASIS-----527.5	1	1	-
48	MUCOCLE-----527.6	-	-	-
49	DISTURBANCES OF SALIVARY SECRETION-----527.7	-	-	-
50	SIALOSIS-----527.8	1	-	1
51	OTHER AND UNSPECIFIED-----527.9	-	-	-
52	DISEASES OF THE ORAL SOFT TISSUES, EXCLUDING GINGIVA AND TONGUE-----528	18	8	10
53	STOMATITIS-----528.0	-	-	-
54	CANCERUM ORIS-----528.1	1	-	1
55	ORAL APHTHOUS ULCERATIONS-----528.2	-	-	-
56	CELLULITIS AND ABSCESS-----528.3	6	2	4
57	CYSTS-----528.4	-	-	-
58	DISEASES OF LIPS-----528.5	1	1	-
59	LEUKOPLAKIA OF ORAL MUCOSA-----528.6	-	-	-
60	OTHER DISTURBANCES OF KERATINIZATION-----528.7	-	-	-
61	ORAL SUBMUCOUS FIBROSIS-----528.8	-	-	-
62	OTHER AND UNSPECIFIED-----528.9	10	5	5
63	DISEASES OF THE TONGUE AND OTHER ORAL CONDITIONS-----529	1	1	-
64	GLOSSITIS-----529.0	1	1	-
65	GEOGRAPHIC TONGUE-----529.1	-	-	-
66	MEDIAN RHOMBOID GLOSSITIS-----529.2	-	-	-
67	HYPERTROPHY OF TONGUE PAPILLAE-----529.3	-	-	-
68	ATROPHY OF TONGUE PAPILLAE-----529.4	-	-	-
69	PLICATED TONGUE-----529.5	-	-	-
70	GLOSSODYNIA-----529.6	-	-	-
71	LEUKOPLAKIA AND OTHER DISTURBANCES OF KERATINIZATION OF THE TONGUE-----529.7	-	-	-
72	OTHER AND UNSPECIFIED-----529.9	-	-	-
73	DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM-----530-537	10,177	6,416	3,761
74	DISEASES OF ESOPHAGUS-----530	1,104	711	393
75	FUNCTIONAL DISORDERS OF ESOPHAGUS-----530.0	60	37	23
76	INFLAMMATORY DISEASES OF ESOPHAGUS-----530.1	282	186	96
77	DIVERTICULUM OF ESOPHAGUS, ACQUIRED-----530.2	29	16	13
78	OBSTRUCTION OF ESOPHAGUS-----530.3	254	133	121
79	RUPTURE OF ESOPHAGUS-----530.4	172	121	51
80	OTHER-----530.9	307	218	89
81	ULCER OF STOMACH-----531	3,050	1,775	1,275
82	WITH HEMORRHAGE ONLY-----531.0	1,765	1,068	697
83	WITH PERFORATION ONLY-----531.1	701	380	321
84	WITH HEMORRHAGE AND PERFORATION-----531.2	147	81	66
85	OTHER AND UNSPECIFIED-----531.9	437	246	191
86	ULCER OF DUODENUM-----532	3,048	2,072	976
87	WITH HEMORRHAGE ONLY-----532.0	1,584	1,128	456
88	WITH PERFORATION ONLY-----532.1	931	569	362
89	WITH HEMORRHAGE AND PERFORATION-----532.2	164	119	45
90	OTHER AND UNSPECIFIED-----532.9	369	256	113

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
4	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
3	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	2	3	-	0.0	0.0	0.0	-	0.0	0.0	-	
-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-	
-	-	2	-	0.0	0.0	-	-	-	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
3	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
3	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
3	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
5	2	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
15	33	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
13	30	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	0.0	0.0	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
6	9	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
1	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	-	-	-	0.0	0.0	-	-	-	-	-	
4	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	-	-	-	0.0	0.0	-	-	-	-	-	
1	-	-	-	0.0	0.0	-	-	-	-	-	
4	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	-	-	-	0.0	0.0	-	-	-	-	-	
1	-	-	-	0.0	0.0	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
5,712	3,446	704	315	4.8	6.2	3.5	6.4	3.7	5.4	2.2	
630	354	81	39	0.5	0.7	0.4	0.7	0.4	0.6	0.3	
34	19	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
170	85	16	11	0.1	0.2	0.1	0.2	0.1	0.1	0.1	
16	13	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
118	116	15	5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
107	42	14	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
185	79	33	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
1,571	1,175	204	100	1.4	1.7	1.2	1.7	1.2	1.6	0.7	
950	648	118	49	0.8	1.0	0.6	1.1	0.7	0.9	0.3	
329	292	51	29	0.3	0.4	0.3	0.4	0.3	0.4	0.2	
71	63	10	3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
221	172	25	19	0.2	0.2	0.2	0.2	0.2	0.2	0.1	
1,881	907	191	69	1.4	2.0	0.9	2.1	1.0	1.5	0.5	
1,033	429	95	27	0.7	1.1	0.4	1.1	0.5	0.7	0.2	
502	330	67	3	0.4	0.6	0.3	0.6	0.4	0.5	0.2	
109	42	10	3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
237	106	19	7	0.2	0.2	0.1	0.3	0.1	0.1	0.0	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM—CON.				
01	PEPTIC ULCER, SITE UNSPECIFIED.....533	971	622	349
02	WITH PERFORATION.....533.0	451	280	171
03	WITHOUT MENTION OF PERFORATION.....533.9	520	342	178
04	GASTROJEJUNAL ULCER.....534	751	486	265
05	WITH HEMORRHAGE ONLY.....534.0	677	436	241
06	WITH PERFORATION ONLY.....534.1	35	27	8
07	WITH HEMORRHAGE AND PERFORATION.....534.2	21	10	11
08	OTHER AND UNSPECIFIED.....534.9	18	13	5
09	GASTRITIS AND DUODENITIS.....535	581	348	233
10	DISORDERS OF FUNCTION OF STOMACH.....536	120	55	65
11	DISORDERS OF GASTRIC SECRETION.....536.0	4	1	3
12	DISORDERS OF GASTRIC MOTILITY.....536.1	80	39	41
13	OTHER.....536.9	36	15	21
14	OTHER DISEASES OF STOMACH AND DUODENUM.....537	552	347	205
15	PULVIC STENOSIS, ACQUIRED.....537.0	92	57	35
16	OTHER AND UNSPECIFIED.....537.9	460	290	170
17	APPENDICITIS.....540-543	864	513	351
18	ACUTE APPENDICITIS.....540	791	462	329
19	WITH PERITONITIS.....540.0	740	432	308
20	WITHOUT MENTION OF PERITONITIS.....540.9	51	30	21
21	APPENDICITIS, UNQUALIFIED.....541	70	49	21
22	OTHER APPENDICITIS.....542	1	-	1
23	OTHER DISEASES OF APPENDIX.....543	2	2	-
24	HERNIA OF ABDOMINAL CAVITY.....550-553	2,447	1,131	1,316
25	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION.....550	98	91	7
26	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION.....551	1,167	514	653
27	FEMORAL.....551.0	9	3	6
28	UMBILICAL.....551.1	109	57	52
29	VENTRAL.....551.2	115	35	80
30	DIAPHRAGMATIC.....551.3	778	321	457
31	OF OTHER SPECIFIED SITE.....551.8	18	5	13
32	OF UNSPECIFIED SITE.....551.9	138	93	45
33	INGUINAL HERNIA WITH OBSTRUCTION.....552	335	253	82
34	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION.....553	847	273	574
35	FEMORAL.....553.0	144	33	111
36	UMBILICAL.....553.1	92	25	67
37	VENTRAL.....553.2	200	40	160
38	DIAPHRAGMATIC.....553.3	91	30	61
39	OF OTHER SPECIFIED SITE.....553.8	100	33	67
40	OF UNSPECIFIED SITE.....553.9	220	112	108
41	OTHER DISEASES OF INTESTINE AND PERITONEUM.....560-569	15,366	6,980	8,386
42	INTESTINAL OBSTRUCTIONS WITHOUT MENTION OF HERNIA.....560	4,059	1,615	2,444
43	INTUSSUSCEPTION.....560.0	62	35	27
44	PARALYTIC ILEUS.....560.1	275	130	145
45	VOLVULUS.....560.2	815	381	434
46	IMPACTION OF INTESTINE.....560.3	149	43	106
47	ADHESIONS WITH OBSTRUCTION.....560.4	454	162	292
48	OTHER AND UNSPECIFIED.....560.9	2,304	864	1,440
49	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	59	34	25
50	DIVERTICULA OF INTESTINE.....562	3,136	1,182	1,954
51	SMALL INTESTINE.....562.0	44	22	22
52	COLON.....562.1	3,092	1,160	1,932
53	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,035	428	607
54	REGIONAL ENTERITIS.....563.0	365	138	227
55	ULCERATIVE COLITIS.....563.1	596	262	334
56	OTHER.....563.9	74	28	46
57	FUNCTIONAL DISORDERS OF INTESTINES.....564	87	32	55
58	CONSTIPATION.....564.0	17	7	10
59	IRRITABLE COLON.....564.1	51	20	31
60	OTHER.....564.9	19	5	14
61	ANAL FISSURE AND FISTULA.....565	4	1	3
62	ANAL FISSURE.....565.0	1	-	1
63	ANAL FISTULA.....565.1	3	1	2
64	ABSCESS OF ANAL AND RECTAL REGIONS.....566	115	67	48
65	PERITONITIS.....567	1,123	572	551
66	WITH ABSCESS.....567.0	282	158	124
67	UNSPECIFIED.....567.9	841	414	427
68	PERITONEAL ADHESIONS.....568	135	54	81
69	OTHER DISEASES OF INTESTINES AND PERITONEUM.....569	5,613	2,995	2,618
70	PROCTITIS.....569.0	9	3	6
71	PROLAPSE OF RECTUM.....569.1	16	5	11
72	OTHER RECTAL AND ANAL DISEASES.....569.2	175	81	94
73	FISTULA OF INTESTINE.....569.3	256	118	138
74	PERFORATION OR ULCERATION OF INTESTINE NOT OTHERWISE SPECIFIED.....569.4	618	316	302
75	OTHER.....569.9	4,539	2,472	2,067
76	DISEASES OF LIVER, GALLBLADDER, AND PANCREAS.....570-577	44,223	27,405	16,818
77	ACUTE AND SUBACUTE NECROSIS OF LIVER.....570	516	226	290
78	CIRRHOSIS OF LIVER.....571	33,719	21,806	11,913
79	ALCOHOLIC.....571.0	13,151	9,197	3,954
80	OTHER SPECIFIED.....571.8	5,025	2,944	2,081
81	UNSPECIFIED.....571.9	15,143	9,665	5,478
82	SUPPURATIVE HEPATITIS AND LIVER ABSCESS.....572	160	101	59

SECTION 1 - GENERAL MORTALITY

1-133

by Color and Sex: United States, 1974-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix.]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
546	315	76	34	0.5	0.6	0.3	0.6	0.3	0.6	0.2	0.1
241	159	39	12	0.2	0.2	0.2	0.3	0.2	0.3	0.1	0.1
305	156	37	22	0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.2
431	241	55	24	0.4	0.5	0.2	0.5	0.3	0.4	0.2	0.2
387	219	49	22	0.3	0.4	0.2	0.4	0.2	0.4	0.2	0.2
26	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	10	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
293	205	55	28	0.3	0.3	0.2	0.3	0.2	0.4	0.2	0.2
48	59	7	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1	2	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34	38	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	19	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
312	190	35	15	0.3	0.3	0.2	0.3	0.2	0.3	0.1	0.1
48	33	9	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0
264	157	26	13	0.2	0.3	0.2	0.3	0.2	0.2	0.1	0.1
416	299	97	52	0.4	0.5	0.3	0.5	0.3	0.7	0.4	0.4
373	279	89	50	0.4	0.4	0.3	0.4	0.3	0.7	0.4	0.4
349	260	83	48	0.4	0.4	0.3	0.4	0.3	0.6	0.3	0.3
24	19	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41	20	8	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
-	-	-	1	0.0	-	0.0	-	-	-	-	0.0
2	-	-	-	0.0	0.0	-	0.0	-	-	-	0.0
1,008	1,203	123	113	1.2	1.1	1.2	1.1	1.3	0.9	0.8	2.4
81	6	10	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0
461	602	53	51	0.6	0.5	0.6	0.5	0.6	0.4	0.4	0.4
2	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52	47	5	5	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
35	71	-	9	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.2
290	427	31	30	0.4	0.3	0.4	0.3	0.5	0.2	0.2	0.2
5	11	-	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
77	40	16	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.0
223	77	30	5	0.2	0.2	0.1	0.2	0.1	0.2	0.0	0.0
243	518	30	56	0.4	0.3	0.5	0.3	0.5	0.2	0.4	0.4
32	105	1	6	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
23	57	2	10	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0
36	138	4	27	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
29	60	1	1	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0
28	60	5	7	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0
95	98	17	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6,050	7,504	930	882	7.3	6.8	7.7	6.7	8.0	7.1	6.2	4.1
1,336	2,189	279	255	1.9	1.6	2.3	1.5	2.3	2.1	1.8	4.2
23	23	12	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
109	135	21	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
311	392	70	42	0.4	0.4	0.4	0.3	0.4	0.5	0.3	0.3
41	98	2	8	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.1
138	248	24	44	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3
714	1,293	150	147	1.1	0.8	1.3	0.8	1.4	1.2	1.0	4.8
23	19	11	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
1,100	1,803	82	151	1.5	1.1	1.8	1.2	1.9	0.6	1.1	5.0
20	19	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1,080	1,784	80	148	1.5	1.1	1.8	1.2	1.9	0.6	1.0	5.2
399	582	29	25	0.5	0.4	0.6	0.4	0.6	0.2	0.2	0.3
130	218	8	9	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.1
248	322	14	12	0.3	0.3	0.3	0.3	0.3	0.1	0.1	0.1
21	42	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
29	47	3	8	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1
7	9	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0
18	27	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	11	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0
-	1	-	-	0.0	-	0.0	-	0.0	-	-	0.0
1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0
52	35	15	13	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.1
479	466	93	85	0.5	0.6	0.5	0.5	0.5	0.7	0.6	0.6
129	106	29	18	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1
350	360	64	67	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.6
43	71	11	10	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1
2,588	2,290	407	328	2.7	2.9	2.4	2.9	2.4	3.1	2.3	6.9
2	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-	0.0
71	72	10	22	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
107	113	11	25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
271	269	45	33	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2
2,132	1,820	340	247	2.1	2.4	1.9	2.4	1.9	2.6	1.7	7.5
23,037	13,986	4,368	2,832	20.9	26.6	15.5	25.6	14.8	33.5	19.9	7.6
186	228	40	62	0.2	0.2	0.3	0.2	0.2	0.3	0.4	0.7
18,322	9,421	3,484	2,092	15.8	21.2	10.6	20.4	10.0	26.7	14.7	7.8
7,516	3,053	1,681	901	6.2	8.9	3.6	8.4	3.2	12.9	6.3	7.9
2,301	1,636	643	445	2.4	2.9	1.9	2.6	1.7	4.9	3.1	8.0
8,505	4,732	1,160	746	7.2	9.4	5.1	9.5	5.0	8.9	5.2	8.1
75	46	26	13	0.1	0.1	0.1	0.1	0.0	0.2	0.1	0.2

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
DISEASES OF LIVER, GALLBLADDER, AND PANCREAS—CON.					
01	OTHER DISEASES OF LIVER	573	2,819	1,555	1,264
02	HEPATITIS NOT OTHERWISE SPECIFIED	573.0	574	253	321
03	OTHER AND UNSPECIFIED	573.9	2,245	1,302	943
04	CHOLELITHIASIS	574	1,735	735	1,000
05	WITH ACUTE CHOLECYSTITIS	574.0	277	115	162
06	WITH OTHER CHOLECYSTITIS	574.1	669	279	390
07	OTHER AND UNSPECIFIED	574.9	789	341	448
08	CHOLECYSTITIS AND CHOLANGITIS, WITHOUT MENTION OF CALCULUS	575	1,459	659	800
09	OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS	576	1,289	559	730
10	OBSTRUCTION	576.0	534	247	287
11	FISTULA	576.1	39	21	18
12	OTHER AND UNSPECIFIED	576.9	716	291	425
13	DISEASES OF PANCREAS	577	2,926	1,764	1,162
14	ACUTE PANCREATITIS	577.0	2,504	1,481	1,023
15	CHRONIC PANCREATITIS	577.1	253	172	81
16	OTHER DISEASES OF PANCREAS	577.9	169	111	58
X. DISEASES OF THE GENITOURINARY SYSTEM					
17	NEPHRITIS AND NEPHROSIS	580-584	8,068	4,328	3,740
18	ACUTE NEPHRITIS	580	1,233	669	564
19	NEPHROTIC SYNDROME	581	308	169	139
20	CHRONIC NEPHRITIS	582	5,832	3,127	2,705
21	NEPHRITIS, UNQUALIFIED	583	602	305	297
22	RENAL SCLEROSIS, UNQUALIFIED	584	93	58	35
23	OTHER DISEASES OF URINARY SYSTEM	590-599	15,439	7,702	7,737
24	INFECTIONS OF KIDNEY	590	5,451	2,311	3,140
25	CHRONIC PYELONEPHRITIS	590.0	3,035	1,268	1,767
26	OTHER PYELONEPHRITIS, PYELITIS, AND PYELOCYSTITIS	590.1	2,208	943	1,265
27	ABSCESS OF KIDNEY AND PERIRENAL TISSUE	590.2	99	43	56
28	OTHER	590.9	109	57	52
29	HYDRONEPHROSIS	591	164	102	62
30	CALCULUS OF KIDNEY AND URETER	592	592	278	314
31	OTHER DISEASES OF KIDNEY AND URETER	593	5,170	2,805	2,365
32	RENAL DWARFISM	593.0	-	-	-
33	ACUTE TUBULAR NEPHROSIS	593.1	325	183	142
34	OTHER RENAL DISEASE	593.2	4,692	2,532	2,160
35	OBSTRUCTION OF URETER NOT ELSEWHERE CLASSIFIABLE	593.3	119	68	51
36	HYDRO-URETER	593.4	13	9	4
37	OTHER DISEASES OF URETER	593.5	21	13	8
38	CALCULUS OF OTHER PARTS OF URINARY SYSTEM	594	54	37	17
39	CYSTITIS	595	276	121	155
40	OTHER DISEASES OF BLADDER	596	330	219	111
41	FISTULA OF BLADDER	596.0	67	30	37
42	DIVERTICULUM OF BLADDER (ACQUIRED)	596.1	12	12	-
43	CONTRACTURE OF BLADDER (SPHINCTER)	596.2	66	60	6
44	PARALYSIS OF BLADDER	596.3	2	2	-
45	OTHER AND UNSPECIFIED DISEASES OF BLADDER	596.9	183	115	68
46	URETHRITIS (NONVENEREAL)	597	3	2	1
47	STRICTURE OF URETHRA	598	94	92	2
48	OTHER DISEASES OF URINARY TRACT	599	3,305	1,735	1,570
49	URINARY TRACT INFECTION NOT ELSEWHERE CLASSIFIABLE	599.0	2,988	1,467	1,521
50	FISTULA, URINARY, NOT ELSEWHERE CLASSIFIABLE	599.1	7	5	2
51	CARUNCLE OF URETHRA	599.2	1	-	1
52	OTHER AND UNSPECIFIED DISEASES OF URINARY TRACT	599.9	309	263	46
53	DISEASES OF MALE GENITAL ORGANS	600-607	1,969	1,969	...
54	HYPERPLASIA OF PROSTATE	600	1,377	1,377	...
55	PROSTATITIS	601	120	120	...
56	OTHER DISEASES OF PROSTATE	602	307	307	...
57	HYDROCELE	603	2	2	...
58	ORCHITIS AND EPIDIDYMITIS	604	8	8	...
59	REDUNDANT PREPUCE AND PHIMOSIS	605	3	3	...
60	STERILITY, MALE	606	-	-	...
61	OTHER DISEASES OF MALE GENITAL ORGANS	607	152	152	...
62	LEUKOPLAKIA OF PENIS	607.0	-	-	...
63	ERYTHROPLASIA OF PENIS	607.1	-	-	...
64	CHRONIC ULCERATION OF PENIS	607.2	-	-	...
65	BALANITIS	607.3	1	1	...
66	SEMINAL VESICULITIS	607.4	-	-	...
67	OTHER INFLAMMATORY DISEASES	607.5	30	30	...
68	SPERMATOCELE	607.6	-	-	...
69	TORSION OF TESTIS	607.7	-	-	...
70	ATROPHY OF TESTICLE	607.8	-	-	...
71	OTHER	607.9	121	121	...
72	DISEASES OF BREAST, OVARY, FALLOPIAN TUBE, AND PARAMETRIUM	610-616	230	1	229
73	CHRONIC CYSTIC DISEASE OF BREAST	610	-	-	-
74	OTHER DISEASES OF BREAST	611	23	1	22
75	ACUTE MASTITIS NOT ASSOCIATED WITH LACTATION	611.0	1	-	1
76	HYPERTROPHY OF BREAST	611.1	-	-	-
77	FISSURE OF NIPPLE	611.2	-	-	-
78	OTHER	611.9	22	1	21

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH	TOTAL		
	BOTH SEXES	MALE	FEMALE
DISEASES OF BREAST, OVARY, FALLOPIAN TUBE, AND PARAMETRIUM--CON.			
01 ACUTE SALPINGITIS AND OOPHORITIS.....612	1	...	1
02 CHRONIC SALPINGITIS AND OOPHORITIS.....613	-	...	-
03 SALPINGITIS AND OOPHORITIS, UNQUALIFIED.....614	48	...	48
04 OTHER DISEASES OF OVARY AND FALLOPIAN TUBE.....615	14	...	14
05 PROLAPSE OF OVARY.....615.0	1	...	1
06 HYDROSALPINX.....615.1	2	...	2
07 OVARIAN CYST, RETENTION.....615.2	3	...	3
08 OTHER.....615.9	10	...	10
09 DISEASES OF PARAMETRIUM AND PELVIC PERITONEUM (FEMALE).....616	142	...	142
10 PELVIC INFLAMMATORY DISEASE.....616.0	132	...	132
11 PELVIC PERITONEAL ADHESIONS, FEMALE.....616.1	4	...	4
12 PELVIC CONGESTION, FEMALE.....616.2	2	...	2
13 OTHER.....616.9	4	...	4
14 DISEASES OF UTERUS AND OTHER FEMALE GENITAL ORGANS.....620-629	362	...	362
15 INFECTIVE DISEASES OF CERVIX UTERI.....620	1	...	1
16 CHRONIC CERVICITIS.....620.0	-	...	-
17 OTHER CERVICITIS.....620.9	1	...	1
18 OTHER DISEASES OF CERVIX.....621	4	...	4
19 LEUKOPLAKIA OF CERVIX.....621.0	-	...	-
20 ERYTHROPLASIA OF CERVIX.....621.1	-	...	-
21 HYPERPLASTIC ENDOMETRITIS OF CERVIX.....621.2	-	...	-
22 CHRONIC EROSION AND ULCERATION OF CERVIX.....621.3	1	...	1
23 OLD LACERATION OF CERVIX.....621.4	-	...	-
24 STRICTURE OF CERVIX.....621.5	1	...	1
25 ATROPHY OF CERVIX.....621.6	-	...	-
26 OTHER.....621.9	2	...	2
27 INFECTIVE DISEASES OF UTERUS (EXCEPT CERVIX), VAGINA, AND VULVA.....622	18	...	18
28 INFECTIVE DISEASES OF UTERUS, EXCEPT CERVIX.....622.0	10	...	10
29 VAGINITIS AND VULVITIS.....622.1	8	...	8
30 UTEROVAGINAL PROLAPSE.....623	39	...	39
31 CYSTOCELE.....623.0	13	...	13
32 RECTOCELE.....623.1	3	...	3
33 URETHROCELE.....623.2	-	...	-
34 VAGINAL ENTEROCELE.....623.3	-	...	-
35 UTERINE PROLAPSE.....623.4	21	...	21
36 OTHER AND UNSPECIFIED.....623.9	2	...	2
37 MALPOSITION OF UTERUS.....624	1	...	1
38 RETROVERSION AND RETROFLEXION.....624.0	-	...	-
39 OTHER.....624.1	-	...	-
40 UNSPECIFIED.....624.9	1	...	1
41 OTHER DISEASES OF UTERUS.....625	152	...	152
42 ATROPHY OF UTERUS.....625.0	-	...	-
43 SUBINVOLUTION OF UTERUS.....625.1	-	...	-
44 HYPERPLASIA OF ENDOMETRIUM.....625.2	3	...	3
45 ENDOMETRIOSIS.....625.3	7	...	7
46 OTHER.....625.9	142	...	142
47 DISORDERS OF MENSTRUATION.....626	19	...	19
48 ABSENT.....626.0	-	...	-
49 SCANTY.....626.1	-	...	-
50 EXCESSIVE.....626.2	3	...	3
51 PAINFUL.....626.3	-	...	-
52 FREQUENT.....626.4	-	...	-
53 IRREGULAR.....626.5	-	...	-
54 INTERMENSTRUAL BLEEDING.....626.6	4	...	4
55 POSTMENOPAUSAL BLEEDING.....626.7	2	...	2
56 OTHER.....626.9	10	...	10
57 MENOPAUSAL SYMPTOMS.....627	-	...	-
58 STERILITY, FEMALE.....628	-	...	-
59 OTHER DISEASES OF FEMALE GENITAL ORGANS.....629	128	...	128
60 LEUKOPLAKIA OF VAGINA.....629.0	-	...	-
61 ERYTHROPLASIA OF VAGINA AND VULVA.....629.1	-	...	-
62 KRAUROSIS OF VULVA.....629.2	-	...	-
63 LEUKORRHEA.....629.3	-	...	-
64 UNSPECIFIED INFECTION.....629.4	67	...	67
65 VAGINAL BLEEDING.....629.5	15	...	15
66 OLD LACERATION.....629.6	-	...	-
67 STRICTURE OR ATRESIA OF VAGINA AND HYMEN.....629.7	-	...	-
68 RECTOVAGINAL FISTULA.....629.8	21	...	21
69 OTHER.....629.9	25	...	25
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM			
70 COMPLICATIONS OF PREGNANCY.....630-634	97	...	97
71 INFECTIONS OF GENITAL TRACT DURING PREGNANCY.....630	3	...	3
72 ECTOPIC PREGNANCY.....631	51	...	51
73 ABDOMINAL PREGNANCY WITH SEPSIS.....631.0	-	...	-
74 TUBAL PREGNANCY WITH SEPSIS.....631.1	-	...	-
75 OVARIAN PREGNANCY WITH SEPSIS.....631.2	-	...	-
76 OTHER OR UNSPECIFIED ECTOPIC PREGNANCY WITH SEPSIS.....631.3	-	...	-
77 ABDOMINAL PREGNANCY WITHOUT MENTION OF SEPSIS.....631.4	1	...	1
78 TUBAL PREGNANCY WITHOUT MENTION OF SEPSIS.....631.5	26	...	26
79 OVARIAN PREGNANCY WITHOUT MENTION OF SEPSIS.....631.6	-	...	-
80 OTHER OR UNSPECIFIED ECTOPIC PREGNANCY WITHOUT MENTION OF SEPSIS.....631.9	24	...	24
81 HEMORRHAGE OF PREGNANCY.....632	7	...	7
82 PLACENTA PREVIA.....632.0	-	...	-
83 PREMATURE SEPARATION OF PLACENTA.....632.1	2	...	2
84 HEMORRHAGE FROM MARGINAL SINUS.....632.2	-	...	-
85 THREATENED ABORTION.....632.3	-	...	-
86 DUE TO APBIRINOGENEMIA.....632.4	3	...	3
87 OTHER AND UNSPECIFIED.....632.9	2	...	2

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
...	-	...	1	0.0	...	0.0	...	-	...	0.0	01	
...	26	...	22	0.0	...	0.0	...	0.0	...	0.0	02	
...	13	...	3	0.0	...	0.0	...	0.0	...	0.2	03	
...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	04	
...	2	...	1	0.0	...	0.0	...	0.0	...	-	05	
...	8	...	-	0.0	...	0.0	...	0.0	...	0.0	06	
...	105	...	37	0.1	...	0.1	...	0.1	...	0.0	07	
...	97	...	35	0.1	...	0.1	...	0.1	...	0.3	08	
...	3	...	1	0.0	...	0.0	...	0.0	...	0.2	09	
...	2	...	-	0.0	...	0.0	...	0.0	...	0.0	10	
...	3	...	1	0.0	...	0.0	...	0.0	...	-	11	
...	297	...	65	0.2	...	0.3	...	0.3	...	0.0	12	
...	1	...	-	0.0	...	0.0	...	0.0	...	0.5	13	
...	-	...	-	0.0	...	0.0	...	0.0	...	-	14	
...	1	...	-	0.0	...	0.0	...	0.0	...	-	15	
...	1	...	3	0.0	...	0.0	...	0.0	...	-	16	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	17	
...	-	...	-	0.0	...	0.0	...	0.0	...	-	18	
...	1	...	-	0.0	...	0.0	...	0.0	...	-	19	
...	-	...	-	0.0	...	0.0	...	0.0	...	-	20	
...	-	...	1	0.0	...	0.0	...	0.0	...	-	21	
...	-	...	-	0.0	...	0.0	...	0.0	...	-	22	
...	-	...	1	0.0	...	0.0	...	0.0	...	0.0	23	
...	-	...	2	0.0	...	0.0	...	0.0	...	0.0	24	
...	15	...	3	0.0	...	0.0	...	0.0	...	0.0	25	
...	10	...	3	0.0	...	0.0	...	0.0	...	0.0	26	
...	5	...	3	0.0	...	0.0	...	0.0	...	0.0	27	
...	35	...	4	0.0	...	0.0	...	0.0	...	0.0	28	
...	12	...	1	0.0	...	0.0	...	0.0	...	0.0	29	
...	2	...	1	0.0	...	0.0	...	0.0	...	0.0	30	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	31	
...	19	...	2	0.0	...	0.0	...	0.0	...	0.0	32	
...	2	...	-	0.0	...	0.0	...	0.0	...	0.0	33	
...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	34	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	35	
...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	36	
...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	37	
...	117	...	35	0.1	...	0.1	...	0.1	...	0.2	38	
...	-	...	-	0.0	...	0.0	...	0.0	...	-	39	
...	2	...	1	0.0	...	0.0	...	0.0	...	0.0	40	
...	5	...	2	0.0	...	0.0	...	0.0	...	0.0	41	
...	110	...	32	0.1	...	0.1	...	0.1	...	0.2	42	
...	16	...	3	0.0	...	0.0	...	0.0	...	0.0	43	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	44	
...	3	...	-	0.0	...	0.0	...	0.0	...	0.0	45	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	46	
...	4	...	-	0.0	...	0.0	...	0.0	...	0.0	47	
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	48	
...	8	...	2	0.0	...	0.0	...	0.0	...	0.0	49	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	50	
...	111	...	17	0.1	...	0.1	...	0.1	...	0.1	51	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	52	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	53	
...	58	...	9	0.0	...	0.1	...	0.1	...	0.1	54	
...	13	...	2	0.0	...	0.0	...	0.0	...	0.0	55	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	56	
...	20	...	1	0.0	...	0.0	...	0.0	...	0.0	57	
...	20	...	5	0.0	...	0.0	...	0.0	...	0.0	58	
...	46	...	51	0.0	...	0.1	...	0.0	...	0.4	59	
...	3	...	-	0.0	...	0.0	...	0.0	...	-	60	
...	20	...	31	0.0	...	0.0	...	0.0	...	0.2	61	
...	-	...	-	0.0	...	0.0	...	0.0	...	-	62	
...	-	...	-	0.0	...	0.0	...	0.0	...	-	63	
...	-	...	1	0.0	...	0.0	...	0.0	...	0.0	64	
...	9	...	17	0.0	...	0.0	...	0.0	...	0.1	65	
...	11	...	13	0.0	...	0.0	...	0.0	...	0.1	66	
...	4	...	3	0.0	...	0.0	...	0.0	...	0.0	67	
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	68	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	69	
...	2	...	1	0.0	...	0.0	...	0.0	...	0.0	70	
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	71	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
COMPLICATIONS OF PREGNANCY--CON.				
01	ANEMIA OF PREGNANCY-----633	1	...	1
02	MACROCYTIC ANEMIA OF PREGNANCY-----633.0	-	...	-
03	IRON DEFICIENCY ANEMIA OF PREGNANCY-----633.1	-	...	-
04	OTHER AND UNSPECIFIED ANEMIAS OF PREGNANCY-----633.9	1	...	1
05	OTHER COMPLICATIONS OF PREGNANCY-----634	35	...	35
06	HYDATIDIFORM MOLE-----634.0	4	...	4
07	PLACENTAL ABNORMALITIES NOT ELSEWHERE CLASSIFIABLE-----634.1	-	...	-
08	MISSED ABORTION AND MISSED DELIVERY-----634.2	5	...	5
09	HYOPANNIOS-----634.3	1	...	1
10	PREMATURE RUPTURE OF MEMBRANE WITHOUT DELIVERY-----634.4	1	...	1
11	RH INCOMPATIBILITY-----634.5	-	...	-
12	HABITUAL ABORTER, UNDELIVERED-----634.6	-	...	-
13	FALSE LABOR-----634.7	-	...	-
14	AIR EMBOLISM DURING PREGNANCY-----634.8	4	...	4
15	OTHER-----634.9	20	...	20
16	URINARY INFECTIONS AND TOXEMIAS OF PREGNANCY AND THE PUERPERIUM-----635-639	91	...	91
17	URINARY INFECTIONS ARISING DURING PREGNANCY AND THE PUERPERIUM-----635	-	...	-
18	PYELITIS AND PYELONEPHRITIS-----635.0	-	...	-
19	CYSTITIS-----635.1	-	...	-
20	OTHER AND UNSPECIFIED-----635.9	-	...	-
21	RENAL DISEASES ARISING DURING PREGNANCY AND THE PUERPERIUM-----636	3	...	3
22	PREECLAMPSIA, ECLAMPSIA, AND TOXEMIA, UNSPECIFIED-----637	79	...	79
23	PREECLAMPSIA-----637.0	19	...	19
24	ECLAMPSIA-----637.1	40	...	40
25	TOXEMIA, UNSPECIFIED-----637.9	20	...	20
26	HYPEREMESIS GRAVIDARUM-----638	-	...	-
27	WITH NEURITIS-----638.0	-	...	-
28	WITHOUT MENTION OF NEURITIS-----638.9	-	...	-
29	OTHER TOXEMIAS OF PREGNANCY AND THE PUERPERIUM-----639	9	...	9
30	ACUTE AND SUBACUTE NECROSIS OF LIVER-----639.0	8	...	8
31	OTHER-----639.9	1	...	1
32	ABORTIONS-----640-645	27	...	27
33	ABORTION INDUCED FOR MEDICAL INDICATIONS-----640	6	...	6
34	WITH SEPSIS-----640.0	2	...	2
35	WITH TOXEMIA-----640.1	-	...	-
36	WITH SEPSIS AND TOXEMIA-----640.2	-	...	-
37	WITHOUT MENTION OF SEPSIS OR TOXEMIA-----640.9	4	...	4
38	ABORTION INDUCED FOR OTHER LEGAL INDICATIONS-----641	-	...	-
39	WITH SEPSIS-----641.0	-	...	-
40	WITH TOXEMIA-----641.1	-	...	-
41	WITH SEPSIS AND TOXEMIA-----641.2	-	...	-
42	WITHOUT MENTION OF SEPSIS OR TOXEMIA-----641.9	-	...	-
43	ABORTION INDUCED FOR OTHER REASONS-----642	1	...	1
44	WITH SEPSIS-----642.0	-	...	-
45	WITH HEMORRHAGE-----642.1	1	...	1
46	WITH SEPSIS AND HEMORRHAGE-----642.2	-	...	-
47	WITH LACERATION OF PELVIC ORGAN (WITH OR WITHOUT MENTION OF SEPSIS OR HEMORRHAGE)-----642.3	-	...	-
48	WITHOUT MENTION OF SEPSIS, HEMORRHAGE, OR LACERATION-----642.9	-	...	-
49	SPONTANEOUS ABORTION-----643	7	...	7
50	WITH SEPSIS-----643.0	4	...	4
51	WITH TOXEMIA-----643.1	-	...	-
52	WITH SEPSIS AND TOXEMIA-----643.2	1	...	1
53	WITHOUT MENTION OF SEPSIS OR TOXEMIA-----643.9	2	...	2
54	ABORTION NOT SPECIFIED AS INDUCED OR SPONTANEOUS-----644	13	...	13
55	WITH SEPSIS-----644.0	6	...	6
56	WITH TOXEMIA-----644.1	-	...	-
57	WITH SEPSIS AND TOXEMIA-----644.2	1	...	1
58	WITHOUT MENTION OF SEPSIS OR TOXEMIA-----644.9	6	...	6
59	OTHER ABORTIONS-----645	-	...	-
60	WITH SEPSIS-----645.0	-	...	-
61	WITH TOXEMIA-----645.1	-	...	-
62	WITH SEPSIS AND TOXEMIA-----645.2	-	...	-
63	WITHOUT MENTION OF SEPSIS OR TOXEMIA-----645.9	-	...	-
64	DELIVERIES-----650-662	121	...	121
65	DELIVERY WITHOUT MENTION OF COMPLICATION-----650	1	...	1
66	DELIVERY COMPLICATED BY PLACENTA PREVIA OR ANTEPARTUM HEMORRHAGE-----651	31	...	31
67	PLACENTA PREVIA-----651.0	6	...	6
68	PREMATURE SEPARATION OF PLACENTA-----651.1	24	...	24
69	OTHER ANTEPARTUM HEMORRHAGE-----651.9	1	...	1
70	DELIVERY COMPLICATED BY RETAINED PLACENTA-----652	2	...	2
71	DELIVERY COMPLICATED BY OTHER POSTPARTUM HEMORRHAGE-----653	13	...	13
72	DELIVERY COMPLICATED BY ABNORMALITY OF BONY PELVIS-----654	3	...	3
73	ANDROID-----654.0	-	...	-
74	ANTHROPOID-----654.1	-	...	-
75	FLAT-----654.2	-	...	-
76	COMBINED TYPE-----654.3	-	...	-
77	OTHER AND UNSPECIFIED-----654.9	3	...	3
78	DELIVERY COMPLICATED BY FETOPELVIC DISPROPORTION-----655	2	...	2
79	DELIVERY COMPLICATED BY MALPRESENTATION OF FETUS-----656	2	...	2
80	BREECH PRESENTATION-----656.0	1	...	1
81	TRANSVERSE PRESENTATION-----656.1	1	...	1
82	BROW PRESENTATION-----656.2	-	...	-
83	FACE PRESENTATION-----656.3	-	...	-
84	COMPOUND OR SHOULDER PRESENTATION-----656.4	-	...	-
85	OTHER SPECIFIED-----656.8	-	...	-
86	UNSPECIFIED-----656.9	-	...	-

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
...	-	...	1	0.0	...	0.0	...	-	...	0.0	01
...	-	...	-	-	...	-	...	-	...	-	02
...	-	...	-	-	...	-	...	-	...	-	03
...	-	...	1	0.0	...	0.0	...	-	...	0.0	04
...	19	...	16	0.0	...	0.0	...	0.0	...	0.1	05
...	2	...	2	0.0	...	0.0	...	0.0	...	0.0	06
...	-	...	-	-	...	-	...	-	...	-	07
...	3	...	2	0.0	...	0.0	...	0.0	...	0.0	08
...	1	...	-	0.0	...	0.0	...	0.0	...	-	09
...	1	...	-	0.0	...	0.0	...	0.0	...	-	10
...	-	...	-	-	...	-	...	-	...	-	11
...	-	...	-	-	...	-	...	-	...	-	12
...	-	...	-	-	...	-	...	-	...	-	13
...	2	...	2	0.0	...	0.0	...	0.0	...	0.0	14
...	10	...	10	0.0	...	0.0	...	0.0	...	0.0	15
...	-	...	-	-	...	-	...	-	...	-	16
...	48	...	43	0.0	...	0.1	...	0.1	...	0.3	16
...	-	...	-	-	...	-	...	-	...	-	17
...	-	...	-	-	...	-	...	-	...	-	18
...	-	...	-	-	...	-	...	-	...	-	19
...	-	...	-	-	...	-	...	-	...	-	20
...	3	...	-	0.0	...	0.0	...	0.0	...	-	21
...	38	...	41	0.0	...	0.1	...	0.0	...	0.3	22
...	9	...	10	0.0	...	0.0	...	0.0	...	0.1	23
...	18	...	22	0.0	...	0.0	...	0.0	...	0.2	24
...	11	...	9	0.0	...	0.0	...	0.0	...	0.1	25
...	-	...	-	-	...	-	...	-	...	-	26
...	-	...	-	-	...	-	...	-	...	-	27
...	-	...	-	-	...	-	...	-	...	-	28
...	7	...	2	0.0	...	0.0	...	0.0	...	0.0	29
...	7	...	1	0.0	...	0.0	...	0.0	...	0.0	30
...	-	...	1	0.0	...	0.0	...	-	...	0.0	31
...	-	...	-	-	...	-	...	-	...	-	32
...	13	...	14	0.0	...	0.0	...	0.0	...	0.1	32
...	1	...	5	0.0	...	0.0	...	0.0	...	0.0	33
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	34
...	-	...	-	-	...	-	...	-	...	-	35
...	-	...	4	0.0	...	0.0	...	-	...	0.0	36
...	-	...	-	-	...	-	...	-	...	-	37
...	-	...	-	-	...	-	...	-	...	-	38
...	-	...	-	-	...	-	...	-	...	-	39
...	-	...	-	-	...	-	...	-	...	-	40
...	-	...	-	-	...	-	...	-	...	-	41
...	-	...	1	0.0	...	0.0	...	-	...	0.0	42
...	-	...	-	-	...	-	...	-	...	-	43
...	-	...	1	0.0	...	0.0	...	-	...	0.0	44
...	-	...	-	-	...	-	...	-	...	-	45
...	-	...	-	-	...	-	...	-	...	-	46
...	-	...	-	-	...	-	...	-	...	-	47
...	6	...	1	0.0	...	0.0	...	0.0	...	0.0	48
...	4	...	-	0.0	...	0.0	...	0.0	...	-	49
...	-	...	-	-	...	-	...	-	...	-	50
...	1	...	-	0.0	...	0.0	...	0.0	...	-	51
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	52
...	-	...	-	-	...	-	...	-	...	-	53
...	6	...	7	0.0	...	0.0	...	0.0	...	0.0	54
...	3	...	3	0.0	...	0.0	...	0.0	...	0.0	55
...	-	...	-	-	...	-	...	-	...	-	56
...	1	...	-	0.0	...	0.0	...	0.0	...	-	57
...	2	...	4	0.0	...	0.0	...	0.0	...	0.0	58
...	-	...	-	-	...	-	...	-	...	-	59
...	-	...	-	-	...	-	...	-	...	-	60
...	-	...	-	-	...	-	...	-	...	-	61
...	-	...	-	-	...	-	...	-	...	-	62
...	-	...	-	-	...	-	...	-	...	-	63
...	69	...	52	0.1	...	0.1	...	0.1	...	0.4	64
...	1	...	-	0.0	...	0.0	...	0.0	...	-	65
...	18	...	13	0.0	...	0.0	...	0.0	...	0.1	66
...	2	...	4	0.0	...	0.0	...	0.0	...	0.0	67
...	16	...	8	0.0	...	0.0	...	0.0	...	0.1	68
...	-	...	1	0.0	...	0.0	...	-	...	0.0	69
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	70
...	11	...	2	0.0	...	0.0	...	0.0	...	0.0	71
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0	72
...	-	...	-	-	...	-	...	-	...	-	73
...	-	...	-	-	...	-	...	-	...	-	74
...	-	...	-	-	...	-	...	-	...	-	75
...	-	...	-	-	...	-	...	-	...	-	76
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0	77
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	78
...	-	...	2	0.0	...	0.0	...	-	...	0.0	79
...	-	...	1	0.0	...	0.0	...	-	...	0.0	80
...	-	...	1	0.0	...	0.0	...	-	...	0.0	81
...	-	...	-	-	...	-	...	-	...	-	82
...	-	...	-	-	...	-	...	-	...	-	83
...	-	...	-	-	...	-	...	-	...	-	84
...	-	...	-	-	...	-	...	-	...	-	85
...	-	...	-	-	...	-	...	-	...	-	86

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DELIVERIES--CON.				
01	DELIVERY COMPLICATED BY PROLONGED LABOR OF OTHER ORIGIN-----	10	...	10
02	MULTIPLE PRFGNANCY-----	1	...	1
03	UTERINE INERTIA-----	7	...	7
04	CERVICAL DYSTOCIA-----
05	OTHER AND UNSPECIFIED-----	2	...	2
06	DELIVERY WITH LACERATION OF PERINEUM WITHOUT MENTION OF OTHER LACERATION-----	1	...	1
07	FIRST DEGREE-----
08	SECOND DEGREE-----
09	THIRD DEGREE-----	1	...	1
10	UNSPECIFIED DEGREE-----
11	DELIVERY WITH RUPTURE OF UTERUS-----	15	...	15
12	DELIVERY WITH OTHER OBSTETRICAL TRAUMA-----	5	...	5
13	LACERATION OF URETHRA-----
14	LACERATION OF CERVIX-----	4	...	4
15	OTHER AND UNSPECIFIED OBSTETRICAL TRAUMA-----	1	...	1
16	DELIVERY WITH OTHER COMPLICATIONS-----	34	...	34
17	PREMATURE RUPTURE OF MEMBRANES-----
18	PRECIPITATE LABOR-----	1	...	1
19	PREVIOUS CESAPEAN SECTION-----	1	...	1
20	UMBILICAL CORD COMPLICATION-----
21	OTHER SPECIFIED COMPLICATIONS-----	6	...	6
22	UNSPECIFIED COMPLICATION-----	26	...	26
23	ANESTHETIC DEATH IN UNCOMPLICATED DELIVERY-----	2	...	2
24	COMPLICATIONS OF THE PUERPERIUM-----	126	...	126
25	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM-----	17	...	17
26	PUERPERAL PHLEBITIS AND THROMBOSIS-----	10	...	10
27	LOWER EXTREMITIES-----	1	...	1
28	OTHER AND UNSPECIFIED SITES-----	9	...	9
29	PYREXIA OF UNKNOWN ORIGIN DURING THE PUERPERIUM-----
30	PUERPERAL PULMONARY EMBOLISM-----	69	...	69
31	AIR EMBOLISM-----	4	...	4
32	AMNIOTIC FLUID EMBOLISM-----	39	...	39
33	OTHER AND UNSPECIFIED-----	26	...	26
34	CEREBRAL HEMORRHAGE IN THE PUERPERIUM-----	11	...	11
35	PUERPERAL BLOOD DYSCRASIAS-----	8	...	8
36	ANEMIA OF THE PUERPERIUM-----
37	OTHER AND UNSPECIFIED COMPLICATIONS OF THE PUERPERIUM-----	11	...	11
38	SUDDEN DEATH FROM UNKNOWN CAUSE IN THE PUERPERIUM-----
39	RETAINED PLACENTA, COMPLICATING PUERPERIUM-----
40	OTHER DELAYED POSTPARTUM HEMORRHAGE-----
41	OTHER AND UNSPECIFIED-----	11	...	11
42	MASTITIS AND OTHER DISORDERS OF LACTATION-----
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE				
43	INFECTIENS OF SKIN AND SUBCUTANEOUS TISSUE-----	468	241	227
44	BOIL AND CARBUNCLE-----	9	7	2
45	OF FACE-----	1	1	...
46	OF NECK-----	5	4	1
47	OF TRUNK-----
48	OF UPPER ARM AND FOREARM-----
49	OF HAND-----
50	OF BUTTOCK-----
51	OF OTHER PARTS OF LOWER EXTREMITY-----	1	1	...
52	OF OTHER AND MULTIPLE SITES-----	1	...	1
53	OF UNSPECIFIED SITE-----	1	1	...
54	CELLULITIS OF FINGER AND TOE-----	1
55	OTHER CELLULITIS AND ABSCESSSES-----	326	165	161
56	OF HEAD AND NECK-----	16	13	3
57	OF TRUNK-----	94	44	50
58	OF UPPER ARM AND FOREARM-----	17	6	11
59	OF HAND, EXCEPT FINGERS-----	2	1	1
60	OF LEG-----	120	63	57
61	OF FOOT, EXCEPT TOES-----	20	13	7
62	OF OTHER, MULTIPLE, AND UNSPECIFIED SITES-----	57	25	32
63	ACUTE LYMPHADENITIS-----	1	...	1
64	IMPETIGO-----	1	1	...
65	PILONIDAL CYST-----	1	1	...
66	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE-----	129	66	63
67	PYODERMA-----	17	7	10
68	PYOGENIC GRANULOMA-----	38	27	11
69	DERMATITIS INFECTIOSA ECZEMATOIDES-----
70	OTHER-----	74	32	42
71	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE-----	428	150	278
72	SEBORRHEIC DERMATITIS-----
73	INFANTILE ECZEMA AND RELATED CONDITIONS-----	1	1	...
74	OTHER ECZEMA AND DERMATITIS-----	35	16	19
75	DUE TO DETERGENTS-----
76	DUE TO OILS AND GREASES-----
77	DUE TO SOLVENTS-----
78	DUE TO DRUGS-----	1	...	1
79	DUE TO OTHER CHEMICALS-----
80	DUE TO FOOD-----	2	...	2
81	DUE TO PLANTS, EXCEPT FOOD-----
82	DUE TO RADIATION, EXCEPT SUNBURN-----
83	DUE TO SUNBURN-----
84	DUE TO OTHER AND UNSPECIFIED CAUSES-----	32	16	16

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE--CON.				
01	DERMATITIS HERPETIFORMIS-----693	2	1	1
02	PEMPHIGUS-----694	100	40	60
03	ERYTHEMATOUS CONDITIONS-----695	266	77	189
04	TOXIC ERYTHEMA-----695.0	-	-	-
05	ERYTHEMA MULTIFORME-----695.1	33	15	18
06	ERYTHEMA NODOSUM-----695.2	1	-	1
07	ROSACEA-----695.3	-	-	-
08	LUPUS ERYTHEMATOSUS-----695.4	203	45	158
09	OTHER AND UNSPECIFIED-----695.9	29	17	12
10	PSORIASIS AND SIMILAR DISORDERS-----696	20	14	6
11	PSORIASIS ARTHROPATHY-----696.0	2	2	-
12	OTHER PSORIASIS-----696.1	18	12	6
13	PARAPSORIASIS-----696.2	-	-	-
14	PITYRIASIS ROSEA-----696.3	-	-	-
15	PITYRIASIS RUBRA PILARIS-----696.4	-	-	-
16	OTHER AND UNSPECIFIED PITYRIASIS-----696.5	-	-	-
17	OTHER DISORDERS-----696.9	-	-	-
18	LICHEN-----697	2	-	2
19	PLANUS-----697.0	2	-	2
20	NITIDUS-----697.1	-	-	-
21	OTHER AND UNSPECIFIED-----697.9	-	-	-
22	PRURITUS AND RELATED CONDITIONS-----698	2	1	1
23	PRURITUS ANI-----698.0	-	-	-
24	PRURITUS OF GENITAL ORGANS-----698.1	-	-	-
25	PRURIGO-----698.2	-	-	-
26	LICHENIFICATION AND LICHEN SIMPLEX CHRONICUS-----698.3	2	1	1
27	DERMATITIS FACIITIA (ARTEFACTA)-----698.4	-	-	-
28	OTHER PRURITIC CONDITIONS-----698.9	-	-	-
29	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE-----700-709	1,201	460	741
30	CORNS AND CALLOSITIES-----700	-	-	-
31	OTHER HYPERTROPHIC AND ATROPHIC CONDITIONS OF SKIN-----701	2	1	1
32	CIRCUMSCRIBED SCLERODERMA-----701.0	-	-	-
33	KERATODERMA, ACQUIRED-----701.1	2	1	1
34	STRIAE ATROPHICAE-----701.2	-	-	-
35	KELOID SCAR-----701.3	-	-	-
36	OTHER HYPERTROPHIC AND ATROPHIC CONDITIONS OF SKIN-----701.9	-	-	-
37	OTHER DERMATOSES-----702	-	-	-
38	DISEASES OF NAIL-----703	-	-	-
39	INGROWING NAIL-----*703.0	-	-	-
40	OTHER-----*703.9	-	-	-
41	DISEASES OF HAIR AND HAIR FOLLICLES-----704	-	-	-
42	DISEASES OF SWEAT GLANDS-----705	-	-	-
43	ANHIDROSIS-----705.0	-	-	-
44	PRICKLY HEAT-----705.1	-	-	-
45	OTHER-----705.9	-	-	-
46	DISEASES OF SEBACEOUS GLANDS-----706	1	-	1
47	ACNE VARIOLIFORMIS-----706.0	-	-	-
48	OTHER ACNE-----706.1	-	-	-
49	SEBACEOUS CYST-----706.2	1	-	1
50	SEBORRHEA-----706.3	-	-	-
51	OTHER-----706.9	-	-	-
52	CHRONIC ULCER OF SKIN-----707	1,184	451	733
53	DECUBITUS ULCER-----*707.0	1,007	366	641
54	LOWER EXTREMITY, EXCEPT DECUBITUS ULCER-----*707.1	87	45	42
55	OTHER-----*707.9	90	40	50
56	URTICARIA-----708	7	4	3
57	ANGIONEUROTIC EDEMA-----708.0	7	4	3
58	OTHER AND UNSPECIFIED-----708.9	-	-	-
59	OTHER DISEASES OF SKIN-----709	7	4	3
60	CICATRIX-----*709.0	1	-	1
61	TATTOO-----*709.1	-	-	-
62	OTHER DISEASES OF SKIN-----*709.9	6	4	2
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE				
63	ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER-----710-718	2,204	754	1,450
64	ACUTE ARTHRITIS DUE TO PYOGENIC ORGANISMS-----710	30	15	15
65	OF SPINE-----*710.0	-	-	-
66	OF UPPER EXTREMITY (INCLUDING SHOULDER)-----*710.1	3	2	1
67	OF HIP-----*710.2	8	5	3
68	OF OTHER PARTS OF LOWER EXTREMITY-----*710.3	4	2	2
69	OF OTHER AND UNSPECIFIED SITES-----*710.9	15	6	9
70	ACUTE NONPYOGENIC ARTHRITIS-----711	-	-	-
71	RHEUMATOID ARTHRITIS AND ALLIED CONDITIONS-----712	1,353	426	927
72	JUVENILE RHEUMATOID ARTHRITIS-----712.0	7	3	4
73	RHEUMATOID ARTHRITIS WITH SPLENOADENOMEGALY AND LEUKOPENIA-----712.1	18	5	13
74	PALINDROMIC RHEUMATISM-----712.2	-	-	-
75	OTHER RHEUMATOID ARTHRITIS-----712.3	1,279	381	898
76	SPONDYLITIS ANKYLOPOIETICA-----712.4	49	37	12
77	CHRONIC RHEUMATOID NODULAR FIBROSITIS-----712.5	-	-	-
78	OSTEOARTHRITIS AND ALLIED CONDITIONS-----713	340	141	199
79	OSTEOARTHRITIS-----713.0	291	108	183
80	SPONDYLITIS OSTEOARTHRITICA-----713.1	47	31	16
81	TRAUMATIC SPONDYLOPATHY-----713.2	2	2	-

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1	1	--	--	0.0	0.0	0.0	0.0	0.0	--	--	01
31	50	9	10	0.0	0.0	0.1	0.0	0.1	0.1	0.1	02
60	137	17	52	0.1	0.1	0.2	0.1	0.1	0.1	0.1	03
--	--	--	--	--	--	--	--	--	--	--	04
10	5	5	13	0.0	0.0	0.0	0.0	0.0	0.0	0.1	05
--	1	--	--	0.0	--	0.0	--	0.0	--	--	06
--	--	--	--	--	--	--	--	--	--	--	07
39	121	6	37	0.1	0.0	0.1	0.0	0.1	0.0	0.3	08
11	10	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09
14	6	--	--	0.0	0.0	0.0	0.0	0.0	0.0	--	10
2	--	--	--	0.0	0.0	0.0	0.0	0.0	0.0	--	11
12	6	--	--	0.0	0.0	0.0	0.0	0.0	0.0	--	12
--	--	--	--	--	--	--	--	--	--	--	13
--	--	--	--	--	--	--	--	--	--	--	14
--	--	--	--	--	--	--	--	--	--	--	15
--	--	--	--	--	--	--	--	--	--	--	16
--	--	--	--	--	--	--	--	--	--	--	17
--	1	--	1	0.0	--	0.0	--	0.0	--	0.0	18
--	1	--	1	0.0	--	0.0	--	0.0	--	0.0	19
--	--	--	--	--	--	--	--	--	--	--	20
1	1	--	--	0.0	0.0	0.0	0.0	0.0	0.0	--	21
--	--	--	--	--	--	--	--	--	--	--	22
--	--	--	--	--	--	--	--	--	--	--	23
--	--	--	--	--	--	--	--	--	--	--	24
1	1	--	--	0.0	0.0	0.0	0.0	0.0	0.0	--	25
--	--	--	--	--	--	--	--	--	--	--	26
--	--	--	--	--	--	--	--	--	--	--	27
--	--	--	--	--	--	--	--	--	--	--	28
336	585	124	156	0.6	0.4	0.7	0.4	0.6	1.0	1.1	29
--	--	--	--	--	--	--	--	--	--	--	30
1	--	--	1	0.0	0.0	0.0	0.0	--	--	0.0	31
--	--	--	--	--	--	--	--	--	--	--	32
1	--	--	1	0.0	0.0	0.0	0.0	--	--	0.0	33
--	--	--	--	--	--	--	--	--	--	--	34
--	--	--	--	--	--	--	--	--	--	--	35
--	--	--	--	--	--	--	--	--	--	--	36
--	--	--	--	--	--	--	--	--	--	--	37
--	--	--	--	--	--	--	--	--	--	--	38
--	--	--	--	--	--	--	--	--	--	--	39
--	--	--	--	--	--	--	--	--	--	--	40
--	--	--	--	--	--	--	--	--	--	--	41
--	--	--	--	--	--	--	--	--	--	--	42
--	--	--	--	--	--	--	--	--	--	--	43
--	--	--	--	--	--	--	--	--	--	--	44
--	--	--	--	--	--	--	--	--	--	--	45
--	1	--	--	0.0	--	0.0	--	0.0	--	--	46
--	--	--	--	--	--	--	--	--	--	--	47
--	--	--	--	--	--	--	--	--	--	--	48
--	1	--	--	0.0	--	0.0	--	0.0	--	--	49
--	--	--	--	--	--	--	--	--	--	--	50
--	--	--	--	--	--	--	--	--	--	--	51
329	580	122	153	0.6	0.4	0.7	0.4	0.6	0.9	1.1	52
260	504	106	137	0.5	0.4	0.6	0.3	0.5	0.8	1.0	53
35	35	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.0	54
34	41	6	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	55
3	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56
3	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57
--	--	--	--	--	--	--	--	--	--	--	58
3	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59
--	--	--	1	0.0	--	0.0	--	--	--	0.0	60
--	--	--	--	--	--	--	--	--	--	--	61
3	2	1	--	0.0	0.0	0.0	0.0	0.0	0.0	--	62
--	--	--	--	--	--	--	--	--	--	--	63
667	1,345	87	105	1.0	0.7	1.3	0.7	1.4	0.7	0.7	63
10	12	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64
2	--	--	1	0.0	0.0	0.0	0.0	--	--	0.0	65
4	3	1	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66
--	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67
4	8	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68
--	--	--	--	--	--	--	--	--	--	--	69
393	877	33	50	0.6	0.4	0.9	0.4	0.9	0.3	0.4	71
3	4	--	--	0.0	0.0	0.0	0.0	0.0	0.0	--	72
4	13	1	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
--	--	--	--	--	--	--	--	--	--	--	74
356	849	25	49	0.6	0.4	0.8	0.4	0.9	0.2	0.3	75
30	11	7	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	76
--	--	--	--	--	--	--	--	--	--	--	77
117	184	24	15	0.2	0.1	0.2	0.1	0.2	0.2	0.1	78
95	168	13	15	0.1	0.1	0.2	0.1	0.2	0.1	0.1	79
21	16	10	--	0.0	0.0	0.0	0.0	0.0	0.1	--	80
1	--	1	--	0.0	0.0	--	0.0	--	0.0	--	81

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER--CON.				
01	OTHER SPECIFIED FORMS OF ARTHRITIS-----714	14	8	6
02	TRAUMATIC ARTHRITIS-----714.0	4	3	1
03	OTHER-----714.9	10	5	5
04	ARTHRITIS, UNSPECIFIED-----715	283	96	187
05	POLYMYOSITIS AND DERMATOMYOSITIS-----716	167	61	106
06	DERMATOMYOSITIS-----716.0	83	30	53
07	POLYMYOSITIS-----716.1	84	31	53
08	OTHER NONARTICULAR RHEUMATISM-----717	14	6	8
09	LUMBAGO-----717.0	-	-	-
10	SCAPULOHUMERAL MYOFIBROSIS-----717.1	-	-	-
11	TORTICOLLIS NOT SPECIFIED AS CONGENITAL, PSYCHOGENIC, OR TRAUMATIC-----717.2	1	1	-
12	OTHER MUSCULAR RHEUMATISM, FIBROSITIS, AND NYALGIA-----717.9	13	5	8
13	RHEUMATISM, UNSPECIFIED-----718	3	1	2
14	OSTEOMYELITIS AND OTHER DISEASES OF BONE AND JOINT-----720-729	898	355	543
15	OSTEOMYELITIS AND PERIOSTITIS-----720	163	85	78
16	ACUTE OSTEOMYELITIS-----720.0	9	5	4
17	CHRONIC OSTEOMYELITIS-----720.1	21	9	12
18	UNSPECIFIED OSTEOMYELITIS-----720.2	132	71	61
19	PERIOSTITIS WITHOUT MENTION OF OSTEOMYELITIS-----720.3	1	-	1
20	OSTEITIS DEFORMANS-----721	90	41	49
21	OSTEOCHONDROSIS-----722	2	1	1
22	JUVENILE OSTEOCHONDROSIS OF SPINE-----722.0	-	-	-
23	JUVENILE OSTEOCHONDROSIS OF HIP-----722.1	2	1	1
24	OTHER JUVENILE OSTEOCHONDROSIS-----722.2	-	-	-
25	SLIPPED UPPER FEMORAL EPIPHYSIS, NONTRAUMATIC-----722.3	-	-	-
26	APOPHYSTITIS, CALCANEAL-----722.4	-	-	-
27	OSTEOCHONDROSIS DISSECANS-----722.5	-	-	-
28	OTHER AND UNSPECIFIED FORMS OF OSTEOCHONDROSIS-----722.9	-	-	-
29	OTHER DISEASES OF BONE-----723	308	79	229
30	OSTEOPOROSIS-----723.0	183	34	149
31	HYPERTROPIC PULMONARY OSTEOARTHROPATHY-----723.1	-	-	-
32	SPONTANEOUS FRACTURE-----723.2	65	16	49
33	CYST OF BONE, EXCEPT JAW-----723.3	2	2	-
34	HYPEROSTOSIS OF SKULL-----723.4	1	-	1
35	ASEPTIC NECROSIS OF BONE-----723.5	5	-	5
36	ARREST OF GROWTH-----723.6	-	-	-
37	CALCANEAL SPUR-----723.7	-	-	-
38	OTHER DISEASES OF BONE-----723.9	52	27	25
39	INTERNAL DERANGEMENT OF JOINT-----724	3	2	1
40	RECURRENT DISLOCATION OF SHOULDER-----724.0	-	-	-
41	OTHER SHOULDER DERANGEMENTS-----724.1	-	-	-
42	RECURRENT DISLOCATION OF ELBOW-----724.2	-	-	-
43	OTHER ELBOW DERANGEMENTS-----724.3	-	-	-
44	RECURRENT DISLOCATION OF KNEE-----724.4	-	-	-
45	OTHER KNEE DERANGEMENTS-----724.5	2	2	-
46	DERANGEMENTS OF OTHER JOINTS-----724.9	1	-	1
47	DISPLACEMENT OF INTERVERTEBRAL DISC-----725	58	34	24
48	CERVICAL-----725.0	9	6	3
49	LUMBAR AND LUMBOSACRAL-----725.1	15	11	4
50	OTHER SPECIFIED SITES-----725.8	1	1	-
51	UNSPECIFIED SITE-----725.9	33	16	17
52	AFFECTION OF SACRILIAC JOINT-----726	-	-	-
53	ANKYLOSIS OF JOINT-----727	5	3	2
54	OF SPINE-----727.0	2	2	-
55	OF SHOULDER-----727.1	-	-	-
56	OF ELBOW-----727.2	-	-	-
57	OF WRIST-----727.3	-	-	-
58	OF FINGER-----727.4	-	-	-
59	OF HIP-----727.5	2	-	2
60	OF KNEE-----727.6	1	1	-
61	OF ANKLE-----727.7	-	-	-
62	OF OTHER AND MULTIPLE SITES-----727.8	-	-	-
63	OF UNSPECIFIED SITE-----727.9	-	-	-
64	VERTEBROGENIC PAIN SYNDROME-----728	13	7	6
65	CERVICALGIA-----728.0	-	-	-
66	CERVICOCRANIAL SYNDROME-----728.1	-	-	-
67	DIFFUSE CERVICOBRACHIAL SYNDROME-----728.2	-	-	-
68	RADICULAR SYNDROME OF UPPER LIMBS-----728.3	-	-	-
69	CERVICAL MYELOPATHY-----728.4	4	3	1
70	PAIN IN THORACIC SPINE-----728.5	-	-	-
71	THORACIC MYELOPATHY-----728.6	1	1	-
72	LUMBALGIA-----728.7	1	-	1
73	RADICULAR SYNDROME OF LOWER LIMBS-----728.8	2	1	1
74	OTHER AND UNSPECIFIED-----728.9	5	2	3
75	OTHER DISEASES OF JOINT-----729	256	103	153
76	PSEUDARTHROSIS OF SPINE FOLLOWING FUSION-----729.0	-	-	-
77	OTHER DISEASES OF SPINE NOT ELSEWHERE CLASSIFIABLE-----729.1	8	4	4
78	DISEASE OF SHOULDER NOT ELSEWHERE CLASSIFIABLE-----729.2	1	-	1
79	DISEASE OF ELBOW NOT ELSEWHERE CLASSIFIABLE-----729.3	-	-	-
80	FLEXION CONTRACTURE OF FINGERS-----729.4	-	-	-
81	DISEASE OF HIP NOT ELSEWHERE CLASSIFIABLE-----729.5	200	77	123
82	LOOSE BODY IN KNEE-----729.6	2	1	1
83	CHONDROMALACIA OF KNEE-----729.7	-	-	-
84	DISEASE OF KNEE NOT ELSEWHERE CLASSIFIABLE-----729.8	34	14	20
85	DISEASE OF JOINT NOT ELSEWHERE CLASSIFIABLE-----729.9	11	7	4

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
01	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM-----730-738	1,943	551	1,392
02	BUNION-----730	-	-	-
03	SYNOVITIS, BURSITIS, AND TENDONOVITIS-----731	11	4	7
04	OF SPINE-----*731.0	-	-	-
05	OF SHOULDER-----*731.1	1	1	-
06	OF ELBOW-----*731.2	-	-	-
07	OF WRIST-----*731.3	-	-	-
08	OF HAND AND FINGER-----*731.4	-	-	-
09	OF HIP AND BUTTOCK-----*731.5	-	-	-
10	OF KNEE-----*731.6	7	3	4
11	OF ANKLE-----*731.7	-	-	-
12	OF FOOT AND TOE-----*731.8	1	-	1
13	OF OTHER AND UNSPECIFIED SITES-----*731.9	2	-	2
14	INFECTIVE MYOSITIS AND OTHER INFLAMMATORY DISEASES OF TENDON AND FASCIA-----732	39	15	24
15	OTHER DISEASES OF MUSCLE, TENDON, AND FASCIA-----733	271	144	127
16	MYASTHENIA GRAVIS-----733.0	179	89	90
17	MUSCULAR ATROPHY (IKTIPATHIC)-----733.1	12	8	4
18	MYOSITIS OSSIFICANS-----*733.2	-	-	-
19	CALCIUM DEPOSIT IN TENDON-----*733.3	-	-	-
20	SHORT ACHILLES TENDON-----*733.4	-	-	-
21	CONTRACTURE OF PALMAR FASCIA-----*733.5	-	-	-
22	RESIDUAL FOREIGN BODY IN TISSUE OR BONE-----*733.6	1	1	-
23	OTHER AND UNSPECIFIED DISEASES OF MUSCLE, TENDON, AND FASCIA-----*733.9	79	46	33
24	DIFFUSE DISEASES OF CONNECTIVE TISSUE-----734	1,452	335	1,117
25	PROGRESSIVE SYSTEMIC SCLEROSIS-----734.0	596	151	445
26	SYSTEMIC LUPUS ERYTHEMATOSUS-----734.1	746	151	595
27	OTHER AND UNSPECIFIED-----734.9	110	33	77
28	CURVATURE OF SPINE-----735	159	47	112
29	SCOLIOSIS-----*735.0	27	7	20
30	KYPHOSIS-----*735.1	33	6	27
31	KYPHOSCOLIOSIS-----*735.2	96	34	62
32	OTHER AND UNSPECIFIED CURVATURE OF SPINE-----*735.9	3	-	3
33	FLAT FOOT-----736	-	-	-
34	HALLUX VALGUS AND VARUS-----737	1	1	-
35	HALLUX VALGUS AND UNSPECIFIED HALLUX-----*737.0	1	1	-
36	HALLUX VARUS-----*737.1	-	-	-
37	OTHER DEFORMITIES-----738	10	5	5
38	OF NASAL BONE-----*738.0	-	-	-
39	OF HEAD-----*738.1	-	-	-
40	OF FOREARM, EXCLUDING FINGERS-----*738.2	-	-	-
41	OF FINGERS-----*738.3	-	-	-
42	OF HIP-----*738.4	-	-	-
43	OF LEG NOT ELSEWHERE CLASSIFIABLE-----*738.5	1	-	1
44	OF ANKLE AND FOOT, EXCLUDING TOES, ACQUIRED-----*738.6	-	-	-
45	OF TOES NOT ELSEWHERE CLASSIFIABLE-----*738.7	1	1	-
46	OF OTHER SPECIFIED SITES-----*738.8	7	4	3
47	OF UNSPECIFIED SITE-----*738.9	1	-	1
XIV. CONGENITAL ANOMALIES				
48	CONGENITAL ANOMALIES-----740-759	13,526	7,326	6,200
49	ANENCEPHALUS-----740	755	359	396
50	SPINA BIFIDA-----741	580	261	319
51	WITH HYDROCEPHALUS-----741.0	349	152	197
52	WITHOUT MENTION OF HYDROCEPHALUS-----741.9	231	109	122
53	CONGENITAL HYDROCEPHALUS-----742	625	325	300
54	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM-----743	690	342	348
55	ENCEPHALOCELE-----743.0	107	45	62
56	MICROCEPHALUS-----743.1	214	100	114
57	OTHER SPECIFIED ANOMALIES OF BRAIN-----743.2	100	53	47
58	OTHER SPECIFIED ANOMALIES OF SPINAL CORD-----743.3	3	1	2
59	NEUROFIBROMATOSIS-----743.4	49	24	25
60	OTHER SPECIFIED ANOMALIES OF NERVOUS SYSTEM-----743.8	15	5	10
61	UNSPECIFIED ANOMALIES OF BRAIN, SPINAL CORD, AND NERVOUS SYSTEM-----743.9	202	114	88
62	CONGENITAL ANOMALIES OF EYE-----744	7	4	3
63	ANOPHTHALMOS-----744.0	5	3	2
64	MICROPTHALMOS-----744.1	-	-	-
65	BUPHTHALMOS-----744.2	-	-	-
66	CONGENITAL CATARACT-----744.3	1	-	1
67	COLOBOMA-----744.4	-	-	-
68	ANIRIDIA-----744.5	-	-	-
69	RETINITIS PIGMENTOSA-----*744.6	-	-	-
70	CONGENITAL BLEPHAROPTOSIS-----*744.7	-	-	-
71	OTHER SPECIFIED ANOMALIES OF EYE-----*744.8	1	1	-
72	UNSPECIFIED ANOMALIES OF EYE-----*744.9	-	-	-
73	CONGENITAL ANOMALIES OF EAR, FACE, AND NECK-----745	2	2	-
74	ANOMALIES OF EAR CAUSING IMPAIRMENT OF HEARING-----745.0	-	-	-
75	ACCESSORY AURICLE-----*745.1	-	-	-
76	OTHER SPECIFIED ANOMALIES OF EAR-----*745.2	-	-	-
77	UNSPECIFIED ANOMALIES OF EAR-----*745.3	-	-	-
78	BRANCHIAL CLEFT, CYST, OR FISTULA AND PREAURICULAR SINUS-----*745.4	-	-	-
79	WEBBING OF NECK-----*745.5	-	-	-
80	OTHER SPECIFIED ANOMALIES OF FACE AND NECK-----*745.8	1	1	-
81	UNSPECIFIED ANOMALIES OF FACE AND NECK-----*745.9	1	1	-

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
CONGENITAL ANOMALIES—CON.				
01	CONGENITAL ANOMALIES OF HEART	5,517	3,083	2,434
02	COMMON TRUNCUS	127	64	63
03	TRANSPOSITION OF GREAT VESSELS	388	259	129
04	TETRALOGY OF FALLOT	408	223	185
05	VENTRICULAR SEPTAL DEFECT	561	290	271
06	ATRIAL SEPTAL DEFECT	336	147	189
07	OSTIUM ATRIOVENTRICULARE COMMUNE	82	33	49
08	ANOMALIES OF HEART VALVES	839	511	328
09	FIBROELASTOSIS COPDIS	124	66	58
10	OTHER SPECIFIED ANOMALIES OF HEART	453	237	216
11	UNSPECIFIED ANOMALIES OF HEART	2,199	1,253	946
12	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	1,181	633	548
13	PATENT DUCTUS ARTERIOSUS	240	110	130
14	COARCTATION OF AORTA	185	110	75
15	OTHER ANOMALIES OF AORTA	64	36	28
16	STENOSIS OR ATRESIA OF PULMONARY ARTERY	130	66	64
17	ANOMALIES OF GREAT VEINS	115	68	47
18	ABSENCE OR HYPOPLASIA OF UMBILICAL ARTERY	2	2	-
19	OTHER ANOMALIES OF PERIPHERAL VASCULAR SYSTEM	208	110	98
20	OTHER SPECIFIED ANOMALIES OF CIRCULATORY SYSTEM	214	118	96
21	UNSPECIFIED ANOMALIES OF CIRCULATORY SYSTEM	23	13	10
22	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	722	442	280
23	CHONAL ATRESIA	4	1	3
24	OTHER ANOMALIES OF NOSE	-	-	-
25	WEB OF LARYNX	-	-	-
26	OTHER ANOMALIES OF LARYNX, TRACHEA, AND BRONCHUS	245	159	86
27	CONGENITAL CYSTIC LUNG	60	39	21
28	AGENESIS OF LUNG	29	12	17
29	OTHER ANOMALIES OF LUNG	366	218	148
30	OTHER SPECIFIED ANOMALIES OF RESPIRATORY SYSTEM	3	2	1
31	UNSPECIFIED ANOMALIES OF RESPIRATORY SYSTEM	15	11	4
32	CLEFT PALATE AND CLEFT LIP	20	9	11
33	CLEFT PALATE	8	4	4
34	CLEFT LIP	1	1	-
35	CLEFT PALATE WITH CLEFT LIP	11	4	7
36	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	139	84	55
37	ANOMALIES OF TONGUE	2	1	1
38	PYLORIC STENOSIS	11	7	4
39	TRACHEO-ESOPHAGEAL FISTULA	48	29	19
40	ESOPHAGEAL ATRESIA AND STENOSIS	25	16	9
41	OTHER SPECIFIED ANOMALIES OF UPPER ALIMENTARY TRACT	48	28	20
42	UNSPECIFIED ANOMALIES OF UPPER ALIMENTARY TRACT	5	3	2
43	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	421	228	193
44	MECKEL'S DIVERTICULUM	22	16	6
45	ANOMALIES OF INTESTINAL FIXATION	30	17	13
46	HIRSCHSPRUNG'S DISEASE	41	29	12
47	ATRESIA AND STENOSIS OF RECTUM AND ANAL CANAL	25	18	7
48	OTHER ANOMALIES OF INTESTINE	109	65	44
49	ATRESIA OF BILIARY DUCTS	146	63	83
50	OTHER ANOMALIES OF GALLBLADDER, BILE DUCTS, AND LIVER	37	15	22
51	ANOMALIES OF PANCREAS	2	1	1
52	OTHER SPECIFIED ANOMALIES OF DIGESTIVE SYSTEM	1	1	-
53	UNSPECIFIED ANOMALIES OF DIGESTIVE SYSTEM	8	3	5
54	CONGENITAL ANOMALIES OF GENITAL ORGANS	15	10	5
55	INDETERMINATE SEX	-	-	-
56	UNDESCENDED TESTICLE	3	3	-
57	HYPOSPADIAS	-	-	-
58	EPI SPADIAS	-	-	-
59	CONGENITAL HYDROCELE	1	1	-
60	ANOMALIES OF OVARY, FALLOPIAN TUBE, AND UTERUS	-	-	-
61	ANOMALIES OF VAGINA AND EXTERNAL FEMALE GENITALIA	-	-	-
62	PSEUDOPHIMPHRODITISM	1	1	-
63	OTHER SPECIFIED ANOMALIES OF GENITAL ORGANS	3	2	1
64	UNSPECIFIED ANOMALIES OF GENITAL ORGANS	7	3	4
65	CONGENITAL ANOMALIES OF URINARY SYSTEM	781	444	337
66	RENAL AGENESIS	149	102	47
67	CYSTIC KIDNEY DISEASE	533	268	265
68	OBSTRUCTIVE DEFECTS OF URINARY TRACT	21	17	4
69	OTHER SPECIFIED ANOMALIES OF KIDNEY	14	9	5
70	OTHER SPECIFIED ANOMALIES OF URETER	1	1	-
71	EXTROPHY OF URINARY BLADDER	2	1	1
72	ATRESIA AND STENOSIS OF URETHRA AND BLADDER NECK	14	14	-
73	OTHER SPECIFIED ANOMALIES OF BLADDER AND URETHRA	5	4	1
74	UNSPECIFIED ANOMALIES OF URINARY SYSTEM	42	29	13
75	CLUBFOOT (CONGENITAL)	2	1	1
76	TALIPES CAVUS	-	-	-
77	TALIPES EQUINOVARUS	1	-	1
78	TALIPES CALCANEVALGUS	-	-	-
79	TALIPES, OTHER SPECIFIED TYPES, NOT ELSEWHERE CLASSIFIABLE	-	-	-
80	TALIPES, UNSPECIFIED TYPE	1	1	-
81	OTHER CONGENITAL ANOMALIES OF LIMBS	14	8	6
82	POLYDACTYLY	1	-	1
83	SYNDACTYLY	2	2	-
84	REDUCTION DEFORMITY OF UPPER LIMB	-	-	-
85	REDUCTION DEFORMITY OF LOWER LIMB	-	-	-
86	REDUCTION DEFORMITY, UNSPECIFIED LIMB	2	1	1
87	OTHER ANOMALY OF UPPER LIMB (INCLUDING SHOULDER GIRDLE)	-	-	-
88	CONGENITAL DISLOCATION OF HIP	-	-	-
89	OTHER ANOMALY OF LOWER LIMB (INCLUDING PELVIC GIRDLE)	1	1	-
90	GENERALIZED FLEXION CONTRACTURE OF LIMB JOINTS	7	3	4
91	OTHER AND UNSPECIFIED ANOMALIES OF UNSPECIFIED LIMB	1	1	-

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
2,580	2,031	503	403	2.6	3.0	2.2	2.9	2.2	3.9	2.8	01
55	56	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.0	02
228	114	31	15	0.2	0.3	0.1	0.3	0.1	0.2	0.1	03
180	158	35	27	0.2	0.2	0.2	0.2	0.2	0.3	0.2	04
251	226	39	45	0.3	0.3	0.2	0.3	0.2	0.3	0.3	05
121	160	26	29	0.2	0.1	0.2	0.1	0.2	0.2	0.2	06
26	40	7	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1	07
443	277	68	51	0.4	0.5	0.3	0.5	0.3	0.5	0.4	08
48	40	18	18	0.1	0.1	0.1	0.1	0.0	0.1	0.1	09
203	186	34	30	0.2	0.2	0.2	0.2	0.2	0.3	0.2	10
1,017	774	236	172	1.0	1.2	0.9	1.1	0.8	1.8	1.2	11
515	454	118	94	0.6	0.6	0.5	0.6	0.5	0.9	0.7	12
83	102	27	28	0.1	0.1	0.1	0.1	0.1	0.2	0.2	13
89	63	21	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1	14
30	25	6	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
52	54	14	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	16
62	40	6	7	0.1	0.1	0.0	0.1	0.0	0.0	0.0	17
1	-	1	-	0.0	0.0	-	0.0	-	0.0	0.0	18
94	83	16	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	19
96	78	22	18	0.1	0.1	0.1	0.1	0.1	0.2	0.1	20
8	9	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21
355	226	87	54	0.3	0.4	0.3	0.4	0.2	0.7	0.4	22
1	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	23
-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	25
126	64	33	22	0.1	0.2	0.1	0.1	0.1	0.3	0.2	26
31	16	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	27
12	16	1	1	0.0	0.0	0.0	0.0	0.0	-	0.0	28
175	124	43	24	0.2	0.2	0.1	0.2	0.1	0.3	0.2	29
1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	30
9	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31
6	9	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32
4	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	33
-	-	1	-	0.0	0.0	-	0.0	-	0.0	-	34
2	6	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35
71	45	13	10	0.1	0.1	0.1	0.1	0.0	0.1	0.1	36
1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37
5	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38
23	16	6	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39
16	8	1	1	0.0	0.0	0.0	0.0	0.0	-	0.0	40
24	15	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41
3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0	42
168	151	60	42	0.2	0.2	0.2	0.2	0.2	0.5	0.3	43
13	5	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44
12	10	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45
21	10	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	46
14	6	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47
47	30	18	14	0.1	0.1	0.0	0.1	0.0	0.1	0.1	48
45	65	18	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	49
14	19	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50
-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	0.0	51
-	1	1	-	0.0	0.0	-	-	0.0	0.0	0.0	52
2	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53
9	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54
-	-	-	-	-	-	-	-	-	-	-	55
2	...	1	...	0.0	0.0	...	0.0	...	0.0	...	56
-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	58
1	...	-	...	0.0	0.0	...	0.0	59
...	-	...	-	-	...	-	...	-	...	-	60
...	-	...	-	-	...	-	...	-	...	-	61
1	-	-	-	0.0	0.0	-	0.0	-	-	-	62
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	63
3	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	64
378	295	66	42	0.4	0.4	0.3	0.4	0.3	0.5	0.3	65
83	41	19	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0	66
237	233	31	32	0.3	0.3	0.2	0.3	0.2	0.2	0.2	67
11	3	6	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68
7	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69
1	1	-	-	0.0	0.0	-	0.0	-	-	-	70
-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	0.0	71
12	-	2	-	0.0	0.0	-	0.0	-	-	-	72
4	-	1	1	0.0	0.0	0.0	0.0	-	-	-	73
24	11	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	75
-	-	-	-	-	-	-	-	-	-	-	76
-	1	-	-	0.0	-	0.0	-	0.0	-	-	77
-	-	-	-	-	-	-	-	-	-	-	78
1	-	-	-	0.0	0.0	-	0.0	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	80
6	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
1	1	-	-	0.0	-	0.0	-	0.0	-	-	82
-	-	1	-	0.0	0.0	-	0.0	-	0.0	-	83
-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	85
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	86
-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	88
1	-	-	-	0.0	0.0	-	0.0	-	-	-	89
2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90
1	-	-	-	0.0	0.0	-	0.0	-	-	-	91

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
CONGENITAL ANOMALIES—CON.				
01	OTHER CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	330	189	141
02	ANOMALIES OF SKULL AND FACE BONES	66	40	26
03	ANOMALIES OF LUMBOSACRAL JOINT	3	3	—
04	OTHER ANOMALIES OF SPINE	40	19	21
05	CERVICAL RIB	—	—	—
06	OTHER ANOMALIES OF RIBS AND STERNUM	25	16	9
07	CHONDRODYSTROPHY	41	23	18
08	DYSPLASIA IMPEFFECTA	35	16	19
09	OTHER GENERALIZED ANOMALIES OF SKELETON	13	9	4
10	OTHER SPECIFIED ANOMALIES OF MUSCLE, TENDON, AND FASCIA	96	59	37
11	UNSPECIFIED ANOMALIES OF MUSCULOSKELETAL SYSTEM	11	4	7
12	CONGENITAL ANOMALIES OF SKIN, HAIR, AND NAILS	28	12	16
13	HEREDITARY EDEMA OF LEGS	1	—	1
14	PIGMENTED NEVUS	—	—	—
15	OTHER SPECIFIED ANOMALIES OF SKIN	27	12	15
16	SPECIFIED ANOMALIES OF HAIR	—	—	—
17	SPECIFIED ANOMALIES OF NAILS	—	—	—
18	UNSPECIFIED ANOMALIES OF SKIN, HAIR, AND NAILS	—	—	—
19	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	217	129	88
20	ANOMALIES OF SPLEEN	8	6	2
21	ANOMALIES OF ADRENAL GLAND	23	12	11
22	ANOMALIES OF THYROID GLAND	—	—	—
23	ANOMALIES OF OTHER ENDOCRINE GLANDS	6	3	3
24	OTHER SPECIFIED CONGENITAL ANOMALIES	91	52	39
25	UNSPECIFIED CONGENITAL ANOMALY	89	56	33
26	CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	1,480	761	719
27	SITUS INVERSUS	11	4	7
28	CONJOINED TWINS	11	7	4
29	OTHER FORMS OF MONSTER	24	5	19
30	DOWN'S DISEASE	219	108	111
31	OTHER SYNDROMES DUE TO AUTOSOMAL ABNORMALITY	299	131	168
32	SYNDROMES DUE TO SEX CHROMOSOME ABNORMALITY	11	2	9
33	TUBEROUS SCLEROSIS	18	8	10
34	OTHER SPECIFIED SYNDROMES	130	65	65
35	MULTIPLE CONGENITAL ANOMALIES, UNSPECIFIED	757	431	326
XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY				
36	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	28,786	16,717	12,069
37	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	6	4	2
38	CHRONIC RHEUMATIC HEART DISEASE	1	1	—
39	CONGENITAL HEART DISEASE	—	—	—
40	CHRONIC HYPERTENSION	2	1	1
41	OTHER CHRONIC DISEASES OF CIRCULATORY SYSTEM	2	2	—
42	CHRONIC NEPHRITIS	—	—	—
43	OTHER CHRONIC DISEASES OF GENITOURINARY SYSTEM	1	—	1
44	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	258	147	111
45	SYPHILIS	2	2	—
46	DIABETES MELLITUS	130	78	52
47	INFLUENZA	2	2	—
48	RUBELLA	13	7	6
49	TOXOPLASMOSIS	—	—	—
50	INJURY	15	6	9
51	OPERATION	3	2	1
52	CHEMICAL SUBSTANCES TRANSMITTED THROUGH PLACENTA	11	7	4
53	OTHER MATERNAL CAUSES	82	43	39
54	TOXEMIA OF PREGNANCY	116	64	52
55	RENAL DISEASE ARISING DURING PREGNANCY	15	10	5
56	PREECLAMPSIA OF PREGNANCY	36	18	18
57	ECLAMPSIA OF PREGNANCY	27	16	11
58	TOXEMIA, UNSPECIFIED	32	17	15
59	HYPEREMESIS GRAVIDARUM	1	—	1
60	ACUTE AND SUBACUTE NECROSIS OF LIVER ARISING DURING PREGNANCY	4	2	2
61	OTHER TOXEMIA OF PREGNANCY	1	1	—
62	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	173	101	72
63	PYELITIS AND PYELONEPHRITIS OF PREGNANCY	4	1	3
64	OTHER INFECTIONS OF GENITOURINARY TRACT DURING PREGNANCY	13	8	5
65	OTHER	156	92	64
66	DIFFICULT LABOR WITH ABNORMALITY OF BONES, ORGANS, OR TISSUES OF PELVIS	10	6	4
67	WITH BIRTH INJURY TO BRAIN	—	—	—
68	WITH BIRTH INJURY TO SPINAL CORD	—	—	—
69	WITH BIRTH INJURY TO BONE OR NERVE	—	—	—
70	WITH OTHER OR UNSPECIFIED BIRTH INJURY	—	—	—
71	WITH ASPHYXIA, ANOXIA, OR HYPOXIA	3	1	2
72	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	7	5	2
73	DIFFICULT LABOR WITH DISPROPORTION BUT NO MENTION OF ABNORMALITY OF PELVIS	26	16	10
74	WITH BIRTH INJURY TO BRAIN	9	6	3
75	WITH BIRTH INJURY TO SPINAL CORD	—	—	—
76	WITH BIRTH INJURY TO BONE OR NERVE	—	—	—
77	WITH OTHER OR UNSPECIFIED BIRTH INJURY	—	—	—
78	WITH ASPHYXIA, ANOXIA, OR HYPOXIA	15	8	7
79	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	2	2	—
80	DIFFICULT LABOR WITH MALPOSITION OF FETUS	226	134	92
81	WITH BIRTH INJURY TO BRAIN	51	28	23
82	WITH BIRTH INJURY TO SPINAL CORD	2	2	—
83	WITH BIRTH INJURY TO BONE OR NERVE	—	—	—
84	WITH OTHER OR UNSPECIFIED BIRTH INJURY	14	8	6
85	WITH ASPHYXIA, ANOXIA, OR HYPOXIA	112	70	42
86	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	47	26	21

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--CON.				
01	DIFFICULT LABOR WITH ABNORMALITY OF FORCES OF LABOR-----767	34	21	13
02	WITH BIRTH INJURY TO BRAIN-----767.0	8	6	2
03	WITH BIRTH INJURY TO SPINAL CORD-----767.1	-	-	-
04	WITH BIRTH INJURY TO BONE OR NERVE-----767.2	1	1	-
05	WITH OTHER OR UNSPECIFIED BIRTH INJURY-----767.3	-	-	-
06	WITH ASPHYXIA, ANOXIA, OR HYPOXIA-----767.4	10	6	4
07	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA-----767.9	15	8	7
08	DIFFICULT LABOR WITH OTHER AND UNSPECIFIED COMPLICATIONS-----768	118	79	39
09	WITH BIRTH INJURY TO BRAIN-----768.0	38	25	13
10	WITH BIRTH INJURY TO SPINAL CORD-----768.1	-	-	-
11	WITH BIRTH INJURY TO BONE OR NERVE-----768.2	3	2	1
12	WITH OTHER OR UNSPECIFIED BIRTH INJURY-----768.3	6	4	2
13	WITH ASPHYXIA, ANOXIA, OR HYPOXIA-----768.4	52	36	16
14	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA-----768.9	19	12	7
15	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769	3,351	1,871	1,480
16	INCOMPETENT CERVIX-----769.0	241	134	107
17	PREMATURE RUPTURE OF MEMBRANES-----769.1	526	307	219
18	HYDRAMNIOS-----769.2	85	49	36
19	MULTIPLE PREGNANCY-----769.4	2,432	1,338	1,094
20	MATERNAL DEATH, UNSPECIFIED-----769.5	2	1	1
21	OTHER-----769.9	65	42	23
22	CONDITIONS OF PLACENTA-----770	1,204	703	501
23	PLACENTA PREVIA-----770.0	196	129	67
24	PREMATURE SEPARATION OF PLACENTA-----770.1	873	493	380
25	PLACENTAL INFARCTION-----770.2	12	5	7
26	OTHER-----770.8	30	15	15
27	UNSPECIFIED-----770.9	93	61	32
28	CONDITIONS OF UMBILICAL CORD-----771	304	176	128
29	COMPRESSION OF CORD-----771.0	43	29	14
30	PROLAPSE OF CORD WITHOUT MENTION OF COMPRESSION-----771.1	133	76	57
31	OTHER-----771.9	128	71	57
32	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,803	1,057	746
33	TO BRAIN-----772.0	1,705	994	711
34	TO SPINAL CORD-----772.1	3	2	1
35	TO BONE OR NERVE-----772.2	14	9	5
36	OTHER AND UNSPECIFIED-----772.9	81	52	29
37	HEMOLYTIC DISEASE OF NEWBORN, WITH KERNICTERUS-----774	14	9	5
38	WITH RH INCOMPATIBILITY-----774.0	2	1	1
39	WITH ABC INCOMPATIBILITY-----774.1	4	3	1
40	WITH OTHER OR UNSPECIFIED BLOOD INCOMPATIBILITY-----774.2	1	1	-
41	WITHOUT MENTION OF CAUSE-----774.9	7	4	3
42	HEMOLYTIC DISEASE OF NEWBORN, WITHOUT MENTION OF KERNICTERUS-----775	328	166	162
43	WITH RH INCOMPATIBILITY-----775.0	98	49	49
44	WITH ABC INCOMPATIBILITY-----775.1	9	7	2
45	WITH OTHER OR UNSPECIFIED BLOOD INCOMPATIBILITY-----775.2	8	2	6
46	WITHOUT MENTION OF CAUSE-----775.9	213	108	105
47	ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776	13,757	8,185	5,572
48	ASPIRATION OF CONTENT OF BIRTH CANAL-----776.0	575	282	293
49	HYALINE MEMBRANE DISEASE-----776.1	4,308	2,686	1,622
50	RESPIRATORY DISTRESS SYNDROME-----776.2	4,033	2,440	1,593
51	FETAL DISTRESS-----776.3	78	51	27
52	INTRAUTERINE ANOXIA-----776.4	100	64	36
53	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	4,663	2,662	2,001
54	IMMATUREITY, UNQUALIFIED-----777	4,731	2,666	2,065
55	OTHER CONDITIONS OF FETUS OR NEWBORN-----778	2,327	1,312	1,015
56	FETAL BLOOD LOSS BEFORE BIRTH-----778.0	3	3	-
57	POSTMATURITY-----778.1	6	3	3
58	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	588	52	236
59	COLD INJURY SYNDROME-----778.3	1	1	-
60	OTHER-----778.9	1,729	53	776
XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS				
61	SYMPTOMS REFERABLE TO SYSTEMS OR ORGANS-----780-789	3,435	1,871	1,564
62	CERTAIN SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES-----780	217	119	98
63	COMA AND STUPOR-----780.0	30	13	17
64	DELIRIUM-----780.1	1	-	1
65	CONVULSIONS-----780.2	183	104	79
66	ABNORMAL INVOLUNTARY MOVEMENT-----780.3	2	2	-
67	DISTURBANCE OF COORDINATION-----780.4	1	-	1
68	VERTIGO-----780.5	-	-	-
69	DISTURBANCE OF SLEEP-----780.6	-	-	-
70	DISTURBANCE OF MEMORY-----780.7	-	-	-
71	HEMIPLEGIA-----780.8	-	-	-
72	OTHER SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES-----781	66	35	31
73	DISTURBANCE OF VISION EXCEPT DEFECTIVE SIGHT-----781.0	-	-	-
74	OCULOMOTOR DISTURBANCE-----781.1	-	-	-
75	PHOTOPHOBIA-----781.2	-	-	-
76	DISTURBANCE OF HEARING EXCEPT DEAFNESS-----781.3	-	-	-
77	DISTURBANCE OF CRANIAL NERVES EXCEPT OPTIC, OCULOMOTOR, AND AUDITORY-----781.4	-	-	-
78	DISTURBANCE OF SPEECH-----781.5	-	-	-
79	OTHER DISTURBANCE OF SENSATION-----781.6	-	-	-
80	ENCEPHALOPATHY-----781.7	66	35	31
81	HALLUCINATIONS-----781.8	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
SYMPTOMS REFERABLE TO SYSTEMS OR ORGANS—CGN.				
01	SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEMS—782	2,667	1,471	1,196
02	PRECORDIAL PAIN—782.0	—	—	—
03	PALPITATION—782.1	—	—	—
04	TACHYCARDIA—782.2	—	—	—
05	PALLOR AND CYANOSIS—782.3	—	—	—
06	ACUTE HEART FAILURE, UNDEFINED—782.4	2,506	1,384	1,122
07	SYNCOPE OR COLLAPSE—782.5	12	10	2
08	EDEMA AND DROPSY—782.6	4	1	3
09	ENLARGMENT OF LYMPH NODE—782.7	1	1	—
10	SPLENOMEGALY—782.8	—	—	—
11	SHOCK WITHOUT MENTION OF TRAUMA—782.9	144	75	69
12	SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM—783	112	71	41
13	EPISTAXIS—783.0	3	1	2
14	HEMOPHYTOSIS—783.1	81	55	26
15	DYSPNEA—783.2	19	8	11
16	COUGH—783.3	—	—	—
17	EXCESS OF SPUTUM—783.4	—	—	—
18	CHANGE IN VOICE—783.5	—	—	—
19	STRIDOR—783.6	—	—	—
20	PAIN IN CHEST—783.7	9	7	2
21	SYMPTOMS REFERABLE TO UPPER GASTROINTESTINAL TRACT—784	88	47	41
22	ANOREXIA—784.0	—	—	—
23	NAUSEA AND VOMITING—784.1	6	1	5
24	PYLOROSPASM—784.2	—	—	—
25	HEARTBURN—784.3	—	—	—
26	DYSPHAGIA—784.4	3	2	1
27	HEMATEMESIS—784.5	79	44	35
28	HICCUGH—784.6	—	—	—
29	ERUCTION—784.7	—	—	—
30	SYMPTOMS REFERABLE TO ABDOMEN AND LOWER GASTROINTESTINAL TRACT—785	35	14	21
31	ABDOMINAL SWELLING (NOT REFERABLE TO ANY PARTICULAR ORGAN)—785.0	—	—	—
32	HEPATOMEGALY—785.1	2	2	—
33	JAUNDICE (NOT OF NEWBORN)—785.2	12	4	8
34	ASCITES—785.3	7	3	4
35	FLATULENCE—785.4	1	—	1
36	ABDOMINAL PAIN—785.5	13	5	8
37	INCONTINENCE OF FECES—785.6	—	—	—
38	MELENA (NOT OF NEWBORN)—785.7	—	—	—
39	VISIBLE PERISTALSIS—785.8	—	—	—
40	SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM—786	2	—	2
41	PAIN REFERABLE TO URINARY SYSTEM—786.0	—	—	—
42	RETENTION OF URINE—786.1	—	—	—
43	INCONTINENCE OF URINE—786.2	—	—	—
44	FREQUENCY OF MICTURITION—786.3	—	—	—
45	POLYURIA—786.4	—	—	—
46	OLIGURIA AND ANURIA (NOT OF NEWBORN)—786.5	2	—	2
47	PRIAPISM—786.6	—	—	—
48	PAIN REFERABLE TO GENITAL ORGANS, INCLUDING DYSpareunia—786.7	—	—	—
49	SYMPTOMS REFERABLE TO LIMBS AND JOINTS—787	1	1	—
50	TRANSIENT PARALYSIS OF LIMB, CAUSE UNKNOWN—787.0	—	—	—
51	PAIN IN LIMB—787.1	1	1	—
52	SWELLING OF LIMB—787.2	—	—	—
53	PAIN IN JOINT—787.3	—	—	—
54	SWELLING OF JOINT—787.4	—	—	—
55	DIFFICULTY IN WALKING—787.5	—	—	—
56	ABNORMALITY OF GAIT—787.6	—	—	—
57	OTHER GENERAL SYMPTOMS—788	246	112	134
58	ELECTROLYTE DISORDERS—788.0	202	88	114
59	EXCESSIVE SWEATING—788.1	—	—	—
60	RASH—788.2	—	—	—
61	SUBCUTANEOUS NODULES—788.3	—	—	—
62	LOSS OF WEIGHT—788.4	—	—	—
63	TETANY—788.5	—	—	—
64	PYREXIA OF UNKNOWN ORIGIN—788.6	41	22	19
65	OTHER SPECIFIED SYMPTOMS NOT ELSEWHERE CLASSIFIABLE—788.9	3	2	1
66	ABNORMAL URINARY CONSTITUENTS OF UNSPECIFIED CAUSE—789	1	1	—
67	ALBUMINURIA—789.0	—	—	—
68	PYURIA AND BACTERIURIA—789.1	—	—	—
69	CHYLURIA—789.2	—	—	—
70	HEMATURIA—789.3	1	1	—
71	HEMOGLOBINURIA—789.4	—	—	—
72	GLYCOSURIA—789.5	—	—	—
73	ACETONURIA—789.6	—	—	—
74	OTHER—789.9	—	—	—
75	SENILITY AND ILL-DEFINED DISEASES—790-796	27,710	16,572	11,138
76	NERVOUSNESS AND DEBILITY—790	43	13	30
77	NERVOUSNESS—790.0	1	—	1
78	DEBILITY AND UNDUE FATIGUE—790.1	40	13	27
79	DEPRESSION—790.2	2	—	2
80	HEADACHE—791	1	—	1
81	UREMIA—792	500	271	229
82	SENILITY WITHOUT MENTION OF PSYCHOSIS—794	1,391	446	945
83	SUDDEN DEATH (CAUSE UNKNOWN)—795	4,045	2,431	1,614
84	SUDDEN INFANT DEATH SYNDROME, UNDER ONE YEAR OF AGE—795.0	3,775	2,280	1,495
85	SUDDEN DEATH SYNDROME, ONE YEAR OF AGE—795.1	68	35	33
86	ALL OTHER SUDDEN DEATH, AGE TWO YEARS AND OVER—795.2	202	116	86
87	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORTALITY—796	21,730	13,411	8,319
88	OTHER ILL-DEFINED CONDITIONS—796.0	2,001	1,204	797
89	FOUND DEAD (CAUSE UNKNOWN)—796.2	50	27	23
90	DIED WITHOUT SIGN OF DISEASE—796.3	9,521	5,819	3,702
91	OTHER UNKNOWN AND UNSPECIFIED CAUSES—796.9	10,158	6,361	3,797

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER			
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
1,241	1,003	230	193	1.3	1.4	1.1	1.4	1.1	1.8	1.4	01	
-	-	-	-	-	-	-	-	-	-	-	02	
-	-	-	-	-	-	-	-	-	-	-	03	
-	-	-	-	-	-	-	-	-	-	-	04	
-	-	-	-	-	-	-	-	-	-	-	05	
1,170	945	214	177	1.2	1.3	1.0	1.3	1.0	1.6	1.2	06	
10	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	07	
1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	08	
1	-	-	-	0.0	0.0	-	-	-	-	-	09	
-	-	-	-	-	-	-	-	-	-	-	10	
59	54	16	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	11	
58	29	13	12	0.1	0.1	0.0	0.1	0.0	0.1	0.1	12	
1	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0	13	
44	21	11	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0	14	
7	6	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	
-	-	-	-	-	-	-	-	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	17	
-	-	-	-	-	-	-	-	-	-	-	18	
6	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	
-	-	-	-	-	-	-	-	-	-	-	20	
40	35	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	21	
-	-	-	-	-	-	-	-	-	-	-	22	
-	5	1	-	0.0	0.0	0.0	-	0.0	0.0	-	23	
-	-	-	-	-	-	-	-	-	-	-	24	
-	-	-	-	-	-	-	-	-	-	-	25	
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	26	
38	29	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	
-	-	-	-	-	-	-	-	-	-	-	28	
-	-	-	-	-	-	-	-	-	-	-	29	
13	17	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	
-	-	-	-	-	-	-	-	-	-	-	31	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	32	
4	6	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	33	
2	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	
1	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-	35	
5	7	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	36	
-	-	-	-	-	-	-	-	-	-	-	37	
-	-	-	-	-	-	-	-	-	-	-	38	
-	-	-	-	-	-	-	-	-	-	-	39	
-	2	-	-	0.0	-	0.0	-	-	0.0	-	40	
-	-	-	-	-	-	-	-	-	-	-	41	
-	-	-	-	-	-	-	-	-	-	-	42	
-	-	-	-	-	-	-	-	-	-	-	43	
-	-	-	-	-	-	-	-	-	-	-	44	
-	-	-	-	-	-	-	-	-	-	-	45	
-	2	-	-	0.0	-	0.0	-	-	0.0	-	46	
-	...	-	-	-	-	-	-	-	-	-	47	
-	-	-	-	-	-	-	-	-	-	-	48	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	49	
-	-	-	-	-	-	-	-	-	-	-	50	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	51	
-	-	-	-	-	-	-	-	-	-	-	52	
-	-	-	-	-	-	-	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	-	-	54	
-	-	-	-	-	-	-	-	-	-	-	55	
-	-	-	-	-	-	-	-	-	-	-	56	
74	110	38	24	0.1	0.1	0.1	0.1	0.1	0.3	0.2	57	
60	94	28	20	0.1	0.1	0.1	0.1	0.1	0.2	0.1	58	
-	-	-	-	-	-	-	-	-	-	-	59	
-	-	-	-	-	-	-	-	-	-	-	60	
-	-	-	-	-	-	-	-	-	-	-	61	
-	-	-	-	-	-	-	-	-	-	-	62	
14	15	8	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	63	
-	-	-	-	-	-	-	-	-	-	-	64	
1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65	
-	-	-	-	-	-	-	-	-	-	-	66	
-	-	-	-	-	-	-	-	-	-	-	67	
-	-	-	-	-	-	-	-	-	-	-	68	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	69	
-	-	-	-	-	-	-	-	-	-	-	70	
-	-	-	-	-	-	-	-	-	-	-	71	
-	-	-	-	-	-	-	-	-	-	-	72	
-	-	-	-	-	-	-	-	-	-	-	73	
-	-	-	-	-	-	-	-	-	-	-	74	
11,584	7,644	4,988	3,494	13.1	16.1	10.3	12.9	8.1	38.3	24.5	75	
11	27	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	77	
11	24	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	79	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	80	
195	175	76	54	0.2	0.3	0.2	0.2	0.2	0.6	0.4	81	
350	756	96	189	0.7	0.4	0.9	0.4	0.8	0.7	1.3	82	
1,703	1,010	728	604	1.9	2.4	1.5	1.9	1.1	5.6	4.2	83	
1,583	915	697	580	1.8	2.2	1.4	1.8	1.0	5.4	4.1	84	
26	22	9	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1	85	
94	73	22	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1	86	
9,325	5,675	4,086	2,644	10.3	13.0	7.7	10.4	6.0	31.4	18.5	87	
766	537	438	260	0.9	1.2	0.7	0.9	0.6	3.4	1.8	88	
20	19	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	89	
4,181	2,422	1,638	1,280	4.5	5.7	3.4	4.6	2.6	12.6	9.0	90	
4,358	2,697	2,003	1,100	4.8	6.2	3.5	4.8	2.9	15.4	7.7	91	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE				
01	RAILWAY ACCIDENTS-----E800-E807	716	615	101
02	RAILWAY ACCIDENT INVOLVING COLLISION WITH ROLLING STOCK-----E800	6	6	--
03	RAILWAY EMPLOYEE-----E800.0	6	6	--
04	PASSENGER ON RAILWAY-----E800.1	--	--	--
05	PEDESTRIAN-----E800.2	--	--	--
06	PEDAL CYCLIST-----E800.3	--	--	--
07	OTHER SPECIFIED PERSONS-----E800.8	--	--	--
08	UNSPECIFIED PERSON-----E800.9	--	--	--
09	RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER OBJECT-----E801	16	15	1
10	RAILWAY EMPLOYEE-----E801.0	3	3	--
11	PASSENGER ON RAILWAY-----E801.1	--	--	--
12	PEDESTRIAN-----E801.2	--	--	--
13	PEDAL CYCLIST-----E801.3	7	6	1
14	OTHER SPECIFIED PERSONS-----E801.8	5	5	--
15	UNSPECIFIED PERSON-----E801.9	1	1	--
16	RAILWAY ACCIDENT INVOLVING DERAILMENT WITHOUT ANTECEDENT COLLISION-----E802	5	5	--
17	RAILWAY EMPLOYEE-----E802.0	3	3	--
18	PASSENGER ON RAILWAY-----E802.1	--	--	--
19	PEDESTRIAN-----E802.2	--	--	--
20	PEDAL CYCLIST-----E802.3	--	--	--
21	OTHER SPECIFIED PERSONS-----E802.8	2	2	--
22	UNSPECIFIED PERSON-----E802.9	--	--	--
23	RAILWAY ACCIDENT INVOLVING EXPLOSION, FIRE, OR BURNING-----E803	7	6	1
24	RAILWAY EMPLOYEE-----E803.0	--	--	--
25	PASSENGER ON RAILWAY-----E803.1	4	3	1
26	PEDESTRIAN-----E803.2	--	--	--
27	PEDAL CYCLIST-----E803.3	--	--	--
28	OTHER SPECIFIED PERSONS-----E803.8	--	--	--
29	UNSPECIFIED PERSON-----E803.9	3	3	--
30	FALL IN, ON, OR FROM TRAIN-----E804	62	57	5
31	RAILWAY EMPLOYEE-----E804.0	8	8	--
32	PASSENGER ON RAILWAY-----E804.1	3	2	1
33	PEDESTRIAN-----E804.2	--	--	--
34	PEDAL CYCLIST-----E804.3	--	--	--
35	OTHER SPECIFIED PERSONS-----E804.8	10	10	--
36	UNSPECIFIED PERSON-----E804.9	41	37	4
37	HIT BY ROLLING STOCK-----E805	592	499	93
38	RAILWAY EMPLOYEE-----E805.0	57	56	1
39	PASSENGER ON RAILWAY-----E805.1	--	--	--
40	PEDESTRIAN-----E805.2	492	405	87
41	PEDAL CYCLIST-----E805.3	2	2	--
42	OTHER SPECIFIED PERSONS-----E805.8	3	3	--
43	UNSPECIFIED PERSON-----E805.9	38	33	5
44	OTHER SPECIFIED RAILWAY ACCIDENTS-----E806	4	4	--
45	RAILWAY EMPLOYEE-----E806.0	--	--	--
46	PASSENGER ON RAILWAY-----E806.1	--	--	--
47	PEDESTRIAN-----E806.2	1	1	--
48	PEDAL CYCLIST-----E806.3	--	--	--
49	OTHER SPECIFIED PERSONS-----E806.8	--	--	--
50	UNSPECIFIED PERSON-----E806.9	3	3	--
51	RAILWAY ACCIDENT OF UNSPECIFIED NATURE-----E807	24	23	1
52	RAILWAY EMPLOYEE-----E807.0	10	10	--
53	PASSENGER ON RAILWAY-----E807.1	--	--	--
54	PEDESTRIAN-----E807.2	--	--	--
55	PEDAL CYCLIST-----E807.3	--	--	--
56	OTHER SPECIFIED PERSONS-----E807.8	--	--	--
57	UNSPECIFIED PERSON-----E807.9	14	13	1
58	MOTOR VEHICLE TRAFFIC ACCIDENTS-----E810-F819	45,314	33,304	12,010
59	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN-----E810	1,209	817	392
60	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH STREETCAR-----E811	1	--	1
61	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE-----E812	15,375	10,574	4,801
62	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE-----E813	1,004	797	207
63	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN-----E814	7,553	5,242	2,311
64	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISIONS-----E815	5,337	4,298	1,039
65	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO LOSS OF CONTROL-----E816	7,797	6,297	1,500
66	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING-----E817	9	6	3
67	OTHER NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS-----E818	756	576	180
68	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE-----E819	6,273	4,697	1,576
69	MOTOR VEHICLE NONTRAFFIC ACCIDENTS-----E820-E823	1,088	829	259
70	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT-----E820	567	385	182
71	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT-----E821	91	84	7
72	MOTOR VEHICLE NONTRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING-----E822	14	7	7
73	MOTOR VEHICLE NONTRAFFIC ACCIDENTS OF OTHER AND UNSPECIFIED NATURE-----E823	416	353	63
74	OTHER ROAD VEHICLE ACCIDENTS-----E825-E827	275	171	104
75	STREETCAR ACCIDENT-----E825	4	1	3
76	PEDESTRIAN-----E825.0	4	1	3
77	PEDAL CYCLIST-----E825.1	--	--	--
78	OCCUPANT OF STREETCAR-----E825.2	--	--	--
79	OTHER SPECIFIED PERSONS-----E825.8	--	--	--
80	UNSPECIFIED-----E825.9	--	--	--

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER ROAD VEHICLE ACCIDENTS--CON.				
01	PEDAL CYCLE ACCIDENT-----E826	121	81	40
02	PEDESTRIAN-----E826.0	8	5	3
03	PEDAL CYCLIST-----E826.1	100	66	34
04	OTHER SPECIFIED PERSONS-----E826.8	1	1	-
05	UNSPECIFIED PERSON-----E826.9	12	9	3
06	OTHER NONMOTOR ROAD VEHICLE ACCIDENTS-----E827	150	89	61
07	PEDESTRIAN-----E827.0	3	2	1
08	OTHER SPECIFIED PERSONS-----E827.8	143	85	58
09	UNSPECIFIED PERSON-----E827.9	4	2	2
10	WATER TRANSPORT ACCIDENTS-----E830-E838	1,579	1,425	154
11	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION-----E830	719	646	73
12	OCCUPANT OF SMALL BOAT-----E830.0	700	628	72
13	OCCUPANT OF OTHER WATERCRAFT, CREW-----E830.1	16	16	-
14	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E830.2	2	-	1
15	DOCKER, STEVEDORE-----E830.3	-	-	-
16	OTHER SPECIFIED PERSONS-----E830.8	-	-	-
17	UNSPECIFIED PERSON-----E830.9	1	1	-
18	ACCIDENTS TO WATERCRAFT CAUSING OTHER INJURIES-----E831	50	40	10
19	OCCUPANT OF SMALL BOAT-----E831.0	44	34	10
20	OCCUPANT OF OTHER WATERCRAFT, CREW-----E831.1	6	6	-
21	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E831.2	-	-	-
22	DOCKER, STEVEDORE-----E831.3	-	-	-
23	OTHER SPECIFIED PERSONS-----E831.8	-	-	-
24	UNSPECIFIED PERSON-----E831.9	-	-	-
25	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT-----E832	694	636	58
26	OCCUPANT OF SMALL BOAT-----E832.0	658	601	57
27	OCCUPANT OF OTHER WATERCRAFT, CREW-----E832.1	33	33	-
28	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E832.2	1	-	1
29	DOCKER, STEVEDORE-----E832.3	1	1	-
30	OTHER SPECIFIED PERSONS-----E832.8	-	-	-
31	UNSPECIFIED PERSON-----E832.9	1	1	-
32	FALL ON STAIRS OR LADDER IN WATER TRANSPORT-----E833	2	2	-
33	OCCUPANT OF SMALL BOAT-----E833.0	1	1	-
34	OCCUPANT OF OTHER WATERCRAFT, CREW-----E833.1	-	-	-
35	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E833.2	-	-	-
36	DOCKER, STEVEDORE-----E833.3	-	-	-
37	OTHER SPECIFIED PERSONS-----E833.8	1	1	-
38	UNSPECIFIED PERSON-----E833.9	-	-	-
39	OTHER FALLS FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT-----E834	11	11	-
40	OCCUPANT OF SMALL BOAT-----E834.0	2	2	-
41	OCCUPANT OF OTHER WATERCRAFT, CREW-----E834.1	7	7	-
42	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E834.2	-	-	-
43	DOCKER, STEVEDORE-----E834.3	1	1	-
44	OTHER SPECIFIED PERSONS-----E834.8	1	1	-
45	UNSPECIFIED PERSON-----E834.9	-	-	-
46	OTHER AND UNSPECIFIED FALLS IN WATER TRANSPORT-----E835	4	4	-
47	OCCUPANT OF SMALL BOAT-----E835.0	1	1	-
48	OCCUPANT OF OTHER WATERCRAFT, CREW-----E835.1	2	2	-
49	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E835.2	1	1	-
50	DOCKER, STEVEDORE-----E835.3	-	-	-
51	OTHER SPECIFIED PERSONS-----E835.8	-	-	-
52	UNSPECIFIED PERSON-----E835.9	-	-	-
53	MACHINERY ACCIDENT IN WATER TRANSPORT-----E836	9	9	-
54	OCCUPANT OF SMALL BOAT-----E836.0	-	-	-
55	OCCUPANT OF OTHER WATERCRAFT, CREW-----E836.1	6	6	-
56	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E836.2	-	-	-
57	DOCKER, STEVEDORE-----E836.3	3	3	-
58	OTHER SPECIFIED PERSONS-----E836.8	-	-	-
59	UNSPECIFIED PERSON-----E836.9	-	-	-
60	EXPLOSION, FIRE, OR BURNING IN WATER TRANSPORT-----E837	12	10	2
61	OCCUPANT OF SMALL BOAT-----E837.0	8	6	2
62	OCCUPANT OF OTHER WATERCRAFT, CREW-----E837.1	3	3	-
63	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E837.2	1	1	-
64	DOCKER, STEVEDORE-----E837.3	-	-	-
65	OTHER SPECIFIED PERSONS-----E837.8	-	-	-
66	UNSPECIFIED PERSON-----E837.9	-	-	-
67	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENTS-----E838	78	67	11
68	OCCUPANT OF SMALL BOAT-----E838.0	33	26	7
69	OCCUPANT OF OTHER WATERCRAFT, CREW-----E838.1	19	18	1
70	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E838.2	-	-	-
71	DOCKER, STEVEDORE-----E838.3	-	-	-
72	OTHER SPECIFIED PERSONS-----E838.8	18	16	2
73	UNSPECIFIED PERSON-----E838.9	8	7	1
74	AIR AND SPACE TRANSPORT ACCIDENTS-----E840-E845	1,687	1,401	286
75	ACCIDENT TO POWERED AIRCRAFT AT TAKEOFF OR LANDING-----E840	64	59	5
76	OCCUPANT OF SPACECRAFT-----E840.0	-	-	-
77	OCCUPANT OF MILITARY AIRCRAFT-----E840.1	13	13	-
78	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E840.2	1	1	-
79	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E840.3	1	1	-
80	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E840.4	48	44	4
81	GROUND CREW, AIRLINE EMPLOYEE-----E840.5	-	-	-
82	OTHER SPECIFIED PERSONS-----E840.8	-	-	-
83	UNSPECIFIED PERSON-----E840.9	1	-	1

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix.]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER			
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
76	37	5	3	0.1	0.1	0.0	0.1	0.0	0.0	0.0	01	
5	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	02	
61	31	5	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0	03	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	04	
9	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	05	
84	61	5	-	0.1	0.1	0.1	0.1	0.1	0.0	-	06	
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	07	
80	58	5	-	0.1	0.1	0.1	0.1	0.1	0.0	-	08	
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	09	
1,218	132	207	22	0.7	1.4	0.1	1.4	0.1	1.6	0.2	10	
550	64	96	9	0.3	0.6	0.1	0.6	0.1	0.7	0.1	11	
534	63	94	9	0.3	0.6	0.1	0.6	0.1	0.7	0.1	12	
14	-	2	-	0.0	0.0	-	0.0	-	0.0	-	13	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	14	
-	-	-	-	-	-	-	-	-	-	-	15	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	16	
38	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	18	
33	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	19	
5	-	1	-	0.0	0.0	-	0.0	-	0.0	-	20	
-	-	-	-	-	-	-	-	-	-	-	21	
-	-	-	-	-	-	-	-	-	-	-	22	
-	-	-	-	-	-	-	-	-	-	-	23	
-	-	-	-	-	-	-	-	-	-	-	24	
532	46	104	12	0.3	0.6	0.1	0.6	0.0	0.8	0.1	25	
504	45	97	12	0.3	0.6	0.1	0.6	0.0	0.7	0.1	26	
27	6	6	-	0.0	0.0	-	0.0	-	0.0	-	27	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	28	
-	-	1	-	0.0	0.0	-	-	-	0.0	-	29	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	30	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	31	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	32	
-	-	-	-	-	-	-	-	-	-	-	33	
-	-	-	-	-	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	-	35	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	36	
-	-	-	-	-	-	-	-	-	-	-	37	
-	-	-	-	-	-	-	-	-	-	-	38	
8	-	3	-	0.0	0.0	-	0.0	-	0.0	-	39	
1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	40	
5	-	2	-	0.0	0.0	-	0.0	-	0.0	-	41	
-	-	-	-	-	-	-	-	-	-	-	42	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	43	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	44	
-	-	-	-	-	-	-	-	-	-	-	45	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	46	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	47	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	48	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	49	
-	-	-	-	-	-	-	-	-	-	-	50	
-	-	-	-	-	-	-	-	-	-	-	51	
-	-	-	-	-	-	-	-	-	-	-	52	
7	-	2	-	0.0	0.0	-	0.0	-	0.0	-	53	
-	-	-	-	-	-	-	-	-	-	-	54	
6	-	-	-	0.0	0.0	-	0.0	-	-	-	55	
1	-	2	-	0.0	0.0	-	0.0	-	0.0	-	56	
-	-	-	-	-	-	-	-	-	-	-	57	
-	-	-	-	-	-	-	-	-	-	-	58	
-	-	-	-	-	-	-	-	-	-	-	59	
10	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	60	
6	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	61	
3	-	-	-	0.0	0.0	-	0.0	-	-	-	62	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	63	
-	-	-	-	-	-	-	-	-	-	-	64	
-	-	-	-	-	-	-	-	-	-	-	65	
-	-	-	-	-	-	-	-	-	-	-	66	
67	10	-	1	0.0	0.1	0.0	0.1	0.0	-	0.0	67	
26	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-	68	
18	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	69	
-	-	-	-	-	-	-	-	-	-	-	70	
-	-	-	-	-	-	-	-	-	-	-	71	
16	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	72	
7	-	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	73	
1,370	266	31	20	0.8	1.4	0.3	1.5	0.3	0.2	0.1	74	
58	5	1	-	0.0	0.1	0.0	0.1	0.0	0.0	-	75	
-	-	-	-	-	-	-	-	-	-	-	76	
12	-	1	-	0.0	0.0	-	0.0	-	0.0	-	77	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	78	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	79	
44	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	80	
-	-	-	-	-	-	-	-	-	-	-	81	
-	-	-	-	-	-	-	-	-	-	-	82	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	83	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
AIR AND SPACE TRANSPORT ACCIDENTS--CON.				
01	ACCIDENT TO OTHER AND UNSPECIFIED POWERED AIRCRAFT-----E841	1,542	1,273	269
02	OCCUPANT OF SPACECRAFT-----E841.0	-	-	-
03	OCCUPANT OF MILITARY AIRCRAFT-----E841.1	77	76	1
04	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E841.2	54	51	3
05	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E841.3	218	153	65
06	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E841.4	1,149	961	188
07	GROUND CREW, AIRLINE EMPLOYEE-----E841.5	3	3	2
08	OTHER SPECIFIED PERSONS-----E841.8	5	3	2
09	UNSPECIFIED PERSON-----E841.9	36	26	10
10	ACCIDENT TO UNPOWERED AIRCRAFT-----E842	22	20	2
11	OCCUPANT OF SPACECRAFT-----E842.0	-	-	-
12	OCCUPANT OF MILITARY AIRCRAFT-----E842.1	-	-	-
13	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E842.2	1	1	-
14	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E842.3	-	-	-
15	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E842.4	20	18	2
16	GROUND CREW, AIRLINE EMPLOYEE-----E842.5	-	-	-
17	OTHER SPECIFIED PERSONS-----E842.8	-	-	-
18	UNSPECIFIED PERSON-----E842.9	1	1	-
19	FALL IN, ON, OR FROM AIRCRAFT-----E843	10	8	2
20	OCCUPANT OF SPACECRAFT-----E843.0	-	-	-
21	OCCUPANT OF MILITARY AIRCRAFT-----E843.1	1	1	-
22	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E843.2	-	-	-
23	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E843.3	1	1	-
24	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E843.4	6	5	1
25	GROUND CREW, AIRLINE EMPLOYEE-----E843.5	-	-	-
26	OTHER SPECIFIED PERSONS-----E843.8	-	-	-
27	UNSPECIFIED PERSON-----E843.9	2	1	1
28	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS-----E844	49	41	8
29	OCCUPANT OF SPACECRAFT-----E844.0	-	-	-
30	OCCUPANT OF MILITARY AIRCRAFT-----E844.1	1	1	-
31	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E844.2	-	-	-
32	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E844.3	-	-	-
33	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E844.4	-	-	-
34	GROUND CREW, AIRLINE EMPLOYEE-----E844.5	1	1	-
35	OTHER SPECIFIED PERSONS-----E844.8	36	29	7
36	UNSPECIFIED PERSON-----E844.9	11	10	1
37	ACCIDENT INVOLVING SPACECRAFT-----E845	-	-	-
38	OCCUPANT OF SPACECRAFT-----E845.0	-	-	-
39	OCCUPANT OF MILITARY AIRCRAFT-----E845.1	-	-	-
40	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E845.2	-	-	-
41	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E845.3	-	-	-
42	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E845.4	-	-	-
43	GROUND CREW, AIRLINE EMPLOYEE-----E845.5	-	-	-
44	OTHER SPECIFIED PERSONS-----E845.8	-	-	-
45	UNSPECIFIED PERSON-----E845.9	-	-	-
46	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS-----E850-E859	2,742	1,704	1,038
47	ACCIDENTAL POISONING BY ANTIBIOTICS AND OTHER ANTI-INFECTIVES-----E850	9	5	4
48	PENICILLIN, ANY-----E850.0	-	-	-
49	ANTIFUNGAL ANTIBIOTICS-----E850.1	-	-	-
50	CHLORAMPHENICOL-----E850.2	-	-	-
51	ERYTHROMYCINS, STREPTOMYCINS, TETRACYCLINES-----E850.3	-	-	-
52	OTHER ANTIBIOTICS-----E850.4	4	2	2
53	SULFONAMIDES-----E850.5	-	-	-
54	ARSENIC ANTI-INFECTIVES-----E850.6	-	-	-
55	SILVER AND ITS COMPOUNDS-----E850.7	-	-	-
56	QUINOLINE AND HYDROXYQUINOLINE DERIVATIVES-----E850.8	3	2	1
57	OTHER ANTI-INFECTIVES-----E850.9	2	1	1
58	ACCIDENTAL POISONING BY HORMONES AND SYNTHETIC SUBSTITUTES-----E851	28	16	12
59	ADRENALS-----E851.0	1	1	-
60	ANDROGENS AND ANABOLIC CONGENERS-----E851.1	-	-	-
61	ESTROGENS-----E851.2	-	-	-
62	INSULINS AND ANTIDIABETIC AGENTS-----E851.3	26	15	11
63	ANTERIOR PITUITARY EXTRACTS-----E851.4	-	-	-
64	POSTERIOR PITUITARY EXTRACTS-----E851.5	-	-	-
65	PROGESTOGENS-----E851.6	-	-	-
66	THYROID AND THYROID DERIVATIVES-----E851.7	-	-	-
67	ANTI THYROID AGENTS-----E851.8	1	-	1
68	OTHER HORMONES AND SYNTHETIC SUBSTITUTES-----E851.9	-	-	-
69	ACCIDENTAL POISONING BY PRIMARILY SYSTEMIC AND HEMATOLOGIC AGENTS-----E852	53	28	25
70	ANTIHISTAMINIC AND ANTIEMETIC DRUGS-----E852.0	3	2	1
71	ANTINEOPLASTIC AGENTS-----E852.1	20	9	11
72	ELECTROLYTIC, CALORIC, AND WATER BALANCE AGENTS-----E852.2	3	3	-
73	VITAMINS-----E852.3	-	-	-
74	OTHER PRIMARILY SYSTEMIC AGENTS-----E852.4	-	-	-
75	IRON AND ITS COMPOUNDS-----E852.5	6	3	3
76	ANTICOAGULANTS-----E852.6	21	11	10
77	VITAMIN K PRODUCTS-----E852.7	-	-	-
78	OTHER COAGULANTS-----E852.8	-	-	-
79	OTHER PRIMARILY HEMATOLOGIC AGENTS-----E852.9	-	-	-
80	ACCIDENTAL POISONING BY ANALGESICS AND ANTIPIRETTICS-----E853	967	752	215
81	OPIATES AND SYNTHETIC ANALOGUES-----E853.0	774	646	128
82	SALICYLATES AND CONGENERS-----E853.1	83	34	49
83	CINCHOPHEN AND CONGENERS-----E853.2	-	-	-
84	COLCHICINE-----E853.3	-	-	-
85	ANILINE DERIVATIVES-----E853.4	1	-	1
86	OTHER COAL TAR DERIVATIVES-----E853.5	2	1	1
87	OTHER ANALGESICS AND ANTIPIRETTICS-----E853.9	107	71	36

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1,245	249	28	20	0.7	1.2	0.2	1.4	0.3	0.2	0.1	01
-	-	-	-	-	-	-	-	-	-	-	02
73	1	3	-	0.0	0.1	0.0	0.1	0.0	0.0	-	03
49	3	2	-	0.0	0.0	0.0	0.1	0.0	0.0	-	04
143	48	10	17	0.1	0.1	0.1	0.2	0.1	0.1	0.1	05
951	185	10	3	0.5	0.9	0.2	1.1	0.2	0.1	0.0	06
2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	07
2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	08
25	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	09
20	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	10
-	-	-	-	-	-	-	-	-	-	-	11
1	-	-	-	0.0	0.0	-	0.0	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	13
18	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	14
-	-	-	-	-	-	-	-	-	-	-	15
1	-	-	-	0.0	0.0	-	0.0	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	17
8	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	18
1	-	-	-	0.0	0.0	-	0.0	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	20
1	-	-	-	0.0	0.0	-	0.0	-	-	-	21
5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	22
1	-	-	-	0.0	0.0	-	0.0	-	-	-	23
39	8	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24
1	-	-	-	0.0	0.0	-	0.0	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	26
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	27
1	8	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28
-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	32
1	-	-	-	0.0	0.0	-	0.0	-	-	-	33
28	7	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34
9	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	45
1,321	826	383	212	1.3	1.7	1.0	1.5	0.9	2.9	1.5	46
4	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	47
-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	50
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	51
-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	53
1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	55
9	10	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	56
1	-	-	-	0.0	0.0	-	0.0	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	58
8	9	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	59
-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	64
-	1	-	-	0.0	-	0.0	-	0.0	-	-	65
-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	67
22	21	6	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	69
8	10	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70
2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	71
-	-	-	-	-	-	-	-	-	-	-	72
2	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
8	9	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74
-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	78
561	154	191	61	0.5	0.7	0.2	0.6	0.2	1.5	0.4	79
478	78	168	50	0.4	0.6	0.1	0.5	0.1	1.3	0.4	80
26	43	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	81
-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	84
1	1	-	-	0.0	-	0.0	-	0.0	-	-	85
-	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	86
56	32	15	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	87

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS—CON.				
01	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS—E854	620	360	260
02	BARBITURATES—E854.0	330	161	169
03	CHLORAL HYDRATE—E854.1	9	4	5
04	PARALDEHYDE—E854.2	1	1	—
05	BROMIDES—E854.3	5	1	4
06	ACUTE NARCOTISM NOT OTHERWISE SPECIFIED—E854.8	124	110	14
07	OTHER SEDATIVES AND HYPNOTICS—E854.9	151	83	68
08	ACCIDENTAL POISONING BY AUTONOMIC NERVOUS SYSTEM AND PSYCHOTHERAPEUTIC DRUGS—E855	165	68	97
09	ANTI-DEPRESSANTS—E855.0	39	11	28
10	TRANQUILIZERS—E855.1	106	46	60
11	OTHER PSYCHOTHERAPEUTIC AGENTS—E855.2	9	7	2
12	PARASYMPATHOMIMETICS (CHOLINERGICS)—E855.3	—	—	—
13	PARASYMPATHOLYTICS (ANTICHOLINERGICS)—E855.4	2	1	1
14	SYMPATHOMIMETICS (ADRENERGICS)—E855.5	2	1	1
15	AUTONOMIC NERVOUS SYSTEM RELAXANTS—E855.6	—	—	—
16	OTHER—E855.9	7	2	5
17	ACCIDENTAL POISONING BY OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS AND STIMULANTS—E856	40	28	12
18	ANTICONVULSANTS—E856.0	4	2	2
19	SKELETAL MUSCLE RELAXANTS—E856.1	1	—	1
20	ANESTHETIC GASES—E856.2	14	12	2
21	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS—E856.3	1	1	—
22	AMPHETAMINE—E856.4	18	13	5
23	OTHER CENTRAL NERVOUS SYSTEM STIMULANTS—E856.8	2	—	2
24	OTHER AND UNSPECIFIED—E856.9	—	—	—
25	ACCIDENTAL POISONING BY CARDIOVASCULAR DRUGS—E857	143	56	87
26	CARDIAC DEPRESSANTS—E857.0	—	—	—
27	CARDIAC TONICS—E857.1	142	55	87
28	CHOLESTEROL LOWERING AGENTS—E857.2	—	—	—
29	GANGLIONIC BLOCKING AGENTS—E857.3	—	—	—
30	VASODILATORS—E857.4	1	1	—
31	OTHER HYPOTENSIVE AGENTS—E857.5	—	—	—
32	SCLEROSING AGENTS—E857.6	—	—	—
33	OTHER—E857.9	—	—	—
34	ACCIDENTAL POISONING BY GASTROINTESTINAL DRUGS—E858	6	3	3
35	ANTACIDS AND ANTI-DIARRHEA AGENTS—E858.0	6	3	3
36	INTESTINAL IRRITANT CATHARTICS—E858.1	—	—	—
37	EMOLLIENT CATHARTICS—E858.2	—	—	—
38	SALINE CATHARTICS—E858.3	—	—	—
39	FECAL SOFTENERS—E858.4	—	—	—
40	OTHER CATHARTICS—E858.5	—	—	—
41	EMETICS—E858.6	—	—	—
42	OTHER—E858.9	—	—	—
43	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS—E859	711	388	323
44	LOCAL ANESTHETICS—E859.0	24	17	7
45	MERCURIAL DIURETICS—E859.1	—	—	—
46	XANTHINE DERIVATIVES—E859.2	2	—	2
47	OTHER DIURETICS—E859.3	1	—	1
48	AGENTS ACTING DIRECTLY ON MUSCULOSKELETAL SYSTEM—E859.4	—	—	—
49	LINIMENTS—E859.5	1	1	—
50	OINTMENTS—E859.6	—	—	—
51	OTHER MEDICAMENTS FOR EXTERNAL USE—E859.7	4	3	1
52	OTHER SPECIFIED DRUGS—E859.8	10	10	—
53	DRUGS, UNSPECIFIED—E859.9	669	357	312
54	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES—E860-E869	1,274	891	383
55	ACCIDENTAL POISONING BY ALCOHOL—E860	370	266	104
56	ACCIDENTAL POISONING BY CLEANSING AND POLISHING AGENTS—E861	13	11	2
57	ACCIDENTAL POISONING BY DISINFECTANTS—E862	8	3	5
58	ACCIDENTAL POISONING BY PAINTS AND VARNISHES—E863	1	1	—
59	ACCIDENTAL POISONING BY PETROLEUM PRODUCTS AND OTHER SOLVENTS—E864	54	46	8
60	ACCIDENTAL POISONING BY PESTICIDES, FERTILIZERS, OR PLANT FOODS—E865	35	27	8
61	ACCIDENTAL POISONING BY HEAVY METALS AND THEIR FUMES—E866	23	14	9
62	ACCIDENTAL POISONING BY CORROSIVES AND CAUSTICS NOT ELSEWHERE CLASSIFIABLE—E867	13	9	4
63	ACCIDENTAL POISONING BY NOXIOUS FOODSTUFFS AND POISONOUS PLANTS—E868	5	4	1
64	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES—E869	752	510	242
65	ACCIDENTAL POISONING BY GASES AND VAPORS—E870-E877	1,518	1,158	360
66	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE—E870	101	65	36
67	ACCIDENTAL POISONING BY LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS—E871	47	38	9
68	ACCIDENTAL POISONING BY OTHER UTILITY GASES—E872	4	3	1
69	ACCIDENTAL POISONING BY MOTOR VEHICLE EXHAUST GAS—E873	689	554	135
70	ACCIDENTAL POISONING BY CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF DOMESTIC FUELS—E874	154	112	42
71	ACCIDENTAL POISONING BY OTHER CARBON MONOXIDE—E875	278	198	80
72	ACCIDENTAL POISONING BY OTHER GASES AND VAPORS—E876	226	172	54
73	ACCIDENTAL POISONING BY UNSPECIFIED GASES AND VAPORS—E877	19	16	3
74	ACCIDENTAL FALLS—E880-E887	16,339	8,369	7,970
75	FALL ON OR FROM STAIRS OR STEPS—E880	1,506	856	650
76	FALL ON OR FROM LADDER OR SCAFFOLDING—E881	404	393	11
77	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE—E882	751	644	107
78	FALL INTO HOLE OR OTHER OPENING IN SURFACE—E883	146	133	13
79	OTHER FALLS FROM ONE LEVEL TO ANOTHER—E884	1,411	927	484
80	FALL ON SAME LEVEL FROM SLIPPING, STUMBLING, OR TRIPPING—E885	600	283	317
81	FALL ON SAME LEVEL FROM COLLISION WITH OR PUSHING OR SHOIVING BY ANOTHER PERSON—E886	22	17	5
82	OTHER AND UNSPECIFIED FALLS—E887	11,499	5,116	6,383

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
01	ACCIDENTS CAUSED BY FIRES AND FLAMES-----E890-E899	6,236	3,821	2,415
02	ACCIDENT CAUSED BY CONFLAGRATION IN PRIVATE DWELLING-----E890	4,298	2,604	1,694
03	ACCIDENT CAUSED BY CONFLAGRATION IN OTHER BUILDING OR STRUCTURE-----E891	217	178	39
04	ACCIDENT CAUSED BY CONFLAGRATION NOT IN BUILDING OR STRUCTURE-----E892	54	44	10
05	ACCIDENT CAUSED BY IGNITION OF CLOTHING-----E893	445	188	257
06	ACCIDENT CAUSED BY IGNITION OF HIGHLY INFLAMMABLE MATERIAL-----E894	185	146	39
07	ACCIDENT CAUSED BY CONTROLLED FIRE IN PRIVATE DWELLING-----E895	71	38	33
08	ACCIDENT CAUSED BY CONTROLLED FIRE IN OTHER BUILDING OR STRUCTURE-----E896	7	4	3
09	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE-----E897	21	16	5
10	ACCIDENTS CAUSED BY OTHER SPECIFIED FIRES OR FLAMES-----E898	403	275	128
11	ACCIDENT CAUSED BY UNSPECIFIED FIRE-----E899	535	328	207
12	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS-----E900-E909	1,427	949	478
13	EXCESSIVE HEAT-----E900	140	95	45
14	EXCESSIVE COLD-----E901	348	272	76
15	HIGH AND LOW AIR PRESSURE-----E902	24	19	5
16	EFFECTS OF TRAVEL AND MOTION-----E903	-	-	-
17	HUNGER, THIRST, EXPOSURE, AND NEGLIGENCE-----E904	201	132	69
18	BITES AND STINGS OF VENOMOUS ANIMALS AND INSECTS-----E905	53	43	10
19	OTHER ACCIDENTS CAUSED BY ANIMALS-----E906	139	107	32
20	LIGHTNING-----E907	112	88	24
21	CATAclysm-----E908	384	172	212
22	ACCIDENTS DUE TO OTHER NATURAL AND ENVIRONMENTAL FACTORS-----E909	26	21	5
23	OTHER ACCIDENTS-----E910-E929	20,711	16,578	4,133
24	ACCIDENTAL DROWNING AND SUBMERSION-----E910	6,463	5,356	1,067
25	IN RECREATIONAL ACTIVITIES-----E910.0	2,001	1,796	205
26	OTHER AND UNSPECIFIED-----E910.9	4,462	3,600	862
27	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OR SUFFOCATION-----E911	2,181	1,286	895
28	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E912	810	496	314
29	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	1,083	793	290
30	IN BED OR CRADLE-----E913.0	234	116	118
31	OTHER AND UNSPECIFIED-----E913.9	849	677	172
32	FOREIGN BODY ACCIDENTALLY ENTERING EYE AND ADNEXA-----E914	-	-	-
33	FOREIGN BODIES ACCIDENTALLY ENTERING OTHER ORIFICES-----E915	72	50	22
34	STRUCK ACCIDENTALLY BY FALLING OBJECTS-----E916	1,143	1,077	66
35	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS-----E917	927	783	144
36	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS-----E918	521	490	31
37	OVEREXERTION AND STRENUOUS MOVEMENTS-----E919	8	8	-
38	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT-----E920	112	90	22
39	POWERED HAND TOOL-----E920.0	10	9	1
40	OTHER HAND TOOLS-----E920.1	18	16	2
41	OTHER MACHINERY-----E920.2	18	18	-
42	OTHER-----E920.8	49	35	14
43	UNSPECIFIED-----E920.9	17	12	5
44	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL-----E921	57	52	5
45	BOILER-----E921.0	18	14	4
46	GAS CYLINDER-----E921.1	5	4	1
47	OTHER-----E921.8	34	34	-
48	ACCIDENT CAUSED BY FIREARM MISSILE-----E922	2,513	2,127	386
49	ACCIDENTALLY SELF-INFLICTED-----E922.0	512	467	45
50	OTHER AND UNSPECIFIED-----E922.9	2,001	1,660	341
51	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL-----E923	459	376	83
52	FIREWORKS-----E923.0	3	3	-
53	BLASTING MATERIAL-----E923.1	24	22	2
54	EXPLOSIVE GAS-----E923.2	230	176	54
55	OTHER-----E923.8	78	68	10
56	UNSPECIFIED-----E923.9	124	107	17
57	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, AND STEAM-----E924	216	130	86
58	ACCIDENT CAUSED BY ELECTRIC CURRENT-----E925	1,157	1,078	79
59	HOME WIRING AND APPLIANCE-----E925.0	203	164	39
60	INDUSTRIAL WIRING AND APPLIANCE-----E925.1	163	161	2
61	OTHER-----E925.8	636	610	26
62	UNSPECIFIED-----E925.9	155	143	12
63	ACCIDENT CAUSED BY RADIATION-----E926	1	1	-
64	NONIONIZING-----E926.0	-	-	-
65	IONIZING-----E926.1	1	1	-
66	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE-----E927	210	186	24
67	MACHINERY ACCIDENTS NOT ELSEWHERE CLASSIFIABLE-----E928	783	759	24
68	OTHER AND UNSPECIFIED ACCIDENTS-----E929	1,995	1,400	595
69	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES-----E930-E936	3,021	1,572	1,449
70	COMPLICATIONS AND MISADVENTURES IN OPERATIVE THERAPEUTIC PROCEDURES-----E930	2,151	1,146	1,005
71	IN SURGICAL TREATMENT EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT-----E930.0	2,105	1,128	977
72	IN ANESTHESIA DURING OPERATIVE TREATMENT-----E930.1	46	18	28
73	IN INFUSION OR TRANSFUSION DURING OPERATIVE TREATMENT-----E930.2	-	-	-
74	IN OTHER PROCEDURES DURING OPERATIVE TREATMENT-----E930.9	-	-	-
75	COMPLICATIONS AND MISADVENTURES IN OTHER AND UNSPECIFIED THERAPEUTIC PROCEDURES-----E931	638	305	333
76	IN USE OF X-RAYS AND RADIOACTIVE SUBSTANCES-----E931.0	22	4	18
77	IN ADMINISTRATION OF DRUGS AND BIOLOGICALS-----E931.1	354	160	194
78	IN INFUSION AND TRANSFUSION-----E931.2	46	22	24
79	IN LOCAL APPLICATIONS-----E931.3	-	-	-
80	IN OTHER THERAPEUTIC PROCEDURES-----E931.8	98	56	42
81	IN UNSPECIFIED THERAPEUTIC PROCEDURE-----E931.9	118	63	55

SECTION I - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
2,874	1,769	947	646	2.9	3.7	2.2	3.2	1.9	7.3	4.5	01
1,904	1,229	700	465	2.0	2.5	1.6	2.1	1.3	5.4	3.3	02
151	35	27	4	0.1	0.2	0.0	0.2	0.0	0.2	0.0	03
38	8	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	04
159	207	29	50	0.2	0.2	0.2	0.2	0.2	0.2	0.4	05
115	27	31	12	0.1	0.1	0.0	0.1	0.0	0.2	0.1	06
24	20	14	13	0.0	0.0	0.0	0.0	0.0	0.1	0.1	07
3	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	08
16	5	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	09
222	113	53	15	0.2	0.3	0.1	0.2	0.1	0.4	0.1	10
242	123	86	84	0.3	0.3	0.2	0.3	0.1	0.7	0.6	11
737	401	212	77	0.7	0.9	0.4	0.8	0.4	1.6	0.5	12
71	36	24	9	0.1	0.1	0.0	0.1	0.0	0.2	0.1	13
169	60	103	16	0.2	0.3	0.1	0.2	0.1	0.8	0.1	14
17	3	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
-	-	-	-	-	-	-	-	-	-	-	16
94	51	38	18	0.1	0.1	0.1	0.1	0.1	0.3	0.1	17
37	9	6	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
96	28	11	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	19
79	21	9	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0	20
153	188	19	24	0.2	0.2	0.2	0.2	0.2	0.1	0.2	21
21	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-	22
13,539	3,373	3,039	760	9.8	16.1	3.8	15.1	3.6	23.3	5.3	23
4,105	867	1,291	200	3.1	5.2	1.0	4.6	0.9	9.9	1.4	24
1,319	151	477	54	0.9	1.7	0.2	1.5	0.2	3.7	0.4	25
2,786	716	814	146	2.1	3.5	0.8	3.1	0.8	6.2	1.0	26
1,105	768	181	127	1.0	1.2	0.8	1.2	0.8	1.4	0.9	27
398	247	98	67	0.4	0.5	0.3	0.4	0.3	0.8	0.5	28
667	223	126	67	0.5	0.8	0.3	0.7	0.2	1.0	0.5	29
83	91	33	27	0.1	0.1	0.1	0.1	0.1	0.3	0.2	30
584	132	93	40	0.4	0.7	0.2	0.6	0.1	0.7	0.3	31
-	-	-	-	-	-	-	-	-	-	-	32
42	17	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	33
927	56	150	10	0.5	1.0	0.1	1.0	0.1	1.2	0.1	34
681	130	102	14	0.4	0.8	0.1	0.8	0.1	0.8	0.1	35
430	26	60	5	0.2	0.5	0.0	0.5	0.0	0.5	0.0	36
8	-	-	-	0.0	0.0	-	0.0	-	-	-	37
71	14	19	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1	38
7	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39
14	-	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40
16	-	2	-	0.0	0.0	-	0.0	-	0.0	0.0	41
29	11	6	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42
5	2	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	43
46	5	6	-	0.0	0.1	0.0	0.1	0.0	0.0	-	44
14	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	45
4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	46
28	-	6	-	0.0	0.0	-	0.0	-	0.0	-	47
1,681	280	446	106	1.2	2.1	0.4	1.9	0.3	3.4	0.7	48
391	38	76	7	0.2	0.5	0.0	0.4	0.0	0.6	0.0	49
1,290	242	370	99	0.9	1.6	0.3	1.4	0.3	2.8	0.7	50
331	67	45	16	0.2	0.4	0.1	0.4	0.1	0.3	0.1	51
3	-	-	-	0.0	0.0	-	0.0	-	-	-	52
20	-	2	2	0.0	0.0	0.0	0.0	-	0.0	0.0	53
154	45	22	9	0.1	0.2	0.0	0.2	0.0	0.2	0.1	54
62	7	6	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0	55
92	15	15	2	0.1	0.1	0.3	0.1	0.0	0.1	0.0	56
93	60	37	26	0.1	0.1	0.1	0.1	0.1	0.3	0.2	57
980	71	98	8	0.5	1.0	0.1	1.1	0.1	0.8	0.1	58
155	36	9	3	0.1	0.2	0.0	0.2	0.0	0.1	0.0	59
146	2	15	-	0.1	0.2	0.0	0.2	0.0	0.1	-	60
550	22	60	4	0.3	0.6	0.0	0.6	0.0	0.5	0.0	61
129	11	14	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	62
1	-	-	-	0.0	0.0	-	0.0	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	64
1	-	-	-	0.0	0.0	-	0.0	-	-	-	65
172	23	14	1	0.1	0.2	0.0	0.2	0.0	0.1	0.0	66
705	23	54	1	0.4	0.7	0.0	0.8	0.0	0.4	0.0	67
1,096	496	304	99	0.9	1.4	0.5	1.2	0.5	2.3	0.7	68
1,330	1,213	242	236	1.4	1.5	1.3	1.5	1.3	1.9	1.7	69
979	849	167	156	1.0	1.1	0.9	1.1	0.9	1.3	1.1	70
965	831	163	146	1.0	1.1	0.9	1.1	0.9	1.3	1.0	71
14	18	4	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	72
-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	74
255	280	50	53	0.3	0.3	0.3	0.3	0.3	0.4	0.4	75
4	16	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	76
133	160	27	34	0.2	0.2	0.2	0.1	0.2	0.2	0.2	77
19	20	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78
-	-	-	-	-	-	-	-	-	-	-	79
44	39	12	3	0.0	0.1	0.0	0.0	0.0	0.1	0.0	80
55	45	8	10	0.1	0.1	0.1	0.1	0.0	0.1	0.1	81

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH	TOTAL		
	BOTH SEXES	MALE	FEMALE
SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES--CON.			
01 COMPLICATIONS AND MISADVENTURES IN DIAGNOSTIC PROCEDURES-----E932	212	115	97
02 IN SURGICAL PROCEDURES, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT-----E932.0	127	76	51
03 IN ANESTHESIA-----E932.1	5	1	4
04 IN USE OF X-RAYS OR RADIOACTIVE SUBSTANCES-----E932.2	7	4	3
05 IN ADMINISTRATION OF DRUGS AND BIOLOGICALS-----E932.3	34	13	21
06 IN OTHER DIAGNOSTIC PROCEDURES-----E932.8	38	20	18
07 IN UNSPECIFIED DIAGNOSTIC PROCEDURE-----E932.9	1	1	-
08 COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH BACTERIAL VACCINES-----E933	-	-	-
09 BCG VACCINE-----E933.0	-	-	-
10 TYPHOID AND PARATYPHOID VACCINE-----E933.1	-	-	-
11 CHOLERA VACCINE-----E933.2	-	-	-
12 PLAGUE VACCINE-----E933.3	-	-	-
13 TETANUS VACCINE-----E933.4	-	-	-
14 DIPHTHERIA VACCINE-----E933.5	-	-	-
15 PERTUSSIS VACCINE, INCLUDING COMBINATIONS WITH A PERTUSSIS COMPONENT-----E933.6	-	-	-
16 OTHER AND UNSPECIFIED BACTERIAL VACCINES-----E933.8	-	-	-
17 MIXED BACTERIAL VACCINES, EXCEPT COMBINATIONS WITH A PERTUSSIS COMPONENT-----E933.9	-	-	-
18 COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH OTHER VACCINES-----E934	1	-	1
19 SMALLPOX VACCINE-----E934.0	-	-	-
20 RABIES VACCINE-----E934.1	-	-	-
21 TYPHUS VACCINE-----E934.2	-	-	-
22 YELLOW FEVER VACCINE-----E934.3	-	-	-
23 MEASLES VACCINE-----E934.4	1	-	1
24 POLIOMYELITIS VACCINE-----E934.5	-	-	-
25 OTHER AND UNSPECIFIED VIRAL AND RICKETTSIAL VACCINES-----E934.6	-	-	-
26 MIXED VIRAL-RICKETTSIAL AND BACTERIAL VACCINES, EXCEPT COMBINATIONS WITH A PERTUSSIS COMPONENT-----E934.7	-	-	-
27 OTHER AND UNSPECIFIED VACCINES-----E934.9	12	5	7
28 COMPLICATIONS AND MISADVENTURES IN OTHER PROPHYLACTIC PROCEDURES-----E935	12	5	7
29 IN SURGICAL PROCEDURES, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT-----E935.0	8	5	3
30 IN ANESTHESIA DURING PROPHYLACTIC PROCEDURES-----E935.1	3	-	3
31 IN USE OF X-RAYS AND RADIOACTIVE SUBSTANCES-----E935.2	-	-	-
32 IN ADMINISTRATION OF DRUGS AND BIOLOGICALS-----E935.3	1	-	1
33 IN OTHER AND UNSPECIFIED PROCEDURES-----E935.9	-	-	-
34 COMPLICATIONS AND MISADVENTURES IN OTHER NONTHERAPEUTIC PROCEDURES-----E936	7	1	6
35 IN SURGICAL PROCEDURES, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT-----E936.0	-	-	-
36 IN ANESTHESIA-----E936.1	-	-	-
37 IN OTHER AND UNSPECIFIED PROCEDURES-----E936.9	7	1	6
38 LATE EFFECTS OF ACCIDENTAL INJURIES-----E940-E949	695	422	273
39 LATE EFFECT OF MOTOR VEHICLE ACCIDENT-----E940	166	108	58
40 LATE EFFECT OF OTHER TRANSPORT ACCIDENT-----E941	7	6	1
41 LATE EFFECT OF ACCIDENTAL POISONING-----E942	7	1	6
42 LATE EFFECT OF ACCIDENTAL FALL-----E943	172	78	94
43 LATE EFFECT OF ACCIDENT CAUSED BY FIRE-----E944	2	1	1
44 LATE EFFECT OF ACCIDENT DUE TO NATURAL AND ENVIRONMENTAL FACTORS-----E945	-	-	-
45 LATE EFFECTS OF OTHER ACCIDENTS-----E946	221	175	46
46 LATE EFFECT OF SURGICAL OPERATION-----E947	86	40	46
47 LATE EFFECT OF IRRADIATION-----E948	10	1	9
48 LATE EFFECTS OF OTHER SURGICAL AND MEDICAL PROCEDURES-----E949	24	12	12
49 SUICIDE-----E950-E959	25,683	18,595	7,088
50 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE-----E950	3,473	1,268	2,205
51 BARBITURIC ACID AND DERIVATIVES-----E950.0	1,190	418	772
52 SALICYLATES AND CONGENERS-----E950.1	95	31	64
53 PSYCHOTHERAPEUTIC AGENTS-----E950.2	307	99	208
54 OTHER AND UNSPECIFIED DRUGS-----E950.3	1,312	453	859
55 CORROSIVE AROMATICS-----E950.4	6	3	3
56 STRYCHNINE-----E950.5	16	9	7
57 LYE AND POTASH (CAUSTIC ALKALI)-----E950.6	21	5	16
58 ARSENIC AND ITS COMPOUNDS-----E950.7	9	5	4
59 FLUORIDES-----E950.8	7	4	3
60 OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES-----E950.9	510	241	269
61 SUICIDE FROM POISONING BY GAS IN DOMESTIC USE-----E951	59	49	10
62 SUICIDE FROM POISONING BY OTHER GASES-----E952	2,461	1,627	834
63 MOTOR VEHICLE EXHAUST GAS-----E952.0	2,039	1,337	702
64 OTHER CARBON MONOXIDE-----E952.1	401	276	125
65 OTHER AND UNSPECIFIED GASES AND VAPORS-----E952.9	21	14	7
66 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION-----E953	3,477	2,661	816
67 SUICIDE BY SUBMERSION OR DROWNING-----E954	484	263	221
68 SUICIDE BY FIREARM AND EXPLOSIVE-----E955	14,345	11,813	2,532
69 SUICIDE BY CUTTING AND PIERCING INSTRUMENT-----E956	357	253	104
70 SUICIDE BY JUMPING FROM HIGH PLACE-----E957	700	443	257
71 SUICIDE BY OTHER AND UNSPECIFIED MEANS-----E958	322	214	108
72 LATE EFFECT OF SELF-INFLICTED INJURY-----E959	5	4	1
73 HOMICIDE-----E960-E969	21,090	16,378	4,712
74 FIGHT, BRAWL, OR RAPE-----E960	103	85	18
75 ASSAULT BY CORROSIVE OR CAUSTIC SUBSTANCE, EXCEPT POISONING-----E961	-	-	-
76 ASSAULT BY POISONING-----E962	37	20	17
77 ASSAULT BY HANGING AND STRANGULATION-----E963	675	221	454
78 ASSAULT BY SUBMERSION OR DROWNING-----E964	79	43	36
79 ASSAULT BY FIREARM AND EXPLOSIVE-----E965	14,737	12,053	2,684
80 ASSAULT BY CUTTING AND PIERCING INSTRUMENT-----E966	3,366	2,610	756
81 ASSAULT BY PUSHING FROM HIGH PLACE-----E967	16	12	4
82 ASSAULT BY OTHER AND UNSPECIFIED MEANS-----E968	2,059	1,319	740
83 LATE EFFECT OF INJURY PURPOSELY INFLICTED BY OTHER PERSON-----E969	18	15	3

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
91	75	24	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2	01	
60	39	16	12	0.1	0.1	0.0	0.1	0.0	0.1	0.1	02	
1	1	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	03	
3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	04	
10	19	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05	
17	13	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06	
1	-	-	-	0.0	0.0	-	-	-	-	-	07	
-	-	-	-	-	-	-	-	-	-	-	08	
-	-	-	-	-	-	-	-	-	-	-	09	
-	-	-	-	-	-	-	-	-	-	-	10	
-	-	-	-	-	-	-	-	-	-	-	11	
-	-	-	-	-	-	-	-	-	-	-	12	
-	-	-	-	-	-	-	-	-	-	-	13	
-	-	-	-	-	-	-	-	-	-	-	14	
-	-	-	-	-	-	-	-	-	-	-	15	
-	-	-	-	-	-	-	-	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	17	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	18	
-	-	-	-	-	-	-	-	-	-	-	19	
-	-	-	-	-	-	-	-	-	-	-	20	
-	-	-	-	-	-	-	-	-	-	-	21	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	22	
-	-	-	-	-	-	-	-	-	-	-	23	
-	-	-	-	-	-	-	-	-	-	-	24	
-	-	-	-	-	-	-	-	-	-	-	25	
-	-	-	-	-	-	-	-	-	-	-	26	
4	3	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	
4	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	
-	2	-	1	0.0	-	0.0	-	0.0	-	0.0	29	
-	-	-	1	0.0	-	0.0	-	-	-	0.0	30	
-	-	-	-	-	-	-	-	-	-	-	31	
-	-	-	-	-	-	-	-	-	-	-	32	
1	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	34	
-	-	-	-	-	-	-	-	-	-	-	35	
1	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	36	
-	-	-	-	-	-	-	-	-	-	-	37	
336	239	86	34	0.3	0.4	0.3	0.4	0.3	0.7	0.2	38	
90	52	18	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	39	
5	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	40	
1	3	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0	41	
59	91	19	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	42	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	43	
-	-	-	-	-	-	-	-	-	-	-	44	
133	36	42	10	0.1	0.2	0.0	0.1	0.0	0.3	0.1	45	
35	38	5	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	46	
1	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	47	
11	9	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	
17,263	6,660	1,332	428	12.1	18.1	6.5	19.2	7.1	10.2	3.0	49	
1,192	2,092	76	113	1.6	1.2	2.0	1.3	2.2	0.6	0.8	50	
405	754	13	18	0.6	0.4	0.7	0.5	0.8	0.1	0.1	51	
29	61	2	3	0.0	0.0	0.1	0.0	0.1	0.0	0.0	52	
93	199	6	9	0.1	0.1	0.2	0.1	0.2	0.0	0.1	53	
418	797	35	62	0.6	0.4	0.8	0.5	0.8	0.3	0.4	54	
2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	55	
9	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-	56	
4	13	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57	
3	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	58	
3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	59	
226	251	15	18	0.2	0.2	0.2	0.3	0.3	0.1	0.1	60	
46	10	3	-	0.0	0.0	0.0	0.1	0.0	0.0	-	61	
1,602	827	25	7	1.2	1.6	0.8	1.8	0.9	0.2	0.0	62	
1,315	697	22	5	1.0	1.3	0.6	1.5	0.7	0.2	0.0	63	
274	123	2	2	0.2	0.3	0.1	0.3	0.1	0.0	0.0	64	
13	7	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	65	
2,410	754	251	62	1.6	2.6	0.8	2.7	0.8	1.9	0.4	66	
220	201	43	20	0.2	0.3	0.2	0.2	0.2	-0.3	0.1	67	
10,998	2,354	815	178	6.8	11.5	2.3	12.2	2.5	6.3	1.2	68	
236	96	17	8	0.2	0.2	0.1	0.3	0.1	0.1	0.1	69	
370	223	73	34	0.3	0.4	0.2	0.4	0.2	0.6	0.2	70	
185	102	29	6	0.2	0.2	0.1	0.2	0.1	0.2	0.0	71	
4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	72	
7,808	2,652	8,570	2,060	10.0	15.9	4.3	8.7	2.8	65.8	14.5	73	
62	10	23	8	0.0	0.1	0.0	0.1	0.0	0.2	0.1	74	
-	-	-	-	-	-	-	-	-	-	-	75	
15	15	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76	
155	330	66	124	0.3	0.2	0.4	0.2	0.4	0.5	0.9	77	
29	23	14	13	0.0	0.0	0.0	0.0	0.0	0.1	0.1	78	
5,636	1,443	6,417	1,241	7.0	11.7	2.5	6.3	1.5	49.3	8.7	79	
1,085	370	1,525	386	1.6	2.5	0.7	1.2	0.4	11.7	2.7	80	
4	1	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	81	
815	460	504	280	1.0	1.3	0.7	0.9	0.5	3.9	2.0	82	
7	-	8	3	0.0	0.0	0.0	0.0	-	0.1	0.0	83	

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

	CAUSE OF DEATH	TOTAL		
		BOTH SEXES	MALE	FEMALE
01	LEGAL INTERVENTION-----E970-F978	375	369	6
02	INJURY DUE TO LEGAL INTERVENTION BY FIREARM-----E970	370	366	4
03	INJURY DUE TO LEGAL INTERVENTION BY EXPLOSIVE-----E971	-	-	-
04	INJURY DUE TO LEGAL INTERVENTION BY GAS-----E972	-	-	-
05	INJURY DUE TO LEGAL INTERVENTION BY BLUNT OBJECT-----E973	-	-	-
06	INJURY DUE TO LEGAL INTERVENTION BY CUTTING AND PIERCING INSTRUMENT-----E974	-	-	-
07	INJURIES DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS-----E975	-	-	-
08	INJURY DUE TO LEGAL INTERVENTION BY UNSPECIFIED MEANS-----E976	3	1	2
09	LATE EFFECT OF INJURY DUE TO LEGAL INTERVENTION-----E977	2	2	-
10	LEGAL EXECUTION-----F978	-	-	-
11	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E980-E989	5,149	3,558	1,591
12	POISONING BY SOLID OR LIQUID SUBSTANCE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E980	1,042	528	514
13	BARBITURIC ACID AND DERIVATIVES-----*E980.0	143	50	93
14	SALICYLATES AND CONGENERS-----*E980.1	21	9	12
15	PSYCHOTHERAPEUTIC AGENTS-----*E980.2	67	22	45
16	OTHER AND UNSPECIFIED DRUGS-----*E980.3	572	315	257
17	CORROSIVE AROMATICS-----*E980.4	2	1	1
18	STRYCHNINE-----*E980.5	4	-	4
19	LYE AND POTASH (CAUSTIC ALKALI)-----*E980.6	5	1	4
20	ARSENIC AND ITS COMPOUNDS-----*E980.7	2	2	-
21	FLUORIDES-----*E980.8	1	-	1
22	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES-----*E980.9	225	128	97
23	POISONING BY GAS IN DOMESTIC USE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----F981	5	4	1
24	POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E982	280	208	72
25	HANGING, STRANGULATION, OR SUFFOCATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E983	151	116	35
26	SUBMERSION OR DROWNING, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E984	521	404	117
27	INJURY BY FIREARM AND EXPLOSIVE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E985	1,091	876	215
28	INJURY BY CUTTING AND PIERCING INSTRUMENT, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E986	44	33	11
29	FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E987	409	272	137
30	INJURIES BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E988	1,503	1,096	407
31	LATE EFFECT OF INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E989	23	21	2
32	INJURIES RESULTING FROM OPERATIONS OF WAR-----E990-F999	12	12	-
33	INJURY DUE TO WAR OPERATIONS BY FIRE AND CONFLAGRATION-----E990	-	-	-
34	INJURY DUE TO WAR OPERATIONS BY BULLETS AND FRAGMENTS-----E991	-	-	-
35	INJURY DUE TO WAR OPERATIONS BY EXPLOSION OF MARINE WEAPONS-----E992	-	-	-
36	INJURIES DUE TO WAR OPERATIONS BY OTHER EXPLOSIONS-----E993	-	-	-
37	INJURY DUE TO WAR OPERATIONS BY DESTRUCTION OF AIRCRAFT-----E994	-	-	-
38	INJURIES DUE TO WAR OPERATIONS BY OTHER AND UNSPECIFIED FORMS OF CONVENTIONAL WARFARE-----E995	-	-	-
39	INJURY DUE TO WAR OPERATIONS BY NUCLEAR WEAPONS-----E996	-	-	-
40	INJURIES DUE TO WAR OPERATIONS BY OTHER FORMS OF UNCONVENTIONAL WARFARE-----E997	-	-	-
41	INJURY DUE TO WAR OPERATIONS BUT OCCURRING AFTER CESSATION OF HOSTILITIES-----E998	-	-	-
42	LATE EFFECT OF INJURY DUE TO WAR OPERATIONS-----E999	12	12	-

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1974—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
184	4	185	2	0.2	0.4	0.0	0.2	0.0	1.4	0.0	01
181	2	185	2	0.2	0.4	0.0	0.2	0.0	1.4	0.0	02
-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	07
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	08
2	-	-	-	0.0	0.0	-	0.0	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	10
2,599	1,212	959	379	2.4	3.5	1.5	2.9	1.3	7.4	2.7	11
419	441	109	73	0.5	0.5	0.5	0.5	0.5	0.8	0.5	12
46	81	4	12	0.1	0.0	0.1	0.1	0.1	0.0	0.1	13
7	11	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14
20	39	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
241	216	74	41	0.3	0.3	0.2	0.3	0.2	0.6	0.3	16
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	17
-	3	-	-	0.0	-	0.0	-	0.0	-	-	18
-	4	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0	19
1	1	1	-	0.0	0.0	-	0.0	-	0.0	-	20
-	1	-	-	0.0	-	0.0	-	0.0	-	-	21
103	85	25	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1	22
4	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	23
189	70	19	2	0.1	0.2	0.1	0.2	0.1	0.1	0.1	24
98	24	18	11	0.1	0.1	0.0	0.1	0.0	0.1	0.1	25
274	94	130	23	0.2	0.4	0.1	0.3	0.1	1.0	0.7	26
660	159	216	56	0.5	0.9	0.2	0.7	0.2	1.7	0.4	27
23	8	10	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	28
204	99	68	38	0.2	0.3	0.1	0.2	0.1	0.5	0.3	29
716	316	380	171	0.7	1.1	0.4	0.8	0.3	2.9	1.2	30
12	1	9	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	31
10	-	2	-	0.0	0.0	-	0.0	-	0.0	-	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
10	-	2	-	0.0	0.0	-	0.0	-	0.0	-	42

Table 1-24. Deaths From 281 Selected Causes,

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
01	ALL CAUSES.....	1,934,388	172,015	156,000	172,120
02	I. INFECTIVE AND PARASITIC DISEASES.....	15,722	1,405	1,297	1,411
03	CHOLERA.....000	-	-	-	-
04	TYPHOID FEVER.....001	3	-	-	-
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	59	7	4	7
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	57	5	4	1
07	FOOD POISONING (BACTERIAL).....005	10	-	-	1
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,255	220	190	191
09	TUBERCULOSIS, ALL FORMS.....010-019	3,513	316	293	346
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	2,775	253	243	262
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	84	7	6	8
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	19	-	1	4
13	TUBERCULOSIS OF BONES AND JOINTS.....015	32	3	1	1
14	DISSEMINATED TUBERCULOSIS.....018	153	16	8	16
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	450	37	34	55
16	PLAGUE.....020	1	-	-	-
17	ANTHRAX.....022	-	-	-	-
18	BRUCELLOSIS.....023	-	-	-	-
19	LEPROSY.....030	2	-	-	-
20	DIPHTHERIA.....032	5	-	-	1
21	WHOOPING COUGH.....033	14	1	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	22	1	1	3
23	ERYSIPELAS.....035	2	-	1	1
24	MENINGOCOCCAL INFECTIONS.....036	305	30	38	36
25	TETANUS.....037	44	6	2	3
26	SEPTICEMIA.....038	5,243	443	427	411
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	710	55	53	56
28	ACUTE POLIOMYELITIS.....040-043	3	-	-	-
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	86	6	7	10
30	SMALLPOX.....050	-	-	-	-
31	MEASLES.....055	20	2	-	4
32	YELLOW FEVER.....060	-	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	272	16	28	31
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	34	1	5	2
35	INFECTIOUS HEPATITIS.....070	630	63	52	55
36	RABIES.....071	-	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	906	98	91	105
38	TYPHUS AND OTHER RICKETTSIOSSES.....080-083	51	-	1	-
39	MALARIA.....084	4	-	-	-
40	TRYPANOSOMIASIS.....086,087	-	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	300	28	18	34
43	CONGENITAL SYPHILIS.....090	16	1	-	1
44	EARLY SYPHILIS, SYMPTOMATIC.....091	1	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	16	2	2	3
46	OTHER CARDIOVASCULAR SYPHILIS.....093.9	132	9	5	19
47	TABES DORSALIS.....094.0	20	3	1	2
48	GENERAL PARESIS.....094.1	34	2	2	1
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	58	8	5	7
50	ALL OTHER SYPHILIS.....095,097.0,097.9	23	3	3	1
51	GONOCOCCAL INFECTIONS.....098	1	-	1	-
52	SCHISTOSOMIASIS.....120	-	-	-	-
53	HYDATIDOSIS.....122	5	1	-	-
54	FILARIAL INFESTATIONS.....125	-	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-
56	OTHER HELMINTHIASES.....121,123,124,127-129	11	3	-	2
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,154	103	82	111
58	II. NEOPLASMS.....	365,532	30,869	28,356	30,644
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	360,472	30,421	27,961	30,201
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,968	692	669	649
61	OF LIP.....140	162	14	10	10
62	OF TONGUE.....141	1,836	170	140	158
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,445	216	230	168
64	OF PHARYNX.....146-149	3,525	292	289	313
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	98,913	8,410	7,714	8,228
66	OF ESOPHAGUS.....150	6,652	567	530	495
67	OF STOMACH.....151	15,171	1,282	1,188	1,307
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	661	70	50	40
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	39,431	3,334	3,044	3,375
70	CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,155	351	327	373
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1,135	94	90	98
72	DESCENDING COLON.....153.2	928	80	72	76
73	SIGMOID COLON.....153.3	4,157	385	335	372
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	27,103	2,259	2,047	2,297
75	INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,953	165	173	159
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	9,911	872	804	804
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,465	216	192	208
78	OF GALLBLADDER AND BILE DUCTS.....156	4,315	370	343	324
79	OF PANCREAS.....157	18,896	1,582	1,456	1,543
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,411	117	107	132
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	83,475	7,053	6,413	6,987
82	OF LARYNX.....161	3,262	296	252	290
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	78,873	6,638	6,053	6,576
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,340	119	108	121
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	40,861	3,494	3,153	3,492
86	OF BONE.....170	1,810	166	131	147
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,482	133	116	124
88	OF SKIN.....172-173	5,145	422	359	440
89	OF BREAST.....174	32,424	2,773	2,547	2,761

Table 1-24. Deaths From 281 Selected Causes,

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
MALIGNANT NEOPLASMS, ETC.—CON.					
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	43,111	3,560	3,222	3,643
02	OF CERVIX UTERI.....180	5,963	482	468	518
03	OF OTHER PARTS OF UTERUS.....181,182	5,641	453	461	416
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	10,335	849	775	875
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	980	72	71	87
06	OF PROSTATE.....185	19,184	1,635	1,460	1,679
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	1,008	69	87	68
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	16,457	1,414	1,264	1,416
09	OF BLADDER.....188	9,397	762	716	802
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	7,060	652	548	616
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	35,183	2,916	2,674	2,819
12	OF EYE.....190	331	34	28	26
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	8,399	730	603	624
14	OF THYROID GLAND.....193	979	72	68	82
15	OTHER.....194-199	25,474	2,080	1,975	2,087
16	LEUKEMIA.....204-207	14,575	1,186	1,183	1,258
17	LYMPHATIC LEUKEMIA.....204	4,581	383	353	415
18	MYELOID LEUKEMIA.....205	6,543	536	545	561
19	MONOCYTIC LEUKEMIA.....206	466	31	40	40
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	2,985	236	245	239
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	19,929	1,696	1,569	1,710
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6,679	596	545	586
23	HODGKIN'S DISEASE.....201	2,675	249	216	228
24	MULTIPLE MYELOMA.....203	5,120	403	395	419
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	5,455	448	413	477
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	5,060	448	395	443
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	165	14	11	12
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	774	82	54	72
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	827	72	74	71
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	41	6	3	4
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	2,156	179	174	165
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	1,097	95	79	119
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	45,688	4,109	3,796	4,205
34	NONTOXIC GOITER.....240,241	37	-	3	2
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	290	27	25	28
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	439	38	31	38
37	DIABETES MELLITUS.....250	37,329	3,317	3,121	3,443
38	DISEASES OF PITUITARY GLAND.....253	236	24	16	24
39	DISEASES OF THYMUS GLAND.....254	28	3	4	2
40	DISEASES OF ADRENAL GLAND.....255	370	32	33	30
41	NIACIN DEFICIENCY.....262	2	1	-	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,525	276	204	220
43	CYSTIC FIBROSIS.....273.0	540	49	42	54
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,892	342	317	364
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,354	476	424	476
46	ANEMIAS.....280-285	3,312	307	273	309
47	DEFICIENCY ANEMIAS.....280,281	426	47	48	35
48	HEMOLYTIC ANEMIAS.....282,283	711	58	54	78
49	APLASTIC ANEMIA.....284	1,089	106	85	103
50	OTHER AND UNSPECIFIED ANEMIAS.....285	1,086	96	86	93
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	603	61	42	52
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	1,439	108	109	115
53	V. MENTAL DISORDERS.....	9,603	827	794	803
54	SENILE AND PRESENILE DEMENTIAS.....290	826	75	76	67
55	ALCOHOLIC PSYCHOSES.....291	448	41	35	32
56	ALL OTHER PSYCHOSES.....294-299	327	19	25	25
57	ALCOHOLISM.....303	4,931	418	436	400
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2,766	243	195	254
59	MENTAL RETARDATION.....310-315	305	31	27	25
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	17,356	1,597	1,466	1,590
61	MENINGITIS.....320	1,539	171	120	150
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	825	69	72	91
63	MULTIPLE SCLEROSIS.....340	1,593	143	118	150
64	PARALYSIS AGITANS.....342	3,438	292	268	305
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	671	77	67	67
66	EPILEPSY.....345	1,700	173	136	142
67	INFLAMMATORY DISEASES OF EYE.....360-369	10	1	1	2
68	CATARACT.....374	42	1	1	4
69	GLAUCOMA.....375	10	-	1	2
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	110	12	12	13
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	7,418	658	670	664
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,028,575	94,644	84,986	93,253
73	ACTIVE RHEUMATIC FEVER.....390-392	175	21	8	16
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	13,127	1,249	1,089	1,261
75	DISEASES OF MITRAL VALVE.....394	3,554	321	293	353
76	DISEASES OF AORTIC VALVE.....395	3,970	368	319	349
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	636	84	41	61
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	4,967	476	436	498
79	HYPERTENSIVE DISEASE.....400-404	18,977	1,824	1,573	1,791
80	MALIGNANT HYPERTENSION.....400	870	82	74	66
81	ESSENTIAL BENIGN HYPERTENSION.....401	1,201	124	114	99
82	HYPERTENSIVE HEART DISEASE.....402	7,167	631	560	693
83	HYPERTENSIVE RENAL DISEASE.....403	4,823	466	408	457
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	4,916	521	417	476

SECTION 1 - GENERAL MORTALITY

by Month: United States, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
3,575	3,659	3,539	3,659	3,643	3,576	3,787	3,524	3,624	01
505	507	539	454	499	466	548	501	476	02
504	473	441	471	477	485	514	449	497	03
855	878	819	889	887	843	922	838	905	04
74	84	68	98	87	90	85	75	89	05
1,563	1,613	1,579	1,653	1,596	1,611	1,637	1,576	1,582	06
74	104	93	94	97	81	81	85	75	07
1,328	1,375	1,331	1,407	1,364	1,302	1,418	1,420	1,416	08
757	781	765	806	771	755	827	818	837	09
571	594	566	601	593	547	591	602	579	10
2,835	3,006	2,965	3,089	3,042	2,872	3,017	2,904	3,044	11
23	25	29	24	19	35	28	32	28	12
676	695	725	741	715	682	770	720	748	13
67	90	83	87	84	92	87	75	92	14
2,069	2,196	2,128	2,237	2,224	2,093	2,132	2,077	2,176	15
1,192	1,211	1,174	1,263	1,190	1,207	1,239	1,194	1,281	16
359	392	376	403	377	376	416	352	379	17
555	544	543	561	533	525	497	543	600	18
41	39	28	39	45	32	46	40	45	19
237	236	227	260	235	274	280	259	257	20
1,663	1,640	1,670	1,673	1,609	1,594	1,707	1,668	1,730	21
535	586	559	567	552	551	529	544	529	22
230	208	227	237	205	210	235	220	210	23
432	424	417	437	407	401	452	429	504	24
466	422	467	432	445	432	491	475	487	25
434	419	410	424	424	434	433	405	391	26
11	15	13	13	22	19	11	11	10	27
66	60	59	62	62	56	63	74	64	28
52	75	72	81	60	70	78	60	62	29
3	4	3	5	3	1	3	4	2	30
201	173	164	181	183	201	180	185	170	31
101	91	97	82	94	87	98	71	83	32
4,018	3,804	3,613	3,792	3,469	3,465	3,773	3,709	3,935	33
5	4	4	3	1	3	4	4	4	34
29	20	19	24	31	25	21	20	21	35
40	41	31	33	29	48	33	37	40	36
3,277	3,182	2,967	3,123	2,780	2,806	3,096	3,012	3,205	37
21	20	20	18	23	10	22	18	21	38
36	—	6	—	3	—	—	2	2	39
—	29	25	36	33	30	32	21	33	40
—	1	—	—	—	—	—	—	—	41
225	169	195	201	214	204	212	206	199	42
49	47	43	48	45	35	50	34	44	43
333	292	307	300	310	303	303	355	366	44
463	445	441	464	390	392	451	421	511	45
280	276	253	289	242	238	277	252	316	46
43	34	29	38	27	26	36	39	24	47
60	67	47	58	55	44	59	54	77	48
80	91	73	99	76	91	98	83	104	49
97	84	104	94	84	77	84	76	111	50
51	53	53	58	38	47	52	51	48	51
132	116	135	120	110	107	122	118	147	52
830	780	723	777	772	750	825	814	908	53
76	61	72	67	59	70	73	58	72	54
42	36	41	39	44	35	30	36	37	55
26	32	29	32	31	22	29	31	26	56
435	428	355	359	380	390	423	408	499	57
231	203	193	260	235	205	247	252	248	58
20	20	33	20	23	28	23	29	26	59
1,468	1,426	1,292	1,473	1,264	1,341	1,490	1,396	1,553	60
143	135	103	117	85	98	143	127	147	61
86	70	65	44	52	64	69	71	72	62
131	135	107	137	121	130	130	150	141	63
259	287	256	325	284	278	310	272	302	64
48	51	41	50	42	48	56	60	64	65
160	124	123	152	130	121	138	136	165	66
1	—	—	2	—	—	1	2	—	67
4	5	5	3	3	3	5	3	3	68
—	1	—	—	—	2	—	—	—	69
10	8	6	8	5	4	8	8	16	70
626	610	585	634	542	593	629	565	642	71
88,800	85,150	80,327	83,313	78,233	78,741	85,264	82,743	93,121	72
21	16	18	6	15	18	8	12	16	73
1,113	1,126	1,053	1,008	958	969	1,088	1,089	1,124	74
280	316	286	298	254	245	314	315	314	75
346	383	315	287	279	321	334	323	346	76
55	55	59	36	50	45	51	46	53	77
432	372	393	387	375	358	424	405	411	78
1,666	1,505	1,481	1,581	1,428	1,370	1,592	1,466	1,700	79
84	62	71	77	67	68	79	59	81	80
94	96	88	84	100	84	92	103	123	81
628	563	563	616	550	543	615	580	625	82
418	397	389	395	367	346	413	362	405	83
442	387	370	409	344	329	393	362	466	84

Table 1-24. Deaths From 281 Selected Causes,

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
01	ISCHEMIC HEART DISEASE.....410-413	664,854	61,281	54,949	60,374
02	WITH HYPERTENSIVE DISEASE (.0).....	73,683	6,887	6,071	6,757
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	591,171	54,394	48,878	53,617
04	ACUTE MYOCARDIAL INFARCTION.....410	334,196	30,389	27,189	29,602
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,418	421	353	417
06	CHRONIC ISCHEMIC HEART DISEASE.....412	326,065	30,454	27,396	30,340
07	ANGINA PECTORIS.....413	175	17	11	15
08	OTHER FORMS OF HEART DISEASE.....420-429	47,932	4,168	3,785	4,232
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	422	42	37	54
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	668	58	52	44
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	1,206	105	109	107
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	69	3	6	5
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	207	20	25	14
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	930	82	78	88
15	SYMPTOMATIC HEART DISEASE.....427	28,950	2,425	2,260	2,565
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	3,689	347	289	331
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	12,997	1,191	1,038	1,131
18	CEREBROVASCULAR DISEASES.....430-438	207,424	19,192	17,354	18,805
19	WITH HYPERTENSION (BENIGN) (.0).....	25,608	2,421	2,221	2,239
20	WITHOUT MENTION OF HYPERTENSION (.9).....	181,816	16,771	15,133	16,566
21	SUBARACHNOID HEMORRHAGE.....430	8,881	818	778	769
22	CEREBRAL HEMORRHAGE.....431	30,515	2,946	2,780	2,792
23	CEREBRAL THROMBOSIS.....433	53,542	5,058	4,530	4,898
24	CEREBRAL EMBOLISM.....434	910	79	78	79
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,297	289	247	307
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	67,931	6,093	5,489	6,074
27	OTHER CEREBROVASCULAR DISEASES.....437,438	42,348	3,909	3,452	3,886
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,437	5,365	4,770	5,175
29	ARTERIOSCLEROSIS.....440	32,239	3,040	2,637	2,920
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	14,038	1,266	1,137	1,190
31	GANGRENE.....445	2,957	269	272	271
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	9,203	790	724	794
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	17,649	1,544	1,458	1,599
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,806	1,385	1,302	1,455
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,843	159	156	144
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	109,303	10,524	10,038	11,534
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	377	36	53	42
38	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	750	96	84	85
39	INFLUENZA.....470-474	2,201	190	436	501
40	PNEUMONIA.....480-486	52,576	5,351	4,950	5,763
41	VIRAL PNEUMONIA.....480	1,275	153	147	182
42	BACTERIAL PNEUMONIA.....481,482	6,306	631	599	744
43	ACUTE INTERSTITIAL PNEUMONIA.....484	573	58	54	59
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	20,209	2,024	1,892	2,249
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	24,213	2,485	2,258	2,529
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	26,880	2,542	2,341	2,660
47	BRONCHITIS, UNQUALIFIED.....466	680	76	62	78
48	CHRONIC BRONCHITIS.....491	4,417	424	393	449
49	EMPHYSEMA.....492	19,907	1,893	1,726	1,945
50	ASTHMA.....493	1,876	149	160	188
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	36	2	3	1
52	EMPHYEMA AND ABSCESS OF LUNG.....510,513	1,166	103	97	99
53	PLEURISY.....511	387	27	34	39
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,054	289	269	306
55	BRONCHIECTASIS.....518	763	63	79	81
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	21,113	1,825	1,692	1,957
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	73,195	6,493	5,833	6,473
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	39	4	4	5
59	PEPTIC ULCER.....531-533	7,069	684	589	656
60	ULCER OF STOMACH.....531	3,050	293	272	289
61	ULCER OF DUODENUM.....532	3,048	298	242	279
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	971	93	75	88
63	GASTRITIS AND DUODENITIS.....535	581	55	53	54
64	APPENDICITIS.....540-543	864	92	67	72
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	6,506	564	523	615
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	59	3	2	5
67	DIVERTICULA OF INTESTINE.....562	3,136	285	242	252
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,035	83	88	97
69	CIRRHOSIS OF LIVER.....571	33,319	2,932	2,650	2,964
70	ALCOHOLIC.....571.0	13,151	1,096	1,051	1,139
71	OTHER SPECIFIED.....571.8	5,025	464	431	480
72	UNSPECIFIED.....571.9	15,143	1,372	1,168	1,345
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	3,194	294	246	285
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	17,393	1,497	1,369	1,468
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	26,068	2,311	2,112	2,373
76	NEPHRITIS AND NEPHROSIS.....580-584	8,068	711	662	767
77	ACUTE NEPHRITIS.....580	1,233	95	95	125
78	NEPHROTIC SYNDROME.....581	308	26	34	27
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	6,527	590	533	615
80	INFECTIONS OF KIDNEY.....590	5,451	488	438	494
81	CALCULI OF URINARY SYSTEM.....592,594	646	55	43	53
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	9,342	826	753	831
83	HYPERPLASIA OF PROSTATE.....600	1,377	137	112	130
84	DISEASES OF BREAST.....610,611	23	-	3	1
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,161	94	101	97
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	462	50	41	30
87	ECTOPIC PREGNANCY.....631	51	6	8	1
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	91	10	10	9
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	53	3	4	3

SECTION 1 -- GENERAL MORTALITY

by Month: United States, 1974--Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
57,597	55,347	51,977	53,384	50,308	50,826	55,152	53,436	60,223	01
6,326	6,202	5,820	5,844	5,569	5,529	5,986	5,834	6,858	02
51,271	49,145	46,157	47,540	44,739	45,297	49,166	47,602	53,365	03
28,701	28,466	26,640	26,649	25,324	25,850	27,830	27,198	30,358	04
356	355	346	374	322	357	338	343	436	05
28,525	26,513	24,972	26,350	24,652	24,606	26,966	25,881	29,410	06
15	13	19	11	10	13	18	14	19	07
4,143	3,918	3,810	4,155	3,905	3,623	3,884	4,006	4,303	08
39	35	30	25	44	32	27	34	23	09
64	60	58	59	66	42	44	63	58	10
88	90	95	103	85	113	94	105	112	11
10	3	5	6	7	5	4	10	5	12
16	13	15	20	12	15	19	15	23	13
62	74	75	77	66	93	71	80	84	14
2,465	2,331	2,189	2,533	2,391	2,230	2,430	2,462	2,669	15
346	315	316	291	304	276	260	288	326	16
1,141	1,087	1,122	1,144	1,015	950	1,029	1,054	1,115	17
17,759	16,998	16,069	16,930	15,703	15,952	17,173	16,575	18,914	18
2,209	2,074	2,017	2,092	1,908	1,902	2,082	2,082	2,361	19
15,550	14,924	14,052	14,838	13,795	14,050	15,091	14,493	16,553	20
770	737	695	735	711	729	729	727	748	21
2,693	2,543	2,273	2,393	2,244	2,464	2,458	2,414	2,656	22
4,734	4,478	4,176	4,344	3,919	4,123	4,342	4,062	4,878	23
64	88	79	71	65	67	76	81	83	24
248	261	289	297	269	248	250	261	331	25
5,722	5,462	5,262	5,616	5,254	5,318	5,766	5,579	6,296	26
3,528	3,429	3,295	3,474	3,162	3,288	3,552	3,451	3,922	27
4,973	4,830	4,538	4,793	4,551	4,563	4,873	4,722	5,284	28
2,740	2,627	2,506	2,745	2,520	2,433	2,664	2,468	2,939	29
1,167	1,195	1,056	1,071	1,082	1,138	1,236	1,234	1,266	30
235	239	245	235	220	216	225	246	284	31
831	769	731	742	729	776	748	774	795	32
1,528	1,410	1,381	1,456	1,365	1,420	1,494	1,437	1,557	33
1,376	1,247	1,219	1,308	1,237	1,282	1,327	1,282	1,386	34
152	163	162	148	128	138	167	155	171	35
10,111	8,410	7,660	8,430	7,438	7,484	8,547	8,256	10,871	36
37	29	24	20	12	20	27	29	48	37
65	61	36	48	34	49	52	57	83	38
279	70	32	28	19	25	105	88	428	39
5,040	3,944	3,493	3,978	3,379	3,451	3,980	3,912	5,335	40
146	88	75	60	51	69	84	76	144	41
648	425	415	430	422	380	510	452	650	42
56	41	35	30	34	49	48	52	57	43
1,944	1,554	1,301	1,657	1,335	1,280	1,489	1,469	1,935	44
2,246	1,836	1,587	1,801	1,537	1,673	1,849	1,863	2,549	45
2,389	2,283	2,116	2,175	1,908	1,994	2,151	1,970	2,349	46
62	47	47	53	45	41	60	49	60	47
374	374	366	332	297	335	355	333	385	48
1,772	1,705	1,532	1,650	1,445	1,488	1,557	1,461	1,733	49
181	157	171	140	121	132	179	127	171	50
2	3	2	9	3	3	1	3	5	51
117	87	92	83	94	77	129	94	94	52
33	38	30	28	42	22	32	21	41	53
297	247	235	223	224	216	229	236	285	54
57	60	59	48	61	60	63	55	77	55
1,795	1,588	1,541	1,790	1,663	1,567	1,778	1,791	2,126	56
6,112	6,070	5,844	6,078	5,867	5,952	6,276	5,823	6,374	57
6	3	3	-	2	3	2	4	3	58
641	565	540	549	530	568	542	565	640	59
270	246	223	222	235	236	242	244	278	60
276	230	239	256	218	245	229	237	299	61
95	89	78	71	77	87	71	84	63	62
59	39	40	37	50	44	47	49	54	63
73	63	68	64	59	82	93	62	69	64
576	570	468	560	532	500	540	488	570	65
4	3	6	6	9	7	3	3	8	66
231	258	280	266	252	270	261	284	255	67
85	80	86	86	77	85	99	78	91	68
2,787	2,777	2,699	2,760	2,649	2,689	2,893	2,611	2,908	69
1,088	1,089	1,089	1,124	1,071	1,098	1,129	1,033	1,144	70
445	430	370	480	379	350	414	384	398	71
1,254	1,258	1,240	1,156	1,199	1,241	1,350	1,194	1,366	72
251	264	233	270	250	272	294	274	261	73
1,399	1,448	1,421	1,480	1,457	1,432	1,502	1,405	1,515	74
2,139	2,138	2,036	2,241	2,070	2,075	2,219	2,070	2,284	75
659	632	604	671	639	643	700	650	730	76
90	105	90	101	100	104	97	116	115	77
26	18	21	21	23	20	30	33	29	78
543	509	493	549	516	519	573	501	586	79
463	474	415	451	451	438	450	432	457	80
60	60	56	64	52	47	59	44	53	81
754	771	748	843	710	745	783	726	852	82
107	104	104	112	122	98	128	111	112	83
-	-	-	2	7	3	2	2	3	84
96	97	109	98	89	101	97	105	77	85
29	27	41	43	44	35	41	34	47	86
2	3	4	5	2	4	4	5	7	87
6	3	9	11	7	7	5	5	9	88
2	3	6	7	6	3	7	4	5	89

Table 1-24. Deaths From 281 Selected Causes,

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
01	ABORTIONS.....640-645	27	3	-	2
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	6	1	-	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	1	-	-	-
04	SPONTANEOUS ABORTION.....643	7	1	-	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	13	1	-	2
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	96	8	7	4
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630, 633-635, 654-662, 672, 674-678	143	20	12	11
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	1	-	-	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	2,097	171	163	183
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	468	43	44	42
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,629	128	119	141
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	5,045	423	420	469
13	ARTHRITIS AND SPONDYLITIS.....710-715	2,020	151	182	207
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	184	14	14	11
15	OSTEOMYELITIS AND PERIOSTITIS.....720	163	17	12	15
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	175	16	7	18
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	2,503	225	205	218
18	XIV. CONGENITAL ANOMALIES.....	13,526	1,180	1,060	1,126
19	SPINA BIFIDA.....741	580	40	36	50
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	2,070	168	158	167
21	CONGENITAL ANOMALIES OF HEART.....746	5,517	480	445	476
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,181	101	81	98
23	CLEFT PALATE AND CLEFT LIP.....749	20	1	3	4
24	ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	4,158	390	337	331
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	28,786	2,331	2,006	2,323
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	31,145	2,550	2,501	2,669
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,391	138	99	129
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	29,754	2,412	2,402	2,540
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	156,931	12,055	10,707	12,558
30	ACCIDENTS.....E800-E949	104,622	7,750	6,981	8,038
31	RAILWAY ACCIDENTS.....E800-E807	716	52	35	49
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	46,402	3,020	2,699	3,311
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	45,314	2,957	2,623	3,233
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,209	97	109	105
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	15,375	1,051	878	1,065
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	7,533	616	487	518
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	6,342	324	326	464
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	8,562	505	453	661
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,273	364	370	420
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,088	63	76	78
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	275	15	21	19
42	WATER TRANSPORT ACCIDENTS.....E830-E838	1,579	61	64	94
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,687	138	100	151
44	ACCIDENTAL POISONING.....E850-E877	5,534	539	476	515
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,742	217	213	253
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,274	94	104	122
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,518	228	159	140
48	ACCIDENTAL FALLS.....E880-E887	16,359	1,521	1,315	1,414
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,218	331	326	321
50	FALL ON SAME LEVEL.....E885, E886	622	102	69	74
51	OTHER AND UNSPECIFIED FALLS.....E887	11,499	1,088	920	1,019
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,236	688	660	637
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	6,463	200	213	340
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	2,991	263	250	272
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,513	194	141	180
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	5,594	374	368	398
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	112	6	9	10
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	459	26	40	36
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	217	19	17	22
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,157	63	46	67
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	3,649	260	256	263
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,021	208	219	276
63	ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	5,272	476	420	382
64	SUICIDE.....E950-E959	25,683	2,127	1,840	2,275
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,473	308	252	296
66	SUICIDE FROM POISONING BY GASES.....E951, E952	2,520	207	156	225
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,477	291	248	274
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	14,345	1,188	1,071	1,295
69	SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	1,868	133	113	185
70	HOMICIDE.....E960-E978	21,465	1,768	1,506	1,790
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	14,737	1,199	1,042	1,244
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,366	298	211	270
73	ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	2,987	243	209	251
74	LEGAL EXECUTION.....E978	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	375	28	44	25
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	5,149	409	379	455
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	12	1	1	-

SECTION 1 - GENERAL MORTALITY

by Month: United States, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1	2	5	1	7	2	3	-	1	01
-	1	1	-	2	-	1	-	-	02
-	-	-	-	-	-	1	-	-	03
1	1	2	1	1	1	1	-	-	04
7	9	5	10	9	7	9	8	13	05
11	7	12	9	12	12	13	12	12	07
-	-	-	-	1	-	-	-	-	08
166	175	177	191	182	155	164	186	184	09
34	46	40	41	35	31	27	43	42	10
132	129	137	150	147	124	137	143	142	11
453	404	410	390	396	398	425	418	439	12
172	170	152	159	148	156	179	159	185	13
18	13	16	16	10	19	21	16	16	14
11	13	16	12	15	8	11	18	15	15
21	17	11	8	20	15	14	15	13	16
231	191	215	195	203	200	200	210	210	17
1,082	1,102	1,075	1,127	1,168	1,123	1,179	1,131	1,173	18
47	48	48	54	55	56	48	48	50	19
167	172	180	171	171	171	190	170	185	20
429	450	439	469	451	441	483	459	495	21
111	98	96	94	112	100	107	98	85	22
4	1	-	-	3	2	-	2	-	23
324	333	312	339	376	353	351	354	358	24
2,309	2,622	2,587	2,651	2,574	2,445	2,420	2,266	2,252	25
2,715	2,824	2,585	2,579	2,264	2,274	2,381	2,554	3,249	26
115	97	102	144	102	120	109	111	125	27
2,600	2,727	2,483	2,435	2,162	2,154	2,272	2,443	3,124	28
12,545	12,748	13,752	14,561	14,397	13,234	13,847	13,213	13,314	29
8,422	8,714	9,512	10,120	9,823	8,743	9,129	8,710	8,680	30
52	60	76	77	65	70	62	62	42	31
3,425	3,678	4,243	4,401	4,718	4,256	4,465	4,273	3,913	32
3,348	3,583	4,123	4,289	4,582	4,151	4,358	4,211	3,856	33
71	83	88	113	105	95	132	124	87	34
1,132	1,204	1,386	1,451	1,620	1,437	1,433	1,403	1,315	35
531	606	547	562	705	631	751	799	800	36
475	478	668	652	645	622	580	573	535	37
683	734	859	884	851	796	855	722	559	38
456	478	575	627	656	570	607	590	560	39
77	95	120	112	136	105	107	62	57	40
24	18	38	30	39	25	18	15	13	41
176	215	228	229	175	122	85	69	61	42
115	124	129	121	138	210	134	106	221	43
465	453	367	411	396	434	439	477	562	44
219	239	221	255	246	220	217	210	234	45
125	104	90	106	93	104	110	94	128	46
121	110	56	50	59	110	112	173	200	47
1,397	1,283	1,318	1,336	1,382	1,280	1,386	1,343	1,364	48
362	335	345	406	391	370	382	340	309	49
38	41	46	37	44	39	33	41	58	50
997	907	927	893	947	871	971	962	997	51
513	437	374	319	360	337	512	608	791	52
434	825	1,150	1,456	835	421	232	188	169	53
226	233	218	254	258	225	253	257	282	54
179	149	189	198	194	224	256	328	281	55
435	543	538	611	594	504	551	348	330	56
4	11	13	11	13	10	12	7	6	57
35	47	42	49	44	39	41	32	28	58
19	14	22	17	15	11	23	15	23	59
87	125	130	165	156	122	99	46	51	60
290	346	331	369	366	322	376	248	222	61
273	281	253	242	249	240	283	249	248	62
708	415	391	435	420	395	440	387	403	63
2,119	2,132	2,065	2,102	2,172	2,214	2,354	2,075	2,208	64
313	270	271	279	303	311	298	265	307	65
203	201	177	185	206	224	291	238	207	66
284	303	276	293	299	292	310	307	300	67
1,154	1,209	1,182	1,176	1,210	1,226	1,283	1,120	1,231	68
165	149	159	169	154	161	172	145	163	69
1,590	1,489	1,730	1,842	1,954	1,852	1,915	1,995	2,034	70
1,101	957	1,169	1,270	1,321	1,222	1,338	1,437	1,437	71
271	279	264	273	322	311	298	283	286	72
200	224	273	260	275	290	258	237	267	73
-	-	-	-	-	-	-	-	-	74
18	29	24	39	36	29	21	38	44	75
414	411	444	495	446	425	449	432	390	76
-	2	1	2	2	-	-	1	2	77

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ALL CAUSES.....	1,934,388	1,071,627	862,761	1,657,295	936,640	760,655
02 I. INFECTIVE AND PARASITIC DISEASES.....	15,722	8,768	6,954	11,949	6,593	5,356
03 CHOLERA.....000	-	-	-	-	-	-
04 TYPHOID FEVER.....001	3	2	1	3	2	1
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	59	36	23	45	28	17
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	57	39	18	44	33	11
07 FOOD POISONING (BACTERIAL).....005	10	3	7	8	1	7
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,255	1,037	1,218	1,777	801	976
09 TUBERCULOSIS, ALL FORMS.....010-019	3,512	2,432	1,081	2,395	1,645	750
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	2,775	1,980	795	1,890	1,343	547
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	84	47	37	39	21	18
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	19	9	10	10	5	5
13 TUBERCULOSIS OF BONES AND JOINTS.....015	32	12	20	25	10	15
14 DISSEMINATED TUBERCULOSIS.....018	153	94	59	64	37	27
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	450	290	160	367	229	138
16 PLAGUE.....020	1	-	1	-	-	-
17 ANTHRAX.....022	-	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-	-
19 LEPROSY.....030	2	2	-	2	2	-
20 DIPHTHERIA.....032	5	2	3	5	2	3
21 WHOOPING COUGH.....033	14	4	10	11	4	7
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	22	16	6	18	14	4
23 ERYSIPELAS.....035	2	-	2	1	-	1
24 MENINGOCOCCAL INFECTIONS.....036	305	173	132	228	123	105
25 TETANUS.....037	44	23	21	31	16	15
26 SEPTICEMIA.....038	5,243	2,854	2,389	4,096	2,214	1,882
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	710	411	299	576	333	243
28 ACUTE POLIOMYELITIS.....040-043	3	2	-	2	1	1
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	86	43	43	80	40	40
30 SMALLPOX.....050	-	-	-	-	-	-
31 MEASLES.....055	20	11	9	11	7	4
32 YELLOW FEVER.....060	-	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	272	134	138	224	111	113
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	34	24	10	34	24	10
35 INFECTIOUS HEPATITIS.....070	630	260	370	491	220	271
36 RABIES.....071	-	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	906	422	484	798	373	425
38 TYPHUS AND OTHER RICKETTSIOSES.....080-083	51	38	13	44	32	12
39 MALARIA.....084	4	2	2	4	2	2
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	300	175	125	170	99	71
43 CONGENITAL SYPHILIS.....090	14	8	8	10	5	5
44 EARLY SYPHILIS, SYMPTOMATIC.....091	1	1	-	1	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	16	10	6	9	6	3
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	132	68	64	61	27	34
47 TABES DORSALIS.....094.0	20	12	8	16	11	5
48 GENERAL PARESIS.....094.1	34	18	16	22	9	13
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	58	44	14	39	31	8
50 ALL OTHER SYPHILIS.....095,097.0,097.9	23	14	9	12	9	3
51 GONOCOCCAL INFECTIONS.....098	1	-	1	1	-	1
52 SCHISTOSOMIASIS.....120	-	-	-	-	-	-
53 HYDATIDOSIS.....122	5	2	3	5	2	3
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	11	7	4	9	6	3
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,154	614	540	836	458	378
58 II. NEOPLASMS.....	365,532	199,194	166,338	325,573	176,301	149,272
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	360,472	196,746	163,726	321,169	174,149	147,020
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,968	5,686	2,282	6,998	4,968	2,030
61 OF LIP.....140	162	144	18	156	141	15
62 OF TONGUE.....141	1,836	1,327	509	1,633	1,179	454
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,445	1,591	854	2,161	1,388	773
64 OF PHARYNX.....146-149	3,525	2,624	901	3,048	2,260	788
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	98,913	52,290	46,623	87,622	45,796	41,826
66 OF ESOPHAGUS.....150	6,652	4,917	1,735	5,043	3,704	1,339
67 OF STOMACH.....151	15,171	9,159	6,012	12,728	7,604	5,124
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	661	344	317	574	292	282
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	39,431	18,392	21,039	36,129	16,839	19,290
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,155	1,850	2,305	3,850	1,713	2,137
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1,135	536	599	1,038	483	555
72 DESCENDING COLON.....153.2	928	441	487	840	402	438
73 SIGMOID COLON.....153.3	4,157	1,993	2,164	3,897	1,869	2,028
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	27,103	12,740	14,363	24,684	11,601	13,083
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,953	832	1,121	1,820	771	1,049
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	9,911	5,476	4,435	8,996	4,960	4,036
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,465	1,600	865	2,027	1,296	731
78 OF GALLBLADDER AND BILE DUCTS.....156	4,315	1,512	2,803	4,003	1,381	2,622
79 OF PANCREAS.....157	18,896	10,208	8,688	16,878	9,123	7,755
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,411	662	729	1,244	597	647
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	83,475	65,304	18,171	74,403	57,956	16,447
82 OF LARYNX.....161	3,262	2,826	436	2,803	2,431	372
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	78,873	61,611	17,262	70,408	54,762	15,646
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,340	867	473	1,192	763	429
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	40,861	5,190	35,671	37,311	4,848	32,463
86 OF BONE.....170	1,810	1,038	772	1,600	913	687
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,482	794	688	1,325	712	613
88 OF SKIN.....172,173	5,145	3,066	2,079	4,978	2,971	2,007
89 OF BREAST.....174	32,424	292	32,132	29,408	252	29,156

¹Includes deaths among Aleuts and Eskimos.

SECTION 1 - GENERAL MORTALITY

or National Origin and Sex: United States, 1974

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian ¹			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
222,948	126,036	96,912	6,141	3,721	2,420	2,231	1,583	648	2,606	1,480	1,126	3,167	2,167	1,000	01
3,476	2,006	1,470	185	104	81	30	21	9	27	13	14	55	31	24	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
12	6	6	1	1	-	-	-	-	-	-	-	1	1	-	05
7	3	4	6	3	3	-	-	-	-	-	-	-	-	-	06
1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	07
428	212	216	40	22	18	2	1	1	2	2	2	6	1	5	08
1,023	727	296	59	36	23	12	9	3	10	6	4	14	9	5	09
824	598	226	37	23	14	8	7	1	6	4	2	10	5	5	10
40	22	18	5	4	1	-	-	-	-	-	-	-	-	-	11
8	3	5	-	-	-	1	1	-	-	-	-	-	-	-	12
7	2	5	-	-	-	-	-	-	-	-	-	-	-	-	13
80	52	28	7	3	4	-	-	-	1	1	-	1	1	-	14
64	50	14	10	6	4	3	1	2	3	1	2	3	3	-	15
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	20
3	2	-	-	-	-	-	-	-	-	-	-	1	-	1	21
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	22
72	46	26	3	2	1	-	-	-	-	-	-	2	2	-	23
13	7	6	-	-	-	-	-	-	-	-	-	-	-	-	24
1,075	599	476	48	28	20	5	2	3	6	4	2	13	7	6	25
124	73	51	4	1	3	4	3	1	-	-	-	2	1	1	26
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	27
6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	28
6	3	3	2	1	1	-	-	-	-	-	-	-	-	-	29
44	19	25	1	1	-	1	1	-	-	-	-	2	2	-	30
124	36	88	5	1	4	1	-	1	2	-	2	7	3	4	31
94	43	51	6	1	5	2	2	-	5	2	3	1	1	-	32
7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
127	74	53	2	1	1	1	1	-	-	-	-	-	-	-	36
6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	37
7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	38
69	40	29	1	-	1	1	1	-	-	-	-	-	-	-	39
4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	40
12	9	3	-	-	-	-	-	-	-	-	-	-	-	-	41
19	13	6	1	1	-	-	-	-	-	-	-	-	-	-	42
10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	46
303	144	159	6	5	1	2	2	-	2	1	1	5	4	1	47
37,555	21,463	16,092	581	277	304	610	430	180	632	343	285	581	380	201	58
36,938	21,185	15,753	566	270	296	596	423	173	632	343	289	571	376	195	59
891	658	233	6	4	2	40	31	9	9	5	4	24	20	4	60
6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	61
194	140	54	-	-	-	2	2	-	3	2	1	4	4	-	62
268	190	78	1	-	1	7	7	-	1	1	-	7	5	2	63
423	325	98	5	4	1	31	22	9	5	2	3	13	11	2	64
10,422	5,935	4,487	183	95	88	214	163	51	278	162	116	194	139	55	65
1,560	1,170	390	4	4	-	13	11	2	13	11	2	19	17	2	66
2,219	1,412	807	29	14	15	39	31	8	112	75	37	44	23	21	67
81	48	33	-	-	-	3	2	-	2	-	-	1	-	1	68
3,080	1,410	1,670	48	27	21	68	49	19	55	29	26	51	38	13	69
286	125	161	2	2	2	5	5	-	7	3	4	5	4	1	70
93	50	43	-	-	-	1	1	-	-	-	-	3	2	1	71
85	38	47	-	-	-	2	1	1	-	-	1	-	-	-	72
237	108	129	4	1	3	9	7	2	7	5	2	3	3	-	73
2,261	1,039	1,222	34	21	13	46	30	16	40	21	19	38	28	10	74
118	50	68	8	5	3	5	5	-	-	-	-	2	1	1	75
822	453	369	21	12	9	24	18	6	30	18	12	18	15	3	76
364	246	118	9	6	3	28	26	2	14	6	8	23	20	3	77
253	102	151	31	12	19	8	7	1	13	5	8	7	5	2	78
1,886	1,013	873	39	20	19	27	17	10	36	15	21	30	20	10	79
157	81	76	2	-	2	4	2	2	3	1	2	1	1	-	80
8,618	7,009	1,609	84	57	27	142	116	26	111	84	27	117	82	35	81
443	382	61	5	5	1	4	-	1	4	3	1	6	5	-	82
8,039	6,533	1,506	78	51	27	136	111	25	106	81	25	106	73	33	83
136	94	42	1	1	-	5	5	-	1	-	1	5	4	1	84
3,375	316	3,059	47	5	42	41	7	34	42	2	40	45	12	33	85
195	116	79	4	2	2	2	1	1	2	1	7	5	2	2	86
142	75	67	6	2	4	4	2	2	1	-	1	4	4	1	87
153	86	67	2	1	1	4	3	1	2	1	6	4	2	2	88
2,885	39	2,846	35	-	35	31	1	30	37	-	37	28	-	28	89

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	43,111	20,192	22,919	37,051	17,141	19,910
02 OF CERVIX UTERI.....180	5,963	---	5,963	4,631	---	4,631
03 OF OTHER PARTS OF UTERUS.....181,182	5,641	---	5,641	4,870	---	4,870
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	10,335	---	10,335	9,536	---	9,536
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	980	---	980	873	---	873
06 OF PROSTATE.....185	19,184	19,184	---	16,202	16,202	---
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	1,008	1,008	---	939	939	---
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	16,457	10,986	5,471	15,148	10,188	4,960
09 OF BLADDER.....188	9,397	6,568	2,829	8,608	6,100	2,508
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	7,060	4,418	2,642	6,540	4,088	2,452
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	35,183	18,027	17,156	31,113	15,895	15,218
12 OF EYE.....190	331	176	155	315	163	152
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	8,399	4,740	3,659	7,868	4,452	3,416
14 OF THYROID GLAND.....193	979	316	663	879	283	596
15 OTHER.....194-199	25,474	12,795	12,679	22,051	10,997	11,054
16 LEUKEMIA.....204-207	14,575	8,231	6,344	13,390	7,558	5,832
17 LYMPHATIC LEUKEMIA.....204	4,581	2,700	1,881	4,223	2,479	1,744
18 MYELOID LEUKEMIA.....205	6,543	3,601	2,942	6,040	3,330	2,710
19 MONOCYTIC LEUKEMIA.....206	466	259	207	429	238	191
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	2,985	1,671	1,314	2,698	1,511	1,187
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	19,929	10,840	9,089	18,133	9,799	8,334
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6,679	3,583	3,096	6,258	3,330	2,928
23 HODGKIN'S DISEASE.....201	2,675	1,588	1,087	2,490	1,471	1,019
24 MULTIPLE MYELOMA.....203	5,120	2,690	2,430	4,306	2,233	2,073
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	5,455	2,979	2,476	5,079	2,765	2,314
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	5,060	2,448	2,612	4,404	2,152	2,252
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	165	---	165	107	---	107
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	774	298	476	660	247	413
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	827	442	385	707	380	327
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	41	---	41	32	---	32
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	2,156	1,124	1,032	1,944	1,017	927
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	1,097	584	513	954	508	446
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	45,688	18,983	26,705	38,515	16,329	22,186
34 NONTOXIC GOITER.....240,241	37	10	27	28	10	18
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	290	56	234	225	43	182
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	439	97	342	406	86	320
37 DIABETES MELLITUS.....250	37,329	15,136	22,193	31,349	13,013	18,336
38 DISEASES OF PITUITARY GLAND.....253	236	120	116	186	94	92
39 DISEASES OF THYMUS GLAND.....254	28	16	12	22	11	11
40 DISEASES OF ADRENAL GLAND.....255	370	155	215	319	129	190
41 NIACIN DEFICIENCY.....262	2	---	2	2	---	2
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,525	1,143	1,382	2,125	923	1,202
43 CYSTIC FIBROSIS.....273-0	540	259	281	529	251	278
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,892	1,991	1,901	3,324	1,769	1,555
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,354	2,559	2,795	4,352	2,047	2,305
46 ANEMIAS.....280-285	3,312	1,577	1,735	2,602	1,217	1,385
47 DEFICIENCY ANEMIAS.....280,281	426	159	267	369	135	234
48 HEMOLYTIC ANEMIAS.....282,283	711	345	366	367	163	204
49 APLASTIC ANEMIA.....284	1,089	578	511	993	531	462
50 OTHER AND UNSPECIFIED ANEMIAS.....285	1,086	495	591	873	388	485
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	603	288	315	524	245	279
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	1,439	654	785	1,226	585	641
53 V. MENTAL DISORDERS.....	9,603	6,488	3,115	7,101	4,672	2,429
54 SENILE AND PRESENILE DEMENTIAS.....290	826	363	463	788	347	441
55 ALCOHOLIC PSYCHOSES.....291	448	395	53	338	303	35
56 ALL OTHER PSYCHOSES.....294-299	327	138	189	284	115	169
57 ALCOHOLISM.....303	4,931	3,794	1,137	3,413	2,660	753
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2,766	1,618	1,148	2,030	1,102	928
59 MENTAL RETARDATION.....310-315	305	180	125	248	145	103
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	17,356	9,467	7,889	14,975	8,104	6,871
61 MENINGITIS.....320	1,535	843	692	1,058	597	461
62 HEREDITARY NEURCMUSCULAR DISORDERS.....330	825	634	191	758	586	172
63 MULTIPLE SCLEROSIS.....340	1,593	585	1,008	1,446	537	909
64 PARALYSIS AGITANS.....342	3,438	1,880	1,558	3,313	1,803	1,510
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	671	384	287	545	307	238
66 EPILEPSY.....345	1,700	1,003	697	1,229	693	536
67 INFLAMMATORY DISEASES OF EYE.....360-369	10	5	5	8	4	4
68 CATARACT.....374	42	15	27	35	14	21
69 GLAUCOMA.....375	10	4	6	9	3	6
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	110	65	45	83	49	34
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	7,418	4,049	3,369	6,491	3,511	2,980
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,028,575	543,008	485,567	924,816	489,148	435,668
73 ACTIVE RHEUMATIC FEVER.....390-392	175	96	79	141	78	63
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	13,127	5,873	7,254	11,962	5,276	6,686
75 DISEASES OF MITRAL VALVE.....394	3,554	1,185	2,369	3,287	1,079	2,208
76 DISEASES OF AORTIC VALVE.....395	3,970	2,493	1,477	3,595	2,248	1,347
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	636	257	379	580	226	354
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	4,967	1,938	3,029	4,500	1,723	2,777
79 HYPERTENSIVE DISEASE.....400-404	18,977	8,599	10,378	15,197	6,814	8,383
80 MALIGNANT HYPERTENSION.....400	870	474	396	511	271	240
81 ESSENTIAL BENIGN HYPERTENSION.....401	1,201	524	677	951	407	544
82 HYPERTENSIVE HEART DISEASE.....402	7,167	2,933	4,234	5,542	2,228	3,314
83 HYPERTENSIVE RENAL DISEASE.....403	4,823	2,492	2,331	3,999	2,079	1,920
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	4,916	2,176	2,740	4,194	1,829	2,365

¹Includes deaths among Aleuts and Eskimos.

SECTION 1 - GENERAL MORTALITY

or National Origin and Sex: United States, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian ¹			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
5,815	2,961	2,854	91	34	57	35	19	16	66	16	50	53	21	32	01
1,265	...	1,265	36	...	36	5	...	5	15	...	15	11	...	11	02
742	...	742	9	...	9	2	...	2	12	...	12	6	...	6	03
747	...	747	9	...	9	8	...	8	20	...	20	15	...	15	04
100	...	100	3	...	3	1	...	1	3	...	3	05
2,897	2,897	...	31	31	...	17	17	...	16	...	16	21	21	...	06
64	64	...	3	3	...	2	2	07
1,225	733	492	30	19	11	17	15	2	19	14	5	18	17	1	08
750	438	312	9	6	3	11	10	1	10	6	4	9	8	1	09
475	295	180	21	13	8	6	5	1	9	8	1	9	9	...	10
3,822	1,991	1,831	80	34	46	58	40	18	45	23	22	65	44	21	11
14	11	3	1	1	1	1	...	12
495	270	225	9	3	6	3	3	3	8	5	3	13	7	6	13
84	29	55	4	...	4	3	1	2	4	1	3	5	2	3	14
3,229	1,681	1,548	66	30	36	49	36	13	33	17	16	46	34	12	15
1,087	614	473	24	12	12	23	13	10	26	17	5	25	17	8	16
331	205	126	9	4	5	4	1	3	5	4	1	9	7	2	17
456	243	213	8	6	2	15	8	7	16	10	6	8	4	4	18
32	18	14	1	1	1	1	1	...	3	2	1	19
268	148	120	6	2	4	4	4	...	4	2	2	5	4	1	20
1,683	968	715	21	10	11	26	19	7	36	20	16	30	24	6	21
382	227	155	4	2	2	12	8	4	16	10	6	7	6	1	22
177	113	64	2	...	2	2	1	1	1	1	...	3	2	1	23
778	431	347	10	6	4	5	4	1	7	4	3	14	12	2	24
346	197	149	5	2	3	7	6	1	12	5	7	6	4	2	25
617	278	339	15	7	8	14	7	7	10	6	2	26
56	...	56	1	...	1	1	...	1	27
110	50	60	1	...	1	2	1	1	1	...	1	28
109	58	51	4	1	3	5	2	3	2	1	1	29
9	...	9	30
199	99	100	5	3	2	4	3	1	4	2	2	31
134	71	63	4	3	1	3	1	2	2	1	1	32
6,769	2,439	4,330	190	96	94	51	36	15	80	32	48	83	51	32	33
9	...	9	34
63	13	50	1	...	1	1	...	1	35
30	9	21	3	2	1	36
5,646	1,948	3,698	155	74	81	47	34	13	67	28	39	65	39	26	37
47	23	24	3	3	...	38
6	5	1	39
46	24	22	3	1	2	2	1	1	40
...	41
371	202	169	15	10	5	1	1	...	9	3	6	4	4	...	42
11	8	3	43
540	207	333	14	9	5	2	1	1	3	1	2	9	4	5	44
959	493	466	20	7	13	4	3	1	5	2	3	14	7	7	45
689	352	337	11	3	8	2	1	1	8	4	4	46
55	24	31	1	...	1	47
341	182	159	2	...	2	1	48
90	43	47	1	...	1	1	1	...	4	3	1	49
203	103	100	8	3	5	2	1	1	50
71	38	33	4	3	1	1	1	...	1	...	1	2	1	1	51
199	103	96	5	1	4	3	2	1	2	1	1	4	2	2	52
2,290	1,699	631	188	140	48	9	3	2	10	6	4	9	8	1	53
36	14	22	1	1	...	1	1	54
102	85	17	7	6	1	1	1	...	55
41	22	19	1	...	1	1	1	...	56
1,344	1,001	343	168	127	41	2	2	...	1	1	...	3	3	...	57
715	504	211	9	5	4	1	...	1	7	4	3	4	3	1	58
52	33	19	3	1	2	1	...	1	1	1	59
2,233	1,276	957	73	42	31	15	10	5	29	15	14	31	20	11	60
447	229	218	23	13	10	2	1	1	3	1	2	6	2	4	61
58	42	16	2	1	1	3	1	2	4	4	...	62
141	47	94	3	...	3	1	...	1	2	1	1	63
117	72	45	2	2	...	1	...	1	4	2	2	1	1	...	64
116	69	47	7	5	2	1	1	...	2	2	...	65
452	300	152	11	7	4	2	2	...	3	1	?	3	3	3	66
2	1	1	67
7	1	6	68
1	1	69
25	14	11	1	1	...	1	1	...	70
867	500	367	27	15	12	7	6	1	12	7	5	14	10	4	71
98,535	50,517	48,018	1,673	968	705	1,014	729	285	1,228	711	517	1,305	935	374	72
31	15	16	2	2	1	1	...	73
1,052	532	520	49	25	24	25	16	9	11	8	3	28	16	12	74
239	97	142	10	4	6	5	2	3	2	1	1	2	3	9	75
342	219	123	14	10	4	9	7	2	5	4	1	5	5	...	76
46	23	23	5	1	1	1	1	...	4	3	1	77
425	193	232	20	7	13	11	7	4	3	2	1	8	6	2	78
3,663	1,722	1,941	44	20	24	18	14	4	27	10	17	28	19	9	79
351	198	153	2	1	1	2	2	...	2	1	1	2	1	1	80
242	115	127	6	2	4	2	...	2	81
1,578	677	901	16	7	9	8	7	1	9	3	6	14	11	3	82
790	393	397	10	6	4	7	4	3	10	5	5	7	5	2	83
702	339	363	10	4	6	1	1	...	4	1	3	5	2	3	84

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	664,854	373,765	291,089	606,137	341,980	264,157
02 WITH HYPERTENSIVE DISEASE (.0).....	73,683	34,113	39,570	61,903	28,470	32,833
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	591,171	339,652	251,519	544,834	313,510	231,324
04 ACUTE MYOCARDIAL INFARCTION.....410	334,196	208,871	125,325	309,760	194,808	114,952
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,418	2,844	1,574	3,812	2,460	1,352
06 CHRONIC ISCHEMIC HEART DISEASE.....412	326,065	161,947	164,118	292,406	144,618	147,788
07 ANGINA PECTORIS.....413	175	103	72	159	94	65
08 OTHER FORMS OF HEART DISEASE.....420-429	47,932	26,649	21,283	39,811	22,201	17,610
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420-421	422	207	215	349	170	179
10 ACUTE AND SUBACUTE ENDOCARDITIS.....422	668	425	243	552	359	193
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,206	566	640	1,073	490	583
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	69	31	38	68	30	38
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	207	107	100	186	98	88
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	930	428	502	819	362	457
15 SYMPTOMATIC HEART DISEASE.....427	28,950	15,101	13,849	24,485	12,812	11,673
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	3,689	1,831	1,858	3,234	1,609	1,625
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	12,997	8,519	4,478	10,118	6,761	3,357
18 CEREBROVASCULAR DISEASES.....430-438	207,424	90,394	117,030	182,626	78,749	103,877
19 WITH HYPERTENSION (BENIGN) (.0).....	25,608	10,678	14,930	20,096	8,164	11,932
20 WITHOUT MENTION OF HYPERTENSION (.9).....	181,816	79,716	102,100	162,530	70,585	91,945
21 SUBARACHNOID HEMORRHAGE.....430	8,881	5,267	3,614	7,439	2,991	4,448
22 CEREBRAL HEMORRHAGE.....431	30,515	14,001	16,514	25,982	11,747	14,235
23 CEREBRAL THROMBOSIS.....433	53,542	23,075	30,467	48,309	20,666	27,643
24 CEREBRAL EMBOLISM.....434	910	399	511	827	355	472
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,297	1,830	1,467	3,025	1,666	1,359
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	67,931	30,199	37,732	58,087	25,603	32,484
27 OTHER CEREBROVASCULAR DISEASES.....437,438	42,348	17,276	25,072	38,957	15,721	23,236
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,437	29,060	29,377	53,930	26,790	27,140
29 ARTERIOSCLEROSIS.....440	32,239	13,229	19,010	29,913	12,150	17,763
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	14,038	10,037	4,001	13,120	9,484	3,636
31 GANGRENE.....445	2,957	1,390	1,567	2,568	1,211	1,357
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	9,203	4,404	4,799	8,329	3,945	4,384
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	17,649	8,572	9,077	15,012	7,260	7,752
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,806	7,568	8,238	13,454	6,401	7,053
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,843	1,004	839	1,558	859	699
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	109,303	69,545	39,758	98,025	62,263	35,762
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	377	197	180	308	163	145
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	750	408	342	647	351	296
39 INFLUENZA.....470-474	2,201	989	1,212	2,049	905	1,144
40 PNEUMONIA.....480-486	52,576	28,798	23,778	45,711	24,599	21,112
41 VIRAL PNEUMONIA.....480	1,275	610	665	1,087	509	578
42 BACTERIAL PNEUMONIA.....481,482	6,306	3,758	2,548	5,253	3,050	2,203
43 ACUTE INTERSTITIAL PNEUMONIA.....484	573	314	257	439	241	198
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	20,209	10,955	9,254	17,864	9,509	8,355
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	24,213	13,159	11,054	21,068	11,290	9,778
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	26,880	20,170	6,710	25,237	18,966	6,271
47 BRONCHITIS, UNQUALIFIED.....466	680	368	312	582	301	281
48 CHRONIC BRONCHITIS.....491	4,417	3,193	1,224	4,190	3,026	1,164
49 EMPHYSEMA.....492	19,907	15,754	4,113	18,990	15,011	3,979
50 ASTHMA.....493	1,876	815	1,061	1,475	628	847
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	36	21	15	27	15	12
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	1,166	802	364	925	631	294
53 PLEURISY.....511	387	206	181	331	179	152
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,054	1,856	1,198	2,833	1,718	1,115
55 BRONCHIECTASIS.....518	763	397	366	705	354	351
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-506,512,514-516,519	21,113	15,701	5,412	19,252	14,382	4,870
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	73,195	42,457	30,698	62,759	36,261	26,498
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	39	20	19	27	11	16
59 PEPTIC ULCER.....531-533	7,600	4,469	2,600	6,395	3,998	2,397
60 ULCER OF STOMACH.....531	3,050	1,775	1,275	2,746	1,571	1,175
61 ULCER OF DUODENUM.....532	3,048	2,072	576	2,788	1,881	907
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	971	622	349	861	546	315
63 GASTRITIS AND DUODENITIS.....535	581	348	233	498	293	205
64 APPENDICITIS.....540-543	864	513	351	715	416	299
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	6,506	2,746	3,760	5,736	2,344	3,392
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	59	34	25	42	23	19
67 DIVERTICULAE OF INTESTINE.....562	3,136	1,182	1,954	2,903	1,100	1,803
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,035	428	607	981	399	582
69 CIRRHOSIS OF LIVER.....571	33,319	21,806	11,513	27,743	18,322	9,421
70 ALCOHOLIC.....571.0	13,151	9,197	3,954	10,569	7,516	3,053
71 OTHER SPECIFIED.....571.8	5,025	2,944	2,081	3,937	2,301	1,636
72 UNSPECIFIED.....571.9	15,143	9,665	5,478	13,237	8,505	4,732
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	3,194	1,394	1,800	2,937	1,283	1,654
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	17,393	9,557	7,836	14,782	8,072	6,710
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	26,068	14,000	12,068	20,998	11,360	9,638
76 NEPHRITIS AND NEPHROSIS.....580-584	8,068	4,328	3,740	5,907	3,219	2,688
77 ACUTE NEPHRITIS.....580	1,233	669	564	1,002	543	459
78 NEPHROTIC SYNDROME.....581	308	169	139	250	141	109
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	6,527	3,490	3,037	4,655	2,535	2,120
80 INFECTIONS OF KIDNEY.....590	5,451	2,311	3,140	4,645	1,958	2,687
81 CALCULI OF URINARY SYSTEM.....592,594	646	315	331	577	282	295
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	9,342	5,076	4,266	7,687	4,179	3,508
83 HYPERPLASIA OF PROSTATE.....600	1,377	1,377	...	1,209	1,209	...
84 DISEASES OF BREAST.....610,611	23	1	22	20	1	19
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,161	592	569	953	512	441
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	462	...	462	257	...	257
87 ECTOPIC PREGNANCY.....631	51	...	51	20	...	20
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	91	...	91	48	...	48
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	53	...	53	34	...	34

Includes deaths among Aleuts and Eskimos.

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ABORTIONS.....640-645	27	...	27	13	...	13
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	6	...	6	1	...	1
03 ABORTION INDUCED FOR OTHER REASONS.....642	1	...	1
04 SPONTANEOUS ABORTION.....643	7	...	7	6	...	6
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	13	...	13	6	...	6
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	96	...	56	61	...	61
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....636,633-635,654-662,672,674-678	143	...	143	80	...	80
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	1	...	1	1	...	1
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	2,097	851	1,246	1,634	648	986
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	468	241	227	382	191	191
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,629	610	1,019	1,252	457	795
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	5,045	1,660	3,385	4,381	1,436	2,945
13 ARTHRITIS AND SPONDYLITIS.....710-715	2,020	686	1,334	1,668	614	1,254
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	184	68	116	144	53	91
15 OSTEOMYELITIS AND PERIOSTITIS.....720	163	85	78	135	70	65
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	175	56	119	164	51	113
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,503	765	1,738	2,070	648	1,422
18 XIV. CONGENITAL ANOMALIES.....	13,526	7,326	6,200	11,323	6,101	5,222
19 SPINA BIFIDA.....741	580	261	319	525	232	293
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,070	1,026	1,044	1,770	873	897
21 CONGENITAL ANOMALIES OF HEART.....746	5,517	3,083	2,434	4,611	2,580	2,031
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,181	633	548	969	515	454
23 CLEFT PALATE AND CLEFT LIP.....749	20	9	11	15	6	9
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748-750-759	4,158	2,314	1,844	3,433	1,895	1,538
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	28,786	16,717	12,069	20,871	12,305	8,566
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	31,145	18,443	12,702	22,042	13,108	8,934
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,391	446	945	1,106	350	756
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	29,754	17,997	11,757	20,936	12,758	8,178
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	156,931	112,121	44,810	127,724	89,964	37,760
30 ACCIDENTS.....E800-E949	104,622	73,209	31,413	89,332	62,100	27,232
31 RAILWAY ACCIDENTS.....E800-E807	716	615	101	557	474	83
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	46,402	34,133	12,269	40,391	29,634	10,757
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	45,314	33,304	12,010	39,419	28,892	10,527
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,209	817	392	1,076	724	352
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER.....E812	15,375	10,574	4,801	13,840	9,484	4,356
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	7,553	5,242	2,311	5,890	4,028	1,862
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	6,342	5,095	1,247	5,651	4,536	1,115
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	8,562	6,879	1,683	7,516	6,062	1,454
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,273	4,697	1,576	5,446	4,058	1,388
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,088	829	259	972	742	230
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	275	171	104	261	160	101
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1,579	1,425	154	1,350	1,218	132
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,687	1,401	286	1,636	1,370	266
44 ACCIDENTAL POISONING.....E850-E877	5,534	3,753	1,781	4,398	2,983	1,415
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,742	1,704	1,038	2,147	1,321	826
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,274	891	383	979	676	303
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,518	1,158	360	1,272	886	386
48 ACCIDENTAL FALLS.....E880-E887	16,329	8,369	7,970	14,928	7,445	7,483
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,218	2,953	1,265	3,729	2,566	1,163
50 FALL ON SAME LEVEL.....E885, E886	622	300	322	585	279	304
51 OTHER AND UNSPECIFIED FALLS.....E887	11,499	5,116	6,383	10,616	4,600	6,016
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,236	3,821	2,415	4,643	2,874	1,769
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	6,463	5,396	1,067	4,972	4,105	867
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	2,991	1,782	1,209	2,418	1,503	1,015
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,513	2,127	386	1,561	1,681	280
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	5,594	5,030	564	4,920	4,445	475
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	112	90	22	85	71	14
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	459	376	83	398	331	67
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	217	131	86	154	94	60
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,157	1,078	79	1,051	980	71
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	3,649	3,355	294	3,232	2,969	263
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,021	1,572	1,449	2,543	1,330	1,213
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	5,272	3,614	1,658	4,254	2,878	1,376
64 SUICIDE.....E950-E959	25,683	18,595	7,088	23,923	17,263	6,660
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,473	1,268	2,205	3,284	1,192	2,092
66 SUICIDE FROM POISONING BY GASES.....E951, E952	2,520	1,676	844	2,485	1,648	837
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,477	2,661	816	3,164	2,418	746
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	14,345	11,813	2,532	13,352	10,998	2,354
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	1,868	1,177	691	1,638	1,015	623
70 HOMICIDE.....E960-E978	21,465	16,747	4,718	10,648	7,992	2,656
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	14,737	12,053	2,684	7,079	5,636	1,443
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,366	2,610	756	1,455	1,085	370
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	2,987	1,715	1,272	1,926	1,087	839
74 LEGAL EXECUTION.....E978	-	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	375	369	6	188	184	4
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....F980-E989	5,149	3,558	1,591	3,811	2,599	1,212
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	12	12	-	10	10	-

¹Includes deaths among Aleuts and Eskimos.

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL CAUSES.....	1,934,388	52,776	3,468	2,431	2,188	1,744	62,607	6,627	8,009	21,982
02	MALE.....	1,071,627	30,305	1,893	1,404	1,264	1,026	35,892	4,014	5,150	16,229
03	FEMALE.....	862,761	22,471	1,575	1,027	924	718	26,715	2,613	2,859	5,753
04	WHITE.....	936,640	22,209	1,385	1,084	1,009	791	26,478	3,165	4,211	13,458
05	MALE.....	760,655	16,040	1,145	745	703	563	19,196	2,056	2,335	4,686
06	FEMALE.....	126,036	7,572	465	295	242	215	8,789	795	855	2,509
07	NEGRO.....	96,912	6,012	397	261	198	138	7,006	511	487	978
08	MALE.....	8,951	524	43	25	13	20	625	54	84	262
09	FEMALE.....	5,194	419	33	21	23	17	513	46	37	89
10	I. INFECTIVE AND PARASITIC DISEASES.....	15,722	1,966	210	108	74	67	2,425	193	190	210
11	MALE.....	8,768	1,117	113	57	44	35	1,366	104	106	99
12	FEMALE.....	6,954	849	97	51	30	32	1,059	89	84	111
13	WHITE.....	6,593	746	79	40	33	30	928	81	78	84
14	MALE.....	5,356	555	65	34	21	27	702	74	72	79
15	FEMALE.....	2,006	336	26	17	10	4	393	21	26	15
16	NEGRO.....	1,470	262	29	15	9	4	319	13	10	30
17	MALE.....	169	35	8	-	1	1	45	2	2	-
18	FEMALE.....	128	32	3	2	-	1	38	2	2	2
19	CHOLERA.....000	-	-	-	-	-	-	-	-	-	-
20	MALE.....	-	-	-	-	-	-	-	-	-	-
21	FEMALE.....	-	-	-	-	-	-	-	-	-	-
22	WHITE.....	-	-	-	-	-	-	-	-	-	-
23	MALE.....	-	-	-	-	-	-	-	-	-	-
24	FEMALE.....	-	-	-	-	-	-	-	-	-	-
25	NEGRO.....	-	-	-	-	-	-	-	-	-	-
26	MALE.....	-	-	-	-	-	-	-	-	-	-
27	FEMALE.....	-	-	-	-	-	-	-	-	-	-
28	TYPHOID FEVER.....001	3	-	-	-	-	-	-	1	-	1
29	MALE.....	2	-	-	-	-	-	-	1	-	1
30	FEMALE.....	1	-	-	-	-	-	-	-	-	-
31	WHITE.....	2	-	-	-	-	-	-	1	-	1
32	MALE.....	1	-	-	-	-	-	-	-	-	-
33	FEMALE.....	1	-	-	-	-	-	-	-	-	-
34	NEGRO.....	-	-	-	-	-	-	-	-	-	-
35	MALE.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE.....	-	-	-	-	-	-	-	-	-	-
37	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	59	12	2	-	-	1	15	-	3	-
38	MALE.....	36	6	2	-	-	1	9	-	3	-
39	FEMALE.....	23	6	-	-	-	-	6	-	-	-
40	WHITE.....	28	3	1	-	-	1	5	-	1	-
41	MALE.....	17	4	-	-	-	-	4	-	-	-
42	FEMALE.....	6	3	-	-	-	-	3	-	1	-
43	NEGRO.....	6	2	-	-	-	-	2	-	-	-
44	MALE.....	2	-	1	-	-	-	1	-	1	-
45	FEMALE.....	-	-	-	-	-	-	-	-	-	-
46	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	57	5	2	1	1	-	9	5	3	2
47	MALE.....	39	5	1	-	1	-	7	2	2	1
48	FEMALE.....	18	-	1	1	-	-	2	3	1	1
49	WHITE.....	33	4	-	-	1	-	5	2	2	1
50	MALE.....	11	-	-	-	-	-	1	1	1	-
51	FEMALE.....	3	1	-	-	-	-	1	-	-	-
52	NEGRO.....	4	-	-	-	-	-	-	1	-	1
53	MALE.....	3	-	1	-	-	-	1	-	-	-
54	FEMALE.....	3	-	1	1	-	-	2	1	-	-
55	FOOD POISONING (BACTERIAL).....005	10	-	-	-	-	-	-	-	-	1
56	MALE.....	3	-	-	-	-	-	-	-	-	1
57	FEMALE.....	7	-	-	-	-	-	-	-	-	-
58	WHITE.....	1	-	-	-	-	-	-	-	-	1
59	MALE.....	7	-	-	-	-	-	-	-	-	-
60	FEMALE.....	1	-	-	-	-	-	-	-	-	-
61	NEGRO.....	1	-	-	-	-	-	-	-	-	-
62	MALE.....	1	-	-	-	-	-	-	-	-	-
63	FEMALE.....	-	-	-	-	-	-	-	-	-	-
64	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,255	682	68	21	13	8	792	20	14	12
65	MALE.....	1,037	390	32	11	9	4	446	13	8	7
66	FEMALE.....	1,218	292	36	10	4	4	346	7	6	5
67	WHITE.....	801	232	25	7	8	4	276	9	7	6
68	MALE.....	976	164	24	4	3	4	199	6	5	2
69	FEMALE.....	212	141	6	4	1	-	152	4	1	1
70	NEGRO.....	216	114	11	5	1	-	131	1	1	2
71	MALE.....	24	17	1	-	-	-	18	-	-	-
72	FEMALE.....	26	14	1	1	-	-	16	-	-	1
73	TUBERCULOSIS, ALL FORMS.....010-019	3,513	11	2	7	2	1	23	3	3	9
74	MALE.....	2,432	6	-	4	1	1	12	1	2	3
75	FEMALE.....	1,081	5	2	3	1	-	11	2	1	6
76	WHITE.....	1,645	4	-	1	-	-	5	1	-	3
77	MALE.....	750	4	1	1	1	-	7	-	1	3
78	FEMALE.....	727	2	-	3	1	1	7	-	2	-
79	NEGRO.....	296	1	1	2	-	-	4	1	-	3
80	MALE.....	60	-	-	-	-	-	-	-	-	-
81	FEMALE.....	35	-	-	-	-	-	-	1	-	-
82	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	2,775	6	1	1	-	-	8	1	-	5
83	MALE.....	1,980	3	-	1	-	-	4	-	-	3
84	FEMALE.....	795	3	1	-	-	-	4	1	-	2
85	WHITE.....	1,343	2	-	-	-	-	2	-	-	3
86	MALE.....	547	3	-	-	-	-	3	-	-	1
87	FEMALE.....	598	1	-	1	-	-	2	-	-	-
88	NEGRO.....	226	-	1	-	-	-	1	-	-	1
89	MALE.....	39	-	-	-	-	-	-	-	-	-
90	FEMALE.....	22	-	-	-	-	-	-	1	-	-

SECTION 1 - GENERAL MORTALITY

1-197

Age, Race, and Sex: United States, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	01
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	18
1	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	19
1	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	20
1	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	21
-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	22
-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	23
-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	24
-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	25
-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	26
-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	1	1	1	1	2	-	-	-	1	-	-	-	-	-	-	46
-	-	-	1	1	1	1	2	-	-	-	1	-	-	-	-	-	-	47
-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	48
-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	49
-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	50
-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	51
-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	52
-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	53
-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	54
31	50	43	54	68	66	91	98	99	134	111	85	71	38	12	6	1	-	55
13	28	19	22	36	37	47	54	60	78	72	44	33	14	3	2	-	-	56
18	22	24	32	32	29	44	44	39	56	39	41	38	24	9	4	1	-	57
9	23	15	11	16	30	33	40	43	59	60	38	27	12	3	2	-	-	58
10	13	13	10	10	15	30	26	32	50	29	35	34	23	9	4	-	-	59
4	5	4	11	19	6	14	13	15	16	11	6	5	2	-	-	-	-	60
8	9	11	20	22	14	13	18	7	4	10	6	4	1	-	-	1	-	61
-	-	-	-	1	1	-	1	2	3	1	-	1	-	-	-	-	-	62
-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
1,477	1,942	2,691	4,455	8,362	16,859	27,850	37,584	48,676	53,572	52,506	45,878	34,403	17,896	5,877	1,116	118	39	64
902	999	1,202	1,891	3,669	8,062	14,155	20,407	28,158	31,699	30,405	25,602	17,325	8,596	2,494	432	47	22	65
574	943	1,489	2,564	4,693	8,797	13,395	17,177	20,518	21,373	22,101	20,276	16,568	9,300	3,383	684	71	17	66
796	892	1,066	1,607	3,024	6,764	11,888	17,613	24,669	28,136	27,056	23,374	16,455	7,974	2,307	373	36	19	67
475	754	1,242	2,100	3,884	7,523	11,622	15,252	18,126	19,619	19,870	18,886	15,590	8,803	3,166	636	50	12	68
101	98	121	265	601	1,235	2,153	2,642	3,321	3,359	3,106	2,069	1,287	549	158	55	11	3	69
89	146	223	424	755	1,197	1,688	1,807	2,288	2,155	2,136	1,295	903	457	206	45	21	3	70
6	8	15	19	42	63	114	152	168	204	243	159	93	73	29	4	-	-	71
10	13	24	40	54	77	85	117	104	99	95	95	75	40	11	3	-	2	72
1,422	1,855	2,595	4,338	8,191	16,591	27,171	37,101	48,154	52,979	51,867	45,315	33,998	17,679	5,779	1,099	116	26	73
875	953	1,168	1,835	3,594	7,926	13,975	20,146	27,993	31,396	30,103	25,324	17,639	8,513	2,467	426	46	21	74
547	902	1,427	2,503	4,587	8,665	13,196	16,959	20,251	21,583	21,764	19,991	16,359	9,166	3,312	673	70	15	75
775	856	1,038	1,559	2,964	6,651	11,762	17,384	24,449	27,858	26,777	23,122	16,274	7,895	2,280	367	35	18	76
454	755	1,193	2,052	3,812	7,415	11,457	15,055	17,899	19,371	19,579	18,625	15,392	8,680	3,097	626	49	10	77
94	91	115	257	589	1,213	2,121	2,612	3,287	3,335	3,085	2,045	1,272	546	158	55	11	3	78
83	135	211	412	734	1,174	1,655	1,784	2,250	2,116	2,092	1,272	894	447	204	44	21	3	79
6	6	15	19	41	62	112	150	167	203	241	157	93	72	29	4	-	-	80
10	12	23	39	51	76	84	116	102	96	93	54	73	39	11	3	-	2	81
11	14	24	67	194	464	765	1,111	1,343	1,185	964	806	555	305	101	21	5	-	82
7	8	15	49	138	335	565	810	991	882	699	561	361	182	40	10	2	-	83
4	6	9	18	56	129	200	301	352	303	265	245	198	123	53	11	3	-	84
3	8	12	30	99	259	452	691	878	798	636	516	342	173	48	9	2	-	85
3	3	7	12	36	90	160	274	319	275	242	235	190	117	50	11	3	-	86
3	3	2	13	46	71	107	110	107	75	56	40	18	8	-	-	-	-	87
1	2	1	5	19	34	40	76	70	30	21	6	6	5	2	-	-	-	88
1	-	1	6	3	5	6	9	7	6	7	5	1	1	-	-	-	-	89
-	1	1	1	2	3	3	-	3	-	2	1	2	1	1	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1974-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
-	-	1	-	3	6	5	13	19	22	18	31	22	14	7	1	-	01
-	-	1	-	3	6	5	10	16	20	17	27	18	14	6	1	-	02
-	-	-	-	-	-	-	3	3	2	1	4	4	-	1	-	-	03
-	-	1	-	3	6	5	10	13	20	17	27	18	14	6	1	-	04
-	-	-	-	-	-	-	3	2	1	1	3	4	-	1	-	-	05
-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
-	2	6	14	44	108	166	253	310	288	248	185	122	62	21	2	2	10
-	2	4	8	34	79	124	193	217	220	194	124	79	37	9	2	2	11
-	-	2	6	10	29	42	60	93	68	54	61	43	25	12	2	2	12
-	-	2	6	19	62	95	171	198	206	175	117	77	35	9	2	2	13
-	-	1	4	5	23	32	55	82	58	49	58	40	25	12	2	2	14
-	-	-	2	14	17	27	21	18	14	17	7	2	1	-	-	-	15
-	-	1	2	4	6	10	5	5	10	5	3	3	-	-	-	-	16
-	-	-	1	1	1	2	1	1	2	1	-	1	-	-	-	-	17
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	18
3	4	9	14	52	145	201	312	762	326	308	272	223	144	49	12	3	19
2	2	4	10	33	102	154	223	265	220	194	152	118	80	17	5	2	20
1	2	5	4	19	43	47	89	97	101	114	120	105	64	32	7	1	21
1	2	3	8	21	78	124	192	230	202	175	140	110	76	17	4	2	22
-	2	5	3	12	30	35	79	91	92	103	115	103	62	30	7	1	23
-	-	-	2	12	24	30	27	35	20	17	10	8	4	-	1	-	24
1	-	-	1	7	13	12	10	6	9	10	4	2	2	1	-	-	25
1	-	1	-	-	-	-	4	-	3	2	2	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	27
8	8	8	39	95	205	393	523	652	549	390	318	192	85	24	6	-	28
5	4	6	31	68	148	282	384	493	417	294	258	146	51	16	4	-	29
2	4	2	8	27	57	111	149	159	132	96	60	46	34	8	2	-	30
3	4	4	16	46	113	228	318	437	370	269	232	137	48	16	4	-	31
3	1	1	5	19	37	93	137	138	124	89	59	43	30	7	2	-	32
-	-	2	9	20	30	50	62	51	41	22	23	8	3	-	-	-	33
-	2	-	2	7	17	18	11	18	8	6	1	1	3	1	-	-	34
-	-	-	6	2	5	4	4	5	6	3	3	-	-	-	-	-	35
-	1	1	1	1	3	-	1	3	-	1	-	2	1	-	-	-	36
93	186	368	714	1,429	3,175	5,832	8,720	12,408	14,689	15,656	14,568	11,899	6,466	2,154	397	37	12 37
51	95	208	373	783	1,815	3,381	5,144	7,285	8,385	8,305	7,316	5,403	2,750	790	126	12	7 38
42	91	160	341	646	1,360	2,451	3,576	5,123	6,304	7,351	7,252	6,496	3,716	1,364	271	25	5 39
34	69	170	302	626	1,480	2,751	4,352	6,246	7,318	7,341	6,612	5,029	2,545	740	116	9	7 40
30	60	129	273	519	1,116	2,067	3,080	4,420	5,625	6,532	6,743	6,113	3,531	1,287	246	18	3 41
16	25	34	65	137	311	585	729	967	992	861	640	324	174	40	10	3	- 42
10	78	28	61	117	227	361	467	663	652	775	466	352	167	73	23	7	2 43
1	1	4	6	20	24	45	63	72	75	103	64	40	31	10	-	-	- 44
2	3	3	7	10	17	23	33	40	27	44	43	31	18	4	2	-	- 45
1	5	13	27	101	351	649	892	1,083	1,085	901	705	482	253	80	20	1	1 46
1	2	9	22	70	263	486	686	848	848	676	524	293	159	40	9	-	- 47
1	3	4	5	31	88	163	206	255	237	225	181	189	94	40	11	1	1 48
-	2	7	12	36	156	294	467	638	665	551	421	257	141	38	8	-	- 49
-	3	3	1	12	43	91	133	202	191	188	161	172	88	40	10	1	- 50
-	-	2	10	33	107	186	212	186	175	117	88	33	17	2	1	-	- 51
1	-	1	4	19	45	71	72	53	45	36	19	16	6	-	1	-	1 52
-	-	-	-	1	-	6	7	4	8	8	5	3	1	-	-	-	- 53
-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-	- 54
11	25	62	141	254	525	821	1,240	1,824	2,099	2,374	2,361	1,947	1,040	368	60	10	2 55
6	9	24	71	155	323	552	847	1,247	1,366	1,452	1,339	1,040	535	168	17	4	2 56
5	16	38	70	99	202	269	392	577	732	922	1,022	907	505	200	43	6	- 57
4	6	18	51	126	259	417	666	1,004	1,088	1,201	1,174	946	477	149	13	1	2 58
3	7	25	57	80	156	224	309	453	615	742	923	835	469	181	39	5	- 59
2	2	6	18	24	57	126	168	225	262	221	147	82	51	14	4	3	- 60
1	7	10	10	18	42	42	76	111	115	168	87	65	30	18	3	1	- 61
-	1	-	2	5	7	9	13	18	16	30	18	12	7	5	-	-	- 62
1	2	3	3	1	4	3	8	13	2	12	12	7	6	1	1	-	- 63
1	2	6	15	17	33	41	76	86	96	116	75	65	15	9	1	1	- 64
1	2	2	12	9	18	20	49	53	36	64	36	31	5	4	1	-	- 65
1	-	4	3	8	15	21	27	33	60	52	43	34	10	5	-	-	- 66
1	1	2	9	9	16	12	42	43	32	58	25	28	4	4	1	1	- 67
1	-	3	3	6	10	16	26	30	50	50	38	33	10	5	-	-	- 68
-	1	-	3	-	1	9	6	8	4	6	7	3	1	-	-	-	- 69
-	-	1	-	1	5	5	1	2	10	2	5	1	-	-	-	-	- 70
-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	- 71
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	- 72
41	89	167	280	535	1,109	2,051	3,088	4,562	5,705	6,338	6,051	5,215	3,029	949	172	16	7 73
26	45	100	127	239	539	988	1,551	2,339	2,919	3,012	2,801	2,143	1,171	313	55	5	3 74
15	44	67	153	296	570	1,063	1,537	2,223	2,786	3,326	3,250	3,072	1,859	636	117	11	4 75
17	29	85	113	200	482	876	1,423	2,105	2,674	2,740	2,586	2,025	1,108	295	52	5	3 76
10	36	58	128	246	509	945	1,367	1,970	2,530	3,011	3,057	2,923	1,773	605	106	7	3 77
9	16	12	13	32	54	100	108	224	229	242	188	106	54	15	3	-	- 78
5	8	9	23	46	54	112	161	246	248	305	179	143	80	30	11	4	1 79
-	-	3	1	7	3	12	20	10	16	30	17	12	9	3	-	-	- 80
-	-	-	2	4	7	6	9	7	8	10	14	6	5	1	-	-	- 81
5	7	16	20	49	87	175	232	420	531	638	682	678	434	149	26	3	1 82
4	3	8	10	21	44	87	126	208	262	291	306	152	51	7	1	1	- 83
2	4	8	10	28	43	88	106	212	269	347	376	282	98	19	2	2	- 84
1	1	6	9	19	38	80	115	191	238	267	289	254	48	7	1	1	- 85
2	4	7	9	23	41	79	97	196	244	319	353	387	269	90	17	1	- 86
1	2	2	2	2	6	7	8	15	24	20	16	11	6	3	-	-	- 87
-	-	1	1	4	2	9	8	16	25	28	21	24	11	8	2	1	- 88
-	-	-	-	-	-	-	3	2	-	4	1	1	1	-	-	-	- 89
-	-	-	-	1	-	-	1	-	-	-	2	1	2	-	-	-	- 90

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
MALIGNANT NEOPLASMS, ETC.—CON.											
01	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	83,475	2	1	1	2	2	8	6	10	15
02	MALE.....	65,304	1	1	1	1	1	5	4	4	10
03	FEMALE.....	18,171	1	-	-	1	1	3	2	6	5
04	WHITE.....	57,956	1	1	1	1	1	5	2	4	8
05	FEMALE.....	16,447	1	-	-	1	1	3	2	5	5
06	NEGRO.....	7,209	-	-	-	-	-	-	2	-	1
07	FEMALE.....	1,609	-	-	-	-	-	-	-	-	-
08	OTHER RACES.....	339	-	-	-	-	-	-	-	-	1
09	FEMALE.....	115	-	-	-	-	-	-	-	1	-
10	OF LARYNX.....161	3,262	-	-	-	-	-	-	-	-	1
11	MALE.....	2,826	-	-	-	-	-	-	-	-	-
12	FEMALE.....	436	-	-	-	-	-	-	-	-	1
13	WHITE.....	2,431	-	-	-	-	-	-	-	-	-
14	FEMALE.....	372	-	-	-	-	-	-	-	-	1
15	NEGRO.....	382	-	-	-	-	-	-	-	-	-
16	FEMALE.....	61	-	-	-	-	-	-	-	-	-
17	OTHER RACES.....	13	-	-	-	-	-	-	-	-	-
18	FEMALE.....	3	-	-	-	-	-	-	-	-	-
19	OF TRACHEA, BRONCHUS, AND LUNG.....162	78,873	2	1	-	2	-	5	4	4	8
20	MALE.....	61,611	1	1	-	1	-	3	3	1	6
21	FEMALE.....	17,262	1	-	-	1	-	2	1	3	2
22	WHITE.....	54,762	1	1	-	1	-	3	1	1	4
23	FEMALE.....	15,646	1	-	-	1	-	2	1	2	2
24	NEGRO.....	6,533	-	-	-	-	-	-	2	-	1
25	FEMALE.....	1,506	-	-	-	-	-	-	-	-	-
26	OTHER RACES.....	316	-	-	-	-	-	-	-	-	1
27	FEMALE.....	110	-	-	-	-	-	-	-	1	-
28	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,340	-	-	1	-	2	3	2	6	6
29	MALE.....	867	-	1	-	-	1	2	1	3	4
30	FEMALE.....	473	-	-	-	-	1	1	1	3	7
31	WHITE.....	763	-	-	1	-	1	2	1	3	4
32	FEMALE.....	429	-	-	-	-	1	1	1	3	2
33	NEGRO.....	94	-	-	-	-	-	-	-	-	-
34	FEMALE.....	42	-	-	-	-	-	-	-	-	-
35	OTHER RACES.....	10	-	-	-	-	-	-	-	-	-
36	FEMALE.....	2	-	-	-	-	-	-	-	-	-
37	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	40,861	10	8	14	6	12	50	32	144	240
38	MALE.....	5,190	5	2	10	3	8	28	14	75	147
39	FEMALE.....	25,671	5	6	4	3	4	22	18	69	90
40	WHITE.....	4,848	3	2	7	3	7	22	13	62	126
41	FEMALE.....	32,463	5	6	4	3	4	22	15	63	86
42	NEGRO.....	316	2	-	1	-	1	4	1	10	15
43	FEMALE.....	3,059	-	-	-	-	-	-	3	6	10
44	OTHER RACES.....	26	-	-	2	-	-	2	-	3	1
45	FEMALE.....	149	-	-	-	-	-	-	-	-	2
46	OF BONE.....170	1,810	-	-	4	1	4	9	16	110	173
47	MALE.....	1,038	-	-	2	1	3	6	5	54	99
48	FEMALE.....	772	-	-	2	-	1	3	11	56	74
49	WHITE.....	913	-	-	1	1	2	4	4	44	87
50	FEMALE.....	687	-	-	2	-	1	3	9	53	65
51	NEGRO.....	116	-	-	1	-	1	2	1	8	11
52	FEMALE.....	79	-	-	-	-	-	-	2	3	7
53	OTHER RACES.....	9	-	-	-	-	-	-	-	2	1
54	FEMALE.....	6	-	-	-	-	-	-	-	-	2
55	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,482	6	8	10	4	8	36	16	26	38
56	MALE.....	794	3	2	8	2	5	20	9	15	23
57	FEMALE.....	688	3	6	2	2	3	16	7	11	15
58	WHITE.....	712	2	2	6	2	5	17	9	12	20
59	FEMALE.....	613	3	6	2	2	3	16	6	9	13
60	NEGRO.....	75	1	-	-	-	-	1	-	2	3
61	FEMALE.....	67	-	-	-	-	-	-	1	2	2
62	OTHER RACES.....	7	-	-	2	-	-	2	-	1	-
63	FEMALE.....	8	-	-	-	-	-	-	-	-	-
64	OF SKIN.....172,173	5,145	4	-	-	1	-	5	-	6	27
65	MALE.....	3,066	2	-	-	-	-	2	-	4	19
66	FEMALE.....	2,079	2	-	-	1	-	3	-	2	8
67	WHITE.....	2,971	1	-	-	-	-	1	-	4	16
68	FEMALE.....	2,007	2	-	-	1	-	3	-	1	7
69	NEGRO.....	86	1	-	-	-	-	1	-	-	-
70	FEMALE.....	67	-	-	-	-	-	-	-	1	1
71	OTHER RACES.....	9	-	-	-	-	-	-	-	-	-
72	FEMALE.....	5	-	-	-	-	-	-	-	-	-
73	OF BREAST.....174	32,424	-	-	-	-	-	-	-	2	2
74	MALE.....	292	-	-	-	-	-	-	-	2	1
75	FEMALE.....	32,132	-	-	-	-	-	-	-	-	1
76	WHITE.....	252	-	-	-	-	-	-	-	2	-
77	FEMALE.....	29,156	-	-	-	-	-	-	-	-	1
78	NEGRO.....	39	-	-	-	-	-	-	-	-	1
79	FEMALE.....	2,846	-	-	-	-	-	-	-	-	-
80	OTHER RACES.....	1	-	-	-	-	-	-	-	-	-
81	FEMALE.....	130	-	-	-	-	-	-	-	-	-
82	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	43,111	1	2	4	5	1	13	7	22	92
83	MALE.....	20,192	1	1	1	4	1	8	3	5	54
84	FEMALE.....	22,919	-	1	3	1	-	5	4	17	38
85	WHITE.....	17,141	1	1	1	4	-	7	3	5	57
86	FEMALE.....	19,810	-	1	2	1	-	4	2	15	26
87	NEGRO.....	2,961	-	-	-	-	1	1	-	2	7
88	FEMALE.....	2,854	-	-	1	-	-	1	-	2	12
89	OTHER RACES.....	90	-	-	-	-	-	1	-	-	-
90	FEMALE.....	155	-	-	-	-	-	-	1	-	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1974-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Table with columns for age groups (20-24 to 95-99 years), '100 years and over', and 'Not stated'. Rows contain numerical data for each age group, representing mortality rates or counts. The table is organized in a grid-like structure with 17 columns and multiple rows of data.

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL OTHER PSYCHOSES.....294-299	327	-	-	-	-	-	-	-	-	3
02	MALE.....	138	-	-	-	-	-	-	-	-	1
03	FEMALE.....	189	-	-	-	-	-	-	-	-	2
04	WHITE.....MALE.....	115	-	-	-	-	-	-	-	-	1
05	FEMALE.....	169	-	-	-	-	-	-	-	-	2
06	NEGRO.....MALE.....	22	-	-	-	-	-	-	-	-	-
07	FEMALE.....	19	-	-	-	-	-	-	-	-	-
08	OTHER RACES.....MALE.....	1	-	-	-	-	-	-	-	-	-
09	FEMALE.....	1	-	-	-	-	-	-	-	-	-
10	ALCOHOLISM.....303	4,931	1	-	-	-	-	1	-	1	40
11	MALE.....	3,794	1	-	-	-	-	1	-	1	37
12	FEMALE.....	1,137	-	-	-	-	-	-	-	-	3
13	WHITE.....MALE.....	2,660	1	-	-	-	-	1	-	1	29
14	FEMALE.....	753	-	-	-	-	-	-	-	-	1
15	NEGRO.....MALE.....	1,001	-	-	-	-	-	-	-	-	6
16	FEMALE.....	343	-	-	-	-	-	-	-	-	2
17	OTHER RACES.....MALE.....	133	-	-	-	-	-	-	-	-	2
18	FEMALE.....	41	-	-	-	-	-	-	-	-	-
19	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2,766	1	1	-	1	-	3	2	11	131
20	MALE.....	1,618	1	1	-	1	-	3	1	7	97
21	FEMALE.....	1,148	-	-	-	-	-	-	1	4	34
22	WHITE.....MALE.....	1,102	1	1	-	-	-	2	1	7	68
23	FEMALE.....	928	-	-	-	-	-	-	-	3	25
24	NEGRO.....MALE.....	504	-	-	-	-	1	1	-	-	29
25	FEMALE.....	211	-	-	-	-	-	-	1	-	9
26	OTHER RACES.....MALE.....	12	-	-	-	-	-	-	-	-	-
27	FEMALE.....	9	-	-	-	-	-	-	-	1	-
28	MENTAL RETARDATION.....310-315	305	10	6	17	10	5	48	32	34	36
29	MALE.....	180	2	4	13	4	4	27	20	26	19
30	FEMALE.....	125	8	2	4	6	1	21	12	8	17
31	WHITE.....MALE.....	145	2	3	8	2	4	19	15	21	15
32	FEMALE.....	103	5	2	3	4	1	15	8	7	14
33	NEGRO.....MALE.....	33	-	1	5	2	-	8	5	5	4
34	FEMALE.....	19	3	-	1	2	-	6	2	1	3
35	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	-	-
36	FEMALE.....	3	-	-	-	-	-	-	2	-	-
37	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	17,356	1,006	274	189	139	118	1,726	396	450	591
38	MALE.....	9,467	570	154	105	68	67	965	219	278	429
39	FEMALE.....	7,889	436	120	83	71	51	761	177	172	162
40	WHITE.....MALE.....	8,104	394	118	86	55	51	704	186	233	364
41	FEMALE.....	6,871	288	93	56	53	42	532	146	140	128
42	NEGRO.....MALE.....	1,276	161	34	18	13	13	239	30	41	60
43	FEMALE.....	957	133	25	27	17	8	210	28	20	31
44	OTHER RACES.....MALE.....	87	15	2	-	-	-	22	3	4	5
45	FEMALE.....	61	15	2	-	1	1	19	3	2	3
46	MENINGITIS.....220	1,539	567	105	59	40	20	791	41	27	34
47	MALE.....	843	316	61	37	22	9	445	24	12	25
48	FEMALE.....	696	251	44	22	18	11	346	17	15	9
49	WHITE.....MALE.....	597	213	45	31	15	6	310	18	9	15
50	FEMALE.....	461	153	27	13	12	8	213	17	8	8
51	NEGRO.....MALE.....	229	97	14	6	7	2	126	4	3	9
52	FEMALE.....	218	86	16	9	6	3	120	4	7	1
53	OTHER RACES.....MALE.....	17	6	2	-	-	-	9	2	-	1
54	FEMALE.....	17	12	1	-	-	-	13	1	-	-
55	HEREDITARY NEUROMUSCULAR DISORDERS.....330	825	85	20	8	5	6	124	14	67	205
56	MALE.....	634	45	8	3	4	3	63	12	59	201
57	FEMALE.....	191	40	12	5	1	3	61	2	8	4
58	WHITE.....MALE.....	586	42	5	3	4	3	57	12	54	188
59	FEMALE.....	172	34	11	3	1	3	54	2	6	4
60	NEGRO.....MALE.....	42	2	3	-	-	-	5	-	4	11
61	FEMALE.....	16	3	1	2	-	-	6	-	2	-
62	OTHER RACES.....MALE.....	6	1	-	-	-	-	1	-	1	2
63	FEMALE.....	3	1	-	-	-	-	1	-	-	-
64	MULTIPLE SCLEROSIS.....340	1,593	-	-	-	-	-	-	-	-	9
65	MALE.....	585	-	-	-	-	-	-	-	-	5
66	FEMALE.....	1,008	-	-	-	-	-	-	-	-	4
67	WHITE.....MALE.....	537	-	-	-	-	-	-	-	-	4
68	FEMALE.....	909	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE.....	47	-	-	-	-	-	-	-	-	1
70	FEMALE.....	94	-	-	-	-	-	-	-	-	1
71	OTHER RACES.....MALE.....	1	-	-	-	-	-	-	-	-	-
72	FEMALE.....	5	-	-	-	-	-	-	-	-	-
73	PARALYSIS AGITANS.....342	3,438	3	-	-	-	-	3	2	-	1
74	MALE.....	1,880	2	-	-	-	-	2	-	-	1
75	FEMALE.....	1,558	1	-	-	-	-	1	2	-	-
76	WHITE.....MALE.....	1,803	2	-	-	-	-	2	-	-	1
77	FEMALE.....	1,510	1	-	-	-	-	1	2	-	-
78	NEGRO.....MALE.....	72	-	-	-	-	-	-	-	-	-
79	FEMALE.....	45	-	-	-	-	-	-	-	-	-
80	OTHER RACES.....MALE.....	5	-	-	-	-	-	-	-	-	-
81	FEMALE.....	3	-	-	-	-	-	-	-	-	-
82	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	671	61	28	35	18	23	165	88	84	66
83	MALE.....	384	39	8	21	9	13	90	48	43	38
84	FEMALE.....	287	22	20	14	9	10	75	40	41	28
85	WHITE.....MALE.....	307	27	6	16	4	7	60	38	33	29
86	FEMALE.....	238	15	19	13	9	8	64	29	32	20
87	NEGRO.....MALE.....	69	10	2	4	5	5	24	10	9	8
88	FEMALE.....	47	7	1	1	-	1	10	10	9	8
89	OTHER RACES.....MALE.....	8	2	-	1	-	1	4	-	1	1
90	FEMALE.....	2	-	-	-	-	-	1	1	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	OTHER FORMS OF HEART DISEASE--CON. CHRONIC DISEASE OF ENDOCARDIUM--CON.										
	OF MITRAL VALVE, NONRHEUMATIC.....	424.0	69	-	-	-	-	-	-	-	-
02	MALE.....	31	-	-	-	-	-	-	-	-	-
03	FEMALE.....	38	-	-	-	-	-	-	-	-	-
04	WHITE.....	30	-	-	-	-	-	-	-	-	-
05	MALE.....	38	-	-	-	-	-	-	-	-	-
06	FEMALE.....	1	-	-	-	-	-	-	-	-	-
07	NEGRO.....	1	-	-	-	-	-	-	-	-	-
08	MALE.....	-	-	-	-	-	-	-	-	-	-
09	FEMALE.....	-	-	-	-	-	-	-	-	-	-
	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
10	MALE.....	-	-	-	-	-	-	-	-	-	-
11	FEMALE.....	207	-	1	-	-	-	1	-	-	-
12	WHITE.....	107	-	-	-	-	-	-	-	-	-
13	MALE.....	100	-	1	-	-	-	1	-	-	-
14	FEMALE.....	98	-	-	-	-	-	-	-	-	-
15	NEGRO.....	88	-	-	-	-	-	-	-	-	-
16	MALE.....	8	-	-	-	-	-	-	-	-	-
17	FEMALE.....	11	-	1	-	-	-	1	-	-	-
18	OTHER RACES.....	1	-	-	-	-	-	-	-	-	-
19	MALE.....	1	-	-	-	-	-	-	-	-	-
20	FEMALE.....	-	-	-	-	-	-	-	-	-	-
21	OF OTHER ENDOCARDIAL STRUCTURES.....	424.9	930	-	1	-	-	1	-	4	1
22	MALE.....	428	-	-	-	-	-	-	-	3	1
23	FEMALE.....	502	-	1	-	-	-	1	-	1	-
24	WHITE.....	362	-	-	-	-	-	-	-	3	1
25	MALE.....	457	-	1	-	-	-	1	-	1	-
26	FEMALE.....	60	-	-	-	-	-	-	-	-	-
27	NEGRO.....	44	-	-	-	-	-	-	-	-	-
28	MALE.....	6	-	-	-	-	-	-	-	-	-
29	FEMALE.....	1	-	-	-	-	-	-	-	-	-
30	OTHER RACES.....	1	-	-	-	-	-	-	-	-	-
31	MALE.....	-	-	-	-	-	-	-	-	-	-
32	FEMALE.....	-	-	-	-	-	-	-	-	-	-
33	SYMPTOMATIC HEART DISEASE.....	427	28,950	349	65	30	19	15	478	69	61
34	MALE.....	15,101	204	32	14	13	8	271	35	37	94
35	FEMALE.....	13,849	145	33	16	6	7	207	34	24	42
36	WHITE.....	12,812	150	22	13	12	6	203	27	31	75
37	MALE.....	11,673	93	20	13	4	7	137	28	23	31
38	FEMALE.....	2,165	43	9	1	2	2	56	7	6	17
39	NEGRO.....	2,101	43	12	3	2	-	60	6	1	11
40	MALE.....	124	11	1	-	-	-	12	1	-	2
41	FEMALE.....	75	9	1	-	-	-	10	-	-	-
42	OTHER RACES.....	3,689	28	14	7	1	2	52	10	14	33
43	MALE.....	1,831	12	7	5	1	1	26	5	7	24
44	FEMALE.....	1,858	16	7	2	-	1	26	5	7	9
45	WHITE.....	1,609	9	3	4	1	1	18	3	4	20
46	MALE.....	1,625	10	5	2	-	1	18	2	4	6
47	FEMALE.....	209	3	3	1	-	-	7	2	3	4
48	NEGRO.....	227	5	2	-	-	-	7	2	3	3
49	MALE.....	13	1	1	-	-	-	1	-	-	-
50	FEMALE.....	6	1	-	-	-	-	1	-	-	-
51	OTHER RACES.....	12,997	223	30	16	14	8	291	25	54	107
52	MALE.....	8,519	124	17	7	4	5	157	15	28	71
53	FEMALE.....	4,478	99	13	9	10	3	134	10	26	36
54	WHITE.....	6,761	69	5	5	-	5	88	13	21	47
55	MALE.....	3,357	53	7	6	7	1	74	7	18	27
56	FEMALE.....	1,692	52	8	2	4	-	66	2	7	24
57	NEGRO.....	1,075	42	5	3	3	2	55	3	7	8
58	MALE.....	66	3	-	-	-	-	3	-	-	-
59	FEMALE.....	46	4	1	-	-	-	5	-	1	1
60	OTHER RACES.....	207,424	153	44	25	20	18	260	96	153	741
61	MALE.....	90,394	91	23	13	14	10	151	50	88	137
62	FEMALE.....	117,030	62	21	12	6	8	109	46	65	194
63	WHITE.....	78,749	58	16	10	11	8	103	42	75	109
64	MALE.....	103,877	39	14	10	4	8	75	40	53	92
65	FEMALE.....	10,979	30	7	2	3	1	43	7	11	26
66	NEGRO.....	12,645	22	7	2	2	-	33	5	10	20
67	MALE.....	666	3	1	-	-	-	5	1	2	2
68	FEMALE.....	508	1	-	-	-	-	1	1	2	2
69	OTHER RACES.....	25,608	-	-	-	-	-	-	2	1	6
70	MALE.....	10,678	-	-	-	-	-	-	1	-	2
71	FEMALE.....	14,930	-	-	-	-	-	-	1	1	4
72	WHITE.....	8,164	-	-	-	-	-	-	1	-	2
73	MALE.....	11,932	-	-	-	-	-	-	-	1	2
74	FEMALE.....	2,299	-	-	-	-	-	-	-	-	-
75	NEGRO.....	2,885	-	-	-	-	-	-	1	-	2
76	MALE.....	115	-	-	-	-	-	-	-	-	-
77	FEMALE.....	113	-	-	-	-	-	-	-	-	-
78	OTHER RACES.....	181,816	153	44	25	20	18	260	94	152	735
79	MALE.....	79,716	91	23	13	14	10	151	49	88	135
80	FEMALE.....	102,100	62	21	12	6	8	109	45	64	100
81	WHITE.....	70,595	58	16	10	11	8	103	41	75	197
82	MALE.....	91,945	39	14	10	4	8	75	40	52	80
83	FEMALE.....	8,580	30	7	2	3	1	43	7	11	26
84	NEGRO.....	9,760	22	7	2	2	-	33	4	10	18
85	MALE.....	551	3	-	-	-	-	5	1	2	2
86	FEMALE.....	295	1	-	-	-	-	1	1	2	2
87	OTHER RACES.....	8,881	12	5	3	2	2	24	12	44	103
88	MALE.....	3,614	7	2	2	2	1	14	6	27	58
89	FEMALE.....	5,267	5	3	1	-	-	10	6	17	45
90	WHITE.....	2,991	3	2	2	2	1	10	5	21	44
91	MALE.....	4,448	4	2	1	-	-	8	5	14	34
92	FEMALE.....	580	3	-	-	-	-	3	1	5	13
93	NEGRO.....	764	1	1	-	-	-	2	-	2	10
94	MALE.....	43	1	-	-	-	-	1	-	1	1
95	FEMALE.....	55	-	-	-	-	-	-	1	1	1

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Table with 19 columns representing age groups (20-24 years to 100 years and over) and 3 columns for 'Not stated', '100 years and over', and a final column with numerical values. The table contains multiple rows of data points for each age group, showing a general upward trend in values with age.

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Table with 18 columns (20-24 years to 100 years and over, Not stated) and 90 rows of mortality data.

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
PEPTIC ULCER—CON.											
01	PEPTIC ULCER, SITE UNSPECIFIED.....533	971	1	-	-	-	-	1	-	-	1
02	MALE.....	622	1	-	-	-	-	1	-	-	1
03	FEMALE.....	349	-	-	-	-	-	-	-	-	-
04	WHITE.....MALE.....	546	-	-	-	-	-	-	-	-	-
05	FEMALE.....	315	-	-	-	-	-	-	-	-	-
06	NEGRO.....MALE.....	72	1	-	-	-	-	1	-	-	1
07	FEMALE.....	32	-	-	-	-	-	-	-	-	-
08	OTHER RACES..MALE.....	4	-	-	-	-	-	-	-	-	-
09	FEMALE.....	2	-	-	-	-	-	-	-	-	-
10	GASTRITIS AND DUODENITIS.....535	581	7	1	2	1	-	11	3	1	3
11	MALE.....	348	5	2	2	1	-	7	2	1	1
12	FEMALE.....	233	2	1	-	1	-	4	1	1	2
13	WHITE.....MALE.....	293	3	-	2	-	-	5	2	-	1
14	FEMALE.....	205	-	1	-	-	-	1	1	1	2
15	NEGRO.....MALE.....	49	2	-	-	-	-	2	-	-	-
16	FEMALE.....	25	2	-	-	1	-	3	-	-	-
17	OTHER RACES..MALE.....	6	-	-	-	-	-	-	-	-	-
18	FEMALE.....	3	-	-	-	-	-	-	-	-	-
19	APPENDICITIS.....540-543	864	6	4	6	3	2	21	16	25	21
20	MALE.....	513	2	2	4	2	1	11	10	13	14
21	FEMALE.....	351	4	2	2	1	1	10	6	12	7
22	WHITE.....MALE.....	416	1	2	4	1	1	9	6	10	9
23	FEMALE.....	299	4	2	1	1	1	9	6	10	5
24	NEGRO.....MALE.....	87	1	-	-	1	-	2	4	3	3
25	FEMALE.....	46	-	-	1	-	-	1	-	2	1
26	OTHER RACES..MALE.....	10	-	-	-	-	-	-	-	-	2
27	FEMALE.....	6	-	-	-	-	-	-	-	-	1
28	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	6,506	497	15	13	8	4	537	13	16	24
29	MALE.....	2,746	290	7	11	6	2	290	8	10	18
30	FEMALE.....	3,760	233	8	2	2	2	247	5	6	6
31	WHITE.....MALE.....	2,344	219	4	9	5	2	239	7	7	15
32	FEMALE.....	3,392	201	7	2	2	1	213	4	4	5
33	NEGRO.....MALE.....	383	39	3	2	1	-	45	1	3	3
34	FEMALE.....	350	28	1	-	-	1	30	1	2	1
35	OTHER RACES..MALE.....	19	6	-	-	-	-	6	-	-	-
36	FEMALE.....	18	4	-	-	-	-	4	-	-	-
37	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	59	30	1	-	-	-	31	-	-	-
38	MALE.....	34	19	-	-	-	-	19	-	-	-
39	FEMALE.....	25	11	1	-	-	-	12	-	-	-
40	WHITE.....MALE.....	23	12	-	-	-	-	12	-	-	-
41	FEMALE.....	19	6	1	-	-	-	7	-	-	-
42	NEGRO.....MALE.....	11	7	-	-	-	-	7	-	-	-
43	FEMALE.....	5	4	-	-	-	-	4	-	-	-
44	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
45	FEMALE.....	1	1	-	-	-	-	1	-	-	-
46	DIVERTICULA OF INTESTINE.....562	3,136	2	-	-	-	-	2	-	1	-
47	MALE.....	1,182	2	-	-	-	-	2	-	1	-
48	FEMALE.....	1,954	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE.....	1,100	2	-	-	-	-	2	-	-	-
50	FEMALE.....	1,803	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE.....	76	-	-	-	-	-	-	-	1	-
52	FEMALE.....	146	-	-	-	-	-	-	-	-	-
53	OTHER RACES..MALE.....	6	-	-	-	-	-	-	-	-	-
54	FEMALE.....	5	-	-	-	-	-	-	-	-	-
55	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,035	14	1	-	1	-	16	2	5	16
56	MALE.....	428	9	-	-	1	-	10	2	3	9
57	FEMALE.....	607	5	1	-	-	-	6	-	2	7
58	WHITE.....MALE.....	399	7	-	-	1	-	8	1	3	7
59	FEMALE.....	582	4	-	-	-	-	4	-	2	7
60	NEGRO.....MALE.....	25	1	-	-	-	-	1	1	-	2
61	FEMALE.....	25	1	1	-	-	-	2	-	-	-
62	OTHER RACES..MALE.....	4	1	-	-	-	-	1	-	-	-
63	FEMALE.....	-	-	-	-	-	-	-	-	-	-
64	CIRRHOSIS OF LIVER.....571	33,319	34	8	2	3	2	49	8	15	43
65	MALE.....	21,806	21	4	1	1	-	27	5	7	21
66	FEMALE.....	11,513	13	4	1	2	2	22	3	8	22
67	WHITE.....MALE.....	18,322	16	2	1	1	-	20	4	5	18
68	FEMALE.....	9,421	10	3	1	-	2	16	3	6	14
69	NEGRO.....MALE.....	3,205	5	2	-	-	-	7	1	2	3
70	FEMALE.....	1,885	3	1	-	1	-	5	-	2	8
71	OTHER RACES..MALE.....	279	-	-	-	-	-	-	-	-	-
72	FEMALE.....	207	-	-	-	1	-	1	-	-	-
73	ALCOHOLIC.....571.0	13,151	-	-	-	-	-	-	-	-	1
74	MALE.....	9,197	-	-	-	-	-	-	-	-	1
75	FEMALE.....	3,954	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE.....	7,516	-	-	-	-	-	-	-	-	-
77	FEMALE.....	3,053	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE.....	1,516	-	-	-	-	-	-	-	-	1
79	FEMALE.....	783	-	-	-	-	-	-	-	-	-
80	OTHER RACES..MALE.....	165	-	-	-	-	-	-	-	-	-
81	FEMALE.....	118	-	-	-	-	-	-	-	-	-
82	OTHER SPECIFIED.....*571.8	5,025	14	3	-	3	1	21	2	2	17
83	MALE.....	2,944	8	1	-	1	-	10	2	1	10
84	FEMALE.....	2,081	6	2	-	2	1	11	1	1	7
85	WHITE.....MALE.....	2,301	5	-	-	1	-	6	1	1	8
86	FEMALE.....	1,636	4	2	-	-	1	7	1	1	5
87	NEGRO.....MALE.....	612	3	1	-	-	-	4	1	-	2
88	FEMALE.....	420	2	-	-	1	-	3	-	-	2
89	OTHER RACES..MALE.....	31	-	-	-	-	-	-	-	-	-
90	FEMALE.....	25	-	-	-	1	-	1	-	-	-

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex	Total	Age Group									
		Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	
01 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	468	20	1	1	-	2	24	1	-	1	
02 MALE.....	241	13	1	1	-	2	17	1	-	1	
03 FEMALE.....	227	7	-	-	-	-	7	-	-	-	
04 WHITE.....	191	7	-	-	-	1	8	1	-	-	
05 FEMALE.....	191	5	-	-	-	-	5	-	-	-	
06 NEGRO.....	46	6	1	1	-	-	8	-	-	1	
07 FEMALE.....	31	2	-	-	-	-	2	-	-	-	
08 OTHER RACES.....	4	-	-	-	-	1	1	-	-	-	
09 FEMALE.....	5	-	-	-	-	-	-	-	-	-	
10 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,629	13	2	3	-	1	19	1	4	10	
11 MALE.....	610	8	2	2	-	1	13	1	2	3	
12 FEMALE.....	1,019	5	-	-	-	-	6	-	2	7	
13 WHITE.....	657	6	2	2	-	-	10	1	1	2	
14 FEMALE.....	795	2	-	-	-	-	2	-	2	3	
15 NEGRO.....	148	1	-	-	-	1	2	-	1	1	
16 FEMALE.....	217	3	-	1	-	-	4	-	-	4	
17 OTHER RACES.....	5	1	-	-	-	-	1	-	-	-	
18 FEMALE.....	7	-	-	-	-	-	-	-	-	-	
19 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND											
20 CONNECTIVE TISSUE.....	5,045	14	2	2	-	1	19	17	31	71	
21 MALE.....	1,660	9	1	2	-	-	12	7	6	17	
22 FEMALE.....	3,385	5	1	-	-	1	7	10	25	54	
23 WHITE.....	1,436	7	1	2	-	-	10	5	4	13	
24 FEMALE.....	2,945	5	1	-	-	1	7	8	14	27	
25 NEGRO.....	211	1	-	-	-	-	1	2	2	4	
26 FEMALE.....	410	-	-	-	-	-	-	2	9	26	
27 OTHER RACES.....	13	1	-	-	-	-	1	-	-	-	
28 FEMALE.....	30	-	-	-	-	-	-	-	2	1	
28 ARTHRITIS AND SPONDYLITIS.....710-715	2,020	-	-	1	-	-	1	2	2	4	
29 MALE.....	686	-	-	1	-	-	1	2	1	-	
30 FEMALE.....	1,334	-	-	-	-	-	-	-	1	4	
31 WHITE.....	614	-	-	1	-	-	1	2	1	-	
32 FEMALE.....	1,254	-	-	-	-	-	-	-	1	4	
33 NEGRO.....	66	-	-	-	-	-	-	-	-	-	
34 FEMALE.....	75	-	-	-	-	-	-	-	-	-	
35 OTHER RACES.....	6	-	-	-	-	-	-	-	-	-	
36 FEMALE.....	5	-	-	-	-	-	-	-	-	-	
37 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	184	-	-	-	-	-	-	1	5	2	
38 MALE.....	68	-	-	-	-	-	-	-	1	-	
39 FEMALE.....	116	-	-	-	-	-	-	1	4	2	
40 WHITE.....	53	-	-	-	-	-	-	-	-	-	
41 FEMALE.....	91	-	-	-	-	-	-	1	3	-	
42 NEGRO.....	14	-	-	-	-	-	-	-	1	-	
43 FEMALE.....	23	-	-	-	-	-	-	-	1	2	
44 OTHER RACES.....	1	-	-	-	-	-	-	-	-	-	
45 FEMALE.....	2	-	-	-	-	-	-	-	-	-	
46 OSTEOMYELITIS AND PERIOSTITIS.....720	163	2	-	-	-	-	2	-	1	-	
47 MALE.....	85	1	-	-	-	-	1	-	-	-	
48 FEMALE.....	78	1	-	-	-	-	1	-	1	-	
49 WHITE.....	70	-	-	-	-	-	-	-	-	-	
50 FEMALE.....	65	1	-	-	-	-	1	-	1	-	
51 NEGRO.....	14	1	-	-	-	-	1	-	-	-	
52 FEMALE.....	13	-	-	-	-	-	-	-	-	-	
53 OTHER RACES.....	1	-	-	-	-	-	-	-	-	-	
54 FEMALE.....	-	-	-	-	-	-	-	-	-	-	
55 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	175	-	-	-	-	1	1	2	2	6	
56 MALE.....	56	-	-	-	-	-	-	2	-	1	
57 FEMALE.....	119	-	-	-	-	1	1	-	2	5	
58 WHITE.....	51	-	-	-	-	-	-	1	-	1	
59 FEMALE.....	113	-	-	-	-	1	1	1	1	3	
60 NEGRO.....	5	-	-	-	-	-	-	1	-	-	
61 FEMALE.....	6	-	-	-	-	-	-	-	1	2	
62 OTHER RACES.....	-	-	-	-	-	-	-	-	-	-	
63 FEMALE.....	-	-	-	-	-	-	-	-	-	-	
64 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND											
65 CONNECTIVE TISSUE.....721-726,728-734	2,503	12	2	1	-	-	15	12	21	59	
66 MALE.....	765	8	1	1	-	-	10	3	4	16	
67 FEMALE.....	1,738	4	1	-	-	-	5	9	17	43	
68 WHITE.....	648	7	1	1	-	-	9	2	3	12	
69 FEMALE.....	1,422	4	1	-	-	-	5	7	8	20	
70 NEGRO.....	112	-	-	-	-	-	-	1	1	4	
71 FEMALE.....	293	-	-	-	-	-	-	2	7	22	
72 OTHER RACES.....	5	1	-	-	-	-	1	-	-	-	
73 FEMALE.....	23	-	-	-	-	-	-	-	2	1	
73 XIV. CONGENITAL ANOMALIES.....	13,526	8,607	506	291	219	175	9,798	479	339	374	
74 MALE.....	7,326	4,748	262	153	116	87	5,366	251	169	212	
75 FEMALE.....	6,200	3,859	244	138	103	88	4,432	228	170	162	
76 WHITE.....	6,101	3,912	210	126	98	68	4,414	212	147	175	
77 FEMALE.....	5,222	3,207	194	115	83	73	3,672	194	145	142	
78 NEGRO.....	1,120	761	49	25	17	18	870	38	19	35	
79 FEMALE.....	901	591	46	22	19	14	692	32	25	20	
80 OTHER RACES.....	105	75	3	2	1	1	82	1	3	2	
81 FEMALE.....	77	61	4	1	1	1	68	2	-	-	
82 SPINA BIFIDA.....741	580	455	27	13	10	7	512	20	10	8	
83 MALE.....	261	207	14	3	4	2	230	6	4	3	
84 FEMALE.....	319	248	13	10	6	5	282	14	6	5	
85 WHITE.....	232	184	11	3	4	2	204	5	4	3	
86 FEMALE.....	293	229	12	9	6	5	241	12	5	4	
87 NEGRO.....	29	23	3	-	-	-	26	1	-	-	
88 FEMALE.....	24	18	-	1	-	-	19	2	1	1	
89 OTHER RACES.....	-	-	-	-	-	-	-	-	-	-	
90 FEMALE.....	2	1	1	-	-	-	2	-	-	-	

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,070	1,456	79	44	41	42	1,662	124	64	52
02 MALE.....	1,026	710	44	27	16	25	822	56	30	25
03 FEMALE.....	1,044	746	35	17	25	17	840	68	34	27
04 WHITE.....MALE.....	873	611	37	21	14	18	701	46	27	22
05 FEMALE.....	897	652	27	15	19	14	727	52	27	24
06 NEGRO.....MALE.....	136	85	7	6	2	7	107	9	5	3
07 FEMALE.....	134	83	8	2	6	2	101	15	7	3
08 OTHER RACES.....MALE.....	17	14	-	-	-	-	14	1	-	-
09 FEMALE.....	13	11	-	-	-	1	12	1	-	-
10 CONGENITAL ANOMALIES OF HEART.....746	5,517	3,181	290	177	126	98	3,872	245	183	206
11 MALE.....	3,083	1,843	155	95	73	48	2,214	139	90	124
12 FEMALE.....	2,434	1,338	135	82	53	50	1,658	106	93	82
13 WHITE.....MALE.....	2,580	1,515	127	80	61	39	1,822	118	78	99
14 FEMALE.....	2,031	1,081	104	68	45	41	1,339	95	77	74
15 NEGRO.....MALE.....	458	296	26	14	11	8	355	21	11	23
16 FEMALE.....	374	236	29	13	8	9	295	10	16	8
17 OTHER RACES.....MALE.....	45	32	2	1	1	1	37	1	-	2
18 FEMALE.....	29	21	2	1	-	-	24	1	-	-
19 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,181	633	23	6	10	5	677	27	34	43
20 MALE.....	633	343	9	2	5	4	363	13	20	20
21 FEMALE.....	548	290	14	4	5	1	314	14	14	23
22 WHITE.....MALE.....	515	272	8	2	4	3	289	13	18	17
23 FEMALE.....	454	232	13	3	4	1	253	13	14	18
24 NEGRO.....MALE.....	110	68	1	-	1	1	71	-	2	3
25 FEMALE.....	86	52	-	1	1	-	54	1	-	5
26 OTHER RACES.....MALE.....	8	3	-	-	-	-	3	-	-	-
27 FEMALE.....	8	6	1	-	-	-	7	-	-	-
28 CLEFT PALATE AND CLEFT LIP.....749	20	16	-	1	-	1	18	-	-	-
29 MALE.....	9	8	-	-	-	-	8	-	-	-
30 FEMALE.....	11	8	-	1	-	1	10	-	-	-
31 WHITE.....MALE.....	6	5	-	-	-	-	5	-	-	-
32 FEMALE.....	9	6	-	1	-	1	8	-	-	-
33 NEGRO.....MALE.....	3	3	-	-	-	-	3	-	-	-
34 FEMALE.....	2	2	-	-	-	-	2	-	-	-
35 OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
36 FEMALE.....	-	-	-	-	-	-	-	-	-	-
37 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	4,158	2,866	87	50	32	22	3,057	63	48	65
38 MALE.....	2,314	1,637	40	26	18	8	1,729	37	25	40
39 FEMALE.....	1,844	1,229	47	24	14	14	1,328	26	23	25
40 WHITE.....MALE.....	1,895	1,325	27	20	15	6	1,393	30	20	34
41 FEMALE.....	1,538	1,007	38	19	9	11	1,084	22	22	22
42 NEGRO.....MALE.....	384	286	12	5	3	2	308	7	3	6
43 FEMALE.....	281	200	9	5	4	3	221	4	1	3
44 OTHER RACES.....MALE.....	35	26	1	1	-	-	28	-	2	-
45 FEMALE.....	25	22	-	-	1	-	23	-	-	-
46 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	28,786	28,712	10	2	1	-	28,725	3	1	3
47 MALE.....	16,717	16,671	8	2	-	-	16,681	3	-	1
48 FEMALE.....	12,069	12,041	2	-	1	-	12,044	-	1	2
49 WHITE.....MALE.....	12,305	12,275	8	2	-	-	12,285	3	-	-
50 FEMALE.....	8,566	8,546	1	-	-	-	8,547	-	1	2
51 NEGRO.....MALE.....	4,168	4,152	1	-	-	-	4,152	-	-	1
52 FEMALE.....	3,330	3,323	1	-	1	-	3,325	-	-	-
53 OTHER RACES.....MALE.....	244	244	-	-	-	-	244	-	-	-
54 FEMALE.....	173	172	-	-	-	-	172	-	-	-
55 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	31,145	4,700	195	88	59	40	5,082	113	173	685
56 MALE.....	18,443	2,795	114	52	32	19	3,012	67	105	475
57 FEMALE.....	12,702	1,905	81	36	27	21	2,070	46	68	210
58 WHITE.....MALE.....	13,108	1,878	66	31	18	11	2,004	42	79	335
59 FEMALE.....	8,934	1,146	52	21	21	13	1,253	29	52	156
60 NEGRO.....MALE.....	5,102	861	42	21	14	8	946	25	24	132
61 FEMALE.....	3,605	700	28	15	6	8	757	16	16	50
62 OTHER RACES.....MALE.....	233	56	6	-	-	-	62	-	2	8
63 FEMALE.....	163	59	1	-	-	-	60	1	-	4
64 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,391	-	-	-	-	-	-	-	-	-
65 MALE.....	446	-	-	-	-	-	-	-	-	-
66 FEMALE.....	945	-	-	-	-	-	-	-	-	-
67 WHITE.....MALE.....	350	-	-	-	-	-	-	-	-	-
68 FEMALE.....	756	-	-	-	-	-	-	-	-	-
69 NEGRO.....MALE.....	85	-	-	-	-	-	-	-	-	-
70 FEMALE.....	177	-	-	-	-	-	-	-	-	-
71 OTHER RACES.....MALE.....	11	-	-	-	-	-	-	-	-	-
72 FEMALE.....	12	-	-	-	-	-	-	-	-	-
73 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	29,754	4,700	195	88	59	40	5,082	113	173	685
74 MALE.....	17,997	2,795	114	52	32	19	3,012	67	105	475
75 FEMALE.....	11,757	1,905	81	36	27	21	2,070	46	68	210
76 WHITE.....MALE.....	12,758	1,878	66	31	18	11	2,004	42	79	335
77 FEMALE.....	8,178	1,146	52	21	21	13	1,253	29	52	156
78 NEGRO.....MALE.....	5,017	861	42	21	14	8	946	25	24	132
79 FEMALE.....	3,428	700	28	15	6	8	757	16	16	50
80 OTHER RACES.....MALE.....	222	56	6	-	-	-	62	-	2	8
81 FEMALE.....	151	59	1	-	-	-	60	1	-	4
82 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	156,931	1,727	1,285	1,100	1,115	847	6,074	3,319	4,449	16,403
83 MALE.....	112,121	959	709	667	694	539	3,568	2,193	3,208	12,865
84 FEMALE.....	44,810	768	576	433	421	308	2,506	1,126	1,241	3,538
85 WHITE.....MALE.....	89,964	673	540	515	557	396	2,681	1,662	2,612	10,771
86 FEMALE.....	37,760	523	422	301	306	221	1,773	837	1,019	2,993
87 NEGRO.....MALE.....	20,414	270	153	140	131	132	826	497	541	1,878
88 FEMALE.....	6,352	222	143	118	101	78	662	268	201	486
89 OTHER RACES.....MALE.....	1,743	16	16	12	6	11	61	34	55	216
90 FEMALE.....	698	23	11	14	14	9	71	21	21	59

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS—CON.											
MOTOR VEHICLE ACCIDENTS—CON.											
01	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,088	8	89	53	37	24	211	42	60	149
02	MALE.....	829	1	48	29	25	18	121	26	53	131
03	FEMALE.....	259	7	41	24	12	6	90	16	7	18
04	WHITE.....MALE.....	742	1	41	23	23	16	104	22	47	126
05	FEMALE.....	230	6	36	22	10	5	79	14	6	16
06	NEGRO.....MALE.....	77	-	6	5	2	2	15	4	6	4
07	FEMALE.....	18	-	2	2	2	1	7	1	1	2
08	OTHER RACES..MALE.....	10	-	1	1	-	-	2	-	-	1
09	FEMALE.....	11	1	3	-	-	-	4	1	-	-
10	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	275	-	1	4	3	2	10	16	52	33
11	MALE.....	171	-	1	3	1	1	6	9	23	20
12	FEMALE.....	104	-	-	1	2	1	4	7	29	13
13	WHITE.....MALE.....	160	-	1	2	-	1	4	9	23	19
14	FEMALE.....	101	-	-	1	2	1	4	7	28	13
15	NEGRO.....MALE.....	7	-	-	1	1	-	2	-	-	1
16	FEMALE.....	3	-	-	-	-	-	-	-	1	-
17	OTHER RACES..MALE.....	4	-	-	-	-	-	-	-	-	-
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	WATER TRANSPORT ACCIDENTS.....E830-E838	1,579	-	4	3	9	5	21	31	61	188
20	MALE.....	1,425	-	3	2	6	4	15	23	47	167
21	FEMALE.....	154	-	1	1	3	1	6	8	14	21
22	WHITE.....MALE.....	1,218	-	3	2	5	4	14	20	34	144
23	FEMALE.....	132	-	1	-	2	-	3	6	12	19
24	NEGRO.....MALE.....	191	-	-	-	1	-	1	3	13	20
25	FEMALE.....	16	-	-	-	-	-	-	-	2	2
26	OTHER RACES..MALE.....	16	-	-	-	-	-	-	-	-	3
27	FEMALE.....	9	-	-	1	1	1	3	1	-	-
28	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,687	3	3	4	6	2	18	22	24	89
29	MALE.....	1,401	2	1	2	3	1	9	16	13	62
30	FEMALE.....	286	1	2	2	3	1	9	6	11	27
31	WHITE.....MALE.....	1,370	2	1	2	3	1	9	15	13	60
32	FEMALE.....	266	1	2	2	3	1	9	6	11	25
33	NEGRO.....MALE.....	24	-	-	-	-	-	-	-	-	2
34	FEMALE.....	17	-	-	-	-	-	-	-	-	2
35	OTHER RACES..MALE.....	7	-	-	-	-	-	-	-	-	-
36	FEMALE.....	3	-	-	-	-	-	-	-	-	-
37	ACCIDENTAL POISONING.....E850-E877	5,534	35	78	44	13	8	178	26	82	581
38	MALE.....	3,753	29	46	25	3	3	106	18	55	414
39	FEMALE.....	1,781	6	32	19	10	5	72	8	27	167
40	WHITE.....MALE.....	2,983	18	25	21	2	2	68	14	46	363
41	FEMALE.....	1,415	4	23	11	5	4	47	6	21	132
42	NEGRO.....MALE.....	719	11	19	4	-	1	35	4	7	49
43	FEMALE.....	333	2	9	8	4	1	24	2	6	30
44	OTHER RACES..MALE.....	51	-	2	-	1	-	3	-	2	2
45	FEMALE.....	33	-	-	-	1	-	1	-	-	5
46	ACCIDENTAL POISONING BY DRUGS AND MEDICANENTS.....E850-E859	2,742	12	34	26	5	4	81	8	16	281
47	MALE.....	1,704	10	16	13	2	3	44	5	8	189
48	FEMALE.....	1,038	2	18	13	3	1	37	3	8	92
49	WHITE.....MALE.....	1,321	7	13	12	2	2	36	3	5	153
50	FEMALE.....	826	1	14	7	1	1	24	2	4	70
51	NEGRO.....MALE.....	375	3	3	1	-	1	8	2	3	36
52	FEMALE.....	193	1	4	6	1	-	12	1	4	19
53	OTHER RACES..MALE.....	8	-	-	-	-	-	-	-	-	-
54	FEMALE.....	19	-	-	-	1	-	1	-	-	3
55	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,274	7	36	10	1	-	54	2	18	79
56	MALE.....	891	6	23	7	-	-	36	2	13	70
57	FEMALE.....	383	1	13	3	1	-	18	-	5	9
58	WHITE.....MALE.....	676	4	9	5	-	-	18	1	11	63
59	FEMALE.....	303	1	8	1	-	-	10	-	5	6
60	NEGRO.....MALE.....	196	2	14	2	-	-	18	1	-	6
61	FEMALE.....	72	-	5	-	-	-	8	-	-	2
62	OTHER RACES..MALE.....	19	-	-	-	-	-	-	-	2	1
63	FEMALE.....	8	-	-	-	-	-	-	-	-	1
64	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,518	16	8	8	7	4	43	16	48	221
65	MALE.....	1,158	13	7	5	1	-	26	11	34	155
66	FEMALE.....	360	3	1	3	6	4	17	5	14	66
67	WHITE.....MALE.....	986	7	3	4	-	-	14	10	30	147
68	FEMALE.....	286	2	1	3	4	3	13	4	12	56
69	NEGRO.....MALE.....	148	6	2	1	-	-	9	1	4	7
70	FEMALE.....	68	1	-	-	-	1	4	1	2	2
71	OTHER RACES..MALE.....	24	-	2	-	2	-	3	-	-	1
72	FEMALE.....	6	-	-	-	-	-	-	-	-	1
73	ACCIDENTAL FALLS.....E880-E887	16,339	87	74	36	26	23	246	79	93	223
74	MALE.....	8,369	48	49	22	16	15	150	55	65	198
75	FEMALE.....	7,970	39	25	14	10	8	96	24	28	25
76	WHITE.....MALE.....	7,445	32	29	15	11	9	96	44	55	183
77	FEMALE.....	7,483	21	16	8	4	6	55	21	26	23
78	NEGRO.....MALE.....	858	16	17	7	5	6	51	11	8	12
79	FEMALE.....	447	16	9	6	6	1	38	3	2	2
80	OTHER RACES..MALE.....	66	-	3	-	-	-	3	-	2	3
81	FEMALE.....	40	2	-	-	-	1	3	-	-	-
82	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,218	57	54	26	20	16	173	56	67	156
83	MALE.....	2,953	33	34	16	11	12	106	39	50	140
84	FEMALE.....	1,265	24	20	10	9	4	67	17	17	16
85	WHITE.....MALE.....	2,566	22	17	10	7	7	63	31	42	133
86	FEMALE.....	1,163	13	15	7	4	4	43	14	15	14
87	NEGRO.....MALE.....	362	11	14	6	4	5	40	8	7	5
88	FEMALE.....	96	10	5	3	5	-	23	3	2	2
89	OTHER RACES..MALE.....	25	-	3	-	-	-	3	-	1	2
90	FEMALE.....	6	1	-	-	-	-	1	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	UNITED STATES						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ABORTIONS.....640-645	27	---	27	---	13	---	14
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	6	---	6	---	1	---	5
03 ABORTION INDUCED FOR OTHER REASONS.....642	1	---	1	---	---	---	1
04 SPONTANEOUS ABORTION.....643	7	---	7	---	6	---	1
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	13	---	13	---	6	---	7
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	96	---	96	---	61	---	35
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	143	---	143	---	80	---	63
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	1	---	1	---	1	---	---
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	2,097	851	1,246	648	986	203	260
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	468	241	227	191	191	50	36
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,629	610	1,019	457	795	153	224
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	5,045	1,660	3,385	1,436	2,945	224	440
13 ARTHRITIS AND SPONDYLITIS.....710-715	2,020	686	1,334	614	1,254	72	80
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	184	68	116	53	91	15	23
15 OSTEOMYELITIS AND PERIOSTITIS.....720	163	85	78	70	65	15	13
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	175	56	119	51	113	5	6
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,503	765	1,738	648	1,422	117	316
18 XIV. CONGENITAL ANOMALIES.....	13,526	7,326	6,200	6,101	5,222	1,225	978
19 SPINA BIFIDA.....741	580	261	319	232	293	29	26
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,070	1,026	1,044	873	897	153	147
21 CONGENITAL ANOMALIES OF HEART.....746	5,517	3,083	2,434	2,580	2,031	503	403
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,181	633	548	515	454	118	94
23 CLEFT PALATE AND CLEFT LIP.....749	20	9	11	6	9	3	2
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	4,158	2,314	1,844	1,895	1,538	419	306
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	28,786	16,717	12,069	12,305	8,566	4,412	3,503
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	31,145	18,443	12,702	13,108	8,934	5,335	3,768
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,391	446	945	350	756	96	189
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	29,754	17,997	11,757	12,758	8,178	5,239	3,579
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	156,931	112,121	44,810	89,964	37,760	22,157	7,050
30 ACCIDENTS.....E800-E949	104,622	73,209	31,413	62,100	27,232	11,109	4,181
31 RAILWAY ACCIDENTS.....E800-E807	716	615	101	474	83	141	18
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	46,402	34,133	12,269	29,634	10,757	4,499	1,512
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	45,314	33,304	12,010	28,892	10,527	4,412	1,483
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,209	817	392	724	352	93	40
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	15,375	10,574	4,801	9,484	4,356	1,090	445
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	7,553	5,242	2,311	4,028	1,862	1,214	449
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	6,342	5,095	1,247	4,536	1,115	559	132
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	8,562	6,879	1,683	6,062	1,454	817	229
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,273	4,497	1,776	4,058	1,388	639	188
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,088	829	259	742	230	87	29
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	275	171	104	160	101	11	3
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1,579	1,425	154	1,218	132	207	22
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,687	1,401	286	1,370	266	31	20
44 ACCIDENTAL POISONING.....E850-E877	5,534	3,753	1,781	2,983	1,415	770	366
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,742	1,704	1,038	1,321	826	389	212
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,274	891	383	674	303	215	80
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,518	1,158	360	986	286	172	74
48 ACCIDENTAL FALLS.....E880-E887	16,339	8,369	7,970	7,445	7,483	924	487
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,218	2,953	1,265	2,566	1,163	387	102
50 FALL ON SAME LEVEL.....E885-E886	300	322	279	304	21	21	36
51 OTHER AND UNSPECIFIED FALLS.....E887	11,499	5,116	6,383	4,600	6,016	516	367
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,236	3,821	2,415	2,874	1,769	947	446
53 ACCIDENTAL DROWNING AND SUBMERSION.....E900-E910	6,463	5,396	1,067	4,105	867	1,291	200
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	2,991	1,782	1,209	1,503	1,015	279	194
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,513	2,127	386	1,681	280	446	106
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	5,594	5,030	564	4,445	475	585	89
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	112	90	22	71	14	19	8
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	459	376	83	331	67	45	16
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	217	131	86	94	60	37	26
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,157	1,078	79	980	71	98	8
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	3,649	3,355	294	2,969	263	386	31
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,021	1,572	1,449	1,330	1,213	242	236
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	5,272	3,614	1,658	2,878	1,376	736	282
64 SUICIDE.....E950-E959	25,683	18,595	7,088	17,263	6,660	1,332	428
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,473	1,268	2,205	1,192	76	76	113
66 SUICIDE FROM POISONING BY GASES.....E951, E952	2,520	1,674	846	1,648	637	28	7
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,477	2,661	816	2,410	754	251	62
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	14,345	11,813	2,532	10,998	2,354	815	178
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	1,868	1,177	691	1,015	623	162	68
70 HOMICIDE.....E960-E978	21,465	16,747	4,718	7,992	2,656	8,755	2,062
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	14,737	12,053	2,684	5,636	1,443	6,417	1,241
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,366	2,610	756	1,085	370	1,525	386
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	2,987	1,715	1,272	1,087	839	628	433
74 LEGAL EXECUTION.....E978	---	---	---	---	---	---	---
75 OTHER LEGAL INTERVENTION.....E970-E977	375	369	6	184	4	185	2
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	5,149	3,558	1,591	2,599	1,212	959	379
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	12	12	---	10	---	2	---

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	22,226	10,344	7,614	2,401	1,867
02 I. INFECTIVE AND PARASITIC DISEASES.....	208	79	65	31	33
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	32	11	10	3	8
09 TUBERCULOSIS, ALL FORMS.....010-019	34	17	7	7	3
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	25	15	3	4	3
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	1	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	8	2	3	3	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	1	-	-	-	1
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	1	-	-	-	1
25 TETANUS.....037	2	-	-	-	-
26 SEPTICEMIA.....038	79	30	24	11	14
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	12	5	3	2	2
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	1	1	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	8	2	5	-	1
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	3	1	2	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	13	4	7	1	1
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	1	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	-	-	2	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093-0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093-9	1	-	-	-	1
47 TABES DORSALIS.....094-0	-	-	-	-	-
48 GENERAL PARESIS.....094-1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094-9	1	-	-	-	1
50 ALL OTHER SYPHILIS.....095,097,0,097-9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	19	7	7	3	2
58 II. NEOPLASMS.....	4,021	1,896	1,422	415	288
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	3,970	1,873	1,410	409	278
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	74	44	21	7	2
61 OF LIP.....140	3	3	-	-	-
62 OF TONGUE.....141	18	14	4	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	26	13	11	2	-
64 OF PHARYNX.....146-149	27	14	6	5	2
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	960	382	377	109	92
66 OF ESOPHAGUS.....150	56	26	13	14	3
67 OF STOMACH.....151	165	62	43	38	22
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	6	3	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	42	137	178	23	36
70 CECUM, APPENDIX, AND ASCENDING COLON.....153-0	97	12	24	4	2
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153-1	7	3	3	-	1
72 DESCENDING COLON.....153-2	9	3	4	-	2
73 SIGMOID COLON.....153-3	25	10	11	2	2
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153-8	273	105	127	16	25
75 INTESTINAL TRACT, PART UNSPECIFIED.....153-9	18	4	9	1	4
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	80	34	32	9	5
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	20	10	6	2	2
78 OF GALLBLADDER AND BILE DUCTS.....156	30	9	20	-	1
79 OF PANCREAS.....157	213	97	76	19	21
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	16	4	6	4	2
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,012	749	142	98	23
82 OF LARYNX.....161	34	26	1	6	1
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	963	710	140	91	22
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	15	13	1	1	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	399	47	300	9	43
86 OF BONE.....170	23	11	8	3	1
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	14	7	6	1	-
88 OF SKIN.....172,173	64	28	34	2	-
89 OF BREAST.....174	298	1	252	3	42

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All others	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	475	175	171	83	46
02 OF CERVIX UTERI.....180	61	...	36	...	25
03 OF OTHER PARTS OF UTERUS.....181,182	48	...	36	...	12
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	98	...	89	...	9
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	10	...	10	...	-
06 OF PROSTATE.....185	245	164	...	81	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	13	11	...	2	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	158	88	44	15	11
09 OF BLADDER.....188	88	50	23	9	6
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	70	38	21	6	5
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	474	192	190	57	35
12 OF EYE.....190	5	4	1	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	79	44	28	5	2
14 OF THYROID GLAND.....193	5	2	3	-	-
15 OTHER.....194-199	385	142	158	52	33
16 LEUKEMIA.....204-207	177	85	71	11	10
17 LYMPHATIC LEUKEMIA.....204	59	30	21	7	1
18 MYELOID LEUKEMIA.....205	73	37	28	2	6
19 MONOCYTTIC LEUKEMIA.....206	9	4	5	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	36	14	17	2	3
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	241	111	94	20	16
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	80	35	36	5	4
23 HODGKIN'S DISEASE.....201	30	16	9	5	-
24 MULTIPLE MYELOMA.....203	70	28	27	9	6
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	61	32	22	1	6
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	51	23	12	6	10
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	3	...	1	...	2
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	3	-	-	1	2
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	7	1	3	1	2
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	30	16	7	4	3
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	8	6	1	-	1
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	497	136	220	41	100
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	4	1	2	-	1
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	4	2	2	-	-
37 DIABETES MELLITUS.....250	414	108	182	37	87
38 DISEASES OF PITUITARY GLAND.....253	2	1	1	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	3	1	2	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	27	10	12	2	3
43 CYSTIC FIBROSIS.....273,0	5	3	2	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	38	10	17	2	9
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	66	20	22	15	9
46 ANEMIAS.....280-285	47	14	13	12	8
47 DEFICIENCY ANEMIAS.....280,281	7	-	5	1	1
48 HEMOLYTIC ANEMIAS.....282,283	12	3	2	4	3
49 APLASTIC ANEMIA.....284	16	10	3	2	1
50 OTHER AND UNSPECIFIED ANEMIAS.....285	12	1	3	5	3
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	6	2	4	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	13	4	5	3	1
53 V. MENTAL DISORDERS.....	83	47	24	8	4
54 SENILE AND PRESENILE DEMENTIAS.....290	5	3	2	-	-
55 ALCOHOLIC PSYCHOSES.....291	2	1	-	1	-
56 ALL OTHER PSYCHOSES.....294-299	1	1	-	-	-
57 ALCOHOLISM.....303	45	32	5	6	2
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	24	6	16	1	1
59 MENTAL RETARDATION.....310-315	6	4	1	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	155	64	61	19	11
61 MENINGITIS.....320	19	6	6	5	2
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	9	6	1	2	-
63 MULTIPLE SCLEROSIS.....340	14	5	7	-	2
64 PARALYSIS AGITANS.....342	21	11	8	2	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	10	5	3	1	1
66 EPILEPSY.....345	12	3	3	3	3
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	1	1	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	69	27	33	6	3
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	11,919	5,446	4,392	1,110	971
73 ACTIVE RHEUMATIC FEVER.....390-392	-	-	-	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	78	32	37	4	5
75 DISEASES OF MITRAL VALVE.....394	21	9	10	2	-
76 DISEASES OF AORTIC VALVE.....395	22	10	11	1	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	4	2	2	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	31	11	14	1	5
79 HYPERTENSIVE DISEASE.....400-404	244	78	90	36	40
80 MALIGNANT HYPERTENSION.....400	15	4	2	5	4
81 ESSENTIAL BENIGN HYPERTENSION.....401	12	6	2	1	3
82 HYPERTENSIVE HEART DISEASE.....402	89	19	31	14	25
83 HYPERTENSIVE RENAL DISEASE.....403	66	22	28	12	4
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	62	27	27	4	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1974-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Table with columns for CALIFORNIA, COLORADO, and CONNECTICUT, each subdivided into Total, White, and All other, with further breakdown by Male and Female. Data includes counts for various subcategories across these categories.

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA), Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	6,697	3,424	2,307	539	427
02 WITH HYPERTENSIVE DISEASE (.01).....	644	214	237	89	104
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	6,053	3,210	2,070	450	323
04 ACUTE MYOCARDIAL INFARCTION.....410	4,048	2,290	1,253	301	204
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	18	6	7	1	4
06 CHRONIC ISCHEMIC HEART DISEASE.....412	2,627	1,125	1,046	237	219
07 ANGINA PECTORIS.....413	4	3	1	—	—
08 OTHER FORMS OF HEART DISEASE.....420-429	1,032	460	315	144	113
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	6	3	2	1	—
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	5	4	1	—	—
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	13	4	6	1	2
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	—	—	—	—	—
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	2	—	1	—	1
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	11	4	5	1	1
15 SYMPTOMATIC HEART DISEASE.....427	653	286	229	69	69
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	46	16	14	8	8
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	309	147	63	65	34
18 CEREBROVASCULAR DISEASES.....430-438	2,983	1,075	1,259	318	331
19 WITH HYPERTENSION (BENIGN) (.0).....	292	75	103	54	60
20 WITHOUT MENTION OF HYPERTENSION (.9).....	2,691	1,000	1,156	264	271
21 SUBARACHNOID HEMORRHAGE.....430	84	32	37	9	6
22 CEREBRAL HEMORRHAGE.....431	398	145	151	48	54
23 CEREBRAL THROMBOSIS.....433	477	156	200	60	61
24 CEREBRAL EMBOLISM.....434	10	4	4	1	1
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	42	22	15	1	4
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,496	535	621	162	178
27 OTHER CEREBROVASCULAR DISEASES.....437,438	476	181	231	37	27
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	671	282	294	50	45
29 ARTERIOSCLEROSIS.....440	384	133	190	34	27
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	123	88	24	8	3
31 GANGRENE.....445	31	11	14	2	4
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	133	50	66	6	11
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	214	95	90	19	10
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	192	84	83	18	7
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	22	11	7	1	3
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,175	688	332	96	59
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	4	1	3	—	—
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	10	8	2	—	—
39 INFLUENZA.....470-474	13	4	6	1	2
40 PNEUMONIA.....480-486	548	264	187	57	40
41 VIRAL PNEUMONIA.....480	22	9	8	4	1
42 BACTERIAL PNEUMONIA.....481,482	48	23	13	7	5
43 ACUTE INTERSTITIAL PNEUMONIA.....484	6	4	—	2	—
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	100	46	36	9	9
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	372	182	130	35	25
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	298	219	52	19	8
47 BRONCHITIS, UNQUALIFIED.....490	8	6	1	—	—
48 CHRONIC BRONCHITIS.....491	45	27	14	4	—
49 EMPHYSEMA.....492	229	181	30	14	4
50 ASTHMA.....493	16	5	7	1	3
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	—	—	—	—	—
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	7	3	3	1	—
53 PLEURISY.....511	2	1	1	—	—
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	30	16	11	3	—
55 BRONCHIECTASIS.....518	4	1	3	—	—
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	259	171	64	15	9
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	592	279	221	52	40
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	—	—	—	—	—
59 PEPTIC ULCER.....531-533	62	31	24	4	3
60 ULCER OF STOMACH.....531	29	13	11	3	2
61 ULCER OF DUODENUM.....532	17	9	8	—	—
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	16	9	5	1	1
63 GASTRITIS AND DUODENITIS.....535	2	2	—	—	—
64 APPENDICITIS.....540-543	10	7	—	2	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	65	19	33	7	6
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	2	2	—	—	—
67 DIVERTICULA OF INTESTINE.....562	32	15	16	—	1
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	10	2	7	1	—
69 CIRRHOSIS OF LIVER.....571	185	95	59	17	14
70 ALCOHOLIC.....571.0	48	27	10	7	4
71 OTHER SPECIFIED.....571.8	19	10	7	1	1
72 UNSPECIFIED.....571.9	118	58	42	9	9
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	33	17	14	1	1
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	191	89	68	20	14
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	350	138	115	56	41
76 NEPHRITIS AND NEPHROSIS.....580-584	127	51	35	26	15
77 ACUTE NEPHRITIS.....580	20	12	6	2	—
78 NEPHROTIC SYNDROME.....581	6	4	2	—	—
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	101	35	27	24	15
80 INFECTIONS OF KIDNEY.....590	75	26	27	8	14
81 CALCULI OF URINARY SYSTEM.....592,594	5	2	2	1	—
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	125	50	49	18	8
83 HYPERPLASIA OF PROSTATE.....600	9	7	—	2	—
84 DISEASES OF BREAST.....610,611	1	—	1	—	—
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	8	2	1	1	4
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	—	2	—	2
87 ECTOPIC PREGNANCY.....631	1	—	—	—	1
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	—	—	—	—	—
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	—	—	—	—	—

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	3	...	2	...	1
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	27	9	9	5	4
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	-	-	1	1
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	25	9	9	4	3
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	73	26	37	5	5
13 ARTHRITIS AND SPONDYLITIS.....710-715	37	15	20	2	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	3	2	-	1	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	2	1	1	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	2	1	1	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	29	7	15	2	5
18 XIV. CONGENITAL ANOMALIES.....	132	50	51	19	12
19 SPINA BIFIDA.....741	4	1	3	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	17	6	10	1	-
21 CONGENITAL ANOMALIES OF HEART.....746	42	13	14	7	8
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	14	9	3	2	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	55	21	21	9	4
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	297	119	77	51	50
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	843	319	219	170	135
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	93	14	20	28	31
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	750	305	199	142	104
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,784	1,028	345	308	103
30 ACCIDENTS.....E800-E949	1,264	743	258	188	75
31 RAILWAY ACCIDENTS.....E800-E807	9	5	2	1	1
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	538	331	114	72	21
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	526	323	112	70	21
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	35	22	2	8	3
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	91	54	22	11	4
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	59	34	8	14	3
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	27	18	5	4	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	69	37	14	14	4
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	245	158	61	19	7
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	12	8	2	2	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	1	-	1	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	19	12	2	5	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	16	14	2	-	-
44 ACCIDENTAL POISONING.....E850-E877	42	22	14	3	3
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	12	2	7	-	3
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	8	7	1	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	22	13	6	3	-
48 ACCIDENTAL FALLS.....E880-E887	128	63	55	7	3
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	16	11	4	1	-
50 FALL ON SAME LEVEL.....E885,E886	3	3	-	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	109	49	51	6	3
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	107	45	21	19	22
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	88	54	7	27	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	39	20	6	9	4
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	60	35	4	12	9
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	90	73	3	12	2
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	2	1	-	1	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	9	5	2	2	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	2	-	-	-	2
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	25	22	-	3	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	52	45	1	6	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	36	13	12	5	6
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	91	56	15	16	4
64 SUICIDE.....E950-E959	223	156	50	14	3
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	14	6	8	-	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	9	6	3	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	18	12	6	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	176	129	33	11	3
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	6	3	-	3	-
70 HOMICIDE.....E960-E978	238	97	26	95	20
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	190	80	17	78	15
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	27	9	5	11	2
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	18	6	4	5	3
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	3	2	-	1	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	59	32	11	11	5
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	DELAWARE				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	4,986	2,243	1,903	515	325
02 I. INFECTIVE AND PARASITIC DISEASES.....	35	9	9	12	5
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	-	-	-	1
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	7	4	3	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	12	3	1	8	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	11	3	-	8	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	1	-	1	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	-	-	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	8	2	3	1	2
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	2	-	-	1	1
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	1	-	-	-	1
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	2	-	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	-	-	-	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	-	-	-	-	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	-	-	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	2	-	-	2	-
58 II. NEOPLASMS.....	1,074	490	400	110	74
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,061	482	395	110	74
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	25	15	6	2	2
61 OF LIP.....140	1	1	-	-	-
62 OF TONGUE.....141	4	3	1	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	9	1	5	2	1
64 OF PHARYNX.....146-149	11	10	-	-	1
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	293	139	98	34	22
66 OF ESOPHAGUS.....150	28	12	8	5	3
67 OF STOMACH.....151	34	17	9	4	4
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	1	-	1	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	112	57	36	10	9
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	11	8	2	1	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	6	3	2	-	1
72 DESCENDING COLON.....153.2	3	1	1	-	1
73 SIGMOID COLON.....153.3	12	5	6	1	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	78	39	24	8	7
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	2	1	1	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	36	15	15	6	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	8	3	1	2	2
78 OF GALLBLADDER AND BILE DUCTS.....156	7	4	3	-	-
79 OF PANCREAS.....157	62	29	22	7	4
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	5	2	3	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	256	169	43	35	9
82 OF LARYNX.....161	9	5	1	2	1
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	247	164	42	33	8
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	-	-	-	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	118	12	88	5	13
86 OF BONE.....170	7	2	2	3	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	9	5	3	1	-
88 OF SKIN.....172,173	10	5	4	1	-
89 OF BREAST.....174	92	-	79	-	13

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		DELAWARE				
		Total	White		All others	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	125	35	58	17	15
02	OF CERVIX UTERI.....180	20	...	15	...	5
03	OF OTHER PARTS OF UTERUS.....181,182	18	...	12	...	6
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	31	...	28	...	3
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	4	...	3	...	1
06	OF PROSTATE.....185	51	35	...	16	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	1	1	...
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	60	35	19	3	...
09	OF BLADDER.....188	35	23	9	2	1
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	25	12	10	1	2
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	98	41	45	8	4
12	OF EYE.....190	-	-	-	-	-
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	21	9	10	2	-
14	OF THYROID GLAND.....193	4	1	3	-	-
15	OTHER.....194-199	73	31	32	6	4
16	LEUKEMIA.....204-207	36	15	17	3	1
17	LYMPHATIC LEUKEMIA.....204	12	6	4	1	1
18	MYELOID LEUKEMIA.....205	18	8	10	1	...
19	MONOCYTTIC LEUKEMIA.....206	-	-	-	-	-
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	6	1	3	2	-
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	50	21	21	3	5
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	13	5	7	1	-
23	HODGKIN'S DISEASE.....201	6	6	-	-	-
24	MULTIPLE MYELOMA.....203	19	6	9	4	1
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	12	4	5	2	-
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	13	8	5	-	-
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-	...	-	...	-
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	2	1	1	-	-
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	5	4	1	-	-
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	6	3	3	-	-
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	-	-	-	-	-
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	178	67	79	17	15
34	NONTOXIC GOITER.....240,241	-	-	-	-	-
35	THYROIDOXICOSIS WITH OR WITHOUT GOITER.....242	-	-	-	-	-
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	2	-	2	-	-
37	DIABETES MELLITUS.....250	154	58	60	16	12
38	DISEASES OF PITUITARY GLAND.....253	-	-	-	-	-
39	DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40	DISEASES OF ADRENAL GLAND.....255	2	1	1	-	-
41	NIACIN DEFICIENCY.....262	-	-	-	-	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	7	3	2	1	1
43	CYSTIC FIBROSIS.....273.0	1	1	-	-	-
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	12	4	6	-	2
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	11	2	6	1	2
46	ANEMIAS.....280-285	11	2	6	1	2
47	DEFICIENCY ANEMIAS.....280,281	2	2	-	-	-
48	HEMOLYTIC ANEMIAS.....282,283	2	1	1	-	1
49	APLASTIC ANEMIA.....284	5	2	2	1	-
50	OTHER AND UNSPECIFIED ANEMIAS.....285	2	-	1	-	1
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	-	-	-	-	-
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	-	-	-	-	-
53	V. MENTAL DISORDERS.....	31	13	4	11	3
54	SENILE AND PRESENILE DEMENTIAS.....290	-	-	-	-	-
55	ALCOHOLIC PSYCHOSES.....291	1	1	-	-	-
56	ALL OTHER PSYCHOSES.....294-299	1	-	-	-	-
57	ALCOHOLISM.....303	27	11	3	10	3
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	-	-	-	-	-
59	MENTAL RETARDATION.....310-315	2	1	1	-	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	50	17	26	4	3
61	MENINGITIS.....320	5	2	2	1	-
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	4	2	2	-	-
63	MULTIPLE SCLEROSIS.....340	6	3	3	-	-
64	PARALYSIS AGITANS.....342	12	2	10	-	-
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	2	-	1	-	-
66	EPILEPSY.....345	4	2	1	-	1
67	INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68	CATARACT.....374	-	-	-	-	-
69	GLAUCOMA.....375	-	-	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	1	-	-	1	-
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	16	6	7	1	2
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,567	1,148	1,060	198	161
73	ACTIVE RHEUMATIC FEVER.....390-392	1	-	-	1	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	28	11	14	-	3
75	DISEASES OF MITRAL VALVE.....394	13	3	8	-	2
76	DISEASES OF AORTIC VALVE.....395	9	8	1	-	-
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	6	-	5	-	1
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	4	-	-	-	-
79	HYPERTENSIVE DISEASE.....400-404	46	13	22	7	4
80	MALIGNANT HYPERTENSION.....400	2	1	1	-	-
81	ESSENTIAL BENIGN HYPERTENSION.....401	2	-	2	-	-
82	HYPERTENSIVE HEART DISEASE.....402	16	2	6	4	4
83	HYPERTENSIVE RENAL DISEASE.....403	6	6	8	-	-
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	12	4	6	2	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	DELAWARE				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,862	878	743	131	110
02 WITH HYPERTENSIVE DISEASE (.0).....	274	109	103	30	32
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	1,588	769	640	101	78
04 ACUTE MYOCARDIAL INFARCTION.....410	844	462	290	49	43
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	5	1	2	1	1
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,013	415	451	81	66
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	93	33	33	16	11
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	1	-	-	-	1
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	2	1	1	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	6	1	3	1	1
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	-	-	1	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	5	1	3	-	1
15 SYMPTOMATIC HEART DISEASE.....427	59	24	24	6	5
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	4	1	2	-	1
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	21	6	3	9	3
18 CEREBROVASCULAR DISEASES.....430-438	356	135	166	32	23
19 WITH HYPERTENSION (BENIGN) (.0).....	37	17	14	2	4
20 WITHOUT MENTION OF HYPERTENSION (.9).....	319	118	152	30	19
21 SUBARACHNOID HEMORRHAGE.....430	17	5	8	3	1
22 CEREBRAL HEMORRHAGE.....431	52	27	16	3	6
23 CEREBRAL THROMBOSIS.....433	89	34	41	9	5
24 CEREBRAL EMBOLISM.....434	3	1	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	9	3	5	1	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	111	45	48	11	7
27 OTHER CEREBROVASCULAR DISEASES.....437,438	75	20	46	5	4
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	141	61	66	5	9
29 ARTERIOSCLEROSIS.....440	79	31	39	3	6
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	34	22	9	2	1
31 GANGRENE.....445	6	2	3	-	1
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	22	6	15	-	1
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	40	17	16	6	1
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	40	17	16	6	1
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	-	-	-	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	262	147	76	31	6
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	1	-	1	-	-
38 ACUTE BRONCHITIS AND BRONCHOLITIS.....466	-	-	-	-	-
39 INFLUENZA.....470-474	5	5	-	-	-
40 PNEUMONIA.....480-486	135	64	47	20	4
41 VIRAL PNEUMONIA.....480	1	-	-	-	1
42 BACTERIAL PNEUMONIA.....481,482	15	10	5	-	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	5	2	2	1	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	58	23	20	12	3
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	56	29	20	7	-
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	67	43	17	5	2
47 BRONCHITIS, UNQUALIFIED.....490	-	-	-	-	-
48 CHRONIC BRONCHITIS.....491	14	8	5	1	-
49 EMPHYSEMA.....492	49	34	12	2	1
50 ASTHMA.....493	4	1	-	2	1
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	3	2	-	1	-
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	4	2	1	1	-
55 BRONCHIECTASIS.....518	1	-	1	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	46	31	9	4	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	172	80	48	31	13
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	-	-	-	1
59 PEPTIC ULCER.....531-533	10	2	4	3	1
60 ULCER OF STOMACH.....531	3	1	1	1	-
61 ULCER OF DUODENUM.....532	4	-	2	1	1
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	3	1	1	1	-
63 GASTRITIS AND DUODENITIS.....535	-	-	-	-	-
64 APPENDICITIS.....540-543	1	-	-	-	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	15	5	6	3	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	8	3	3	1	1
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	2	-	2	-	-
69 CIRRHOSIS OF LIVER.....571	106	57	23	19	7
70 ALCOHOLIC.....571.0	55	26	12	13	4
71 OTHER SPECIFIED.....571.8	14	9	3	1	1
72 UNSPECIFIED.....571.9	37	22	8	5	2
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	2	1	1	-	1
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	27	12	9	5	1
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	64	18	32	9	5
76 NEPHRITIS AND NEPHROSIS.....580-584	23	6	12	4	1
77 ACUTE NEPHRITIS.....580	3	1	2	-	-
78 NEPHROTIC SYNDROME.....581	3	2	1	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	17	3	9	4	1
80 INFECTIONS OF KIDNEY.....590	10	2	6	2	-
81 CALCULI OF URINARY SYSTEM.....592,594	2	-	2	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	27	9	11	3	4
83 HYPERPLASIA OF PROSTATE.....600	1	1	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1	-	1	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	3	...	2	...	1
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	1	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	-	...	1

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1988 (ICDA). Four-digit

CAUSE OF DEATH	DELAWARE				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	---	-	---	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	---	-	---	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	---	-	---	-
04 SPONTANEOUS ABORTION.....643	-	---	-	---	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	---	-	---	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	1	---	1	---	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630-633-635, 654-662, 672, 674-678	-	---	-	---	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	---	-	---	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	6	1	2	1	2
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	-	-	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	6	1	2	1	2
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	9	1	8	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	5	-	5	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	4	1	3	-	-
18 XIV. CONGENITAL ANOMALIES.....	42	14	20	4	4
19 SPINA BIFIDA.....741	1	-	1	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	5	1	4	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	17	5	9	1	2
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	2	1	1	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	17	7	5	3	2
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	76	23	29	14	10
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	42	21	11	7	3
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2	1	1	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	40	20	10	7	3
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	364	192	91	65	16
30 ACCIDENTS.....E800-E949	219	114	61	38	6
31 RAILWAY ACCIDENTS.....E800-E807	1	1	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	115	63	26	24	2
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	113	62	25	24	2
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1	1	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	31	17	8	6	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	22	11	5	5	1
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	15	6	6	3	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	10	10	-	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	34	17	6	10	1
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	2	1	1	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1	1	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1	1	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	7	3	2	1	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2	1	1	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1	-	1	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	4	2	-	1	1
48 ACCIDENTAL FALLS.....E880-E887	31	12	16	2	1
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	12	7	5	-	-
50 FALL ON SAME LEVEL.....E885, E886	-	-	-	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	19	5	11	2	1
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	11	6	4	1	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	11	6	2	3	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	3	1	1	-	1
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	7	4	3	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	14	10	2	2	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	1	-	1	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	6	5	-	1	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	7	5	1	1	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	7	3	3	1	1
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	10	3	2	5	-
64 SUICIDE.....E950-E959	61	44	17	-	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	10	3	7	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	9	6	3	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	6	5	1	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	30	26	4	-	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	6	4	2	-	-
70 HOMICIDE.....E960-E978	63	23	9	22	9
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	39	17	5	10	7
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	16	3	1	11	1
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	8	3	3	1	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	20	10	4	5	1
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2	...	-	...	2	-	...	-	...	-	2	...	-	...	2
1	...	-	...	1	-	...	-	...	-	2	...	-	...	2
1	...	-	...	1	-	...	-	...	-	-	...	03
-	...	-	...	-	-	...	-	...	-	-	...	-	...	04
-	...	-	...	-	-	...	-	...	-	-	...	-	...	05
-	...	-	...	-	1	...	1	...	-	5	...	3	...	06
1	...	-	...	1	6	...	3	...	3	5	...	3	...	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	08
26	2	4	4	16	114	32	54	14	14	59	14	20	7	18
2	-	1	1	-	25	9	10	4	2	11	3	4	1	3
24	2	3	3	16	89	23	44	10	12	48	11	16	6	15
22	3	4	5	10	217	62	131	6	18	106	23	47	13	23
4	-	2	1	1	75	20	50	2	3	98	9	18	5	6
5	1	-	1	3	4	2	2	-	-	3	1	-	-	1
-	-	-	-	-	7	4	2	-	1	8	1	5	1	2
-	-	-	-	-	2	2	-	-	-	6	1	4	-	1
13	2	2	3	6	129	34	77	4	14	51	12	19	7	13
54	6	5	24	19	476	197	177	63	39	337	124	115	46	52
-	-	-	-	-	20	9	8	2	1	23	8	12	1	2
9	1	2	3	3	52	15	25	8	4	52	16	24	4	8
22	2	-	13	7	202	83	86	19	14	126	55	32	16	23
10	2	3	2	3	58	26	19	7	6	31	10	10	5	6
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-
13	1	-	6	6	144	64	39	27	14	103	35	36	19	13
173	12	4	93	64	1,028	375	247	221	185	792	263	166	200	163
99	9	16	46	28	1,467	615	445	214	193	672	196	161	177	138
1	-	1	-	-	50	11	33	2	4	46	7	21	3	15
98	9	15	46	28	1,417	604	412	212	189	626	189	140	174	123
730	105	72	430	123	7,405	3,967	1,794	1,260	384	4,885	2,355	915	1,205	410
323	62	43	155	63	4,542	2,556	1,159	615	212	3,132	1,604	652	647	229
-	-	-	-	-	17	11	1	5	-	17	6	1	10	-
82	15	6	45	16	2,172	1,284	518	268	104	1,579	871	310	306	92
79	15	6	43	15	2,121	1,254	511	255	101	1,521	847	296	289	89
-	-	-	-	-	78	37	23	11	7	66	36	19	5	6
16	5	1	7	3	709	427	193	65	24	559	310	139	83	27
33	7	4	18	4	433	211	110	76	36	186	76	28	62	20
9	1	-	6	2	226	155	45	24	2	156	84	23	40	9
5	-	-	5	-	278	181	49	34	14	424	269	60	74	21
16	2	1	7	6	397	243	91	45	18	130	72	27	25	6
3	-	-	2	1	51	30	7	11	3	58	24	14	17	3
1	-	-	1	-	9	4	4	1	-	2	2	-	-	-
1	-	-	-	-	95	67	9	19	-	56	34	4	18	-
10	5	1	2	2	72	61	9	2	-	33	28	5	-	-
13	2	1	5	5	165	82	51	21	11	142	67	30	27	18
8	1	-	4	2	89	41	32	11	5	58	26	17	5	10
2	1	-	1	1	47	25	16	5	1	54	23	9	16	6
3	-	-	1	2	29	16	3	5	5	30	18	4	6	2
88	18	19	42	9	610	271	281	36	22	350	136	138	52	24
28	7	4	15	2	145	95	32	16	2	93	45	22	23	3
60	11	15	27	7	447	172	237	20	18	244	85	112	28	19
41	7	6	15	13	211	84	61	44	22	202	76	40	55	31
15	3	1	10	1	454	252	81	109	12	199	105	17	63	14
14	3	4	5	2	112	54	32	16	10	103	37	28	23	15
2	-	-	1	1	103	67	10	21	5	111	76	15	13	7
9	3	-	5	1	217	169	14	27	7	171	102	12	51	6
1	1	-	-	-	4	2	-	1	1	7	2	-	4	1
1	-	-	1	-	11	8	-	1	2	9	4	-	3	2
-	-	-	-	-	6	3	-	1	2	10	1	4	4	1
-	-	-	-	-	74	63	4	6	1	35	25	3	7	-
7	2	-	4	1	122	93	10	18	1	110	70	5	33	2
18	3	3	7	5	112	60	30	14	8	35	9	14	6	6
30	3	2	17	8	193	90	58	34	11	132	55	38	23	16
77	20	16	35	6	1,362	870	414	58	20	673	445	150	56	22
13	2	5	3	3	276	94	173	3	6	46	16	25	4	1
1	1	-	-	-	66	49	17	-	-	26	18	7	1	-
10	1	1	7	1	149	104	34	10	1	60	40	12	7	1
35	8	3	23	1	778	573	156	41	8	523	363	98	42	20
18	8	7	2	1	93	50	34	4	5	18	8	8	2	-
275	16	9	202	48	1,261	427	141	554	139	1,045	288	108	494	155
171	13	3	131	24	921	316	81	426	98	803	237	71	377	118
52	1	1	40	10	150	39	11	81	19	106	19	9	66	12
47	2	5	26	14	166	57	49	38	22	113	23	28	37	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	5	-	24	15	-	9	-	23	9	-	14	-
55	7	4	38	6	240	114	80	33	13	34	18	5	7	4
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	4,343	800	561	1,849	1,133
02 I. INFECTIVE AND PARASITIC DISEASES.....	48	5	6	18	19
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	10	2	3	-	5
09 TUBERCULOSIS, ALL FORMS.....010-019	8	-	-	5	3
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	5	-	-	4	1
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	3	-	-	1	2
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	1	-	-	1	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	13	-	3	6	4
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	-	-	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	1	-	-	1	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	4	-	-	1	3
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	7	1	-	3	3
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	-	-	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	4	2	-	1	1
58 II. NEOPLASMS.....	943	154	137	384	268
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	932	152	137	380	263
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	40	9	8	17	6
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	8	1	2	5	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	9	2	2	4	1
64 OF PHARYNX.....146-149	23	6	4	8	5
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	317	33	40	157	87
66 OF ESOPHAGUS.....150	17	4	2	10	1
67 OF STOMACH.....151	91	9	9	50	23
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	1	-	2	1
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	79	9	13	35	22
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	13	1	1	8	3
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1	-	-	-	1
72 DESCENDING COLON.....153.2	2	1	-	-	1
73 SIGMOID COLON.....153.3	4	-	1	3	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.9	58	7	11	23	17
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1	-	-	1	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	29	2	2	18	7
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	23	-	4	11	8
78 OF GALLBLADDER AND BILE DUCTS.....156	18	2	1	10	5
79 OF PANCREAS.....157	53	6	7	20	20
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	3	-	2	1	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	213	55	16	94	48
82 OF LARYNX.....161	9	2	1	5	1
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	198	52	14	87	45
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	6	1	1	2	2
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	78	6	29	7	36
86 OF BONE.....170	4	-	-	3	1
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	7	2	2	1	2
88 OF SKIN.....172,173	9	4	1	3	1
89 OF BREAST.....174	58	-	26	-	32

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

CAUSE OF DEATH		HAWAII				
		Total	White		All others	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	91	13	19	18	41
02	OF CERVIX UTERI.....180	18	---	5	---	13
03	OF OTHER PARTS OF UTERUS.....181,182	14	---	4	---	10
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	25	---	8	---	17
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	3	---	2	---	1
06	OF PROSTATE.....185	27	9	---	18	---
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	4	---	---	---	---
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	34	7	4	18	5
09	OF BLADDER.....188	16	4	2	5	5
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	18	3	2	13	---
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	76	15	9	33	19
12	OF EYE.....190	---	---	---	---	---
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	17	4	1	9	3
14	OF THYROID GLAND.....193	7	---	1	2	4
15	OTHER.....194-199	52	11	7	22	12
16	LEUKEMIA.....204-207	32	7	4	14	7
17	LYMPHATIC LEUKEMIA.....204	10	3	2	4	1
18	MYELOID LEUKEMIA.....205	14	3	1	6	4
19	MONOCYTIC LEUKEMIA.....206	3	1	---	2	---
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	5	---	1	2	2
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	51	7	8	22	14
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	18	3	2	9	4
23	HODGKIN'S DISEASE.....201	4	---	1	1	1
24	MULTIPLE MYELOMA.....203	14	---	3	6	5
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	15	4	1	6	4
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	11	2	---	4	5
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	1	---	---	---	1
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	---	---	---	---	---
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	5	1	---	2	2
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	---	---	---	---	---
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	2	1	---	1	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	3	---	---	1	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	132	12	19	50	51
34	NONTOXIC GOITER.....240,241	---	---	---	---	---
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	---	---	---	---	---
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	---	---	---	---	---
37	DIABETES MELLITUS.....250	101	7	13	36	45
38	DISEASES OF PITUITARY GLAND.....251	4	1	---	3	---
39	DISEASES OF THYMUS GLAND.....254	---	---	---	---	---
40	DISEASES OF ADRENAL GLAND.....255	2	---	1	1	---
41	NIACIN DEFICIENCY.....262	---	---	---	---	---
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	15	4	2	7	2
43	CYSTIC FIBROSIS.....273.0	2	---	2	---	---
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	8	---	1	3	4
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	12	3	1	5	3
46	ANEMIAS.....280-285	7	1	1	3	2
47	DEFICIENCY ANEMIAS.....280,281	2	---	1	---	1
48	HEMOLYTIC ANEMIAS.....282,283	---	---	---	---	---
49	APLASTIC ANEMIA.....284	5	1	---	3	1
50	OTHER AND UNSPECIFIED ANEMIAS.....285	---	---	---	---	---
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	1	1	---	---	---
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	4	1	---	2	1
53	V. MENTAL DISORDERS.....	15	4	2	6	3
54	SENILE AND PRESENILE DEMENTIAS.....290	2	1	1	---	---
55	ALCOHOLIC PSYCHOSES.....291	1	1	---	---	---
56	ALL OTHER PSYCHOSES.....294-299	---	---	---	---	---
57	ALCOHOLISM.....303	5	2	1	2	---
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	7	---	---	4	3
59	MENTAL RETARDATION.....310-315	---	---	---	---	---
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	38	3	7	19	9
61	MENINGITIS.....320	1	---	---	---	1
62	HEREDITARY NEUROGMUSCULAR DISORDERS.....330	5	---	---	5	---
63	MULTIPLE SCLEROSIS.....340	1	---	---	---	1
64	PARALYSIS AGITANS.....342	3	---	1	---	2
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	3	---	---	3	---
66	EPILEPSY.....345	---	---	---	2	1
67	INFLAMMATORY DISEASES OF EYE.....360-369	---	---	---	---	---
68	CATARACT.....374	---	---	---	---	---
69	GLAUCOMA.....375	---	---	---	---	---
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	2	---	---	2	---
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	20	3	6	7	4
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,905	352	227	821	505
73	ACTIVE RHEUMATIC FEVER.....390-392	---	---	---	---	---
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	35	8	6	12	9
75	DISEASES OF MITRAL VALVE.....394	12	2	1	3	7
76	DISEASES OF AORTIC VALVE.....395	8	3	1	3	1
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	3	---	---	3	---
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	12	3	3	5	1
79	HYPERTENSIVE DISEASE.....400-404	36	5	2	13	14
80	MALIGNANT HYPERTENSION.....400	1	---	---	1	---
81	ESSENTIAL BENIGN HYPERTENSION.....401	3	---	1	---	2
82	HYPERTENSIVE HEART DISEASE.....402	16	4	1	6	5
83	HYPERTENSIVE RENAL DISEASE.....403	7	---	---	4	3
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	7	1	---	2	4

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,260	269	144	544	303
02 WITH HYPERTENSIVE DISEASE (.01).....	258	42	27	94	95
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	1,002	227	117	450	208
04 ACUTE MYOCARDIAL INFARCTION.....410	601	127	58	277	139
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	7	1	1	2	3
06 CHRONIC ISCHEMIC HEART DISEASE.....412	652	141	85	265	161
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	71	10	8	36	17
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	2	-	-	1	1
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	3	-	-	2	1
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	5	-	1	4	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	5	-	1	4	-
15 SYMPTOMATIC HEART DISEASE.....427	40	5	6	19	10
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	5	1	1	3	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	16	4	-	7	5
18 CEREBROVASCULAR DISEASES.....430-438	392	43	50	167	132
19 WITH HYPERTENSION (BENIGN) (.0).....	103	14	7	44	38
20 WITHOUT MENTION OF HYPERTENSION (.9).....	289	29	43	123	94
21 SUBARACHNOID HEMORRHAGE.....430	30	1	5	11	13
22 CEREBRAL HEMORRHAGE.....431	96	11	5	48	32
23 CEREBRAL THROMBOSIS.....433	85	15	15	30	25
24 CEREBRAL EMBOLISM.....434	1	-	-	1	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	11	3	-	3	5
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	109	7	12	56	36
27 OTHER CEREBROVASCULAR DISEASES.....437,438	60	6	13	20	21
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	87	12	13	37	25
29 ARTERIOSCLEROSIS.....440	31	5	7	9	10
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	36	6	4	18	8
31 GANGRENE.....442	2	-	2	1	1
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	18	1	2	9	6
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	26	5	4	12	5
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	20	4	3	8	5
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	6	1	1	4	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	284	47	36	134	67
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	-	-	-	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....464	3	-	-	3	-
39 INFLUENZA.....470-474	5	2	-	3	-
40 PNEUMONIA.....480-486	155	17	26	71	41
41 VIRAL PNEUMONIA.....480	3	-	-	2	1
42 BACTERIAL PNEUMONIA.....481,482	16	3	-	9	4
43 ACUTE INTERSTITIAL PNEUMONIA.....484	-	-	-	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	69	5	10	31	23
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	67	9	16	29	13
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	55	12	3	32	8
47 BRONCHITIS, UNQUALIFIED.....490	4	-	1	3	-
48 CHRONIC BRONCHITIS.....491	10	1	-	7	2
49 EMPHYSEMA.....492	32	10	1	18	3
50 ASTHMA.....493	9	1	1	4	3
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	5	2	-	2	1
53 PLEURISY.....511	1	-	-	1	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	12	3	-	4	5
55 BRONCHIECTASIS.....518	5	-	2	3	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	43	11	5	15	12
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	157	35	21	72	29
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	16	1	3	12	-
60 ULCER OF STOMACH.....531	12	1	1	10	-
61 ULCER OF DUODENUM.....532	2	-	1	1	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	2	-	1	1	-
63 GASTRITIS AND DUODENITIS.....535	2	-	-	2	-
64 APPENDICITIS.....540-543	4	-	-	2	2
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	8	-	1	4	3
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	6	1	2	2	1
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	2	1	-	1	-
69 CIRRHOSIS OF LIVER.....571	66	24	11	22	9
70 ALCOHOLIC.....571.0	27	15	5	7	-
71 OTHER SPECIFIED.....571.8	5	1	1	2	1
72 UNSPECIFIED.....571.9	34	8	5	13	8
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	10	-	1	5	4
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	43	8	3	22	10
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	56	4	9	26	17
76 NEPHRITIS AND NEPHROSIS.....580-584	21	2	2	12	5
77 ACUTE NEPHRITIS.....580	2	-	-	2	-
78 NEPHROTIC SYNDROME.....581	-	-	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	19	2	2	10	5
80 INFECTIONS OF KIDNEY.....590	16	-	4	6	6
81 CALCULI OF URINARY SYSTEM.....592,594	2	-	-	1	1
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	15	2	3	5	5
83 HYPERPLASIA OF PROSTATE.....600	2	-	-	2	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	-	-	-	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	3	...	3	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	2	-	2	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	1	...	1	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	6	1	1	2	2
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	5	1	1	1	2
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1	-	-	1	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	9	-	1	4	4
13 ARTHRITIS AND SPONDYLITIS.....710-715	2	-	-	1	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	-	1	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	1	-	-	1	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	1	-	1	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	4	-	-	1	3
18 XIV. CONGENITAL ANOMALIES.....	71	10	11	33	17
19 SPINA BIFIDA.....741	1	-	1	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	12	4	1	2	5
21 CONGENITAL ANOMALIES OF HEART.....746	30	3	2	21	4
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1	-	-	-	1
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	27	3	7	10	7
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	136	20	17	65	34
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	65	11	8	27	19
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2	-	1	1	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	63	11	7	26	19
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	463	139	55	183	86
30 ACCIDENTS.....E800-E949	258	77	32	104	45
31 RAILWAY ACCIDENTS.....E800-E807	-	-	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	121	26	17	58	20
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	118	26	16	57	19
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	-	-	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	10	3	-	4	3
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	30	4	2	16	6
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	15	6	3	4	2
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	22	5	3	11	3
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	41	8	8	22	3
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	3	-	1	1	1
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	4	1	-	2	1
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	6	6	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	11	2	2	5	2
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	8	2	2	2	2
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1	-	-	1	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	2	-	-	2	-
48 ACCIDENTAL FALLS.....E880-E887	32	13	1	11	7
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	12	8	-	4	-
50 FALL ON SAME LEVEL.....E885, E886	2	-	-	2	-
51 OTHER AND UNSPECIFIED FALLS.....E887	18	5	1	5	7
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6	-	-	2	4
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	40	13	5	16	6
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	5	2	2	-	1
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	1	1	-	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	9	6	-	3	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	3	3	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	6	3	-	3	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	10	4	3	1	2
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	13	3	2	6	2
64 SUICIDE.....E950-E959	98	28	15	36	19
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	15	4	6	2	3
66 SUICIDE FROM POISONING BY GASES.....E951, E952	4	4	-	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	28	3	2	15	8
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	28	11	1	14	2
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	23	6	6	5	6
70 HOMICIDE.....E960-E978	60	16	3	30	11
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	36	7	2	21	6
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	9	4	1	2	2
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	15	5	-	7	3
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	47	18	5	13	11
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	28,773	15,505	12,933	197	138
02 I. INFECTIVE AND PARASITIC DISEASES.....	172	101	66	4	1
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	1	1	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	38	21	17	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	26	17	8	1	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	20	15	5	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	1	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....014,017,019	5	2	2	1	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPTOSPIROSIS.....030	1	1	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	1	1	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	1	1	-	-	-
25 TETANUS.....037	1	-	1	-	-
26 SEPTICEMIA.....038	47	23	22	2	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	9	7	2	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	3	-	2	-	1
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	4	2	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	-	1	-	-
35 INFECTIOUS HEPATITIS.....070	6	3	2	1	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	12	7	5	-	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	2	2	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	-	2	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	1	-	1	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	1	-	1	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCLEROTICIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	1	1	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	16	14	2	-	-
58 II. NEOPLASMS.....	5,404	2,904	2,439	37	24
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,347	2,875	2,414	37	21
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	91	63	25	2	1
61 OF LIP.....140	4	4	-	-	-
62 OF TONGUE.....141	16	10	6	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	32	20	10	2	-
64 OF PHARYNX.....146-149	39	29	9	-	1
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,617	836	765	11	5
66 OF ESOPHAGUS.....150	79	61	15	3	-
67 OF STOMACH.....151	195	122	71	2	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	14	8	6	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	683	327	354	-	2
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	82	40	42	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	26	14	12	-	-
72 DESCENDING COLON.....153.2	15	10	5	-	-
73 SIGMOID COLON.....153.3	83	43	40	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	448	205	241	-	2
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	29	15	14	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	169	90	78	-	1
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	67	34	31	2	-
78 OF GALLBLADDER AND BILE DUCTS.....156	66	17	48	-	1
79 OF PANCREAS.....157	318	166	148	3	1
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	26	11	14	1	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,039	851	171	12	5
82 OF LARYNX.....161	41	37	3	1	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	981	803	162	11	5
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	17	11	6	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	617	77	539	1	-
86 OF BONE.....170	30	14	15	1	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	17	9	8	-	-
88 OF SKIN.....172,173	86	49	37	-	-
89 OF BREAST.....174	484	5	479	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All others	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	713	354	351	2	6
02 OF CERVIX UTERI.....180	84	...	81	...	3
03 OF OTHER PARTS OF UTERUS.....181,182	87	...	86	...	1
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	167	...	165	...	2
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	19	...	19	...	-
06 OF PROSTATE.....185	336	334	...	2	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	20	20
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	282	194	85	3	...
09 OF BLADDER.....188	161	122	36	3	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	121	72	49	-	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	399	195	199	4	1
12 OF EYE.....190	3	1	2	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	144	85	59	-	-
14 OF THYROID GLAND.....193	17	3	13	1	-
15 OTHER.....194-199	235	106	125	3	1
16 LEUKEMIA.....204-207	239	136	103	-	-
17 LYMPHATIC LEUKEMIA.....204	103	56	47	-	-
18 MYELOID LEUKEMIA.....205	102	53	49	-	-
19 MONOCYTTIC LEUKEMIA.....206	12	9	3	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	22	18	4	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	350	169	176	2	3
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	108	47	59	1	1
23 HODGKIN'S DISEASE.....201	35	19	16	-	-
24 MULTIPLE MYELOMA.....203	76	35	40	-	1
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	131	68	61	1	1
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	57	29	25	1	3
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....210-221	1	...	1
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	10	5	5	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	21	9	10	-	2
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	14	8	6	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	11	7	3	-	1
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	701	296	397	4	4
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	10	1	9	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	6	2	4	-	-
37 DIABETES MELLITUS.....250	560	239	314	3	4
38 DISEASES OF PITUITARY GLAND.....253	3	2	1	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	5	2	3	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	37	16	21	-	-
43 CYSTIC FIBROSIS.....273.0	8	3	5	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	72	31	40	1	-
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	71	33	38	-	-
46 ANEMIAS.....280-285	46	21	25	-	-
47 DEFICIENCY ANEMIAS.....280,281	8	4	4	-	-
48 HEMOLYTIC ANEMIAS.....282,283	8	3	5	-	-
49 APLASTIC ANEMIA.....284	18	10	8	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	12	4	8	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	8	4	4	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	17	8	9	-	-
53 V. MENTAL DISORDERS.....	85	55	29	1	-
54 SENILE AND PRESENILE DEMENTIAS.....290	14	8	6	-	-
55 ALCOHOLIC PSYCHOSES.....291	3	3	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	10	4	6	-	-
57 ALCOHOLISM.....303	22	19	2	1	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	29	16	13	-	-
59 MENTAL RETARDATION.....310-315	7	5	2	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	254	138	114	1	1
61 MENINGITIS.....320	12	7	4	-	1
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	15	10	5	-	-
63 MULTIPLE SCLEROSIS.....340	29	13	16	-	-
64 PARALYSIS AGITANS.....342	83	44	39	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	6	3	3	-	-
66 EPILEPSY.....345	25	11	13	1	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	1	1	-	-	-
69 GLAUCOMA.....375	2	1	1	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	-	-	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	81	48	33	-	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	16,430	8,482	7,801	74	73
73 ACTIVE RHEUMATIC FEVER.....390-392	1	1	-	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	179	75	103	1	-
75 DISEASES OF MITRAL VALVE.....394	58	19	39	-	-
76 DISEASES OF AORTIC VALVE.....395	46	34	12	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	15	6	9	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	60	16	43	1	-
79 HYPERTENSIVE DISEASE.....400-404	344	151	186	1	6
80 MALIGNANT HYPERTENSION.....400	11	4	7	-	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	18	9	9	-	-
82 HYPERTENSIVE HEART DISEASE.....402	92	37	52	-	3
83 HYPERTENSIVE RENAL DISEASE.....403	107	50	55	1	1
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	116	51	63	-	2

SECTION 1 - GENERAL MORTALITY

1-287

and Sex: United States and Each State, 1974-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Table with columns for KANSAS, KENTUCKY, and LOUISIANA. Each state's section includes a 'Total' column and sub-columns for 'White' (Male, Female) and 'All other' (Male, Female). Rows list various categories with corresponding counts, some ending in subcategory numbers.

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	10,275	5,748	4,449	44	34
02 WITH HYPERTENSIVE DISEASE (.0).....	963	426	518	6	13
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	9,312	5,322	3,931	38	21
04 ACUTE MYOCARDIAL INFARCTION.....410	5,913	3,721	2,154	24	14
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	31	15	16	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	4,330	2,012	2,278	20	20
07 ANGINA PECTORIS.....413	1	-	1	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	730	355	364	6	9
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	6	4	2	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	3	1	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	36	13	23	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	2	2	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	7	3	4	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	27	8	19	-	-
15 SYMPTOMATIC HEART DISEASE.....427	464	229	228	4	3
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	99	42	57	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	121	64	53	2	2
18 CEREBROVASCULAR DISEASES.....430-438	3,591	1,545	2,010	16	20
19 WITH HYPERTENSION (BENIGN) (.0).....	326	121	196	4	5
20 WITHOUT MENTION OF HYPERTENSION (.9).....	3,265	1,424	1,814	12	15
21 SUBARACHNOID HEMORRHAGE.....430	116	49	66	1	1
22 CEREBRAL HEMORRHAGE.....431	409	162	244	1	2
23 CEREBRAL THROMBOSIS.....433	862	374	480	4	4
24 CEREBRAL EMBOLISM.....434	22	9	13	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	32	20	11	-	1
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,383	614	751	8	10
27 OTHER CEREBROVASCULAR DISEASES.....437,438	767	317	445	2	3
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,080	512	562	3	3
29 ARTERIOSCLEROSIS.....440	654	270	379	3	2
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	222	149	73	-	-
31 GANGRENE.....445	45	14	31	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	159	79	79	-	1
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	230	95	127	3	5
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	198	83	109	1	5
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	32	12	18	2	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,804	1,155	629	15	5
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	6	3	3	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	9	5	4	-	-
39 INFLUENZA.....470-474	77	36	41	-	-
40 PNEUMONIA.....480-486	906	466	430	6	4
41 VIRAL PNEUMONIA.....480	20	13	6	1	-
42 BACTERIAL PNEUMONIA.....481,482	83	44	38	1	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	4	1	3	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	257	143	110	2	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	542	265	273	2	2
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	490	416	66	7	1
47 BRONCHITIS, UNQUALIFIED.....490	14	9	5	-	-
48 CHRONIC BRONCHITIS.....491	64	54	8	2	-
49 EMPHYSEMA.....492	393	344	44	5	-
50 ASTHMA.....493	19	9	9	-	1
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	11	10	1	-	-
53 PLEURISY.....511	4	3	1	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	41	23	18	-	-
55 BRONCHIECTASIS.....518	16	7	9	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	244	188	54	2	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	839	449	379	5	6
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	104	66	38	-	-
60 ULCER OF STOMACH.....531	51	30	21	-	-
61 ULCER OF DUODENUM.....532	50	34	16	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	3	2	1	-	-
63 GASTRITIS AND DUODENITIS.....535	8	3	5	-	-
64 APPENDICITIS.....540-543	13	8	5	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	127	42	84	-	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	4	1	1	1	1
67 DIVERTICULA OF INTESTINE.....562	54	23	31	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	17	5	12	-	-
69 CIRRHOSIS OF LIVER.....571	234	157	70	4	3
70 ALCOHOLIC.....571.0	84	64	19	-	1
71 OTHER SPECIFIED.....*571.8	28	13	12	1	2
72 UNSPECIFIED.....*571.9	122	80	39	3	-
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	62	27	35	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	216	117	98	-	1
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	342	179	153	3	7
76 NEPHRITIS AND NEPHROSIS.....580-584	100	49	47	1	3
77 ACUTE NEPHRITIS.....580	19	9	10	-	-
78 NEPHROTIC SYNDROME.....581	5	3	1	1	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	76	37	36	-	3
80 INFECTIONS OF KIDNEY.....590	73	27	44	-	2
81 CALCULI OF URINARY SYSTEM.....592,594	12	6	6	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	113	59	51	2	1
83 HYPERPLASIA OF PROSTATE.....600	31	31	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	13	7	5	-	1
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	5	-	5	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	-	1	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	-	1	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Table with columns for Kansas, Kentucky, and Louisiana, each subdivided into White and All other groups, with further breakdown by Male and Female. Rows list various subcategory numbers and their corresponding mortality counts.

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	---	-	---	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	---	-	---	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	---	-	---	-
04 SPONTANEOUS ABORTION.....643	-	---	-	---	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	---	-	---	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	2	---	2	---	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	1	---	1	---	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	---	-	---	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	23	10	13	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	8	5	3	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	15	5	10	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	82	23	58	1	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	46	11	34	1	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	3	2	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	4	1	3	-	-
16 ANKLYLSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	2	-	2	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	27	9	18	-	-
18 XIV. CONGENITAL ANOMALIES.....	175	93	76	4	2
19 SPINA BIFIDA.....741	4	1	3	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	30	11	18	1	-
21 CONGENITAL ANOMALIES OF HEART.....746	71	37	33	1	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	16	9	7	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	1	-	1	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	53	35	14	2	2
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	336	185	137	6	8
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	122	56	62	2	2
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	21	8	13	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	101	48	49	2	2
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,928	1,346	537	40	5
30 ACCIDENTS.....E800-E949	1,512	1,036	447	24	5
31 RAILWAY ACCIDENTS.....E800-E807	8	4	4	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	726	527	191	8	-
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	698	507	184	7	-
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	24	16	8	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	334	229	101	4	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	58	32	25	1	-
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	88	72	16	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	183	153	29	1	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	11	5	5	1	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	28	20	7	1	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	5	4	1	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	19	16	2	1	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	14	14	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	43	25	17	1	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	15	7	8	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	5	3	2	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	23	15	7	1	-
48 ACCIDENTAL FALLS.....E880-E887	285	132	147	2	4
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	76	52	24	-	-
50 FALL ON SAME LEVEL.....E885, E886	26	9	16	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	183	71	107	2	3
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	69	42	24	2	1
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	75	63	10	2	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	33	18	14	1	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	33	28	1	4	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	114	106	7	1	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	15	11	4	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	2	2	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	17	17	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	80	76	3	1	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	15	6	9	-	-
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	73	51	20	2	-
64 SUICIDE.....E950-E959	323	253	68	2	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	20	5	15	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	59	41	18	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	50	40	10	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	179	156	21	2	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	15	11	4	-	-
70 HOMICIDE.....E960-E978	67	38	16	13	-
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	47	29	11	7	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	8	2	2	4	-
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	12	7	3	2	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	26	19	6	1	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	10,717	5,858	4,824	25	10
02 I. INFECTIVE AND PARASITIC DISEASES.....	69	33	36	-	-
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	1	1	1	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	11	1	10	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	12	5	7	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	11	5	6	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	1	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....016	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	-	-	-	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLA LOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	5	3	2	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	18	15	3	-	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	4	1	3	-	-
28 ACUTE POLIOMYELITIS.....040-043	1	-	1	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	2	2	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	3	2	1	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	3	1	2	-	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	-	-	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASSES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	9	3	6	-	-
58 II. NEOPLASMS.....	2,068	1,122	943	2	1
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	2,036	1,109	924	2	1
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	46	40	6	-	-
61 OF LIP.....140	3	3	-	-	-
62 OF TONGUE.....141	12	10	2	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	10	7	3	-	-
64 OF PHARYNX.....146-149	21	20	1	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	608	326	282	-	-
66 OF ESOPHAGUS.....150	45	35	10	-	-
67 OF STOMACH.....151	79	48	31	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	5	1	4	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	250	118	132	-	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	32	15	17	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	8	4	4	-	-
72 DESCENDING COLON.....153.2	10	3	7	-	-
73 SIGMOID COLON.....153.3	39	23	16	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	142	69	73	-	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	19	4	15	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	73	32	41	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	13	9	4	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	32	15	17	-	-
79 OF PANCREAS.....157	104	65	39	-	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	7	3	4	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	443	358	85	-	-
82 OF LARYNX.....161	15	9	6	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	421	345	76	-	-
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	7	4	3	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	237	23	213	1	1
86 OF BONE.....170	8	4	4	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	7	4	3	-	-
88 OF SKIN.....172,173	30	14	16	-	-
89 OF BREAST.....174	192	1	190	-	-

SECTION I - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All others	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	237	111	126	-	-
02 OF CERVIX UTERI.....180	31	...	31
03 OF OTHER PARTS OF UTERUS.....181,182	32	...	32
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	59	...	59
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	4	...	4
06 OF PROSTATE.....185	106	106	...	-	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	5	5
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	112	75	36	1	-
09 OF BLADDER.....188	59	44	14	1	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	53	31	22	-	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	161	80	81	-	-
12 OF EYE.....190	-	-	-	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	38	25	13	-	-
14 OF THYROID GLAND.....193	3	1	2	-	-
15 OTHER.....194-199	120	54	66	-	-
16 LEUKEMIA.....204-207	80	42	38	-	-
17 LYMPHATIC LEUKEMIA.....204	29	18	11	-	-
18 MYELOID LEUKEMIA.....205	33	17	16	-	-
19 MONOCYTIC LEUKEMIA.....206	1	1	-	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	17	6	11	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	112	54	57	1	-
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	29	13	16	-	-
23 HODGKIN'S DISEASE.....201	24	13	11	-	-
24 MULTIPLE MYELOMA.....203	23	14	9	-	-
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	36	14	21	1	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	32	13	19	-	-
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	-	...	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	6	2	4	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	18	9	9	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	8	2	6	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	246	102	144	-	-
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	-	1	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	6	1	5	-	-
37 DIABETES MELLITUS.....250	196	86	110	-	-
38 DISEASES OF PITUITARY GLAND.....253	2	-	2	-	-
39 DISEASES OF THYMUS GLAND.....254	1	-	1	-	-
40 DISEASES OF ADRENAL GLAND.....255	2	-	2	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	21	8	13	-	-
43 CYSTIC FIBROSIS.....273-0	1	-	1	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	16	7	9	-	-
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	28	9	19	-	-
46 ANEMIAS.....280-285	19	5	14	-	-
47 DEFICIENCY ANEMIAS.....280,281	3	1	2	-	-
48 HEMOLYTIC ANEMIAS.....282,283	4	-	4	-	-
49 APLASTIC ANEMIA.....284	6	3	3	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	6	1	5	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	3	1	2	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	6	3	3	-	-
53 V. MENTAL DISORDERS.....	58	36	21	1	-
54 SENILE AND PRESENILE DEMENTIAS.....290	10	4	6	-	-
55 ALCOHOLIC PSYCHOSES.....291	1	1	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	2	-	2	-	-
57 ALCOHOLISM.....303	29	24	4	1	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	14	6	8	-	-
59 MENTAL RETARDATION.....310-315	2	1	1	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	101	48	52	1	-
61 MENINGITIS.....320	3	-	3	-	-
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	14	12	2	-	-
63 MULTIPLE SCLEROSIS.....340	9	3	6	-	-
64 PARALYSIS AGITANS.....342	23	10	13	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	2	-	2	-	-
66 EPILEPSY.....345	11	3	8	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	-	-	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	39	20	18	1	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	5,876	3,099	2,760	13	4
73 ACTIVE RHEUMATIC FEVER.....390-392	-	-	-	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	64	33	31	-	-
75 DISEASES OF MITRAL VALVE.....394	17	4	13	-	-
76 DISEASES OF AORTIC VALVE.....395	23	18	5	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	1	-	1	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	23	11	12	-	-
79 HYPERTENSIVE DISEASE.....400-404	108	42	66	-	-
80 MALIGNANT HYPERTENSION.....400	3	1	2	-	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	5	-	5	-	-
82 HYPERTENSIVE HEART DISEASE.....402	37	11	26	-	-
83 HYPERTENSIVE RENAL DISEASE.....403	21	11	10	-	-
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	42	19	23	-	-

SECTION 1 - GENERAL MORTALITY

1-295

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
792	264	343	109	76	1,273	559	672	26	16	1,702	647	821	115	119
113	...	82	...	31	148	...	143	...	5	239	...	182	...	57
82	...	68	...	14	156	...	154	...	2	247	...	222	...	25
207	...	180	...	27	345	...	337	...	8	412	...	379	...	33
17	...	13	...	4	39	...	38	...	1	42	...	38	...	4
352	246	...	106	...	567	541	...	26	...	718	606	...	112	...
21	18	...	3	...	18	18	44	41	...	3	...
327	204	82	29	12	496	316	173	6	1	673	428	200	23	22
199	124	49	18	8	300	192	103	4	1	390	257	110	13	10
128	80	33	11	4	196	124	70	2	...	283	171	90	10	12
724	303	276	71	74	1,081	526	532	15	8	1,430	678	628	66	58
5	4	1	...	9	9	3	6	11	5	6	...	12
140	72	46	7	15	198	104	92	2	...	382	203	194	11	14
14	1	8	2	3	28	8	20	30	16	11	1	2
565	226	221	62	56	846	411	414	13	8	1,007	454	457	54	42
246	120	94	14	18	408	227	175	2	4	590	315	228	26	21
93	50	31	8	4	105	57	45	2	1	157	85	63	3	6
92	44	38	3	7	186	97	88	...	1	265	143	102	14	6
5	2	2	...	1	11	6	5	18	9	8	...	19
56	24	23	3	6	106	67	37	...	2	150	78	55	9	8
318	143	127	27	21	579	283	282	10	4	817	414	333	45	25
97	48	41	4	4	194	84	106	4	...	249	124	113	5	5
49	29	12	4	4	92	54	37	...	1	130	78	44	4	4
72	21	28	14	9	126	63	56	5	2	207	90	78	27	12
100	45	46	5	4	167	82	83	1	1	231	120	98	9	4
136	63	50	7	16	178	91	82	2	2	159	66	66	11	16
3	...	2	...	1	7	...	4	...	3
6	...	5	...	1	19	...	12	29	...	16	...	5
19	11	3	2	3	22	13	8	...	1	42	20	13	7	2
2	...	2	2	...	2	1	...	1	...	30
69	36	26	5	9	97	54	41	1	1	48	25	20	1	2
37	16	12	3	6	38	17	20	1	...	32	15	12	1	4
962	320	415	88	139	1,308	529	745	19	15	2,294	889	1,153	103	149
1	...	1	1	...	1	34
5	...	4	2	...	2	10	2	7	...	35
11	...	10	...	1	19	4	15	13	3	9	...	36
790	262	341	70	117	1,114	448	637	16	13	1,945	739	1,001	82	123
5	1	2	1	1	8	5	3	12	6	3	...	38
...	1	1	39
11	5	4	1	1	11	4	6	1	...	21	10	10	1	40
...	41
44	13	20	7	4	47	18	27	...	2	98	35	50	7	6
5	2	3	21	7	14	18	4	10	3	1
90	37	30	9	14	84	42	40	2	...	176	90	62	9	15
104	32	45	10	17	137	55	75	5	2	244	86	106	33	19
62	17	24	6	15	86	32	50	3	1	143	48	61	21	13
8	2	4	2	2	18	4	14	20	2	13	2	3
15	2	2	4	7	14	7	5	2	...	32	8	9	11	4
20	11	7	2	2	31	14	16	...	1	47	21	20	4	2
19	6	7	2	4	23	7	15	1	...	44	17	19	4	4
11	4	5	1	1	19	10	7	1	1	24	13	9	1	1
31	11	16	3	1	32	13	18	1	...	77	25	36	11	5
245	94	39	79	33	179	115	50	11	3	468	185	76	159	48
9	4	4	...	1	36	18	18	24	8	14	1	1
10	4	2	4	...	13	12	...	1	...	17	14	1	2	...
3	...	3	15	7	6	1	1	13	2	8	2	1
158	65	15	53	25	83	65	10	6	2	173	90	24	46	13
52	15	12	20	5	29	12	15	2	...	228	65	23	108	32
13	6	3	2	2	3	1	1	1	...	13	6	6	...	59
328	141	108	42	37	524	271	223	19	11	737	363	271	61	42
48	20	9	7	12	37	18	13	3	3	60	21	17	14	8
26	17	6	3	...	20	17	3	35	30	4	...	1
29	6	14	4	5	49	18	31	77	28	42	2	5
52	30	16	3	3	124	60	63	1	1	132	74	54	2	2
7	2	5	8	4	2	1	1	24	8	10	1	5
35	10	5	11	9	52	25	17	8	2	78	37	18	16	7
...	67
1	...	1	1	...	1	1	...	1	...	68
1	...	1	1	69
3	1	2	2	1	1	8	4	2	2	70
126	55	49	14	8	231	128	92	6	5	321	160	123	24	14
16,607	7,334	6,628	1,472	1,173	30,487	14,860	15,018	330	279	40,038	19,566	16,757	1,996	1,719
1	...	1	3	1	2	7	3	2	2	...
248	104	119	14	11	410	158	244	3	5	534	208	254	37	35
63	21	33	4	5	88	22	64	1	1	135	47	71	6	11
69	46	15	5	3	159	77	79	1	2	139	76	39	15	9
12	5	6	...	1	12	1	10	...	1	33	5	21	4	3
104	32	65	5	2	151	58	91	1	1	227	80	123	12	12
262	82	108	44	28	579	227	321	16	15	733	250	355	63	65
19	4	3	10	2	20	11	6	2	1	46	15	13	13	7
21	7	6	6	2	48	19	27	1	1	53	15	30	5	3
88	27	40	11	10	299	108	172	8	11	344	103	185	21	35
63	20	25	9	9	131	63	64	3	1	173	74	73	16	10
71	24	34	8	5	81	26	52	2	1	117	45	54	8	10

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	3,881	2,203	1,669	7	2
02 WITH HYPERTENSIVE DISEASE (.0).....	385	180	202	2	1
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	3,496	2,023	1,467	5	1
04 ACUTE MYOCARDIAL INFARCTION.....410	2,385	1,475	909	1	-
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	7	5	2	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,487	722	757	6	2
07 ANGINA PECTORIS.....413	2	1	1	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	253	130	122	-	1
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	1	1	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	2	-	2	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	9	2	7	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	2	1	1	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	-	1	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	6	1	5	-	-
15 SYMPTOMATIC HEART DISEASE.....427	149	75	73	-	1
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	31	12	19	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	61	40	21	-	-
18 CEREBROVASCULAR DISEASES.....430-438	1,106	474	627	5	-
19 WITH HYPERTENSION (BENIGN) (.0).....	127	54	72	1	-
20 WITHOUT MENTION OF HYPERTENSION (.9).....	979	420	555	4	-
21 SUBARACHNOID HEMORRHAGE.....430	60	27	32	1	-
22 CEREBRAL HEMORRHAGE.....431	208	87	121	-	-
23 CEREBRAL THROMBOSIS.....433	249	100	148	1	-
24 CEREBRAL EMBOLISM.....434	4	2	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	25	13	12	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	296	142	153	1	-
27 OTHER CEREBROVASCULAR DISEASES.....437,438	264	103	159	2	-
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	367	177	188	1	1
29 ARTERIOSCLEROSIS.....440	215	80	133	1	1
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	83	57	26	-	-
31 GANGRENE.....445	14	9	5	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	55	31	24	-	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	97	40	57	-	-
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	84	33	51	-	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	13	7	6	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	712	438	273	-	1
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	1	-	1	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	3	2	1	-	-
39 INFLUENZA.....470-474	32	11	21	-	-
40 PNEUMONIA.....480-486	308	160	148	-	-
41 VIRAL PNEUMONIA.....480	10	5	5	-	-
42 BACTERIAL PNEUMONIA.....481,482	39	25	14	-	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	2	2	-	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	127	74	53	-	-
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	130	54	76	-	-
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	191	143	47	-	1
47 BRONCHITIS, UNQUALIFIED.....490	5	2	3	-	-
48 CHRONIC BRONCHITIS.....491	38	28	10	-	-
49 EMPHYSEMA.....492	138	109	29	-	-
50 ASTHMA.....493	10	4	5	-	1
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	3	2	1	-	-
53 PLEURISY.....511	2	-	2	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	16	9	7	-	-
55 BRONCHIECTASIS.....518	3	1	2	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	153	110	43	-	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	388	215	171	2	-
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	32	21	11	-	-
60 ULCER OF STOMACH.....531	11	7	4	-	-
61 ULCER OF DUODENUM.....532	16	11	5	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	5	3	2	-	-
63 GASTRITIS AND DUODENITIS.....535	1	-	-	1	-
64 APPENDICITIS.....540-543	1	1	-	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	45	14	31	-	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	18	10	8	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	3	1	2	-	-
69 CIRRHOSIS OF LIVER.....571	178	108	69	1	-
70 ALCOHOLIC.....571.0	85	54	30	1	-
71 OTHER SPECIFIED.....571.8	12	2	10	-	-
72 UNSPECIFIED.....571.9	81	52	29	-	-
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	17	6	11	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	93	54	39	-	-
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	128	71	56	-	1
76 NEPHRITIS AND NEPHROSIS.....580-584	32	18	14	-	-
77 ACUTE NEPHRITIS.....580	6	2	4	-	-
78 NEPHROTIC SYNDROME.....581	3	2	1	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	23	14	9	-	-
80 INFECTIONS OF KIDNEY.....590	25	13	12	-	-
81 CALCULI OF URINARY SYSTEM.....592,594	2	2	-	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	59	31	27	-	1
83 HYPERPLASIA OF PROSTATE.....600	4	4	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	6	3	3	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	7	2	5	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	1	1	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	5	1	4	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	21	10	11	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	7	3	4	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	13	7	6	-	-
18 XIV. CONGENITAL ANOMALIES.....	75	44	30	1	-
19 SPINA BIFIDA.....741	3	-	3	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	9	2	7	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	28	20	8	-	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	5	3	2	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	30	19	10	1	-
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	134	77	56	1	-
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	67	44	23	-	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	14	5	9	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	53	39	14	-	-
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	739	508	224	4	3
30 ACCIDENTS.....E800-E949	558	380	173	2	3
31 RAILWAY ACCIDENTS.....E800-E807	3	3	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	214	157	57	-	-
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	202	146	56	-	-
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	2	2	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	47	28	19	-	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	29	16	13	-	-
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	38	28	10	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	70	59	11	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	16	13	3	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	12	11	1	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	1	-	1	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	22	21	1	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	9	6	3	-	-
44 ACCIDENTAL POISONING.....E850-E877	22	15	7	-	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	6	2	4	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	5	4	1	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	11	9	2	-	-
48 ACCIDENTAL FALLS.....E880-E887	80	40	40	-	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	29	17	12	-	-
50 FALL ON SAME LEVEL.....E885,E886	4	2	2	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	47	21	26	-	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	66	36	29	1	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	37	26	9	-	2
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	17	10	6	1	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	14	9	5	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	35	31	4	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	1	1	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	1	-	1	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	8	7	1	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	25	23	2	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	9	3	6	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	29	23	5	-	1
64 SUICIDE.....E950-E959	139	103	34	2	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	20	8	11	1	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	16	13	3	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	20	15	5	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	78	65	13	-	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	5	2	2	1	-
70 HOMICIDE.....E960-E978	27	15	12	-	-
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	17	9	8	-	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3	3	-	-	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	7	3	4	-	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	14	9	5	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	33,500	18,267	14,756	273	204
02 I. INFECTIVE AND PARASITIC DISEASES.....	220	86	120	5	9
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	49	15	32	2	-
09 TUBERCULOSIS, ALL FORMS.....010-019	29	13	13	2	1
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	17	8	7	2	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	12	5	6	-	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	7	4	3	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	70	35	32	1	2
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	12	2	9	-	1
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	4	2	2	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	1	-	-	-	1
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	2	2	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	4	-	3	-	1
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	18	3	12	-	3
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	1	-	1	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	5	3	2	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	1	-	1	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	1	-	1	-	-
47 TABES DORSALIS.....094,0	-	-	-	-	-
48 GENERAL PARESIS.....094,1	1	1	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	2	2	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	18	7	11	-	-
58 II. NEOPLASMS.....	6,253	3,281	2,900	35	37
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	6,180	3,250	2,860	35	35
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	119	92	27	-	-
61 OF LIP.....140	4	4	-	-	-
62 OF TONGUE.....141	27	19	8	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	40	33	7	-	-
64 OF PHARYNX.....146-149	48	36	12	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,801	943	835	12	11
66 OF ESOPHAGUS.....150	92	74	18	-	-
67 OF STOMACH.....151	295	178	112	3	2
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	11	8	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	739	335	393	6	5
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	98	46	52	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	28	8	20	-	-
72 DESCENDING COLON.....153,2	17	6	11	-	-
73 SIGMOID COLON.....153,3	82	42	40	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	483	220	254	6	3
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	31	13	16	-	2
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	172	103	68	-	1
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	41	22	18	1	-
78 OF GALLBLADDER AND BILE DUCTS.....156	101	38	61	1	1
79 OF PANCREAS.....157	339	181	155	1	2
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	11	4	7	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,112	853	240	14	5
82 OF LARYNX.....161	53	44	9	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	1,039	796	224	14	5
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	20	13	7	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	750	81	661	-	8
86 OF BONE.....170	28	18	10	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	26	16	10	-	-
88 OF SKIN.....172,173	72	42	28	-	2
89 OF BREAST.....174	624	5	613	-	6

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		MINNESOTA				
		Total	White		All others	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	798	428	364	3	3
02	OF CERVIX UTERI.....180	76	---	74	---	2
03	OF OTHER PARTS OF UTERUS.....181,182	87	---	87	---	---
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	187	---	186	---	1
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	17	---	17	---	---
06	OF PROSTATE.....185	412	409	---	3	---
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	19	19	---	---	---
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	325	214	110	1	---
09	OF BLADDER.....188	169	118	50	1	---
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	156	96	60	---	---
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	505	241	259	2	3
12	OF EYE.....190	8	3	5	---	---
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	160	85	73	---	2
14	OF THYROID GLAND.....193	16	6	10	---	---
15	OTHER.....194-199	321	147	171	2	1
16	LEUKEMIA.....204-207	325	167	154	2	2
17	LYMPHATIC LEUKEMIA.....204	113	62	49	2	---
18	MYELOID LEUKEMIA.....205	159	74	85	---	---
19	MONOCYTTIC LEUKEMIA.....206	6	5	1	---	---
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	47	26	19	---	2
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	445	231	210	1	3
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	134	65	69	---	---
23	HODGKIN'S DISEASE.....201	55	33	20	1	1
24	MULTIPLE MYELOMA.....203	115	59	55	---	1
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	141	74	66	---	1
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	73	31	40	---	2
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	2	---	2	---	---
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	19	7	11	---	1
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	21	12	8	---	1
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	---	---	---	---	---
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	15	5	10	---	---
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	16	7	9	---	---
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	699	301	385	6	7
34	NONTOXIC GOITER.....240,241	---	---	---	---	---
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	---	---	---	---	---
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	14	3	10	1	---
37	DIABETES MELLITUS.....250	516	212	293	4	7
38	DISEASES OF PITUITARY GLAND.....253	2	---	2	---	---
39	DISEASES OF THYROID GLAND.....254	1	---	---	1	---
40	DISEASES OF ADRENAL GLAND.....255	6	3	3	---	---
41	NIACIN DEFICIENCY.....262	---	---	---	---	---
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	49	26	23	---	---
43	CYSTIC FIBROSIS.....273.0	3	1	2	---	---
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	108	56	52	---	---
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	88	44	41	2	1
46	ANEMIAS.....280-285	51	27	23	1	---
47	DEFICIENCY ANEMIAS.....280,281	3	1	2	---	---
48	HEMOLYTIC ANEMIAS.....202,203	5	2	2	1	---
49	APLASTIC ANEMIA.....284	23	12	11	---	---
50	OTHER AND UNSPECIFIED ANEMIAS.....285	20	12	8	---	---
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	11	7	3	1	---
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	26	10	15	---	1
53	V. MENTAL DISORDERS.....	193	121	68	3	1
54	SENILE AND PRESENILE DEMENTIAS.....290	28	15	13	---	---
55	ALCOHOLIC PSYCHOSES.....291	9	9	---	---	---
56	ALL OTHER PSYCHOSES.....294-299	12	5	7	---	---
57	ALCOHOLISM.....303	81	65	15	1	---
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	50	21	27	2	---
59	MENTAL RETARDATION.....310-315	13	6	6	---	1
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	353	184	161	3	5
61	MENINGITIS.....320	20	13	6	1	---
62	HEREDITARY NEURONMUSCULAR DISORDERS.....330	14	12	2	---	---
63	MULTIPLE SCLEROSIS.....340	28	10	17	1	---
64	PARALYSIS AGITANS.....342	88	46	42	---	---
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	11	7	4	---	---
66	EPILEPSY.....345	20	13	5	---	2
67	INFLAMMATORY DISEASES OF EYE.....360-369	---	---	---	---	---
68	CATARACT.....374	---	---	---	---	---
69	GLAUCOMA.....375	---	---	---	---	---
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	3	2	1	---	---
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	169	81	84	1	3
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	18,519	9,969	8,386	98	66
73	ACTIVE RHEUMATIC FEVER.....390-392	4	---	4	---	---
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	300	131	165	---	4
75	DISEASES OF MITRAL VALVE.....394	103	27	76	---	---
76	DISEASES OF AORTIC VALVE.....395	90	55	35	---	---
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	20	8	12	---	---
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	87	41	42	---	4
79	HYPERTENSIVE DISEASE.....400-404	284	115	166	3	---
80	MALIGNANT HYPERTENSION.....400	5	4	1	---	---
81	ESSENTIAL BENIGN HYPERTENSION.....401	24	9	15	---	---
82	HYPERTENSIVE HEART DISEASE.....402	125	40	85	---	---
83	HYPERTENSIVE RENAL DISEASE.....403	65	31	32	2	---
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	65	31	33	1	---

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		MINNESOTA				
		Total	White		All others	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	11,454	6,747	4,610	58	39
02	WITH HYPERTENSIVE DISEASE (.0)	1,199	540	645	6	8
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	10,255	6,207	3,965	52	31
04	ACUTE MYOCARDIAL INFARCTION.....410	5,772	3,735	2,002	18	17
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	65	41	24	-	-
06	CHRONIC ISCHEMIC HEART DISEASE.....412	5,612	2,968	2,582	40	22
07	ANGINA PECTORIS.....413	5	3	2	-	-
08	OTHER FORMS OF HEART DISEASE.....420-429	749	409	326	9	3
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	6	1	5	-	-
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	17	10	6	1	-
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	35	8	27	-	-
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	4	-	4	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	6	2	4	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	25	6	19	-	-
15	SYMPTOMATIC HEART DISEASE.....427	502	279	215	5	3
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	60	30	29	1	-
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	129	81	46	2	-
18	CEREBROVASCULAR DISEASES.....430-438	4,340	1,899	2,402	22	17
19	WITH HYPERTENSION (BENIGN) (.0)	540	205	330	3	2
20	WITHOUT MENTION OF HYPERTENSION (.9)	3,800	1,694	2,072	19	15
21	SUBARACHNOID HEMORRHAGE.....430	172	104	104	1	3
22	CEREBRAL HEMORRHAGE.....431	556	249	307	1	-
23	CEREBRAL THROMBOSIS.....433	943	422	516	4	1
24	CEREBRAL EMBOLISM.....434	14	5	9	-	-
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	93	51	41	1	-
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,424	642	759	13	10
27	OTHER CEREBROVASCULAR DISEASES.....437,438	1,138	466	666	3	3
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,140	551	584	3	2
29	ARTERIOSCLEROSIS.....440	683	275	405	2	1
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	236	171	64	1	-
31	GANGRENE.....445	55	27	28	-	-
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	166	78	87	-	1
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	248	117	127	3	1
34	VENOUS THROMBOSIS AND EMBOLISM.....450	220	104	112	3	1
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	28	13	15	-	-
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	2,031	1,199	805	16	11
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	3	2	1	-	-
38	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	14	6	8	-	-
39	INFLUENZA.....470-474	115	59	54	1	1
40	PNEUMONIA.....480-485	1,040	521	504	8	7
41	VIRAL PNEUMONIA.....480	9	9	11	-	-
42	BACTERIAL PNEUMONIA.....481,482	115	73	38	3	1
43	ACUTE INTERSTITIAL PNEUMONIA.....484	7	4	3	-	-
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	318	163	153	2	-
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	581	273	299	3	6
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	435	315	117	2	1
47	BRONCHITIS, UNQUALIFIED.....490	12	5	7	-	-
48	CHRONIC BRONCHITIS.....491	93	59	34	-	-
49	EMPHYSEMA.....492	288	229	56	2	1
50	ASTHMA.....493	42	22	20	-	-
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	1	-	-	-
52	EMPHYSEMA AND ABSCESS OF LUNG.....510,513	15	11	4	-	-
53	PLEURISY.....511	6	3	3	-	-
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	62	35	26	1	-
55	BRONCHIECTASIS.....518	9	6	3	-	-
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	331	240	85	4	2
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,117	606	483	9	19
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59	PEPTIC ULCER.....531-533	124	72	50	-	2
60	ULCER OF STOMACH.....531	61	29	30	-	2
61	ULCER OF DUODENUM.....532	54	37	17	-	-
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	9	6	3	-	-
63	GASTRITIS AND DUODENITIS.....535	11	6	3	1	1
64	APPENDICITIS.....540-543	16	9	5	1	1
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	128	45	80	-	3
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	1	-	1	-	-
67	DIVERTICULA OF INTESTINE.....562	55	22	33	-	-
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	18	8	10	-	-
69	CIRRHOSIS OF LIVER.....571	415	267	135	5	8
70	ALCOHOLIC.....571.0	187	121	61	3	2
71	OTHER SPECIFIED.....571.8	79	49	25	1	4
72	UNSPECIFIED.....571.9	149	97	49	1	2
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	75	35	38	1	1
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	274	142	128	1	3
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	384	212	168	1	3
76	NEPHRITIS AND NEPHROSIS.....580-584	101	56	43	-	2
77	ACUTE NEPHRITIS.....580	19	11	8	-	-
78	NEPHROTIC SYNDROME.....581	4	3	1	-	-
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	78	42	34	-	2
80	INFECTIONS OF KIDNEY.....590	63	26	37	-	-
81	CALCULI OF URINARY SYSTEM.....592,594	12	6	6	-	-
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	156	82	72	1	1
83	HYPERPLASIA OF PROSTATE.....600	33	33	-	-	-
84	DISEASES OF BREAST.....610,611	-	-	-	-	-
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	19	9	10	-	-
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	2	-	2
87	ECTOPIC PREGNANCY.....631	-	-	-	-	-
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	-	-	-	1
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

1-305

and Sex: United States and Each State, 1974-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Total	MISSISSIPPI				Total	MISSOURI				Total	MONTANA				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,690	2,686	1,966	1,028	1,010	17,513	8,822	7,385	704	602	1,854	1,123	688	29	14	01
1,187	265	284	277	361	1,814	714	847	113	140	140	61	76	3	-	02
5,503	2,421	1,682	751	649	15,699	8,108	6,538	591	462	1,714	1,062	612	26	14	03
3,909	1,844	1,061	538	466	8,881	5,141	3,235	286	219	1,008	680	304	18	6	04
37	22	5	6	4	62	34	22	4	2	13	8	4	1	-	05
2,742	818	900	484	540	8,538	3,629	4,114	414	381	833	435	380	10	8	06
2	2	-	-	-	32	18	14	-	90	273	-	-	-	-	07
826	293	167	215	151	1,409	681	552	86	90	273	170	84	11	8	08
4	-	3	2	1	13	5	8	-	-	2	1	1	-	-	09
5	-	2	1	1	13	6	6	-	-	4	4	-	-	-	10
13	5	5	-	3	18	8	5	2	3	4	2	2	-	-	11
1	-	1	-	-	3	2	1	-	-	-	-	-	-	-	12
12	5	4	-	3	15	6	4	-	3	4	2	2	-	-	13
449	119	104	129	97	889	410	360	57	62	137	70	53	8	6	15
50	13	19	10	8	127	62	61	2	2	24	15	9	-	-	16
303	154	34	74	41	349	190	112	24	23	102	78	19	3	2	17
2,950	825	931	560	634	5,828	2,238	3,092	213	285	669	311	345	8	5	18
408	50	73	136	149	652	219	326	43	64	64	31	31	-	2	19
2,542	775	858	424	485	5,176	2,019	2,766	170	221	605	280	314	8	3	20
74	23	25	14	12	188	70	97	8	13	35	12	22	1	-	21
447	110	139	103	95	865	362	434	32	37	72	35	36	-	1	22
604	189	192	100	123	1,535	547	854	51	83	141	67	70	2	2	23
8	3	4	-	1	49	21	25	2	1	3	1	2	-	-	24
37	15	9	6	7	89	36	47	3	3	6	3	3	-	-	25
1,312	321	383	275	333	1,879	751	932	92	104	279	131	142	4	2	26
468	164	179	62	63	1,223	451	703	25	44	133	62	70	1	2	27
548	193	186	81	88	1,658	716	835	52	55	272	135	133	4	-	28
298	88	118	41	51	959	340	562	23	34	173	76	94	3	-	29
120	66	24	18	12	339	233	93	8	5	55	39	15	1	-	30
33	2	10	12	9	99	39	50	6	4	5	3	2	-	-	31
97	37	34	10	16	261	104	130	15	12	39	17	22	-	-	32
255	86	66	47	56	461	225	182	30	24	65	31	30	2	2	33
228	76	58	43	51	412	203	160	28	21	48	20	25	2	1	34
27	10	8	4	5	49	22	22	2	3	17	11	5	-	1	35
1,066	501	247	199	119	2,755	1,624	875	165	91	417	255	144	14	4	36
6	1	1	2	2	7	1	4	-	2	2	2	-	-	-	37
5	1	1	2	1	14	8	5	-	1	6	4	2	-	-	38
23	6	8	5	4	70	33	33	1	3	12	4	7	1	-	39
533	179	147	115	92	1,315	624	544	102	45	193	102	81	7	3	40
8	-	4	2	2	26	10	14	-	2	2	1	1	-	-	41
53	18	9	15	11	185	93	58	28	6	9	5	2	1	1	42
6	1	2	2	1	19	9	4	5	1	2	2	-	-	-	43
139	55	46	21	17	356	180	144	21	11	70	42	26	2	-	44
327	105	86	75	61	729	332	324	48	25	110	52	52	4	2	45
245	163	46	30	6	705	531	141	17	16	118	85	29	3	1	46
11	3	3	2	3	12	4	6	2	2	4	1	3	-	-	47
38	28	5	4	1	104	79	22	2	1	10	9	1	-	-	48
181	128	34	18	1	550	442	92	12	4	93	69	20	3	1	49
15	4	4	6	1	39	6	21	1	11	11	6	5	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
5	3	-	2	-	24	11	7	4	2	1	-	1	-	-	52
5	4	-	1	-	12	7	3	-	2	-	-	3	-	-	53
31	19	7	2	3	70	32	31	3	4	8	3	5	-	-	54
8	2	6	-	-	19	9	10	-	4	4	1	3	-	-	55
205	123	31	40	11	519	368	97	38	16	73	54	16	3	-	56
638	235	195	127	81	1,564	781	587	121	75	237	113	87	21	16	57
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	58
72	28	19	18	7	199	116	66	10	7	13	10	3	-	-	59
26	10	8	6	2	87	49	31	4	3	6	3	3	-	-	60
28	12	8	7	1	87	52	30	2	3	7	7	-	-	-	61
18	6	3	5	4	25	15	5	4	1	-	-	-	-	-	62
6	3	2	1	-	12	6	5	-	1	3	1	-	1	1	63
11	1	4	6	-	18	9	6	2	1	7	3	3	1	1	64
69	13	27	18	11	174	53	100	11	10	26	8	17	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
30	10	11	3	6	84	23	58	-	3	8	2	6	-	-	67
5	5	-	-	-	23	9	13	1	-	7	1	6	-	-	68
198	102	52	31	13	532	315	127	60	30	99	53	22	16	8	69
58	33	14	5	6	165	106	21	28	10	46	20	9	14	3	70
20	10	7	3	-	49	22	22	1	4	4	2	1	-	1	71
120	59	31	23	7	318	187	84	31	16	49	31	12	2	4	72
42	12	17	4	9	104	47	54	2	1	16	6	7	2	1	73
205	61	63	46	35	417	203	157	35	22	58	29	23	1	5	74
420	115	105	126	74	694	314	269	48	63	74	39	31	1	3	75
136	26	32	46	32	214	85	84	23	22	21	9	11	-	1	76
20	7	5	3	5	24	10	11	3	-	3	1	1	-	1	77
4	2	2	-	-	11	3	5	1	2	3	2	1	-	-	78
112	17	25	43	27	179	72	68	19	20	15	6	9	-	-	79
112	32	32	29	19	155	55	77	5	18	13	5	7	-	-	80
7	1	4	2	2	21	13	7	1	-	2	1	1	-	-	81
121	34	32	34	21	223	100	89	14	20	31	18	11	1	1	82
30	20	..*	10	..*	47	43	..*	4	..*	6	..*	..*	..*	..*	83
14	2	5	5	2	33	18	11	1	3	1	-	1	-	-	84
12	..*	4	..*	8	11	..*	5	..*	6	..*	..*	..*	..*	-	86
-	..*	-	..*	-	2	..*	-	..*	-	..*	..*	..*	..*	-	87
2	..*	-	..*	-	2	..*	-	..*	2	..*	..*	..*	..*	-	88
-	..*	-	..*	-	2	..*	1	..*	1	..*	..*	..*	..*	-	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPCNTANEUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	1	...	1	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	...	1	...	1
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	30	8	22	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	3	1	2	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	27	7	20	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	111	40	70	1	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	45	15	30	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	4	1	3	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	2	2	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	6	2	4	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	54	20	33	1	-
18 XIV. CONGENITAL ANOMALIES.....	238	136	96	5	1
19 SPINA BIFIDA.....741	14	7	7	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	39	24	14	1	-
21 CONGENITAL ANOMALIES OF HEART.....746	85	50	32	2	1
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	12	6	6	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	88	49	37	2	-
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	438	248	175	5	10
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	298	149	130	9	10
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	23	5	17	-	1
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	275	144	113	9	9
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,524	1,683	744	75	22
30 ACCIDENTS.....E800-E949	1,910	1,273	588	42	7
31 RAILWAY ACCIDENTS.....E800-E807	8	7	1	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	867	606	243	14	4
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	846	591	237	14	4
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	26	16	10	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	370	243	123	3	1
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	106	64	33	7	2
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	71	55	15	1	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	243	190	49	3	1
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	30	23	7	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	21	15	6	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	5	4	1	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	29	24	4	1	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	23	20	3	-	-
44 ACCIDENTAL POISONING.....E850-E877	92	63	21	6	2
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	26	17	6	2	1
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	8	7	1	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	58	39	14	4	1
48 ACCIDENTAL FALLS.....E880-E887	361	184	175	2	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	85	60	25	-	-
50 FALL ON SAME LEVEL.....E885,E886	10	6	4	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	266	118	146	2	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	97	66	29	2	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	90	68	19	3	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	39	26	11	2	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	36	27	5	4	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	114	95	16	3	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	3	2	-	1	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	10	5	5	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	4	3	1	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	17	15	2	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	80	70	8	2	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	58	26	31	-	1
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	91	57	29	5	-
64 SUICIDE.....E950-E959	400	305	84	7	4
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	41	15	21	1	4
66 SUICIDE FROM POISONING BY GASES.....E951,E952	65	40	25	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	76	63	11	2	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	187	166	18	3	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	31	21	9	1	-
70 HOMICIDE.....E960-E978	128	49	47	22	10
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	77	36	15	17	9
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	19	6	10	3	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	32	7	22	2	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	86	56	25	4	1
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		NEBRASKA				
		Total	White		All others	
			Male	Female	Male	Female
01	ALL CAUSES.....	15,025	7,881	6,707	258	179
02	I. INFECTIVE AND PARASITIC DISEASES.....	74	33	40	-	1
03	CHOLERA.....000	-	-	-	-	-
04	TYPHOID FEVER.....001	-	-	-	-	-
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07	FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	14	7	7	-	-
09	TUBERCULOSIS, ALL FORMS.....010-019	9	4	5	-	-
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	6	2	4	-	-
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13	TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14	DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	3	2	1	-	-
16	PLAGUE.....020	-	-	-	-	-
17	ANTHRAX.....022	-	-	-	-	-
18	BRUCELLOSIS.....023	-	-	-	-	-
19	LEPROSY.....030	-	-	-	-	-
20	DIPHTHERIA.....032	-	-	-	-	-
21	WHOOPING COUGH.....033	-	-	-	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23	ERYSIPELAS.....035	-	-	-	-	-
24	MENINGOCOCCAL INFECTIONS.....036	1	-	1	-	-
25	TETANUS.....037	-	-	-	-	-
26	SEPTICEMIA.....038	20	10	10	-	-
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	1	-	1	-	-
28	ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	2	-	2	-	-
30	SMALLPOX.....050	-	-	-	-	-
31	MEASLES.....055	-	-	-	-	-
32	YELLOW FEVER.....060	-	-	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	2	1	1	-	-
35	INFECTIOUS HEPATITIS.....070	2	2	-	-	-
36	RABIES.....071	-	-	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	15	6	9	-	-
38	TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39	MALARIA.....084	-	-	-	-	-
40	TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	2	2	-	-	-
43	CONGENITAL SYPHILIS.....090	-	-	-	-	-
44	EARLY SYPHILIS, SYMPTOMATIC.....091	1	1	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46	OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47	TABES DORSALIS.....094.0	-	-	-	-	-
48	GENERAL PARESIS.....094.1	1	1	-	-	-
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50	ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51	GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52	SCHISTOSOMIASIS.....120	-	-	-	-	-
53	HYDATIDOSIS.....122	-	-	-	-	-
54	FILARIAL INFESTATIONS.....125	-	-	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-	-
56	OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	6	1	4	-	1
58	II. NEOPLASMS.....	2,692	1,416	1,214	35	27
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	2,657	1,401	1,194	35	27
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	60	44	16	-	-
61	OF LIP.....140	5	5	-	-	-
62	OF TONGUE.....141	13	9	4	-	-
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	15	7	8	-	-
64	OF PHARYNX.....146-149	27	23	4	-	-
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	809	398	395	10	6
66	OF ESOPHAGUS.....150	45	34	6	3	2
67	OF STOMACH.....151	111	52	54	3	2
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	1	3	-	-
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	330	149	179	1	1
70	CECUM, APPENDIX, AND ASCENDING COLON.....153.0	54	16	38	-	-
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	19	9	10	-	-
72	DESCENDING COLON.....153.2	10	5	5	-	-
73	SIGMOID COLON.....153.3	35	20	15	-	-
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	196	95	99	1	1
75	INTESTINAL TRACT, PART UNSPECIFIED.....153.9	16	4	12	-	-
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	79	46	31	2	-
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	29	15	14	-	-
78	OF GALLBLADDER AND BILE DUCTS.....156	37	6	31	-	-
79	OF PANCREAS.....157	160	88	70	1	1
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	14	7	7	-	-
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	483	369	95	16	3
82	OF LARYNX.....161	15	14	1	-	-
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	461	352	90	16	3
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	7	3	4	-	-
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	276	33	236	1	6
86	OF BONE.....170	11	5	6	-	-
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	10	5	5	-	-
88	OF SKIN.....172,173	33	21	11	1	-
89	OF BREAST.....174	222	2	214	-	6

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	NEBRASKA				
	Total	White		All others	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	320	166	143	4	7
02 OF CERVIX UTERI.....180	35	...	31	...	4
03 OF OTHER PARTS OF UTERUS.....181,182	45	...	43	...	2
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	64	...	63	...	1
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	6	...	6	...	-
06 OF PROSTATE.....185	163	159	...	4	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	7	7	...	-	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	141	93	45	2	1
09 OF BLADDER.....188	82	59	22	-	1
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	59	34	23	2	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	242	122	117	1	2
12 OF EYE.....190	7	4	3	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	87	53	34	-	-
14 OF THYROID GLAND.....193	9	3	6	-	-
15 OTHER.....194-199	139	62	74	1	2
16 LEUKEMIA.....204-207	151	85	64	1	1
17 LYMPHATIC LEUKEMIA.....204	56	37	19	-	-
18 MYELOID LEUKEMIA.....205	73	34	37	1	1
19 MONOCYTTIC LEUKEMIA.....206	5	2	3	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	17	12	5	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	175	91	83	-	1
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	58	30	28	-	-
23 HODGKIN'S DISEASE.....201	22	12	10	-	-
24 MULTIPLE MYELOMA.....203	42	24	17	-	1
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	53	25	28	-	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	35	15	20	-	-
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-	...	-	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	8	2	6	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	11	6	5	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	6	2	4	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	10	5	5	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	369	144	210	7	8
34 NONTOXIC GOITER.....240,241	1	-	1	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	4	1	2	-	1
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	3	1	2	-	-
37 DIABETES MELLITUS.....250	293	113	168	6	6
38 DISEASES OF PITUITARY GLAND.....253	-	-	-	-	-
39 DISEASES OF THYRUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	5	2	3	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	20	7	13	-	-
43 CYSTIC FIBROSIS.....273-0	4	2	2	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	39	18	19	1	1
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	33	17	13	-	3
46 ANEMIAS.....280-285	15	7	6	-	2
47 DEFICIENCY ANEMIAS.....280,281	2	1	1	-	-
48 HEMOLYTIC ANEMIAS.....282,283	2	1	1	-	-
49 APLASTIC ANEMIA.....284	6	2	3	-	1
50 OTHER AND UNSPECIFIED ANEMIAS.....285	5	3	1	-	1
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	3	2	1	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	15	8	6	-	1
53 V. MENTAL DISORDERS.....	71	31	36	3	1
54 SENILE AND PRESENILE DEMENTIAS.....290	10	4	6	-	-
55 ALCOHOLIC PSYCHOSES.....291	5	4	1	-	-
56 ALL OTHER PSYCHOSES.....294-299	4	1	3	-	-
57 ALCOHOLISM.....303	23	13	7	3	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	26	8	17	-	1
59 MENTAL RETARDATION.....310-315	3	1	2	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	149	80	64	5	-
61 MENINGITIS.....320	6	5	-	1	-
62 HEREDITARY NEUROMUSCULAR DISORDERS.....320	12	7	3	2	-
63 MULTIPLE SCLEROSIS.....340	14	6	8	-	-
64 PARALYSIS AGITANS.....342	39	22	17	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	1	1	-	-	-
66 EPILEPSY.....345	11	5	6	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	1	-	1	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	-	-	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	65	34	29	2	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	8,391	4,265	3,956	99	71
73 ACTIVE RHEUMATIC FEVER.....390-392	2	-	2	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	106	55	49	-	2
75 DISEASES OF MITRAL VALVE.....394	30	9	21	-	-
76 DISEASES OF AORTIC VALVE.....395	35	27	8	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	7	2	4	-	1
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	34	17	16	-	1
79 HYPERTENSIVE DISEASE.....400-404	240	92	139	5	4
80 MALIGNANT HYPERTENSION.....400	9	3	2	2	2
81 ESSENTIAL BENIGN HYPERTENSION.....401	7	-	7	-	-
82 HYPERTENSIVE HEART DISEASE.....402	58	20	36	1	1
83 HYPERTENSIVE RENAL DISEASE.....403	49	30	17	1	1
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	117	39	77	1	-

SECTION 1 - GENERAL MORTALITY

1-311

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
75	29	43	1	2	181	91	90	-	-	1,525	580	783	80	82	01
16	...	15	...	1	23	...	23	194	...	157	...	37	02
8	...	8	...	-	18	...	18	213	...	196	...	17	03
20	...	19	...	1	43	...	43	427	...	402	...	25	04
1	...	1	...	-	6	...	6	31	...	28	...	3	05
27	26	...	1	...	82	82	638	559	...	79	...	06
3	3	...	-	...	9	9	22	21	...	1	...	07
35	29	4	1	1	101	77	24	-	-	628	396	196	20	16	08
21	17	2	1	1	61	50	11	-	-	384	252	106	15	11	09
14	12	2	-	-	40	27	13	-	-	244	144	90	5	5	10
100	57	38	3	2	140	58	82	-	-	1,117	508	523	51	35	11
1	1	-	-	-	1	1	-	-	-	10	4	6	-	-	12
28	15	12	1	-	26	11	15	-	-	309	162	126	15	6	13
1	-	1	-	-	2	-	2	-	-	51	16	31	2	2	14
70	41	25	2	2	111	46	65	-	-	747	326	360	34	27	15
28	16	11	-	1	63	38	24	1	-	532	275	223	17	17	16
7	4	2	-	1	20	11	8	1	-	176	104	63	5	4	17
17	9	8	-	-	31	19	12	-	-	210	103	94	6	7	18
1	-	1	-	-	3	2	1	-	-	12	7	4	1	-	19
3	3	-	-	-	9	6	3	-	-	134	61	62	5	6	20
42	23	19	-	-	92	48	44	-	-	700	369	273	35	23	21
11	4	7	-	-	23	15	8	-	-	261	142	100	13	6	22
7	6	5	-	-	18	9	9	-	-	113	69	39	1	4	23
8	3	1	-	-	23	9	14	-	-	165	78	70	11	6	24
16	10	6	-	-	28	15	13	-	-	161	80	64	10	7	25
14	4	8	2	-	16	5	11	-	-	158	82	59	7	10	26
-	...	-	...	-	1	...	1	...	-	6	...	3	...	3	27
1	-	1	-	-	2	-	2	-	-	29	13	15	-	1	28
4	1	2	1	-	2	1	1	-	-	34	18	14	2	-	29
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	30
4	2	2	-	-	5	2	3	-	-	61	35	19	3	4	31
5	1	3	1	-	5	2	3	-	-	27	16	7	2	2	32
77	36	31	3	7	237	104	133	-	-	1,691	640	839	71	141	33
-	-	-	-	-	-	-	-	-	-	6	2	2	-	2	34
-	-	-	-	-	2	-	2	-	-	13	3	10	-	-	35
-	-	-	-	-	2	-	2	-	-	16	1	13	-	2	36
56	24	23	3	6	187	77	110	-	-	1,431	543	722	54	112	37
-	-	-	-	-	1	1	-	-	-	8	3	2	1	2	38
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	12	4	6	1	1	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
10	5	5	-	-	12	5	7	-	-	70	24	33	6	5	42
-	-	-	-	-	4	2	2	-	-	18	8	9	1	-	43
11	7	3	-	1	29	19	10	-	-	116	49	42	8	17	44
12	5	5	2	-	18	7	11	-	-	197	65	95	18	19	45
6	2	3	1	-	13	4	9	-	-	121	38	57	15	11	46
1	1	-	-	-	-	-	-	-	-	14	4	10	-	-	47
2	-	2	-	-	3	1	2	-	-	24	5	9	7	3	48
1	-	1	-	-	4	3	1	-	-	44	20	21	1	2	49
2	1	1	1	-	6	6	-	-	-	39	9	17	7	6	50
2	1	1	1	-	2	1	1	-	-	29	13	13	1	2	51
4	2	1	1	-	3	2	1	-	-	47	14	25	2	6	52
54	38	12	2	2	23	12	11	-	-	153	70	37	31	15	53
-	-	-	-	-	4	1	3	-	-	19	9	9	-	1	54
6	5	-	1	-	2	2	-	-	-	15	10	-	5	-	55
-	-	-	-	-	1	-	1	-	-	8	4	4	-	-	56
37	27	10	-	-	14	8	6	-	-	71	31	11	17	12	57
10	5	2	1	2	2	1	1	-	-	32	12	10	9	1	58
1	1	-	-	-	-	-	-	-	-	8	4	3	-	1	59
51	24	20	4	3	72	36	36	-	-	489	223	203	38	25	60
4	1	2	1	-	4	3	1	-	-	47	15	24	6	2	61
1	1	1	-	-	4	4	-	-	-	17	10	5	1	1	62
5	2	3	-	-	14	5	9	-	-	64	20	36	3	5	63
6	4	1	1	-	12	5	7	-	-	96	56	36	1	3	64
-	-	-	-	-	4	4	-	-	-	14	2	8	2	2	65
12	6	3	2	1	5	1	4	-	-	38	14	12	8	4	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	2	1	1	-	-	2	1	-	1	-	70
23	10	11	1	1	27	13	14	-	-	209	105	80	16	8	71
1,906	1,104	704	52	46	4,080	2,168	1,902	2	8	37,161	17,822	16,429	1,518	1,392	72
-	-	-	-	-	-	-	-	-	-	10	3	2	4	1	73
31	15	12	3	1	55	22	32	-	1	529	188	308	16	17	74
8	3	4	1	-	16	3	13	-	-	160	40	110	4	6	75
11	6	3	1	1	19	8	11	-	-	127	75	42	5	5	76
1	-	-	1	-	5	4	-	-	1	22	9	13	-	-	77
11	6	5	-	-	15	7	8	-	-	220	64	143	7	6	78
22	11	10	-	1	99	41	58	-	-	946	205	243	50	48	79
2	-	2	-	-	2	1	1	-	-	25	8	7	8	2	80
3	2	1	-	-	10	2	8	-	-	21	10	10	-	1	81
9	3	5	-	1	34	13	21	-	-	238	75	112	22	29	82
5	4	1	-	-	27	13	14	-	-	151	71	66	5	9	83
3	2	1	-	-	26	12	14	-	-	111	41	48	15	7	84

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	NEBRASKA				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	5,074	2,776	2,196	64	38
02 WITH HYPERTENSIVE DISEASE (.0).....	372	156	203	7	6
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	4,702	2,620	1,993	57	32
04 ACUTE MYOCARDIAL INFARCTION.....410	2,777	1,657	1,084	25	11
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	23	16	6	1	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	2,274	1,103	1,106	38	27
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	373	198	165	6	4
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	5	3	2	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	3	2	1	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	19	7	12	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	1	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	18	6	12	-	-
15 SYMPTOMATIC HEART DISEASE.....427	204	104	94	3	3
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	37	14	23	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	105	68	33	3	1
18 CEREBROVASCULAR DISEASES.....430-438	1,895	801	1,054	20	20
19 WITH HYPERTENSION (BENIGN) (.0).....	192	74	110	3	5
20 WITHOUT MENTION OF HYPERTENSION (.9).....	1,703	727	944	17	15
21 SUBARACHNOID HEMORRHAGE.....430	55	17	33	4	1
22 CEREBRAL HEMORRHAGE.....431	264	119	137	2	6
23 CEREBRAL THROMBOSIS.....433	431	194	226	5	6
24 CEREBRAL EMBOLISM.....434	13	6	6	-	1
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	26	9	17	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	664	271	383	6	4
27 OTHER CEREBROVASCULAR DISEASES.....437,438	442	185	252	3	2
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	575	281	289	2	3
29 ARTERIOSCLEROSIS.....440	342	142	198	1	1
30 AORTIC ANEURYSM (NONSPHYLLITIC).....441	119	82	36	-	1
31 GANGRENE.....445	27	13	13	1	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	87	44	42	-	1
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	126	62	62	2	-
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	100	50	49	1	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	26	12	13	1	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	971	589	352	17	13
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	11	6	5	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	3	1	2	-	-
39 INFLUENZA.....470-474	47	14	33	-	-
40 PNEUMONIA.....480-486	460	232	212	8	8
41 VIRAL PNEUMONIA.....480	19	10	8	-	1
42 BACTERIAL PNEUMONIA.....481,482	48	21	23	2	2
43 ACUTE INTERSTITIAL PNEUMONIA.....484	2	1	1	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	136	67	63	5	1
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	255	133	117	1	4
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	225	177	43	4	1
47 BRONCHITIS, UNQUALIFIED.....490	9	5	3	1	-
48 CHRONIC BRONCHITIS.....491	45	34	9	2	-
49 EMPHYSEMA.....492	157	134	21	1	1
50 ASTHMA.....493	14	4	10	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	1	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	12	7	4	-	1
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	24	12	12	-	-
55 BRONCHIECTASIS.....518	3	1	2	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	185	138	39	5	3
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	504	256	223	11	14
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	76	47	28	1	-
60 ULCER OF STOMACH.....531	33	15	17	1	-
61 ULCER OF DUODENUM.....532	40	29	11	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	3	3	-	-	-
63 GASTRITIS AND DUODENITIS.....535	4	2	2	-	-
64 APPENDICITIS.....540-543	12	10	2	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	55	23	31	-	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	1	1	-	-	-
67 DIVERTICULA OF INTESTINE.....562	36	12	23	-	1
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	9	7	2	-	-
69 CIRRHOSIS OF LIVER.....571	167	96	56	6	9
70 ALCOHOLIC.....571.0	109	67	30	6	6
71 OTHER SPECIFIED.....571.8	21	10	9	-	2
72 UNSPECIFIED.....571.9	37	19	17	-	1
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	30	10	18	1	1
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	114	48	61	3	2
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	163	80	79	-	4
76 NEPHRITIS AND NEPHROSIS.....580-584	50	22	26	-	2
77 ACUTE NEPHRITIS.....580	7	5	2	-	-
78 NEPHROTIC SYNDROME.....581	3	-	3	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	40	17	21	-	2
80 INFECTIONS OF KIDNEY.....590	35	11	24	-	-
81 CALCULI OF URINARY SYSTEM.....592,594	4	2	2	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	49	29	20	-	-
83 HYPERPLASTA OF PROSTATE.....600	13	13	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	12	3	7	-	2
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	3	...	2	...	1
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,156	725	380	30	21	2,530	1,465	1,060	1	4	26,362	13,504	11,008	983	867	01
102	48	46	3	5	267	127	140	-	-	2,975	1,283	1,409	108	175	02
1,054	677	334	27	16	2,263	1,338	920	1	4	23,387	12,221	9,599	875	692	03
708	495	186	17	10	1,431	896	532	1	2	12,701	7,443	4,502	425	331	04
8	5	3	-	-	12	8	4	-	-	64	27	28	6	3	05
438	224	191	12	11	1,087	561	524	-	2	13,592	6,030	6,478	551	533	06
2	1	-	1	-	-	-	-	-	-	5	4	-	1	-	07
101	53	43	1	4	139	73	65	-	1	1,026	465	413	89	59	08
2	-	1	1	-	-	-	-	-	-	12	6	6	-	-	09
1	-	-	-	-	2	2	-	-	-	25	12	9	3	1	10
1	-	1	-	-	8	2	6	-	-	21	12	6	3	-	11
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	12
-	-	-	-	-	6	2	4	-	-	15	3	2	1	-	13
-	-	-	-	-	6	1	1	-	-	6	9	4	2	-	14
63	30	31	-	2	89	50	38	-	1	752	320	313	66	53	15
11	4	5	-	2	18	6	12	-	-	45	21	20	2	2	16
24	19	5	-	-	22	13	9	-	-	171	94	59	15	3	17
450	220	204	12	14	900	385	512	1	2	6,376	2,380	3,396	281	319	18
54	20	27	2	5	88	41	46	1	-	787	273	390	54	70	19
396	200	177	10	9	812	344	466	-	2	5,589	2,107	3,006	227	249	20
24	11	13	-	-	34	10	23	1	-	299	93	163	19	24	21
57	27	25	1	4	155	67	86	-	-	1,051	405	515	72	59	22
83	37	41	3	2	254	118	136	-	-	2,101	779	1,164	65	93	23
2	1	-	-	1	-	-	-	-	-	36	11	25	-	-	24
7	4	3	-	-	11	6	5	-	-	82	36	40	2	4	25
146	76	62	5	3	232	97	135	-	-	1,527	579	783	75	90	26
131	64	60	3	4	214	87	125	-	2	1,280	477	706	48	49	27
102	59	36	5	2	299	146	153	-	-	1,635	819	722	46	48	28
40	20	18	-	2	179	66	113	-	-	767	297	432	22	16	29
36	29	5	2	-	62	42	20	-	-	518	364	126	14	14	30
7	2	3	2	-	10	9	1	-	-	92	36	48	1	7	31
19	8	10	1	-	48	29	19	-	-	258	122	116	9	11	32
44	21	19	1	3	58	36	22	-	-	677	258	337	49	33	33
44	21	19	1	3	51	29	22	-	-	611	224	314	44	29	34
-	-	-	-	-	7	7	-	-	-	66	34	23	5	4	35
291	181	95	8	7	411	270	138	2	1	3,309	1,856	1,144	192	117	36
1	1	-	-	-	1	1	-	-	-	4	1	3	-	-	37
9	5	1	2	1	3	2	1	-	-	35	16	14	3	2	38
-	-	-	-	-	7	5	2	-	-	40	18	20	-	2	39
91	54	31	3	3	179	99	78	1	1	1,712	826	710	108	68	40
3	1	2	-	-	4	1	3	-	-	55	19	31	-	5	41
5	2	2	-	1	12	8	4	-	-	201	94	84	16	7	42
5	4	1	-	-	1	1	-	-	-	9	2	4	2	1	43
16	9	7	-	-	55	27	28	-	-	787	402	318	44	23	44
62	38	19	3	2	107	62	43	1	1	660	309	273	46	32	45
88	54	34	-	-	133	99	34	-	-	745	502	191	29	23	46
2	1	1	-	-	3	1	2	-	-	13	7	5	1	-	47
7	3	4	-	-	29	19	10	-	-	153	99	44	7	3	48
75	48	27	-	-	94	76	18	-	-	535	386	123	17	9	49
4	2	2	-	-	7	3	4	-	-	44	10	19	4	11	50
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	51
2	1	-	-	1	1	1	-	-	-	44	21	14	5	4	52
2	-	1	1	-	1	1	-	-	-	14	8	6	-	-	53
6	3	3	-	-	14	7	7	-	-	104	57	40	4	3	54
3	1	2	-	-	3	2	1	-	-	19	9	7	3	-	55
89	62	23	2	2	69	53	15	1	-	590	398	138	39	15	56
227	118	80	15	14	290	166	124	-	-	2,615	1,272	978	217	148	57
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	58
10	4	5	-	1	26	19	7	-	-	265	147	93	21	4	59
5	1	3	-	1	8	4	4	-	-	114	64	40	7	3	60
4	2	2	-	-	15	12	3	-	-	126	68	43	14	1	61
1	1	-	-	-	3	3	-	-	-	25	15	10	-	-	62
1	1	1	-	-	6	4	2	-	-	29	17	7	4	1	63
4	3	-	1	-	2	1	1	-	-	22	8	8	4	2	64
18	6	10	1	1	23	9	14	-	-	210	69	123	7	11	65
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	66
4	2	1	-	1	13	6	7	-	-	128	39	76	4	9	67
4	1	3	-	-	5	2	3	-	-	34	15	17	2	-	68
128	67	43	10	8	126	84	42	-	-	1,293	694	386	128	85	69
55	30	16	5	4	49	38	11	-	-	389	232	95	35	27	70
14	5	6	2	1	13	7	6	-	-	163	72	54	22	15	71
59	32	21	3	3	64	39	25	-	-	741	390	237	71	43	72
10	6	4	-	-	15	9	6	-	-	124	50	70	-	4	73
48	29	13	3	3	74	32	42	-	-	506	233	195	47	31	74
47	23	17	5	2	89	53	36	-	-	827	361	314	86	66	75
13	6	6	-	1	22	11	11	-	-	277	117	90	40	30	76
1	1	-	-	-	6	3	3	-	-	52	24	20	5	3	77
-	-	-	-	-	-	-	-	-	-	10	3	3	3	1	78
12	5	6	-	1	16	8	8	-	-	215	90	67	32	26	79
7	4	3	-	-	16	8	8	-	-	161	61	74	10	16	80
3	-	1	1	-	2	1	1	-	-	22	10	9	1	2	81
17	9	4	4	-	32	19	13	-	-	270	105	120	32	13	82
2	2	-	-	-	8	8	-	-	-	63	61	-	2	-	83
-	-	...	-	...	-	-	-	-	-	1	-	-	-	-	84
5	2	3	-	-	9	6	3	-	-	33	7	20	1	5	85
-	...	-	...	-	1	...	1	...	-	12	...	10	...	2	86
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	87
-	...	-	...	-	-	...	-	...	-	3	...	-	...	-	88
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		NEBRASKA				
		Total	White		All others	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	-	...	-	...	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	3	...	2	...	1
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	11	5	6	-	-
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	4	2	2	-	-
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	7	3	4	-	-
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	57	19	36	2	-
13	ARTHRITIS AND SPONDYLITIS.....710-715	29	11	16	2	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	1	1	-	-	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	2	1	1	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	25	6	19	-	-
18	XIV. CONGENITAL ANOMALIES.....	96	52	40	3	1
19	SPINA BIFIDA.....741	2	-	2	-	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	23	10	13	-	-
21	CONGENITAL ANOMALIES OF HEART.....746	35	20	13	1	1
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	10	8	1	1	-
23	CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	26	14	11	1	-
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	205	105	73	11	16
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	112	58	49	4	1
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	12	5	7	-	-
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	100	53	42	4	1
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,124	731	314	61	10
30	ACCIDENTS.....E800-E949	880	565	267	33	15
31	RAILWAY ACCIDENTS.....E800-E807	8	7	1	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	409	270	117	16	6
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	396	259	115	16	6
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	31	19	12	-	-
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	180	110	59	7	4
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	31	18	9	4	-
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	56	38	13	3	2
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	85	65	18	2	-
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	13	9	4	-	-
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	13	11	2	-	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	1	1	-	-	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	2	2	-	-	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	6	6	-	-	-
44	ACCIDENTAL POISONING.....E850-E877	38	22	14	2	-
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	18	10	7	1	-
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	8	4	3	1	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	12	8	4	4	-
48	ACCIDENTAL FALLS.....E880-E887	156	64	85	4	3
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	42	28	12	2	-
50	FALL ON SAME LEVEL.....E885,E886	22	6	14	-	2
51	OTHER AND UNSPECIFIED FALLS.....E887	92	30	59	2	1
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	33	22	5	4	2
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	44	34	6	4	-
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	24	12	10	2	-
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	30	25	3	1	1
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	68	62	6	-	-
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	1	1	-	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	4	3	1	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	2	2	-	-	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	17	16	1	-	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	44	40	4	-	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	13	7	4	-	-
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	48	31	16	-	1
64	SUICIDE.....E950-E959	160	127	31	1	1
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	8	4	2	-	1
66	SUICIDE FROM POISONING BY GASES.....E951,E952	19	12	7	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	28	21	7	-	-
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	100	87	12	1	-
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	5	3	2	-	-
70	HOMICIDE.....E960-E978	62	25	9	27	1
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	43	19	7	16	1
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	9	-	1	8	-
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	6	4	1	1	-
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	4	2	-	2	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	21	13	7	-	1
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	03
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	04
-	...	-	...	-	-	...	-	...	-	4	...	3	...	1	05
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	06
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
4	2	1	-	1	9	3	6	-	-	81	25	44	8	4	09
3	1	1	-	1	1	1	-	-	-	18	5	9	3	1	10
1	1	-	-	-	8	2	6	-	-	63	20	35	5	3	11
8	2	5	1	-	29	6	23	-	-	153	45	90	6	12	12
3	1	1	1	-	17	4	13	-	-	46	15	29	-	2	13
1	1	-	-	-	2	-	2	-	-	8	3	4	1	1	14
4	-	4	-	-	1	1	-	-	-	6	3	1	1	1	15
31	11	16	1	3	52	25	27	-	-	7	1	6	5	8	16
-	-	-	-	-	2	1	1	-	-	86	23	50	5	8	17
4	-	4	-	-	9	6	3	-	-	19	8	7	1	3	19
10	6	2	-	2	19	8	11	-	-	74	27	30	6	11	20
3	1	2	-	-	4	1	3	-	-	167	71	69	17	10	21
14	4	8	1	1	18	9	9	-	-	36	19	13	1	3	22
99	49	24	16	10	91	51	38	2	-	1	42	57	11	12	23
55	28	22	2	3	203	127	76	-	-	122	42	57	11	12	24
3	1	2	-	-	3	1	2	-	-	868	346	255	149	118	25
52	27	20	2	3	200	126	74	-	-	636	256	176	137	67	26
637	384	181	58	14	500	331	165	3	1	22	4	16	-	2	27
387	241	108	33	5	352	228	122	1	1	614	252	160	137	65	28
2	1	1	-	-	153	115	37	1	-	2,653	1,461	756	314	122	30
185	113	52	18	2	150	113	36	1	-	20	10	6	4	-	31
183	113	50	18	2	150	113	36	1	-	1,123	706	246	120	51	32
5	2	2	1	-	-	-	-	-	-	1,100	693	237	119	51	33
55	35	15	4	1	46	32	14	-	-	9	8	-	1	-	34
21	11	9	1	-	21	12	8	1	-	350	204	97	30	19	35
11	8	2	1	-	35	29	6	-	-	304	165	80	45	14	36
39	26	8	4	1	39	33	6	-	-	126	91	14	15	6	37
52	31	14	7	-	9	7	2	-	-	277	206	37	23	11	38
2	2	2	-	-	3	2	1	-	-	34	19	9	5	1	39
1	5	1	-	-	11	10	1	-	-	23	13	9	1	1	40
25	16	9	-	-	8	6	2	-	-	8	4	3	1	1	41
22	15	4	1	2	9	4	5	-	-	25	21	2	2	-	42
10	7	2	-	1	3	2	1	-	-	39	29	9	1	-	43
9	5	2	-	1	3	2	1	-	-	170	87	31	45	7	44
3	3	2	-	1	3	2	1	-	-	103	46	15	36	5	45
30	19	8	3	-	72	31	40	-	-	20	13	2	4	1	46
9	9	2	-	-	14	9	4	-	-	47	28	15	5	1	47
4	4	2	-	-	3	3	2	-	-	551	231	267	35	18	48
17	8	6	3	-	55	19	36	-	-	164	79	60	21	4	49
17	8	2	-	-	55	19	36	-	-	28	9	17	1	1	50
24	18	8	4	-	25	17	8	-	-	359	143	179	15	15	51
11	5	4	2	-	14	11	3	-	-	188	72	69	24	21	52
11	10	2	-	-	7	3	4	-	-	150	82	22	37	9	53
20	16	2	1	1	16	15	1	-	-	75	41	28	2	4	54
2	1	1	1	-	1	1	-	-	-	25	18	2	5	-	55
4	2	1	1	-	1	1	-	-	-	103	76	10	13	4	56
1	-	1	-	-	1	1	-	-	-	3	1	-	1	1	57
6	6	1	-	-	2	2	-	-	-	8	6	2	-	-	58
7	7	-	-	-	1	1	-	-	-	17	8	3	4	2	59
10	4	5	1	-	11	10	1	-	-	21	18	-	2	1	60
24	10	11	3	-	15	4	11	-	-	54	43	5	6	-	61
155	100	46	6	3	112	82	29	1	-	78	37	31	7	3	62
27	9	17	1	1	10	4	6	-	-	98	47	30	16	5	63
6	3	3	-	-	14	5	8	1	-	540	356	150	27	7	64
9	7	1	1	-	15	9	6	-	-	60	29	29	1	1	65
106	76	23	5	2	65	60	5	-	-	77	43	32	1	1	66
7	5	2	-	-	8	4	4	-	-	177	123	45	7	2	67
78	35	21	17	5	24	12	11	1	-	162	123	26	12	1	68
61	29	12	17	3	19	9	9	1	-	64	38	18	6	2	69
4	4	2	-	-	4	3	1	-	-	511	191	72	200	48	70
13	4	7	-	-	1	1	1	-	-	254	112	28	99	15	71
-	-	-	-	-	-	-	-	-	-	148	41	19	72	16	72
-	-	-	-	-	-	-	-	-	-	99	34	24	24	17	73
-	-	-	-	-	-	-	-	-	-	10	4	1	5	-	74
16	8	6	1	1	12	9	3	-	-	153	82	43	22	6	76
1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	77

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		NEW MEXICO				
		Total	White		All others	
			Male	Female	Male	Female
01	ALL CAUSES.....	8,030	4,207	2,990	516	317
02	I. INFECTIVE AND PARASITIC DISEASES.....	108	40	40	14	14
03	CHOLERA.....000	-	-	-	-	-
04	TYPHOID FEVER.....001	-	-	-	-	-
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	1	-	-	-	1
07	FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	23	5	8	3	6
09	TUBERCULOSIS, ALL FORMS.....010-019	23	11	6	4	2
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	18	9	4	3	2
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	1	-	-
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13	TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14	DISSEMINATED TUBERCULOSIS.....018	3	1	1	1	-
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	1	1	-	-	-
16	PLAGUE.....020	1	-	-	-	1
17	ANTHRAX.....022	-	-	-	-	-
18	BRUCELLOSIS.....023	-	-	-	-	-
19	LEPROSY.....030	-	-	-	-	-
20	DIPHTHERIA.....032	-	-	-	-	-
21	WHOOPING COUGH.....033	1	-	1	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23	ERYSIPELAS.....035	-	-	-	-	-
24	MENINGOCOCCAL INFECTIONS.....036	2	-	-	1	1
25	TETANUS.....037	1	-	1	-	-
26	SEPTICEMIA.....038	32	11	12	6	3
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	1	1	-	-	-
28	ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30	SMALLPOX.....050	-	-	-	-	-
31	MEASLES.....055	1	-	1	-	-
32	YELLOW FEVER.....060	-	-	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	2	2	-	-	-
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35	INFECTIOUS HEPATITIS.....070	1	-	1	-	-
36	RABIES.....071	-	-	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	10	3	7	-	-
38	TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39	MALARIA.....084	-	-	-	-	-
40	TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	1	1	-	-	-
43	CONGENITAL SYPHILIS.....090	-	-	-	-	-
44	EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	-	-	-	-	-
46	OTHER CARDIOVASCULAR SYPHILIS.....093,9	1	1	-	-	-
47	TABES DORSALIS.....094,0	-	-	-	-	-
48	GENERAL PARESIS.....094,1	-	-	-	-	-
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50	ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51	GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52	SCHISTOSOMIASIS.....120	-	-	-	-	-
53	HYDATIDOSIS.....122	-	-	-	-	-
54	FILARIAL INFESTATIONS.....125	-	-	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-	-
56	OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	9	6	3	-	-
58	II. NEOPLASMS.....	1,318	641	610	33	34
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,289	622	603	33	31
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	22	15	6	1	-
61	OF LIP.....140	-	-	-	-	-
62	OF TONGUE.....141	8	6	1	1	-
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	3	2	1	-	-
64	OF PHARYNX.....146-149	11	7	4	-	-
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	362	163	176	11	12
66	OF ESOPHAGUS.....150	16	12	4	-	-
67	OF STOMACH.....151	79	43	31	5	-
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	3	3	-	-	-
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	134	58	71	2	3
70	CECUM, APPENDIX, AND ASCENDING COLON.....153,0	17	6	10	-	1
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	3	-	3	-	-
72	DESCENDING COLON.....153,2	4	2	2	-	-
73	SIGMOID COLON.....153,3	8	4	4	-	-
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	91	43	46	1	1
75	INTESTINAL TRACT, PART UNSPECIFIED.....153,9	11	3	6	1	1
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	16	11	4	1	-
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	11	4	5	1	1
78	OF GALLBLADDER AND BILE DUCTS.....156	28	4	21	-	3
79	OF PANCREAS.....157	69	27	37	2	3
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	6	1	3	-	2
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	253	165	80	7	1
82	OF LARYNX.....161	8	6	2	-	-
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	240	156	76	7	1
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	5	3	2	-	-
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	146	19	120	1	6
86	OF BONE.....170	5	3	1	-	1
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	7	4	2	1	-
88	OF SKIN.....172,173	16	11	5	-	-
89	OF BREAST.....174	118	1	112	-	5

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
176,959	83,488	74,291	10,847	8,333	46,278	19,686	14,658	6,857	5,077	5,766	3,320	2,290	106	50	01
1,369	570	482	187	130	449	138	131	106	74	45	30	15	-	-	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	04
3	2	-	1	-	1	-	1	-	-	-	-	-	-	-	05
3	1	1	1	-	1	1	-	-	-	-	-	-	-	-	06
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	07
154	61	72	11	10	43	8	19	10	6	15	8	7	-	-	08
357	162	75	83	37	108	35	17	42	14	8	8	-	-	-	09
293	134	59	69	31	78	26	11	31	10	5	5	-	-	-	10
5	-	-	4	1	1	-	-	-	1	-	-	-	-	-	11
3	-	1	1	1	1	-	-	-	-	-	-	-	-	-	12
3	1	1	1	1	2	1	1	1	1	-	-	-	-	-	13
13	3	4	3	3	11	1	-	9	1	1	-	-	-	-	14
40	24	10	6	6	16	7	5	2	2	3	3	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
3	1	2	-	-	1	-	-	-	-	-	-	-	-	-	21
2	2	-	-	-	1	-	-	-	1	-	-	-	-	-	22
1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	23
18	8	8	1	1	15	7	4	1	3	2	1	1	-	-	24
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	25
487	209	179	54	45	155	43	54	29	29	6	4	2	-	-	26
68	27	25	10	6	17	6	8	1	2	2	2	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
9	3	6	-	-	4	1	3	-	-	1	-	1	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
2	1	-	1	-	1	-	-	1	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
17	7	8	-	2	3	-	1	1	1	2	1	1	-	-	33
1	1	-	-	-	2	2	-	-	-	1	1	-	-	-	34
58	20	25	4	9	13	6	4	1	2	3	2	1	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
61	27	28	3	3	24	5	11	4	4	2	1	1	-	-	37
1	1	-	-	-	9	6	1	2	-	-	-	-	-	-	38
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
20	5	8	5	2	6	2	-	4	-	1	1	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	-	1	-	1	-	-	-	-	-	1	1	-	-	-	45
9	2	2	4	1	1	-	-	1	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
5	1	4	-	-	2	-	-	2	-	-	-	-	-	-	48
3	2	-	1	-	3	2	-	1	-	-	-	-	-	-	49
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	56
95	27	41	12	15	44	16	7	9	12	2	1	1	-	-	57
36,005	16,873	15,649	1,927	1,556	7,673	3,288	2,660	987	738	1,051	582	456	7	6	58
35,435	16,611	15,414	1,904	1,506	7,537	3,241	2,601	976	719	1,044	580	451	7	6	59
758	456	183	90	29	180	97	38	34	11	18	14	4	-	-	60
9	7	1	1	8	6	1	1	-	1	1	1	-	-	-	61
174	112	37	18	7	34	16	5	13	-	3	2	1	-	-	62
216	123	66	24	3	65	31	20	7	7	3	-	3	-	-	63
399	214	79	47	19	73	44	12	14	3	11	11	-	-	-	64
10,953	5,118	4,750	625	460	1,778	718	648	223	189	292	166	123	1	2	65
730	398	151	134	47	134	61	19	42	12	12	10	2	-	-	66
1,772	891	649	142	90	260	97	76	54	33	57	36	21	-	-	67
60	30	23	4	3	14	4	8	1	1	4	2	2	-	-	68
4,345	1,932	2,121	145	147	706	250	309	57	90	106	55	51	-	-	69
475	192	251	18	14	71	32	30	5	4	19	10	9	-	-	70
154	70	70	10	4	21	8	9	3	1	6	3	3	-	-	71
97	56	33	3	5	11	4	6	1	-	2	2	-	-	-	72
509	229	251	13	16	62	23	24	4	11	10	3	7	-	-	73
2,936	1,311	1,423	96	106	516	176	227	43	70	64	34	30	-	-	74
174	74	93	5	2	25	7	13	1	4	5	3	2	-	-	75
1,206	599	523	47	37	143	65	52	13	13	35	23	11	1	-	76
266	142	64	49	11	34	17	10	4	3	5	3	1	-	1	77
485	152	307	8	18	71	25	35	4	7	22	10	11	-	1	78
1,934	913	835	84	102	395	190	131	47	27	48	25	23	-	-	79
155	61	77	12	5	21	9	8	1	3	3	2	1	-	-	80
7,756	5,185	1,789	618	164	1,726	1,131	245	295	55	173	130	37	5	1	81
379	282	37	52	8	72	49	6	16	1	9	8	1	-	-	82
7,256	4,832	1,710	561	153	1,619	1,063	227	276	53	162	121	35	5	1	83
121	71	42	5	3	35	19	12	3	1	2	1	1	-	-	84
4,331	438	3,584	27	282	871	112	602	14	143	107	8	97	-	2	85
185	88	81	12	4	43	19	12	7	5	1	1	-	-	-	86
127	67	52	3	5	33	16	9	5	3	5	2	3	-	-	87
454	252	184	10	8	129	76	51	1	1	12	5	6	-	1	88
3,565	31	3,267	2	265	666	1	530	1	134	89	-	88	-	1	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All others	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	176	77	89	5	5
02 OF CERVIX UTERI.....180	29	---	27	---	2
03 OF OTHER PARTS OF UTERUS.....181,182	17	---	17	---	---
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	44	---	43	---	1
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	4	---	2	---	2
06 OF PROSTATE.....185	77	72	---	5	---
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	5	5	---	---	---
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	64	49	15	---	---
09 OF BLADDER.....188	37	28	9	---	---
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	27	21	6	---	---
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	155	74	72	5	4
12 OF EYE.....190	---	---	---	---	---
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	30	19	11	---	---
14 OF THYROID GLAND.....193	3	1	2	---	---
15 OTHER.....194-199	122	54	59	5	4
16 LEUKEMIA.....204-207	54	31	20	1	2
17 LYMPHATIC LEUKEMIA.....204	19	10	8	1	---
18 MYELOID LEUKEMIA.....205	17	10	7	---	---
19 MONOCYtic LEUKEMIA.....206	1	---	---	---	1
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	17	11	5	---	1
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	57	29	25	2	1
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	15	9	6	---	---
23 HODGKIN'S DISEASE.....201	11	6	5	---	---
24 MULTIPLE MYELOMA.....203	14	5	6	2	1
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	17	9	8	---	---
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	29	19	7	---	3
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	1	---	1	---	---
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	3	---	2	---	1
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	5	3	1	---	1
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	1	---	1	---	---
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	15	13	2	---	---
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	4	3	---	---	1
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	235	86	127	12	10
34 NONTOTOXIC GOITER.....240,241	---	---	---	---	---
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	---	1	---	---
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	3	---	2	---	1
37 DIABETES MELLITUS.....250	170	63	91	10	6
38 DISEASES OF PITUITARY GLAND.....253	1	---	1	---	---
39 DISEASES OF THYRUS GLAND.....254	---	---	---	---	---
40 DISEASES OF ADRENAL GLAND.....255	3	1	2	---	---
41 NIACIN DEFICIENCY.....262	---	---	---	---	---
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	20	4	12	2	2
43 CYSTIC FIBROSIS.....273-0	3	---	1	---	---
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	34	16	17	---	1
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	19	8	8	1	2
46 ANEMIAS.....280-285	10	5	4	---	1
47 DEFICIENCY ANEMIAS.....280,281	3	3	---	---	---
48 HEMOLYTIC ANEMIAS.....282,283	3	1	1	---	1
49 APLASTIC ANEMIA.....284	1	1	---	---	---
50 OTHER AND UNSPECIFIED ANEMIAS.....285	3	---	3	---	---
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	---	---	---	---	---
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	9	3	4	1	1
53 V. MENTAL DISORDERS.....	154	71	26	43	14
54 SENILE AND PRESENILE DEMENTIAS.....290	7	2	5	---	---
55 ALCOHOLIC PSYCHOSES.....291	2	---	---	2	---
56 ALL OTHER PSYCHOSES.....294-299	1	---	1	---	---
57 ALCOHOLISM.....303	129	58	16	41	14
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-306	14	10	4	---	---
59 MENTAL RETARDATION.....310-315	1	1	---	---	---
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	110	55	37	8	10
61 MENINGITIS.....320	14	6	2	2	4
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	2	1	1	---	---
63 MULTIPLE SCLEROSIS.....340	7	4	3	---	---
64 PARALYSIS AGITANS.....342	15	10	5	---	---
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	9	4	4	1	---
66 EPILEPSY.....345	20	8	9	2	1
67 INFLAMMATORY DISEASES OF EYE.....360-369	---	---	---	---	---
68 CATARACT.....374	---	---	---	---	---
69 GLAUCOMA.....375	---	---	---	---	---
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	1	---	1	---	---
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	42	22	12	3	5
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,973	1,574	1,255	76	68
73 ACTIVE RHEUMATIC FEVER.....390-392	2	---	2	---	---
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	51	17	23	6	5
75 DISEASES OF MITRAL VALVE.....394	7	3	4	---	---
76 DISEASES OF AORTIC VALVE.....395	16	5	6	4	1
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	3	---	1	1	1
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	25	9	12	1	3
79 HYPERTENSIVE DISEASE.....400-404	63	27	32	2	2
80 MALIGNANT HYPERTENSION.....400	1	1	---	---	---
81 ESSENTIAL BENIGN HYPERTENSION.....401	16	6	8	---	2
82 HYPERTENSIVE HEART DISEASE.....402	19	10	7	2	---
83 HYPERTENSIVE RENAL DISEASE.....403	14	4	10	---	---
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	13	6	7	---	---

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1974-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,885	1,488	1,939	192	266	1,018	334	364	183	137	163	88	75	-	01	
472	...	366	...	106	178	...	106	...	72	11	...	11	...	02	
562	...	492	...	70	108	...	78	...	30	10	...	10	...	03	
1,070	...	991	...	79	190	...	164	...	26	50	...	50	...	04	
101	...	90	...	11	25	...	16	...	9	4	...	4	...	05	
1,604	1,474	...	190	...	490	312	...	178	...	88	88	06	
76	2	...	27	22	...	5	07	
1,649	1,052	510	91	36	306	150	94	43	19	68	45	22	1	08	
992	667	268	32	25	165	82	43	28	12	34	29	5	-	09	
657	385	242	19	11	141	68	51	15	7	34	16	17	1	10	
2,899	1,283	1,309	156	151	942	384	336	108	114	104	56	48	-	11	
31	15	14	1	1	6	1	5	-	-	1	-	1	-	12	
657	313	293	30	21	185	90	79	6	10	31	21	10	-	13	
106	36	62	3	5	16	2	7	2	5	3	-	3	-	14	
2,105	919	940	122	124	735	291	245	100	99	69	35	34	-	15	
1,291	665	523	58	45	300	133	114	36	17	52	33	18	-	16	
382	216	135	23	8	88	43	29	10	6	26	16	9	1	17	
597	297	253	19	28	132	59	54	13	6	17	9	8	-	18	
26	16	8	2	-	9	4	3	1	1	3	3	-	-	19	
286	136	127	14	9	71	27	28	12	4	6	5	1	-	20	
1,913	926	827	87	73	416	182	160	40	34	67	40	27	-	21	
787	386	349	31	21	115	58	40	10	7	15	7	8	-	22	
270	135	120	11	4	49	26	15	6	2	6	6	-	-	23	
444	201	183	28	32	139	46	56	16	21	16	10	6	-	24	
412	204	175	17	16	113	52	49	8	4	30	17	13	-	25	
570	262	235	23	50	136	47	59	11	19	7	2	5	-	26	
16	...	6	...	10	6	...	2	...	4	-	27	
63	22	34	2	5	16	5	7	...	2	2	1	1	...	28	
67	34	28	1	4	15	4	8	2	1	1	1	-	...	29	
5	...	2	...	3	-	...	-	...	-	-	30	
288	136	120	13	19	71	29	29	5	8	1	-	1	-	31	
131	70	45	7	9	28	9	13	4	2	3	-	3	-	32	
4,288	1,585	2,060	242	401	1,197	342	454	158	243	127	61	59	6	33	
4	-	3	-	1	-	-	-	-	-	1	1	-	-	34	
27	2	23	-	2	4	-	1	-	3	2	2	-	-	35	
44	7	34	1	2	8	-	5	-	3	2	1	-	-	36	
3,675	1,323	1,785	209	358	985	276	375	130	204	95	44	47	1	37	
18	7	9	1	1	6	1	2	3	-	-	-	-	-	38	
3	1	1	1	-	2	2	-	-	-	-	-	-	-	39	
28	10	14	2	2	12	6	3	1	2	-	-	-	-	40	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	
153	66	70	11	6	54	11	19	15	9	10	4	4	1	42	
53	26	26	-	1	19	10	9	-	-	2	1	1	-	43	
283	143	95	17	28	107	36	40	9	22	15	8	7	-	44	
494	192	227	33	42	125	38	28	26	33	16	8	7	-	45	
292	114	130	19	29	83	24	14	19	26	11	7	4	-	46	
30	10	19	-	1	5	-	2	-	3	1	1	1	-	47	
67	22	21	10	14	21	1	1	10	9	-	-	-	-	48	
99	46	40	6	7	22	12	6	-	4	6	5	1	-	49	
96	36	50	3	7	35	11	5	9	10	3	1	2	-	50	
69	30	30	6	3	12	4	5	1	2	1	1	1	-	51	
133	48	67	8	10	30	10	9	6	5	4	1	2	1	52	
1,103	448	188	341	126	406	160	81	122	43	26	15	8	3	53	
66	30	29	4	3	35	14	19	-	2	5	1	4	-	54	
34	17	1	12	4	25	14	1	9	1	4	3	-	1	55	
22	11	11	-	-	11	3	2	2	4	1	-	1	-	56	
436	175	53	150	58	253	109	25	96	23	14	11	1	2	57	
536	208	92	175	61	67	15	32	11	9	2	-	2	-	58	
9	7	2	-	-	15	5	2	4	4	-	-	-	-	59	
1,368	636	541	111	80	440	160	145	80	55	50	27	23	-	60	
114	45	35	15	19	41	12	5	12	12	3	3	-	-	61	
59	41	15	3	-	19	11	5	3	-	2	2	-	-	62	
166	70	83	7	6	30	6	15	-	9	7	3	-	-	63	
269	146	108	8	7	66	33	30	2	1	14	5	4	-	64	
37	22	7	6	2	29	10	9	7	3	1	1	1	-	65	
133	48	43	28	14	69	18	8	27	16	7	6	-	-	66	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	67	
7	3	2	-	2	-	-	-	-	-	-	-	-	-	68	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	69	
11	6	4	-	1	4	1	2	1	-	-	-	-	-	70	
571	255	244	44	28	182	69	71	28	14	16	8	8	-	71	
94,851	44,603	43,059	3,704	3,485	24,204	10,228	8,323	2,998	2,655	3,096	1,808	1,248	26	14	72
15	7	7	-	1	4	2	1	-	1	-	-	-	-	73	
1,437	543	767	63	64	271	106	108	30	27	42	20	22	-	74	
353	93	227	14	19	71	18	39	6	8	13	2	11	-	75	
374	221	126	17	10	86	45	24	9	8	13	9	4	-	76	
65	24	36	1	4	11	1	9	1	-	5	5	4	-	77	
645	205	378	31	31	103	42	36	14	11	11	5	6	-	78	
1,447	567	677	88	115	503	122	125	125	131	62	31	31	-	79	
55	23	14	9	9	43	7	5	13	18	1	-	1	-	80	
69	27	31	4	7	35	10	11	6	8	2	2	-	-	81	
698	241	322	59	76	124	27	32	26	39	22	9	19	-	82	
390	180	185	10	15	162	35	39	52	36	16	7	11	-	83	
235	96	125	6	8	139	43	38	28	30	19	13	6	-	84	

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,632	982	598	30	22
02 WITH HYPERTENSIVE DISEASE (.0)	147	56	85	2	4
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	1,485	926	513	28	18
04 ACUTE MYOCARDIAL INFARCTION.....410	906	598	276	16	16
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	8	6	2	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	717	377	320	14	6
07 ANGINA PECTORIS.....413	1	1	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	209	100	80	20	9
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE HYOCARDITIS.....420,422	2	1	-	1	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	2	2	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	9	4	4	1	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424-0	2	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424-1	2	2	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424-9	7	2	4	1	-
15 SYMPTOMATIC HEART DISEASE.....427	130	55	54	15	6
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	20	13	7	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	44	25	13	3	3
18 CEREBROVASCULAR DISEASES.....430-438	725	310	382	12	21
19 WITH HYPERTENSION (BENIGN) (.0)	91	30	52	4	5
20 WITHOUT MENTION OF HYPERTENSION (.9)	634	280	330	8	16
21 SUBARACHNOID HEMORRHAGE.....430	25	6	18	-	1
22 CEREBRAL HEMORRHAGE.....431	119	54	60	-	5
23 CEREBRAL THROMBOSIS.....433	155	76	73	1	5
24 CEREBRAL EMBOLISM.....434	3	1	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	10	8	2	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	281	119	148	5	9
27 OTHER CEREBROVASCULAR DISEASES.....437,438	132	46	79	6	1
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	222	107	107	4	4
29 ARTERIOSCLEROSIS.....440	129	53	70	3	3
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	42	32	10	-	-
31 GANGRENE.....445	12	8	4	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	39	14	23	1	1
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	69	31	31	2	5
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	62	29	27	1	5
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	7	2	4	1	-
36 VII. DISEASES OF THE RESPIRATORY SYSTEM.....	586	349	186	32	19
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	4	1	3	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	4	2	1	1	-
39 INFLUENZA.....470-474	5	3	2	-	-
40 PNEUMONIA.....480-486	252	124	92	24	12
41 VITAL PNEUMONIA.....480	3	-	1	1	1
42 BACTERIAL PNEUMONIA.....481,482	35	20	9	3	3
43 ACUTE INTERSTITIAL PNEUMONIA.....484	4	2	2	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	69	42	26	1	-
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	141	60	54	19	8
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	177	131	42	2	2
47 BRONCHITIS, UNQUALIFIED.....490	3	3	-	-	-
48 CHRONIC BRONCHITIS.....491	30	20	8	1	1
49 EMPHYSEMA.....492	132	100	31	-	1
50 ASTHMA.....493	12	8	3	1	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	6	2	4	-	-
53 PLEURISY.....511	1	1	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	19	11	6	1	1
55 BRONCHIECTASIS.....518	5	-	5	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	113	74	31	4	4
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	445	216	150	40	39
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	24	13	9	-	2
60 ULCER OF STOMACH.....531	9	4	4	-	1
61 ULCER OF DUODENUM.....532	14	9	4	-	1
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1	-	1	-	-
63 GASTRITIS AND DUODENITIS.....535	3	1	1	-	1
64 APPENDICITIS.....540-543	7	4	2	-	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	45	20	21	1	3
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	9	4	5	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	4	1	3	-	-
69 CIRRHOSIS OF LIVER.....571	208	116	49	27	16
70 ALCOHOLIC.....571-0	90	45	17	19	9
71 OTHER SPECIFIED.....571-8	21	14	4	2	1
72 UNSPECIFIED.....571-9	97	57	28	6	6
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	31	10	11	3	7
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	114	47	49	9	9
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	116	58	37	14	7
76 NEPHRITIS AND NEPHROSIS.....580-584	35	17	8	6	4
77 ACUTE NEPHRITIS.....580	6	2	3	-	1
78 NEPHROTIC SYNDROME.....581	3	2	-	1	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	26	13	5	5	3
80 INFECTIONS OF KIDNEY.....590	14	3	9	1	1
81 CALCULI OF URINARY SYSTEM.....592,594	3	1	2	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	51	27	16	6	2
83 HYPERPLASIA OF PROSTATE.....600	8	7	-	1	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	5	3	2	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	8	...	7	...	1
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	5	-	4	...	1

SECTION I - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	1	...	1	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	...	2	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XVII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	14	1	11	-	2
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	-	1	-	1
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	12	1	10	-	1
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	42	15	22	1	4
13 ARTHRITIS AND SPONDYLITIS.....710-715	21	8	13	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	2	2	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	2	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	18	5	8	1	4
18 XIV. CONGENITAL ANOMALIES.....	94	54	27	4	9
19 SPINA BIFIDA.....741	4	2	1	-	1
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	9	6	2	1	-
21 CONGENITAL ANOMALIES OF HEART.....746	39	24	11	1	3
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	7	3	3	-	1
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	35	19	10	2	4
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	176	89	70	9	8
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	370	183	121	43	23
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	13	2	3	6	2
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	357	181	118	37	21
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,262	767	256	186	53
30 ACCIDENTS.....E800-E949	906	538	191	131	46
31 RAILWAY ACCIDENTS.....E800-E807	5	2	-	3	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	492	299	87	77	29
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	482	294	86	75	27
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	6	4	2	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	181	104	39	24	14
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	82	43	12	24	3
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	36	30	3	3	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	155	97	26	23	9
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	22	16	4	1	1
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	10	5	1	2	2
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	3	2	1	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	3	3	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	21	18	3	-	-
44 ACCIDENTAL POISONING.....E850-E877	49	30	13	3	3
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	22	15	5	-	2
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	11	6	5	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	16	9	3	3	1
48 ACCIDENTAL FALLS.....E880-E887	86	41	38	5	2
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	26	18	3	3	-
50 FALL ON SAME LEVEL.....E885-E886	3	3	-	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	59	20	35	2	2
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	43	25	11	2	3
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	43	20	7	12	4
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	30	20	8	2	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E921, E922	25	21	1	3	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	33	30	2	1	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	6	6	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	10	9	1	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	17	15	1	1	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	21	8	12	1	-
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	52	19	8	22	3
64 SUICIDE.....E950-E959	192	139	39	13	1
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	24	8	16	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	10	7	3	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	19	14	1	4	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	136	108	18	9	1
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	3	2	1	-	-
70 HOMICIDE.....E960-E978	128	76	17	30	5
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	81	57	12	10	2
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	21	9	1	10	1
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	24	10	4	8	2
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	-	-	2	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	36	14	9	12	1
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	99,254	48,674	41,019	5,332	4,229
02 I. INFECTIVE AND PARASITIC DISEASES.....	679	284	274	66	55
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	1	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	1	-	-	1	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	99	27	56	8	8
09 TUBERCULOSIS, ALL FORMS.....010-019	135	67	33	25	10
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	105	51	26	22	6
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	3	-	1	2	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	2	-	1	-	1
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	1	-	-
14 DISSEMINATED TUBERCULOSIS.....018	6	1	2	1	2
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	18	15	2	-	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	1	-	1	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	2	-	2	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	22	11	8	1	2
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	215	91	90	11	23
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	33	15	17	1	-
28 ACUTE PCLICHMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	4	-	4	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	1	-	-	1	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	9	4	5	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	3	2	1	-	-
35 INFECTIOUS HEPATITIS.....070	23	9	12	1	1
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	49	23	20	4	2
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSCHIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	31	13	8	8	2
43 CONGENITAL SYPHILIS.....090	1	-	-	1	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	16	7	4	3	2
47 TABES DORSALIS.....094.0	1	-	1	-	-
48 GENERAL PARESIS.....094.1	1	1	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	8	4	2	2	-
50 ALL OTHER SYPHILIS.....095,097,0,097.9	4	1	1	2	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	50	21	17	5	7
58 II. NEOPLASMS.....	18,640	9,008	7,843	1,030	759
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	18,403	8,915	7,725	1,020	743
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	389	245	99	32	13
61 OF LIP.....140	2	1	1	-	-
62 OF TONGUE.....141	93	55	24	10	4
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	126	73	40	11	2
64 OF PHARYNX.....146-149	168	116	34	11	7
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	5,069	2,402	2,141	293	233
66 OF ESOPHAGUS.....150	363	216	63	59	25
67 OF STOMACH.....151	673	338	247	62	26
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	36	16	11	5	4
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,122	907	1,055	71	89
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	231	109	103	3	16
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	51	24	22	4	1
72 DESCENDING COLON.....153.2	55	26	25	4	-
73 SIGMOID COLON.....153.3	268	113	140	4	11
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	1,397	588	696	56	57
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	120	47	69	-	4
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	554	298	204	31	21
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	112	59	29	17	7
78 OF GALLBLADDER AND BILE DUCTS.....156	254	87	149	7	11
79 OF PANCREAS.....157	871	445	344	38	44
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	84	36	39	3	6
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	4,334	3,001	879	375	79
82 OF LARYNX.....161	187	135	21	29	2
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	4,088	2,835	838	340	75
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	59	31	20	6	2
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	2,089	249	1,686	19	135
86 OF BONE.....170	99	59	36	2	2
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	59	27	25	4	3
88 OF SKIN.....172,173	260	151	96	10	3
89 OF BREAST.....174	1,671	12	1,529	3	127

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All others	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,209	846	1,125	117	121
02 OF CERVIX UTERI.....180	331	...	290	...	41
03 OF OTHER PARTS OF UTERUS.....181,182	304	...	268	...	36
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	565	...	527	...	38
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	46	...	40	...	6
06 OF PROSTATE.....185	911	797	...	114	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	52	49	...	3	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	877	512	304	34	27
09 OF BLADDER.....188	515	310	170	16	19
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	362	202	134	18	8
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,662	770	743	74	75
12 OF EYE.....190	20	11	7	2	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	422	241	152	13	16
14 OF THYROID GLAND.....193	43	11	31	-	1
15 OTHER.....194-199	1,177	507	553	59	58
16 LEUKEMIA.....204-207	739	389	301	31	18
17 LYMPHATIC LEUKEMIA.....204	253	139	97	11	6
18 MYELOID LEUKEMIA.....205	307	159	127	11	10
19 MONOCYTIC LEUKEMIA.....206	43	21	21	1	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	136	70	56	8	2
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	1,035	501	447	45	42
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	370	180	174	8	8
23 HODGKIN'S DISEASE.....201	144	76	57	5	6
24 MULTIPLE MYELOMA.....203	254	117	93	21	23
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	267	128	123	11	5
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	237	93	118	10	16
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	10	...	8	...	2
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	24	9	12	1	2
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	35	18	13	2	2
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	1	...	1	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	104	46	51	3	4
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	63	20	33	4	6
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,660	994	1,363	104	199
34 NONTOXIC GOITER.....240,241	2	-	2	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	17	4	8	-	5
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	26	7	17	-	2
37 DIABETES MELLITUS.....250	2,215	810	1,142	91	172
38 DISEASES OF PITUITARY GLAND.....253	15	6	7	1	1
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	22	5	17	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	131	54	65	5	7
43 CYSTIC FIBROSIS.....273.0	24	10	14	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	208	98	91	7	12
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	269	122	113	19	15
46 ANEMIAS.....280-285	171	74	75	11	11
47 DEFICIENCY ANEMIAS.....280,281	25	10	13	1	1
48 HEMOLYTIC ANEMIAS.....282,283	28	6	9	7	6
49 APLASTIC ANEMIA.....284	54	29	24	-	1
50 OTHER AND UNSPECIFIED ANEMIAS.....285	64	29	29	3	3
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	29	16	9	3	1
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	69	32	29	5	3
53 V. MENTAL DISORDERS.....	366	165	114	61	26
54 SENILE AND PRESENILE DEMENTIAS.....290	56	23	28	1	4
55 ALCOHOLIC PSYCHOSES.....291	16	9	2	4	1
56 ALL OTHER PSYCHOSES.....294-299	18	7	8	2	1
57 ALCOHOLISM.....303	161	83	21	43	14
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	98	36	47	9	6
59 MENTAL RETARDATION.....310-315	17	7	8	2	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	984	461	410	57	56
61 MENINGITIS.....320	78	30	31	8	9
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	50	39	10	1	-
63 MULTIPLE SCLEROSIS.....340	84	29	50	-	5
64 PARALYSIS AGITANS.....342	174	95	75	4	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	39	19	13	2	5
66 EPILEPSY.....345	92	33	38	13	8
67 INFLAMMATORY DISEASES OF EYE.....360-369	2	1	1	-	-
68 CATARACT.....374	2	1	-	-	1
69 GLAUCOMA.....375	1	-	1	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	7	4	2	1	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	455	210	189	28	28
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	54,698	26,344	24,117	2,195	2,042
73 ACTIVE RHEUMATIC FEVER.....390-392	7	2	3	1	1
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	676	280	343	27	26
75 DISEASES OF MITRAL VALVE.....394	201	60	126	7	8
76 DISEASES OF AORTIC VALVE.....395	195	114	62	11	8
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	21	11	8	2	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	259	95	147	7	10
79 HYPERTENSIVE DISEASE.....400-404	1,208	464	547	100	97
80 MALIGNANT HYPERTENSION.....400	39	14	17	7	1
81 ESSENTIAL BENIGN HYPERTENSION.....401	61	25	28	5	3
82 HYPERTENSIVE HEART DISEASE.....402	364	121	178	33	32
83 HYPERTENSIVE RENAL DISEASE.....403	263	123	105	19	16
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	481	181	219	36	45

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	35,853	18,460	14,736	1,427	1,230
02 WITH HYPERTENSIVE DISEASE (.0).....	4,903	1,917	2,283	329	374
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	30,950	16,543	12,453	1,098	856
04 ACUTE MYOCARDIAL INFARCTION.....410	16,781	9,995	5,915	486	385
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	184	110	66	3	5
06 CHRONIC ISCHEMIC HEART DISEASE.....412	18,882	8,353	8,753	937	839
07 ANGINA PECTORIS.....413	6	2	2	1	1
08 OTHER FORMS OF HEART DISEASE.....420-429	2,026	937	865	117	107
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	21	7	12	2	2
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	33	12	12	3	6
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	52	23	24	3	2
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	3	2	1	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	8	4	4	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	41	17	19	3	2
15 SYMPTOMATIC HEART DISEASE.....427	1,394	630	618	75	71
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	146	61	68	8	9
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	380	204	131	26	19
18 CEREBROVASCULAR DISEASES.....430-438	10,690	4,293	5,584	380	433
19 WITH HYPERTENSION (BENIGN) (.0).....	1,310	458	691	70	91
20 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	9,380	3,835	4,893	310	342
21 SUBARACHNOID HEMORRHAGE.....430	463	161	228	29	45
22 CEREBRAL HEMORRHAGE.....431	1,568	620	810	64	74
23 CEREBRAL THROMBOSIS.....433	2,928	1,219	1,499	106	104
24 CEREBRAL EMBOLISM.....434	45	15	26	2	2
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	223	107	105	8	3
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	3,355	1,377	1,707	118	153
27 OTHER CEREBROVASCULAR DISEASES.....437,438	2,108	794	1,209	53	52
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	3,321	1,539	1,608	86	88
29 ARTERIOSCLEROSIS.....440	1,933	754	1,090	38	31
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	778	531	206	28	13
31 GANGRENE.....445	167	68	86	5	8
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	443	186	226	15	16
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	917	369	431	57	60
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	834	329	396	52	57
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	83	40	35	5	3
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	5,322	3,114	1,733	319	156
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	38	11	16	6	5
38 ACUTE BRONCHITIS AND BRONCHOLITIS.....466	38	15	20	2	1
39 INFLUENZA.....470-474	131	50	77	2	2
40 PNEUMONIA.....480-486	2,342	1,162	936	146	98
41 VIRAL PNEUMONIA.....480	80	35	39	3	3
42 BACTERIAL PNEUMONIA.....481,482	239	132	79	20	8
43 ACUTE INTERSTITIAL PNEUMONIA.....484	32	12	10	4	6
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	976	477	403	58	38
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	1,015	506	405	61	43
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,550	1,103	354	76	17
47 BRONCHITIS, UNQUALIFIED.....490	33	11	15	4	3
48 CHRONIC BRONCHITIS.....491	311	210	88	9	4
49 EMPHYSEMA.....492	1,136	863	212	59	2
50 ASTHMA.....493	70	19	39	4	8
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	2	-	1	1	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	53	30	15	6	2
53 PLEURISY.....511	14	7	7	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	159	95	56	2	6
55 BRONCHIECTASIS.....518	57	29	27	1	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	938	612	224	77	25
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,488	1,726	1,348	234	180
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	357	207	123	20	7
60 ULCER OF STOMACH.....531	155	85	59	8	3
61 ULCER OF DUODENUM.....532	151	92	44	12	3
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	51	30	20	-	1
63 GASTRITIS AND DUODENITIS.....535	30	12	14	2	2
64 APPENDICITIS.....540-543	51	24	20	5	2
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	352	119	202	9	22
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	153	54	91	5	3
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	58	23	30	3	2
69 CIRRHOSIS OF LIVER.....571	1,441	815	416	120	90
70 ALCOHOLIC.....571.0	490	278	105	68	39
71 OTHER SPECIFIED.....*571.8	248	128	83	17	20
72 UNSPECIFIED.....*571.9	703	409	228	35	31
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	140	51	81	4	4
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	906	421	371	66	48
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,336	631	508	101	96
76 NEPHRITIS AND NEPHROSIS.....580-584	434	195	155	38	46
77 ACUTE NEPHRITIS.....580	57	27	19	3	8
78 NEPHROTIC SYNDROME.....581	8	3	5	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	369	165	131	35	38
80 INFECTIONS OF KIDNEY.....590	278	107	143	10	18
81 CALCULI OF URINARY SYSTEM.....592,594	37	20	15	-	2
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	423	192	163	42	26
83 HYPERPLASIA OF PROSTATE.....600	84	77	...	7	...
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	80	40	32	4	4
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	20	...	13	...	7
87 ECTOPIC PREGNANCY.....631	4	...	2	...	2
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	2	...	2	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	2	...	1	...	1

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	1	...	-	...	1
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	1	...	-	...	1
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	3	...	3	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	8	...	5	...	3
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	82	34	35	10	3
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	21	9	7	4	1
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	61	25	28	6	2
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	255	84	143	8	20
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	103	34	65	1	3
13 ARTHRITIS AND SPONDYLITIS.....710-715	14	4	6	2	2
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	4	2	2	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	11	4	6	-	1
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	123	40	64	5	14
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	691	332	261	48	50
18 XIV. CONGENITAL ANOMALIES.....	21	5	14	1	1
19 SPINA BIFIDA.....741	113	53	51	7	2
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	287	146	100	16	25
21 CONGENITAL ANOMALIES OF HEART.....746	58	23	20	7	8
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	-	-	-	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	212	105	76	17	14
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	1,440	661	463	155	161
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	1,301	664	426	126	85
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	26	6	17	-	3
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,275	658	409	126	82
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	7,023	4,050	1,855	799	319
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	4,547	2,771	1,339	285	152
30 ACCIDENTS.....E800-E949	37	28	5	3	1
31 RAILWAY ACCIDENTS.....E800-E807	1,837	1,243	459	92	43
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	1,803	1,223	452	87	41
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	72	47	24	-	1
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	578	379	170	17	12
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	314	180	87	32	15
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	206	106	56	22	7
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	195	158	27	7	3
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	353	253	88	9	3
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	34	20	7	5	2
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	12	7	5	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	43	32	2	8	1
42 WATER TRANSPORT ACCIDENTS.....E830-E838	72	51	14	1	6
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	247	142	63	29	13
44 ACCIDENTAL POISONING.....E850-E877	80	33	30	12	5
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	50	30	10	6	4
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	117	79	23	11	4
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,003	458	491	35	19
48 ACCIDENTAL FALLS.....E880-E887	273	153	93	19	8
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	47	18	27	-	2
50 FALL ON SAME LEVEL.....E885,E886	683	287	371	16	9
51 OTHER AND UNSPECIFIED FALLS.....E887	257	132	65	31	29
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	216	154	27	32	3
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	138	75	47	7	9
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	90	66	11	11	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	223	184	23	14	2
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	4	1	2	1	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	21	17	3	1	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	6	5	1	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	46	43	2	1	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	146	118	15	11	2
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	130	58	57	5	10
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	242	141	70	17	14
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	1,357	891	361	77	28
64 SUICIDE.....E950-E959	141	49	78	2	12
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	199	110	84	5	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	131	48	8	3	3
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	751	560	124	55	12
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	76	41	27	7	1
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	960	299	122	415	124
70 HOMICIDE.....E960-E978	736	225	80	348	83
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	97	29	11	39	18
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	110	39	31	17	23
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	-	-	-	-	-
74 LEGAL EXECUTION.....E978	17	6	-	11	-
75 OTHER LEGAL INTERVENTION.....E970-E977	158	88	33	22	15
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	1	1	-	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999					

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	9,107	4,682	4,189	146	90
02 I. INFECTIVE AND PARASITIC DISEASES.....	66	29	32	3	2
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	11	4	7	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	10	4	5	1	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	7	3	3	1	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	1	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	2	-	2	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHThERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	1	-	1	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	26	13	11	1	1
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	6	4	2	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	3	1	2	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	5	2	3	-	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRY PANOSMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	-	-	1	1
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	1	-	-	1	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	1	-	-	-	1
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	2	1	1	-	-
58 II. NEOPLASMS.....	1,939	1,024	881	21	13
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,902	1,008	860	21	13
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	44	35	7	2	-
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	8	7	-	1	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	20	13	6	1	-
64 OF PHARYNX.....146-149	16	15	1	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	592	297	285	6	4
66 OF ESOPHAGUS.....150	37	27	8	2	-
67 OF STOMACH.....151	92	56	34	1	1
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	1	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	252	111	140	-	1
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	26	11	14	-	1
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	5	1	4	-	-
72 DESCENDING COLON.....153.2	3	1	2	-	-
73 SIGMOID COLON.....153.3	45	25	20	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	148	61	87	-	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	25	12	13	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	79	38	38	2	1
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	12	7	5	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	21	5	16	-	-
79 OF PANCREAS.....157	80	45	33	1	1
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	15	7	8	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	392	313	73	4	2
82 OF LARYNX.....161	15	11	4	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	373	299	68	4	2
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	4	3	1	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	224	29	193	-	2
86 OF BONE.....170	14	8	6	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	5	1	4	-	-
88 OF SKIN.....172,173	24	17	7	-	-
89 OF BREAST.....174	181	3	176	-	2

SECTION 1 - GENERAL MORTALITY

1-333

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
24,211	9,213	6,746	4,644	3,608	6,581	3,521	2,656	236	168	39,425	18,216	14,046	3,875	3,288	01
244	61	50	71	62	37	13	11	7	6	378	144	127	62	45	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	04
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
39	8	7	9	15	6	3	2	1	-	42	14	17	7	4	08
66	15	5	33	13	6	2	2	1	1	110	53	30	19	8	09
52	13	4	27	8	4	1	2	-	1	85	41	24	15	5	10
2	-	-	2	-	-	-	-	-	-	4	1	2	1	-	11
1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	12
1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	13
5	2	1	2	3	2	1	-	1	-	5	3	1	-	1	14
5	-	-	-	-	2	1	-	-	-	14	7	3	2	2	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	22
8	2	1	3	2	4	1	3	-	-	12	5	3	4	-	23
1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	24
76	24	21	14	17	7	3	2	1	1	95	33	32	17	13	25
9	2	3	3	1	2	1	-	-	1	11	5	3	-	3	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	27
-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	1	-	-	-	2	-	-	1	1	-	-	-	-	-	30
3	1	2	-	-	-	-	-	-	-	13	2	2	3	6	31
-	-	-	-	-	-	-	-	-	-	3	3	-	-	6	32
9	1	3	1	4	2	-	-	1	1	23	3	16	1	3	33
4	2	1	-	1	2	2	-	-	-	18	5	11	2	-	34
3	-	2	-	1	-	-	-	-	-	6	5	1	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3	-	-	1	2	-	-	-	-	-	5	1	2	2	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	1	-	-	-	-	-	3	-	2	1	-	45
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	46
1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
22	5	5	7	5	4	-	2	1	1	31	11	7	6	7	57
3,842	1,441	1,250	648	503	1,140	585	509	21	25	6,753	3,069	2,478	702	504	58
3,781	1,426	1,227	640	488	1,126	581	500	21	24	6,697	3,052	2,456	693	496	59
96	52	22	14	8	22	16	6	-	-	139	73	45	17	4	60
6	5	-	-	1	-	-	-	-	-	1	1	-	-	-	61
16	5	3	6	2	6	4	2	-	-	26	13	9	4	-	62
25	15	9	1	7	7	6	1	-	-	49	23	20	4	2	63
49	27	10	7	5	9	6	3	-	-	63	36	16	9	2	64
914	312	294	173	135	335	164	161	5	5	1,623	658	657	173	135	65
96	27	13	36	20	10	9	1	-	-	97	38	21	29	9	66
182	58	42	56	26	45	24	20	-	1	247	121	66	42	18	67
3	2	1	-	-	3	2	1	-	-	8	5	2	-	1	68
291	88	133	33	37	138	62	74	1	1	627	219	303	49	56	69
20	6	9	2	3	17	4	12	-	1	75	27	39	3	6	70
3	1	1	-	-	4	1	3	-	-	24	8	9	6	1	71
6	4	2	-	-	7	3	4	-	-	20	3	11	3	3	72
25	4	16	1	4	7	3	4	-	-	51	21	21	2	7	73
234	72	103	29	30	97	49	47	1	-	440	152	216	34	38	74
3	1	2	-	6	-	2	4	-	-	17	8	7	1	1	75
83	34	26	12	11	34	21	12	1	-	137	61	48	10	18	76
23	15	4	3	1	10	3	7	-	-	42	19	10	9	4	77
30	7	16	7	18	6	6	11	-	1	62	24	35	-	3	78
188	74	56	28	30	68	33	30	3	2	378	163	158	31	26	79
18	7	3	5	3	9	4	5	-	-	25	8	14	3	-	80
908	548	139	191	30	200	151	38	8	3	1,680	1,194	233	211	42	81
34	22	4	8	-	7	6	1	-	-	58	42	5	8	3	82
857	519	131	177	30	188	142	35	8	3	1,595	1,135	223	200	37	83
17	7	4	6	-	5	3	2	-	-	27	17	5	3	2	84
425	48	274	10	93	125	9	113	-	3	754	99	544	6	105	85
25	13	4	6	2	8	6	2	-	-	38	17	19	2	2	86
18	5	10	1	2	3	1	1	-	1	29	11	11	5	2	87
48	28	17	2	1	6	2	4	-	-	111	66	41	4	4	88
334	2	243	1	88	108	-	106	-	2	576	5	473	1	97	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All others	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	216	99	113	4	-
02 OF CERVIX UTERI.....180	25	...	25	...	-
03 OF OTHER PARTS OF UTERUS.....181,182	31	...	31	...	-
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	49	...	49	...	-
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	8	...	8	...	-
06 OF PROSTATE.....185	102	98	...	4	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	1	1
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	102	70	28	1	3
09 OF BLADDER.....188	62	42	18	-	2
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	40	28	10	1	1
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	160	80	80	-	-
12 OF EYE.....190	2	2	-	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	41	21	20	-	-
14 OF THYROID GLAND.....193	7	3	4	-	-
15 OTHER.....194-199	110	54	56	-	-
16 LEUKEMIA.....204-207	59	34	23	1	1
17 LYMPHATIC LEUKEMIA.....204	21	12	8	1	-
18 MYELOID LEUKEMIA.....205	21	12	8	-	1
19 MONOCYTIC LEUKEMIA.....206	4	3	1	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	13	7	6	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	113	51	58	3	1
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	47	21	23	2	1
23 HODGKIN'S DISEASE.....201	15	7	8	-	-
24 MULTIPLE MYELOMA.....203	28	14	13	1	-
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	23	9	14	-	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	37	16	21	-	-
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-	...	-	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	4	1	3	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	2	1	1	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	23	12	11	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	8	2	6	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	241	100	134	3	4
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROIDITIS WITH OR WITHOUT GOITER.....242	5	2	3	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	3	-	3	-	-
37 DIABETES MELLITUS.....250	202	83	114	2	3
38 DISEASES OF PITUITARY GLAND.....252	1	-	1	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	1	-	1	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	6	3	3	-	-
43 CYSTIC FIBROSIS.....273-0	4	-	4	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	19	12	5	1	1
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	26	14	11	1	-
46 ANEMIAS.....280-285	17	9	8	-	-
47 DEFICIENCY ANEMIAS.....280,281	1	-	1	-	-
48 HEMOLYTIC ANEMIAS.....282,283	2	1	1	-	-
49 APLASTIC ANEMIAS.....284	7	4	3	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	7	4	3	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	-	-	-	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	9	5	3	1	-
53 V. MENTAL DISORDERS.....	42	27	9	5	1
54 SENILE AND PRESENILE DEMENTIAS.....290	1	-	1	-	-
55 ALCOHOLIC PSYCHOSES.....291	1	1	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	4	2	2	-	-
57 ALCOHOLISM.....303	27	18	5	3	1
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	8	5	1	2	-
59 MENTAL RETARDATION.....310-315	1	1	-	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	63	26	34	1	2
61 MENINGITIS.....320	6	2	3	1	-
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	2	2	-	-	-
63 MULTIPLE SCLEROSIS.....340	8	2	5	-	1
64 PARALYSIS AGITANS.....342	13	7	6	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	-	-	-	-	-
66 EPILEPSY.....345	7	2	5	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	1	1	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	26	10	15	-	1
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	5,051	2,517	2,436	53	45
73 ACTIVE RHEUMATIC FEVER.....390-392	-	-	-	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	81	25	54	1	1
75 DISEASES OF MITRAL VALVE.....394	24	6	17	-	1
76 DISEASES OF AORTIC VALVE.....395	10	5	4	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	4	1	3	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	43	13	30	-	-
79 HYPERTENSIVE DISEASE.....400-404	75	33	40	2	-
80 MALIGNANT HYPERTENSION.....400	3	1	1	1	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	4	2	2	-	-
82 HYPERTENSIVE HEART DISEASE.....402	34	17	17	-	-
83 HYPERTENSIVE RENAL DISEASE.....403	21	8	12	1	-
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	13	5	8	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
488	115	158	125	90	155	80	68	1	6	370	287	377	117	89
88	...	45	...	43	19	...	16	...	3	146	...	111	...	35
49	...	27	...	22	23	...	22	...	1	97	...	80	...	17
100	...	79	...	21	29	...	27	...	2	198	...	161	...	37
11	...	7	...	4	3	...	3	...	-	25	...	25	...	05
233	111	...	122	...	77	76	...	1	...	395	278	...	117	...
7	4	...	3	...	4	4	...	-	...	9	9	...	-	...
149	66	44	17	22	69	48	15	2	4	264	152	71	29	12
71	31	17	11	12	30	25	5	-	-	137	78	35	16	8
78	35	27	6	10	39	23	10	2	4	127	74	36	13	4
429	161	146	55	67	104	54	44	5	1	726	307	268	77	74
6	2	3	1	-	2	2	-	-	-	9	5	4	-	-
109	56	38	10	5	26	14	11	1	-	216	118	79	12	7
8	1	6	-	-	6	1	5	-	-	15	2	11	2	-
306	102	99	43	62	70	37	28	4	1	486	182	174	63	67
164	50	74	21	19	47	22	24	-	1	260	106	121	23	10
48	17	19	5	7	18	8	9	-	1	78	31	34	10	3
70	19	34	12	5	21	12	9	-	-	116	41	64	7	4
8	6	-	1	1	-	-	-	-	-	10	5	4	-	1
38	8	21	3	6	8	2	6	-	-	56	29	19	6	2
208	74	76	34	24	69	37	31	-	1	381	176	140	40	25
66	28	24	7	7	28	15	13	-	1	129	64	50	7	8
29	11	10	5	3	10	6	4	-	-	49	19	23	7	-
66	19	24	14	9	6	4	1	-	1	123	51	37	20	15
47	16	18	8	5	25	12	13	-	-	80	42	30	6	2
61	15	23	8	15	14	4	9	-	1	56	17	22	9	8
4	...	2	...	2	2	...	1	...	1	8	...	5	...	3
12	3	4	2	3	2	1	1	...	-	15	4	5	4	2
8	1	3	2	2	1	1	-	...	-	11	2	5	2	2
-	-	-	...	-	...	-	-	30
29	11	12	3	3	5	1	4	-	-	13	6	5	1	1
8	-	2	1	5	4	1	3	-	-	9	5	2	2	-
667	169	199	106	193	164	58	96	4	6	780	211	369	76	124
1	1	-	-	-	-	-	-	-	-	3	-	1	-	2
3	-	1	-	2	-	-	1	-	-	3	1	1	1	-
2	-	-	-	2	1	1	1	-	-	3	2	1	-	36
580	141	181	89	169	126	42	76	3	5	616	151	298	62	105
2	2	-	-	-	-	-	-	-	-	3	1	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
3	-	1	1	1	-	-	-	-	-	5	1	2	1	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
26	5	6	10	5	7	2	4	1	-	49	19	23	5	2
11	8	3	-	-	3	1	2	-	-	11	5	6	-	43
39	12	7	6	14	27	13	13	-	1	87	31	36	7	13
92	22	26	23	21	15	6	7	-	2	102	36	39	13	14
58	10	13	18	17	7	4	2	-	1	72	23	28	11	10
6	1	2	2	1	2	1	1	-	-	11	3	5	1	47
25	1	2	11	11	-	-	-	-	-	19	6	9	5	6
14	5	6	2	1	3	2	1	-	-	22	11	9	2	49
13	3	3	3	4	2	1	-	-	-	20	7	8	3	2
9	5	2	1	1	4	1	3	-	1	9	5	4	-	51
25	7	11	4	3	4	2	2	-	-	21	8	7	2	4
155	60	27	49	19	23	10	6	5	2	197	101	39	43	14
4	1	2	-	1	-	-	-	-	-	11	3	8	-	-
12	6	-	4	2	1	1	-	-	-	8	4	4	4	-
2	1	-	-	1	2	1	1	-	-	6	2	4	-	55
105	45	13	37	10	12	4	1	5	2	142	80	14	34	14
28	7	12	6	3	7	4	3	-	-	24	8	11	5	-
4	-	-	2	2	1	-	1	-	-	6	4	2	-	59
238	90	59	55	34	86	39	40	4	3	313	142	117	29	25
32	4	8	9	11	11	6	3	-	2	36	13	10	9	4
6	5	-	1	-	4	1	3	-	-	20	14	5	-	61
12	5	3	3	1	13	7	5	-	1	21	6	12	2	1
31	13	16	-	2	17	5	12	-	-	43	24	18	1	64
9	5	2	1	1	6	1	4	-	-	20	8	10	1	65
43	10	4	22	7	6	2	3	1	-	39	17	14	4	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	-	1	-	-	-	-	-	-	-	-	-	-	68
2	-	-	2	-	-	-	-	-	-	2	-	1	-	69
102	48	26	16	12	29	17	10	2	-	132	60	47	12	13
12,189	4,646	3,718	1,972	1,853	3,616	1,961	1,541	67	47	21,364	9,556	8,118	1,812	1,878
1	-	-	1	-	1	1	-	-	-	5	3	1	1	-
116	44	35	19	18	26	14	10	1	-	197	72	104	15	73
26	7	12	2	5	14	8	5	1	-	56	11	40	2	74
44	21	10	10	3	2	2	1	-	1	69	39	21	9	75
4	1	1	-	2	4	2	2	-	-	7	1	5	-	76
42	15	12	-	8	4	-	2	-	-	65	21	38	4	77
258	47	43	89	79	56	25	29	1	1	310	103	113	48	78
12	3	-	5	4	2	1	1	-	-	10	3	-	4	79
27	5	3	11	8	2	1	1	-	-	27	8	9	6	80
81	14	8	33	26	18	6	12	-	-	78	26	34	8	81
64	14	13	19	18	13	6	4	-	-	131	46	41	21	82
74	11	19	21	23	21	8	11	1	1	64	20	29	9	83

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	3,713	1,935	1,725	30	23
02 WITH HYPERTENSIVE DISEASE (.01).....	449	224	224	3	2
03' WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	3,264	1,715	1,501	27	21
04 ACUTE MYOCARDIAL INFARCTION.....410	1,862	1,075	760	13	14
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	148	92	53	1	7
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,701	767	911	16	2
07 ANGINA PECTORIS.....413	2	1	1	1	1
08 OTHER FORMS OF HEART DISEASE.....413	198	106	83	3	6
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420-422	1	-	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	5	4	1	-	1
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	3	2	1	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	1	1	1	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	1	1	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	1	1	-	-	-
15 SYMPTOMATIC HEART DISEASE.....427	156	84	64	3	5
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	10	3	7	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	23	13	10	-	-
18 CEREBROVASCULAR DISEASES.....430-438	717	279	410	14	14
19 WITH HYPERTENSION (BENIGN) (C0).....	115	57	71	10	3
20 WITHOUT MENTION OF HYPERTENSION (.9).....	602	242	339	10	11
21 SUBARACHNOID HEMORRHAGE.....430	39	22	14	2	1
22 CEREBRAL HEMORRHAGE.....431	103	46	53	3	1
23 CEREBRAL THROMBOSIS.....433	211	71	137	2	1
24 CEREBRAL EMBOLISM.....434	4	1	3	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	11	6	4	1	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	211	83	116	4	8
27 OTHER CEREBROVASCULAR DISEASES.....437,438	138	50	83	2	3
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	209	115	91	2	1
29 ARTERIOSCLEROSIS.....440	102	46	56	-	-
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	68	47	19	1	1
31 GANGRENE.....442	5	4	-	1	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	34	18	16	-	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	58	24	33	1	-
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	52	22	30	-	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	6	2	3	1	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	472	286	170	9	7
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	2	2	-	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	2	1	1	-	-
39 INFLUENZA.....467	5	5	-	-	-
40 PNEUMONIA.....470-474	237	116	109	7	5
41 VIRAL PNEUMONIA.....480-486	3	1	2	-	-
42 BACTERIAL PNEUMONIA.....481,482	19	11	8	-	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	-	-	-	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	104	51	46	5	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	111	53	53	2	3
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	97	69	25	1	2
47 BRONCHITIS, UNQUALIFIED.....490	1	1	-	-	-
48 CHRONIC BRONCHITIS.....491	20	16	4	-	-
49 EMPHYSEMA.....492	66	49	17	-	-
50 ASTHMA.....493	10	3	4	1	2
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	4	3	1	-	-
53 PLEURISY.....511	8	6	2	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	13	8	5	-	-
55 BRONCHIECTASIS.....518	3	3	-	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	101	78	22	1	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	366	196	155	10	5
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	22	19	3	-	-
60 ULCER OF STOMACH.....531	10	7	3	-	-
61 ULCER OF DUODENUM.....532	9	9	-	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	3	3	-	-	-
63 GASTRITIS AND DUODENITIS.....535	1	1	-	-	-
64 APPENDICITIS.....540-543	6	2	4	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	37	13	22	2	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	20	10	10	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	6	1	5	-	-
69 CIRRHOSIS OF LIVER.....571	164	97	59	6	2
70 ALCOHOLIC.....571.0	60	32	22	4	2
71 OTHER SPECIFIED.....571.8	21	15	5	1	-
72 UNSPECIFIED.....571.9	83	50	32	1	-
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	17	9	8	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-529,534,536,537,564-570,572,573,576,577	93	44	44	2	3
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	121	57	59	3	2
76 NEPHRITIS AND NEPHROSIS.....580-584	32	7	22	2	1
77 ACUTE NEPHRITIS.....580	10	3	7	-	-
78 NEPHROTIC SYNDROME.....581	1	1	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	21	4	14	2	1
80 INFECTIONS OF KIDNEY.....590	14	9	5	-	-
81 CALCULI OF URINARY SYSTEM.....592,594	2	1	1	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	58	31	25	1	1
83 HYPERPLASIA OF PROSTATE.....600	5	5	-	-	-
84 DISEASES OF BREAST.....610,611	1	-	1	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	9	4	5	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	13	5	8	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	3	1	2	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	10	4	6	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	21	5	16	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	11	3	8	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	1	-	1	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	1	-	1	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	8	2	6	-	-
18 XIV. CONGENITAL ANOMALIES.....	46	22	22	2	-
19 SPINA BIFIDA.....741	4	-	4	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	3	3	-	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	19	10	8	1	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1	-	1	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	1	-	1	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	18	9	8	1	-
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	105	51	44	8	2
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	30	20	6	4	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	-	-	-	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	30	20	6	4	-
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	505	303	172	23	7
30 ACCIDENTS.....E800-E949	355	209	130	12	4
31 RAILWAY ACCIDENTS.....E800-E807	2	2	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	134	90	40	3	1
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	131	88	39	3	1
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	-	-	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	33	18	15	-	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	32	23	8	1	-
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	27	21	4	1	1
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	13	9	4	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	26	17	8	1	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	3	2	1	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	6	3	2	1	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	3	3	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	13	9	2	1	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	9	7	1	-	1
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	2	1	-	1	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	2	1	1	-	-
48 ACCIDENTAL FALLS.....E880-E887	115	48	66	1	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	23	16	7	-	-
50 FALL ON SAME LEVEL.....E885,E886	5	2	3	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	87	30	56	1	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	20	12	2	4	2
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	16	11	4	1	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	9	5	4	-	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2	2	-	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	11	7	3	1	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	4	4	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	1	1	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	-	-	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	6	2	3	1	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	12	6	6	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	12	11	1	-	-
64 SUICIDE.....E950-E959	100	65	33	1	1
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	26	14	12	-	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	14	7	7	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	17	11	6	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	30	26	4	-	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	13	7	4	1	1
70 HOMICIDE.....E960-E978	35	21	4	10	-
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	23	13	3	7	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	4	2	-	2	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	7	5	1	1	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	1	1	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	15	8	5	-	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	TEXAS				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	99,491	48,351	37,001	7,871	6,268
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,055	462	393	97	103
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	4	1	3	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	10	10	-	-	-
07 FOOD POISONING (BACTERIAL).....005	2	1	1	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	207	87	88	9	23
09 TUBERCULOSIS, ALL FORMS.....010-019	203	108	50	32	19
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	166	93	40	21	12
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	7	1	3	2	1
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	1	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	2	1	1	4	-
14 DISSEMINATED TUBERCULOSIS.....018	8	3	5	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	19	9	1	5	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	1	1	-	-	-
20 DIPHTHERIA.....032	2	-	2	-	-
21 WHOOPING COUGH.....033	1	-	1	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	23	7	7	6	3
25 TETANUS.....037	3	2	1	-	-
26 SEPTICEMIA.....038	339	143	128	35	33
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	47	20	20	5	2
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	3	2	1	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	2	1	-	-	1
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	16	7	9	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	49	13	27	3	6
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	57	25	24	1	7
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	1	1	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRY PANOSCHIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	15	3	4	1	7
43 CONGENITAL SYPHILIS.....090	3	1	2	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	7	-	1	1	5
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	2	-	1	-	1
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	1	1	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097.9	2	1	-	-	1
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	70	30	27	5	8
58 II. NEOPLASMS.....	17,960	8,840	6,772	1,330	1,018
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	17,751	8,752	6,688	1,311	1,000
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	390	252	97	36	5
61 OF LIP.....140	10	9	-	1	-
62 OF TONGUE.....141	92	67	21	4	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	120	77	35	8	-
64 OF PHARYNX.....146-149	168	99	41	23	5
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	4,405	1,961	1,818	348	276
66 OF ESOPHAGUS.....150	283	145	60	56	22
67 OF STOMACH.....151	699	324	236	92	47
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	25	8	13	1	3
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,654	664	799	78	113
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	140	53	75	9	3
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	36	14	17	2	3
72 DESCENDING COLON.....153.2	24	8	14	1	1
73 SIGMOID COLON.....153.3	142	54	71	10	7
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	1,276	519	606	55	96
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	36	16	16	1	3
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	315	146	130	16	23
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	174	98	53	15	8
78 OF GALLBLADDER AND BILE DUCTS.....156	186	63	105	8	10
79 OF PANCREAS.....157	1,019	493	399	78	49
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	50	20	23	4	3
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	4,696	3,266	877	455	98
82 OF LARYNX.....161	163	123	19	16	5
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	4,454	3,098	833	432	91
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	79	45	25	7	2
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	1,941	309	1,408	22	202
86 OF BONE.....170	105	46	46	6	7
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	90	39	43	5	3
88 OF SKIN.....172,173	375	215	143	9	8
89 OF BREAST.....174	1,371	9	1,176	2	184

SECTION 1 - GENERAL MORTALITY

1-341

and Sex: United States and Each State, 1974-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,384	4,041	3,164	105	74	4,398	2,443	1,942	10	3	40,358	17,591	13,561	5,339	3,867	01
67	27	35	2	3	24	12	12	-	-	374	135	82	93	64	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	04
1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	05
1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	06
20	8	10	-	2	5	1	4	-	-	41	14	10	8	9	07
7	3	2	2	2	8	7	1	-	-	86	26	13	30	17	08
2	1	1	1	-	7	7	-	-	-	65	23	7	23	12	09
1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	10
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11
1	1	-	-	-	-	-	-	-	-	2	-	-	-	1	12
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	13
3	1	2	-	-	1	1	1	-	-	13	2	6	4	1	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	-	1	-	-	6	4	1	-	1	24
-	-	-	-	-	3	-	-	-	-	3	1	-	2	-	25
25	13	11	-	1	5	2	3	-	-	141	60	32	28	21	26
2	-	2	-	-	-	-	-	-	-	20	4	8	6	2	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
3	-	3	-	-	-	-	-	-	-	2	2	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	2	1	1	-	-	10	3	3	1	3	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
5	2	3	-	-	-	-	-	-	-	16	11	5	-	-	37
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	9	-	2	6	1	42
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	5	-	-	5	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	47
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	56
3	1	2	-	-	3	1	2	-	-	35	8	8	9	10	57
1,168	614	542	6	6	824	453	368	2	1	7,576	3,247	2,741	988	600	58
1,141	600	530	6	5	807	446	358	2	1	7,483	3,211	2,709	977	586	59
15	10	5	-	-	15	11	4	-	-	183	98	46	25	14	60
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	61
2	2	-	-	-	4	4	-	-	-	40	22	8	8	2	62
5	4	1	-	-	4	3	1	-	-	59	28	18	5	8	63
8	4	4	-	-	7	4	3	-	-	82	46	20	12	4	64
309	158	148	1	2	225	103	120	1	1	1,889	747	698	279	165	65
13	12	1	-	-	14	6	7	1	-	185	74	30	63	18	66
54	27	25	1	1	29	12	16	-	1	265	114	64	63	24	67
1	1	-	-	-	2	-	2	-	-	12	7	3	1	1	68
118	55	63	-	-	104	46	58	-	-	709	260	326	62	61	69
12	7	5	-	-	18	8	10	-	-	61	21	28	5	7	70
3	2	1	-	-	4	3	1	-	-	26	10	12	2	2	71
3	1	2	-	-	5	2	3	-	-	14	3	6	1	4	72
4	1	3	-	-	16	5	11	-	-	50	20	24	2	4	73
84	39	45	-	-	53	24	29	-	-	538	198	247	51	42	74
12	5	7	-	-	8	4	4	-	-	20	8	9	1	2	75
24	11	13	-	-	26	18	8	-	-	185	77	70	24	14	76
3	1	2	-	-	2	1	1	-	-	38	20	8	5	5	77
20	8	12	-	-	12	3	9	-	-	63	15	34	8	6	78
69	38	30	-	1	30	14	16	-	-	398	167	150	49	32	79
7	5	2	-	-	6	3	3	-	-	34	13	13	4	4	80
183	153	29	1	-	192	159	33	-	-	1,911	1,220	308	313	70	81
7	7	-	-	-	7	6	1	-	-	73	47	3	20	3	82
172	143	28	1	-	183	151	32	-	-	1,807	1,161	297	285	64	83
4	3	1	-	-	2	2	-	-	-	31	12	8	8	3	84
157	14	143	-	-	95	13	82	-	-	824	109	608	9	98	85
6	2	4	-	-	2	2	-	-	-	31	17	9	3	2	86
4	1	3	-	-	2	1	-	-	-	30	14	11	2	3	87
19	11	8	-	-	10	8	2	-	-	118	65	51	1	1	88
128	-	128	-	-	81	2	79	-	-	645	13	537	3	92	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	TEXAS				
	Total	White		All others	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,116	948	879	185	204
02 OF CERVIX UTERI.....180	334	...	241	...	93
03 OF OTHER PARTS OF UTERUS.....181,182	264	...	205	...	59
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	449	...	409	...	40
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	36	...	24	...	12
06 OF PROSTATE.....185	980	797	...	183	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	53	51	...	2	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	703	416	205	53	29
09 OF BLADDER.....188	365	223	95	28	19
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	338	193	110	25	10
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,686	774	685	109	118
12 OF EYE.....190	12	6	6	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	464	247	191	14	12
14 OF THYROID GLAND.....193	57	18	36	-	3
15 OTHER.....194-199	1,153	503	452	95	103
16 LEUKEMIA.....204-207	815	425	314	48	28
17 LYMPHATIC LEUKEMIA.....204	241	126	97	11	7
18 MYELOID LEUKEMIA.....205	367	188	142	25	12
19 MONOCYTTIC LEUKEMIA.....206	14	8	3	1	2
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	193	103	72	11	7
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	999	501	405	55	38
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	340	192	127	12	9
23 HODGKIN'S DISEASE.....201	153	81	60	8	4
24 MULTIPLE MYELOMA.....203	234	94	100	24	16
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	272	134	118	11	9
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	209	88	84	19	18
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	9	...	5	...	4
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	45	8	26	4	7
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	42	18	16	6	2
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	1	...	1	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	70	42	22	4	2
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	42	20	14	5	3
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,257	767	1,099	127	264
34 NONTOXIC GOITER.....240,241	1	-	-	-	1
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	13	2	6	1	4
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	26	3	22	-	1
37 DIABETES MELLITUS.....250	1,810	587	891	103	229
38 DISEASES OF PITUITARY GLAND.....253	13	4	5	-	4
39 DISEASES OF THYMUS GLAND.....254	2	1	1	-	-
40 DISEASES OF ADRENAL GLAND.....255	19	8	7	4	-
41 NIACIN DEFICIENCY.....262	1	-	1	-	-
42 OTHER AVITAMINOSIS AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	158	63	73	14	8
43 CYSTIC FIBROSIS.....273.0	24	14	10	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	190	85	83	5	17
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	280	108	126	24	22
46 ANEMIAS.....280-285	189	71	86	19	13
47 DEFICIENCY ANEMIAS.....280,281	22	6	12	1	3
48 HEMOLYTIC ANEMIAS.....282,283	34	5	12	11	6
49 APLASTIC ANEMIA.....284	65	34	30	-	1
50 OTHER AND UNSPECIFIED ANEMIAS.....285	68	26	32	7	3
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	24	11	12	-	1
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	67	26	28	5	8
53 V. MENTAL DISORDERS.....	367	192	116	47	12
54 SENILE AND PRESENILE DEMENTIAS.....290	29	12	16	1	-
55 ALCOHOLIC PSYCHOSES.....291	20	18	1	1	-
56 ALL OTHER PSYCHOSES.....294-299	11	4	6	-	1
57 ALCOHOLISM.....303	174	97	36	36	5
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	127	59	54	9	5
59 MENTAL RETARDATION.....310-315	6	2	3	-	1
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	927	422	385	73	47
61 MENINGITIS.....320	121	43	40	19	19
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	42	25	9	5	3
63 MULTIPLE SCLEROSIS.....340	56	15	35	2	4
64 PARALYSIS AGITANS.....342	167	95	67	2	3
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	38	18	18	2	-
66 EPILEPSY.....345	76	37	26	8	5
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	2	1	1	-	-
69 GLAUCOMA.....375	1	1	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	4	1	1	1	1
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	420	186	188	34	12
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	49,592	23,032	19,965	3,333	3,262
73 ACTIVE RHEUMATIC FEVER.....390-392	8	6	2	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	443	178	207	27	31
75 DISEASES OF MITRAL VALVE.....394	134	47	75	7	5
76 DISEASES OF AORTIC VALVE.....395	147	75	49	15	8
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	23	13	6	-	4
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	139	43	77	5	14
79 HYPERTENSIVE DISEASE.....400-404	889	294	373	92	130
80 MALIGNANT HYPERTENSION.....400	61	24	10	12	15
81 ESSENTIAL BENIGN HYPERTENSION.....401	53	15	30	3	5
82 HYPERTENSIVE HEART DISEASE.....402	355	115	141	33	66
83 HYPERTENSIVE RENAL DISEASE.....403	217	75	92	25	25
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	203	65	100	19	19

SECTION 1 - GENERAL MORTALITY

1-343

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

UTAH					VERMONT					VIRGINIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
146	70	72	2	2	98	53	45	-	-	833	231	352	140	110
20	...	18	...	2	11	...	11	...	-	144	...	98	...	46
25	...	25	...	-	15	...	15	...	-	96	...	67	...	29
28	...	28	...	-	18	...	18	...	-	204	...	172	...	32
1	...	1	...	-	1	...	1	...	-	18	...	15	...	3
68	66	...	2	...	50	50	353	215	...	138	...
4	4	...	-	...	3	3	18	16	...	2	...
54	40	13	1	...	35	28	7	318	171	92	41	14
36	30	5	1	...	19	16	3	185	103	42	29	11
18	10	8	-	...	16	12	4	133	68	50	12	3
132	68	63	1	-	68	35	33	-	-	858	341	337	113	67
2	2	-	-	-	-	4	-	-	-	4	3	1	-	-
37	18	19	-	-	12	4	8	-	-	181	81	81	13	6
3	2	1	-	-	2	1	1	-	-	24	4	14	2	4
90	46	43	1	-	54	30	24	-	-	649	253	241	98	57
57	33	24	-	-	33	23	9	1	-	274	121	118	16	19
22	15	7	-	-	9	6	3	-	-	79	38	31	6	4
27	15	12	-	-	16	11	4	1	-	138	60	60	7	11
2	-	2	-	-	1	1	-	-	-	6	2	3	-	1
6	3	3	-	-	7	5	2	-	-	51	21	24	3	3
88	54	33	-	1	46	21	25	-	-	393	173	150	41	29
34	23	10	-	1	5	1	4	-	-	123	55	50	14	4
13	9	4	-	-	6	1	5	-	-	60	34	19	7	-
25	15	10	-	-	14	5	9	-	-	118	48	39	15	16
16	7	9	-	-	21	14	7	-	-	92	36	42	5	9
27	14	12	-	1	17	7	10	-	-	93	36	32	11	14
2	...	-	...	-	-	...	-	...	-	-	...	-
1	1	1	-	-	1	1	-	-	-	15	4	9	1	1
6	3	2	-	1	5	2	3	-	-	14	7	2	2	3
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
16	9	7	-	-	4	2	2	-	-	44	20	13	4	7
3	1	2	-	-	7	3	4	-	-	20	5	8	4	3
211	103	105	2	1	94	42	52	-	-	892	277	341	116	158
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	2	-	-	1	-	1	-	-	11	2	8	-	-
1	-	1	-	-	-	-	-	-	-	7	2	5	-	-
157	73	81	2	1	75	33	42	-	-	722	208	278	95	141
3	1	2	-	-	1	1	-	-	-	7	3	4	-	-
-	-	-	-	-	-	-	-	-	-	12	6	5	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	8	5	-	-	4	-	4	-	-	52	17	12	12	11
1	-	1	-	-	-	-	-	-	-	11	7	4	-	43
33	20	13	-	-	13	8	5	-	-	70	32	25	8	5
24	10	12	2	-	6	3	3	-	-	113	33	49	14	17
16	4	10	2	-	3	2	1	-	-	69	16	27	12	14
5	2	3	-	-	-	-	-	-	-	7	2	2	-	3
3	1	1	2	-	3	2	1	-	-	12	4	6	6	2
6	2	4	-	-	-	-	-	-	-	30	8	18	3	1
2	-	2	-	-	-	-	-	-	-	20	2	7	3	8
1	-	1	-	-	-	-	-	-	-	9	3	3	1	51
7	6	1	-	-	3	1	2	-	-	35	14	19	1	1
84	42	31	7	4	18	11	7	-	-	264	136	45	60	23
5	3	2	-	-	-	-	-	-	-	16	4	10	1	1
1	1	-	-	-	3	3	1	-	-	11	5	1	-	55
6	2	4	-	-	2	2	3	-	-	7	3	3	-	1
54	28	17	6	3	7	4	3	-	-	177	98	15	50	14
15	7	6	1	1	6	2	4	-	-	49	25	15	3	6
3	1	2	-	-	-	-	-	-	-	4	1	1	1	1
106	59	45	-	2	43	29	14	-	-	366	159	115	57	35
6	3	3	-	-	-	-	-	-	-	31	13	4	7	7
6	4	2	-	-	1	1	6	-	-	24	16	6	2	-
9	4	4	-	1	5	2	3	-	-	28	8	16	1	3
24	16	8	-	-	11	8	3	-	-	66	39	23	3	1
7	5	2	-	-	2	2	-	-	-	15	4	7	4	-
6	2	4	-	-	3	3	-	-	-	45	14	11	15	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	25	22	-	1	21	13	8	-	-	149	61	46	25	17
3,516	1,850	1,621	25	20	2,394	1,259	1,130	3	2	20,682	8,750	7,489	2,343	2,100
-	-	-	-	-	4	3	1	-	-	5	2	1	1	1
107	42	64	1	-	27	14	13	-	-	204	71	102	16	15
27	8	19	-	-	4	1	3	-	-	59	13	36	7	7
24	18	5	1	-	13	9	4	-	-	58	36	17	4	1
7	1	6	-	-	1	1	1	-	-	10	5	3	1	1
49	15	34	-	-	9	4	5	-	-	77	17	46	4	10
66	28	38	-	-	42	18	24	-	-	419	101	136	85	97
4	2	2	-	-	2	-	2	-	-	18	4	2	9	3
10	3	7	-	-	2	2	-	-	-	32	6	13	5	8
34	12	22	-	-	18	7	11	-	-	119	25	40	24	30
8	5	3	-	-	13	7	29	-	-	97	29	29	18	21
10	6	4	-	-	7	4	3	-	-	153	37	52	29	35

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	TEXAS				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	28,597	14,641	10,501	1,861	1,594
02 WITH HYPERTENSIVE DISEASE (.0).....	3,110	1,198	1,226	334	352
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	25,487	13,443	9,275	1,527	1,242
04 ACUTE MYOCARDIAL INFARCTION.....410	15,288	8,751	5,131	800	606
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	130	72	44	6	8
06 CHRONIC ISCHEMIC HEART DISEASE.....412	13,171	5,812	5,324	1,055	980
07 ANGINA PECTORIS.....413	8	6	2	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	4,291	2,103	1,511	355	322
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	26	9	12	2	3
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	26	15	9	1	1
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	60	26	25	7	2
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	3	2	-	1	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	7	2	3	1	1
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	50	22	22	5	1
15 SYMPTOMATIC HEART DISEASE.....427	2,086	879	880	147	180
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	264	102	118	21	23
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	1,829	1,072	467	177	113
18 CEREBROVASCULAR DISEASES.....430-438	11,405	4,097	5,577	793	938
19 WITH HYPERTENSION (BENIGN) (.0).....	1,211	371	510	143	187
20 WITHOUT MENTION OF HYPERTENSION (.9).....	10,194	3,726	5,067	650	751
21 SUBARACHNOID HEMORRHAGE.....430	426	147	211	33	35
22 CEREBRAL HEMORRHAGE.....431	1,539	594	699	109	137
23 CEREBRAL THROMBOSIS.....433	1,913	689	926	136	162
24 CEREBRAL EMBOLISM.....434	34	12	18	4	4
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	164	91	53	11	9
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	4,778	1,744	2,250	348	436
27 OTHER CEREBROVASCULAR DISEASES.....437,438	2,551	820	1,420	152	159
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	3,069	1,356	1,429	133	151
29 ARTERIOSCLEROSIS.....440	1,826	670	1,004	70	82
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	578	385	138	30	25
31 GANGRENE.....445	162	72	66	8	16
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	503	229	221	25	28
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	890	357	365	72	96
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	772	298	326	65	83
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	118	59	39	7	13
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	5,865	3,298	1,961	392	214
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	23	8	9	5	1
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	46	21	12	6	7
39 INFLUENZA.....470-474	108	42	59	3	4
40 PNEUMONIA.....480-486	2,902	1,360	1,190	207	145
41 VIRAL PNEUMONIA.....480	59	23	25	5	6
42 BACTERIAL PNEUMONIA.....481,482	290	135	119	26	18
43 ACUTE INTERSTITIAL PNEUMONIA.....484	33	15	12	2	4
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	791	391	310	55	35
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	1,729	796	732	119	82
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,472	1,043	326	85	18
47 BRONCHITIS, UNQUALIFIED.....490	48	20	21	3	4
48 CHRONIC BRONCHITIS.....491	231	158	57	14	2
49 EMPHYSEMA.....492	1,109	834	214	57	4
50 ASTHMA.....493	84	31	34	11	8
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	5	2	3	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	51	23	17	8	3
53 PLEURISY.....511	25	13	9	1	2
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	140	74	54	8	4
55 BRONCHIECTASIS.....518	44	23	19	1	1
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	1,049	689	263	68	29
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,542	1,742	1,368	231	201
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	1	-	-	-
59 PEPTIC ULCER.....531-533	331	186	105	23	17
60 ULCER OF STOMACH.....531	131	72	44	8	7
61 ULCER OF DUODENUM.....532	139	83	38	10	8
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	61	31	23	5	2
63 GASTRITIS AND DUODENITIS.....535	28	18	8	2	-
64 APPENDICITIS.....540-543	53	23	18	7	5
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	330	101	180	28	21
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	114	30	72	6	6
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	66	26	33	2	5
69 CIRRHOSIS OF LIVER.....571	1,409	794	457	88	70
70 ALCOHOLIC.....571.0	422	259	99	35	29
71 OTHER SPECIFIED.....571.8	208	95	81	15	17
72 UNSPECIFIED.....571.9	779	440	277	38	24
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	180	69	95	8	8
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	1,030	494	400	67	69
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,502	640	577	158	127
76 NEPHRITIS AND NEPHROSIS.....580-584	440	185	145	56	54
77 ACUTE NEPHRITIS.....580	79	40	27	9	3
78 NEPHROTIC SYNDROME.....581	24	11	7	-	6
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	337	134	111	47	45
80 INFECTIONS OF KIDNEY.....590	349	174	179	22	24
81 CALCULI OF URINARY SYSTEM.....592,594	25	10	12	1	2
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	582	250	225	67	40
83 HYPERPLASIA OF PROSTATE.....600	54	46	-	8	-
84 DISEASES OF BREAST.....610,611	1	1	1	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	51	25	15	4	7
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	44	-	24	-	20
87 ECTOPIC PREGNANCY.....631	7	-	4	-	3
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	10	-	5	-	5
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	5	-	5	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	TEXAS				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	4	---	1	---	3
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640.641	-	---	-	---	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	---	-	---	-
04 SPONTANEOUS ABORTION.....643	1	---	1	---	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	3	---	-	---	3
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	6	---	2	---	4
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	12	---	7	---	5
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	---	-	---	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	135	41	65	14	15
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	31	10	17	2	2
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	104	31	48	12	13
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	286	78	160	9	39
13 ARTHRITIS AND SPONDYLITIS.....710-715	97	27	64	2	4
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	15	3	8	-	4
15 OSTEOMYELITIS AND PERIOSTITIS.....720	8	2	5	-	1
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	5	1	3	1	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	161	45	80	6	30
18 XIV. CONGENITAL ANOMALIES.....	872	409	341	63	59
19 SPINA BIFIDA.....741	45	21	23	-	1
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	141	69	56	9	7
21 CONGENITAL ANOMALIES OF HEART.....746	352	170	131	26	25
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	68	30	25	8	5
23 CLEFT PALATE AND CLEFT LIP.....749	1	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	265	119	105	20	21
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	2,002	898	623	275	206
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	2,776	1,316	831	349	280
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	132	40	68	11	13
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	2,644	1,276	763	338	267
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	10,029	6,106	2,195	1,349	379
30 ACCIDENTS.....E800-E949	6,639	4,112	1,602	692	233
31 RAILWAY ACCIDENTS.....E800-E807	52	43	2	7	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	3,070	2,035	705	251	79
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	2,990	1,975	686	250	79
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	119	70	39	6	4
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	1,208	764	310	101	33
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	406	248	83	57	18
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	617	450	111	44	12
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	487	353	101	27	6
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	153	90	42	15	6
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	80	40	19	1	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	18	13	5	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	113	84	9	15	5
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	122	102	18	1	1
44 ACCIDENTAL POISONING.....E850-E877	266	145	71	39	11
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	124	41	38	20	5
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	66	35	18	10	3
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	76	49	15	9	3
48 ACCIDENTAL FALLS.....E880-E887	818	352	392	50	24
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	166	99	41	22	4
50 FALL ON SAME LEVEL.....E885, E886	49	22	25	2	-
51 OTHER AND UNSPECIFIED FALLS.....E887	603	231	326	26	20
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E897	320	166	66	56	32
53 ACCIDENTAL DROWNING AND SUBMERSION.....E900-E909	551	330	87	115	19
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	193	107	54	20	12
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	183	132	19	26	6
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	445	350	34	55	6
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	9	2	5	1	1
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	57	45	5	3	4
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	10	6	4	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	124	109	5	10	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	245	188	15	41	1
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	175	76	67	12	20
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	313	177	73	45	18
64 SUICIDE.....E950-E959	1,515	1,065	368	64	18
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	134	45	82	2	5
66 SUICIDE FROM POISONING BY GASES.....E951, E952	87	62	25	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	142	114	20	7	1
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	1,086	808	219	49	10
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	66	36	22	6	2
70 HOMICIDE.....E960-E978	1,773	866	200	583	124
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	1,368	669	122	491	86
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	189	88	29	56	16
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	190	93	49	26	22
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	26	16	-	10	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	100	61	25	10	4
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	2	2	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All others	
		Male	Female	Male	Female
01 ALL CAUSES.....	29,827	16,042	12,684	696	405
02 I. INFECTIVE AND PARASITIC DISEASES.....	169	90	64	8	7
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	3	1	2	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	29	12	15	1	1
09 TUBERCULOSIS, ALL FORMS.....010-019	29	20	6	1	2
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	24	16	5	1	2
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	1	1	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	4	3	1	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	1	1	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	1	1	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	3	2	1	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	49	22	26	1	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	12	8	3	1	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	1	1	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	8	4	3	1	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	9	3	3	2	1
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	17	13	3	1	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	3	1	1	-	1
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	2	1	-	-	1
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	1	-	1	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FLUENTIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	4	1	1	-	2
58 II. NEOPLASMS.....	5,953	3,159	2,602	112	80
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,877	3,125	2,561	112	79
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	113	70	39	4	-
61 OF LIP.....140	3	2	1	-	-
62 OF TONGUE.....141	24	16	7	1	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	35	20	15	-	-
64 OF PHARYNX.....146-149	51	32	16	3	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,562	818	682	39	23
66 OF ESOPHAGUS.....150	96	70	21	4	1
67 OF STOMACH.....151	231	142	80	5	4
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	10	4	6	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	597	286	288	12	11
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	70	28	41	1	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	10	7	3	-	-
72 DESCENDING COLON.....153.2	9	3	6	-	-
73 SIGMOID COLON.....153.3	67	37	25	3	2
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	398	192	190	7	9
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	43	19	23	1	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	140	69	64	4	3
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	39	19	17	3	-
78 OF GALLBLADDER AND BILE DUCTS.....156	70	26	43	1	-
79 OF PANCREAS.....157	346	185	149	9	3
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	33	17	14	1	1
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,404	1,044	316	34	10
82 OF LARYNX.....161	36	30	4	1	1
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	1,339	995	302	33	9
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	29	19	10	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	667	80	574	1	12
86 OF BONE.....170	24	12	12	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	32	20	12	-	-
88 OF SKIN.....172,173	68	41	25	1	1
89 OF BREAST.....174	543	7	525	-	11

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1974—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

WEST VIRGINIA					WISCONSIN					WYOMING					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
19,558	10,547	7,923	636	452	40,865	22,362	17,543	563	397	3,142	1,837	1,217	55	33	01
150	79	64	6	1	253	150	92	5	6	26	12	12	2	-	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
14	7	7	-	-	38	17	20	-	1	7	4	2	1	-	06
40	20	15	5	-	45	27	14	3	1	7	4	2	1	-	07
35	19	11	5	-	33	23	10	-	1	5	3	1	1	-	08
1	-	1	-	-	3	1	1	2	-	-	-	-	-	-	09
1	-	1	-	-	3	1	1	-	1	-	-	-	-	-	10
3	1	2	-	-	6	3	2	1	-	2	1	1	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	-	4	-	-	9	6	3	-	-	-	-	-	-	-	22
54	33	20	1	-	77	55	20	1	1	5	2	3	-	-	23
6	3	3	-	-	15	9	5	1	-	1	1	-	-	-	24
1	1	-	-	-	3	1	2	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	1	1	-	-	5	2	3	-	-	-	-	-	-	-	27
8	6	2	-	-	5	2	2	-	1	1	1	1	-	-	28
6	2	4	-	-	17	8	9	-	-	3	-	3	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
6	1	5	-	-	8	4	3	-	1	-	-	-	-	-	31
1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	32
3	1	3	-	-	4	2	1	-	1	-	-	-	-	-	33
1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	34
1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
8	4	3	-	1	25	13	11	-	1	1	1	-	-	-	38
3,311	1,732	1,404	98	77	7,782	4,136	3,472	89	85	496	274	211	5	6	58
3,254	1,706	1,373	98	77	7,717	4,107	3,438	88	84	490	273	206	5	6	59
56	35	15	4	2	144	103	38	3	-	12	5	7	-	-	60
1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	61
13	9	3	-	1	38	29	8	1	-	2	1	1	-	-	62
22	12	8	1	1	51	30	21	-	-	6	2	4	-	-	63
20	13	4	3	-	54	43	9	2	-	4	2	2	-	-	64
781	395	345	27	14	2,191	1,135	1,012	26	18	123	73	49	-	1	65
50	39	8	3	-	125	97	25	3	-	7	5	2	-	-	66
116	63	43	10	-	316	197	112	5	2	16	9	6	-	1	67
6	3	2	1	-	13	6	7	-	-	-	-	-	-	-	68
309	141	155	6	7	895	417	463	11	4	55	32	23	-	-	69
39	15	23	1	-	102	46	56	-	-	8	5	3	-	-	70
10	4	6	-	-	36	19	17	-	-	3	2	1	-	-	71
13	6	6	1	1	27	8	19	-	-	1	1	2	-	-	72
35	16	15	3	1	108	50	57	1	-	5	3	2	-	-	73
199	96	96	2	5	550	265	273	9	3	34	19	15	-	-	74
13	4	9	-	-	72	41	1	1	-	4	3	1	-	-	75
82	43	34	3	2	240	135	101	-	4	15	7	8	-	-	76
19	16	3	-	-	45	26	18	-	1	3	3	-	-	-	77
49	16	30	2	1	120	33	85	-	2	7	4	-	-	-	78
138	67	65	4	4	404	205	188	5	6	19	12	7	-	-	79
12	7	5	-	-	33	19	13	1	-	1	1	-	-	-	80
830	612	175	35	8	1,486	1,150	288	31	9	97	75	18	3	1	81
31	24	3	3	1	60	53	5	1	1	1	1	-	-	-	82
788	583	167	32	6	1,384	1,083	265	28	8	94	73	17	3	1	83
11	5	5	-	1	42	22	18	-	2	2	1	1	-	-	84
340	58	259	-	22	905	92	798	3	12	51	8	42	-	1	85
30	19	14	-	-	38	19	18	-	1	4	3	-	-	-	86
14	5	5	-	-	33	17	15	-	1	2	1	1	-	-	87
47	33	11	1	2	84	47	34	2	1	8	5	3	-	-	88
249	1	229	-	19	750	9	731	-	10	37	1	35	-	1	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All others	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	672	318	333	6	15
02 OF CERVIX UTERI.....180	61	---	55	---	6
03 OF OTHER PARTS OF UTERUS.....181,182	96	---	95	---	1
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	172	---	165	---	7
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	19	---	18	---	1
06 OF PROSTATE.....185	306	300	---	6	---
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	18	18	---	---	---
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	297	188	100	7	2
09 OF BLADDER.....194-199	169	113	50	5	1
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	128	75	50	2	1
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	575	281	280	9	5
12 OF EYE.....190	8	4	3	1	---
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	179	97	79	1	2
14 OF THYROID GLAND.....193	13	4	9	---	---
15 OTHER.....194-199	375	176	189	7	3
16 LEUKEMIA.....204-207	234	126	94	7	7
17 LYMPHATIC LEUKEMIA.....204	77	48	26	3	---
18 MYELOID LEUKEMIA.....205	104	56	44	3	1
19 MONOCYTTIC LEUKEMIA.....206	10	5	5	---	---
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	43	17	19	1	6
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	353	200	143	5	5
22 LYMPHOSARCOMA AND PETICULUM CELL SARCOMA.....200	99	57	38	3	1
23 HODGKIN'S DISEASE.....201	50	31	18	---	1
24 MULTIPLE MYELOMA.....203	107	56	47	2	2
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	97	56	40	---	1
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	76	34	41	---	1
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	1	---	1	---	---
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	11	4	6	---	1
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	13	7	6	---	---
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	---	---	---	---	---
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	38	19	19	---	---
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	13	4	9	---	---
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	704	300	378	13	13
34 NONTOTOXIC GOITER.....240,241	2	1	1	---	---
35 THYROIDITIS WITH OR WITHOUT GOITER.....242	7	2	4	---	1
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	539	229	290	9	11
37 DIABETES MELLITUS.....250	3	2	1	---	---
38 DISEASES OF PITUITARY GLAND.....253	---	---	---	---	---
39 DISEASES OF THYMUS GLAND.....254	6	3	3	---	---
40 DISEASES OF ADRENAL GLAND.....255	---	---	---	---	---
41 NIACIN DEFICIENCY.....262	58	21	35	1	1
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	10	5	5	---	---
43 CYSTIC FIBROSIS.....273.0	77	37	37	3	---
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	75	31	39	3	2
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	75	31	39	3	2
46 ANEMIAS.....280-285	43	17	22	3	1
47 DEFICIENCY ANEMIAS.....280,281	8	2	6	---	---
48 HEMOLYTIC ANEMIAS.....282,283	5	1	4	---	---
49 APLASTIC ANEMIA.....284	18	7	10	1	---
50 OTHER AND UNSPECIFIED ANEMIAS.....285	12	7	4	1	---
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	7	2	4	---	1
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	25	12	13	---	---
53 V. MENTAL DISORDERS.....	193	116	59	13	5
54 SENILE AND PRESENILE DEMENTIAS.....290	29	11	18	---	---
55 ALCOHOLIC PSYCHOSES.....291	7	4	2	1	---
56 ALL OTHER PSYCHOSES.....294-299	5	2	2	---	1
57 ALCOHOLISM.....303	103	71	19	10	3
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	43	24	16	2	1
59 MENTAL RETARDATION.....310-315	6	4	2	---	---
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	341	164	165	6	6
61 MENINGITIS.....320	15	6	9	---	---
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	17	10	7	---	---
63 MULTIPLE SCLEROSIS.....340	43	18	25	---	---
64 PARALYSIS AGITANS.....342	75	29	46	---	---
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	7	6	1	---	---
66 EPILEPSY.....345	26	10	14	2	---
67 INFLAMMATORY DISEASES OF EYE.....360-369	---	---	---	---	---
68 CATARACT.....374	---	---	---	---	---
69 GLAUCOMA.....375	---	---	---	---	---
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	---	---	---	---	---
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	158	85	63	4	6
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	15,485	8,127	6,990	235	133
73 ACTIVE RHEUMATIC FEVER.....390-392	1	1	---	---	---
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	253	109	137	4	3
75 DISEASES OF MITRAL VALVE.....394	61	20	39	---	2
76 DISEASES OF AORTIC VALVE.....395	18	50	38	3	---
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	18	8	10	---	---
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	83	31	50	1	1
79 HYPERTENSIVE DISEASE.....400-404	303	137	153	6	7
80 MALIGNANT HYPERTENSION.....400	10	5	4	1	---
81 ESSENTIAL BENIGN HYPERTENSION.....401	20	9	11	---	4
82 HYPERTENSIVE HEART DISEASE.....402	122	53	62	3	4
83 HYPERTENSIVE RENAL DISEASE.....403	52	32	17	1	2
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	99	38	59	1	1

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All others	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	9,629	5,477	3,930	143	79
02 WITH HYPERTENSIVE DISEASE (.0).....	1,023	481	495	28	19
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	8,606	4,996	3,435	115	60
04 ACUTE MYOCARDIAL INFARCTION.....410	4,537	2,887	1,564	57	29
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	62	30	31	1	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	5,024	2,556	2,333	85	50
07 ANGINA PECTORIS.....413	6	4	2	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	780	421	331	19	9
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	1	-	1	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	9	6	3	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	33	14	19	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	5	2	3	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	28	12	16	-	-
15 SYMPTOMATIC HEART DISEASE.....427	532	262	233	11	6
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	61	30	30	1	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	144	89	45	7	3
18 CEREBROVASCULAR DISEASES.....430-438	3,260	1,364	1,818	51	27
19 WITH HYPERTENSION (BENIGN) (.0).....	367	130	222	9	6
20 WITHOUT MENTION OF HYPERTENSION (.9).....	2,893	1,234	1,596	42	21
21 SUBARACHNOID HEMORRHAGE.....430	165	48	107	7	3
22 CEREBRAL HEMORRHAGE.....431	172	172	192	12	2
23 CEREBRAL THROMBOSIS.....433	812	317	483	8	4
24 CEREBRAL EMBOLISM.....434	6	5	1	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	58	35	22	1	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,164	512	626	16	10
27 OTHER CEREBROVASCULAR DISEASES.....437,438	677	275	387	7	8
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,081	534	530	11	6
29 ARTERIOSCLEROSIS.....440	625	262	353	7	3
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	247	167	77	2	1
31 GANGRENE.....445	30	19	11	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	179	86	89	2	2
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	178	84	91	1	2
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	152	72	78	1	1
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	26	12	13	-	1
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,817	1,098	668	38	13
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	3	2	1	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	15	7	7	-	1
39 INFLUENZA.....470-474	45	12	32	-	1
40 PNEUMONIA.....480-486	744	376	339	23	6
41 VIRAL PNEUMONIA.....480	23	15	8	-	-
42 BACTERIAL PNEUMONIA.....481,482	74	41	30	3	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	13	9	4	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	223	116	102	4	1
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	411	195	195	16	5
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	506	361	137	6	2
47 BRONCHITIS, UNQUALIFIED.....490	20	8	9	2	1
48 CHRONIC BRONCHITIS.....491	76	49	25	2	-
49 EMPHYSEMA.....492	372	285	84	2	1
50 ASTHMA.....493	38	19	19	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	9	6	2	1	-
53 PLEURISY.....511	9	6	2	1	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	51	25	24	1	1
55 BRONCHIECTASIS.....518	7	3	4	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	428	300	120	6	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,151	625	439	56	31
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	124	69	54	-	1
60 ULCER OF STOMACH.....531	53	26	26	-	1
61 ULCER OF DUODENUM.....532	58	38	20	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	13	5	8	-	-
63 GASTRITIS AND DUODENITIS.....535	7	5	2	-	-
64 APPENDICITIS.....540-543	6	5	1	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	82	34	45	2	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	59	17	41	1	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	18	8	10	-	-
69 CIRRHOSIS OF LIVER.....571	552	328	161	39	24
70 ALCOHOLIC.....571.0	281	167	76	23	15
71 OTHER SPECIFIED.....571.8	72	38	24	8	2
72 UNSPECIFIED.....571.9	199	123	61	8	7
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	40	23	14	3	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	263	136	111	11	5
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	291	142	142	5	2
76 NEPHRITIS AND NEPHROSIS.....580-584	75	40	32	2	1
77 ACUTE NEPHRITIS.....580	7	4	3	-	-
78 NEPHROTIC SYNDROME.....581	2	1	1	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	66	35	28	2	1
80 INFECTIONS OF KIDNEY.....590	72	25	45	1	1
81 CALCULI OF URINARY SYSTEM.....592,594	4	4	9	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	109	57	51	1	-
83 HYPERPLASIA OF PROSTATE.....600	14	13	-	1	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	8	3	5	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	3	...	3	...	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	1	...	-

SECTION I - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All others	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	2	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	23	8	14	-	1
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	6	4	2	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	17	4	12	-	1
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	94	36	52	3	3
13 ARTHRITIS AND SPONDYLITIS.....710-715	40	14	23	2	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	3	-	3	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	3	3	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	48	19	26	1	2
18 XIV. CONGENITAL ANOMALIES.....	211	89	105	10	7
19 SPINA BIFIDA.....741	6	2	3	1	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	35	19	16	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	80	32	42	4	2
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	23	9	13	-	1
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	67	27	31	5	4
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	399	211	137	28	23
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	264	136	108	8	12
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	18	10	8	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	246	126	100	8	12
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,654	1,710	719	158	67
30 ACCIDENTS.....E800-E949	1,851	1,209	504	89	49
31 RAILWAY ACCIDENTS.....E800-E807	15	8	3	4	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	813	528	221	46	18
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	791	511	217	45	18
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	28	17	9	2	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	280	171	95	12	2
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	92	43	34	10	5
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811-E813,E815	92	67	15	5	5
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	168	119	35	11	3
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	131	94	29	5	3
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	22	17	4	1	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	6	5	-	-	1
42 WATER TRANSPORT ACCIDENTS.....E830-E838	66	55	6	4	1
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	58	50	6	1	1
44 ACCIDENTAL POISONING.....E850-E877	71	35	26	7	3
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	37	16	16	4	1
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	24	13	7	3	1
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	10	3	3	-	1
48 ACCIDENTAL FALLS.....E880-E887	271	143	116	5	7
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E887	87	53	29	3	2
50 FALL ON SAME LEVEL.....E885-E886	14	5	9	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	170	85	78	2	5
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	121	69	41	3	8
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	133	99	25	7	2
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	45	24	18	1	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	28	25	1	2	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	96	86	2	7	1
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	3	3	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	4	3	-	1	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	5	4	-	-	1
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	9	9	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E914-E919,E921,E927,E928	75	67	2	6	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	53	30	20	2	1
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	75	52	19	-	4
64 SUICIDE.....E950-E959	531	360	146	21	4
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	90	34	53	2	1
66 SUICIDE FROM POISONING BY GASES.....E951,E952	75	55	18	1	1
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	51	35	14	2	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E954-E955	267	211	42	13	1
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	48	25	19	3	1
70 HOMICIDE.....E960-E978	190	98	39	42	11
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	114	63	29	29	4
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	31	17	3	10	1
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	41	14	18	3	6
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	4	4	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	82	43	30	6	3
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-28. Percent of Deaths for Which Autopsies Were Reported, by Age, Color, and Sex: United States, 1974

[Autopsies per 100 deaths in specified group]

Color and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Total-----	18.4	46.6	47.8	41.6	52.2	53.7	41.7	30.5	22.1	15.0	9.6	4.6
Male-----	21.4	46.9	47.3	40.8	51.6	55.2	44.1	32.1	23.3	16.1	11.4	6.0
Female----	14.6	46.1	48.5	42.8	53.8	50.5	37.8	27.7	20.0	13.3	7.9	4.0
White-----	17.5	47.2	47.2	41.2	49.2	50.7	40.9	30.7	22.6	15.3	9.6	4.7
Male-----	20.4	47.4	46.2	40.3	48.3	51.5	42.5	31.9	23.5	16.3	11.3	5.8
Female----	14.0	46.8	48.5	42.7	51.9	48.7	38.2	28.6	20.9	13.9	7.9	4.0
All other-----	24.4	45.1	49.6	49.9	63.8	62.1	44.1	29.5	19.4	12.6	9.8	5.6
Male-----	28.5	45.6	50.5	45.0	65.0	65.4	49.0	33.1	22.3	14.7	11.9	7.1
Female----	19.0	44.4	48.5	42.8	60.7	58.2	36.4	24.1	16.1	10.0	7.6	4.5

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-29. Deaths From 69 Selected Causes, by Number and Percent for Which Autopsies Were Reported and Item "Findings Used" Was on Certificate, by Number and Percent for Which Autopsy Findings Were Used: United States, 1974

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Total deaths	Reported autopsies		Item "Findings used" on certificate ¹			
		Number	Percent	Number	Autopsy findings used		
					Number	Percent	
All causes	1,954,368	355,515	18.4	278,616	201,658	72.4	
Bacillary dysentery and amebiasis	004-006	57	24	42.1	18	14	77.8
Enteritis and other diarrheal diseases	008-009	2,255	638	27.2	650	451	69.4
Tuberculosis, all forms	010-019	5,515	1,075	30.6	767	521	67.9
Tuberculosis of respiratory system	010-012	2,775	637	30.2	586	406	69.3
Tuberculosis, other forms	013-019	738	238	32.2	181	115	63.5
Whooping cough	033	14	5	35.7	4	2	80.0
Streptococcal sore throat and scarlet fever	034	22	6	27.3	6	5	83.3
Meningococcal infections	036	305	179	58.7	144	93	64.6
Septicemia	038	5,243	1,657	31.6	1,213	678	55.9
Acute poliomyelitis	040-043	3	1	0.0	-	-	-
Measles	055	20	9	45.0	8	6	75.0
Syphilis and its sequelae	090-097	300	55	18.3	47	33	70.2
Other infective and parasitic diseases	Remainder of 000-136	5,890	1,684	42.2	1,321	837	63.4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-209	560,472	55,079	15.3	42,430	27,596	65.0
Malignant neoplasms of buccal cavity and pharynx	140-149	7,968	1,052	13.2	615	553	67.9
Malignant neoplasms of digestive organs and peritoneum	150-159	96,913	13,354	13.8	10,320	7,002	67.8
Malignant neoplasms of respiratory system	160-163	85,476	13,764	16.5	10,612	7,224	68.1
Malignant neoplasm of breast	174	32,424	3,766	11.6	2,815	1,681	59.7
Malignant neoplasms of genital organs	180-187	43,111	4,787	11.1	3,701	2,355	63.6
Malignant neoplasms of urinary organs	188-189	16,457	2,399	14.6	1,910	1,298	68.0
Malignant neoplasms of all other and unspecified sites	170-173,190-199	43,620	6,884	15.8	5,255	3,153	60.0
Leukemia	204-207	14,575	2,667	26.5	2,951	1,781	60.4
Other neoplasms of lymphatic and hematopoietic tissues	200-203,208,209	19,929	5,206	26.1	4,051	2,549	62.9
Benign neoplasms and neoplasms of unspecified nature	210-239	5,060	1,546	26.6	1,024	678	66.2
Diabetes mellitus	250	37,329	5,732	10.0	2,950	1,618	61.6
Avitaminoses and other nutritional deficiencies	260-269	2,527	586	14.5	283	191	67.5
Anemias	280-285	3,312	738	22.3	559	362	64.8
Meningitis	320	1,539	789	51.3	587	393	67.0
Major cardiovascular diseases	390-448	1,010,826	114,801	11.4	92,743	67,187	72.4
Diseases of heart	390-398,402,404,410-429	738,171	86,974	11.8	70,501	52,083	73.9
Active rheumatic fever and chronic rheumatic heart disease	390-398	13,302	4,356	32.7	3,467	2,441	70.4
Hypertensive heart disease	402	7,167	750	10.5	608	442	72.7
Hypertensive heart and renal disease	404	4,916	388	7.9	321	249	77.6
Ischemic heart disease	410-413	664,854	73,668	11.1	60,187	45,164	75.0
Acute myocardial infarction	410	334,196	43,282	13.0	35,212	25,978	73.8
Other acute and subacute forms of ischemic heart disease	411	4,418	526	11.9	396	318	80.3
Chronic ischemic heart disease	412	326,066	30,049	9.2	24,570	18,863	76.8
Angina pectoris	413	176	11	6.3	9	5	55.6
Chronic disease of endocardium and other myocardial insufficiency	424,428	4,895	820	16.8	856	498	75.9
All other forms of heart disease	420-423,425-427,429	43,037	6,792	15.8	5,262	3,289	62.5
Hypertension	400,401,403	6,894	849	12.3	697	470	67.4
Cerebrovascular diseases	430-438	207,424	16,702	8.1	13,164	9,604	65.4
Cerebral hemorrhage	431	30,515	4,681	15.3	3,659	2,580	70.8
Cerebral thrombosis	433	55,542	3,211	6.0	2,561	1,726	67.4
Cerebral embolism	434	910	88	9.7	71	46	64.8
All other cerebrovascular diseases	430,432,435-438	122,457	8,722	7.1	6,873	4,242	61.7
Arteriosclerosis	440	32,239	1,602	5.0	1,332	872	65.5
Other diseases of arteries, arterioles, and capillaries	441-448	26,198	8,774	33.5	7,049	5,158	73.2
Acute bronchitis and bronchiolitis	468	750	374	49.9	296	224	75.7
Influenza and pneumonia	470-474,480-486	54,777	12,690	23.2	9,233	6,930	75.1
Influenza	470-474	2,201	223	10.1	161	125	69.1
Pneumonia	480-486	52,576	12,467	23.7	9,052	6,805	75.2
Bronchitis, emphysema, and asthma	490-493	28,880	4,751	17.7	3,955	2,874	72.7
Chronic and unqualified bronchitis	490,491	5,097	973	19.1	777	559	71.9
Emphysema	492	19,907	3,368	16.9	2,865	2,097	73.2
Asthma	493	1,876	409	21.8	315	218	69.2
Peptic ulcer	531-533	7,069	2,870	40.6	2,254	1,720	76.3
Appendicitis	540-543	864	366	42.4	293	218	74.4
Hernia and intestinal obstruction	550-553,560	6,506	2,041	31.4	1,673	1,233	73.7
Cirrhosis of liver	571	33,319	11,332	34.0	8,872	6,744	76.0
Cholelithiasis, cholecystitis and cholangitis	574,575	3,194	1,107	34.7	895	637	71.2
Nephritis and nephrosis	580-584	8,068	1,532	19.0	1,174	742	63.2
Acute nephritis and nephrotic syndrome	580,581	1,541	358	23.2	275	154	56.0
Chronic and unqualified nephritis and renal sclerosis	582-584	6,527	1,174	18.0	899	588	65.4
Infections of kidney	590	5,451	957	17.6	737	543	73.7
Hypertrophy of prostate	600	1,377	230	16.7	196	138	70.4
Complications of pregnancy, childbirth, and the puerperium	630-678	462	271	58.7	199	140	70.4
Abortions	640-645	27	15	55.6	11	9	81.8
Other complications of pregnancy, childbirth, and the puerperium	630-639,650-678	435	256	58.9	188	131	69.7
Congenital anomalies	740-759	13,526	6,881	50.9	5,344	3,241	60.6
Certain causes of mortality in early infancy	760-769,772,774-778	28,786	10,111	35.1	7,858	4,155	55.0
Birth injury, difficult labor, and other anoxic and hypoxic conditions	761-768,772,778	15,974	6,874	43.0	5,347	2,989	55.9
Other causes of mortality in early infancy	Remainder of 760-778	12,812	3,237	25.3	2,511	1,176	46.8
Symptoms and ill-defined conditions	780-796	31,145	9,372	30.0	7,543	4,597	60.9
All other diseases	Remainder	118,396	32,296	27.3	24,910	17,398	69.8
Accidents	E800-E849	104,622	41,759	39.9	33,684	28,552	84.7
Motor vehicle accidents	E810-E825	46,402	17,942	38.5	14,557	12,533	86.8
All other accidents	E800-E807, E825-E849	58,220	23,817	41.0	19,127	15,919	83.2
Suicide	E950-E959	25,663	10,788	42.0	8,986	7,785	86.7
Homicide	E960-E979	21,465	19,060	88.8	15,254	11,035	85.4
Other external causes	E980-E999	5,161	3,664	71.0	2,516	2,047	81.4

¹This item does not appear on all death certificates. For further discussion, see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

Table 1-30. Deaths Occurring in the United States

[Deaths include those to nonresidents of the United States. Numbers after cause of death are

Cause of death and month	Total	Day of month ¹													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14
		ALL CAUSES													
1 Total	1,936,476
2 January	172,223	T 5,765	W 5,656	T 5,754	F 5,819	S 5,796	S 5,417	M 5,758	T 5,591	W 5,900	T 5,745	F 5,698	S 5,846	S 5,675	M 5,772
3 February	156,169	F 5,301	S 5,405	S 5,249	M 5,489	T 5,391	W 5,439	T 5,586	F 5,595	S 5,724	S 5,624	M 5,005	T 5,705	W 5,656	T 5,541
4 March	172,334	F 5,901	S 5,912	S 5,929	M 5,773	T 5,576	W 5,475	T 5,607	F 5,582	S 5,584	S 5,404	M 5,462	T 5,801	W 5,296	T 5,510
5 April	164,586	M 5,795	T 5,654	W 5,877	T 5,594	F 5,479	S 5,487	S 5,615	M 5,568	T 5,409	W 5,421	T 5,497	F 5,747	S 5,614	S 5,590
6 May	180,222	W 5,274	T 4,865	F 5,220	S 5,422	S 5,283	M 5,365	T 5,127	W 5,145	T 5,179	F 5,232	S 5,440	S 5,120	M 5,065	T 5,247
7 June	152,558	S 5,069	S 5,018	M 5,127	T 5,139	W 5,282	T 5,110	F 5,241	S 5,241	S 5,254	M 5,474	T 5,008	W 4,976	T 5,077	F 5,055
8 July	169,659	M 5,589	T 5,259	W 5,497	T 5,529	F 5,533	S 5,184	S 5,282	M 5,481	T 5,145	W 5,545	T 5,155	F 5,059	S 5,219	S 5,511
9 August	152,573	T 4,993	F 5,077	S 5,023	M 4,870	S 4,749	T 4,782	W 4,884	T 4,805	F 4,818	S 5,031	S 4,818	M 5,038	T 4,976	W 4,878
10 September	151,419	S 4,856	M 4,808	T 4,850	W 4,851	T 4,870	F 5,005	S 5,322	S 5,109	M 5,292	T 5,127	W 5,156	T 5,128	S 5,023	S 5,020
11 October	162,595	T 5,057	W 5,158	T 5,163	F 5,261	S 5,492	S 5,494	M 5,490	T 5,342	W 5,150	T 5,335	F 5,279	S 5,403	S 5,305	M 5,264
12 November	156,885	F 5,138	S 5,263	S 5,023	M 5,147	T 4,935	W 4,935	T 5,026	F 5,057	S 5,297	S 5,146	M 5,275	T 5,032	W 5,104	T 5,174
13 December	173,464	S 5,618	M 5,698	T 5,440	W 5,530	T 5,320	F 5,577	S 5,542	S 5,555	M 5,421	T 5,469	W 5,290	T 5,563	F 5,465	S 5,660
MOTOR VEHICLE ACCIDENTS (E810-E823)															
14 Total	46,629
15 January	3,050	T 173	W 99	T 66	F 99	S 107	S 112	M 77	T 95	W 78	T 69	F 94	S 113	S 99	M 76
16 February	2,707	F 129	S 156	S 89	M 74	T 63	W 79	T 89	F 107	S 127	S 100	M 88	T 85	W 83	T 80
17 March	3,339	F 94	S 154	S 110	M 83	T 86	W 69	T 85	F 120	S 184	S 113	M 88	T 64	W 76	T 105
18 April	3,438	M 93	T 94	W 93	T 119	F 125	S 147	S 148	M 87	T 91	W 97	T 119	F 159	S 146	S 144
19 May	3,692	W 104	T 97	F 109	S 156	S 139	M 94	T 84	W 83	T 115	F 137	S 188	S 153	M 102	T 95
20 June	4,265	S 185	S 158	M 126	T 109	W 134	T 130	F 132	S 192	S 150	M 114	T 100	W 115	T 91	F 183
21 July	4,418	M 129	T 128	W 144	T 183	F 171	S 146	S 152	M 121	T 115	W 115	T 127	F 149	S 195	S 163
22 August	4,739	T 136	F 174	S 222	S 201	M 157	T 129	W 111	T 109	F 141	S 223	S 160	M 125	T 121	W 122
23 September	4,885	S 179	M 178	T 119	W 105	T 114	F 144	S 231	S 188	M 92	T 83	W 118	T 106	F 140	S 236
24 October	4,480	T 97	W 130	T 123	F 126	S 246	S 189	M 120	T 129	W 108	T 123	F 160	S 223	F 198	M 110
25 November	4,289	F 161	S 203	S 149	M 98	T 89	W 109	T 106	F 153	S 218	S 157	M 115	T 96	W 95	T 115
26 December	3,929	S 130	M 109	T 99	W 104	T 105	F 145	S 181	S 135	M 106	T 101	W 100	T 114	F 101	S 222
SUICIDE (E950-E959)															
27 Total	25,708
28 January	2,130	T 86	W 80	T 66	F 64	S 64	S 65	M 75	T 71	W 69	T 61	F 73	S 60	S 73	M 78
29 February	1,842	F 66	S 57	S 69	M 63	T 69	W 61	T 55	F 68	S 67	S 77	M 77	T 82	W 69	T 67
30 March	2,277	F 74	S 81	S 90	M 90	T 76	W 95	T 71	F 81	S 83	S 88	M 60	T 82	W 74	T 77
31 April	2,119	M 82	T 74	W 69	T 76	F 76	S 67	S 66	M 84	T 81	W 68	T 56	F 79	S 63	S 67
32 May	2,132	W 90	T 71	F 60	S 71	S 53	M 79	T 78	W 63	T 76	F 47	S 66	F 68	M 82	T 64
33 June	2,067	S 64	S 66	M 82	T 83	W 85	T 73	F 74	S 60	S 65	M 90	T 70	W 66	T 79	F 67
34 July	2,106	M 81	T 58	W 70	T 82	F 63	S 60	S 69	M 84	T 71	W 61	T 51	F 77	S 68	S 52
35 August	2,176	T 74	F 65	S 69	S 88	M 91	T 72	W 73	T 72	F 69	S 66	S 86	M 82	T 58	W 59
36 September	2,216	S 59	M 63	T 82	W 80	T 66	F 83	S 70	S 71	M 94	T 85	W 61	T 61	F 83	S 64
37 October	2,358	T 62	W 86	T 69	F 59	S 73	S 88	M 88	T 81	W 94	T 76	F 81	S 87	S 96	M 76
38 November	2,076	F 65	S 57	S 57	M 84	T 69	W 86	T 71	F 73	S 62	S 80	M 78	T 78	W 72	T 54
39 December	2,209	S 63	M 59	T 74	W 64	T 76	F 85	S 71	S 85	M 56	T 77	W 68	T 68	F 74	S 72
HOMICIDE (E960-E978)															
40 Total	21,513
41 January	1,771	T 94	W 46	T 49	F 50	S 88	S 65	M 57	T 46	W 29	T 46	F 55	S 87	S 62	M 56
42 February	1,509	F 48	S 75	S 70	M 52	T 35	W 32	T 35	F 46	S 86	S 76	M 44	T 45	W 51	T 48
43 March	1,794	F 63	S 91	S 81	M 58	T 51	W 47	T 56	F 58	S 82	S 76	M 40	T 49	W 54	T 41
44 April	1,598	M 49	T 51	W 41	T 57	F 67	S 60	M 51	T 44	W 30	T 49	F 49	S 78	S 74	S 66
45 May	1,491	W 40	T 38	F 55	S 83	S 49	M 31	T 43	W 34	T 39	F 45	S 74	S 49	M 47	T 29
46 June	1,785	S 76	S 76	M 53	T 52	W 49	T 44	F 64	S 96	S 96	M 36	T 53	W 27	T 41	F 44
47 July	1,847	M 42	T 69	W 65	T 85	F 78	S 73	S 73	W 59	M 36	T 46	W 44	T 55	S 72	S 82
48 August	1,958	T 75	F 61	S 91	S 73	M 59	T 50	W 53	T 68	F 68	S 80	S 66	M 66	T 66	W 47
49 September	1,856	S 85	M 69	T 75	W 52	T 60	F 53	S 78	S 68	M 58	T 54	W 43	T 42	F 62	S 76
50 October	1,917	T 54	W 52	T 64	F 46	S 80	S 75	M 67	T 63	W 39	T 63	F 78	S 102	S 77	M 59
51 November	1,999	F 85	S 105	S 95	M 63	T 61	W 51	T 56	F 65	S 99	S 74	M 53	T 55	W 46	T 50
52 December	2,038	S 68	M 53	T 76	W 54	T 61	F 66	S 89	S 75	M 44	T 64	W 46	T 54	F 78	S 74

¹Letter preceding number of deaths indicates day of week. (S=Sunday, M=Monday, etc., to S=Saturday.)

SECTION 1 - GENERAL MORTALITY

From Selected Causes, by Date of Death: 1974

category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965

Table with columns for 'Day of month' (15-31, Unknown) and rows of mortality data (T, F, M, W, S, M). Includes category numbers 1, 14, 27, 40 on the right side.

Section 2. Infant Mortality

Table	Page
2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-74 -----	2-3
2-2. Infant mortality rates by age, color, and sex: United States, 1974 -----	2-3
2-3. Infant, neonatal, and postneonatal deaths and rates by specified race or national origin and sex: United States, 1974 -----	2-3
2-4. Infant mortality rates by age and color: United States, 1965-74 -----	2-4
2-5. Infant mortality rates for 65 selected causes by color: United States, 1974 --	2-5
2-6. Infant mortality rates by color: United States, each division and State, 1970-74 -----	2-6
2-7. Neonatal mortality rates by color: United States, each division and State, 1970-74 -----	2-7
2-8. Infant and neonatal deaths and mortality rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1974 -----	2-8
2-9. Deaths under 1 year, by age, race, and sex: United States and each State, 1974 -----	2-10
2-10. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1974-----	2-28
2-11. Infant mortality rates for 65 selected causes: United States, 1968-74 -----	2-37
2-12. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by month: United States, 1974 -----	2-38
2-13. Deaths under 1 year and under 28 days, from 65 selected causes, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1974 -----	2-44
2-14. Deaths under 1 year from 65 selected causes, by age, color, and sex: United States, 1974 -----	2-50
2-15. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by color: United States, and each State, 1974 -----	2-68

SECTION 2 · INFANT MORTALITY

2-3

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-74
 [Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	Total	White	All other	Total	White	All other		Total	White	All other	Total	White	All other
1974 ¹	16.7	14.8	24.9	12.3	11.1	17.2	1954	26.9	23.9	42.9	19.1	17.8	27.0
1973 ¹	17.7	15.8	26.2	13.0	11.8	17.9	1953	27.8	25.0	44.7	19.6	18.3	27.4
1972 ^{1,2}	18.5	16.4	27.7	13.6	12.4	19.2	1952	28.4	25.5	47.0	19.8	18.5	28.0
1971 ^{1,2}	19.1	17.1	28.5	14.2	13.0	19.6	1951	28.4	25.8	44.8	20.0	18.9	27.3
1970 ¹	20.0	17.8	30.9	15.1	13.8	21.4	1950	29.2	26.8	44.5	20.5	19.4	27.5
1969	20.9	18.4	32.9	15.6	14.2	22.5	1949	31.3	28.9	47.3	21.4	20.3	28.6
1968	21.8	19.2	34.5	16.1	14.7	23.0	1948	32.0	29.9	46.5	22.2	21.2	29.1
1967	22.4	19.7	35.9	16.5	15.0	23.8	1947	32.2	30.1	48.5	22.8	21.7	31.0
1966	23.7	20.6	38.8	17.2	15.6	24.8	1946	33.8	31.8	49.5	24.0	23.1	31.5
1965	24.7	21.5	40.3	17.7	16.1	25.4	1945	38.5	35.6	57.0	24.3	23.3	32.0
1964	24.8	21.6	41.1	17.9	16.2	26.5	1944	39.8	36.9	60.3	24.7	23.6	32.5
1963 ³	25.2	22.2	41.5	18.2	16.7	26.1	1943	40.4	37.5	62.5	24.7	23.7	32.9
1962 ³	25.3	22.3	41.4	18.3	16.9	26.1	1942	40.4	37.3	64.6	25.7	24.5	34.6
1961	25.3	22.4	40.7	18.4	16.9	26.2	1941	45.3	41.2	74.8	27.7	26.1	39.0
1960	26.0	22.9	43.2	18.7	17.2	26.9	1940	47.0	43.2	73.8	28.8	27.2	39.7
1959	26.4	23.2	44.0	19.0	17.5	27.7	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1958	27.1	23.8	45.7	19.5	17.8	29.0	1930-34 ⁴	60.4	55.2	98.6	34.4	32.5	48.2
1957	26.3	23.3	43.7	19.1	17.5	27.8	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1956	26.0	23.2	42.1	18.9	17.5	27.0	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1955	26.4	23.6	42.8	19.1	17.7	27.2	1915-19	95.7	92.8	149.7	43.4	42.3	58.1

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.⁴For 1932-34, Mexicans are included with "All other."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1974
 [Rates per 100,000 live births in specified group]

Age	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	1,670.1	1,668.2	1,461.2	1,484.9	1,676.1	1,282.4	2,486.8	2,725.1	2,240.2
Under 28 days	1,225.9	1,376.6	1,066.9	1,113.9	1,261.7	957.3	1,719.7	1,899.0	1,544.6
Under 1 day	669.5	746.9	587.9	603.0	676.0	525.6	963.1	1,063.3	859.4
Under 1 hour	162.1	175.6	147.9	150.7	162.6	138.1	212.4	233.3	190.9
1-23 hours	507.4	571.4	440.0	452.2	513.4	387.5	750.6	830.0	666.5
1 day	165.9	186.1	140.5	150.0	170.9	127.8	225.3	254.1	195.4
2 days	105.3	118.2	87.6	99.6	116.2	81.9	119.9	127.2	112.2
3 days	52.2	60.2	45.8	48.8	57.1	40.0	67.3	73.7	60.6
4 days	34.0	39.5	29.2	32.3	36.8	27.5	41.4	46.1	36.6
5 days	24.0	29.0	22.4	22.9	25.8	19.8	38.3	43.1	33.4
6 days	18.9	20.9	16.8	16.7	18.3	15.0	29.4	32.3	24.4
7-13 days	84.2	95.7	72.1	77.1	90.0	63.3	115.7	120.8	110.4
14-20 days	42.4	46.5	38.1	37.5	41.9	32.9	64.2	67.3	61.0
21-27 days	31.7	34.6	28.6	26.1	28.7	23.4	56.1	60.9	51.2
28-59 days	115.1	125.5	104.2	94.5	104.7	85.7	206.1	218.1	193.7
2 months	85.6	97.0	73.5	70.0	78.1	60.3	154.4	176.7	131.3
3 months	66.5	77.1	55.3	57.8	69.0	46.1	104.6	113.1	95.8
4 months	45.8	51.0	39.9	36.5	41.1	31.5	85.8	94.9	76.3
5 months	31.6	34.2	28.8	25.7	27.2	24.1	57.7	65.6	49.5
6 months	25.2	27.6	22.7	21.8	24.1	19.4	40.2	43.4	36.9
7 months	20.3	21.4	19.1	18.3	19.5	17.0	28.9	30.0	27.9
8 months	14.9	16.2	13.6	12.9	14.6	11.0	24.1	23.2	25.1
9 months	14.3	15.5	13.1	12.2	12.9	11.4	23.6	26.9	20.2
10 months	13.1	13.3	12.9	11.5	11.5	11.6	20.0	21.5	18.5
11 months	12.1	13.0	11.2	10.0	10.9	9.0	21.6	22.6	20.6

Table 2-3. Infant, Neonatal, and Postneonatal Deaths and Rates by Specified Race or National Origin and Sex: United States, 1974
 [Infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days to 11 months) mortality rates per 1,000 live births in specified group]

Age	Total			White		Negro		Indian ¹		Chinese		Japanese		Other	
	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNDER 1 YEAR															
Number	52,776	30,305	22,471	22,209	16,040	7,572	6,012	267	227	25	23	39	33	193	136
Rate	16.7	18.7	14.6	16.8	12.8	29.4	24.1	19.6	17.5	6.0	6.0	10.0	8.5	10.6	8.3
UNDER 28 DAYS															
Number	38,739	22,330	16,408	16,718	11,974	5,293	4,182	133	118	16	14	30	27	140	93
Rate	12.3	13.8	10.7	12.6	9.6	20.6	16.7	9.8	9.1	3.9	3.6	7.7	7.0	7.7	5.7
28 DAYS TO 11 MONTHS															
Number	14,038	7,975	6,063	5,491	4,066	2,279	1,830	134	108	9	9	9	8	53	43
Rate	4.4	4.9	3.9	4.1	3.5	8.9	7.5	9.8	8.4	2.2	2.3	2.3	1.8	2.9	2.8

¹Includes deaths among Aleuts and Eskimos.

SECTION 2 - INFANT MORTALITY

Table 2-4. Infant Mortality Rates by Age and Color: United States, 1965-74

[Rates per 100,000 live births in specified group]

Age and color	1974 ¹	1973 ¹	1972 ^{1,2}	1971 ¹	1970 ¹	1969	1968	1967	1966	1965
TOTAL										
Under 1 year	1,670.1	1,771.8	1,847.0	1,911.7	2,001.1	2,085.2	2,178.0	2,244.5	2,371.3	2,469.6
Under 28 days	1,225.9	1,295.5	1,363.6	1,420.0	1,508.3	1,557.8	1,612.3	1,650.9	1,717.6	1,766.3
Under 1 day	669.5	721.8	766.8	819.7	892.0	918.1	951.1	964.6	994.7	1,016.5
1 day	163.9	173.7	181.9	200.1	212.9	221.8	232.8	239.9	254.2	258.3
2 days	103.5	113.2	111.6	126.5	127.6	131.9	136.8	143.7	151.3	151.9
3 days	52.2	55.0	57.5	59.3	58.0	58.6	61.3	62.7	67.0	66.4
4 days	34.0	33.0	33.5	34.8	36.1	34.7	35.7	35.2	36.3	37.4
5 days	25.8	26.4	22.4	24.7	26.4	24.2	27.2	26.4	27.3	28.9
6 days	18.9	20.0	18.5	18.6	19.1	19.0	19.3	20.7	20.7	20.7
7-13 days	84.2	77.3	75.7	70.9	72.9	74.9	70.2	74.4	78.4	83.2
14-20 days	42.4	41.8	39.8	36.4	39.2	40.1	41.5	42.8	45.4	53.2
21-27 days	31.7	34.1	33.6	31.1	34.2	34.5	36.3	36.4	40.3	42.9
28-59 days	115.1	120.8	119.4	122.9	124.9	129.9	154.8	149.9	161.7	170.1
2 months	85.6	92.7	90.4	95.1	95.4	98.9	108.4	115.9	119.9	130.4
3 months	66.5	69.3	69.9	71.0	69.3	74.4	84.5	82.4	92.2	103.5
4 months	45.6	47.0	49.4	49.7	50.0	50.0	56.7	59.5	68.3	74.3
5 months	31.6	34.4	35.2	36.1	37.0	40.6	42.0	45.9	49.9	52.1
6 months	25.2	27.6	30.5	29.2	28.5	31.5	34.3	37.6	39.1	41.7
7 months	20.5	21.4	23.9	25.8	25.4	24.7	26.8	27.5	31.6	33.8
8 months	14.9	17.2	20.7	19.2	18.2	21.6	20.9	23.6	27.6	28.1
9 months	14.3	15.5	16.5	16.9	16.0	17.8	21.6	19.5	22.5	25.6
10 months	13.1	15.2	14.3	15.1	15.1	16.1	16.8	17.4	21.0	21.8
11 months	12.1	15.4	13.5	14.6	14.9	15.0	16.8	16.4	19.7	21.8
WHITE										
Under 1 year	1,484.9	1,577.4	1,636.6	1,707.1	1,775.2	1,840.9	1,919.6	1,968.6	2,063.0	2,151.1
Under 28 days	1,113.9	1,183.9	1,236.8	1,302.3	1,376.9	1,416.6	1,473.2	1,501.8	1,580.8	1,608.3
Under 1 day	603.0	652.7	709.9	747.6	796.5	827.7	869.9	871.8	903.6	930.1
1 day	150.0	161.5	169.2	187.3	197.7	206.8	214.7	244.8	234.8	240.0
2 days	99.6	109.3	105.1	121.9	123.4	128.2	129.3	139.6	145.8	152.9
3 days	48.8	50.6	52.9	56.0	54.7	55.3	57.1	58.4	63.4	61.9
4 days	32.3	31.0	33.2	31.2	32.8	31.1	31.1	31.0	35.1	33.0
5 days	22.9	24.2	20.7	21.6	24.1	21.5	24.9	25.1	24.7	24.3
6 days	16.7	17.5	16.5	14.9	17.2	16.9	17.0	18.6	17.6	17.7
7-13 days	77.1	71.3	68.0	64.3	65.3	64.9	62.4	65.7	65.9	69.4
14-20 days	37.5	36.8	33.6	31.5	34.0	33.9	34.6	35.8	36.0	43.8
21-27 days	26.1	29.1	27.6	26.0	28.3	28.4	29.2	30.9	31.8	35.2
28-59 days	94.5	98.5	97.8	101.5	101.9	104.2	108.8	118.8	125.7	130.0
2 months	70.0	75.9	76.7	76.0	76.5	79.2	85.8	90.0	81.4	100.9
3 months	57.8	58.6	59.6	59.7	56.1	61.6	66.4	64.5	70.5	80.5
4 months	36.5	38.5	38.6	40.8	40.2	45.5	45.9	45.1	51.2	56.1
5 months	25.7	28.5	27.9	28.4	28.6	31.6	31.7	35.5	37.7	39.3
6 months	21.8	23.1	25.7	25.5	22.9	24.9	26.5	29.4	29.5	32.1
7 months	18.3	17.8	20.5	20.0	16.4	20.4	21.1	22.1	24.6	26.0
8 months	12.6	14.4	16.8	15.8	15.2	17.9	16.6	19.1	21.9	21.7
9 months	12.2	13.8	14.5	13.5	13.3	14.8	16.9	15.6	17.9	20.9
10 months	11.5	12.9	11.7	13.2	12.7	13.9	13.2	13.8	16.0	17.4
11 months	10.0	13.6	11.0	12.4	12.5	12.2	13.6	13.0	15.9	17.9
ALL OTHER										
Under 1 year	2,486.8	2,618.4	2,773.8	2,851.0	3,091.8	3,291.3	3,454.8	3,591.7	3,876.9	4,052.7
Under 28 days	1,719.7	1,785.7	1,922.2	1,960.2	2,142.7	2,254.7	2,299.5	2,379.0	2,483.3	2,541.6
Under 1 day	963.1	1,022.8	1,125.3	1,150.7	1,285.2	1,364.0	1,357.3	1,418.0	1,439.7	1,440.5
1 day	225.3	226.6	237.5	238.9	296.5	285.7	302.7	313.6	339.3	348.3
2 days	119.8	130.4	140.0	147.3	147.8	150.3	173.8	163.6	178.3	188.1
3 days	67.3	74.4	77.3	74.2	73.9	75.3	82.0	83.9	84.3	86.3
4 days	41.4	41.6	47.8	51.2	53.0	52.0	56.7	56.0	53.5	59.9
5 days	38.3	35.8	29.9	38.8	37.3	37.9	39.4	44.4	40.5	51.2
6 days	28.4	30.9	27.2	24.4	28.3	29.3	30.7	30.7	35.9	35.5
7-13 days	115.7	103.4	109.8	101.4	105.1	124.0	108.4	116.8	139.3	150.8
14-20 days	64.2	63.7	67.0	58.6	64.1	70.9	75.3	76.7	91.0	99.1
21-27 days	56.1	56.0	60.4	54.7	62.5	64.6	71.3	75.2	81.6	80.8
28-59 days	208.1	218.3	215.0	221.1	236.0	256.7	283.5	301.6	337.7	367.0
2 months	154.4	165.7	150.6	171.5	187.0	196.0	220.1	230.8	239.4	275.3
3 months	104.6	119.0	119.8	122.6	133.1	149.4	173.6	170.1	198.0	216.3
4 months	85.8	84.1	96.9	90.8	97.3	111.6	122.0	129.7	151.7	163.9
5 months	57.7	60.2	67.0	71.5	77.5	84.7	93.2	97.6	109.6	115.2
6 months	40.2	47.1	50.4	55.0	55.6	64.1	73.0	77.7	86.0	89.1
7 months	28.9	37.0	39.1	41.8	47.6	46.2	55.1	53.6	66.6	72.3
8 months	24.1	29.5	38.2	35.1	32.5	39.6	42.3	45.1	56.4	59.4
9 months	23.6	25.0	25.5	32.5	29.2	33.0	44.8	39.3	44.5	48.7
10 months	20.0	25.6	25.5	24.0	26.7	26.9	34.8	35.3	45.2	43.4
11 months	21.6	23.0	23.6	24.8	26.4	28.5	32.9	33.1	36.5	40.7

¹Excludes deaths of nonresidents of the United States.
²Deaths based on a 50-percent sample.

SECTION 2 - INFANT MORTALITY

25

Table 2-5. Infant Mortality Rates for 65 Selected Causes by Color: United States, 1974

[Rates are deaths under 1 year per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	Total	White	All other
All causes	1,670.1	1,484.9	2,486.8
Diarrheal diseases	20.4	14.6	46.4
Whooping cough	*0.4	*0.4	*0.3
Meningococcal infections	1.5	1.3	*2.2
Tetanus	*0.1	*0.1	
Septicemia	28.8	24.1	49.6
Viral diseases	5.0	5.7	7.4
Congenital syphilis	*0.2	*0.1	*0.7
Other infective and parasitic diseases	4.7	4.2	7.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5.6	5.5	4.3
Benign neoplasms and neoplasms of unspecified nature	1.9	1.9	*1.9
Diseases of thymus gland	254	*0.6	*0.5
Cystic fibrosis	275.0	2.1	*0.5
Diseases of the blood and blood-forming organs	280-289	5.6	8.9
Meningitis	320	17.9	34.4
Other diseases of nervous system and sense organs	321-389	15.9	21.1
Acute upper respiratory infections	480-485	5.4	2.5
Bronchitis and bronchiolitis	486,490,491	6.0	4.9
Influenza and pneumonia	470-474,480-486	82.7	63.9
Influenza	470-474	1.1	1.1
Pneumonia	480-486	81.6	62.8
Other chronic interstitial pneumonia	517	0.9	*0.7
All other diseases of respiratory system	492,493,500-516,518,519	14.3	12.4
Hernia and intestinal obstruction	530-535,580	15.7	16.3
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	535,561,583	1.6	1.2
Other diseases of digestive system	520-534,536,537,540-543,562,564-577	9.8	8.4
Congenital anomalies	740-759	272.4	276.4
Anencephalus	740	23.7	26.6
Spina bifida	741	14.4	16.0
Congenital hydrocephalus	742	11.5	11.4
Other congenital anomalies of central nervous system and eye	743,744	11.2	11.3
Congenital anomalies of heart	746	100.7	100.8
Other congenital anomalies of circulatory system	747	20.0	19.6
Congenital anomalies of respiratory system	748	20.8	20.6
Congenital anomalies of digestive system	749-751	12.1	11.3
Congenital anomalies of genitourinary system	752,753	9.0	9.2
Congenital anomalies of musculoskeletal system	754-766	8.4	8.7
Down's disease	759.3	2.8	3.0
Other congenital syndromes affecting multiple systems	759.0-759.2,759.4-759.9	32.1	32.6
Other and unspecified congenital anomalies	745,757,768	5.8	5.5
Certain causes of mortality in early infancy	760-769,2,769.4-772,774-778	908.6	608.3
Chronic circulatory and genitourinary diseases in mother	760	*0.2	*0.2
Other maternal conditions unrelated to pregnancy	761	8.1	7.8
Syphilis	761.0	*0.1	-
Diabetes mellitus	761.1	4.1	4.3
Rubella	761.3	*0.3	*0.2
All other maternal conditions unrelated to pregnancy	761.2,761.4-761.7,761.9	3.6	3.3
Toxemia of pregnancy	762	3.6	3.3
Maternal antepartum and intrapartum infection	763	5.5	4.3
Difficult labor	764-768	15.1	12.5
With mention of birth injury (.0-.3)		4.2	4.0
Without mention of birth injury (.4,.9)		8.9	8.5
All other complications of pregnancy and childbirth	769.0-769.2,769.4,769.5,769.9	105.8	95.3
Conditions of placenta	770	38.1	37.5
Conditions of umbilical cord	771	9.6	9.6
Birth injury without mention of cause	772	56.7	50.5
Hemolytic disease of newborn	774,775	10.8	11.5
Rh血型 disease	776.1	138.1	131.2
Respiratory distress syndrome	776.2	127.3	117.9
Asphyxia of newborn, unspecified	776.9	147.2	127.5
All other anoxic and hypoxic conditions not elsewhere classifiable	776.0,776.3,776.4	23.7	20.0
Immaturity, unqualified	777	149.3	120.5
Postmaturity	778.1	*0.2	*0.3
Hemorrhagic disease of newborn	778.2	18.8	15.5
All other conditions of newborn	778.0,778.3,778.9	54.8	43.2
Symptoms and ill-defined conditions	780-796	148.7	117.4
Accidents	800-8949	48.0	40.1
Inhalation or ingestion of food or other object causing obstruction or suffocation	8911,8912	14.0	12.4
Accidental mechanical suffocation	8913	9.0	7.8
Other accidental causes	8900-8910,8914-8949	23.0	19.9
Homicide	8980-8978	5.3	3.6
All other causes	Residual	48.8	38.3

SECTION 2 - INFANT MORTALITY

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1974

[Metropolitan areas are those defined by the Office of Management and Budget for 1974 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1974. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
50 largest U.S. SMSA's	23,024	16.4	16,931	12.0					
Albany-Schenectady-Troy, N.Y.	142	14.3	108	10.9	Dayton, Ohio	220	18.2	153	12.6
Albany	57	17.7	44	13.7	Montgomery	154	18.0	106	12.4
Rensselaer	33	16.8	21	10.7	Greene	30	17.6	22	12.9
Schenectady	26	13.5	22	11.4	Miami	29	21.5	21	15.5
Montgomery	5	7.3	3	4.4	Preble	7	13.9	4	6.0
Saratoga	21	9.7	18	8.3	Denver-Boulder, Colo.	293	14.2	211	10.2
Anaheim-Santa Ana-Garden Grove, Calif.	327	15.1	244	9.8	Boulder	20	9.7	13	6.3
Orange	327	15.1	244	9.8	Denver	126	17.1	95	12.9
Atlanta, Ga.	496	16.9	377	12.9	Adams	59	15.6	40	10.6
De Kalb	117	17.3	95	14.0	Arapahoe	45	15.4	33	11.3
Fulton	204	21.5	155	16.3	Bouglas	-	-	-	-
Butts	4	20.2	3	15.2	Gilpin	3	100.0	3	100.0
Cherokee	8	12.1	5	7.6	Jefferson	40	9.3	27	6.3
Clayton	38	15.8	31	12.9	Detroit, Mich.	1,237	19.0	696	13.7
Cobb	40	10.0	26	6.5	Wayne	841	21.6	592	15.2
Douglas	10	14.2	8	11.4	Lapeer	19	18.8	11	10.9
Fayette	4	16.3	3	12.2	Ivingston	13	12.2	6	7.5
Forsyth	9	23.9	5	13.3	Macomb	139	15.0	114	12.3
Grinnett	24	11.1	16	7.4	Oakland	192	14.7	147	11.2
Henry	9	18.1	6	12.0	St. Clair	33	16.7	24	12.2
Newton	8	14.6	6	10.9	Ft. Lauderdale-Hollywood, Fla.	162	16.8	124	12.8
Paulding	6	16.7	5	13.9	Broward	162	16.8	124	12.8
Rockdale	4	11.0	4	11.0	Hartford, Conn.	134	14.2	105	11.1
Walton	11	22.7	9	18.6	Hartford	134	14.2	105	11.1
Baltimore, Md.	450	16.5	344	12.6	Houston, Tex.	640	16.3	453	11.5
Baltimore (city)	226	20.1	171	15.2	Harris	536	16.3	394	11.5
Anne Arundel	62	13.6	45	9.8	Brazoria	28	14.2	20	10.2
Baltimore	112	15.6	82	12.8	Fort Bend	21	15.5	12	8.9
Carroll	14	14.2	11	11.2	Iduberry	14	23.3	11	16.3
Harford	22	11.2	18	9.2	Montgomery	17	16.0	13	12.3
Howard	14	11.1	7	5.6	Waller	4	22.5	3	16.9
Birmingham, Ala.	223	18.2	174	14.2	Indianapolis, Ind.	293	16.4	199	11.1
Jefferson	162	18.6	147	14.7	Marion	221	17.6	147	11.7
St. Clair	10	19.5	6	11.7	Boone	11	22.6	9	18.5
Shelby	14	15.9	9	10.2	Hamilton	6	6.4	4	4.3
Walker	17	15.5	12	11.0	Hancock	13	22.0	9	15.2
Boston, Mass.	572	14.7	447	11.5	Hendricks	14	16.1	10	11.5
Suffolk	165	18.8	124	14.1	Johnson	11	10.2	8	7.4
Essex	106	13.8	78	10.1	Morgan	7	9.6	4	5.5
Middlesex	218	13.4	174	10.8	Shelby	10	15.9	8	12.7
Norfolk	85	13.7	71	11.5	Kansas City, Mo.-Kans.	291	14.9	212	10.9
Bridgeport, Conn.	137	15.2	109	12.1	Clay, Mo.	23	11.7	15	7.6
Fairfield	137	15.2	109	12.1	Jackson, Mo.	160	16.3	114	11.6
Buffalo, N.Y.	287	17.4	210	12.7	Cass, Mo.	12	15.9	5	6.6
Erle	241	18.0	174	13.0	Platte, Mo.	7	13.2	7	13.2
Niagara	46	14.8	36	11.6	Ray, Mo.	2	6.5	1	3.2
Chicago, Ill.	2,155	20.0	1,580	14.7	Johnson, Kans.	36	11.4	27	8.5
Cook	1,759	21.3	1,281	15.5	Wyandotte, Kans.	51	17.0	43	14.4
Du Page	104	13.4	73	9.4	Los Angeles-Long Beach, Calif.	1,530	14.1	1,045	9.6
Kane	64	18.1	58	12.5	Los Angeles	1,530	14.1	1,045	9.6
Lake	85	14.6	64	11.0	Louisville, Ky.-Ind.	200	14.6	144	10.5
McHenry	27	15.4	20	11.4	Jefferson, Ky.	161	15.1	114	10.7
Will	96	19.8	84	17.3	Bullitt, Ky.	13	20.5	10	15.8
Cincinnati, Ohio-Ky.-Ind.	312	14.9	238	11.4	Oldham, Ky.	2	8.5	2	8.5
Hamilton, Ohio	196	14.7	151	11.4	Clark, Ind.	16	12.3	14	10.8
Clermont, Ohio	28	15.0	19	10.2	Floyd, Ind.	8	9.8	4	4.9
Warren, Ohio	20	15.4	15	11.6	Memphis, Tenn.-Ark.-Miss.	287	19.0	210	13.9
Boone, Ky.	6	9.3	3	4.7	Shelby, Tenn.	239	18.8	179	14.1
Campbell, Ky.	20	15.6	16	12.4	Tipton, Tenn.	12	22.6	8	15.1
Kenton, Ky.	33	15.8	28	13.4	Crittenden, Ark.	23	23.2	15	15.1
Dearborn, Ind.	9	21.5	6	14.4	De Soto, Miss.	13	15.6	8	9.6
Cleveland, Ohio	441	16.3	322	11.9	Miami, Fla.	289	16.1	213	11.6
Cuyahoga	572	17.4	276	12.9	Dade	289	16.1	213	11.6
Geauga	14	13.7	11	10.8	Milwaukee, Wis.	253	12.7	177	8.9
Lake	42	15.1	28	8.7	Milwaukee	191	12.9	124	8.4
Medina	13	8.9	7	4.7	Ozaukee	9	10.5	9	10.5
Columbus, Ohio	294	17.7	210	12.6	Washington	18	15.1	15	12.6
Franklin	238	17.6	173	12.8	Waukesha	35	11.1	29	9.2
Delaware	18	25.5	12	17.0	Minneapolis-St. Paul, Minn.-Wis.	417	14.3	298	10.2
Fairfield	18	15.5	12	10.3	Hennepin, Minn.	195	16.3	142	11.9
Madison	11	20.8	7	13.3	Ramsey, Minn.	83	12.3	61	8.0
Pickaway	9	13.2	6	8.8	Anoka, Minn.	50	15.7	31	9.7
Dallas-Fort Worth, Tex.	713	17.0	536	12.8	Carver, Minn.	5	9.0	4	7.2
Dallas	411	17.0	312	12.9	Chisago, Minn.	7	23.5	4	13.4
Tarrant	212	18.2	154	13.2	Dakota, Minn.	30	10.8	20	7.3
Collin	25	15.2	22	13.4	Scott, Minn.	11	19.7	10	18.0
Denton	11	7.6	8	5.6	Washington, Minn.	14	8.9	12	7.7
Ellis	20	24.4	15	18.3	Wright, Minn.	12	14.1	6	7.0
Hood	2	21.3	1	10.6	St. Croix, Wis.	10	15.5	8	12.4
Johnson	17	21.0	14	17.3	Nassau-Suffolk, N.Y.	411	13.3	310	10.0
Kaufman	9	18.8	5	10.5	Nassau	178	13.5	135	10.2
Parker	2	4.6	2	4.6	Suffolk	233	13.1	175	9.9
Rockwall	-	-	-	-					
Wise	4	13.4	3	10.1					

SECTION 2 - INFANT MORTALITY

2-9

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1974—Con.

[Metropolitan areas are those defined by the Office of Management and Budget for 1974 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1974. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
New Orleans, La.	347	19.5	265	14.1	Riverside-San Bernardino-Ontario, Calif.	274	14.5	185	9.7
Orleans	211	21.6	159	16.3	Riverside	117	15.3	69	9.0
Jefferson	100	14.6	79	11.6	San Bernardino	157	14.0	114	10.1
St. Bernard	13	19.0	14	14.8	Rochester, N.Y.	185	14.1	144	11.1
St. Tammany	18	14.7	13	10.6	Monroe	136	14.8	108	11.7
New York, N.Y.-N.J.	2,225	17.3	1,641	12.8	Livingston	4	5.5	4	5.5
New York (city), N.Y.	1,933	18.2	1,415	13.3	Ontario	18	15.7	14	12.2
Brooklyn	419	19.6	285	13.5	Orleans	8	13.4	5	8.4
Brooklyn	741	18.7	565	14.2	Wayne	17	13.5	13	10.3
Manhattan	369	21.9	276	16.4	Sacramento, Calif.	191	15.4	151	10.6
Queens	330	13.8	230	9.6	Sacramento	182	15.2	104	10.4
Richmond	74	17.1	59	13.6	Placer	17	16.9	12	11.9
Rutland, N.Y.	16	16.0	12	12.0	Yolo	22	16.0	15	10.9
Rockland, N.Y.	36	11.3	26	9.2	St. Louis, Mo.-Ill.	650	18.5	501	14.2
Westchester, N.Y.	139	14.4	111	11.5	St. Louis (city), Mo.	235	26.8	184	20.9
Bergen, N.J.	101	11.7	77	8.9	Franklin, Mo.	8	7.8	6	5.8
Newark, N.J.	419	16.6	292	11.5	Jefferson, Mo.	30	14.1	23	10.8
Essex	248	19.6	156	12.3	St. Charles, Mo.	25	12.9	20	10.3
Morris	65	13.2	52	10.9	St. Louis, Mo.	146	11.8	113	9.2
Bonnet	19	8.8	15	7.0	Clinton, Ill.	8	19.7	6	14.8
Union	89	15.6	69	12.1	Madison, Ill.	74	20.7	62	17.3
Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	238	18.6	187	14.6	Monroe, Ill.	2	8.5	2	8.5
Chesapeake (city), Va.	32	19.5	27	16.4	St. Clair, Ill.	122	25.6	85	17.9
Norfolk (city), Va.	107	20.4	86	16.4	San Antonio, Tex.	291	16.0	223	12.3
Portsmouth (city), Va.	38	19.6	28	14.5	Bexar	274	16.0	215	12.5
Suffolk (city), Va.	19	25.5	12	16.1	Comal	3	7.1	2	4.7
Virginia Beach (city), Va.	36	11.5	28	9.0	Cuadalupe	14	22.2	6	9.5
Currituck, N.C.	6	43.8	6	43.8	San Diego, Calif.	315	13.6	234	10.1
Oklahoma City, Okla.	241	18.9	184	12.9	San Diego	315	13.6	234	10.1
Canadian	13	19.4	12	17.9	San Francisco-Oakland, Calif.	509	13.3	349	9.1
Cleveland	14	10.3	11	8.1	Alameda	216	14.9	152	10.5
McClain	4	16.0	2	8.0	San Francisco	104	13.6	67	8.7
Oklahoma	198	20.2	134	13.7	Contra Costa	85	11.8	63	8.8
Pottawatomie	12	18.3	5	7.6	Marin	26	12.2	16	7.5
Philadelphia, Pa.-N.J.	1,181	18.5	835	14.7	San Mateo	78	11.3	50	7.3
Philadelphia, Pa.	583	25.2	457	18.2	San Jose, Calif.	199	11.8	146	8.7
Hucks, Pa.	84	13.1	74	11.6	Santa Clara	199	11.8	146	8.7
Chester, Pa.	66	17.1	55	13.7	Seattle-Everett, Wash.	244	14.0	169	9.7
Delaware, Pa.	98	14.6	77	11.5	King	186	13.7	132	9.7
Montgomery, Pa.	119	16.3	94	12.9	Snohomish	58	15.1	37	9.4
Burlington, N.J.	76	15.5	60	12.2	Tampa-St. Petersburg, Fla.	231	18.2	204	12.8
Ossaden, N.J.	115	16.5	86	12.6	Hillsborough	161	18.5	118	13.6
Gloucester, N.J.	42	16.5	34	13.4	Pasco	22	16.5	15	11.3
Phoenix, Ariz.	315	15.3	224	10.9	Pinellas	108	18.2	71	12.0
Mariopa	315	15.3	224	10.9	Toledo, Ohio-Mich.	208	16.6	155	12.3
Pittsburgh, Pa.	430	16.3	341	13.0	Lucas, Ohio	140	17.8	103	12.9
Allegheny	278	17.0	218	13.3	Fulton, Ohio	9	14.2	8	12.6
Butler	42	16.7	34	13.5	Ottawa, Ohio	8	13.2	8	13.2
Washington	52	19.2	38	14.0	Wood, Ohio	18	12.8	13	8.3
Westmoreland	58	12.3	51	10.8	Monroe, Mich.	35	17.0	23	11.8
Portland, Oreg.-Wash.	217	14.2	148	9.7	Washington, D.C.-Md.-Va.	697	16.8	524	12.6
Multnomah, Oreg.	131	17.8	86	11.7	District of Columbia	269	26.7	207	20.6
Clackamas, Oreg.	37	15.4	28	10.2	Charles, Md.	19	21.6	14	15.9
Washington, Oreg.	22	7.8	13	4.6	Montgomery, Md.	77	11.5	55	8.2
Clark, Wash.	27	11.5	21	8.9	Prince Georges, Md.	137	13.9	105	10.6
Providence-Warwick-Pawtucket, R.I.	155	17.1	123	13.5	Alexandria (city), Va.	33	16.8	26	13.3
Kent	51	16.8	21	11.4	Arlington, Va.	23	12.6	18	9.9
Providence	115	17.1	94	13.9	Fairfax, Va.	84	12.8	54	8.2
Bristol	9	18.1	8	18.1	Loudoun, Va.	13	16.7	9	11.6
					Prince William, Va.	43	15.2	36	12.7

¹On January 1, 1974, Naussemond merged with the independent city of Suffolk; deaths for Naussemond have been included with those for Suffolk.

²Figures are included for cities of Fairfax and Falls Church.

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	UNITED STATES	52,776	5,123	16,034	5,179	3,265	1,650	1,073	814	597
2	MALE	30,305	2,848	9,268	3,019	1,918	976	624	470	339
3	FEMALE	22,471	2,275	6,766	2,160	1,347	674	449	344	258
4	WHITE	38,249	3,882	11,649	3,863	2,365	1,257	831	590	431
5	MALE	22,209	2,155	6,802	2,264	1,540	757	487	342	243
6	FEMALE	16,040	1,727	4,847	1,599	1,025	500	344	248	188
7	NEGRO	13,584	1,142	4,170	1,240	662	373	230	211	154
8	MALE	7,572	642	2,332	719	357	207	126	121	88
9	FEMALE	6,012	500	1,838	521	305	166	102	90	66
10	OTHER RACES	943	99	215	76	38	20	12	13	12
11	MALE	524	51	134	36	21	12	7	7	8
12	FEMALE	419	48	81	40	17	8	3	6	4
13	ALABAMA	1,227	91	329	183	77	36	32	11	17
14	MALE	682	49	198	104	40	16	19	7	8
15	FEMALE	544	42	131	79	37	20	13	4	9
16	WHITE	653	52	173	113	45	22	17	9	9
17	MALE	374	28	109	68	26	9	10	5	6
18	FEMALE	279	24	64	45	19	13	7	4	3
19	NEGRO	572	39	156	70	30	14	15	2	8
20	MALE	308	21	89	36	13	7	9	2	2
21	FEMALE	264	18	67	34	17	7	6	2	6
22	OTHER RACES	2	-	-	-	2	-	-	-	-
23	MALE	1	-	-	-	1	-	-	-	-
24	FEMALE	1	-	-	-	1	-	-	-	-
25	ALASKA	126	12	41	8	4	4	1	2	-
26	MALE	78	10	25	2	3	2	-	-	-
27	FEMALE	48	2	16	6	1	2	1	2	-
28	WHITE	71	9	20	3	3	2	2	2	-
29	MALE	48	8	14	3	2	1	-	-	-
30	FEMALE	23	1	6	3	1	1	2	2	-
31	NEGRO	8	1	1	-	1	2	1	-	-
32	MALE	4	-	1	-	1	1	1	-	-
33	FEMALE	4	-	1	-	1	1	1	-	-
34	OTHER RACES	47	2	20	5	-	1	1	-	-
35	MALE	26	2	11	2	-	-	-	-	-
36	FEMALE	21	-	9	3	-	-	-	-	-
37	ARIZONA	589	46	136	45	29	19	12	17	7
38	MALE	330	23	81	26	15	8	8	10	5
39	FEMALE	259	23	55	19	14	11	4	7	2
40	WHITE	451	32	111	41	24	15	10	13	6
41	MALE	250	15	66	25	12	4	7	7	4
42	FEMALE	201	17	45	16	12	11	3	6	2
43	NEGRO	38	7	7	3	3	1	2	3	-
44	MALE	24	6	5	-	2	1	1	3	-
45	FEMALE	14	1	2	-	1	-	1	-	-
46	OTHER RACES	100	7	18	4	2	3	1	1	1
47	MALE	56	2	10	1	1	3	-	1	1
48	FEMALE	44	5	8	3	1	-	-	1	-
49	ARKANSAS	593	48	130	74	42	31	18	11	5
50	MALE	336	31	68	51	27	21	5	4	4
51	FEMALE	257	17	62	23	15	10	8	7	1
52	WHITE	381	32	80	53	32	23	13	8	3
53	MALE	227	22	44	37	19	17	8	7	2
54	FEMALE	154	10	36	16	13	6	5	3	2
55	NEGRO	211	16	50	21	10	8	7	4	1
56	MALE	109	9	24	14	8	4	4	4	2
57	FEMALE	102	7	26	7	2	4	3	3	-
58	OTHER RACES	1	-	-	-	-	-	-	-	-
59	MALE	-	-	-	-	-	-	-	-	-
60	FEMALE	1	-	-	-	-	-	-	-	-
61	CALIFORNIA	4,265	451	1,116	327	245	131	112	66	49
62	MALE	2,491	254	654	193	159	79	62	37	24
63	FEMALE	1,774	197	462	134	86	52	50	29	25
64	WHITE	3,494	377	923	264	210	113	95	53	42
65	MALE	2,060	211	553	158	136	69	53	27	22
66	FEMALE	1,434	166	370	106	74	44	42	26	20
67	NEGRO	663	57	175	53	32	17	14	11	5
68	MALE	368	35	87	32	21	9	8	8	1
69	FEMALE	295	22	88	21	11	8	6	3	4
70	OTHER RACES	108	17	18	10	3	1	3	2	2
71	MALE	63	8	14	3	2	1	1	2	1
72	FEMALE	45	9	4	7	1	-	2	-	1

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1974

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
33,735	2,661	1,341	1,001	38,738	3,638	2,704	2,101	1,440	998	797	640	471	452	414	383	1
19,462	1,552	755	561	22,330	2,035	1,573	1,250	827	555	448	347	262	251	216	211	2
14,273	1,109	586	440	16,408	1,603	1,131	851	613	443	349	293	209	201	198	172	3
25,068	1,985	966	673	28,692	2,434	1,802	1,490	939	661	562	471	330	314	297	257	4
14,590	1,193	555	380	16,718	1,387	1,048	914	545	360	319	258	193	171	152	144	5
10,478	792	411	293	11,974	1,047	754	576	394	301	243	213	137	143	145	113	6
8,182	627	354	312	9,475	1,131	834	557	455	304	212	152	122	125	106	111	7
4,594	332	193	174	5,293	610	493	301	258	172	115	80	57	73	59	61	8
3,588	295	161	138	4,182	521	341	256	197	132	97	72	65	52	47	50	9
485	49	21	16	571	73	68	54	46	33	23	17	19	13	11	15	10
278	27	7	7	319	38	32	35	24	23	14	9	12	7	5	6	11
207	22	14	9	252	35	36	19	22	10	9	8	7	6	6	9	12
776	63	28	21	888	81	65	53	38	27	24	9	13	10	10	9	13
441	42	13	14	510	46	34	23	19	14	9	6	8	5	7	2	14
335	21	15	7	378	35	31	30	19	13	15	3	5	5	3	7	15
440	34	14	5	493	38	28	23	14	13	12	8	8	8	4	4	16
261	23	6	4	294	19	16	11	8	5	5	6	6	4	1	4	17
179	11	8	1	199	19	12	6	6	8	7	3	2	4	3	4	18
334	29	14	16	393	43	37	30	24	14	12	1	5	2	6	5	19
179	19	7	10	215	27	18	12	11	9	4	1	2	1	6	2	20
155	10	7	6	178	16	19	18	13	5	8	3	3	1	3	3	21
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
72	6	3	5	86	13	10	5	3	1	1	3	2	1	1	-	25
42	3	1	4	50	10	8	3	2	1	-	2	-	1	1	-	26
30	3	2	1	36	3	2	2	1	1	-	1	2	1	1	-	27
39	6	1	5	51	5	6	3	1	1	1	1	1	1	1	-	28
25	3	1	4	33	3	5	2	1	1	1	1	1	1	1	-	29
14	3	1	1	18	2	1	1	-	-	-	-	-	-	-	-	30
6	-	-	-	6	1	1	-	-	-	-	-	-	-	-	-	31
2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	32
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	33
27	-	2	1	29	7	3	2	2	1	2	1	1	-	-	-	34
15	-	-	-	15	6	2	1	1	1	1	1	1	-	-	-	35
12	-	2	-	14	1	1	1	1	-	1	1	1	-	-	-	36
311	45	15	22	393	39	35	35	22	11	13	18	3	7	7	6	37
176	27	7	15	225	22	20	18	10	7	6	11	2	3	2	4	38
135	18	8	7	168	17	15	17	12	7	7	7	1	4	5	2	39
252	35	11	19	317	30	23	24	15	6	8	13	2	4	4	5	40
140	23	6	13	182	16	13	10	5	3	4	8	2	2	2	4	41
112	12	5	6	135	14	10	14	10	3	4	5	1	3	2	1	42
23	3	2	1	29	4	2	2	-	1	1	1	1	1	1	-	43
18	1	-	-	20	1	1	-	-	-	-	-	-	-	-	-	44
5	2	2	-	9	1	2	1	-	-	-	1	-	-	-	-	45
36	7	2	2	47	8	8	9	7	5	5	4	1	2	3	1	46
18	3	1	1	23	6	5	7	5	4	2	3	1	1	1	-	47
18	4	1	1	24	2	3	2	2	1	3	1	1	1	3	1	48
359	30	18	12	419	40	39	22	17	9	14	7	3	7	8	8	49
211	15	9	5	240	19	28	11	5	5	8	4	2	5	5	4	50
148	15	9	7	179	21	11	11	12	4	6	3	1	2	3	4	51
238	19	14	8	279	21	24	16	8	4	7	6	2	3	8	3	52
145	11	9	3	168	10	18	9	4	1	4	3	1	2	5	2	53
93	8	5	5	111	11	6	7	4	3	3	3	1	1	3	1	54
121	11	4	4	140	19	15	6	9	5	7	1	1	4	4	4	55
66	4	-	2	72	9	10	2	1	4	4	1	1	3	-	2	56
55	7	4	2	68	10	5	4	8	1	3	-	-	1	-	2	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	60
2,497	274	118	74	2,963	344	252	201	136	80	77	45	55	40	37	35	61
1,462	162	66	44	1,734	205	146	127	86	43	38	26	29	21	19	17	62
1,035	112	52	30	1,229	139	106	74	50	37	39	19	26	19	18	18	63
2,077	220	101	60	2,458	261	197	160	115	67	59	40	41	31	34	31	64
1,229	131	58	33	1,451	164	113	99	72	36	30	23	22	16	17	17	65
848	89	43	27	1,007	97	84	61	43	31	29	17	19	15	17	14	66
364	43	15	12	434	71	47	35	20	11	16	4	12	7	2	4	67
201	24	7	9	241	36	27	23	14	7	7	2	5	5	1	1	68
163	19	8	3	193	35	20	12	6	4	2	2	7	2	1	4	69
56	11	2	2	71	12	8	6	1	2	2	1	2	2	1	1	70
32	7	1	2	42	5	6	5	-	-	1	1	2	1	1	-	71
24	4	1	-	29	7	2	1	1	2	1	-	-	-	-	-	72

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	HAWAII	241	34	86	22	6	9	3	2	1
2		142	19	54	18	4	5	1	1	-
3		99	15	32	4	2	4	2	1	1
4	WHITE	65	6	25	4	3	3	1	1	-
5		33	5	13	4	2	1	-	-	-
6		32	1	12	-	1	2	1	1	-
7	NEGRO	4	-	2	-	-	-	-	-	-
8		3	-	1	-	-	-	-	-	-
9		1	-	1	-	-	-	-	-	-
10	OTHER RACES	172	28	59	18	3	6	2	1	1
11		106	14	40	14	2	4	1	1	-
12		66	14	19	4	1	2	1	-	1
13	IDAHO	239	35	60	27	12	10	4	2	6
14		143	23	35	16	10	5	3	2	4
15		96	12	25	11	2	5	1	-	2
16	WHITE	232	35	59	25	12	10	4	2	5
17		138	23	34	15	10	5	3	2	3
18		94	12	25	10	2	5	1	-	2
19	NEGRO	2	-	-	-	-	-	-	-	-
20		1	-	-	-	-	-	-	-	-
21		1	-	-	-	-	-	-	-	-
22	OTHER RACES	5	-	1	2	-	-	-	-	1
23		4	-	1	1	-	-	-	-	1
24		1	-	-	1	-	-	-	-	-
25	ILLINOIS	3,279	310	1,068	332	207	86	53	60	35
26		1,871	167	621	195	118	48	32	32	19
27		1,408	143	447	137	89	38	21	28	16
28	WHITE	2,144	237	714	227	138	60	34	43	20
29		1,239	126	424	135	79	36	19	25	9
30		905	111	290	92	59	24	15	18	11
31	NEGRO	1,109	69	348	105	65	25	17	17	15
32		618	38	195	60	36	12	11	7	10
33		491	31	153	45	29	13	6	10	5
34	OTHER RACES	26	4	6	-	4	1	2	-	-
35		14	3	2	-	3	-	2	-	-
36		12	1	4	-	1	1	-	-	-
37	INDIANA	1,367	136	442	111	87	35	26	19	18
38		763	61	250	55	52	24	14	9	13
39		604	75	192	56	35	11	12	10	5
40	WHITE	1,133	115	361	93	76	29	21	17	12
41		637	52	209	43	46	22	12	9	9
42		496	63	152	50	30	7	9	8	3
43	NEGRO	233	21	80	18	11	6	5	2	6
44		126	9	41	12	6	2	2	-	4
45		107	12	39	6	5	4	3	2	2
46	OTHER RACES	1	-	1	-	-	-	-	-	-
47		-	-	-	-	-	-	-	-	-
48		1	-	1	-	-	-	-	-	-
49	IOWA	575	66	185	63	31	17	13	5	9
50		321	40	97	37	19	11	9	5	5
51		254	26	88	26	12	6	4	-	4
52	WHITE	547	62	175	61	30	16	13	5	9
53		306	38	92	35	19	10	9	5	5
54		241	24	83	26	11	6	4	-	4
55	NEGRO	24	4	9	2	1	1	-	-	-
56		12	2	4	2	-	1	-	-	-
57		12	2	5	-	1	-	-	-	-
58	OTHER RACES	4	-	1	-	-	-	-	-	-
59		3	-	1	-	-	-	-	-	-
60		1	-	-	-	-	-	-	-	-
61	KANSAS	524	50	189	49	30	12	14	9	7
62		293	28	111	27	14	7	7	6	4
63		231	22	78	22	16	5	7	3	3
64	WHITE	467	45	169	45	28	9	13	8	7
65		268	27	102	26	14	5	6	5	4
66		199	18	67	19	14	4	7	3	3
67	NEGRO	53	4	20	3	2	3	1	-	-
68		23	1	9	1	-	2	1	-	-
69		30	3	11	2	2	1	-	-	-
70	OTHER RACES	4	-	-	1	-	-	-	1	-
71		2	-	-	-	-	-	-	1	-
72		2	1	-	1	-	-	-	-	-

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	KENTUCKY	895	71	257	104	59	24	21	15	15
2										
3										
4	MALE	501	31	148	55	31	10	13	10	9
5	FEMALE	394	40	109	49	28	14	8	5	6
6	WHITE	784	57	227	98	52	22	19	14	14
7	MALE	448	23	133	53	29	9	12	10	9
8	FEMALE	336	34	94	45	23	13	7	4	5
9	NEGRO	110	14	29	6	7	2	2	1	1
10	MALE	52	8	14	2	2	1	1	1	1
11	FEMALE	58	6	15	4	5	1	1	1	1
12	OTHER RACES	1	-	1	-	-	-	-	-	-
13	MALE	1	-	1	-	-	-	-	-	-
14	FEMALE	-	-	-	-	-	-	-	-	-
15	LOUISIANA	1,243	100	409	140	67	28	21	19	15
16										
17	MALE	750	57	235	96	35	18	17	13	11
18	FEMALE	493	43	174	44	32	10	4	6	4
19	WHITE	603	49	203	79	40	15	8	9	9
20	MALE	388	27	118	58	23	10	7	7	6
21	FEMALE	215	22	85	21	17	5	1	2	3
22	NEGRO	638	51	205	61	27	13	13	10	6
23	MALE	362	30	117	38	12	8	10	6	5
24	FEMALE	276	21	88	23	15	5	3	4	1
25	OTHER RACES	2	-	1	-	-	-	-	-	-
26	MALE	-	-	-	-	-	-	-	-	-
27	FEMALE	2	-	1	-	-	-	-	-	-
28	MAINE	243	34	75	20	12	7	4	7	3
29										
30	MALE	143	15	47	13	4	2	4	4	3
31	FEMALE	100	19	28	7	8	5	-	3	-
32	WHITE	241	33	75	20	12	7	4	7	3
33	MALE	141	14	47	13	4	2	4	4	3
34	FEMALE	100	19	28	7	8	5	-	3	-
35	NEGRO	1	-	-	-	-	-	-	-	-
36	MALE	1	-	-	-	-	-	-	-	-
37	FEMALE	-	-	-	-	-	-	-	-	-
38	OTHER RACES	1	1	-	-	-	-	-	-	-
39	MALE	1	1	-	-	-	-	-	-	-
40	FEMALE	-	-	-	-	-	-	-	-	-
41	MARYLAND	821	81	263	73	53	27	12	17	7
42										
43	MALE	477	57	148	41	27	16	7	7	4
44	FEMALE	344	24	115	32	26	11	5	10	3
45	WHITE	534	54	161	50	36	18	6	8	5
46	MALE	320	40	91	31	20	10	4	4	2
47	FEMALE	214	14	70	19	16	8	2	4	3
48	NEGRO	280	27	101	23	17	9	6	9	2
49	MALE	154	17	57	10	7	6	3	3	2
50	FEMALE	126	10	44	13	10	3	3	6	2
51	OTHER RACES	7	-	1	-	-	-	-	-	-
52	MALE	3	-	-	-	-	-	-	-	-
53	FEMALE	4	-	1	-	-	-	-	-	-
54	MASSACHUSETTS	974	107	311	116	54	21	19	16	8
55										
56	MALE	586	61	179	72	35	16	13	7	4
57	FEMALE	388	46	132	44	19	5	6	9	4
58	WHITE	880	101	281	108	45	20	19	15	7
59	MALE	527	58	161	66	29	15	13	7	3
60	FEMALE	353	43	120	42	16	5	6	8	4
61	NEGRO	88	5	28	8	8	1	-	1	1
62	MALE	55	3	16	6	6	1	-	-	1
63	FEMALE	33	2	12	2	2	-	-	1	-
64	OTHER RACES	6	1	2	-	1	-	-	-	-
65	MALE	4	-	-	-	-	-	-	-	-
66	FEMALE	2	1	-	-	1	-	-	-	-
67	MICHIGAN	2,394	241	709	251	137	67	49	35	30
68										
69	MALE	1,400	145	402	146	85	44	29	21	17
70	FEMALE	994	96	307	105	52	23	20	14	13
71	WHITE	1,676	170	493	180	105	53	38	24	18
72	MALE	986	104	285	102	65	34	24	17	9
73	FEMALE	690	66	208	78	40	19	14	7	9
74	NEGRO	709	70	212	71	31	14	11	11	12
75	MALE	409	40	114	44	20	10	5	4	8
76	FEMALE	300	30	98	27	11	4	6	7	4
77	OTHER RACES	9	1	4	-	1	-	-	-	-
78	MALE	5	1	3	-	-	-	-	-	-
79	FEMALE	4	-	1	-	1	-	-	-	-

SECTION 2 - INFANT MORTALITY

2-17

and Sex: United States and Each State, 1974—Con.

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
566	40	25	11	642	59	48	35	27	21	19	18	4	8	4	10	1
307	21	16	5	349	35	30	24	16	9	12	9	4	5	1	7	2
259	19	9	6	293	24	18	11	11	12	7	9	-	3	3	3	3
503	37	22	8	570	50	44	30	23	18	16	12	3	7	4	7	4
278	20	15	4	317	29	30	19	14	8	11	7	3	4	1	5	5
225	17	7	4	253	21	14	11	9	10	5	5	-	3	3	2	6
62	3	3	3	71	9	4	5	4	3	3	6	1	1	3	3	7
28	1	1	1	31	6	-	5	2	1	1	2	1	1	-	2	8
34	2	2	2	40	3	4	-	2	2	2	4	-	-	-	1	9
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
799	65	32	31	927	88	60	41	28	29	12	16	13	6	14	9	13
482	38	18	17	555	43	39	24	22	21	7	10	9	2	10	8	14
317	27	14	14	372	45	21	17	6	8	5	6	4	4	4	1	15
412	31	15	11	469	25	29	14	10	16	8	8	8	4	9	3	16
256	18	9	9	292	16	25	7	8	13	4	5	7	2	6	3	17
156	13	6	2	177	9	4	7	2	3	4	3	1	2	3	-	18
386	34	17	20	457	63	30	27	18	13	4	8	5	2	5	6	19
226	20	9	8	263	27	14	17	14	8	3	5	2	4	4	5	20
160	14	8	12	194	36	16	10	4	5	1	3	3	2	1	1	21
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	24
162	12	7	6	187	14	10	9	9	3	3	2	-	1	1	4	25
92	7	6	3	108	9	5	7	6	2	2	1	-	-	1	2	26
70	5	1	3	79	5	5	2	3	1	1	1	-	1	-	2	27
161	12	7	5	185	14	10	9	9	3	3	2	-	1	1	4	28
91	7	6	2	106	9	5	7	6	2	2	1	-	1	1	2	29
70	5	1	3	79	5	5	2	3	1	1	1	-	1	-	2	30
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
533	46	38	12	629	45	38	28	23	13	16	7	7	4	8	3	37
307	25	25	9	366	23	27	18	13	6	9	3	4	3	4	1	38
226	21	13	3	263	22	11	10	10	7	7	4	3	1	4	4	39
338	32	28	9	407	31	26	18	12	9	11	4	4	2	6	3	40
202	19	18	7	246	17	19	11	7	3	6	2	2	4	4	1	41
136	13	10	2	161	14	7	9	5	6	5	2	2	1	2	2	42
154	14	10	2	220	13	11	7	11	4	5	2	3	1	1	2	43
105	6	7	1	119	5	7	7	6	3	3	1	2	1	-	-	44
89	8	3	1	101	8	4	2	5	1	2	1	1	-	1	-	45
1	-	-	1	2	1	1	1	-	-	-	1	-	-	1	-	46
-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	47
1	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	48
652	49	37	23	761	60	38	36	22	18	3	7	10	6	2	11	49
387	27	24	13	451	35	29	27	15	11	2	2	3	3	-	8	50
265	22	13	10	310	25	9	9	7	7	1	5	7	3	2	3	51
596	41	34	21	692	54	33	35	19	13	2	7	10	5	2	5	52
352	23	23	11	409	32	25	27	13	8	1	2	3	2	2	5	53
244	18	11	10	283	22	8	8	6	5	1	5	7	3	2	3	54
52	8	3	2	65	6	5	1	3	4	1	-	-	1	-	2	55
33	4	1	2	40	3	4	-	2	2	1	-	-	1	-	2	56
19	4	2	-	25	3	1	1	1	2	-	-	-	-	-	-	57
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	58
2	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	59
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	60
1,519	132	53	41	1,745	179	143	89	54	39	32	31	27	26	17	12	61
889	79	28	21	1,017	111	81	51	32	20	21	18	16	15	12	6	62
630	53	25	20	728	68	62	38	22	19	11	13	11	11	5	6	63
1,081	101	39	27	1,248	109	95	67	34	31	20	23	20	14	10	5	64
640	59	21	16	736	65	51	41	21	18	15	12	9	8	7	3	65
441	42	18	11	512	44	44	26	13	13	5	11	11	6	3	2	66
432	31	14	14	491	69	47	22	20	8	12	8	7	12	6	7	67
245	20	7	5	277	46	29	10	11	2	6	6	7	5	5	3	68
187	11	7	9	214	23	18	12	9	6	6	2	-	7	1	4	69
6	-	-	-	6	1	1	-	-	-	-	-	-	-	1	-	70
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	71
2	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	72

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	MINNESOTA	806	109	220	73	52	28	18	10	3
2										
3	MALE	459	59	136	40	34	12	10	4	2
4	FEMALE	347	50	84	33	18	16	8	6	1
5	WHITE	759	101	212	70	52	28	18	8	3
6	MALE	436	56	132	38	34	12	10	4	2
7	FEMALE	323	45	80	32	18	16	8	4	1
8	NEGRO	22	4	6	1	-	-	-	2	-
9	MALE	14	2	3	1	-	-	-	-	-
10	FEMALE	8	2	3	-	-	-	-	2	-
11	OTHER RACES	25	4	2	2	-	-	-	-	-
12	MALE	9	1	1	1	-	-	-	-	-
	FEMALE	16	3	1	1	-	-	-	-	-
13	MISSISSIPPI	1,016	68	308	113	60	33	17	18	10
14										
15	MALE	564	35	173	61	30	20	8	8	7
16	FEMALE	452	33	135	52	30	13	9	10	3
17	WHITE	354	28	116	48	30	12	6	7	1
18	MALE	209	15	73	31	14	8	4	3	1
19	FEMALE	145	13	43	17	16	4	2	4	-
20	NEGRO	658	40	191	64	30	21	11	10	9
21	MALE	353	20	100	29	16	12	4	5	6
22	FEMALE	305	20	91	35	14	9	7	5	3
23	OTHER RACES	4	-	1	1	-	-	-	1	-
24	MALE	2	-	-	1	-	-	-	-	-
	FEMALE	2	-	1	-	-	-	-	1	-
25	MISSOURI	1,173	116	325	120	80	32	25	24	18
26										
27	MALE	670	66	193	69	46	14	13	16	9
28	FEMALE	503	50	132	51	34	18	12	8	9
29	WHITE	867	94	215	93	60	27	21	19	13
30	MALE	494	51	129	51	35	13	13	13	5
31	FEMALE	373	43	86	42	25	14	8	6	8
32	NEGRO	305	22	110	27	20	5	4	5	5
33	MALE	176	15	64	18	11	1	4	3	4
34	FEMALE	129	7	46	9	9	4	4	2	1
35	OTHER RACES	1	-	-	-	-	-	-	-	-
36	MALE	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-
37	MONTANA	202	31	46	28	16	9	2	3	2
38										
39	MALE	125	17	30	19	11	6	-	2	1
40	FEMALE	77	14	16	9	5	3	2	1	1
41	WHITE	181	29	44	26	15	9	2	3	1
42	MALE	111	16	28	18	10	6	-	2	-
43	FEMALE	70	13	16	8	5	3	2	1	1
44	NEGRO	1	-	1	-	-	-	-	-	-
45	MALE	1	-	1	-	-	-	-	-	-
46	FEMALE	-	-	-	-	-	-	-	-	-
47	OTHER RACES	20	2	1	2	1	-	-	-	1
48	MALE	13	1	1	1	1	-	-	-	1
	FEMALE	7	1	-	1	-	-	-	-	-
49	NEBRASKA	364	50	102	34	27	13	9	4	3
50										
51	MALE	203	30	52	22	17	10	6	1	-
52	FEMALE	161	20	50	12	10	3	3	3	3
53	WHITE	321	46	90	28	26	13	8	4	3
54	MALE	181	27	45	20	17	10	6	1	-
55	FEMALE	140	19	45	8	9	3	2	3	3
56	NEGRO	36	3	10	5	-	-	1	-	-
57	MALE	18	2	6	2	-	-	-	-	-
58	FEMALE	18	1	4	3	-	-	1	-	-
59	OTHER RACES	7	1	2	1	1	-	-	-	-
60	MALE	4	1	1	-	-	-	-	-	-
	FEMALE	3	-	1	1	1	-	-	-	-
61	NEVADA	182	15	56	16	8	7	4	2	1
62										
63	MALE	107	8	38	9	4	4	2	2	-
64	FEMALE	75	7	18	7	4	3	2	-	1
65	WHITE	139	13	37	13	8	6	2	1	1
66	MALE	83	6	27	8	4	3	1	1	-
67	FEMALE	56	7	10	5	4	3	1	-	1
68	NEGRO	39	2	18	2	1	1	2	-	-
69	MALE	23	2	11	1	-	1	1	-	-
70	FEMALE	16	-	7	1	-	-	1	-	-
71	OTHER RACES	4	-	1	1	-	-	-	1	-
72	MALE	1	-	-	-	-	-	-	1	-
	FEMALE	3	-	1	1	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1974—Con.

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
513	42	22	18	595	49	51	28	20	10	16	15	8	8	-	6	1
257	25	6	8	336	33	26	21	14	4	8	10	3	2	-	2	2
216	17	16	10	259	16	25	7	6	6	8	5	5	6	-	4	3
492	41	22	18	573	48	42	25	18	10	14	11	7	7	-	4	4
288	24	6	8	326	33	21	20	13	4	6	7	3	2	-	1	5
204	17	16	10	247	15	21	5	5	6	8	4	4	5	-	3	6
13	1	-	-	14	-	3	1	-	-	1	1	-	1	-	-	7
6	1	-	-	7	-	3	1	1	-	1	1	-	-	-	-	8
7	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	9
8	-	-	-	8	1	6	2	1	-	1	3	1	-	-	2	10
3	-	-	-	3	-	2	-	-	-	1	2	-	-	-	1	11
5	-	-	-	5	1	4	2	1	-	-	1	1	-	-	1	12
627	42	19	20	708	90	53	42	30	27	9	16	10	9	11	11	13
342	21	13	11	387	51	33	24	17	14	4	11	3	7	7	6	14
285	21	6	9	321	39	20	18	13	13	5	5	7	2	4	5	15
248	18	5	4	275	25	20	11	6	2	2	2	3	-	2	4	16
149	10	4	1	164	16	10	7	3	1	1	4	1	-	1	3	17
99	8	1	3	111	9	10	4	3	1	1	2	2	-	1	1	18
376	24	14	16	430	65	33	31	24	24	7	12	7	9	9	7	19
192	11	9	10	222	35	23	17	14	12	3	9	2	7	6	3	20
184	13	5	6	208	30	10	14	10	12	4	3	5	2	3	4	21
3	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	24
740	77	37	23	877	79	53	43	25	23	17	17	13	11	10	5	25
426	45	20	13	504	45	23	29	15	12	11	11	7	6	3	4	26
314	32	17	10	373	34	30	14	10	11	6	6	6	5	7	1	27
542	61	30	14	647	58	32	33	22	16	15	15	11	9	2	2	28
310	38	15	8	371	31	12	22	13	9	10	10	6	6	7	1	29
232	23	15	6	276	27	20	11	9	7	5	5	5	3	4	1	30
198	15	7	9	229	21	10	7	3	7	2	2	2	2	3	3	31
116	7	5	5	133	14	11	7	2	3	1	1	1	2	3	3	32
82	8	2	4	96	7	10	3	1	4	1	1	1	2	3	3	33
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
137	11	3	3	154	11	7	8	3	8	4	3	2	-	1	1	37
86	7	3	3	99	5	5	4	2	3	3	2	1	-	1	-	38
51	4	-	-	55	6	2	4	1	5	1	1	1	-	-	1	39
129	9	3	3	144	10	6	7	2	5	2	2	1	-	-	-	40
80	5	3	3	91	4	4	3	2	1	3	2	1	-	-	-	41
49	4	-	-	53	6	2	4	-	4	1	-	-	-	-	-	42
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	43
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
7	2	-	-	9	1	1	1	1	3	-	1	1	-	1	1	46
5	2	-	-	7	1	1	1	-	2	-	-	-	-	1	1	47
2	-	-	-	2	-	-	-	1	1	-	1	1	-	-	1	48
242	17	9	7	275	23	15	14	9	6	4	4	3	5	2	4	49
138	9	5	2	154	12	11	10	5	3	1	2	1	1	1	2	50
104	8	4	5	121	11	4	4	4	3	3	2	2	4	1	2	51
218	15	8	3	244	17	13	13	7	6	4	4	3	5	2	3	52
126	8	4	1	139	9	9	9	4	3	1	2	1	1	1	2	53
92	7	4	2	105	8	4	4	3	3	3	2	2	4	1	1	54
19	2	1	4	26	5	2	1	1	-	-	-	-	-	-	1	55
10	1	1	1	13	2	2	1	-	-	-	-	-	-	-	-	56
9	1	-	3	13	3	-	-	1	-	-	-	-	-	-	1	57
5	-	-	-	5	1	-	-	1	-	-	-	-	-	-	-	58
2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	59
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	60
109	9	3	-	121	15	16	11	4	4	2	4	1	1	1	2	61
67	5	2	-	74	7	7	8	3	3	1	1	-	1	1	1	62
42	4	1	-	47	8	9	3	1	1	3	3	1	-	-	1	63
81	8	2	-	91	11	12	9	3	4	2	3	3	1	1	2	64
50	4	1	-	55	6	6	7	2	3	1	-	-	1	1	1	65
31	4	1	-	36	5	6	2	1	1	1	-	-	-	-	1	66
25	1	1	-	27	4	4	4	1	1	1	-	-	-	-	-	67
16	1	1	-	18	1	1	1	1	-	-	1	-	-	-	-	68
9	-	-	-	9	3	3	1	-	-	-	-	-	-	-	-	69
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	70
1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	71
2	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	72

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	NEW HAMPSHIRE	162	14	56	17	10	4	3	4	1
2	MALE	90	8	33	9	5	2	3	2	-
3	FEMALE	72	6	23	8	5	2	-	2	1
4	WHITE	160	14	56	16	10	4	3	4	1
5	MALE	88	8	33	8	5	2	3	2	-
6	FEMALE	72	6	23	8	5	2	-	2	1
7	NEGRO	2	-	-	1	-	-	-	-	-
8	MALE	2	-	-	1	-	-	-	-	-
9	FEMALE	-	-	-	-	-	-	-	-	-
10	OTHER RACES	-	-	-	-	-	-	-	-	-
11	MALE	-	-	-	-	-	-	-	-	-
12	FEMALE	-	-	-	-	-	-	-	-	-
13	NEW JERSEY	1,510	147	505	137	81	43	38	24	26
14	MALE	842	75	295	78	40	22	21	16	16
15	FEMALE	668	72	210	59	41	21	17	8	10
16	WHITE	1,038	105	361	98	63	32	28	16	18
17	MALE	586	52	210	59	29	18	15	10	11
18	FEMALE	452	53	151	39	34	14	13	6	7
19	NEGRO	461	42	143	38	17	10	9	7	8
20	MALE	250	23	84	19	10	4	5	5	5
21	FEMALE	211	19	59	19	7	6	4	2	3
22	OTHER RACES	11	-	1	1	1	1	1	1	-
23	MALE	6	-	1	1	1	1	1	1	-
24	FEMALE	5	-	-	1	-	1	-	-	-
25	NEW MEXICO	389	33	85	48	26	9	9	9	3
26	MALE	220	22	47	24	17	3	5	6	2
27	FEMALE	169	11	38	24	9	6	4	3	1
28	WHITE	314	29	76	39	23	8	9	7	3
29	MALE	184	18	45	21	17	3	5	4	2
30	FEMALE	130	11	31	18	6	5	4	3	1
31	NEGRO	16	2	2	4	-	1	-	1	-
32	MALE	7	2	-	1	-	-	-	1	-
33	FEMALE	9	-	2	3	-	1	-	-	-
34	OTHER RACES	59	2	7	5	3	-	-	1	-
35	MALE	29	2	2	2	-	-	-	1	-
36	FEMALE	30	-	5	3	3	-	-	-	-
37	NEW YORK	3,894	407	1,225	374	240	122	73	60	40
38	MALE	2,206	230	707	207	135	73	45	34	18
39	FEMALE	1,688	177	518	167	105	49	28	26	22
40	WHITE	2,647	271	831	261	189	89	61	42	28
41	MALE	1,510	157	480	149	109	55	36	24	11
42	FEMALE	1,137	114	351	112	80	34	25	18	17
43	NEGRO	1,185	133	377	111	50	29	11	17	10
44	MALE	659	71	216	57	25	16	8	10	5
45	FEMALE	526	62	161	54	25	13	3	7	5
46	OTHER RACES	62	3	17	2	1	4	1	1	2
47	MALE	37	2	11	1	1	2	1	1	2
48	FEMALE	25	1	6	1	-	2	-	1	-
49	NORTH CAROLINA	1,639	154	509	176	109	59	21	19	15
50	MALE	956	78	307	104	67	33	13	16	9
51	FEMALE	683	76	202	72	42	26	8	3	6
52	WHITE	953	96	294	108	76	35	14	11	10
53	MALE	577	50	180	67	50	20	9	10	5
54	FEMALE	376	46	114	41	26	15	5	1	5
55	NEGRO	657	57	205	64	33	24	7	8	5
56	MALE	367	28	123	35	17	13	4	6	4
57	FEMALE	290	29	82	29	16	11	3	2	1
58	OTHER RACES	29	1	10	4	-	-	-	-	-
59	MALE	12	-	4	2	-	-	-	-	-
60	FEMALE	17	1	6	2	-	-	-	-	-
61	NORTH DAKOTA	170	21	53	27	11	7	5	3	2
62	MALE	101	15	30	16	7	5	3	2	-
63	FEMALE	69	6	23	11	4	2	2	1	-
64	WHITE	153	20	49	26	11	7	3	2	2
65	MALE	91	14	28	15	7	5	2	2	-
66	FEMALE	62	6	21	11	4	2	1	1	2
67	NEGRO	2	-	-	-	-	-	1	-	-
68	MALE	1	-	-	-	-	-	-	-	-
69	FEMALE	1	-	-	-	-	-	1	-	-
70	OTHER RACES	15	1	4	1	-	-	1	1	-
71	MALE	9	1	2	1	-	-	1	1	-
72	FEMALE	6	-	2	-	-	-	-	1	-

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	SOUTH DAKOTA-----	222	29	48	26	8	7	12	3	5
2	MALE-----	126	18	29	12	5	3	8	2	3
3	FEMALE-----	96	11	19	14	3	4	4	1	2
4	WHITE-----	177	25	41	22	6	7	11	3	3
5	MALE-----	102	17	23	10	3	3	7	2	2
6	FEMALE-----	75	8	18	12	3	4	4	1	1
7	NEGRO-----	2	-	-	-	-	-	-	-	-
8	MALE-----	-	-	-	-	-	-	-	-	-
9	FEMALE-----	2	-	-	-	-	-	-	-	-
10	OTHER RACES-----	43	4	7	4	2	-	1	-	2
11	MALE-----	24	1	6	2	2	-	1	-	1
12	FEMALE-----	19	3	1	2	-	-	-	-	1
13	TENNESSEE-----	1,110	104	310	116	77	43	23	23	14
14	MALE-----	613	48	176	67	37	24	14	11	8
15	FEMALE-----	497	56	134	49	40	19	9	12	6
16	WHITE-----	757	69	203	83	62	24	19	15	10
17	MALE-----	414	30	118	45	31	13	11	5	6
18	FEMALE-----	343	39	85	38	31	11	8	10	4
19	NEGRO-----	351	35	107	33	15	19	3	8	4
20	MALE-----	197	18	58	22	6	11	2	6	2
21	FEMALE-----	154	17	49	11	9	8	1	2	2
22	OTHER RACES-----	2	-	-	-	-	-	1	-	-
23	MALE-----	2	-	-	-	-	-	1	-	-
24	FEMALE-----	-	-	-	-	-	-	-	-	-
25	TEXAS-----	3,764	267	1,222	343	270	142	83	63	44
26	MALE-----	2,173	139	723	209	160	84	49	40	21
27	FEMALE-----	1,591	128	499	134	110	58	34	23	23
28	WHITE-----	2,915	221	920	273	224	114	69	50	35
29	MALE-----	1,709	110	551	170	139	66	41	28	19
30	FEMALE-----	1,206	111	369	103	85	48	28	22	16
31	NEGRO-----	840	44	300	70	45	27	14	13	9
32	MALE-----	459	27	170	39	21	18	8	12	2
33	FEMALE-----	381	17	130	31	24	9	6	1	7
34	OTHER RACES-----	9	2	2	-	1	1	-	-	-
35	MALE-----	5	2	2	-	-	-	-	-	-
36	FEMALE-----	4	-	-	-	1	1	-	-	-
37	UTAH-----	366	48	86	31	27	12	9	6	5
38	MALE-----	213	23	59	18	15	7	6	4	5
39	FEMALE-----	153	25	27	13	12	5	3	2	-
40	WHITE-----	345	44	85	31	27	11	9	6	5
41	MALE-----	205	22	58	18	15	7	6	4	5
42	FEMALE-----	140	22	27	13	12	4	3	2	-
43	NEGRO-----	1	-	-	-	-	-	-	-	-
44	MALE-----	1	-	-	-	-	-	-	-	-
45	FEMALE-----	-	-	-	-	-	-	-	-	-
46	OTHER RACES-----	20	4	1	-	-	1	-	-	-
47	MALE-----	7	1	1	-	-	-	-	-	-
48	FEMALE-----	13	3	-	-	-	1	-	-	-
49	VERMONT-----	97	9	34	15	2	-	5	3	-
50	MALE-----	65	5	23	10	2	-	3	3	-
51	FEMALE-----	32	4	11	5	-	-	2	-	-
52	WHITE-----	97	9	34	15	2	-	5	3	-
53	MALE-----	65	5	23	10	2	-	3	3	-
54	FEMALE-----	32	4	11	5	-	-	2	-	-
55	NEGRO-----	-	-	-	-	-	-	-	-	-
56	MALE-----	-	-	-	-	-	-	-	-	-
57	FEMALE-----	-	-	-	-	-	-	-	-	-
58	OTHER RACES-----	-	-	-	-	-	-	-	-	-
59	MALE-----	-	-	-	-	-	-	-	-	-
60	FEMALE-----	-	-	-	-	-	-	-	-	-
61	VIRGINIA-----	1,201	135	388	131	64	33	12	14	16
62	MALE-----	718	79	229	83	32	19	8	8	8
63	FEMALE-----	483	56	159	48	32	14	4	6	8
64	WHITE-----	783	89	248	90	40	26	10	8	10
65	MALE-----	469	51	144	57	20	14	6	5	5
66	FEMALE-----	314	38	104	33	20	12	4	3	5
67	NEGRO-----	409	46	139	40	23	7	2	6	6
68	MALE-----	245	28	85	25	12	5	2	3	3
69	FEMALE-----	164	18	54	15	11	2	-	3	3
70	OTHER RACES-----	9	-	1	1	1	-	-	-	-
71	MALE-----	4	-	-	1	-	-	-	-	-
72	FEMALE-----	5	-	1	-	1	-	-	-	-

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1974—Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES—CON.													
FEMALE													
UNDER 1 YEAR—	22,471	1,971	1,753	1,802	1,749	1,855	1,882	1,873	1,891	1,913	1,963	1,813	2,006
WHITE—	16,040	1,414	1,229	1,272	1,264	1,339	1,341	1,347	1,365	1,344	1,398	1,281	1,446
ALL OTHER—	6,431	557	524	530	485	516	541	526	526	569	565	532	560
UNDER 28 DAYS—	16,408	1,342	1,186	1,278	1,265	1,407	1,508	1,479	1,493	1,446	1,396	1,268	1,340
WHITE—	11,974	988	858	931	936	1,040	1,089	1,078	1,092	1,026	1,001	909	1,026
ALL OTHER—	4,434	354	328	347	329	367	419	401	401	420	395	359	314
UNDER 7 DAYS—	14,273	1,182	1,024	1,121	1,121	1,262	1,328	1,271	1,275	1,237	1,217	1,100	1,135
WHITE—	10,478	874	743	820	829	946	963	933	941	885	877	784	883
ALL OTHER—	3,795	308	281	301	292	316	365	338	334	352	340	316	252
UNDER 1 HOUR—	2,275	200	150	172	191	196	205	184	214	182	207	185	189
WHITE—	1,727	158	111	132	156	158	161	134	165	123	149	128	152
ALL OTHER—	548	42	39	40	35	38	44	50	49	59	58	57	37
1-23 HOURS—	6,766	542	476	580	564	630	626	595	594	571	554	509	525
WHITE—	4,847	388	336	402	394	466	433	438	427	417	386	369	391
ALL OTHER—	1,919	154	140	178	170	164	193	157	167	154	168	140	134
1 DAY—	2,160	182	166	151	131	186	205	223	177	227	188	171	153
WHITE—	1,599	134	126	116	93	138	150	170	126	160	145	119	124
ALL OTHER—	561	48	42	35	38	48	55	53	51	67	43	52	29
2 DAYS—	1,347	112	105	100	113	111	126	124	126	109	107	104	110
WHITE—	1,025	90	79	78	88	84	95	91	99	77	80	73	91
ALL OTHER—	322	22	26	22	25	27	31	33	27	32	27	31	19
3 DAYS—	674	62	62	45	49	46	53	51	61	58	74	48	65
WHITE—	500	43	48	31	39	34	36	37	46	41	56	38	51
ALL OTHER—	174	19	14	14	10	12	17	14	15	17	18	10	14
4 DAYS—	449	39	34	31	31	45	44	33	46	37	36	35	38
WHITE—	344	30	23	25	25	34	35	22	35	29	25	27	34
ALL OTHER—	105	9	11	6	6	11	9	11	11	8	11	8	4
5 DAYS—	344	25	17	26	27	26	34	30	30	35	31	23	40
WHITE—	248	16	13	22	21	17	25	20	23	25	22	16	28
ALL OTHER—	96	9	4	4	6	9	9	10	7	10	9	7	12
6 DAYS—	258	20	14	16	15	22	35	31	27	18	20	25	15
WHITE—	188	15	9	14	13	15	28	21	20	13	14	14	12
ALL OTHER—	70	5	5	2	2	7	7	10	7	5	6	11	3
7-13 DAYS—	1,109	91	70	78	75	67	98	118	107	114	95	89	107
WHITE—	792	67	50	59	59	43	67	81	72	79	69	70	76
ALL OTHER—	317	24	20	19	16	24	31	37	35	35	26	19	31
14-20 DAYS—	586	39	35	41	46	43	56	49	67	53	34	43	60
WHITE—	411	27	40	27	32	27	43	33	49	36	24	30	43
ALL OTHER—	175	12	15	14	14	16	13	16	18	17	10	13	17
21-27 DAYS—	440	30	37	38	23	35	26	41	44	42	50	36	38
WHITE—	293	20	25	25	16	24	14	31	30	26	31	25	24
ALL OTHER—	147	10	12	13	7	11	10	10	14	16	19	11	14
28-59 DAYS—	1,603	147	129	117	130	123	93	118	126	155	155	146	164
WHITE—	1,047	97	83	64	76	79	57	85	81	111	109	99	106
ALL OTHER—	556	50	46	53	54	44	36	33	45	44	46	47	58
2 MONTHS—	1,131	117	110	100	95	80	66	58	74	74	125	118	114
WHITE—	754	78	67	65	72	56	47	38	50	46	83	81	71
ALL OTHER—	377	39	43	35	23	24	19	20	24	28	42	37	43
3 MONTHS—	851	90	69	82	74	61	45	55	44	62	77	75	117
WHITE—	576	68	47	52	53	42	30	35	30	43	56	44	76
ALL OTHER—	275	22	22	30	21	19	15	20	14	19	21	31	41
4 MONTHS—	613	93	60	65	48	34	40	30	33	27	48	40	95
WHITE—	394	59	33	45	30	22	25	21	23	17	35	27	57
ALL OTHER—	219	34	27	20	18	12	15	9	10	10	13	13	38
5 MONTHS—	443	46	44	30	36	40	29	27	24	36	42	38	51
WHITE—	301	27	25	27	26	23	25	19	17	24	28	27	33
ALL OTHER—	142	19	19	3	10	17	4	8	7	12	14	11	18
6 MONTHS—	349	37	39	37	19	24	28	27	24	23	26	31	34
WHITE—	243	27	34	22	11	18	20	20	19	16	18	21	17
ALL OTHER—	106	10	5	15	8	6	8	7	5	7	8	10	17
7 MONTHS—	293	33	39	31	25	21	17	23	19	15	18	28	24
WHITE—	213	21	29	25	22	13	13	16	13	12	15	21	13
ALL OTHER—	80	12	10	6	3	8	4	7	6	3	3	7	11
8 MONTHS—	209	16	16	16	21	16	15	16	12	24	18	17	22
WHITE—	137	12	12	14	12	8	7	12	7	12	13	16	12
ALL OTHER—	72	4	4	2	9	8	8	4	5	12	5	1	10
9 MONTHS—	201	19	18	19	10	24	14	9	17	21	15	18	17
WHITE—	143	16	13	11	7	18	7	6	14	17	9	12	13
ALL OTHER—	58	3	5	8	3	6	7	3	3	4	6	6	4
10 MONTHS—	198	12	26	13	16	14	15	16	16	17	26	12	15
WHITE—	145	7	16	7	13	11	13	12	14	12	19	9	12
ALL OTHER—	53	5	10	6	3	3	2	4	2	5	7	3	3
11 MONTHS—	172	19	17	14	10	11	12	15	9	13	17	22	13
WHITE—	113	14	12	9	6	6	8	5	5	8	12	15	10
ALL OTHER—	59	5	5	5	4	5	4	10	4	5	5	7	3

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1974—Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
ALABAMA													
UNDER 1 YEAR	1,227	111	92	91	86	101	81	100	132	100	109	102	122
WHITE	653	65	41	47	42	57	46	59	76	46	54	53	57
ALL OTHER	574	46	51	44	44	44	35	41	56	54	55	49	65
UNDER 28 DAYS	888	83	55	59	63	76	66	83	100	77	86	76	84
WHITE	493	51	27	28	33	45	37	51	57	33	44	43	44
ALL OTHER	395	32	28	31	30	31	29	32	43	44	42	33	20
ALASKA													
UNDER 1 YEAR	126	14	14	16	6	9	11	11	8	8	8	13	8
WHITE	71	9	8	7	2	1	7	4	5	4	4	10	8
ALL OTHER	55	5	6	9	4	8	4	7	3	4	2	3	—
UNDER 28 DAYS	86	9	11	14	4	8	4	11	4	5	5	6	5
WHITE	51	6	8	6	2	1	2	4	4	2	5	6	5
ALL OTHER	35	3	3	8	2	7	2	7	—	3	—	—	—
ARIZONA													
UNDER 1 YEAR	589	58	58	33	44	41	49	65	47	46	58	47	43
WHITE	451	46	43	23	31	32	39	49	38	32	47	38	33
ALL OTHER	138	12	15	10	13	9	10	16	9	14	11	9	10
UNDER 28 DAYS	393	36	31	23	22	31	39	52	37	31	31	30	30
WHITE	317	31	26	17	18	26	32	40	32	21	26	26	22
ALL OTHER	76	5	5	6	4	5	7	12	5	10	5	4	8
ARKANSAS													
UNDER 1 YEAR	593	45	51	52	35	50	46	47	61	59	48	46	53
WHITE	391	26	33	36	25	33	28	32	34	43	27	29	35
ALL OTHER	212	19	18	16	10	17	18	15	27	16	21	17	18
UNDER 28 DAYS	419	27	30	40	29	37	34	36	48	41	32	29	36
WHITE	279	19	21	27	20	26	21	25	28	32	17	19	24
ALL OTHER	140	8	9	13	9	11	13	11	20	9	15	10	12
CALIFORNIA													
UNDER 1 YEAR	4,265	345	337	376	322	354	357	345	347	352	381	361	388
WHITE	3,494	280	274	308	252	282	299	278	284	282	324	300	331
ALL OTHER	771	65	63	68	70	72	58	67	63	70	57	61	57
UNDER 28 DAYS	2,963	218	219	254	243	246	269	266	251	255	268	232	242
WHITE	2,458	177	176	210	189	205	228	220	212	212	228	194	207
ALL OTHER	505	41	43	44	54	41	41	46	39	43	40	38	35
COLORADO													
UNDER 1 YEAR	614	47	43	45	56	47	58	39	61	63	38	46	71
WHITE	576	43	41	41	54	45	54	36	55	62	34	45	68
ALL OTHER	38	4	2	4	2	2	4	3	6	1	4	3	3
UNDER 28 DAYS	449	33	32	28	42	36	45	34	48	49	22	31	49
WHITE	425	30	31	25	41	34	41	32	44	49	21	29	48
ALL OTHER	24	3	1	3	1	2	4	2	4	—	1	2	1
CONNECTICUT													
UNDER 1 YEAR	572	45	54	45	42	46	50	54	54	40	49	54	39
WHITE	458	35	45	35	32	41	35	44	40	32	42	48	29
ALL OTHER	114	10	9	10	10	5	15	10	14	8	7	6	10
UNDER 28 DAYS	446	32	38	35	33	38	45	43	44	29	43	37	29
WHITE	355	24	31	27	25	35	31	35	33	23	37	32	22
ALL OTHER	91	8	7	8	8	3	14	8	11	6	6	5	7
DELAWARE													
UNDER 1 YEAR	140	9	10	7	18	14	14	12	13	18	8	6	11
WHITE	96	4	9	6	12	11	9	9	7	12	5	4	8
ALL OTHER	44	5	1	1	6	3	5	3	6	6	3	2	3
UNDER 28 DAYS	107	6	7	7	13	11	10	8	10	13	6	6	10
WHITE	73	2	6	6	9	8	5	6	5	10	5	4	7
ALL OTHER	34	4	1	1	4	3	5	2	5	3	1	2	3
DISTRICT OF COLUMBIA													
UNDER 1 YEAR	268	21	21	18	16	28	23	23	22	31	29	20	16
WHITE	27	2	1	—	1	4	2	4	2	4	2	2	3
ALL OTHER	241	19	20	18	15	24	21	19	20	27	27	18	13
UNDER 28 DAYS	207	17	17	14	12	21	20	18	17	24	16	17	14
WHITE	25	2	1	—	1	4	2	3	2	4	1	2	3
ALL OTHER	182	15	16	14	11	17	18	15	15	20	15	15	11
FLORIDA													
UNDER 1 YEAR	1,909	179	138	132	150	149	160	184	172	163	173	147	162
WHITE	1,137	117	73	89	94	97	84	119	92	96	107	75	94
ALL OTHER	772	62	65	43	56	52	76	65	80	67	66	72	68
UNDER 28 DAYS	1,386	130	90	97	106	115	126	152	133	124	122	94	97
WHITE	858	90	47	70	68	79	63	104	69	71	79	48	70
ALL OTHER	528	40	43	27	38	36	63	48	64	53	43	46	27
GEORGIA													
UNDER 1 YEAR	1,594	119	99	133	122	131	122	131	132	133	132	119	131
WHITE	796	63	45	64	65	70	70	67	75	70	75	59	73
ALL OTHER	798	56	54	69	57	61	52	64	57	63	57	60	58
UNDER 28 DAYS	1,053	83	59	84	88	100	97	101	103	99	93	72	74
WHITE	587	51	33	40	47	52	59	54	62	51	55	38	45
ALL OTHER	466	32	26	44	41	48	38	47	41	48	38	34	29

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1974—Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
HAWAII													
UNDER 1 YEAR	241	24	19	20	16	8	26	17	24	22	19	17	29
WHITE	65	4	6	5	3	4	7	2	8	6	4	5	11
ALL OTHER	176	20	13	15	13	4	19	15	16	16	15	12	18
UNDER 28 DAYS	180	20	13	15	5	6	19	14	19	19	12	14	24
WHITE	50	3	5	5	2	3	5	1	5	6	1	4	10
ALL OTHER	130	17	8	10	3	3	14	13	14	13	11	10	14
IDAHO													
UNDER 1 YEAR	239	26	15	17	16	25	24	22	21	24	15	15	19
WHITE	232	26	15	16	16	25	21	22	19	23	15	15	19
ALL OTHER	7	-	-	1	-	-	3	-	2	1	-	-	-
UNDER 28 DAYS	174	18	10	11	11	19	18	19	14	19	11	12	12
WHITE	169	18	10	11	11	19	15	19	12	19	11	12	12
ALL OTHER	5	-	-	-	-	-	3	-	2	-	-	-	-
ILLINOIS													
UNDER 1 YEAR	3,279	263	224	296	266	305	257	289	251	276	293	257	302
WHITE	2,144	168	159	197	172	187	179	194	161	171	199	155	202
ALL OTHER	1,135	95	65	99	94	118	78	95	90	105	94	102	100
UNDER 28 DAYS	2,442	182	142	211	211	232	208	225	198	207	210	197	219
WHITE	1,658	125	102	144	137	150	147	161	136	132	149	121	154
ALL OTHER	784	57	40	67	74	82	61	64	62	75	61	76	65
INDIANA													
UNDER 1 YEAR	1,367	119	100	137	113	100	127	100	114	126	108	108	115
WHITE	1,133	98	77	110	95	84	110	77	98	110	93	87	94
ALL OTHER	234	21	23	27	18	16	17	23	16	16	15	21	21
UNDER 28 DAYS	1,002	80	78	98	89	70	101	82	87	91	77	76	73
WHITE	830	63	61	79	73	57	89	67	74	81	64	60	62
ALL OTHER	172	17	17	19	16	13	12	15	13	10	13	16	11
IOWA													
UNDER 1 YEAR	575	49	46	37	40	47	57	52	45	53	51	45	53
WHITE	547	46	44	36	39	44	54	50	40	51	48	43	52
ALL OTHER	28	3	2	1	1	3	3	2	5	2	3	2	1
UNDER 28 DAYS	444	39	33	19	27	41	46	42	40	39	43	31	44
WHITE	422	38	32	19	27	38	43	40	35	38	40	29	43
ALL OTHER	22	1	1	-	-	3	3	2	5	1	3	2	1
KANSAS													
UNDER 1 YEAR	524	44	40	43	42	40	31	53	51	42	53	49	36
WHITE	467	42	34	32	39	36	29	50	47	38	46	41	33
ALL OTHER	57	2	6	11	3	4	2	3	4	4	7	8	3
UNDER 28 DAYS	401	37	32	33	28	29	24	45	39	32	34	41	27
WHITE	359	35	28	24	27	27	23	42	35	28	30	35	25
ALL OTHER	42	2	4	9	1	2	1	3	4	4	4	6	2
KENTUCKY													
UNDER 1 YEAR	895	88	52	81	88	65	69	62	66	79	84	78	83
WHITE	784	72	47	72	74	57	63	53	59	69	76	67	75
ALL OTHER	111	16	5	9	14	8	6	9	7	10	8	11	8
UNDER 28 DAYS	642	50	27	62	63	51	56	48	54	60	65	53	53
WHITE	570	43	25	55	53	46	52	43	48	52	58	46	49
ALL OTHER	72	7	2	7	10	5	4	5	6	8	7	7	4
LOUISIANA													
UNDER 1 YEAR	1,243	102	103	99	91	93	115	105	108	100	110	104	113
WHITE	603	38	45	48	51	46	64	53	52	50	57	45	54
ALL OTHER	640	64	58	51	40	47	51	52	56	50	53	59	59
UNDER 28 DAYS	927	73	61	73	65	81	96	90	83	73	80	74	78
WHITE	469	28	29	37	37	40	56	46	40	40	42	34	40
ALL OTHER	458	45	32	36	28	41	40	44	43	33	38	40	38
MAINE													
UNDER 1 YEAR	243	27	20	18	24	25	17	23	20	18	14	22	15
WHITE	241	27	20	18	23	24	17	23	20	18	14	22	15
ALL OTHER	2	-	-	-	1	1	-	-	-	-	-	-	-
UNDER 28 DAYS	187	20	16	16	15	21	12	20	16	15	12	16	8
WHITE	185	20	16	16	14	20	12	20	16	15	12	16	8
ALL OTHER	2	-	-	-	1	1	-	-	-	-	-	-	-
MARYLAND													
UNDER 1 YEAR	821	49	62	72	76	78	69	58	72	90	57	63	75
WHITE	534	34	39	54	50	53	50	39	40	59	38	34	44
ALL OTHER	287	15	23	18	26	25	19	19	32	31	19	29	31
UNDER 28 DAYS	629	32	45	49	57	66	55	46	57	72	45	52	53
WHITE	407	24	26	36	35	46	38	29	32	48	29	30	34
ALL OTHER	222	8	19	13	22	20	17	17	25	24	16	22	19
MASSACHUSETTS													
UNDER 1 YEAR	974	75	92	87	93	60	78	85	76	84	89	74	81
WHITE	880	65	85	83	83	51	75	78	65	79	79	65	72
ALL OTHER	94	10	7	4	10	9	3	7	11	5	10	9	9
UNDER 28 DAYS	761	56	72	65	63	44	67	71	65	71	67	57	63
WHITE	692	46	66	62	58	37	65	66	56	67	62	49	58
ALL OTHER	69	10	6	3	5	7	2	5	9	4	5	8	5

SECTION 2 - INFANT MORTALITY

2-33

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1974—Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MICHIGAN													
UNDER 1 YEAR-----	2,394	209	203	188	206	223	184	183	218	203	221	173	183
WHITE-----	1,676	146	134	128	141	154	128	126	162	144	150	119	144
ALL OTHER---	718	63	69	60	65	69	56	57	56	59	71	54	39
UNDER 28 DAYS-----	1,745	146	136	132	146	166	142	143	172	153	155	116	128
WHITE-----	1,248	107	93	91	111	109	103	95	134	108	103	82	112
ALL OTHER---	497	39	43	41	35	57	39	48	38	45	52	34	26
MINNESOTA													
UNDER 1 YEAR-----	806	79	60	60	65	73	60	55	72	81	72	61	68
WHITE-----	759	74	51	57	63	69	57	53	70	75	69	57	64
ALL OTHER---	47	5	9	3	2	4	3	2	2	6	3	4	4
UNDER 28 DAYS-----	595	59	39	47	51	52	39	47	53	62	50	43	53
WHITE-----	573	57	34	45	50	52	39	45	53	58	48	40	50
ALL OTHER---	22	2	3	2	1	-	-	2	-	4	2	3	3
MISSISSIPPI													
UNDER 1 YEAR-----	1,016	96	85	71	84	85	77	84	82	77	106	71	98
WHITE-----	354	36	32	21	33	31	24	29	27	22	41	29	29
ALL OTHER---	662	60	53	50	51	54	53	55	55	55	65	42	69
UNDER 28 DAYS-----	708	60	53	52	58	56	65	64	64	62	67	49	58
WHITE-----	275	23	27	17	25	25	21	21	21	20	32	23	20
ALL OTHER---	433	37	26	35	33	31	44	43	43	42	35	26	38
MISSOURI													
UNDER 1 YEAR-----	1,173	111	97	87	75	100	95	102	89	103	106	97	111
WHITE-----	867	81	69	66	57	75	65	78	63	79	78	69	87
ALL OTHER---	306	30	28	21	18	25	30	24	26	24	28	28	24
UNDER 28 DAYS-----	877	78	68	63	56	71	76	85	77	76	82	62	83
WHITE-----	647	59	46	47	44	51	53	66	56	57	60	41	67
ALL OTHER---	230	19	22	16	12	20	23	19	21	19	22	21	16
MONTANA													
UNDER 1 YEAR-----	202	16	11	20	21	19	9	16	18	17	15	20	20
WHITE-----	181	14	8	19	18	18	9	14	17	14	12	20	18
ALL OTHER---	21	2	3	1	3	1	-	2	1	3	3	-	2
UNDER 28 DAYS-----	154	12	7	20	15	13	7	12	15	14	9	15	15
WHITE-----	144	11	6	19	14	13	7	10	14	12	9	15	14
ALL OTHER---	10	1	1	1	1	-	-	2	1	2	-	-	1
NEBRASKA													
UNDER 1 YEAR-----	364	35	16	37	33	33	40	34	25	23	27	32	29
WHITE-----	321	32	14	32	27	27	35	27	24	22	23	31	27
ALL OTHER---	43	3	2	5	6	6	5	7	1	1	4	1	2
UNDER 28 DAYS-----	275	26	13	23	28	21	31	25	20	16	21	28	23
WHITE-----	244	23	11	20	22	17	29	22	19	15	17	27	22
ALL OTHER---	31	3	2	3	6	4	2	3	1	1	4	1	1
NEVADA													
UNDER 1 YEAR-----	182	15	10	15	11	25	16	19	12	11	16	14	18
WHITE-----	139	12	8	10	8	20	14	17	11	6	12	9	12
ALL OTHER---	43	3	2	5	3	5	2	2	1	5	4	5	6
UNDER 28 DAYS-----	121	9	5	12	7	16	11	11	11	7	6	8	15
WHITE-----	91	8	7	8	5	13	9	9	10	4	5	4	9
ALL OTHER---	30	1	1	4	2	3	2	2	1	3	1	4	6
NEW HAMPSHIRE													
UNDER 1 YEAR-----	162	11	14	10	12	14	21	17	8	10	14	9	22
WHITE-----	160	11	14	10	10	14	21	17	8	10	14	9	22
ALL OTHER---	2	-	-	-	2	-	-	-	-	-	-	-	-
UNDER 28 DAYS-----	121	9	8	8	9	9	16	15	7	10	9	8	13
WHITE-----	119	9	8	8	7	9	16	15	7	10	9	8	13
ALL OTHER---	2	-	-	-	2	-	-	-	-	-	-	-	-
NEW JERSEY													
UNDER 1 YEAR-----	1,510	140	132	141	118	121	123	149	131	123	115	107	110
WHITE-----	1,038	98	86	87	81	95	82	96	91	88	80	78	76
ALL OTHER---	472	42	46	54	37	26	41	53	40	35	35	29	34
UNDER 28 DAYS-----	1,129	103	93	94	95	91	99	111	99	98	85	89	72
WHITE-----	811	80	65	62	67	77	68	72	71	70	62	63	54
ALL OTHER---	318	23	28	32	28	14	31	39	28	28	23	26	18
NEW MEXICO													
UNDER 1 YEAR-----	389	37	41	28	27	34	24	40	23	33	40	27	35
WHITE-----	314	31	31	20	21	31	22	35	19	27	34	17	26
ALL OTHER---	75	6	10	8	6	3	2	5	4	6	6	10	9
UNDER 28 DAYS-----	259	20	27	19	16	21	17	31	21	21	26	17	23
WHITE-----	222	19	23	14	12	21	16	28	17	18	22	14	18
ALL OTHER---	37	1	4	5	4	-	1	3	4	3	4	3	5
NEW YORK													
UNDER 1 YEAR-----	3,894	365	292	300	293	304	343	353	342	323	315	333	331
WHITE-----	2,647	260	193	201	216	203	226	246	242	223	219	215	203
ALL OTHER---	1,247	105	99	99	77	101	117	107	100	100	96	118	128
UNDER 28 DAYS-----	2,908	247	200	204	215	236	272	287	275	247	240	242	243
WHITE-----	2,017	178	134	141	166	167	183	206	194	169	165	152	162
ALL OTHER---	891	69	66	63	49	69	89	81	81	78	75	90	81

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1974—Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
NORTH CAROLINA													
UNDER 1 YEAR	1,639	148	132	126	118	137	133	140	139	124	158	143	141
WHITE	953	90	66	73	64	79	74	87	84	76	95	83	82
ALL OTHER	686	58	66	53	54	58	59	53	55	48	63	60	59
UNDER 28 DAYS	1,180	108	86	81	81	106	103	110	112	94	113	96	90
WHITE	713	64	45	52	47	62	60	67	69	58	68	60	61
ALL OTHER	467	44	41	29	34	44	43	43	43	36	45	36	29
NORTH DAKOTA													
UNDER 1 YEAR	170	17	21	10	15	11	15	10	18	12	7	15	19
WHITE	153	17	19	8	13	10	14	7	16	12	5	15	17
ALL OTHER	17	-	2	2	2	1	1	3	2	-	2	-	2
UNDER 28 DAYS	142	14	16	6	14	9	14	8	16	8	5	14	18
WHITE	132	14	14	6	12	8	13	7	15	8	4	14	17
ALL OTHER	10	-	2	-	2	1	1	1	1	-	1	-	1
OHIO													
UNDER 1 YEAR	2,590	234	187	216	205	220	211	253	203	210	208	215	228
WHITE	2,047	184	150	172	160	169	174	185	169	162	166	176	180
ALL OTHER	543	50	37	44	45	51	37	68	34	48	42	39	48
UNDER 28 DAYS	1,887	177	131	135	131	169	166	191	169	162	153	145	158
WHITE	1,503	141	105	105	104	131	140	140	140	130	121	120	126
ALL OTHER	384	36	26	30	27	38	26	51	29	32	32	25	32
OKLAHOMA													
UNDER 1 YEAR	741	56	58	57	63	67	41	59	72	73	68	61	66
WHITE	589	45	52	38	44	53	32	51	63	56	55	44	56
ALL OTHER	152	11	6	19	19	14	9	8	9	17	13	17	10
UNDER 28 DAYS	530	32	41	34	38	51	31	47	62	57	52	45	40
WHITE	442	27	37	24	30	41	25	43	55	46	43	35	36
ALL OTHER	88	5	4	10	8	10	6	4	7	11	9	10	4
OREGON													
UNDER 1 YEAR	488	51	41	41	33	39	37	39	50	30	40	45	42
WHITE	455	47	37	39	30	35	34	34	49	27	40	44	39
ALL OTHER	33	4	4	2	3	4	3	5	1	3	-	1	3
UNDER 28 DAYS	330	28	27	30	24	26	32	29	37	21	24	28	24
WHITE	311	27	24	29	22	23	30	24	37	20	24	28	23
ALL OTHER	19	1	3	1	2	3	2	5	-	1	-	-	1
PENNSYLVANIA													
UNDER 1 YEAR	2,590	222	182	229	208	235	223	209	237	220	214	215	196
WHITE	2,015	169	137	177	171	172	176	174	184	164	162	165	164
ALL OTHER	575	53	45	52	37	63	47	35	53	56	52	50	32
UNDER 28 DAYS	2,017	164	127	176	168	185	177	171	207	169	168	165	140
WHITE	1,596	129	97	137	139	141	141	145	163	128	131	125	120
ALL OTHER	421	35	30	39	29	44	36	26	44	41	37	40	20
RHODE ISLAND													
UNDER 1 YEAR	177	23	5	18	21	14	7	14	18	11	15	16	15
WHITE	157	20	5	17	17	14	5	13	14	11	13	14	14
ALL OTHER	20	3	-	1	4	-	2	1	4	-	2	2	1
UNDER 28 DAYS	138	18	3	13	16	13	6	10	15	7	13	13	11
WHITE	124	17	3	12	13	13	5	9	12	7	12	11	10
ALL OTHER	14	1	-	1	3	-	1	1	3	-	1	2	1
SOUTH CAROLINA													
UNDER 1 YEAR	1,025	89	73	87	75	80	78	96	91	76	94	92	94
WHITE	490	39	30	40	32	40	38	51	49	34	40	43	54
ALL OTHER	535	50	43	47	43	40	40	45	42	42	54	49	40
UNDER 28 DAYS	723	58	41	54	58	66	60	74	71	57	66	60	58
WHITE	375	29	20	27	25	33	32	36	40	29	32	32	41
ALL OTHER	348	29	21	27	33	33	28	38	31	29	34	28	17
SOUTH DAKOTA													
UNDER 1 YEAR	222	13	15	19	12	20	26	20	20	21	19	16	21
WHITE	177	12	11	14	9	14	21	18	17	13	14	14	18
ALL OTHER	45	1	4	5	3	4	5	2	3	8	5	2	3
UNDER 28 DAYS	156	8	11	14	6	15	18	16	17	17	8	13	13
WHITE	132	8	10	11	6	12	15	14	15	10	7	12	12
ALL OTHER	24	-	1	3	-	3	3	2	2	7	1	1	1
TENNESSEE													
UNDER 1 YEAR	1,110	108	82	76	93	87	83	83	87	101	110	93	107
WHITE	757	71	60	52	62	55	54	58	61	70	75	62	77
ALL OTHER	353	37	22	24	31	32	29	25	26	31	35	31	30
UNDER 28 DAYS	828	75	59	58	59	75	69	62	64	79	87	66	75
WHITE	572	49	46	41	41	47	46	41	46	54	60	45	56
ALL OTHER	256	26	13	17	18	28	23	21	18	25	27	21	19
TEXAS													
UNDER 1 YEAR	3,744	350	273	319	303	309	306	306	323	317	316	328	314
WHITE	2,915	270	221	247	223	238	236	240	247	236	244	272	245
ALL OTHER	849	80	52	72	80	71	74	66	76	81	72	56	69
UNDER 28 DAYS	2,772	238	186	239	230	234	252	236	253	251	232	229	192
WHITE	2,179	193	151	186	175	184	187	184	194	186	183	196	160
ALL OTHER	593	45	35	53	55	50	65	52	59	65	49	33	32

SECTION 2 - INFANT MORTALITY

2-35

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1974-Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UTAH													
UNDER 1 YEAR	366	28	25	22	30	26	39	22	34	35	44	27	34
WHITE	345	27	22	21	27	26	38	19	30	34	42	26	33
ALL OTHER	21	1	3	1	3	-	1	3	4	1	2	1	1
UNDER 28 DAYS	271	26	17	16	23	23	28	15	25	28	31	18	21
WHITE	261	26	16	15	21	23	28	13	22	28	30	18	21
ALL OTHER	10	-	1	1	2	-	-	2	3	-	1	-	-
VERMONT													
UNDER 1 YEAR	97	9	5	9	3	13	9	8	12	10	5	10	4
WHITE	97	9	5	9	3	13	9	8	12	10	5	10	4
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 28 DAYS	78	8	5	9	2	11	8	7	8	6	3	7	4
WHITE	78	8	5	9	2	11	8	7	8	6	3	7	4
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
UNDER 1 YEAR	1,201	121	84	115	100	112	94	108	85	95	101	99	87
WHITE	783	79	53	79	65	75	60	74	48	72	55	67	56
ALL OTHER	418	42	31	36	35	37	34	34	37	23	46	32	31
UNDER 28 DAYS	908	85	58	81	70	88	74	91	71	75	80	80	55
WHITE	595	55	39	57	47	57	48	67	37	56	40	57	35
ALL OTHER	313	30	19	24	23	31	26	24	34	19	40	23	20
WASHINGTON													
UNDER 1 YEAR	759	83	55	64	63	58	68	65	56	59	65	58	65
WHITE	674	76	50	52	56	54	61	56	49	52	58	51	59
ALL OTHER	85	7	5	12	7	4	7	9	7	7	7	7	6
UNDER 28 DAYS	537	61	35	43	47	40	53	50	44	41	45	38	40
WHITE	474	54	32	34	41	38	49	43	38	37	40	31	37
ALL OTHER	63	7	3	9	6	2	4	7	6	4	5	7	3
WEST VIRGINIA													
UNDER 1 YEAR	527	43	34	47	41	45	42	56	33	37	43	48	58
WHITE	498	40	30	42	41	44	39	53	31	37	40	45	56
ALL OTHER	29	3	4	5	-	1	3	3	2	-	3	3	2
UNDER 28 DAYS	421	32	28	41	31	37	36	45	30	27	35	35	44
WHITE	397	29	24	37	31	36	34	42	28	27	33	34	42
ALL OTHER	24	3	4	4	-	1	2	3	2	-	2	1	2
WISCONSIN													
UNDER 1 YEAR	906	70	64	82	78	91	63	78	80	78	74	70	78
WHITE	816	64	61	70	68	82	57	70	71	74	70	62	67
ALL OTHER	90	6	3	12	10	9	6	8	9	4	4	8	11
UNDER 28 DAYS	668	49	48	60	54	59	54	66	65	59	58	40	56
WHITE	612	44	47	51	49	56	51	59	58	57	55	38	47
ALL OTHER	56	5	1	9	5	3	3	7	7	2	3	2	9
WYOMING													
UNDER 1 YEAR	104	6	7	5	12	7	11	4	11	5	7	15	14
WHITE	102	6	7	4	12	7	11	4	10	5	7	15	14
ALL OTHER	2	-	-	1	-	-	-	-	1	-	-	-	-
UNDER 28 DAYS	74	2	5	2	10	5	10	2	9	5	4	12	7
WHITE	73	3	5	2	10	5	10	2	8	5	4	12	7
ALL OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-11. Infant Mortality Rates for 65 Selected Causes: United States, 1968-74

[Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	1974 ¹	1973 ¹	1972 ^{1,2}	1971 ¹	1970 ¹	1969	1968
All causes	1,670.1	1,771.8	1,847.0	1,911.7	2,001.1	2,085.2	2,178.0
Diarrheal diseases	009	20.4	20.7	19.5	20.0	20.4	23.1
Whooping cough	055	*0.4	*0.2	*0.1	*0.4	*0.2	*0.3
Meningococcal infections	038	1.5	2.9	2.9	3.6	3.3	3.9
Tetanus	037	*0.1	*0.1	*	*0.1	*0.2	*0.1
Septicemia	038	28.8	25.7	25.2	23.5	23.2	21.1
Viral diseases	040-079	6.0	6.9	6.7	7.6	7.3	7.9
Congenital syphilis	090	*0.2	*0.3	*0.1	*0.2	*0.3	*0.6
Other infective and parasitic diseases	Remainder of 000-136	4.7	5.1	6.0	5.4	6.2	6.8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-209	3.6	4.5	4.6	4.5	4.4	4.5
Benign neoplasms and neoplasms of unspecified nature	210-239	1.8	1.5	1.7	2.1	2.0	1.9
Diseases of thymus gland	254	*0.6	0.6	0.7	0.8	1.3	0.8
Cystic fibrosis	273.0	2.1	2.5	2.8	3.0	3.1	3.5
Diseases of the blood and blood-forming organs	280-288	5.6	7.5	6.7	6.1	5.8	4.4
Meningitis	320	17.9	15.7	15.8	14.9	13.7	15.3
Other diseases of nervous system and sense organs	321-399	13.9	13.3	15.0	13.8	15.0	13.3
Acute upper respiratory infections	460-465	3.4	3.9	4.7	5.2	5.7	6.4
Bronchitis and bronchiolitis	466,490,491	6.0	7.6	11.6	14.6	15.7	15.9
Influenza and pneumonia	470-474,480-486	82.7	113.5	132.9	151.9	188.9	198.3
Influenza	470-474	1.1	1.7	1.8	1.2	2.2	3.5
Pneumonia	480-488	81.6	111.9	131.1	150.7	186.7	194.8
Other chronic interstitial pneumonias	517	0.9	1.2	0.7	0.7	0.6	0.7
All other diseases of respiratory system	492,493,500-516,518,519	14.3	16.8	15.9	17.0	18.0	16.6
Hernia and intestinal obstruction	550-553,560	15.7	15.2	15.0	14.6	14.8	17.7
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	535,561,563	1.8	1.6	1.4	1.3	1.1	1.3
Other diseases of digestive system	520-534,536,537,540-543,562,564-577	9.8	10.7	11.0	11.8	11.5	11.7
Congenital anomalies	740-759	272.4	285.4	290.3	299.8	301.7	315.6
Anencephalus	740	23.7	25.0	26.1	25.9	26.9	27.4
Spina bifida	741	14.4	14.2	16.1	17.9	18.0	21.2
Congenital hydrocephalus	742	11.5	14.0	15.2	14.7	15.1	17.0
Other congenital anomalies of central nervous system and eye	743,744	11.2	10.8	10.3	12.3	11.6	12.8
Congenital anomalies of heart	745	100.7	106.9	113.2	112.5	119.0	123.8
Other congenital anomalies of circulatory system	747	20.0	20.5	16.4	22.1	19.8	21.2
Congenital anomalies of respiratory system	748	20.8	18.3	15.6	13.0	11.8	14.0
Congenital anomalies of digestive system	749-751	12.1	14.8	19.1	20.0	19.1	22.0
Congenital anomalies of genitourinary system	752,753	9.0	10.3	11.1	10.5	10.0	11.3
Congenital anomalies of musculoskeletal system	754,756	8.4	9.7	8.6	10.2	10.0	9.5
Down's disease	759.3	2.8	3.0	3.1	3.2	3.6	3.8
Other congenital syndromes affecting multiple systems	759.0-759.2,759.4-759.9	32.1	31.7	31.4	30.4	30.0	29.4
Other and unspecified congenital anomalies	745,757,758	5.8	6.2	6.1	7.1	6.8	6.0
Certain causes of mortality in early infancy	760-769,2,769.4-772,774-778	908.6	969.8	1,035.3	1,079.8	1,157.1	1,248.2
Chronic circulatory and genitourinary diseases in mother	760	*0.2	*0.3	*0.1	*0.2	*0.3	*0.6
Other maternal conditions unrelated to pregnancy	761	6.1	9.1	9.8	10.6	12.3	13.4
Syphilis	761.0	*0.1	*0.0	*	*0.1	*0.2	*0.1
Diabetes mellitus	761.1	4.1	4.6	5.1	5.9	7.1	6.9
Rubella	761.3	*0.3	*0.3	*0.5	*0.5	*0.4	0.6
All other maternal conditions unrelated to pregnancy	761.2,761.4-761.7,761.9	3.6	4.2	4.2	4.0	4.6	5.7
Toxemia of pregnancy	762	3.6	4.4	4.1	5.2	5.3	4.9
Maternal antepartum and intrapartum infection	763	5.5	6.1	6.0	6.5	7.5	6.7
Difficult labor	764-769	13.1	14.3	17.1	14.8	16.0	24.1
With mention of birth injury (.0-3)		4.2	4.1	5.0	4.8	6.6	10.6
Without mention of birth injury (.4,9)		8.9	10.2	12.0	10.0	11.5	13.4
All other complications of pregnancy and childbirth	769.0-769.2,769.4,769.5,769.9	105.8	110.1	109.6	122.5	131.7	147.8
Conditions of placenta	770	38.1	42.0	50.5	52.7	61.1	70.0
Conditions of umbilical cord	771	9.6	9.4	12.1	11.5	12.2	13.7
Birth injury without mention of cause	772	56.7	59.0	54.7	56.9	57.6	47.0
Hemolytic disease of newborn	774,775	10.8	11.9	15.3	17.9	22.2	24.7
Rhylene membrane disease	776.1	136.1	142.4	145.8	140.6	142.1	135.5
Respiratory distress syndrome	776.2	127.3	130.4	131.0	127.0	119.5	114.4
Anphyxia of newborn, unspecified	776.9	147.2	171.5	205.7	230.2	252.9	266.3
All other anoxic and hypoxic conditions not elsewhere classifiable	776.0,776.3,776.4	23.7	20.5	20.9	19.4	20.4	22.3
Immaturity, unqualified	777	149.3	171.2	191.2	207.7	234.6	248.5
Postmaturity	778.1	*0.2	*0.0	*0.1	*0.1	*0.1	*0.1
Hemorrhagic disease of newborn	778.2	18.6	14.4	13.7	11.3	13.2	12.0
All other conditions of newborn	778.0,778.3,778.9	54.8	51.6	49.7	44.6	46.0	46.2
Symptoms and ill-defined conditions	780-796	148.7	134.1	116.4	100.9	94.2	89.1
Accidents	E800-E949	46.0	53.9	54.8	63.3	61.5	67.4
Inhalation and ingestion of food or other object causing obstruction or suffocation	E911,E912	14.0	15.5	16.6	18.9	18.9	21.3
Accidental mechanical suffocation	E913	9.0	10.7	12.5	15.3	15.2	17.2
Other accidental causes	E800-E910,E914-E949	23.0	27.7	25.6	29.1	27.4	28.8
Homicide	E960-E978	5.3	5.1	5.3	5.3	4.0	4.7
All other causes	Residual	46.8	46.9	44.1	41.1	37.9	38.0

¹Excludes deaths of nonresidents of the United States.
²Deaths based on a 50-percent sample.

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH AND AGE		TOTAL	JANUARY	FEBRUARY	MARCH
1	UNDER 1 YEAR—ALL CAUSES	52,776	4,644	3,994	4,354
2	DIARRHEAL DISEASES—009	646	60	46	44
3	WHOOPING COUGH—033	13	1	—	—
4	MENINGOCOCCAL INFECTIONS—036	47	6	4	2
5	TETANUS—037	3	2	—	—
6	SEPTICEMIA—038	910	73	65	59
7	VIRAL DISEASES—040-079	191	24	21	19
8	CONGENITAL SYPHILIS—090	7	1	—	1
9	OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	149	16	12	12
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	115	6	13	7
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	61	6	7	1
12	DISEASES OF THYRUS GLAND—254	19	3	3	1
13	CYSTIC FIBROSIS—273.0	67	5	3	9
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	178	16	13	19
15	MEINGITIS—320	567	57	34	44
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	439	38	36	46
17	ACUTE UPPER RESPIRATORY INFECTIONS—460-465	108	10	17	11
18	BRONCHITIS AND BRONCHIOLITIS—466, 490, 491	189	42	20	23
19	INFLUENZA AND PNEUMONIA—470-474, 480-486	2,613	315	278	272
20	INFLUENZA—470-474	36	7	8	8
21	PNEUMONIA—480-486	2,577	308	270	264
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	27	1	3	2
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492, 493, 500-516, 518, 519	453	53	41	34
24	HERNIA AND INTESTINAL OBSTRUCTION—550-553, 560	497	43	37	41
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535, 561, 563	51	4	5	2
26	OTHER DISEASES OF DIGESTIVE SYSTEM—520-534, 536, 537, 540-543, 562, 564-577	310	27	20	28
27	CONGENITAL ANOMALIES—740-759	8,607	760	646	673
28	ANENCEPHALUS—740	748	55	50	51
29	SPINA BIFIDA—741	455	31	30	39
30	CONGENITAL HYDROCEPHALUS—742	362	36	24	23
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743, 744	353	26	27	30
32	CONGENITAL ANOMALIES OF HEART—746	3,181	290	251	248
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	633	60	34	58
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	656	63	51	56
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	382	40	32	32
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752, 753	285	26	28	24
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	264	22	25	18
38	DOWN'S DISEASE—759.3	90	9	13	14
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2, 759.4-759.9	1,015	81	72	64
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745, 757, 758	183	21	9	16
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2, 769.4-772, 774-778	28,712	2,327	1,999	2,313
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	6	—	1	—
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	256	16	28	28
44	SYPHILIS—761.0	2	—	—	1
45	DIABETES MELLITUS—761.1	130	6	16	14
46	RUBELLA—761.3	11	—	2	—
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2, 761.4-761.7, 761.9	113	10	10	13
48	TOXEMIA OF PREGNANCY—762	115	10	11	11
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	173	16	10	13
50	DIFFICULT LABOR—764-768	413	40	35	37
51	WITH MENTION OF BIRTH INJURY (.0-.3)	132	17	7	13
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)	281	23	28	24
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2, 769.4, 769.5, 769.9	3,342	264	217	252
54	CONDITIONS OF PLACENTA—770	1,203	116	79	91
55	CONDITIONS OF UMBILICAL CORD—771	304	25	19	27
56	BIRTH INJURY WITHOUT MENTION OF CAUSE—772	1,792	165	116	149
57	HEMOLYTIC DISEASE OF NEWBORN—774, 775	340	27	29	22
58	HYALINE MEMBRANE DISEASE—776.1	4,300	361	309	342
59	RESPIRATORY DISTRESS SYNDROME—776.2	4,022	275	272	317
60	ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	4,652	388	339	410
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0, 776.3, 776.4	750	55	47	64
62	IMMATURITY, UNQUALIFIED—777	4,719	403	329	375
63	POSTMATURITY—778.1	6	—	2	—
64	HEMOPHRAGIC DISEASE OF NEWBORN—778.2	588	45	38	40
65	ALL OTHER CONDITIONS OF NEWBORN—778.0, 778.3, 778.9	1,731	121	118	135
66	SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	4,700	449	409	437
67	ACCIDENTS—E800-E949	1,453	144	110	111
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911, E912	442	56	36	34
69	ACCIDENTAL MECHANICAL SUFFOCATION—E913	285	27	23	33
70	OTHER ACCIDENTAL CAUSES—E800-E910, E914-E949	726	61	51	44
71	HOMICIDE—E960-E978	166	15	13	20
72	ALL OTHER CAUSES—RESIDUAL	1,478	140	139	123

SECTION 2 - INFANT MORTALITY

2-39

From 65 Selected Causes, by Month: United States, 1974

Revision International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
4,180	4,418	4,319	4,499	4,486	4,445	4,561	4,303	4,573	1
47	48	41	41	62	58	64	63	72	2
1	1	-	2	1	4	2	1	-	3
4	2	2	5	6	1	6	4	5	4
-	-	1	-	-	-	-	-	-	5
60	61	72	89	84	85	91	93	78	6
22	16	12	12	15	15	11	11	13	7
-	-	1	-	-	1	-	3	-	8
13	10	10	8	11	14	14	16	13	9
9	11	9	14	8	4	11	11	12	10
9	4	3	5	3	8	4	3	8	11
2	-	1	3	2	-	-	2	2	12
7	5	5	2	6	5	8	6	6	13
17	17	10	13	16	10	16	10	21	14
51	46	38	49	41	41	58	50	58	15
32	34	32	30	31	33	35	43	49	16
11	6	6	9	3	5	10	11	9	17
18	10	12	8	8	8	12	13	15	18
212	172	153	163	164	194	214	200	276	19
2	1	1	-	-	-	2	3	4	20
210	171	152	163	164	194	212	197	272	21
2	1	2	3	3	4	5	-	1	22
47	28	26	35	31	33	43	37	45	23
41	30	29	51	41	47	45	39	53	24
6	2	3	5	5	5	4	3	7	25
28	25	26	29	24	31	21	27	24	26
653	670	698	719	795	769	774	697	753	27
60	55	63	80	77	64	73	53	67	28
30	36	40	45	43	46	39	39	37	29
26	43	32	25	33	29	32	24	35	30
21	24	45	21	25	41	35	32	26	31
245	230	239	272	281	286	280	265	294	32
55	57	48	49	61	54	65	46	46	33
41	52	60	38	64	62	57	56	56	34
28	27	31	35	31	27	33	32	34	35
26	25	20	14	32	32	21	23	14	36
27	25	20	22	24	22	24	17	18	37
9	1	5	6	5	5	7	8	8	38
70	80	83	99	98	78	95	92	103	39
15	15	12	13	21	23	13	10	15	40
2,305	2,619	2,585	2,643	2,564	2,439	2,409	2,263	2,246	41
-	1	1	-	-	-	2	-	2	42
18	22	31	27	22	18	12	15	19	43
-	-	-	-	-	-	-	-	-	44
5	13	18	12	11	10	7	5	13	45
1	-	2	-	1	-	-	5	-	46
12	8	11	15	10	8	5	5	6	47
6	12	8	15	9	15	2	5	11	48
10	17	17	15	19	11	17	12	16	49
40	33	36	33	35	41	29	31	23	50
19	12	11	7	12	8	11	7	8	51
21	21	25	26	23	33	18	24	15	52
308	338	296	281	297	312	274	236	267	53
101	111	119	108	102	103	99	99	72	54
17	26	24	26	31	30	30	21	28	55
148	165	157	175	159	147	156	120	135	56
28	34	34	28	29	29	25	26	29	57
326	358	409	416	372	329	374	343	361	58
300	364	370	386	374	369	319	356	320	59
366	427	396	436	421	385	383	348	353	60
49	55	53	81	66	81	64	72	63	61
390	450	428	421	416	373	406	368	360	62
-	1	1	1	-	-	-	-	1	63
42	53	39	50	70	54	49	48	60	64
156	153	166	144	142	142	165	163	126	65
335	336	302	309	311	359	424	469	560	66
120	119	106	121	126	132	153	100	111	67
35	41	28	40	37	38	38	22	37	68
28	28	17	19	23	21	30	23	13	69
57	50	61	62	66	73	85	55	61	70
12	15	10	7	12	17	15	16	14	71
116	130	124	124	113	123	112	112	122	72

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH AND AGE		TOTAL	JANUARY	FEBRUARY	MARCH
1	UNDER 28 DAYS--ALL CAUSES	38,738	3,234	2,694	3,073
2	DIARRHEAL DISEASES-----009	337	25	19	27
3	WHOOPING COUGH-----033	—	—	—	—
4	MENINGOCOCCAL INFECTIONS-----036	9	—	—	—
5	TETANUS-----037	3	2	—	—
6	SEPTICEMIA-----038	695	59	45	44
7	VIRAL DISEASES-----040-079	62	11	7	3
8	CONGENITAL SYPHILIS-----090	6	1	—	1
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	53	4	2	4
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	15	—	3	1
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	30	2	2	1
12	DISEASES OF THYMUS GLAND-----254	4	1	—	—
13	CYSTIC FIBROSIS-----273-0	17	1	—	5
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	75	7	6	10
15	MENINGITIS-----320	213	18	13	16
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	47	3	6	6
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	12	1	2	—
18	BRONCHITIS AND BRONCHOLITIS-----466, 490, 491	6	1	—	2
19	INFLUENZA AND PNEUMONIA-----470-474, 480-486	767	71	61	62
20	INFLUENZA-----470-474	3	—	—	2
21	PNEUMONIA-----480-486	764	71	61	60
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	8	—	1	1
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492, 493, 500-516, 518, 519	125	16	10	4
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553, 560	416	33	30	36
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----595, 561, 563	26	2	3	2
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534, 536, 537, 540-543, 562, 564-577	175	13	9	16
27	CONGENITAL ANOMALIES-----740-759	5,968	534	403	432
28	ANENCEPHALUS-----740	728	51	48	50
29	SPINA BIFIDA-----741	264	22	14	17
30	CONGENITAL HYDROCEPHALUS-----742	214	21	15	14
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743, 744	243	21	17	20
32	CONGENITAL ANOMALIES OF HEART-----746	2,011	187	144	144
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	397	45	16	34
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	475	49	32	39
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	193	17	16	14
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752, 753	253	25	22	21
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	215	17	17	12
38	DOWN'S DISEASE-----759.3	39	2	1	8
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2, 759.4-759.9	807	60	55	50
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745, 757, 758	129	17	6	9
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2, 769.4-772, 774-778	28,397	2,301	1,979	2,295
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	6	—	1	—
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	249	16	27	27
44	SYPHILIS-----761.0	1	—	—	—
45	DIABETES MELLITUS-----761.1	130	6	16	14
46	RUBELLA-----761.3	7	—	1	—
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2, 761.4-761.7, 761.9	111	10	10	13
48	TOXEMIA OF PREGNANCY-----762	115	10	11	11
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	169	16	10	12
50	DIFFICULT LABOR-----764-768	411	46	35	36
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----764	131	17	7	13
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----764	280	23	28	23
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2, 769.4, 769.5, 769.9	3,327	264	217	252
54	CONDITIONS OF PLACENTA-----770	1,197	115	78	91
55	CONDITIONS OF UMBILICAL CORD-----771	301	23	19	26
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,774	163	114	148
57	HEMOLYTIC DISEASE OF NEWBORN-----774, 775	334	27	27	22
58	HYALINE MEMBRANE DISEASE-----776.1	4,235	352	303	339
59	RESPIRATORY DISTRESS SYNDROME-----776.2	3,924	268	269	313
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	4,632	387	337	408
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0, 776.3, 776.4	736	53	47	63
62	IMMATUREITY, UNQUALIFIED-----777	4,687	401	328	372
63	POSTMATURITY-----778.1	6	—	2	—
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	585	45	38	40
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0, 778.3, 778.9	1,709	121	116	135
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	615	57	47	50
67	ACCIDENTS-----E800-E949	166	20	12	11
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911, E912	64	13	5	2
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	27	—	2	3
70	OTHER ACCIDENTAL CAUSES-----E800-E910, E914-E949	75	7	5	6
71	HOMICIDE-----E960-E978	36	4	2	6
72	ALL OTHER CAUSES-----RESIDUAL	455	47	32	38

SECTION 2 - INFANT MORTALITY

2-41

From 65 Selected Causes, by Month: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
3,047	3,343	3,423	3,567	3,556	3,374	3,307	3,034	3,086	1
19	21	25	25	36	33	37	32	38	2
1	2	1	2	2	1	1	1	1	3
46	50	58	65	71	69	69	66	53	4
5	3	4	3	8	6	5	3	4	5
7	5	1	4	2	1	4	2	5	6
1	1	2	2	1	2	1	1	1	7
4	1	2	3	2	5	2	2	4	8
1	1	1	1	2	1	1	1	1	9
4	2	1	1	7	5	6	2	4	10
9	7	4	8	7	5	6	2	4	11
13	21	20	20	17	17	16	21	21	12
2	4	3	4	6	5	2	2	4	13
1	1	2	2	1	1	1	2	1	14
55	47	63	64	84	80	71	49	60	15
55	47	63	64	84	80	70	49	60	16
1	1	1	1	2	1	2	1	1	17
16	2	7	12	16	11	16	4	11	18
32	27	21	43	38	39	40	33	44	19
3	1	1	2	4	2	1	2	2	20
17	18	16	16	15	3	10	14	9	21
442	462	513	546	587	539	541	449	520	22
57	53	63	78	76	64	72	53	63	23
15	20	20	29	29	30	24	24	20	24
14	24	21	18	18	20	19	19	19	25
13	16	33	14	14	27	24	23	19	26
147	149	161	193	190	189	178	147	182	27
34	41	36	36	38	28	34	28	27	28
32	30	45	28	50	41	47	36	46	29
12	15	20	20	21	11	14	17	16	30
22	21	19	12	27	31	19	20	14	31
22	20	19	20	22	17	19	13	17	32
4	1	1	4	2	3	3	5	5	33
60	61	65	85	85	60	79	64	83	34
10	11	10	9	15	18	9	6	9	35
2,278	2,594	2,556	2,615	2,542	2,413	2,380	2,232	2,212	36
16	22	1	27	22	17	2	14	2	37
5	1	30	12	11	10	7	5	13	38
11	13	18	12	11	10	7	4	13	39
11	8	11	15	10	7	5	5	6	40
6	12	8	15	9	15	2	5	11	41
10	16	17	15	19	11	16	11	16	42
40	33	36	33	35	41	29	31	22	43
19	12	11	7	12	8	11	7	7	44
21	21	25	26	23	33	18	24	15	45
308	336	295	279	295	310	271	234	266	46
100	111	119	108	102	102	101	98	72	47
17	26	24	26	31	30	30	21	28	48
145	163	155	174	159	146	155	119	133	49
27	34	34	28	29	28	25	25	28	50
323	355	405	412	365	325	370	337	349	51
293	354	358	373	366	360	313	344	313	52
363	426	394	435	419	385	382	347	349	53
48	53	53	79	66	79	62	71	62	54
387	448	425	418	415	370	401	366	356	55
42	1	1	1	1	1	1	1	1	56
159	53	39	50	70	53	48	48	59	57
40	151	162	142	140	141	161	161	126	58
8	31	55	61	62	50	50	57	55	59
3	12	13	18	17	18	17	14	6	60
3	5	5	6	5	5	4	7	4	61
2	4	1	3	4	2	5	1	1	62
3	3	7	9	8	11	6	6	2	63
6	1	3	1	2	5	2	3	1	64
37	32	47	51	32	43	32	35	29	65

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,
[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH AND AGE		TOTAL	JANUARY	FEBRUARY	MARCH
1	28 DAYS TO 11 MONTHS--ALL CAUSES-----	14,038	1,410	1,300	1,281
2	DIARRHEAL DISEASES-----009	309	35	27	17
3	WHOOPING COUGH-----033	13	1	-	-
4	MENINGOCOCCAL INFECTIONS-----036	38	6	4	2
5	TETANUS-----037	-	-	-	-
6	SEPTICEMIA-----038	215	14	20	15
7	VIRAL DISEASES-----040-079	129	13	14	16
8	CONGENITAL SYPHILIS-----090	1	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	96	12	10	8
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	100	6	10	6
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	31	4	5	-
12	DISEASES OF THYMUS GLAND-----254	15	2	3	1
13	CYSTIC FIBROSIS-----273.0	50	4	3	4
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	103	9	7	9
15	MENINGITIS-----320	354	39	21	28
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	392	35	30	40
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	96	9	15	11
18	BRONCHITIS AND BRONCHIOITIS-----466,490,491	183	41	20	21
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	1,846	244	217	210
20	INFLUENZA-----470-474	33	7	8	6
21	PNEUMONIA-----480-486	1,813	237	209	204
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	19	1	2	1
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	328	37	31	30
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	81	10	7	5
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	25	2	2	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	135	14	11	12
27	CONGENITAL ANOMALIES-----740-759	2,639	226	243	241
28	ANENCEPHALUS-----740	20	4	2	1
29	SPINA BIFIDA-----741	191	9	16	22
30	CONGENITAL HYDROCEPHALUS-----742	148	15	9	9
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	110	5	10	10
32	CONGENITAL ANOMALIES OF HEART-----746	1,170	103	107	104
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	236	15	18	24
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	181	14	19	17
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	189	23	16	18
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	32	1	6	3
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	49	5	8	6
38	DOWN'S DISEASE-----759.3	51	7	12	6
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	208	21	17	14
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	54	4	3	7
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	315	26	20	18
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	7	-	1	1
44	SYPHILIS-----761.0	1	-	-	1
45	DIABETES MELLITUS-----761.1	-	-	-	-
46	RUBELLA-----761.3	4	-	1	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	2	-	-	-
48	TOXEMIA OF PREGNANCY-----762	-	-	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	4	-	-	1
50	DIFFICULT LABOR-----764-768	2	-	-	1
51	WITH MENTION OF BIRTH INJURY (.0-.3)	1	-	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	1	-	-	1
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	15	-	-	-
54	CONDITIONS OF PLACENTA-----770	6	1	1	-
55	CONDITIONS OF UMBILICAL CORD-----771	3	2	-	1
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	18	2	2	1
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	6	-	2	-
58	HYALINE MEMBRANE DISEASE-----776.1	65	5	6	3
59	RESPIRATORY DISTRESS SYNDROME-----776.2	98	7	3	4
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	20	1	2	2
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	14	2	-	1
62	IMMATURITY, UNQUALIFIED-----777	32	2	1	3
63	POSTMATURITY-----778.1	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	3	-	-	-
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	22	-	2	-
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	4,085	392	362	387
67	ACCIDENTS-----E800-E949	1,287	124	98	100
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	378	43	31	32
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	258	27	21	30
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	651	54	46	38
71	HOMICIDE-----E960-E978	130	11	11	14
72	ALL OTHER CAUSES-----RESIDUAL	1,023	93	107	85

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Month: United States, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1,133	1,075	896	932	930	1,071	1,254	1,269	1,487	1
28	27	16	16	26	25	27	31	34	2
1	1	-	2	1	4	2	1	-	3
3	-	2	3	4	1	5	4	4	4
-	-	-	-	-	-	-	-	-	5
14	11	14	24	13	16	22	27	25	6
17	13	8	9	7	9	6	8	9	7
-	-	-	-	-	-	-	1	-	8
6	5	7	4	9	8	10	9	8	9
8	11	7	12	7	2	10	10	11	10
5	3	1	2	1	3	2	1	4	11
1	-	-	3	2	-	-	1	2	12
3	3	4	2	4	5	7	6	5	13
8	10	6	5	9	5	10	8	17	14
38	25	18	29	24	24	42	29	37	15
30	30	29	26	25	28	33	41	45	16
11	6	4	7	2	4	9	9	9	17
18	10	11	8	8	7	12	12	15	18
157	125	90	99	80	114	143	151	216	19
2	1	1	-	-	-	1	3	4	20
155	124	89	99	80	114	142	148	212	21
1	1	2	3	1	4	3	-	-	22
31	26	19	23	15	22	27	33	34	23
9	3	8	8	3	8	5	6	9	24
3	1	2	3	1	2	3	1	5	25
11	7	10	13	9	9	11	13	15	26
211	208	185	173	208	230	233	248	233	27
3	2	-	2	1	-	1	-	4	28
15	16	20	16	14	16	15	15	17	29
12	19	11	7	15	9	13	13	16	30
8	8	12	7	11	14	11	7	7	31
98	81	78	79	91	97	102	118	112	32
21	16	12	13	23	26	31	18	19	33
9	22	15	10	14	21	10	20	10	34
16	12	11	15	10	16	19	15	18	35
4	4	1	2	5	1	2	3	3	36
5	5	1	2	2	5	5	4	1	37
5	-	4	2	3	2	4	3	3	38
10	19	18	14	13	18	16	28	20	39
5	4	2	4	6	5	4	4	6	40
27	25	29	28	22	26	29	31	34	41
-	-	-	-	-	-	-	-	-	42
2	-	1	-	-	1	-	1	-	43
-	-	-	-	-	-	-	-	-	44
1	-	1	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	46
1	-	-	-	-	1	-	-	-	47
-	-	-	-	-	-	-	-	-	48
-	1	-	-	-	-	1	1	1	49
-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	1	51
-	-	-	-	-	-	-	-	-	52
-	2	1	2	2	2	3	2	1	53
1	-	-	-	-	1	-	1	-	54
-	-	-	-	-	-	-	-	-	55
3	2	2	1	-	1	1	1	2	56
1	-	-	-	-	1	-	1	1	57
3	3	4	4	7	4	4	6	12	58
7	10	12	13	8	9	6	12	7	59
3	1	2	1	2	-	1	1	4	60
1	2	-	2	-	2	2	1	1	61
3	2	3	3	1	3	5	2	4	62
-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	1	1	-	1	64
3	2	4	2	2	1	4	2	-	65
295	305	247	248	249	309	374	412	505	66
112	107	93	103	109	114	136	86	105	67
32	36	23	34	32	33	34	15	33	68
26	24	16	16	19	19	25	22	13	69
54	47	54	53	58	62	77	49	59	70
6	14	7	6	10	12	13	13	13	71
79	98	77	73	81	80	80	77	93	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color,

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are see Technical

CAUSE OF DEATH	ALL INFANTS UNDER 1 YEAR					
	ALL COUNTIES			METROPOLITAN COUNTIES		
	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1 ALL CAUSES	52,776	29,760	23,016	34,624	25,433	9,191
2 DIARRHEAL DISEASES—009	646	349	297	419	307	112
3 WHOOPING COUGH—033	13	7	6	10	7	3
4 MENINGOCOCCAL INFECTIONS—036	47	30	17	32	26	6
5 TETANUS—037	3	—	3	3	—	3
6 SEPTICEMIA—038	910	533	377	594	458	136
7 VIRAL DISEASES—040-079	191	104	87	124	86	38
8 CONGENITAL SYPHILIS—090	7	5	2	5	4	1
9 OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	149	70	79	83	61	22
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	115	62	53	81	53	28
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	61	35	26	43	31	12
12 DISEASES OF THYMUS GLAND—254	19	6	13	8	4	4
13 CYSTIC FIBROSIS—273-0	67	36	31	39	26	13
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	178	115	63	127	100	27
15 MENINGITIS—320	567	312	255	351	265	86
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	439	258	181	294	221	73
17 ACUTE UPPER RESPIRATORY INFECTIONS—460-465	108	76	32	76	64	12
18 BRONCHITIS AND BRONCHIOLITIS—466,490,491	189	98	91	127	92	35
19 INFLUENZA AND PNEUMONIA—470-474,480-486	2,613	1,413	1,200	1,552	1,190	362
20 INFLUENZA—470-474	36	16	20	11	9	2
21 PNEUMONIA—480-486	2,577	1,397	1,180	1,541	1,181	360
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	27	12	15	23	12	11
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492,493,500-516,518,519	453	261	192	299	221	78
24 HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	497	246	251	338	216	122
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535,561,563	51	32	19	37	30	7
26 OTHER DISEASES OF DIGESTIVE SYSTEM—520-534,536,537,540-543,562,564-577	310	200	110	214	165	49
27 CONGENITAL ANOMALIES—740-759	8,607	4,765	3,842	5,796	4,118	1,678
28 ANENCEPHALUS—740	748	366	382	495	309	186
29 SPINA BIFIDA—741	455	248	207	274	205	69
30 CONGENITAL HYDROCEPHALUS—742	362	187	175	226	155	71
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744	353	193	160	224	167	57
32 CONGENITAL ANOMALIES OF HEART—746	3,181	1,754	1,427	2,159	1,531	628
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	633	389	244	493	351	102
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	656	380	276	460	331	129
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	382	201	181	243	164	79
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752,753	285	169	116	200	146	54
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	264	138	126	168	117	51
38 DOWN'S DISEASE—759.3	90	42	48	62	38	24
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2,759.4-759.9	1,015	609	406	722	526	196
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745,757,758	183	89	94	110	78	32
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	28,712	16,371	12,341	18,897	13,915	4,982
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	6	3	3	3	2	1
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	256	142	114	158	115	43
44 SYPHILIS—761.0	2	1	1	2	1	1
45 DIABETES MELLITUS—761.1	130	71	59	81	57	24
46 RUBELLA—761.3	11	9	2	7	7	—
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2,761.4-761.7,761.9	113	61	52	68	50	18
48 TOXEMIA OF PREGNANCY—762	115	56	59	65	48	17
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	173	116	57	132	105	27
50 DIFFICULT LABOR—764-768	413	188	225	227	157	70
51 WITH MENTION OF BIRTH INJURY (.0-.3)	132	56	76	61	43	18
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	281	132	149	166	114	52
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9	3,342	1,886	1,456	2,243	1,604	639
54 CONDITIONS OF PLACENTA—770	1,203	661	542	769	552	217
55 CONDITIONS OF UMBILICAL CORD—771	304	155	149	167	115	52
56 BIRTH INJURY WITHOUT MENTION OF CAUSE—772	1,792	1,077	715	1,235	937	298
57 HEMOLYTIC DISEASE OF NEWBORN—774,775	340	186	154	221	157	64
58 HYALINE MEMBRANE DISEASE—776.1	4,300	2,302	1,998	2,716	1,941	775
59 RESPIRATORY DISTRESS SYNDROME—776.2	4,022	2,248	1,774	2,647	1,913	734
60 ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	4,652	2,741	1,911	3,088	2,311	777
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0,776.3,776.4	750	454	296	505	401	104
62 IMMATURETY, UNQUALIFIED—777	4,719	2,643	2,076	2,945	2,189	756
63 POSTMATURITY—778.1	6	4	2	4	4	—
64 HEMORRHAGIC DISEASE OF NEWBORN—778.2	588	369	219	427	330	97
65 ALL OTHER CONDITIONS OF NEWBORN—778.0,778.3,778.9	1,731	1,140	591	1,345	1,034	311
66 SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	4,700	2,686	2,014	3,115	2,327	788
67 ACCIDENTS—E800-E949	1,453	704	749	808	575	233
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911,E912	442	223	219	229	163	66
69 ACCIDENTAL MECHANICAL SUFFOCATION—E913	285	138	147	137	106	31
70 OTHER ACCIDENTAL CAUSES—E800-E910,E914-E949	726	343	383	442	306	136
71 HOMICIDE—E960-E978	166	117	49	124	105	19
72 ALL OTHER CAUSES—RESIDUAL	1,478	857	621	1,005	754	251

SECTION 2 - INFANT MORTALITY

2-45

for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1974

those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, Appendix]

WHITE INFANTS UNDER 1 YEAR												
NONMETROPOLITAN COUNTIES			ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES			
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	
18,152	4,327	13,825	38,249	19,431	18,818	24,176	16,164	8,012	14,073	3,267	10,806	1
227	42	185	375	197	178	255	173	82	120	24	96	2
3	-	3	11	6	5	8	6	2	3	-	3	3
15	4	11	34	22	12	23	18	5	11	4	7	4
-	-	-	3	-	3	3	-	3	-	-	-	5
316	75	241	620	326	294	392	271	121	228	55	173	6
67	18	49	148	74	74	94	59	35	54	15	39	7
2	1	1	3	1	2	2	1	1	1	-	1	8
66	9	57	107	49	58	63	46	17	44	3	41	9
34	9	25	90	47	43	62	39	23	28	8	20	10
18	4	14	50	25	25	34	23	11	16	2	14	11
11	2	9	16	3	13	5	1	4	11	2	9	12
28	10	18	64	33	31	37	24	13	27	9	18	13
51	15	36	126	74	52	83	61	22	43	13	30	14
216	47	169	366	177	189	219	148	71	147	29	118	15
145	37	108	316	167	149	203	137	66	113	30	83	16
32	12	20	65	41	24	49	37	12	16	4	12	17
62	6	56	127	57	70	81	52	29	46	5	41	18
1,061	223	838	1,645	802	843	957	668	289	688	134	554	19
25	7	18	28	14	14	10	8	2	18	6	12	20
1,036	216	820	1,617	788	829	947	660	287	670	128	542	21
4	-	4	19	5	14	15	5	10	4	-	4	22
154	40	114	319	166	153	203	139	64	116	27	89	23
159	30	129	420	187	233	278	163	115	142	24	118	24
14	2	12	32	16	16	23	16	7	9	-	9	25
96	35	61	216	120	95	138	92	46	78	28	50	26
2,811	647	2,164	7,119	3,690	3,429	4,666	3,131	1,535	2,453	559	1,894	27
253	57	196	685	320	365	490	269	181	235	51	184	28
181	43	138	413	219	194	247	182	65	166	37	129	29
136	32	104	294	139	155	177	115	62	117	24	93	30
129	26	103	290	154	136	184	130	54	106	24	82	31
1,022	223	799	2,596	1,332	1,264	1,718	1,140	578	878	192	686	32
180	38	142	504	289	215	351	257	94	153	32	121	33
196	49	147	530	281	249	353	239	114	177	42	135	34
139	37	102	290	137	153	174	105	69	116	32	84	35
85	23	62	236	130	106	159	109	50	77	21	56	36
96	21	75	223	110	113	140	93	47	83	17	66	37
28	4	24	76	35	41	52	31	21	24	4	20	38
293	83	210	840	477	363	577	403	174	263	74	189	39
73	11	62	142	67	75	84	58	26	58	9	49	40
9,815	2,456	7,359	20,821	10,583	10,238	13,061	8,710	4,351	7,760	1,873	5,887	41
3	1	2	5	2	3	2	1	3	3	1	2	42
98	27	71	202	98	104	115	75	40	87	23	64	43
-	-	-	-	-	-	-	-	-	-	-	-	44
49	14	35	112	57	55	66	44	22	46	13	33	45
4	2	2	5	4	4	2	2	3	3	2	1	46
45	11	34	85	37	48	47	29	18	38	8	30	47
50	8	42	84	37	47	48	33	15	36	4	32	48
41	11	30	110	67	43	80	60	20	30	7	23	49
186	31	155	321	137	184	179	112	67	142	25	117	50
71	13	58	102	41	61	48	30	18	54	11	43	51
115	18	97	219	96	123	131	82	49	88	14	74	52
1,099	282	817	2,455	1,230	1,225	1,580	1,016	564	875	214	661	53
434	109	325	966	494	472	597	401	196	369	93	276	54
137	40	97	247	121	126	132	85	47	115	36	79	55
557	140	417	1,301	696	605	848	586	262	453	110	343	56
119	29	90	295	151	144	189	127	62	106	24	82	57
1,584	361	1,223	3,379	1,647	1,732	2,039	1,347	692	1,340	300	1,040	58
1,375	335	1,040	3,036	1,516	1,520	1,898	1,251	647	1,138	265	873	59
1,564	430	1,134	3,283	1,708	1,575	2,069	1,383	686	1,214	325	889	60
245	53	192	516	291	225	342	253	89	174	38	136	61
1,774	454	1,320	3,105	1,516	1,589	1,847	1,216	631	1,258	300	958	62
2	-	2	4	3	1	3	3	-	1	-	1	63
161	39	122	399	225	174	275	192	83	124	33	91	64
386	106	280	1,113	644	469	818	569	249	295	75	220	65
1,585	359	1,226	3,024	1,549	1,475	1,954	1,302	652	1,070	247	823	66
645	129	516	1,034	448	586	549	353	196	485	95	390	67
213	60	153	320	143	177	159	104	55	161	39	122	68
148	32	116	202	95	107	97	69	28	105	26	79	69
284	37	247	512	210	302	293	180	113	219	30	189	70
42	12	30	92	61	31	69	54	15	23	7	16	71
473	103	370	987	505	482	650	435	215	337	70	267	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color,

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are see Technical

CAUSE OF DEATH	ALL OTHER INFANTS UNDER 1 YEAR					
	ALL COUNTIES			METROPOLITAN COUNTIES		
	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1 ALL CAUSES	14,527	10,329	4,198	10,448	9,269	1,179
2 DIARRHEAL DISEASES—009	271	152	119	164	134	30
3 WHOOPING COUGH—033	2	1	1	2	1	1
4 MENINGOCOCCAL INFECTIONS—036	13	8	5	9	8	1
5 TETANUS—037	—	—	—	—	—	—
6 SEPTICEMIA—038	290	207	83	202	187	15
7 VIRAL DISEASES—040-079	43	30	13	30	27	3
8 CONGENITAL SYPHILIS—090	4	4	—	3	3	—
9 OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	42	21	21	20	15	5
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	25	15	10	19	14	5
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	11	10	1	9	8	1
12 DISEASES OF THYMUS GLAND—254	3	3	—	3	3	—
13 CYSTIC FIBROSIS—273-0	3	3	—	2	2	—
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	52	41	11	44	39	5
15 MENINGITIS—320	201	135	66	132	117	15
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	123	91	32	91	84	7
17 ACUTE UPPER RESPIRATORY INFECTIONS—460-465	43	35	8	27	27	—
18 BRONCHITIS AND BRONCHIOLITIS—466,490,491	62	41	21	46	40	6
19 INFLUENZA AND PNEUMONIA—470-474,480-486	968	611	357	595	522	73
20 INFLUENZA—470-474	8	2	6	1	1	—
21 PNEUMONIA—480-486	960	609	351	594	521	73
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	8	7	1	8	7	1
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492,493,500-516,518,519	134	95	39	96	82	14
24 HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	77	59	18	60	53	7
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535,561,563	19	16	3	14	14	—
26 OTHER DISEASES OF DIGESTIVE SYSTEM—520-534,536,537,540-543,562,564-577	94	80	14	76	73	3
27 CONGENITAL ANOMALIES—740-759	1,488	1,075	413	1,130	987	143
28 ANENCEPHALUS—740	63	46	17	45	40	5
29 SPINA BIFIDA—741	42	29	13	27	23	4
30 CONGENITAL HYDROCEPHALUS—742	68	48	20	49	40	9
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744	63	39	24	40	37	3
32 CONGENITAL ANOMALIES OF HEART—746	585	422	163	441	391	50
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	129	100	29	102	94	8
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	126	99	27	107	92	15
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	92	64	28	69	59	10
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752,753	49	39	10	41	37	4
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	41	28	13	28	24	4
38 DOWN'S DISEASE—759.3	14	7	7	10	7	3
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2,759.4-759.9	175	132	43	145	123	22
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745,757,758	41	22	19	26	20	6
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	7,891	5,788	2,103	5,836	5,205	631
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	1	1	—	1	1	—
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	54	44	10	43	40	3
44 SYPHILIS—761.0	2	1	1	2	1	1
45 DIABETES MELLITUS—761.1	18	14	4	15	13	2
46 RUBELLA—761.3	6	5	1	5	5	—
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2,761.4-761.7,761.9	28	24	4	21	21	—
48 TOXEMIA OF PREGNANCY—762	31	19	12	17	15	2
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	63	49	14	52	45	7
50 DIFFICULT LABOR—764-768	92	51	41	48	45	3
51 WITH MENTION OF BIRTH INJURY (.0-.3)	30	15	15	13	13	—
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	62	36	26	35	32	3
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9	887	656	231	663	588	75
54 CONDITIONS OF PLACENTA—770	237	167	70	172	151	21
55 CONDITIONS OF UMBILICAL CORD—771	57	34	23	35	30	5
56 BIRTH INJURY WITHOUT MENTION OF CAUSE—772	491	381	110	387	351	36
57 HEMOLYTIC DISEASE OF NEWBORN—774,775	45	35	10	32	30	2
58 HYALINE MEMBRANE DISEASE—776.1	921	655	266	677	594	83
59 RESPIRATORY DISTRESS SYNDROME—776.2	986	732	254	749	662	87
60 ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	1,369	1,033	336	1,019	928	91
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0,776.3,776.4	234	163	71	163	148	15
62 IMMATURE, UNQUALIFIED—777	1,614	1,127	487	1,098	973	125
63 POSTMATURITY—778.1	2	1	1	1	1	—
64 HEMORRHAGIC DISEASE OF NEWBORN—778.2	189	144	45	152	138	14
65 ALL OTHER CONDITIONS OF NEWBORN—778.0,778.3,778.9	618	496	122	527	465	62
66 SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	1,676	1,137	539	1,161	1,025	136
67 ACCIDENTS—E800-E949	419	256	163	289	222	37
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911,E912	122	80	42	70	59	11
69 ACCIDENTAL MECHANICAL SUFFOCATION—E913	83	43	40	40	37	3
70 OTHER ACCIDENTAL CAUSES—E800-E910,E914-E949	214	133	81	149	126	23
71 HOMICIDE—E960-E978	74	56	18	55	51	4
72 ALL OTHER CAUSES—RESIDUAL	491	352	139	355	319	36

SECTION 2 - INFANT MORTALITY

2-47

for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1974—Con.

those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, Appendix]

NONMETROPOLITAN COUNTIES			ALL INFANTS UNDER 28 DAYS									
NONMETROPOLITAN COUNTIES			ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES			
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	
4,079	1,060	3,019	38,738	21,901	16,837	25,518	18,662	6,856	13,220	3,239	9,981	1
107	18	89	337	199	138	248	184	64	89	15	74	2
-	-	-	-	-	-	-	-	-	-	-	-	3
4	-	4	9	7	2	6	5	1	3	2	1	4
-	-	-	3	-	3	3	-	3	-	-	5	5
88	20	68	695	412	283	461	357	104	234	55	179	6
13	3	10	62	37	25	45	33	12	17	4	13	7
1	1	-	6	4	2	4	3	1	2	1	1	8
22	6	16	53	29	24	36	27	9	17	2	15	9
6	1	5	15	7	8	14	7	7	1	-	1	10
2	2	-	30	18	12	21	16	5	9	2	7	11
-	-	-	4	2	2	1	1	-	3	1	2	12
1	1	-	17	7	10	9	5	4	8	2	6	13
8	2	6	75	49	26	47	39	8	28	10	18	14
69	18	51	213	112	101	140	102	38	73	10	63	15
32	7	25	47	27	20	36	24	12	11	3	8	16
16	8	8	12	7	5	8	6	2	4	1	3	17
16	1	15	6	1	5	5	1	4	1	-	1	18
373	89	284	787	422	345	475	362	113	292	60	232	19
7	1	6	7	1	2	-	-	-	3	1	2	20
366	88	278	764	421	343	475	362	113	289	59	230	21
-	-	-	8	3	5	8	3	5	-	-	-	22
38	13	25	125	69	56	78	56	22	47	13	34	23
17	6	11	416	205	211	283	179	104	133	26	107	24
5	2	3	26	16	10	20	16	4	6	-	6	25
18	7	11	175	118	57	119	95	24	56	23	33	26
358	88	270	5,968	3,284	2,684	3,995	2,825	1,170	1,973	459	1,514	27
18	6	12	728	399	369	483	303	180	265	56	189	28
15	6	9	264	146	118	166	125	41	98	21	77	29
19	8	11	214	107	107	131	87	44	83	20	63	30
23	2	21	243	129	114	151	112	39	92	17	75	31
144	31	113	2,011	1,110	901	1,348	959	389	663	151	512	32
27	6	21	397	232	165	283	214	69	114	18	96	33
19	7	12	475	267	208	320	229	91	155	38	117	34
23	5	18	195	96	97	120	74	46	73	22	51	35
8	2	6	253	152	101	178	131	47	75	21	54	36
13	4	9	215	116	99	135	98	37	80	18	62	37
4	-	4	39	21	18	27	18	9	12	3	9	38
30	9	21	807	483	324	578	417	161	229	66	163	39
15	2	13	129	66	63	75	58	17	54	8	46	40
2,055	583	1,472	28,397	16,193	12,204	18,671	13,749	4,922	9,726	2,444	7,282	41
-	-	6	6	3	3	3	2	1	3	1	2	42
11	4	7	249	136	113	152	109	43	97	27	70	43
-	-	-	1	-	1	-	-	-	-	-	-	44
3	-	2	130	71	59	81	57	24	49	14	35	45
1	-	1	7	6	1	4	4	-	3	2	1	46
7	3	4	111	59	52	66	48	18	45	11	34	47
14	4	10	115	56	59	65	48	17	50	8	42	48
11	4	7	169	113	56	129	102	27	40	11	29	49
44	6	38	411	187	224	225	156	69	186	31	155	50
17	2	15	131	55	76	60	42	18	71	13	58	51
27	4	23	280	132	148	165	114	51	115	18	97	52
224	68	156	3,327	1,878	1,449	2,232	1,596	636	1,095	282	813	53
65	16	49	1,197	656	541	764	547	217	433	109	324	54
22	4	18	301	153	148	165	113	52	136	40	96	55
104	30	74	1,774	1,072	702	1,230	933	297	544	139	405	56
13	5	8	334	184	150	217	155	62	117	29	88	57
244	61	183	4,235	2,262	1,973	2,665	1,903	762	1,570	359	1,211	58
237	70	167	3,924	2,192	1,732	2,572	1,861	711	1,352	331	1,021	59
350	105	245	4,632	2,733	1,899	3,073	2,303	770	1,559	430	1,129	60
71	15	56	736	446	290	498	395	103	238	51	187	61
516	154	362	4,687	2,624	2,063	2,922	2,171	751	1,765	453	1,312	62
1	-	1	6	4	2	4	4	-	2	-	2	63
37	6	31	585	366	219	425	328	97	160	38	122	64
91	31	60	1,709	1,128	581	1,330	1,023	307	379	105	274	65
515	112	403	615	328	287	376	283	93	239	45	194	66
160	34	126	166	86	80	94	64	30	72	22	50	67
52	21	31	64	33	31	31	22	9	33	11	22	68
43	6	37	27	17	10	12	10	2	15	7	8	69
65	7	58	75	36	39	51	32	19	24	4	20	70
19	5	14	36	19	17	23	15	8	13	4	9	71
136	33	103	455	240	215	292	205	87	163	35	128	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color,

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are see Technical

CAUSE OF DEATH	WHITE INFANTS UNDER 28 DAYS					
	ALL COUNTIES			METROPOLITAN COUNTIES		
	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1 ALL CAUSES	28,692	14,587	14,105	18,109	12,073	6,036
2 DIARRHEAL DISEASES—009	208	111	97	148	101	47
3 WHOOPING COUGH—033	—	—	—	—	—	—
4 MENINGOCOCCAL INFECTIONS—036	8	6	2	5	4	1
5 TETANUS—037	3	—	3	3	—	3
6 SEPTICEMIA—038	496	262	234	311	219	92
7 VIRAL DISEASES—040-079	50	26	24	34	22	12
8 CONGENITAL SYPHILIS—090	3	1	2	2	1	1
9 OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	38	19	19	24	18	6
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	11	5	6	10	5	5
11 BENIGN NEOPLASMS AND NECPLASMS OF UNSPECIFIED NATURE—210-239	27	16	11	19	15	4
12 DISEASES OF THYMUS GLAND—254	4	2	2	1	1	—
13 CYSTIC FIBROSIS—273.0	16	6	10	8	4	4
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	58	37	21	34	29	5
15 MENINGITIS—320	146	62	84	89	55	34
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	36	17	19	25	14	11
17 ACUTE UPPER RESPIRATORY INFECTIONS—460-465	10	5	5	6	4	2
18 BRONCHITIS AND BRONCHIOLITIS—466,490,491	4	—	4	4	—	4
19 INFLUENZA AND PNEUMONIA—470-474,480-486	526	249	277	313	215	98
20 INFLUENZA—470-474	2	—	2	—	—	—
21 PNEUMONIA—480-486	524	249	275	313	215	98
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	8	3	5	8	3	5
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492,493,500-516,518,519	97	52	45	61	43	18
24 HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	357	161	196	235	138	97
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535,561,563	16	6	10	10	6	4
26 OTHER DISEASES OF DIGESTIVE SYSTEM—520-534,536,537,540-543,562,564-577	118	66	52	70	47	23
27 CONGENITAL ANOMALIES—740-759	5,016	2,589	2,427	3,269	2,183	1,086
28 ANENCEPHALUS—740	668	315	353	441	265	176
29 SPINA BIFIDA—741	241	128	113	152	112	40
30 CONGENITAL HYDROCEPHALUS—742	180	82	98	106	67	39
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744	202	104	98	127	89	38
32 CONGENITAL ANOMALIES OF HEART—746	1,658	850	808	1,075	714	361
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	325	176	149	225	159	66
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	392	202	190	252	169	83
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	141	61	80	82	43	39
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752,753	212	120	92	144	101	43
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	183	94	89	112	79	33
38 DOWN'S DISEASE—759.3	34	19	15	25	16	9
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2,759.4-759.9	677	385	292	469	324	145
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745,757,758	103	53	50	59	45	14
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	20,592	10,467	10,125	12,897	8,601	4,296
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	5	2	3	2	1	1
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	199	96	103	113	73	40
44 SYPHILIS—761.0	—	—	—	—	—	—
45 DIABETES MELLITUS—761.1	112	57	55	66	44	22
46 RUBELLA—761.3	4	4	—	2	2	—
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2,761.4-761.7,761.9	83	35	48	45	27	18
48 TOXEMIA OF PREGNANCY—762	84	37	47	48	33	15
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	108	66	42	79	59	20
50 DIFFICULT LABOR—764-768	319	136	183	177	111	66
51 WITH MENTION OF BIRTH INJURY (.0-.3)	101	40	61	47	29	18
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	218	96	122	130	82	48
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9	2,443	1,224	1,219	1,571	1,010	561
54 CONDITIONS OF PLACENTA—770	961	490	471	593	397	196
55 CONDITIONS OF UMBILICAL CORD—771	244	119	125	130	83	47
56 BIRTH INJURY WITHOUT MENTION OF CAUSE—772	1,288	693	595	844	583	261
57 HEMOLYTIC DISEASE OF NEWBORN—774,775	290	150	140	186	126	60
58 HYALINE MEMBRANE DISEASE—776.1	3,330	1,618	1,712	2,001	1,320	681
59 RESPIRATORY DISTRESS SYNDROME—776.2	2,963	1,480	1,483	1,844	1,218	626
60 ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	3,266	1,701	1,565	2,056	1,376	680
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0,776.3,776.4	507	286	221	337	249	88
62 IMMATURITY, UNQUALIFIED—777	3,086	1,505	1,581	1,831	1,205	626
63 POSTMATURITY—778.1	4	3	1	3	3	—
64 HEMORRHAGIC DISEASE OF NEWBORN—778.2	397	223	174	274	191	83
65 ALL OTHER CONDITIONS OF NEWBORN—778.0,778.3,778.9	1,098	638	460	808	563	245
66 SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	372	188	184	228	158	70
67 ACCIDENTS—E800-E949	112	51	61	62	36	26
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911,E912	47	23	24	23	15	8
69 ACCIDENTAL MECHANICAL SUFFOCATION—E913	15	7	8	5	3	2
70 OTHER ACCIDENTAL CAUSES—E800-E910,E914-E949	50	21	29	34	18	16
71 HOMICIDE—E960-E978	23	12	11	14	9	5
72 ALL OTHER CAUSES—RESIDUAL	337	168	169	219	142	77

SECTION 2 - INFANT MORTALITY

for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1974—Con.

those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, Appendix]

			ALL OTHER INFANTS UNDER 28 DAYS									
NONMETROPOLITAN COUNTIES			ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES			
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	
10,583	2,514	8,069	10,046	7,314	2,732	7,409	6,589	820	2,637	725	1,912	
60	10	50	129	88	41	100	83	17	29	5	24	2
1	2	1	1	1	—	—	1	—	—	—	—	3
3	—	—	—	—	—	—	—	—	—	—	—	4
185	43	142	199	150	49	150	138	12	49	12	37	5
16	4	12	12	11	1	11	11	—	1	—	1	7
1	1	1	3	3	—	2	2	—	1	1	—	8
14	—	13	15	10	5	12	9	3	3	1	2	9
1	—	1	4	2	2	4	2	2	—	—	—	10
8	1	7	3	2	1	2	1	1	1	1	—	11
3	1	2	—	—	—	—	—	—	—	—	—	12
8	2	6	1	1	—	1	1	—	—	—	—	13
24	8	16	17	12	5	13	10	3	4	2	2	14
57	7	50	67	50	17	51	47	4	16	3	13	15
11	3	8	11	10	1	11	10	1	—	—	—	16
4	1	3	2	2	—	2	2	—	—	—	—	17
—	—	—	2	1	1	1	1	—	1	—	—	18
213	34	179	241	173	68	162	147	15	9	26	53	19
2	—	2	—	—	—	—	—	—	1	1	—	20
211	34	177	240	172	68	162	147	15	78	25	53	21
—	—	—	—	—	—	—	—	—	—	—	—	22
36	9	27	28	17	11	17	13	4	11	4	—	23
122	23	99	59	44	15	48	41	7	11	3	8	24
6	—	6	10	10	—	10	10	—	—	—	—	25
48	19	29	57	52	5	49	48	1	8	4	—	26
1,747	406	1,341	952	695	257	726	642	84	226	53	173	27
227	50	177	60	44	16	42	36	6	18	6	12	28
89	16	73	23	18	5	14	13	1	9	5	4	29
74	15	59	34	25	9	25	20	5	9	5	4	30
75	15	60	41	25	16	24	23	1	17	2	15	31
583	136	447	353	260	93	273	245	28	80	15	65	32
100	17	83	72	56	16	58	55	3	14	3	13	33
140	33	107	83	65	18	68	60	8	15	5	10	34
59	18	41	52	35	17	38	31	7	14	4	10	35
68	19	49	41	32	9	34	30	4	7	4	5	36
71	15	56	32	22	10	23	19	4	9	3	6	37
9	3	6	5	2	3	2	2	—	3	—	3	38
208	61	147	130	98	32	109	93	16	21	5	16	39
44	8	36	26	13	13	16	13	3	10	—	10	40
7,695	1,866	5,829	7,805	5,726	2,079	5,774	5,148	626	2,031	578	1,453	41
3	1	2	1	1	—	1	1	—	—	—	—	42
86	23	63	50	40	10	39	36	3	11	4	7	43
—	—	—	1	—	—	1	1	—	—	—	—	44
46	13	33	18	14	4	15	13	2	3	1	2	45
2	2	—	3	2	1	2	2	—	1	—	1	46
38	8	30	28	24	4	21	21	—	7	3	4	47
36	4	32	31	19	12	17	15	2	14	4	10	48
29	7	22	41	47	14	14	43	7	11	4	7	49
142	25	117	92	51	41	50	45	3	44	6	38	50
54	11	43	30	15	15	13	13	—	17	2	15	51
88	14	74	62	36	26	35	32	3	27	4	23	52
872	214	658	884	654	230	661	586	75	223	68	155	53
368	93	275	236	166	70	171	150	21	65	16	49	54
114	36	78	57	34	23	35	30	5	22	4	18	55
444	110	334	486	379	107	386	350	36	100	29	71	56
104	24	80	44	34	10	31	29	2	13	5	8	57
1,329	298	1,031	905	644	261	664	583	81	241	61	180	58
1,119	262	857	961	712	249	728	643	85	233	69	164	59
1,210	325	885	1,366	1,032	334	1,017	927	90	349	105	244	60
170	37	133	229	160	69	161	146	15	68	14	54	61
1,255	300	955	1,601	1,119	482	1,091	966	125	510	153	357	62
1	—	1	2	1	1	1	1	—	—	—	—	63
123	32	91	188	143	45	151	137	14	37	6	31	64
290	75	215	611	490	121	522	460	62	89	30	59	65
144	30	114	243	140	103	148	125	23	95	15	80	66
50	15	35	54	35	19	32	28	4	22	7	15	67
24	8	16	17	10	7	8	7	1	9	3	6	68
10	4	6	12	10	2	7	7	—	5	3	2	69
16	3	13	25	15	10	17	14	3	8	1	7	70
9	3	6	13	7	6	9	6	3	4	1	3	71
118	26	92	118	72	46	73	63	10	45	9	36	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, BOTH SEXES—ALL CAUSES	52,776	5,123	16,034	5,179	3,265	1,650	1,073	814
2	DIARRHEAL DISEASES—009	646	—	4	1	11	25	21	27
3	WHOOPING COUGH—033	13	—	—	—	—	—	—	—
4	MENINGOCOCCAL INFECTIONS—036	47	—	—	—	—	—	—	—
5	TETANUS—037	3	—	—	—	—	—	—	—
6	SEPTICEMIA—038	910	9	88	91	82	57	46	45
7	VIRAL DISEASES—040-079	191	2	7	2	4	2	2	2
8	CONGENITAL SYPHILIS—090	7	1	3	1	—	—	—	—
9	OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	149	1	6	7	5	1	5	3
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	115	1	2	2	—	2	—	—
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	61	7	9	3	1	2	1	1
12	DISEASES OF THYMUS GLAND—254	19	—	2	1	—	—	—	—
13	CYSTIC FIBROSIS—273.0	67	—	—	—	1	1	—	2
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	178	2	11	8	7	6	4	5
15	MENINGITIS—320	567	—	2	8	15	12	22	14
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	439	3	13	1	3	2	2	3
17	ACUTE UPPER RESPIRATORY INFECTIONS—460-465	108	—	1	4	1	—	—	—
18	BRONCHITIS AND BRONCHIOLITIS—466,490,491	189	—	1	—	—	1	—	—
19	INFLUENZA AND PNEUMONIA—470-474,480-486	2,613	19	148	116	76	40	19	31
20	INFLUENZA—470-474	36	—	2	—	—	—	—	—
21	PNEUMONIA—480-486	2,577	19	146	116	76	40	19	31
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	27	—	3	1	—	—	1	—
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492,493,500-516,518,519	453	13	37	18	12	2	7	1
24	HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	497	54	189	74	30	17	6	7
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535,561,563	51	1	—	—	—	1	1	4
26	OTHER DISEASES OF DIGESTIVE SYSTEM—520-534,536,537,540-543,562,564-577	310	2	13	8	11	13	18	15
27	CONGENITAL ANOMALIES—740-759	8,607	882	1,721	586	520	357	217	145
28	ANENCEPHALUS—740	748	218	307	62	33	21	14	10
29	SPINA BIFIDA—741	455	37	58	18	14	12	8	4
30	CONGENITAL HYDROCEPHALUS—742	362	49	76	15	8	7	3	4
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744	353	38	82	21	11	9	6	5
32	CONGENITAL ANOMALIES OF HEART—746	3,181	57	315	249	299	214	121	84
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	633	9	35	48	51	33	22	16
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	656	101	219	37	24	11	4	2
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	382	15	26	13	18	10	10	9
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752,753	285	46	126	21	8	4	3	4
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	264	58	102	21	4	5	3	1
38	DOWN'S DISEASE—759.3	90	—	15	2	2	1	3	—
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2,759.4-759.9	1,015	229	318	66	38	26	17	6
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745,757,758	183	25	42	13	10	4	5	—
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	28,712	4,007	13,583	4,150	2,413	1,055	655	470
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	6	2	4	—	—	—	—	—
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	256	40	120	37	21	7	5	4
44	SYPHILIS—761.0	2	—	—	—	—	—	—	—
45	DIABETES MELLITUS—761.1	130	13	56	23	17	5	5	3
46	RUBELLA—761.3	11	2	2	1	1	—	—	—
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2,761.4-761.7,761.9	113	25	62	13	3	2	—	1
48	TOXEMIA OF PREGNANCY—762	115	30	36	18	8	3	6	1
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	173	55	81	9	13	4	2	2
50	DIFFICULT LABOR—764-768	413	121	166	55	29	18	6	6
51	WITH MENTION OF BIRTH INJURY (.0-.3)	132	21	49	24	17	10	1	4
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	281	100	117	31	12	8	5	2
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9	3,342	728	1,905	332	155	59	35	28
54	CONDITIONS OF PLACENTA—770	1,203	423	645	68	29	9	5	5
55	CONDITIONS OF UMBILICAL CORD—771	304	118	109	35	12	11	3	5
56	BIRTH INJURY WITHOUT MENTION OF CAUSE—772	1,792	67	443	345	258	162	107	77
57	HEMOLYTIC DISEASE OF NEWBORN—774,775	340	67	147	36	31	13	7	6
58	HYALINE MEMBRANE DISEASE—776.1	4,300	57	1,465	1,030	646	260	166	110
59	RESPIRATORY DISTRESS SYNDROME—776.2	4,022	178	1,686	847	458	184	105	86
60	ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	4,652	671	2,572	549	308	132	83	48
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0,776.3,776.4	750	102	277	170	81	30	18	6
62	IMMATURITY, UNQUALIFIED—777	4,719	1,063	2,913	343	153	55	38	30
63	POSTMATURITY—778.1	6	2	1	2	—	1	—	—
64	HEMORRHAGIC DISEASE OF NEWBORN—778.2	588	6	123	98	100	56	33	30
65	ALL OTHER CONDITIONS OF NEWBORN—778.0,778.3,778.9	1,731	277	890	176	111	51	36	26
66	SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	4,700	71	88	39	28	23	13	12
67	ACCIDENTS—E800-E949	1,453	12	17	4	6	3	7	7
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911,E912	442	1	2	2	4	3	2	4
69	ACCIDENTAL MECHANICAL SUFFOCATION—E913	285	2	2	—	—	—	1	2
70	OTHER ACCIDENTAL CAUSES—E800-E910,E914-E949	726	9	13	2	2	—	4	1
71	HOMICIDE—E960-E978	166	12	7	7	2	—	—	—
72	ALL OTHER CAUSES—RESIDUAL	1,478	24	79	47	36	28	26	20

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1974

Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	1
597	33,735	2,661	1,341	1,001	38,738	3,638	2,704	2,101	1,440	998	797	640	471	452	414	383	1
22	111	125	52	49	337	101	47	29	22	31	19	15	12	16	13	4	2
-	-	4	2	3	9	4	4	4	1	1	1	4	1	3	1	-	3
-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
38	456	145	61	33	695	78	44	29	13	9	10	10	4	8	4	6	6
1	22	26	9	5	62	22	21	15	21	6	11	4	8	6	7	8	7
2	5	1	-	5	1	1	6	-	-	-	-	-	-	-	-	-	8
-	30	13	5	-	53	19	15	14	11	10	12	3	1	5	1	5	9
-	7	5	2	1	15	10	8	8	11	14	7	9	12	6	4	11	10
-	24	2	4	-	30	5	2	7	2	2	1	3	5	-	2	2	11
-	3	-	-	1	4	2	3	6	2	-	1	-	-	-	-	-	12
2	6	4	6	1	17	8	7	7	8	5	8	1	2	3	1	1	13
4	47	19	3	6	75	27	19	14	11	7	6	5	2	4	4	2	14
9	82	53	41	37	213	85	46	43	30	29	29	23	17	19	24	9	15
1	28	8	7	4	47	62	57	34	46	29	28	31	32	24	23	26	16
-	6	3	1	2	12	21	26	18	7	5	7	3	2	2	1	4	17
-	3	1	-	2	6	21	39	26	26	16	17	11	9	5	7	6	18
28	477	109	88	93	767	495	396	275	189	132	91	64	58	50	51	45	19
-	2	1	-	-	3	5	6	3	4	4	1	2	2	1	1	2	20
28	475	108	88	93	764	490	390	272	185	128	90	62	53	50	50	43	21
-	5	2	1	-	8	7	2	3	2	-	1	1	-	-	3	-	22
1	91	13	9	12	125	81	77	55	32	21	18	10	12	7	10	5	23
6	383	13	11	9	416	24	13	11	10	5	9	2	4	2	1	-	24
2	9	9	7	1	26	8	5	1	2	2	3	1	-	-	2	1	25
11	91	43	29	12	175	46	23	15	14	13	8	9	2	2	-	3	26
132	4,560	729	395	284	5,960	783	409	335	240	214	165	142	99	88	74	90	27
11	676	37	10	5	728	7	2	5	-	1	2	1	-	-	1	1	28
3	154	49	31	30	264	71	32	26	14	19	8	8	-	-	1	1	29
2	164	22	15	13	214	36	16	21	18	16	14	2	6	7	4	8	30
16	188	25	22	8	243	34	13	10	10	10	10	4	4	8	2	2	31
60	1,399	341	149	122	2,011	312	190	147	102	93	72	65	49	46	44	50	32
11	225	84	57	31	397	102	39	31	22	14	6	9	5	2	5	1	33
2	400	26	31	18	475	60	32	31	17	14	10	6	7	1	1	2	34
8	109	44	24	16	193	41	20	19	18	22	18	15	11	7	10	8	35
2	214	18	12	9	253	9	5	5	4	1	2	1	1	1	1	3	36
2	196	11	5	3	215	9	8	3	6	4	3	3	3	2	1	7	37
2	23	7	8	1	39	6	9	6	8	7	5	2	3	2	2	1	38
12	712	50	26	19	807	76	34	28	14	11	13	8	8	2	1	7	39
1	100	15	5	9	129	20	9	3	7	2	2	5	3	2	1	1	40
308	26,641	1,124	428	204	28,397	173	59	31	20	11	4	8	2	3	3	1	41
-	6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	42
3	237	8	3	1	249	1	2	2	1	1	-	-	-	-	-	-	43
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	44
2	124	4	2	-	130	-	-	-	-	-	-	-	-	-	-	-	45
-	6	-	-	1	7	-	1	2	1	-	-	-	-	-	-	-	46
-	106	4	1	-	111	-	1	-	-	1	-	-	-	-	-	-	47
3	105	8	1	1	115	-	-	-	-	-	-	-	-	-	-	-	48
-	166	3	-	-	169	1	-	-	-	1	1	1	-	-	-	-	49
1	402	6	2	1	411	-	2	-	-	-	-	-	-	-	-	-	50
1	127	2	1	1	131	-	1	-	-	-	-	-	-	-	-	-	51
-	275	4	1	-	280	-	1	-	-	-	-	-	-	-	-	-	52
17	3,259	47	16	5	3,327	4	4	5	1	1	-	-	-	-	-	-	53
2	1,186	9	1	1	1,157	5	-	-	-	-	-	-	-	-	-	-	54
1	294	5	2	-	301	1	-	-	1	-	-	-	-	-	-	-	55
46	1,505	168	69	32	1,774	9	6	1	-	1	-	-	-	-	-	-	56
2	309	20	4	1	334	3	2	-	-	-	-	1	-	-	-	-	57
76	3,810	306	83	36	4,235	43	10	8	4	-	-	-	-	-	-	-	58
49	3,593	206	93	32	3,924	60	14	8	10	3	1	2	-	-	-	-	59
48	4,411	125	58	38	4,632	12	4	-	1	1	-	-	-	1	1	-	60
7	691	21	14	10	736	9	1	2	1	-	-	-	-	-	1	-	61
17	4,612	44	20	11	4,687	17	10	1	1	-	1	1	-	-	1	-	62
-	6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	63
21	467	80	28	10	585	2	-	1	-	-	-	-	-	-	-	-	64
15	1,582	68	34	25	1,709	6	4	3	-	3	1	3	-	1	-	1	65
10	284	84	101	146	615	1,096	1,047	769	463	255	168	105	55	56	40	31	66
4	60	32	32	42	166	185	160	185	133	96	98	106	82	79	81	82	67
1	19	18	11	16	64	70	67	70	41	32	24	14	16	18	17	9	68
-	7	2	11	7	27	43	35	39	29	21	27	30	10	6	11	7	69
3	34	12	10	19	75	72	58	76	63	43	47	62	56	55	53	66	70
2	30	2	2	2	36	22	15	19	9	8	9	13	11	8	11	5	71
14	274	89	45	47	455	250	156	147	112	69	63	57	39	54	42	34	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the

CAUSE OF DEATH, COLOR, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, MALE--ALL CAUSES	30,305	2,848	9,268	3,019	1,918	576	624	470
2	DIARRHEAL DISEASES	009	-	3	1	6	13	10	13
3	WHOOPING COUGH	033	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS	036	-	-	-	-	-	-	-
5	TETANUS	037	-	-	-	-	-	-	-
6	SEPTICEMIA	038	6	52	53	52	34	24	28
7	VIRAL DISEASES	040-079	96	1	2	1	2	2	2
8	CONGENITAL SYPHILIS	090	3	1	1	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES--REMAINDER OF 000-136	93	-	4	3	4	-	2	1
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	140-209	63	-	2	-	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	210-239	34	1	4	3	1	1	-
12	DISEASES OF THYRUS GLAND	254	10	-	1	-	-	-	-
13	CYSTIC FIBROSIS	273.0	33	-	-	1	-	-	1
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	280-289	99	1	7	7	6	4	3
15	MENINGITIS	320	316	-	2	7	7	7	14
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	321-389	254	1	10	-	2	2	1
17	ACUTE UPPER RESPIRATORY INFECTIONS	460-465	63	-	1	3	1	-	-
18	BRONCHITIS AND BRONCHIOLITIS	466,490,491	121	-	1	-	-	-	-
19	INFLUENZA AND PNEUMONIA	470-474,480-486	1,462	6	84	73	45	26	12
20	INFLUENZA	470-474	19	-	2	-	-	-	-
21	PNEUMONIA	480-486	1,443	6	82	73	45	26	12
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA	517	17	-	1	-	-	-	1
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM	492,493,500-516,518,519	258	7	23	10	7	2	4
24	HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	264	28	85	43	18	8	4
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN	535,561,563	33	1	-	-	-	1	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM--520-534,536,537,540-543,562,564-577	205	2	9	5	6	10	10	10
27	CONGENITAL ANOMALIES--740-759	4,748	434	993	352	307	202	119	72
28	ANENCEPHALUS	740	352	75	153	39	20	12	10
29	SPINA BIFIDA	741	207	14	24	11	6	4	3
30	CONGENITAL HYDROCEPHALUS	742	184	19	41	4	6	2	1
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE--743,744	178	15	42	14	6	4	4	2
32	CONGENITAL ANOMALIES OF HEART	746	1,843	31	201	162	186	130	67
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	747	343	6	15	31	28	17	11
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	748	395	57	133	21	15	9	1
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	749-751	220	8	14	7	9	8	6
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	752,753	190	33	84	15	3	2	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	754-756	157	34	66	11	1	1	2
38	DOWN'S DISEASE	759.3	48	-	8	2	1	-	1
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	759.0-759.2,759.4-759.9	522	127	187	30	21	12	8
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	745,757,758	109	15	25	5	5	1	3
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	16,671	2,295	7,872	2,404	1,417	627	386	277
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	760	4	1	3	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761	146	20	64	22	13	4	5
44	SYPHILIS	761.0	2	-	-	-	-	-	-
45	DIABETES MELLITUS	761.1	78	5	31	12	12	4	5
46	RUBELLA	761.3	6	1	1	1	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761.2,761.4-761.7,761.9	60	14	32	9	1	-	-
48	TOXEMIA OF PREGNANCY	762	64	13	19	10	7	2	5
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	763	101	29	47	8	9	1	1
50	DIFFICULT LABOR	764-768	255	77	106	30	17	11	3
51	WITH MENTION OF BIRTH INJURY (.0-.3)	82	14	31	13	10	6	1	4
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)	173	63	75	17	7	5	2	1
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	769.0-769.2,769.4,769.5,769.9	1,864	404	1,064	194	89	29	16
54	CONDITIONS OF PLACENTA	770	702	258	368	37	14	7	3
55	CONDITIONS OF UMBILICAL CORD	771	176	68	64	20	6	9	2
56	BIRTH INJURY WITHOUT MENTION OF CAUSE	772	1,049	41	246	207	140	107	67
57	HEMOLYTIC DISEASE OF NEWBORN	774,775	175	37	70	14	17	8	4
58	HYALINE MEMBRANE DISEASE	776.1	2,680	43	920	621	397	149	113
59	RESPIRATORY DISTRESS SYNDROME	776.2	2,432	100	1,016	506	292	123	58
60	ASPHYXIA OF NEWBORN, UNSPECIFIED	776.9	2,656	375	1,509	317	160	70	42
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	776.0,776.3,776.4	394	54	153	80	41	18	12
62	IMMATURITY, UNQUALIFIED	777	2,662	617	1,644	188	82	30	17
63	POSTMATURITY	778.1	3	1	-	1	-	1	-
64	HEMORRHAGIC DISEASE OF NEWBORN	778.2	352	1	78	55	67	32	20
65	ALL OTHER CONDITIONS OF NEWBORN	778.0,778.3,778.9	956	156	501	94	66	26	19
66	SYMPTOMS AND ILL-DEFINED CONDITIONS	780-796	2,795	41	49	18	15	15	10
67	ACCIDENTS	E800-E949	823	8	13	1	3	3	6
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	E911,E912	270	1	1	1	2	3	2
69	ACCIDENTAL MECHANICAL SUFFOCATION	E913	145	1	1	-	-	-	1
70	OTHER ACCIDENTAL CAUSES	E800-E910,E914-E949	408	6	11	-	1	-	3
71	HOMICIDE	E960-E978	78	3	3	2	2	-	-
72	ALL OTHER CAUSES	RESIDUAL	841	12	47	28	17	19	14

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the

CAUSE OF DEATH, COLOR, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, FEMALE-ALL CAUSES	22,471	2,275	6,766	2,160	1,347	674	449	344
2	DIARRHEAL DISEASES	009	281	-	1	-	5	12	11
3	WHOOPING COUGH	033	9	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS	036	19	-	-	-	-	-	-
5	TETANUS	037	1	-	-	-	-	-	-
6	SEPTICEMIA	038	384	3	36	38	30	23	22
7	VIRAL DISEASES	040-079	95	1	5	-	3	-	-
8	CONGENITAL SYPHILIS	090	4	-	2	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES	REMAINDER OF 000-136	56	1	2	4	1	1	3
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	140-209	52	1	-	-	-	2	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	210-239	27	6	5	-	-	1	-
12	DISEASES OF THYMUS GLAND	254	9	-	2	-	-	-	-
13	CYSTIC FIBROSIS	273.0	34	-	-	-	1	-	1
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	280-289	79	1	4	1	1	2	1
15	MENINGITIS	320	251	-	-	1	8	5	8
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	321-389	185	2	3	1	1	-	1
17	ACUTE UPPER RESPIRATORY INFECTIONS	460-465	45	-	-	1	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS	466,490,491	68	-	-	-	1	1	-
19	INFLUENZA AND PNEUMONIA	470-474,480-486	1,151	13	64	43	31	14	7
20	INFLUENZA	470-474	17	-	-	-	-	-	-
21	PNEUMONIA	480-486	1,134	13	64	43	31	14	7
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA	517	10	-	2	1	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM	492,493,500-516,518,519	195	6	14	8	5	-	3
24	HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	233	26	104	31	12	9	2
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN	535,561,563	18	-	-	-	-	-	1
26	OTHER DISEASES OF DIGESTIVE SYSTEM	520-534,536,537,540-543,562,564-577	105	-	4	3	5	3	8
27	CONGENITAL ANOMALIES	740-759	3,859	448	728	234	213	155	98
28	ANENCEPHALUS	740	396	143	154	23	13	9	4
29	SPINA BIFIDA	741	248	23	34	7	8	8	5
30	CONGENITAL HYDROCEPHALUS	742	178	30	35	11	2	5	2
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE	743,744	175	23	40	7	5	5	2
32	CONGENITAL ANOMALIES OF HEART	746	1,338	26	114	87	113	84	54
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	747	290	3	20	17	23	16	11
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	748	261	44	86	16	9	2	3
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	749-751	162	7	12	6	9	2	4
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	752,753	95	13	42	6	5	2	1
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	754-756	107	24	36	10	3	4	1
38	DOWN'S DISEASE	759.3	42	-	7	-	1	1	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	759.0-759.2,759.4-759.9	493	102	131	36	17	14	9
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	745,757,758	74	10	17	8	5	3	2
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	760-769,2,769.4-772,774-778	12,041	1,712	5,711	1,746	996	428	269
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	760	2	1	1	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761	110	20	56	15	8	3	-
44	SYPHILIS	761.0	-	-	-	-	-	-	-
45	DIABETES MELLITUS	761.1	52	8	25	11	5	1	-
46	RUBELLA	761.3	5	1	1	-	1	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761.2,761.4-761.7,761.9	53	11	30	4	2	2	-
48	TOXEMIA OF PREGNANCY	762	51	17	17	8	1	1	1
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	763	72	26	34	1	4	3	2
50	DIFFICULT LABOR	764-768	158	44	60	25	12	7	3
51	WITH MENTION OF BIRTH INJURY (.0-.3)	50	7	18	11	7	4	4	-
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)	108	37	42	14	5	3	3	1
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	769.0-769.2,769.4,769.5,769.9	1,478	324	841	138	66	30	19
54	CONDITIONS OF PLACENTA	770	501	165	277	31	15	2	2
55	CONDITIONS OF UMBILICAL CORD	771	128	50	45	15	6	2	1
56	BIRTH INJURY WITHOUT MENTION OF CAUSE	772	743	26	197	138	118	55	40
57	HEMOLYTIC DISEASE OF NEWBORN	774,775	165	30	77	22	14	5	3
58	HYALINE MEMBRANE DISEASE	776.1	1,620	14	545	409	249	111	53
59	RESPIRATORY DISTRESS SYNDROME	776.2	1,990	78	670	341	166	61	47
60	ASPHYXIA OF NEWBORN, UNSPECIFIED	776.9	1,996	296	1,063	232	148	62	41
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	776.0,776.3,776.4	356	48	124	90	40	12	6
62	IMMATURITY, UNQUALIFIED	777	2,057	446	1,269	155	71	25	21
63	POSTMATURITY	778.1	3	1	1	1	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN	778.2	236	5	45	43	33	24	13
65	ALL OTHER CONDITIONS OF NEWBORN	778.0,778.3,778.9	775	121	389	82	45	25	17
66	SYMPTOMS AND ILL-DEFINED CONDITIONS	780-796	1,905	30	39	21	13	8	3
67	ACCIDENTS	E800-E949	630	4	4	3	3	-	1
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	E911,E912	172	-	1	1	2	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION	E913	140	1	1	-	-	-	1
70	OTHER ACCIDENTAL CAUSES	E800-E910,E914-E949	318	3	2	2	1	-	-
71	HOMICIDE	E960-E978	88	9	4	5	-	-	-
72	ALL OTHER CAUSES	RESIDUAL	637	12	32	19	19	9	11

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the

CAUSE OF DEATH, COLOR, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	WHITE, BOTH SEXES--ALL CAUSES	38,249	3,882	11,649	3,863	2,565	1,257	831	590
2	DIARRHEAL DISEASES-----009	375	-	2	-	7	15	16	14
3	WHOOPING COUGH-----033	11	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	34	-	-	-	-	-	-	-
5	TETANUS-----037	3	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	620	7	66	67	70	38	32	30
7	VIRAL DISEASES-----040-079	148	2	4	2	3	1	2	2
8	CONGENITAL SYPHILIS-----090	3	1	2	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	107	1	5	7	3	1	3	2
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	90	-	2	2	-	1	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	50	7	8	3	1	-	1	1
12	DISEASES OF THYRUS GLAND-----254	16	-	2	1	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	64	-	-	-	1	1	-	2
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	126	1	7	6	5	6	2	5
15	MENINGITIS-----320	366	-	2	6	7	9	18	11
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	316	1	8	1	3	2	2	3
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	65	-	1	4	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	127	-	1	-	1	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	1,645	13	111	81	66	29	12	23
20	INFLUENZA-----470-474	28	-	1	-	-	-	-	-
21	PNEUMONIA-----480-486	1,617	13	110	81	66	29	12	23
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	19	-	3	-	-	-	1	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	319	12	30	15	10	2	3	1
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	420	46	164	64	26	15	5	6
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	32	1	-	-	-	1	-	3
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	216	1	9	8	8	11	12	9
27	CONGENITAL ANOMALIES-----740-759	7,119	767	1,435	498	449	299	188	119
28	ANENCEPHALUS-----740	685	202	273	59	32	19	13	10
29	SPINA BIFIDA-----741	413	35	53	16	14	10	7	3
30	CONGENITAL HYDROCEPHALUS-----742	294	42	65	13	8	5	3	3
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	290	32	65	19	9	8	4	4
32	CONGENITAL ANOMALIES OF HEART-----746	2,596	47	250	197	253	180	107	70
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	504	6	27	43	46	25	19	12
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	530	85	178	33	23	11	2	1
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	290	14	19	12	14	8	7	8
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	236	40	106	16	8	3	2	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	223	51	86	19	4	4	3	1
38	DOWN'S DISEASE-----759.3	76	-	13	1	2	1	1	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	840	192	264	60	31	22	16	5
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	142	21	36	10	5	3	4	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	20,821	2,955	9,662	3,036	1,851	788	497	333
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	5	2	3	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	202	33	95	30	17	4	5	4
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	112	11	49	20	13	4	5	3
46	RUBELLA-----761.3	5	1	1	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	85	21	45	10	3	-	-	1
48	TOXEMIA OF PREGNANCY-----762	84	23	25	12	7	3	2	1
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	110	35	51	5	10	4	-	1
50	DIFFICULT LABOR-----764-768	321	90	133	42	24	15	4	4
51	WITH MENTION OF BIRTH INJURY (.0-.3)	102	16	38	18	15	8	-	2
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)	219	74	95	24	9	7	4	2
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	2,455	550	1,356	255	121	50	23	23
54	CONDITIONS OF PLACENTA-----770	966	355	510	49	23	7	4	3
55	CONDITIONS OF UMBILICAL CORD-----771	247	101	82	27	8	11	3	5
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,301	47	311	252	186	117	93	56
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	295	59	130	33	26	12	6	3
58	HYALINE MEMBRANE DISEASE-----776.1	3,379	40	1,149	799	527	212	127	88
59	RESPIRATORY DISTRESS SYNDROME-----776.2	3,036	131	1,267	644	372	138	83	60
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	3,283	490	1,816	373	225	87	64	32
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	516	72	182	113	63	21	15	5
62	IMMATURITY, UNQUALIFIED-----777	3,105	750	1,898	216	96	31	22	11
63	POSTMATURITY-----778.1	4	1	1	1	-	1	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	399	5	85	69	66	36	26	20
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,113	171	568	116	80	39	20	17
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	3,024	35	49	21	20	13	11	9
67	ACCIDENTS-----E800-E949	1,034	6	12	3	4	2	6	5
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	320	1	2	2	3	2	2	4
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	202	1	1	-	-	-	-	1
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	512	4	9	1	1	-	-	-
71	HOMICIDE-----E960-E978	92	9	2	5	1	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	987	17	62	32	29	23	20	12

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1974—Con.

Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	1
431	25,068	1,985	966	673	28,692	2,434	1,802	1,490	939	661	562	471	330	314	297	257	1
11	65	76	34	33	208	53	23	12	12	19	12	7	7	11	10	1	2
-	-	4	1	-	8	4	2	1	1	1	1	-	-	-	1	-	3
-	-	3	-	-	3	1	2	2	2	6	2	3	1	3	3	1	4
31	341	95	40	20	496	36	31	20	8	6	5	6	3	3	3	3	5
-	16	23	7	4	50	14	15	12	17	5	8	3	6	5	6	7	6
-	3	5	-	-	3	-	-	-	-	-	-	-	-	-	-	-	7
2	24	10	3	1	38	13	13	11	5	7	10	-	1	3	1	5	8
-	5	4	2	-	11	7	5	8	2	13	3	8	10	4	4	9	10
-	21	2	4	-	27	3	2	6	6	2	1	2	3	-	2	-	11
-	3	-	-	1	4	2	2	6	1	-	1	-	-	-	-	-	12
2	6	4	5	1	16	7	7	7	8	4	8	1	2	3	1	-	13
3	35	15	2	6	58	21	12	8	8	6	3	3	1	4	1	1	14
7	60	38	28	20	146	57	27	23	15	17	14	17	12	11	20	7	15
1	21	7	7	1	36	34	44	22	37	19	20	25	18	19	20	22	16
-	5	2	1	2	10	13	15	10	4	-	5	3	2	2	-	1	17
-	2	1	-	1	4	16	25	13	13	11	11	9	7	4	5	2	18
11	346	67	54	59	526	288	232	185	113	76	58	41	45	28	28	25	19
-	1	1	-	-	2	4	4	2	2	3	1	2	5	-	1	2	20
11	345	66	54	59	524	284	228	183	111	73	57	39	40	28	27	23	21
-	5	2	1	-	8	2	1	3	2	-	1	1	-	-	1	-	22
4	73	8	7	9	97	52	52	38	23	14	13	8	8	4	5	5	23
-	12	12	8	7	357	19	10	9	8	2	8	1	4	1	1	-	24
2	7	5	3	1	16	7	3	1	-	1	3	-	-	-	1	-	25
5	63	28	21	6	118	32	19	11	11	9	5	6	2	2	-	1	26
108	3,863	613	314	226	5,016	610	321	279	175	175	142	126	75	73	58	69	27
11	619	35	9	5	668	6	2	3	-	1	2	1	-	-	1	1	28
3	141	44	29	27	241	65	28	25	12	17	7	11	-	7	-	-	29
2	141	18	11	10	180	26	14	18	14	9	2	4	4	5	3	5	30
12	153	23	19	7	202	27	12	8	6	7	8	3	3	7	2	1	31
48	1,152	286	121	99	1,658	248	152	127	69	73	64	56	34	38	36	41	32
9	187	70	45	23	325	77	30	23	16	11	4	8	4	2	4	-	33
1	334	19	24	15	392	45	20	26	11	11	10	5	6	1	1	2	34
6	88	33	10	10	141	31	13	15	17	20	15	13	8	4	6	7	35
2	179	14	10	9	212	7	5	3	2	1	2	1	-	1	1	1	36
1	169	9	3	2	183	8	6	3	6	2	3	3	3	2	4	3	37
2	20	7	6	1	34	5	7	4	8	5	4	2	2	2	2	1	38
10	600	42	22	13	677	51	28	22	9	11	12	13	8	2	1	6	39
1	80	13	5	5	103	14	4	2	5	2	2	4	3	2	1	1	40
227	19,349	808	307	128	20,592	126	39	25	16	5	4	7	2	3	2	-	41
-	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	42
1	189	7	2	1	199	-	1	1	-	1	-	-	-	-	-	-	43
1	106	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	3	-	-	1	4	-	-	1	-	-	-	-	-	-	-	-	45
-	80	3	-	-	83	-	1	-	-	1	-	-	-	-	-	-	46
-	75	7	1	1	84	-	-	-	-	-	-	-	-	-	-	-	47
2	106	2	-	-	108	-	-	-	-	-	-	-	-	-	-	-	48
1	313	3	2	1	319	-	2	-	-	-	1	1	-	-	-	-	49
1	98	1	1	1	101	-	1	-	-	-	-	-	-	-	-	-	50
-	215	2	1	-	218	-	1	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
14	2,392	37	11	3	2,443	3	4	4	1	-	-	-	-	-	-	-	53
2	953	6	1	1	961	4	-	-	-	-	-	-	-	-	-	-	54
1	238	4	2	-	244	1	-	-	1	-	-	-	-	1	-	-	55
32	1,094	123	51	20	1,288	6	4	1	-	1	-	-	1	-	-	-	56
1	270	16	4	-	290	3	1	-	-	-	-	1	-	-	-	-	57
63	3,005	239	66	20	3,330	31	7	8	3	-	-	-	-	-	-	-	58
39	2,734	145	64	18	2,963	48	8	5	8	1	1	2	-	-	-	-	59
32	3,119	75	45	27	3,266	10	3	-	1	1	-	-	-	-	1	1	60
5	476	15	9	7	507	6	-	2	1	-	-	-	-	-	-	-	61
11	3,035	29	15	7	3,086	9	6	1	1	-	1	-	-	-	1	-	62
-	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	63
12	319	55	16	7	397	1	-	1	-	-	-	-	-	-	-	-	64
11	1,022	45	16	15	1,098	4	3	2	-	1	1	3	-	1	-	-	65
5	163	64	55	90	372	713	677	529	282	158	111	71	33	33	27	18	66
4	42	24	24	22	112	136	111	134	96	57	71	81	59	55	62	60	67
1	17	14	7	9	47	52	47	54	30	19	17	11	11	11	13	8	68
-	3	1	8	3	15	31	22	31	20	11	20	24	9	5	8	6	69
3	22	9	9	10	50	53	42	49	46	27	34	46	39	39	41	46	70
1	18	1	2	2	23	12	11	11	6	3	3	5	7	5	4	2	71
7	202	69	36	30	337	156	101	99	66	43	39	37	22	38	31	18	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the

CAUSE OF DEATH, COLOR, AND SEX		TOTAL, ¹ UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	WHITE, MALE--ALL CAUSES-----	22,209	2,155	6,802	2,264	1,540	757	487	342
2	DIARRHEAL DISEASES-----009	219	-	1	-	3	10	8	6
3	WHOOPING COUGH-----033	4	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	19	-	-	-	-	-	-	-
5	TETANUS-----037	2	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	364	4	37	38	47	24	16	20
7	VIRAL DISEASES-----040-079	75	1	2	2	1	1	2	2
8	CONGENITAL SYPHILIS-----090	1	1	-	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	62	-	3	3	3	-	1	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	49	-	2	2	-	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	25	1	4	3	1	-	1	-
12	DISEASES OF THYMUS GLAND-----254	8	-	-	1	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	30	-	-	-	1	-	-	1
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	68	-	3	5	4	4	1	4
15	MENINGITIS-----320	213	-	2	5	3	5	11	7
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	181	1	6	-	2	2	1	2
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	41	-	1	3	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	83	-	1	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	912	3	60	49	38	19	8	13
20	INFLUENZA-----470-474	16	-	1	-	-	-	-	-
21	PNEUMONIA-----480-486	896	3	59	49	38	19	8	13
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	12	-	1	-	-	-	1	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	186	7	19	8	7	2	2	1
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	219	24	73	37	15	8	3	3
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	22	1	-	-	-	1	-	2
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534, 536, 537, 540-543, 562, 564-577	143	1	6	5	5	9	6	5
27	CONGENITAL ANOMALIES-----740-759	3,912	370	822	291	262	173	99	64
28	ANENCEPHALUS-----740	323	68	135	37	20	12	9	5
29	SPINA BIFIDA-----741	184	13	22	9	6	3	2	3
30	CONGENITAL HYDROCEPHALUS-----742	147	15	35	4	6	1	1	2
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	145	12	35	12	6	3	2	1
32	CONGENITAL ANOMALIES OF HEART-----746	1,515	28	161	127	156	112	58	36
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	272	4	12	27	23	13	8	8
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	319	48	106	19	14	9	1	-
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	165	7	10	6	6	7	4	6
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	157	28	71	10	3	2	1	1
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	131	30	53	9	1	1	2	-
38	DOWN'S DISEASE-----759.3	41	-	7	1	1	1	1	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	429	105	153	27	18	9	7	2
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	84	12	22	3	2	1	3	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	12,275	1,706	5,683	1,781	1,118	761	303	196
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	4	1	3	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	115	15	52	18	9	4	5	3
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	70	4	29	11	8	4	5	3
46	RUBELLA-----761.3	2	-	1	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	43	11	22	7	1	-	-	-
48	TOXEMIA OF PREGNANCY-----762	44	10	11	6	6	2	2	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	66	21	30	5	6	1	-	-
50	DIFFICULT LABOR-----764-768	195	57	85	21	13	9	1	3
51	WITH MENTION OF BIRTH INJURY (.0-.3)	62	10	24	10	8	5	1	2
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)	133	47	61	11	5	4	1	1
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	1,394	314	776	141	72	26	13	10
54	CONDITIONS OF PLACENTA-----770	578	222	296	29	11	6	3	2
55	CONDITIONS OF UMBILICAL CORD-----771	146	61	50	14	4	9	2	3
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	771	29	173	149	109	76	59	33
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	155	35	63	14	16	7	3	2
58	HYALINE MEMBRANE DISEASE-----776.1	2,141	30	733	494	332	121	86	55
59	RESPIRATORY DISTRESS SYNDROME-----776.2	1,863	71	776	394	241	89	50	37
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	1,911	267	1,080	228	125	48	35	19
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	272	37	101	52	35	12	10	4
62	IMMATURITY, UNQUALIFIED-----777	1,754	435	1,081	112	48	20	9	5
63	POSTMATURITY-----778.1	2	-	-	1	-	1	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	240	1	53	37	44	21	15	12
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	624	100	320	66	47	19	10	8
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,878	19	29	9	12	9	9	4
67	ACCIDENTS-----E800-E949	588	4	10	1	3	2	5	3
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	199	1	1	1	2	2	2	2
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	101	1	-	-	-	-	-	1
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	288	2	9	-	1	-	3	-
71	HOMICIDE-----E960-E978	47	2	-	2	1	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	571	10	37	19	14	17	10	9

SECTION 2 - INFANT MORTALITY

2-59

Causes, by Age, Color, and Sex: United States, 1974—Con.

Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
243	14,590	1,193	555	380	16,718	1,387	1,048	914	545	360	319	256	193	171	152	144	1
6	34	51	20	17	122	26	16	6	6	11	7	7	5	6	6	1	2
-	-	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	3
-	-	2	1	1	4	-	1	1	-	-	2	2	1	2	1	1	4
-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	5
16	202	59	27	6	294	15	20	14	3	5	3	3	1	3	2	1	6
-	11	11	4	-	26	9	10	5	8	3	3	3	1	1	2	4	7
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	8
2	12	7	1	1	21	8	8	6	-	4	7	-	1	3	-	4	9
-	4	3	1	-	8	2	3	2	5	10	-	3	7	2	2	5	10
-	10	1	2	-	13	1	2	5	1	-	-	-	1	-	2	-	11
-	1	-	-	-	1	1	1	3	1	-	-	-	-	-	-	-	12
1	3	3	2	-	8	6	2	2	4	1	1	5	1	1	-	-	13
2	23	7	1	2	33	13	6	4	4	3	1	1	1	2	-	-	14
5	38	30	14	8	90	23	12	14	14	8	8	12	9	6	12	5	15
-	14	5	3	-	22	21	28	12	25	11	8	12	9	10	10	13	16
-	4	2	-	1	7	10	9	7	4	-	2	1	-	-	-	-	17
-	1	1	-	-	2	13	17	13	7	7	5	5	6	3	3	2	18
6	196	30	29	35	290	171	128	115	60	40	29	20	23	11	17	8	19
-	1	1	-	-	2	1	1	2	1	2	-	1	4	-	-	2	20
6	195	29	29	35	288	170	127	113	59	38	29	19	19	11	17	6	21
-	2	1	1	4	4	1	-	3	2	-	1	-	-	-	1	-	22
-	46	6	6	8	66	29	28	20	11	7	5	5	6	2	1	2	23
-	166	7	5	5	183	11	5	4	7	1	3	1	3	-	1	-	24
1	5	4	2	1	12	3	3	1	-	-	3	-	-	-	-	-	25
3	40	19	15	4	78	20	11	7	8	6	3	6	1	2	-	1	26
69	2,150	332	174	135	2,791	326	184	152	89	89	83	57	44	34	26	37	27
6	292	14	4	3	313	2	2	2	2	1	2	-	-	-	-	1	28
1	59	24	11	7	101	27	13	12	8	9	3	8	-	3	-	-	29
1	65	10	4	4	86	17	8	10	6	6	4	3	3	2	3	2	30
8	79	11	9	5	104	11	5	4	4	3	5	1	2	3	2	1	31
30	708	164	74	62	1,008	149	90	67	31	36	36	26	21	15	11	25	32
6	101	30	25	14	170	39	23	11	8	8	3	2	3	1	4	-	33
1	198	13	15	9	235	26	10	19	5	7	8	3	3	-	1	2	34
5	51	18	7	8	84	19	7	10	10	10	8	6	1	3	3	4	35
1	117	10	7	7	141	3	2	3	2	1	1	1	1	1	1	1	36
1	97	3	2	1	103	6	4	2	2	2	3	1	3	1	-	1	37
2	12	6	4	-	22	2	5	1	3	1	2	1	1	2	1	-	38
6	327	20	9	8	364	15	11	10	3	4	8	7	5	2	-	-	39
1	44	3	3	4	60	10	4	1	4	1	-	1	2	1	-	-	40
118	11,376	517	176	73	12,142	68	22	18	7	5	4	5	2	1	1	-	41
-	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	42
-	106	5	2	-	113	-	-	1	-	1	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	64	4	2	-	70	-	-	-	-	-	-	-	-	-	-	-	45
-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	46
-	41	1	-	-	42	-	-	-	-	1	-	-	-	-	-	-	47
-	37	6	1	-	44	-	-	-	-	-	-	-	-	-	-	-	48
-	63	1	-	-	64	-	-	-	-	-	-	-	-	-	-	-	49
1	190	2	2	-	194	-	1	-	-	-	1	1	-	-	-	-	50
1	60	-	1	-	61	-	1	-	-	-	-	-	-	-	-	-	51
-	130	2	1	-	133	-	-	-	-	-	-	-	-	-	-	-	52
6	1,358	24	4	1	1,387	2	3	2	-	-	-	-	-	-	-	-	53
1	570	5	-	1	576	1	-	-	-	-	-	-	1	-	-	-	54
-	143	3	-	-	146	-	-	-	-	-	-	-	-	-	-	-	55
16	644	72	31	14	761	6	2	-	-	-	1	-	1	-	-	-	56
1	141	9	2	-	152	2	-	-	-	-	-	1	-	-	-	-	57
38	1,889	175	37	15	2,116	13	3	7	2	-	-	-	-	-	-	-	58
17	1,675	94	40	10	1,819	27	6	4	3	1	1	2	-	-	-	-	59
19	1,821	43	23	11	1,898	7	2	-	1	1	-	-	-	1	1	-	60
3	254	5	4	5	268	2	-	2	-	-	-	-	-	-	-	-	61
5	1,715	16	8	4	1,743	5	4	-	1	-	1	-	-	-	-	-	62
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
6	189	33	13	4	239	-	-	1	-	-	-	-	-	-	-	-	64
5	575	24	9	8	616	3	1	1	-	1	1	1	-	-	-	-	65
3	94	40	33	49	216	437	414	354	184	94	75	43	21	15	8	8	66
3	31	14	15	14	74	66	56	79	51	27	31	57	35	34	34	44	67
1	12	7	5	7	31	30	26	35	17	8	10	8	9	9	9	8	68
-	2	1	5	1	9	8	13	16	6	5	9	17	6	2	6	4	69
2	17	6	5	6	34	28	17	28	28	14	12	32	21	23	19	32	70
-	5	1	-	-	7	8	4	7	6	1	1	3	3	4	4	-	71
5	121	38	23	19	201	98	56	60	38	23	24	12	16	23	12	8	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

(Numbers after causes of death are category numbers of the

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	WHITE, FEMALE--ALL CAUSES	16,040	1,727	4,847	1,599	1,025	500	344	248
2	DIARRHEAL DISEASES-----009	156	-	1	-	4	5	8	8
3	WHOOPING COUGH-----033	7	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	15	-	-	-	-	-	-	-
5	TETANUS-----037	1	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	256	3	29	29	23	14	16	10
7	VIRAL DISEASES-----040-079	73	1	2	-	2	-	-	-
8	CONGENITAL SYPHILIS-----090	2	-	2	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	45	1	2	4	-	1	2	2
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	41	-	-	-	-	1	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	25	6	4	-	-	-	-	1
12	DISEASES OF THYMUS GLAND-----254	8	-	2	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	34	-	-	-	-	1	-	1
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	58	1	4	1	1	2	1	1
15	MENINGITIS-----320	153	-	-	1	4	4	7	4
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	135	-	2	1	1	1	1	1
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	24	-	-	1	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	44	-	-	-	1	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	733	10	51	32	28	10	4	10
20	INFLUENZA-----470-474	12	-	-	-	-	-	-	-
21	PNEUMONIA-----480-486	721	10	51	32	28	10	4	10
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	7	-	2	1	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	133	5	11	7	3	-	1	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	201	22	91	27	11	7	2	3
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	10	-	-	-	-	-	-	1
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	73	-	3	3	3	2	6	4
27	CONGENITAL ANOMALIES-----740-759	3,207	397	613	207	187	126	89	55
28	ANENCEPHALUS-----740	362	134	138	22	12	7	4	5
29	SPINA BIFIDA-----741	229	22	31	7	8	7	5	-
30	CONGENITAL HYDROCEPHALUS-----742	147	27	30	9	2	4	2	1
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	145	20	30	7	3	5	2	3
32	CONGENITAL ANOMALIES OF HEART-----746	1,081	19	89	70	97	68	49	34
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	2	2	15	16	23	11	-	4
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	211	37	72	14	9	2	1	1
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	125	7	9	6	8	1	3	2
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	79	12	35	6	5	1	1	1
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	92	21	33	10	3	1	1	1
38	DOWNS DISEASE-----759.3	35	-	6	-	-	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	411	87	111	33	13	13	9	3
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	58	9	14	7	3	2	1	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	8,546	1,249	3,979	1,255	733	317	194	137
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	1	-	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	87	18	43	12	8	-	-	1
44	SYPHILIS-----762.0	42	7	20	9	5	-	-	-
45	DIABETES MELLITUS-----761.1	3	1	-	-	1	-	-	-
46	RUBELLA-----761.3	3	1	-	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	42	10	23	3	2	-	-	1
48	TOXEMIA OF PREGNANCY-----762	40	13	14	6	1	1	-	1
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	44	14	21	-	4	3	-	1
50	DIFFICULT LABOR-----764-768	126	33	48	21	11	6	3	1
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	40	6	14	8	7	3	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	86	27	34	13	4	3	3	1
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	1,061	236	580	114	49	24	10	13
54	CONDITIONS OF PLACENTA-----770	388	133	214	20	12	1	1	1
55	CONDITIONS OF UMBILICAL CORD-----771	101	40	32	13	4	2	1	2
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	530	18	138	103	77	41	34	23
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	140	24	67	19	10	5	3	1
58	HYALINE MEMBRANE DISEASE-----776.1	1,238	10	416	305	195	91	41	33
59	RESPIRATORY DISTRESS SYNDROME-----776.2	1,173	60	491	250	131	49	33	23
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	1,372	223	736	145	100	39	29	13
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	244	35	81	61	28	9	5	1
62	IMMATURITY, UNQUALIFIED-----777	1,951	315	817	104	48	11	13	6
63	POSTMATURITY-----778.1	2	1	1	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	159	4	32	32	22	15	11	8
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	489	71	248	50	33	20	10	9
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,146	16	20	12	8	4	2	5
67	ACCIDENTS-----E800-E949	446	2	2	2	1	-	1	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	121	-	1	1	1	-	-	2
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	101	-	1	-	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	224	2	-	1	-	-	1	-
71	HOMICIDE-----E960-E978	45	7	2	3	-	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	416	7	25	13	15	6	10	3

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1974—Con.

Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
188	10,478	792	411	293	11,974	1,047	754	576	394	301	243	213	137	143	145	113	1
5	31	25	14	16	86	27	7	6	6	8	5	-	2	5	4	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	2	-	2	4	1	1	1	1	2	-	1	-	1	2	-	4
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5
15	139	36	13	14	202	21	11	6	5	1	2	3	2	-	1	2	6
-	5	12	3	4	24	5	5	7	9	2	5	-	5	4	4	3	7
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	8
-	12	3	2	-	17	5	5	5	5	3	3	-	-	-	1	1	9
-	1	1	1	-	3	5	2	6	3	3	3	5	3	2	2	4	10
-	11	1	2	-	14	2	-	1	1	2	1	2	2	-	-	-	11
-	2	-	-	1	3	1	1	3	-	-	-	-	-	-	-	-	12
1	3	1	3	1	8	1	5	5	4	3	3	1	1	2	1	-	13
1	12	8	1	4	25	8	6	4	4	3	2	2	-	2	1	1	14
2	22	8	14	12	56	34	15	9	1	9	6	5	3	5	8	2	15
1	7	2	4	1	14	13	16	10	12	8	12	13	9	9	10	9	16
-	1	-	1	1	3	3	6	3	-	-	3	2	2	1	-	1	17
-	1	-	-	1	2	3	8	5	6	6	6	4	4	1	2	2	18
5	150	37	25	24	236	117	104	70	53	36	29	21	22	17	11	17	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
5	150	37	25	24	236	114	101	70	52	35	28	20	21	17	10	17	21
-	3	1	-	-	4	1	1	-	-	-	-	1	-	-	-	-	22
1	27	2	1	1	31	23	24	18	12	7	4	3	-	2	4	3	23
1	164	5	3	2	174	8	5	5	1	1	5	-	1	1	-	-	24
1	2	1	1	-	4	4	-	-	-	1	-	-	-	-	1	-	25
2	23	9	6	2	40	12	8	4	3	3	2	-	1	-	-	-	26
39	1,713	281	140	91	2,225	284	137	127	86	86	59	69	31	39	32	32	27
5	327	21	9	2	355	4	-	1	-	-	-	1	-	-	1	-	28
2	82	20	18	20	140	38	15	13	4	8	4	3	-	4	-	-	29
1	76	8	7	2	94	9	7	8	8	5	5	2	1	3	3	3	30
4	74	12	10	2	98	16	7	4	2	4	3	4	1	4	4	4	31
18	444	122	47	37	650	99	62	60	38	37	28	30	13	23	25	16	32
3	86	40	20	9	155	38	7	12	8	3	1	6	1	1	-	-	33
-	136	6	9	4	157	19	10	7	6	4	2	2	3	1	-	-	34
1	37	15	3	2	57	12	6	5	7	10	7	7	7	1	3	3	35
1	62	4	3	2	71	4	3	-	-	-	1	-	-	-	-	-	36
-	72	6	1	1	80	2	2	1	1	-	2	2	1	1	1	3	37
-	8	1	2	1	12	3	2	3	5	4	2	1	1	-	1	1	38
4	273	22	13	5	313	36	17	12	6	7	4	6	3	-	1	6	39
-	36	4	2	1	43	4	-	1	1	1	3	3	1	1	1	-	40
109	7,973	291	131	55	8,450	58	17	7	9	-	-	2	-	2	1	-	41
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
1	83	2	-	1	86	-	1	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	42	-	-	1	42	-	-	-	-	-	-	-	-	-	-	-	45
-	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	46
-	39	2	-	-	41	-	1	-	-	-	-	-	-	-	-	-	47
2	38	1	-	1	40	-	-	-	-	-	-	-	-	-	-	-	48
-	43	1	-	-	44	-	-	-	-	-	-	-	-	-	-	-	49
-	123	1	-	1	125	-	1	-	-	-	-	-	-	-	-	-	50
-	38	1	-	1	40	-	-	-	-	-	-	-	-	-	-	-	51
-	85	-	-	-	85	-	1	-	-	-	-	-	-	-	-	-	52
8	1,034	13	7	2	1,056	1	1	2	1	-	-	-	-	-	-	-	53
1	383	1	1	-	385	3	-	-	-	-	-	-	-	-	-	-	54
1	95	1	2	-	98	1	-	-	1	-	-	-	-	1	-	-	55
16	450	51	20	6	527	-	2	1	-	-	-	-	-	-	-	-	56
-	129	7	2	-	138	1	-	-	-	-	-	-	-	-	-	-	57
25	1,116	64	29	5	1,214	18	4	1	1	-	-	-	-	-	-	-	58
22	1,059	51	26	8	1,144	21	2	1	5	-	-	-	-	-	-	-	59
13	1,298	32	22	16	1,368	3	1	-	-	-	-	-	-	-	-	-	60
2	222	10	5	2	239	4	-	-	1	-	-	-	-	-	-	-	61
6	1,320	13	7	3	1,343	4	2	1	-	-	-	-	-	-	1	-	62
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
6	130	22	3	3	158	1	-	-	-	-	-	-	-	-	-	-	64
6	447	21	7	7	482	1	2	1	-	-	-	2	-	1	-	-	65
2	69	24	22	41	156	276	263	175	98	64	36	28	16	12	12	10	66
1	11	10	9	8	38	70	55	55	45	30	40	24	24	21	28	16	67
-	5	7	2	2	16	22	21	19	13	11	7	3	3	2	4	-	68
-	1	-	3	2	6	23	9	15	14	6	11	7	3	3	2	2	69
1	5	3	4	4	16	25	25	21	18	13	22	14	18	16	22	14	70
1	13	-	2	1	16	4	7	4	-	2	2	2	4	2	-	2	71
2	81	31	13	11	136	58	45	39	28	20	15	25	6	15	19	10	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the

CAUSE OF DEATH, COLOR, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	- ALL OTHER, BOTH SEXES--ALL CAUSES-----	14,527	1,241	4,385	1,316	700	393	242	224
2	DIARRHEAL DISEASES-----009	271	-	2	1	4	10	5	13
3	WHOOPING COUGH-----033	2	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	13	-	-	-	-	-	-	-
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	290	2	22	24	12	19	14	15
7	VIRAL DISEASES-----040-079	43	-	3	-	1	1	-	-
8	CONGENITAL SYPHILIS-----090	4	-	1	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	42	-	1	-	2	-	2	1
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	25	1	-	-	-	1	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	11	-	1	-	-	2	-	-
12	DISEASES OF THYMUS GLAND-----254	3	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	3	-	-	-	-	-	-	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	52	1	4	2	2	-	2	-
15	MENINGITIS-----320	201	-	-	2	8	3	4	3
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	123	2	5	-	-	-	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	43	-	-	-	1	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	42	-	-	-	1	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	968	6	37	35	10	11	7	8
20	INFLUENZA-----470-474	8	-	1	-	-	-	-	-
21	PNEUMONIA-----480-486	960	6	36	35	10	11	7	8
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	8	-	-	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	134	1	7	3	2	4	1	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	77	8	25	10	4	2	1	1
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	19	-	-	-	-	-	1	1
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	94	1	4	-	3	2	6	6
27	CONGENITAL ANOMALIES-----740-759	1,488	115	286	88	71	58	29	26
28	ANENCEPHALUS-----740	63	16	34	3	1	2	1	-
29	SPINA BIFIDA-----741	42	2	5	2	-	2	1	1
30	CONGENITAL HYDROCEPHALUS-----742	68	7	11	2	-	2	1	1
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	63	6	17	2	2	1	2	1
32	CONGENITAL ANOMALIES OF HEART-----746	585	10	65	52	46	34	14	14
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	129	3	8	5	5	8	3	4
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	126	16	41	4	1	2	2	1
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	92	1	7	1	4	-	3	1
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	49	6	20	5	1	1	1	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	41	7	16	2	-	-	-	-
38	DOWN'S DISEASE-----759.3	14	-	2	1	-	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	175	37	54	6	7	4	1	1
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	41	4	6	3	5	1	1	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	7,891	1,052	3,921	1,114	562	267	158	137
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	-	1	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	54	7	25	7	4	3	-	-
44	SYPHILIS-----761.0	2	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	18	2	7	3	4	1	-	-
46	RUBELLA-----761.3	6	1	1	1	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	28	4	17	3	-	2	-	-
48	TOXEMIA OF PREGNANCY-----762	31	7	11	6	1	-	4	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	63	20	30	4	3	-	2	1
50	DIFFICULT LABOR-----764-768	92	31	33	13	5	3	2	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)	30	5	11	6	2	2	1	2
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	62	26	22	7	3	1	1	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	887	178	549	77	34	9	12	5
54	CONDITIONS OF PLACENTA-----770	237	68	135	19	6	2	1	2
55	CONDITIONS OF UMBILICAL CORD-----771	57	17	27	8	4	-	-	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	491	20	132	93	72	45	14	21
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	45	8	17	3	5	1	1	3
58	HYALINE MEMBRANE DISEASE-----776.1	921	17	316	231	119	48	39	22
59	RESPIRATORY DISTRESS SYNDROME-----776.2	986	47	419	203	86	46	22	26
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	1,369	181	756	176	83	45	19	16
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	234	30	95	57	18	9	3	1
62	IMMATURITY, UNQUALIFIED-----777	1,614	313	1,015	127	57	24	16	19
63	POSTMATURITY-----778.1	2	1	-	1	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	189	1	38	29	34	20	7	10
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	618	106	322	60	31	12	16	9
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,676	36	39	18	8	10	2	3
67	ACCIDENTS-----E800-E949	419	6	5	1	2	1	1	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	122	-	-	-	1	1	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	83	1	1	-	-	-	1	1
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	214	5	4	1	1	-	-	1
71	HOMICIDE-----E960-E978	74	3	5	2	1	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	491	7	17	15	7	5	6	8

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1974—Con.

Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	1
166	8,667	676	375	328	10,046	1,204	902	611	501	337	235	169	141	138	117	126	1
11	46	49	18	16	129	48	24	17	10	12	7	8	5	5	3	3	2
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	3
-	-	-	1	-	1	1	2	2	1	2	1	1	-	-	1	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
7	115	50	21	13	199	42	13	9	5	3	5	4	1	5	1	3	6
1	6	3	2	1	12	8	6	3	4	1	3	1	2	1	1	1	7
-	2	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	8
-	6	3	2	4	15	6	2	3	6	3	2	3	-	2	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	-	1	4	3	3	-	3	1	4	1	2	2	-	2	10
-	3	-	-	-	3	2	-	1	-	-	-	1	2	-	-	2	11
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
1	12	4	1	1	17	6	7	6	3	1	3	2	1	2	3	1	14
2	22	15	13	17	67	28	19	20	15	12	15	6	5	8	4	2	15
-	7	1	-	3	11	28	13	12	9	10	8	6	14	5	3	4	16
-	1	1	-	-	2	8	11	8	3	5	2	-	-	-	1	3	17
-	-	-	-	1	2	5	14	8	13	4	6	2	2	1	2	4	18
17	131	42	34	34	241	207	164	90	76	56	33	23	13	22	23	20	19
-	1	-	-	-	1	1	2	1	2	1	-	-	-	-	-	-	20
17	130	42	34	34	240	206	162	89	74	55	33	23	13	22	23	20	21
-	-	-	-	-	-	5	1	-	-	-	-	-	-	-	2	-	22
1	18	5	2	3	28	29	25	17	9	7	5	2	4	3	5	-	23
2	53	1	3	2	59	5	3	2	2	3	1	1	-	1	-	-	24
-	2	4	4	-	10	1	2	-	2	1	-	-	-	-	1	1	25
6	28	15	8	6	57	14	4	4	3	4	3	3	-	-	-	2	26
24	697	116	81	58	952	173	88	56	65	39	23	16	24	15	16	21	27
-	57	2	2	3	23	1	4	2	1	2	1	1	-	1	1	-	28
-	13	5	4	3	34	10	2	3	4	5	2	2	2	2	1	3	30
4	35	4	3	1	41	7	1	2	4	3	2	1	1	1	1	1	31
12	247	55	28	23	353	64	38	20	33	20	8	9	15	8	8	9	32
2	38	14	12	8	72	25	9	8	6	3	2	1	1	1	1	1	33
1	66	7	7	3	83	15	12	5	6	3	-	1	1	-	-	-	34
2	21	11	14	6	52	10	7	4	1	2	3	2	3	3	4	1	35
-	35	4	2	1	41	2	2	2	-	-	-	-	-	-	-	2	36
1	27	2	2	-	32	1	2	2	-	2	1	-	-	-	1	3	37
-	3	-	2	-	5	1	2	2	-	2	1	-	-	-	-	-	38
2	112	8	4	6	130	25	6	6	5	-	1	1	-	-	-	1	39
-	20	2	-	4	26	6	5	1	2	-	-	1	-	-	-	-	40
81	7,292	316	121	76	7,805	47	20	6	4	6	-	1	-	-	1	1	41
-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	42
2	48	1	1	-	50	1	1	1	1	-	-	-	-	-	-	-	43
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
1	18	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	45
-	3	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-	46
-	26	1	1	-	28	-	-	-	-	-	-	-	-	-	-	-	47
1	30	1	-	-	31	-	-	-	-	-	-	-	-	-	-	-	48
-	60	1	-	-	61	1	-	-	-	1	-	-	-	-	-	-	49
-	89	3	-	-	92	-	-	-	-	-	-	-	-	-	-	-	50
-	29	1	-	-	30	-	-	-	-	-	-	-	-	-	-	-	51
-	60	2	-	-	62	-	-	-	-	-	-	-	-	-	-	-	52
3	867	10	5	2	884	1	-	1	-	1	-	-	-	-	-	-	53
-	233	3	-	-	236	1	-	-	-	-	-	-	-	-	-	-	54
-	56	1	-	-	57	-	-	-	-	-	-	-	-	-	-	-	55
14	411	45	18	12	486	3	2	-	-	-	-	-	-	-	-	-	56
1	39	4	-	1	44	-	1	-	-	-	-	-	-	-	-	-	57
13	805	67	17	16	905	12	3	-	1	-	-	-	-	-	-	-	58
10	859	61	27	14	961	12	6	3	2	-	-	-	-	-	-	-	59
16	1,292	50	13	11	1,366	2	1	-	-	-	-	-	-	-	-	-	60
2	215	6	5	3	229	3	1	-	-	-	-	-	-	-	1	-	61
6	1,577	15	5	4	1,601	8	4	-	-	-	-	1	-	-	-	-	62
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
9	148	25	12	3	188	1	-	-	-	-	-	-	-	-	-	-	64
4	560	23	18	10	611	2	1	1	-	2	-	-	-	-	-	1	65
5	121	20	46	56	243	383	370	240	181	97	57	34	22	23	13	13	66
-	18	8	8	20	54	49	49	51	37	39	27	25	23	24	19	22	67
-	2	4	3	7	17	18	20	16	11	13	7	3	5	7	4	1	68
-	4	1	4	4	12	12	13	8	9	10	7	6	1	1	3	1	69
-	12	3	1	9	25	19	16	27	17	16	13	16	17	16	12	20	70
1	12	1	1	-	13	10	4	8	3	5	6	8	4	3	7	3	71
7	72	20	9	17	118	94	55	48	46	26	24	20	17	16	11	16	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the

CAUSE OF DEATH, COLOR, AND SEX		TOTAL, UNDER- 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	ALL OTHER, MALE--ALL CAUSES	8,096	693	2,466	755	378	219	137	128
2	DIARRHEAL DISEASES-----009	146	-	2	1	3	3	2	7
3	WHOOPING COUGH-----033	-	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	9	-	-	-	-	-	-	-
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	162	2	15	15	5	10	8	8
7	VIRAL DISEASES-----040-079	21	-	-	-	-	1	-	-
8	CONGENITAL SYPHILIS-----090	2	-	1	1	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	31	-	1	-	1	-	1	1
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	14	-	-	-	-	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	9	-	-	-	-	1	-	-
12	DISEASES OF THYMUS GLAND-----254	2	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	3	-	-	-	-	-	-	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	31	1	4	2	2	-	2	-
15	MENINGITIS-----320	103	-	2	2	4	2	3	3
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	73	-	4	-	-	-	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	22	-	-	-	1	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	38	-	-	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	550	3	24	24	7	7	4	5
20	INFLUENZA-----470-474	3	-	1	-	-	-	-	-
21	PNEUMONIA-----480-486	547	3	23	24	7	7	4	5
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	5	-	-	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	72	-	4	2	-	-	2	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	45	4	12	6	3	-	1	1
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	11	-	-	-	-	-	-	1
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	62	1	3	-	1	1	4	5
27	CONGENITAL ANOMALIES-----740-799	836	64	171	61	45	29	20	8
28	ANENCEPHALUS-----740	29	7	18	2	-	-	1	-
29	SPINA BIFIDA-----741	23	1	2	2	-	1	1	1
30	CONGENITAL HYDROCEPHALUS-----742	37	4	6	-	-	-	-	1
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	33	3	7	2	-	1	-	1
32	CONGENITAL ANOMALIES OF HEART-----746	328	3	40	7	35	30	18	9
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	71	2	3	3	4	5	4	1
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	76	9	27	2	1	-	-	-
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	55	1	4	1	3	1	2	-
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	33	5	13	5	-	-	1	1
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	26	4	13	2	-	-	-	-
38	DOWN'S DISEASE-----759.3	7	-	1	1	-	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	93	22	34	3	3	3	1	-
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	25	3	3	2	3	3	-	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	4,396	589	2,189	623	299	156	83	81
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	31	5	12	4	4	-	-	-
44	SYPHILIS-----761.0	2	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	8	1	2	1	4	-	-	-
46	RUBELLA-----761.3	4	1	-	1	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	17	3	10	2	-	-	-	-
48	TOXEMIA OF PREGNANCY-----762	20	3	8	4	1	-	3	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	35	8	17	3	3	-	-	1
50	DIFFICULT LABOR-----764-768	60	20	21	9	4	2	2	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)	20	4	7	3	2	1	1	2
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	40	16	14	6	2	1	1	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	470	90	288	93	17	3	3	2
54	CONDITIONS OF PLACENTA-----770	124	36	72	8	3	1	-	1
55	CONDITIONS OF UMBILICAL CORD-----771	30	7	14	6	2	-	-	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	278	12	73	58	31	31	8	14
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	20	2	7	-	1	1	1	3
58	HYALINE MEMBRANE DISEASE-----776.1	539	13	187	127	65	28	27	13
59	RESPIRATORY DISTRESS SYNDROME-----776.2	569	29	240	112	51	34	8	19
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	745	108	429	89	35	22	7	9
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	122	17	52	28	6	6	2	-
62	IMMATURITY, UNQUALIFIED-----777	908	182	563	76	34	10	8	9
63	POSTMATURITY-----778.1	1	1	-	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	112	-	25	18	23	11	5	6
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	332	56	181	28	19	7	9	2
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	917	22	20	9	3	6	1	2
67	ACCIDENTS-----E800-E949	235	4	3	-	-	1	1	1
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	71	-	-	-	-	-	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	44	-	1	-	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	120	4	2	-	-	-	-	1
71	HOMICIDE-----E960-E978	31	1	3	-	1	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	270	2	10	9	3	2	5	5

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1974—Con.

Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	1
96	4,872	359	200	181	5,612	648	525	336	282	195	129	89	69	80	64	67	1
6	24	26	9	5	64	25	15	9	2	10	4	7	3	5	-	2	2
-	-	-	1	-	1	-	2	2	1	1	1	-	-	-	-	1	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
4	67	30	9	5	111	26	6	6	3	2	1	3	1	1	1	1	5
-	1	2	1	1	5	4	3	2	1	1	2	-	-	1	1	1	7
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	8
-	4	3	1	3	11	5	1	3	3	3	1	2	-	2	-	-	9
-	-	-	-	1	1	2	1	-	1	1	4	1	1	1	-	1	10
-	1	-	-	-	1	2	-	1	-	-	-	1	2	-	-	2	11
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	12
1	12	1	1	-	14	1	4	3	2	1	2	-	-	1	1	3	13
1	15	7	5	8	35	14	8	12	8	10	5	2	1	5	2	1	14
-	4	-	-	3	7	18	6	4	7	7	5	1	9	3	3	3	15
-	1	-	-	-	1	2	5	5	2	3	2	-	-	-	-	2	17
-	-	-	-	-	-	-	8	5	11	2	6	1	1	-	-	3	18
9	83	23	18	15	139	115	95	51	41	33	20	12	6	13	16	1	19
-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	20
9	82	23	18	15	138	115	94	51	40	33	20	12	6	13	16	9	21
-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	22
2	8	2	2	2	14	12	15	12	4	3	4	1	1	3	3	-	23
-	29	-	1	2	32	1	3	2	2	2	1	1	-	1	-	-	24
-	1	3	2	-	6	1	1	-	1	-	-	1	-	-	-	1	25
3	18	11	5	6	40	8	4	3	2	1	2	2	-	-	-	-	26
14	412	61	40	32	545	88	54	31	35	21	15	5	14	11	8	9	27
-	28	-	1	-	29	-	-	-	-	-	-	-	-	-	-	-	28
-	8	3	1	1	13	3	3	-	2	1	-	-	-	1	-	-	29
-	12	2	2	3	19	5	5	-	3	-	3	-	2	2	-	1	30
2	18	-	1	1	20	3	2	2	2	2	1	-	1	1	-	1	31
6	144	33	13	11	201	37	22	12	15	11	6	3	7	6	5	3	32
2	24	4	8	5	41	12	4	4	4	2	2	1	1	6	-	-	33
1	40	6	2	2	50	5	10	3	4	2	-	1	1	-	-	-	34
2	14	4	4	4	30	6	7	4	1	1	2	-	-	2	2	-	35
-	25	3	1	-	29	2	-	-	1	-	-	-	-	-	-	1	36
-	19	2	-	-	21	-	2	-	-	1	-	-	-	-	-	2	37
-	2	-	1	-	3	-	-	2	-	1	-	-	1	-	-	-	38
1	67	3	2	2	74	11	1	3	2	-	1	-	-	-	-	1	39
-	11	1	-	3	15	4	3	1	2	-	-	-	-	-	-	-	40
46	4,066	164	67	42	4,339	28	17	3	2	4	-	1	-	-	1	1	41
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	26	-	-	-	28	1	-	-	1	-	-	-	-	-	-	-	43
1	8	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	44
-	2	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	46
-	15	1	1	-	17	-	-	-	-	-	-	-	-	-	-	-	47
1	20	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	48
-	32	1	-	-	33	1	-	-	-	1	-	-	-	-	-	-	49
-	60	-	-	-	60	-	-	-	-	-	-	-	-	-	-	-	50
-	20	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	51
-	40	-	-	-	40	-	-	-	-	-	-	-	-	-	-	-	52
2	458	5	3	2	468	1	-	1	-	-	-	-	-	-	-	-	53
-	121	2	-	-	123	1	-	-	-	-	-	-	-	-	-	-	54
-	29	1	-	-	30	-	-	-	-	-	-	-	-	-	-	-	55
10	237	24	9	6	276	1	1	-	-	-	-	-	-	-	-	-	56
-	15	4	-	-	19	-	-	-	-	-	-	-	-	-	-	-	57
8	468	41	10	9	528	7	3	-	1	-	-	-	-	-	-	-	58
6	499	31	15	9	554	6	6	2	-	1	-	-	-	-	-	-	59
7	706	25	8	6	745	-	-	-	-	-	-	-	-	-	-	-	60
2	113	1	2	2	118	3	-	-	-	-	-	-	-	-	1	-	61
4	886	6	4	2	898	5	4	-	-	-	-	1	-	-	-	-	62
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
4	92	12	6	1	111	1	-	-	-	-	-	-	-	-	-	-	64
1	303	10	9	5	327	1	1	-	-	2	-	-	-	-	-	1	65
3	66	10	27	33	136	202	212	128	104	53	27	20	12	9	7	7	66
-	10	4	6	13	33	28	33	25	21	19	14	13	8	15	10	16	67
-	1	3	3	6	13	11	14	6	6	8	2	2	1	4	3	1	68
-	2	1	2	2	7	5	9	3	7	4	4	3	-	-	1	1	69
-	7	-	1	5	13	12	10	16	8	7	8	8	7	11	6	14	70
1	6	-	-	-	6	4	3	2	1	2	1	4	2	1	3	6	71
6	42	12	4	10	68	57	29	27	27	16	12	11	7	8	3	5	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	ALL OTHER, FEMALE--ALL CAUSES	6,431	548	1,919	561	322	174	105	96
2	DIARRHEAL DISEASES-----009	125	-	-	-	1	7	3	6
3	WHOOPING COUGH-----033	2	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	4	-	-	-	-	-	-	-
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	128	-	7	9	7	9	6	7
7	VIRAL DISEASES-----040-079	22	-	3	-	1	-	-	-
8	CONGENITAL SYPHILIS-----090	2	-	-	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	11	-	-	-	1	-	1	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	11	1	-	-	-	1	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2	-	1	-	-	1	-	-
12	DISEASES OF THYRUS GLAND-----254	1	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273-0	-	-	-	-	-	-	-	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	21	-	-	-	-	-	-	-
15	MENINGITIS-----320	98	-	-	-	4	1	1	-
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	50	2	1	-	-	-	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	21	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	24	-	-	-	-	1	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	418	3	13	11	3	4	3	3
20	INFLUENZA-----470-474	5	-	-	-	-	-	-	-
21	PNEUMONIA-----480-486	413	3	13	11	3	4	3	3
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	3	-	-	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	62	1	3	1	2	-	2	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	32	4	13	4	1	2	-	-
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	8	-	-	-	-	-	1	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	32	-	1	-	2	-	2	1
27	CONGENITAL ANOMALIES-----740-759	652	51	115	27	26	29	9	18
28	ANENCEPHALUS-----740	34	9	16	1	1	2	-	-
29	SPINA BIFIDA-----741	19	1	3	-	-	-	-	-
30	CONGENITAL HYDROCEPHALUS-----742	31	3	5	2	-	1	-	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	30	3	10	-	2	-	-	-
32	CONGENITAL ANOMALIES OF HEART-----746	257	7	25	17	16	16	5	11
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	58	1	5	1	-	4	-	3
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	50	7	14	2	-	-	2	1
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	37	-	3	-	1	1	1	1
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	16	1	7	-	-	1	-	1
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	15	3	3	-	-	1	-	-
38	DOWN'S DISEASE-----759.3	7	-	1	-	-	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	82	15	20	3	4	1	-	1
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	16	1	3	1	2	1	1	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	3,495	463	1,732	491	263	111	75	56
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	-	-	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	23	2	13	3	-	3	-	-
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	10	1	5	2	-	1	-	-
46	RUBELLA-----761.3	2	-	1	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	11	1	7	1	-	2	-	-
48	TOXEMIA OF PREGNANCY-----762	11	4	3	2	-	-	1	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	28	12	13	1	-	-	2	-
50	DIFFICULT LABOR-----764-768	32	11	12	4	1	1	-	-
51	WITH MENTION OF BIRTH INJURY (.0-.3)	10	1	4	3	-	1	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	22	10	8	1	1	-	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	417	88	261	24	17	6	9	3
54	CONDITIONS OF PLACENTA-----770	113	32	63	11	3	1	1	1
55	CONDITIONS OF UMBILICAL CORD-----771	27	10	13	2	2	-	-	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	213	8	59	35	41	14	6	7
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	25	6	10	3	4	-	-	-
58	HYALINE MEMBRANE DISEASE-----776.1	382	4	129	104	54	20	12	9
59	RESPIRATORY DISTRESS SYNDROME-----776.2	417	18	179	91	35	12	14	7
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	624	73	327	87	48	23	12	7
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	112	13	43	29	12	3	1	1
62	IMMATURITY, UNQUALIFIED-----777	706	131	452	51	23	14	8	10
63	POSTMATURITY-----778.1	1	-	-	1	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	77	1	13	11	11	9	2	4
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	286	50	141	32	12	5	7	7
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	759	14	19	9	5	4	1	1
67	ACCIDENTS-----E800-E949	184	2	2	1	2	-	-	1
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	51	-	-	-	1	-	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	39	1	-	-	-	-	-	1
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	94	1	2	1	1	-	-	-
71	HOMICIDE-----E960-E978	43	2	2	2	-	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	221	5	7	6	4	3	1	3

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1974—Con.

Elghth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	1
70	3,795	317	175	147	4,434	556	377	275	219	142	106	80	72	58	53	59	1
5	22	23	9	11	65	23	9	8	8	2	3	1	2	-	3	1	2
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
3	48	20	12	8	88	16	7	3	2	1	4	1	-	4	-	2	6
1	5	1	1	-	7	4	3	1	3	-	1	1	2	-	-	-	7
-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	8
-	2	-	1	1	4	1	1	-	3	-	1	1	-	-	-	-	9
-	2	1	-	-	3	1	2	-	2	-	-	-	1	1	-	1	10
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	3	5	3	3	1	1	1	2	-	1	-	-	13
1	7	3	8	9	32	14	11	8	7	2	10	4	4	3	2	2	14
-	3	1	-	-	4	10	7	8	2	3	3	5	5	2	-	-	15
-	-	1	-	-	1	6	6	3	1	2	-	-	-	-	-	1	17
-	1	-	-	1	2	5	6	3	2	1	-	-	1	1	1	1	18
8	48	19	16	19	102	92	69	39	35	23	13	11	7	9	7	7	19
8	48	19	16	19	102	91	68	38	34	22	13	11	7	9	7	7	20
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	21
1	10	3	-	1	14	17	10	5	5	4	1	1	3	-	2	-	22
-	24	1	2	-	27	4	-	-	-	1	-	-	-	-	-	-	23
-	1	1	2	-	4	-	1	-	1	1	-	-	-	-	-	1	25
3	10	4	3	-	17	6	-	1	1	3	1	1	-	-	-	2	26
10	285	55	41	26	407	85	34	25	30	18	8	11	10	4	8	12	27
-	29	2	1	2	31	1	1	2	1	1	1	1	-	-	-	-	28
-	5	2	1	2	10	3	-	1	-	2	1	-	-	1	-	-	29
-	11	2	2	-	15	5	-	3	1	2	2	-	-	-	1	2	30
2	17	2	2	-	21	4	1	2	2	1	1	-	-	-	-	-	31
6	103	22	15	12	152	27	16	8	18	9	2	6	8	2	3	6	32
-	14	10	4	3	31	13	5	4	2	1	-	-	-	-	1	1	33
-	26	1	5	1	33	10	2	2	2	1	1	-	-	-	-	-	34
-	7	7	6	2	22	4	-	-	1	1	1	2	2	1	2	1	35
-	10	1	1	-	12	-	-	2	1	-	-	-	-	-	-	-	36
1	8	-	2	1	11	1	2	-	-	1	1	-	-	-	-	1	37
-	1	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-	38
1	45	5	2	4	56	14	5	3	3	-	-	1	-	-	-	-	39
-	9	1	-	1	11	2	2	-	-	-	-	1	-	-	-	-	40
35	3,226	152	54	34	3,466	19	3	3	2	2	-	-	-	-	-	-	41
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
1	22	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-	43
1	10	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	45
-	11	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	46
-	10	1	-	-	11	-	-	-	-	-	-	-	-	-	-	-	47
-	28	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-	48
-	29	3	-	-	32	-	-	-	-	-	-	-	-	-	-	-	49
-	9	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-	50
-	20	2	-	-	22	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	409	5	2	-	416	-	-	-	-	1	-	-	-	-	-	-	53
-	112	1	-	-	113	-	-	-	-	-	-	-	-	-	-	-	54
-	27	-	-	-	27	-	-	-	-	-	-	-	-	-	-	-	55
4	174	21	9	6	210	2	1	-	-	-	-	-	-	-	-	-	56
1	24	-	-	1	25	-	-	-	-	-	-	-	-	-	-	-	57
5	337	26	7	7	377	5	-	-	-	-	-	-	-	-	-	-	58
4	360	30	12	5	407	6	-	1	2	1	-	-	-	-	-	-	59
9	586	25	5	5	621	2	1	-	-	-	-	-	-	-	-	-	60
-	102	5	3	1	111	-	1	-	-	-	-	-	-	-	-	-	61
2	691	9	1	2	703	3	-	-	-	-	-	-	-	-	-	-	62
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
5	56	13	6	2	77	-	-	-	-	-	-	-	-	-	-	-	64
3	257	13	9	5	284	1	-	1	-	-	-	-	-	-	-	-	65
2	55	10	19	23	107	181	158	112	77	44	30	14	10	14	6	6	66
-	8	4	2	7	21	21	16	26	16	20	13	12	15	9	9	6	67
-	1	1	1	1	4	7	6	10	5	5	5	3	4	3	1	-	68
-	2	-	1	2	5	7	4	5	2	6	3	1	1	1	2	-	69
-	5	3	-	4	12	7	6	11	9	9	5	8	10	5	6	6	70
-	6	1	-	4	7	6	1	6	2	3	5	4	2	2	4	1	71
1	30	8	5	7	50	37	26	21	19	10	12	9	10	8	8	11	72

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	UNITED STATES							
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS			28 DAYS-11 MONTHS			
		TOTAL	WHITE	ALL OTHER	TOTAL	WHITE	ALL OTHER	
1 ALL CAUSES	52,776	38,738	28,692	10,046	14,038	9,557	4,481	
2 DIARRHEAL DISEASES	009	646	337	208	129	309	167	142
3 WHOOPING COUGH	033	13	-	-	13	11	2	2
4 MENINGOCOCCAL INFECTIONS	036	47	9	8	1	38	26	12
5 TETANUS	037	3	3	3	-	-	-	-
6 SEPTICEMIA	038	910	695	496	199	215	124	91
7 VIRAL DISEASES	040-079	191	62	50	12	129	98	31
8 CONGENITAL SYPHILIS	090	7	6	3	3	1	-	1
9 OTHER INFECTIVE AND PARASITIC DISEASES	REMAINDER OF 000-136	149	53	38	15	96	69	27
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	140-209	115	15	11	4	100	79	21
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	210-239	61	30	27	3	31	23	8
12 DISEASES OF THYMUS GLAND	254	19	4	4	-	15	12	3
13 CYSTIC FIBROSIS	273.0	67	17	16	1	50	48	2
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	280-289	178	75	58	17	103	68	35
15 MENINGITIS	320	567	213	146	67	354	220	134
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	321-389	439	47	36	11	392	280	112
17 ACUTE UPPER RESPIRATORY INFECTIONS	460-465	108	12	10	2	96	55	41
18 BRONCHITIS AND BRONCHIOLITIS	466,490,491	189	6	4	2	183	123	60
19 INFLUENZA AND PNEUMONIA	470-474,480-486	2,613	767	526	241	1,846	1,119	727
20 INFLUENZA	470-474	36	3	2	1	33	26	7
21 PNEUMONIA	480-486	2,577	764	524	240	1,813	1,093	720
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA	517	27	8	8	-	19	11	8
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM	492,493,500-516,518,519	453	125	97	28	328	222	106
24 HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	497	416	357	59	81	63	18
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN	595,561,563	51	26	16	10	25	16	9
26 OTHER DISEASES OF DIGESTIVE SYSTEM	520-534,536,537,540-543,562,564-577	310	175	118	57	135	98	37
27 CONGENITAL ANOMALIES	740-759	8,607	5,968	5,016	952	2,639	2,103	536
28 ANENCEPHALUS	740	748	728	668	60	20	17	3
29 SPINA BIFIDA	741	455	264	241	23	191	172	19
30 CONGENITAL HYDROCEPHALUS	742	362	214	180	34	148	114	34
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE	743,744	353	243	202	41	110	88	22
32 CONGENITAL ANOMALIES OF HEART	746	3,181	2,011	1,658	353	1,170	938	232
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	747	633	397	325	72	236	179	57
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	748	656	475	392	83	181	138	43
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	749-751	382	193	141	52	189	149	40
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	752,753	285	253	212	41	32	24	8
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	754-756	264	215	183	32	49	40	9
38 DOWN'S DISEASE	759.3	90	39	34	5	51	42	9
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	759.0-759.2,759.4-759.9	1,015	807	677	130	208	163	45
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	745,757,758	183	129	103	26	54	39	15
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	760-769,772,774-778	28,712	28,397	20,592	7,805	315	229	86
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	760	6	6	5	1	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761	256	249	199	50	7	3	4
44 SYPHILIS	761.0	2	1	-	1	-	-	1
45 DIABETES MELLITUS	761.1	130	130	112	18	-	-	-
46 RUBELLA	761.3	11	7	4	3	4	1	3
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761.2,761.4-761.7,761.9	113	111	83	28	2	2	-
48 TOXEMIA OF PREGNANCY	762	115	115	84	31	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	763	173	169	108	61	4	2	2
50 DIFFICULT LABOR	764-768	413	411	319	92	2	2	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)		132	131	101	30	1	1	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)		281	280	218	62	1	1	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	769.0-769.2,769.4,769.5,769.9	3,342	3,327	2,443	884	15	12	3
54 CONDITIONS OF PLACENTA	770	1,203	1,197	961	236	6	5	1
55 CONDITIONS OF UMBILICAL CORD	771	304	301	244	57	3	3	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE	772	1,792	1,774	1,288	486	18	13	5
57 HEMOLYTIC DISEASE OF NEWBORN	774,775	340	334	290	44	6	5	1
58 HYALINE MEMBRANE DISEASE	776.1	4,300	4,235	3,330	905	65	49	16
59 RESPIRATORY DISTRESS SYNDROME	776.2	4,022	3,924	2,963	961	98	73	25
60 ASPHYXIA OF NEWBORN, UNSPECIFIED	776.9	4,652	4,632	3,266	1,366	20	17	3
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	776.0,776.3,776.4	750	736	507	229	14	9	5
62 IMMATURE, UNQUALIFIED	777	4,719	4,687	3,086	1,601	32	19	13
63 POSTMATURITY	778.1	6	6	4	2	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN	778.2	588	585	397	188	3	2	1
65 ALL OTHER CONDITIONS OF NEWBORN	778.0,778.3,778.9	1,731	1,709	1,098	611	22	15	7
66 SYMPTOMS AND ILL-DEFINED CONDITIONS	780-796	4,700	615	372	243	4,085	2,652	1,433
67 ACCIDENTS	E800-E949	1,453	166	112	54	1,297	922	365
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	E911,E912	442	64	47	17	378	273	105
69 ACCIDENTAL MECHANICAL SUFFOCATION	E913	285	27	15	12	258	187	71
70 OTHER ACCIDENTAL CAUSES	E800-E910,E914-E949	726	75	50	25	651	462	189
71 HOMICIDE	E960-E978	166	36	23	13	130	69	61
72 ALL OTHER CAUSES	RESIDUAL	1,478	455	337	118	1,023	650	373

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	ARKANSAS				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	593	279	140	102	72
2 DIARRHEAL DISEASES 009	12	3	3	2	4
3 WHOOPING COUGH 033	1	-	-	-	1
4 MENINGOCOCCAL INFECTIONS 036	-	-	-	-	-
5 TETANUS 037	-	-	-	-	-
6 SEPTICEMIA 038	20	8	6	1	5
7 VIRAL DISEASES 040-079	2	1	-	1	-
8 CONGENITAL SYPHILIS 090	2	1	-	-	1
9 OTHER INFECTIVE AND PARASITIC DISEASES - REMAINDER OF 000-136	-	-	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND 254	-	-	-	-	-
13 CYSTIC FIBROSIS 273.0	1	1	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS 280-289	4	-	2	2	-
15 MENINGITIS 320	9	3	1	2	3
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS 321-389	4	-	-	2	2
17 ACUTE UPPER RESPIRATORY INFECTIONS 460-465	1	1	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS 466,490,491	3	-	1	2	-
19 INFLUENZA AND PNEUMONIA 470-474,480-486	37	11	-	14	12
20 INFLUENZA 470-474	1	-	-	1	-
21 PNEUMONIA 480-486	36	11	-	13	12
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA 517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM 492,493,500-516,518,519	4	-	-	3	1
24 HERNIA AND INTESTINAL OBSTRUCTION 550-553,560	6	3	2	1	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN 535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM 520-534,536,537,540-543,562,564-577	2	-	-	2	-
27 CONGENITAL ANOMALIES 740-759	83	43	16	16	8
28 ARENOCEPHALUS 740	8	8	-	-	-
29 SPINA BIFIDA 741	2	1	-	1	-
30 CONGENITAL HYDROCEPHALUS 742	3	1	-	1	1
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE 743,744	2	2	-	-	-
32 CONGENITAL ANOMALIES OF HEART 746	25	11	7	4	3
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM 747	8	3	1	3	1
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM 748	5	4	1	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM 749-751	7	1	1	4	1
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM 752,753	2	1	-	1	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM 754-756	3	3	-	-	-
38 DOWN'S DISEASE 759.3	1	1	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS 759.0-759.2,759.4-759.9	15	7	4	2	2
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES 745,757,758	2	-	2	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY 760-769.2,769.4-772,774-778	297	193	100	3	1
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER 760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY 761	2	2	-	-	-
44 SYPHILIS 761.0	-	-	-	-	-
45 DIABETES MELLITUS 761.1	1	1	-	-	-
46 RUBELLA 761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY 761.2,761.4-761.7,761.9	1	1	-	-	-
48 TOXEMIA OF PREGNANCY 762	1	1	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION 763	2	2	-	-	-
50 DIFFICULT LABOR 764-768	5	4	1	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	2	2	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	3	2	1	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH 769.0-769.2,769.4,769.5,769.9	21	11	10	-	-
54 CONDITIONS OF PLACENTA 770	10	8	2	-	-
55 CONDITIONS OF UMBILICAL CORD 771	4	1	3	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE 772	23	14	9	-	-
57 HEMOLYTIC DISEASE OF NEWBORN 774,775	1	1	-	-	-
58 HYALINE MEMBRANE DISEASE 776.1	69	56	13	-	-
59 RESPIRATORY DISTRESS SYNDROME 776.2	31	23	7	1	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED 776.9	45	24	21	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE 776.0,776.3,776.4	3	3	-	-	-
62 IMMaturity, UNQUALIFIED 777	52	30	22	-	-
63 POSTNATURITY 778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN 778.2	5	3	2	-	-
65 ALL OTHER CONDITIONS OF NEWBORN 778.0,778.3,778.9	23	10	10	2	1
66 SYMPTOMS AND ILL-DEFINED CONDITIONS 780-796	63	6	5	26	26
67 ACCIDENTS E800-E949	19	1	-	13	5
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION E911,E912	6	-	-	4	2
69 ACCIDENTAL MECHANICAL SUFFOCATION E913	3	-	-	2	1
70 OTHER ACCIDENTAL CAUSES E800-E910,E914-E949	10	1	-	7	2
71 HOMICIDE E960-E978	2	-	-	1	1
72 ALL OTHER CAUSES - RESIDUAL	21	4	4	11	2

SECTION 2 · INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.
 Revision International Classification of Diseases, Adapted, 1965]

CALIFORNIA					COLORADO				CONNECTICUT						
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
4,265	2,458	505	1,036	266	614	425	24	151	14	572	355	91	103	23	1
55	21	11	19	4	13	7	3	3	-	7	-	4	2	1	2
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	3
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5
80	55	11	11	3	13	12	1	-	-	11	10	-	1	-	6
15	4	2	6	3	5	1	-	4	-	1	1	-	-	-	7
9	3	1	5	-	2	1	-	1	-	4	2	-	2	-	8
7	1	2	3	1	3	2	-	-	1	3	1	-	2	-	10
7	2	-	3	2	-	-	-	-	-	1	-	-	-	1	11
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	12
4	2	-	2	-	2	-	-	2	-	-	-	-	-	-	13
20	6	2	9	3	2	3	-	3	-	1	1	-	-	-	14
44	13	4	19	8	6	4	-	4	-	6	2	-	3	1	15
24	3	1	20	-	4	-	-	3	1	2	-	-	1	1	16
15	1	1	13	-	2	-	-	2	-	-	-	-	-	-	17
15	1	-	13	1	4	-	-	3	1	1	-	-	-	-	18
190	36	7	113	34	22	9	-	11	2	14	3	-	1	3	19
190	36	7	113	34	22	9	-	11	2	13	3	-	1	3	20
2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	22
61	14	4	28	15	5	2	-	3	-	9	3	1	4	1	23
47	34	6	6	1	7	6	1	-	-	2	-	-	1	1	24
7	1	3	3	-	-	-	-	-	-	-	-	-	-	-	25
23	15	2	3	3	2	-	-	1	1	5	2	2	1	-	26
822	499	63	225	35	107	74	3	28	2	91	50	8	29	4	27
82	76	5	1	-	5	5	-	-	-	10	10	-	-	-	28
29	18	1	7	3	4	2	-	2	-	5	1	-	4	-	29
21	10	3	7	2	1	1	-	1	-	4	2	-	2	-	30
34	21	1	9	3	6	4	-	2	-	4	3	-	1	-	31
309	156	23	118	12	49	35	2	11	1	31	14	3	12	2	32
76	42	5	23	6	11	6	1	4	-	6	2	-	3	1	33
78	46	7	21	4	6	3	-	2	1	6	3	2	-	1	34
37	12	3	20	2	5	4	-	1	-	2	-	-	2	-	35
22	15	4	3	-	1	1	-	-	-	2	2	-	-	-	36
21	16	1	4	-	2	1	-	1	-	2	1	-	1	-	37
9	6	-	3	-	1	1	-	-	-	-	-	-	-	-	38
94	75	9	7	3	15	12	-	3	-	17	11	3	3	-	39
10	6	1	3	-	1	-	-	1	-	2	1	3	1	-	40
2,070	1,677	368	23	2	308	291	15	2	-	345	269	73	3	-	41
18	16	1	1	-	2	2	-	-	-	-	3	1	-	-	42
9	9	-	-	-	2	2	-	-	-	2	2	-	-	-	43
9	7	1	1	-	-	-	-	-	-	2	1	1	-	-	44
9	7	2	-	-	1	1	-	-	-	2	2	-	-	-	45
19	17	2	-	-	3	3	-	-	-	4	1	1	-	-	46
42	37	5	-	-	3	3	-	-	-	4	3	1	-	-	47
7	7	-	-	-	-	-	-	-	-	1	-	-	-	-	48
35	30	5	-	-	3	3	-	-	-	3	2	1	-	-	49
265	214	48	3	-	26	26	-	-	-	40	32	8	-	-	50
109	89	18	2	-	15	14	1	-	-	16	15	3	-	-	51
33	31	2	-	-	4	4	-	-	-	7	6	1	-	-	52
163	136	26	1	-	36	35	1	-	-	16	14	2	-	-	53
27	25	2	-	-	2	1	-	-	-	7	6	1	-	-	54
320	266	47	6	1	42	39	3	1	-	35	29	6	-	-	55
300	239	52	8	1	53	49	3	1	-	41	35	5	1	-	56
278	220	58	-	-	32	30	2	-	-	49	37	12	-	-	57
79	68	11	-	-	12	11	1	-	-	5	5	-	-	-	58
199	160	39	-	-	49	48	1	-	-	70	48	21	1	-	59
49	33	16	-	-	4	4	-	-	-	6	5	1	-	-	60
160	119	39	2	-	27	24	3	-	-	48	36	12	-	-	61
506	29	7	359	111	63	7	-	53	3	42	6	-	28	8	62
100	4	2	72	22	17	-	-	15	2	8	2	1	5	-	63
26	3	1	17	5	10	-	-	8	2	2	1	-	1	-	64
21	-	-	18	3	1	-	-	1	-	1	-	-	1	-	65
53	1	1	37	14	6	-	-	6	-	5	1	1	3	-	66
28	2	2	19	5	-	-	-	-	-	1	-	-	-	1	67
108	32	6	58	12	22	5	1	15	1	18	3	2	12	1	68

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	DELAWARE				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	140	73	34	23	10
2 DIARRHEAL DISEASES—009	-	-	-	-	-
3 WHOOPING COUGH—033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS—036	-	-	-	-	-
5 TETANUS—037	-	-	-	-	-
6 SEPTICEMIA—038	-	-	-	-	-
7 VIRAL DISEASES—040-079	-	-	-	-	-
8 CONGENITAL SYPHILIS—090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	2	-	1	-	1
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	1	1	-	-	-
12 DISEASES OF THYMUS GLAND—254	-	-	-	-	-
13 CYSTIC FIBROSIS—273.0	1	-	-	1	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	2	-	-	-	-
15 MENINGITIS—320	2	1	-	1	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	2	-	-	-	2
17 ACUTE UPPER RESPIRATORY INFECTIONS—460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS—466,490,491	-	-	-	-	-
19 INFLUENZA AND PNEUMONIA—470-474,480-486	5	2	-	-	3
20 INFLUENZA—470-474	-	-	-	-	-
21 PNEUMONIA—480-486	5	2	-	-	3
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492,493,500-516,518,519	-	-	-	-	-
24 HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	2	2	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM—520-534,536,537,540-543,562,564-577	-	-	-	-	-
27 CONGENITAL ANOMALIES—740-759	29	13	7	9	-
28 ANENCEPHALUS—740	2	2	-	-	-
29 SPINA BIFIDA—741	1	-	-	1	-
30 CONGENITAL HYDROCEPHALUS—742	1	-	-	1	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744	2	2	-	-	-
32 CONGENITAL ANOMALIES OF HEART—746	13	6	3	4	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	-	-	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	2	1	-	1	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	1	1	-	-	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752,753	-	-	-	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	1	1	-	-	-
38 DOWN'S DISEASE—759.3	1	-	-	1	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2,759.4-759.9	5	-	4	1	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745,757,758	-	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	76	52	24	-	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	-	-	-	-	-
44 SYPHILIS—761.0	-	-	-	-	-
45 DIABETES MELLITUS—761.1	-	-	-	-	-
46 RUBELLA—761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY—762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	-	-	-	-	-
50 DIFFICULT LABOR—764-768	2	1	1	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	2	1	1	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	-	-	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9	6	6	-	-	-
54 CONDITIONS OF PLACENTA—770	1	1	-	-	-
55 CONDITIONS OF UMBILICAL CORD—771	1	-	1	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE—772	4	3	1	-	-
57 HEMOLYTIC DISEASE OF NEWBORN—774,775	1	-	1	-	-
58 HYALINE MEMBRANE DISEASE—776.1	7	6	1	-	-
59 RESPIRATORY DISTRESS SYNDROME—776.2	6	6	-	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	16	10	6	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0,776.3,776.4	-	-	-	-	-
62 IMMATURE, UNQUALIFIED—777	27	16	11	-	-
63 POSTMATURITY—778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN—778.2	-	-	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN—778.0,778.3,778.9	5	3	2	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	18	2	1	11	4
67 ACCIDENTS—E800-E949	-	-	-	-	-
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911, E912	-	-	-	-	-
69 ACCIDENTAL MECHANICAL SUFFOCATION—E913	-	-	-	-	-
70 OTHER ACCIDENTAL CAUSES—E800-E910, E914-E949	-	-	-	-	-
71 HOMICIDE—E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES—RESIDUAL	2	-	1	1	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
268	25	182	2	59	1,909	858	528	279	244	1,504	587	466	209	242	1
2	-	1	-	1	33	3	14	5	11	29	4	11	2	12	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	-	4	-	1	46	18	14	8	6	33	10	11	4	8	5
1	-	1	-	-	4	1	-	3	-	3	1	-	2	-	6
1	1	-	-	-	1	-	1	-	3	7	-	1	-	2	7
-	-	-	-	-	4	-	-	-	3	7	-	-	5	2	8
-	-	-	-	-	3	-	-	1	2	2	-	-	1	1	9
-	-	-	-	-	4	1	-	3	-	-	-	-	-	1	10
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	11
-	-	-	-	-	3	-	-	2	1	3	-	-	3	-	12
-	-	-	-	-	10	4	2	1	3	4	2	-	1	1	13
2	-	1	-	1	22	5	2	7	8	25	6	4	4	4	14
-	-	-	-	-	15	-	-	5	10	13	-	-	6	11	15
-	-	-	-	-	5	-	-	4	1	2	-	-	-	2	16
-	-	-	-	-	6	-	-	2	4	3	-	-	1	2	17
7	2	3	-	2	113	10	14	36	53	137	19	17	31	70	18
-	-	-	-	-	3	-	-	2	1	1	-	-	1	1	19
7	2	3	-	2	110	10	14	34	52	136	19	17	30	70	20
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	21
-	-	-	-	-	18	3	1	8	6	14	2	2	5	5	22
-	-	-	-	-	14	7	3	3	1	11	5	2	3	1	23
-	-	-	-	-	3	-	1	1	1	1	1	-	-	-	24
-	-	-	-	-	9	4	2	3	-	8	3	2	2	1	25
30	6	14	-	10	279	158	45	55	21	214	96	42	52	24	26
1	-	1	-	-	10	10	-	-	-	11	10	1	-	24	27
-	-	-	-	-	18	9	2	6	1	20	12	1	5	2	28
1	-	1	-	-	14	6	4	4	1	9	3	3	2	2	29
3	1	2	-	-	9	6	2	1	-	15	4	3	7	1	30
14	2	8	-	4	104	54	13	27	10	64	30	7	15	12	31
5	3	-	-	2	29	17	3	5	4	23	8	6	6	3	32
2	-	-	-	2	12	8	2	2	-	18	8	6	3	1	33
-	-	-	-	-	10	3	5	1	1	13	2	3	5	3	34
-	-	-	-	-	16	10	5	1	1	2	-	2	-	-	35
2	-	-	-	2	12	11	-	1	-	9	7	1	1	-	36
-	-	-	-	-	2	1	-	1	-	2	-	-	2	-	37
1	-	1	-	-	33	20	8	4	1	22	11	5	5	1	38
1	-	1	-	-	10	3	1	2	4	6	1	4	1	1	39
173	16	152	-	5	1,027	617	403	4	3	784	425	350	2	7	40
-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	41
1	-	1	-	-	3	2	1	-	-	4	2	2	-	-	42
-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	43
1	-	1	-	-	2	1	-	-	-	2	1	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	46
-	-	-	-	-	4	1	3	-	-	3	-	3	-	-	47
7	-	6	-	1	6	1	5	-	-	7	4	3	-	-	48
-	-	-	-	-	10	7	3	-	-	11	8	3	-	-	49
-	-	-	-	-	5	4	1	-	-	4	3	1	-	-	50
-	-	-	-	-	5	3	2	-	-	7	5	2	-	-	51
15	-	14	-	1	114	64	50	-	-	87	47	40	-	-	52
8	3	5	-	-	31	20	11	-	-	31	14	17	-	-	53
1	-	1	-	-	9	7	2	-	-	11	5	6	-	-	54
7	1	6	-	-	93	55	37	-	1	41	23	17	-	1	55
-	-	-	-	-	16	9	6	1	-	6	4	2	-	-	56
11	-	11	-	-	145	95	47	1	2	143	90	53	-	-	57
9	1	8	-	-	151	104	45	2	-	94	63	30	-	1	58
9	1	8	-	-	139	84	55	-	-	152	74	76	1	1	59
3	-	2	-	1	28	13	15	-	-	16	9	7	-	-	60
76	6	68	-	2	188	103	85	-	-	116	65	49	-	2	61
6	1	5	-	-	27	13	14	-	-	14	5	9	-	-	62
20	3	17	-	-	63	39	24	-	-	48	12	33	1	2	63
31	-	4	1	26	154	8	13	68	65	110	7	13	45	45	64
8	-	2	-	6	63	2	3	38	20	63	1	3	30	29	65
-	-	-	-	-	17	-	1	7	9	24	-	1	14	9	66
3	-	1	-	2	14	-	-	8	6	14	-	-	4	10	67
5	-	1	-	4	32	2	2	23	5	25	1	2	12	10	68
3	-	-	-	3	9	2	2	2	4	4	-	-	2	2	69
5	-	-	1	4	62	14	8	19	21	33	5	8	8	12	70

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	HAWAII				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	241	50	130	15	46
2 DIARRHEAL DISEASES—009	4	2	1	-	1
3 WHOOPING COUGH—033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS—036	1	-	-	-	1
5 TETANUS—037	-	-	-	-	-
6 SEPTICEMIA—038	3	-	2	-	1
7 VIRAL DISEASES—040-079	-	-	-	-	-
8 CONGENITAL SYPHILIS—090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	-	-	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	1	-	1	-	-
12 DISEASES OF THYMUS GLAND—254	-	-	-	-	-
13 CYSTIC FIBROSIS—273.0	1	-	-	1	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	-	-	-	-	-
15 MENINGITIS—320	1	-	-	-	1
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	2	-	-	-	2
17 ACUTE UPPER RESPIRATORY INFECTIONS—460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS—466,490,491	1	-	-	-	1
19 INFLUENZA AND PNEUMONIA—470-474,480-486	8	-	2	3	3
20 INFLUENZA—470-474	-	-	-	-	-
21 PNEUMONIA—480-486	8	-	2	3	3
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	1	-	-	-	1
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492,493,500-516,518,519	-	-	-	-	-
24 HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	-	-	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM—520-534,536,537,540-543,562,564-577	-	-	-	-	-
27 CONGENITAL ANOMALIES—740-759	51	10	22	4	15
28 ANENCEPHALUS—740	8	4	3	-	1
29 SPINA BIFIDA—741	1	1	-	-	-
30 CONGENITAL HYDROCEPHALUS—742	1	-	-	-	1
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744	2	-	1	1	-
32 CONGENITAL ANOMALIES OF HEART—746	19	1	6	1	11
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	-	-	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	5	-	3	-	2
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	1	-	1	-	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752,753	3	1	2	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	1	1	-	-	-
38 DOWN'S DISEASE—759.3	1	-	-	1	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2,759.4-759.9	8	2	5	1	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745,757,758	1	-	1	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	136	37	98	-	1
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	-	-	-	-	-
44 SYPHILIS—761.0	-	-	-	-	-
45 DIABETES MELLITUS—761.1	-	-	-	-	-
46 RUBELLA—761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY—762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	1	-	1	-	-
50 DIFFICULT LABOR—764-768	3	-	3	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	2	-	2	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	1	-	1	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9	18	6	12	-	-
54 CONDITIONS OF PLACENTA—770	9	2	7	-	-
55 CONDITIONS OF UMBILICAL CORD—771	1	-	1	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE—772	7	2	5	-	-
57 HEMOLYTIC DISEASE OF NEWBORN—774,775	2	-	2	-	-
58 HYALINE MEMBRANE DISEASE—776.1	9	5	4	-	-
59 RESPIRATORY DISTRESS SYNDROME—776.2	27	7	20	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	14	6	8	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0,776.3,776.4	2	1	1	-	-
62 IMMATURETY, UNQUALIFIED—777	29	3	26	-	-
63 POSTNATURITY—778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN—778.2	3	1	2	-	-
65 ALL OTHER CONDITIONS OF NEWBORN—778.0,778.3,778.9	11	4	6	-	1
66 SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	18	-	4	5	9
67 ACCIDENTS—E800-E949	6	1	-	2	3
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911,E912	-	-	-	-	-
69 ACCIDENTAL MECHANICAL SUFFOCATION—E913	1	1	-	-	-
70 OTHER ACCIDENTAL CAUSES—E800-E910,E914-E949	5	-	-	2	3
71 HOMICIDE—E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES—RESIDUAL	7	-	-	-	7

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	IOWA				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	575	422	22	125	6
2 DIARRHEAL DISEASES 009	5	3	-	2	-
3 WHOOPING COUGH 033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS 036	-	-	-	-	-
5 TETANUS 037	-	-	-	-	-
6 SEPTICEMIA 038	8	6	2	-	-
7 VIRAL DISEASES 040-079	3	2	-	1	-
8 CONGENITAL SYPHILIS 090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES - REMAINDER OF 000-136	1	-	-	1	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	1	1	-	-	-
12 DISEASES OF THYMUS GLAND 254	-	-	-	-	-
13 CYSTIC FIBROSIS 273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS 280-289	3	1	-	2	-
15 MENINGITIS 320	2	-	-	1	1
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS 321-389	5	1	-	4	-
17 ACUTE UPPER RESPIRATORY INFECTIONS 460-465	1	-	-	1	-
18 BRONCHITIS AND BRONCHIOLITIS 466,490,491	1	-	-	1	-
19 INFLUENZA AND PNEUMONIA 470-474,480-486	26	12	1	11	2
20 INFLUENZA 470-474	1	-	-	1	-
21 PNEUMONIA 480-486	25	12	1	10	2
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA 517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM 492,493,500-516,518,519	2	1	-	1	-
24 HERNIA AND INTESTINAL OBSTRUCTION 550-553,560	7	4	-	3	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN 535,561,563	4	1	2	1	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM 520-534,536,537,540-543,562,564-577	2	1	-	1	-
27 CONGENITAL ANOMALIES 740-759	105	65	2	36	2
28 ANENCEPHALUS 740	15	13	-	2	-
29 SPINA BIFIDA 741	4	2	-	2	-
30 CONGENITAL HYDROCEPHALUS 742	4	4	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE 743,744	4	1	1	2	-
32 CONGENITAL ANOMALIES OF HEART 746	35	18	-	16	1
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM 747	8	1	-	7	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM 748	5	4	-	1	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM 749-751	6	4	-	2	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM 752,753	6	5	-	1	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM 754-756	6	5	-	1	-
38 DOWN'S DISEASE 759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS 759.0-759.2,759.4-759.9	12	8	1	2	1
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES 745,757,758	-	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY 760-769.2,769.4-772,774-778	332	315	14	3	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER 760	1	1	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY 761	6	5	1	-	-
44 SYPHILIS 761.0	-	-	-	-	-
45 DIABETES MELLITUS 761.1	2	1	1	-	-
46 RUBELLA 761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY 761.2,761.4-761.7,761.9	4	4	-	-	-
48 TOXEMIA OF PREGNANCY 762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION 763	2	2	-	-	-
50 DIFFICULT LABOR 764-768	4	4	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	1	1	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	3	3	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH 769.0-769.2,769.4,769.5,769.9	68	64	3	1	-
54 CONDITIONS OF PLACENTA 770	15	15	-	-	-
55 CONDITIONS OF UMBILICAL CORD 771	3	3	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE 772	5	4	-	1	-
57 HEMOLYTIC DISEASE OF NEWBORN 774,775	4	4	-	-	-
58 HYALINE MEMBRANE DISEASE 776.1	56	54	1	1	-
59 RESPIRATORY DISTRESS SYNDROME 776.2	40	39	1	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED 776.9	39	37	2	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE 776.0,776.3,776.4	10	9	1	-	-
62 IMMATURE, UNQUALIFIED 777	58	55	3	-	-
63 POSTMATURITY 778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN 778.2	10	9	1	-	-
65 ALL OTHER CONDITIONS OF NEWBORN 778.0,778.3,778.9	11	10	1	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS 780-796	43	4	-	38	1
67 ACCIDENTS E800-E949	11	1	-	10	-
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION E911,E912	4	1	-	3	-
69 ACCIDENTAL MECHANICAL SUFFOCATION E913	3	-	-	3	-
70 OTHER ACCIDENTAL CAUSES E800-E910,E914-E949	4	-	-	4	-
71 HOMICIDE E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES RESIDUAL	13	4	1	8	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

KANSAS					KENTUCKY					LOUISIANA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
524	359	42	108	15	895	570	72	214	39	1,243	469	458	134	182	1
3	1	2	-	-	10	2	1	5	2	17	1	3	3	10	2
-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	3
-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	4
6	4	1	1	-	20	12	3	3	2	24	8	10	1	5	5
4	-	-	4	-	6	-	-	6	-	6	1	-	3	2	7
2	1	-	1	-	5	2	-	3	-	3	1	-	-	2	8
2	-	-	1	1	1	-	-	-	-	1	-	-	-	-	9
1	1	-	-	-	-	-	-	1	-	2	1	-	1	1	10
1	-	-	1	-	1	1	-	-	-	3	-	-	1	2	11
1	-	-	1	-	2	6	-	2	-	1	1	-	-	-	12
6	2	1	3	-	6	2	-	-	-	6	-	2	2	2	13
9	-	-	8	1	9	-	-	8	1	13	-	5	3	5	14
1	-	-	1	-	2	-	-	-	2	14	-	-	3	8	15
2	-	-	2	-	3	-	-	-	-	3	1	-	-	2	16
22	9	-	11	2	55	13	2	35	5	92	12	18	20	42	17
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
21	8	-	11	2	55	13	2	35	5	92	12	18	20	42	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
2	-	-	2	-	5	-	1	4	-	17	4	2	4	7	21
9	7	-	2	-	11	9	-	2	-	14	9	4	1	-	22
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	23
6	3	-	2	1	6	2	-	4	-	9	1	5	-	3	24
83	56	3	23	1	186	120	7	51	8	201	90	50	38	23	25
7	7	-	-	-	14	13	-	1	-	20	12	8	-	-	26
6	3	-	3	-	15	8	-	7	-	6	3	-	3	-	27
1	1	-	1	-	11	10	-	1	-	11	4	1	5	1	28
4	2	1	1	-	12	9	1	1	1	10	5	3	1	1	29
36	20	2	13	1	59	33	2	19	5	87	38	18	17	14	30
5	4	-	1	-	12	8	-	3	1	7	3	-	1	3	31
5	5	-	-	-	11	6	2	3	-	9	4	-	-	1	32
4	2	-	2	-	8	4	-	4	-	8	1	5	2	-	33
1	1	-	-	-	2	1	-	1	-	7	4	2	1	-	34
-	-	-	-	-	4	2	1	-	1	6	2	3	-	1	35
1	-	-	1	-	4	-	-	4	-	3	-	-	2	1	36
9	7	-	2	-	26	21	1	4	-	23	14	5	4	-	37
4	4	-	-	-	8	5	-	3	-	4	-	1	2	1	38
298	261	35	1	1	446	387	56	2	1	679	325	345	6	3	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3	3	-	-	-	2	1	-	-	1	3	1	2	-	-	41
1	1	-	-	-	1	1	-	-	1	2	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	44
1	1	-	-	-	4	3	1	-	-	4	1	3	-	-	45
2	1	1	-	-	-	-	-	-	-	5	1	4	-	-	46
9	9	-	-	-	3	3	-	-	-	10	4	6	-	-	47
3	3	-	-	-	1	1	-	-	-	5	2	3	-	-	48
6	6	-	-	-	2	2	-	-	-	5	2	3	-	-	49
31	30	1	-	-	54	49	5	-	-	59	25	33	1	-	50
9	9	-	-	-	24	23	1	-	-	33	20	13	-	-	51
3	3	-	-	-	4	3	-	-	-	7	5	2	-	-	52
19	14	4	-	1	30	24	6	-	-	52	26	26	-	-	53
6	5	1	-	-	10	8	1	1	-	7	4	3	-	-	54
73	66	7	-	-	68	66	2	-	-	125	60	64	1	-	55
39	34	4	1	-	90	80	9	1	-	83	45	36	1	1	56
36	31	5	-	-	64	48	16	-	-	105	61	43	-	1	57
4	3	1	-	-	8	7	1	-	-	22	5	17	-	-	58
44	38	6	-	-	60	50	10	-	-	101	42	56	2	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
4	3	1	-	-	10	10	-	-	-	16	9	7	-	-	61
15	11	4	-	-	15	12	3	-	-	47	16	30	1	-	62
44	6	-	33	5	65	6	1	52	6	49	4	6	12	27	63
13	3	-	8	2	32	4	1	20	7	52	2	5	25	20	64
4	1	-	3	-	12	1	-	9	2	16	1	1	9	5	65
3	1	-	2	-	4	-	1	3	-	11	-	-	5	6	66
6	1	-	3	2	16	3	-	8	5	25	1	4	11	9	67
1	1	-	-	-	3	-	-	-	2	4	-	-	1	3	68
8	4	-	3	1	15	3	-	10	2	26	6	3	4	13	69

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	MAINE				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	243	185	2	56	-
2 DIARRHEAL DISEASES—009	2	2	-	-	-
3 WHOOPING COUGH—033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS—036	1	-	-	1	-
5 TETANUS—037	-	-	-	-	-
6 SEPTICEMIA—038	3	3	-	-	-
7 VIRAL DISEASES—040-079	-	-	-	-	-
8 CONGENITAL SYPHILIS—090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	1	-	-	1	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	2	-	-	2	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	-	-	-	-	-
12 DISEASES OF THYRUS GLAND—254	1	1	-	-	-
13 CYSTIC FIBROSIS—273-0	1	-	-	1	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	-	-	-	-	-
15 MENINGITIS—320	-	-	-	-	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	3	1	-	2	-
17 ACUTE UPPER RESPIRATORY INFECTIONS—460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS—466,490,491	-	-	-	-	-
19 INFLUENZA AND PNEUMONIA—470-474,480-486	8	2	-	6	-
20 INFLUENZA—470-474	-	-	-	-	-
21 PNEUMONIA—480-486	8	2	-	6	-
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492,493,500-516,518,519	1	-	-	1	-
24 HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	2	2	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM—520-534,536,537,540-543,562,564-577	3	1	-	2	-
27 CONGENITAL ANOMALIES—740-759	46	36	1	9	-
28 ANENCEPHALUS—740	4	4	-	-	-
29 SPINA BIFIDA—741	2	1	-	1	-
30 CONGENITAL HYDROCEPHALUS—742	2	1	-	1	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744	-	-	-	-	-
32 CONGENITAL ANOMALIES OF HEART—746	14	10	-	4	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	2	2	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	3	3	-	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	4	3	-	1	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752,753	5	4	-	1	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	2	2	-	-	-
38 DOWN'S DISEASE—759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2,759.4-759.9	7	5	1	1	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745,757,758	1	1	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	134	130	1	3	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	2	2	-	-	-
44 SYPHILIS—761.0	-	-	-	-	-
45 DIABETES MELLITUS—761.1	1	1	-	-	-
46 RUBELLA—761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2,761.4-761.7,761.9	1	1	-	-	-
48 TOXEMIA OF PREGNANCY—762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	1	1	-	-	-
50 DIFFICULT LABOR—764-768	-	-	-	-	-
51 WITH MENTION OF BIRTH INJURY (1.0-.3)	-	-	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	-	-	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9	15	15	-	-	-
54 CONDITIONS OF PLACENTA—770	6	6	-	-	-
55 CONDITIONS OF UMBILICAL CORD—771	3	3	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE—772	11	11	-	-	-
57 HEMOLYTIC DISEASE OF NEWBORN—774,775	1	1	-	-	-
58 HYALINE MEMBRANE DISEASE—776.1	16	16	-	-	-
59 RESPIRATORY DISTRESS SYNDROME—776.2	13	13	-	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	23	22	-	1	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0,776.3,776.4	3	2	-	1	-
62 IMMATURITY, UNQUALIFIED—777	29	28	1	-	-
63 POSTMATURITY—778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN—778.2	4	4	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN—778.0,778.3,778.9	7	6	-	1	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	20	3	-	17	-
67 ACCIDENTS—E800-E949	10	2	-	8	-
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911,E912	2	-	-	2	-
69 ACCIDENTAL MECHANICAL SUFFOCATION—E913	1	-	-	1	-
70 OTHER ACCIDENTAL CAUSES—E800-E910,E914-E949	7	2	-	5	-
71 HOMICIDE—E940-E978	-	-	-	-	-
72 ALL OTHER CAUSES—RESIDUAL	5	2	-	3	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.
 Revision International Classification of Diseases, Adapted, 1965]

TOTAL, UNDER 1 YEAR	MARYLAND				TOTAL, UNDER 1 YEAR	MASSACHUSETTS				TOTAL, UNDER 1 YEAR	MICHIGAN				
	UNDER 28 DAYS		28 DAYS-11 MONTHS			UNDER 28 DAYS		28 DAYS-11 MONTHS			UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
821	407	222	127	65	974	692	69	188	25	2,394	1,248	497	428	221	1
8	2	4	-	2	7	5	1	1	-	32	15	4	9	4	2
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	3
2	-	-	-	2	1	1	-	-	-	7	1	-	5	1	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
10	3	3	2	2	19	9	4	6	-	38	21	12	2	3	6
1	-	-	1	-	3	1	-	2	-	6	2	1	3	-	7
-	-	-	-	-	1	-	-	1	-	5	-	1	3	1	8
1	1	-	1	-	2	-	-	2	-	4	1	-	2	1	10
1	-	-	-	-	1	-	-	1	-	2	-	-	1	1	11
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	12
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	13
1	-	-	1	-	1	-	1	-	-	16	3	1	5	7	14
11	4	3	2	2	11	6	1	3	1	25	9	5	9	2	15
11	2	-	9	-	7	1	-	4	2	23	-	-	14	9	16
-	-	-	-	-	1	-	-	-	1	4	-	-	3	1	17
-	-	-	-	-	5	1	-	4	-	6	-	-	6	-	18
19	8	2	7	2	55	13	2	33	7	83	23	7	37	16	19
1	-	1	-	-	-	-	-	-	-	2	-	-	2	-	20
18	8	1	7	2	55	13	2	33	7	81	23	7	35	16	21
-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	22
3	1	1	1	-	17	4	-	10	3	12	2	-	10	-	23
9	9	-	-	-	6	6	-	-	-	28	17	6	5	-	24
1	1	-	-	-	-	-	-	-	-	11	4	2	3	2	25
6	2	1	2	1	5	2	1	1	1	15	6	3	5	1	26
147	73	21	36	17	166	117	8	38	3	368	204	43	95	26	27
15	11	4	-	-	17	16	-	1	-	26	21	3	1	1	28
13	5	1	7	-	11	9	-	2	-	21	7	2	12	-	29
6	2	-	2	2	8	5	1	2	-	21	11	1	7	2	30
6	2	1	1	2	8	6	-	2	-	11	5	1	4	1	31
55	27	7	11	10	52	32	4	15	1	151	84	19	38	10	32
7	4	-	3	-	13	6	2	3	2	19	8	3	5	3	33
9	3	1	4	1	15	13	-	2	-	21	12	4	3	2	34
8	4	3	-	1	7	3	-	4	-	16	3	2	9	2	35
3	2	-	-	1	6	5	-	1	-	15	10	2	1	2	36
2	-	1	1	-	3	2	-	1	-	16	5	3	8	-	37
2	-	-	2	-	1	-	-	1	-	1	1	-	-	-	38
15	10	3	2	-	23	20	1	2	-	44	33	3	5	3	39
6	3	-	3	-	2	-	-	2	-	6	4	-	2	-	40
464	279	180	4	1	564	508	49	7	-	1,311	902	398	9	2	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
6	5	1	-	-	2	2	-	-	-	11	10	1	-	-	43
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	45
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	46
3	2	1	-	-	2	2	-	-	-	5	4	1	-	-	47
2	2	-	-	-	4	4	-	-	-	5	5	-	-	-	48
2	1	1	-	-	5	4	1	-	-	12	11	1	-	-	49
1	1	-	-	-	6	3	3	-	-	30	23	7	-	-	50
-	-	-	-	-	1	1	1	-	-	10	8	2	-	-	51
1	1	-	-	-	5	3	2	-	-	20	15	5	-	-	52
49	34	15	-	-	61	57	3	1	-	161	115	46	-	-	53
8	6	2	-	-	29	27	2	-	-	61	45	15	1	-	54
2	1	1	-	-	6	5	1	-	-	13	8	5	-	-	55
41	21	19	1	-	49	41	8	-	-	65	41	24	-	-	56
7	7	-	-	-	8	8	-	-	-	16	14	2	-	-	57
51	34	16	1	-	68	61	4	3	-	203	138	62	2	1	58
70	44	24	1	1	61	59	2	-	-	169	127	38	4	-	59
64	37	27	-	-	84	79	5	-	-	180	135	45	-	-	60
14	6	8	-	-	18	16	1	1	-	37	19	17	1	-	61
86	46	39	1	-	102	88	12	2	-	242	148	92	1	1	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
7	2	5	-	-	22	18	4	-	-	24	17	7	-	-	64
54	32	22	-	-	39	36	3	-	-	82	46	36	-	-	65
82	11	4	40	27	55	8	2	42	3	269	18	7	141	103	66
20	4	2	8	6	16	2	-	12	2	64	6	3	35	20	67
2	-	1	-	1	6	2	-	3	1	20	4	-	13	3	68
2	-	1	1	-	2	-	-	2	-	11	-	-	7	4	69
16	4	-	7	5	8	-	-	7	1	33	2	3	15	13	70
2	1	-	1	-	3	-	-	3	-	4	-	-	3	3	71
22	6	1	12	3	27	8	-	17	2	55	13	4	21	17	72

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	MINNESOTA				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	806	573	22	186	25
2 DIARRHEAL DISEASES-----009	18	14	1	2	1
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	8	8	-	3	2
6 SEPTICEMIA-----038	13	8	-	-	-
7 VIRAL DISEASES-----040-079	4	1	-	2	1
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1	-	-	1	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	1	-	-	1	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	1	1	-	-	-
12 DISEASES OF THYRUS GLAND-----254	1	-	-	-	1
13 CYSTIC FIBROSIS-----273.0	1	-	-	1	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	4	-	-	3	1
15 MENINGITIS-----320	6	1	-	5	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-309	5	-	1	4	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	1	1	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	3	-	-	3	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	28	7	-	17	4
20 INFLUENZA-----470-474	2	-	-	1	1
21 PNEUMONIA-----480-486	26	7	-	16	3
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	6	1	-	5	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	8	5	1	2	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	6	3	-	3	-
27 CONGENITAL ANOMALIES-----740-759	153	96	3	51	3
28 ANENCEPHALUS-----740	17	17	-	6	-
29 SPINA BIFIDA-----741	10	4	-	2	-
30 CONGENITAL HYDROCEPHALUS-----742	6	4	-	-	1
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	3	2	-	2	2
32 CONGENITAL ANOMALIES OF HEART-----746	51	26	1	22	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	7	3	-	4	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	18	12	-	6	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	7	7	-	4	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	8	7	1	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	3	2	-	1	-
38 DOWN'S DISEASE-----759.3	2	2	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	17	11	1	5	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	4	3	-	1	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	430	418	15	5	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	6	6	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	5	5	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	1	1	-	-	-
48 TOXEMIA OF PREGNANCY-----762	3	3	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	4	3	1	-	-
50 DIFFICULT LABOR-----764-768	8	8	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	1	1	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	7	7	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	64	60	4	-	-
54 CONDITIONS OF PLACENTA-----770	31	30	-	1	-
55 CONDITIONS OF UMBILICAL CORD-----771	3	2	-	1	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	25	24	-	1	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	8	8	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	102	98	3	1	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	40	36	3	1	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	45	43	2	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	14	14	-	-	-
62 IMMATURITY, UNQUALIFIED-----777	62	61	1	-	-
63 POSTHATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	8	8	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	15	14	1	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	75	7	1	58	9
67 ACCIDENTS-----E800-E949	12	2	-	8	2
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	2	1	-	1	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	3	-	-	2	1
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	7	1	-	5	1
71 HOMICIDE-----E960-E978	3	-	-	2	1
72 ALL OTHER CAUSES-----RESIDUAL	18	8	-	10	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

MISSISSIPPI					MISSOURI					MONTANA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
1,016	275	433	79	229	1,173	647	230	220	76	202	144	10	37	11	1
28	1	5	2	20	15	9	1	3	2	3	1	2	-	-	2
1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	3
19	3	10	2	4	23	14	5	3	1	3	3	-	-	-	4
2	-	-	1	1	7	2	-	5	-	1	-	-	-	-	5
1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	6
6	-	2	1	3	1	1	-	-	-	1	-	-	1	-	7
-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	8
-	-	-	-	-	4	1	-	3	-	-	-	-	-	-	9
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	10
2	-	-	1	1	1	1	-	1	-	-	-	-	-	-	11
10	-	2	3	5	8	1	-	7	-	1	1	-	-	-	12
4	-	-	1	3	15	2	-	10	3	-	-	-	-	-	13
3	-	-	-	3	2	-	-	-	2	-	-	-	-	-	14
5	-	-	2	3	2	-	-	1	1	4	1	-	-	-	15
69	9	8	7	45	50	10	5	19	16	7	3	-	4	-	16
69	9	8	7	45	49	10	5	18	16	7	3	-	4	-	17
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	18
8	-	2	2	4	13	3	-	6	4	1	-	-	1	-	19
3	1	1	1	1	12	5	5	1	1	3	2	-	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
7	1	3	1	2	2	-	1	1	-	1	1	-	-	-	22
112	40	34	21	17	208	122	33	45	8	33	23	1	7	2	23
9	7	2	-	-	15	12	2	1	-	2	2	-	-	-	24
10	3	2	4	1	12	7	-	5	-	-	-	-	-	-	25
4	1	1	2	2	4	4	1	1	-	-	-	-	-	-	26
6	3	1	1	1	8	5	2	2	-	3	3	-	-	-	27
46	16	14	10	6	86	49	8	24	5	18	13	1	4	-	28
7	2	-2	2	1	13	6	1	5	1	3	1	-	-	2	29
4	1	2	1	-	17	12	5	-	-	-	-	-	-	-	30
5	1	2	1	1	9	4	2	3	-	3	1	-	-	-	31
-	-	-	-	-	9	5	4	4	-	2	1	-	-	-	32
4	2	1	1	-	7	4	3	3	-	-	-	-	-	-	33
2	1	1	-	-	5	1	1	2	1	-	-	-	-	-	34
11	1	4	2	4	19	12	4	3	-	2	2	-	-	-	35
4	2	2	-	-	4	3	-	-	1	-	-	-	-	-	36
542	212	325	1	4	628	455	167	6	-	116	108	7	1	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
3	2	1	-	-	10	5	5	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	2	-	-	-	4	2	2	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	-	1	-	-	6	3	3	-	-	-	-	-	-	-	43
-	-	-	-	-	6	5	1	-	-	1	1	-	-	-	44
-	-	-	-	-	6	4	4	-	-	-	-	-	-	-	45
7	3	4	-	-	8	5	3	-	-	4	3	1	-	-	46
2	2	2	-	-	2	2	-	-	-	1	-	-	-	-	47
5	1	4	-	-	6	3	3	-	-	3	2	1	-	-	48
54	17	36	-	1	102	78	23	1	-	15	12	2	1	-	49
16	7	9	-	-	25	20	5	-	-	11	11	-	-	-	50
5	2	3	-	-	8	6	2	-	-	4	4	-	-	-	51
28	11	16	-	1	25	19	6	-	-	1	1	-	-	-	52
6	4	2	-	-	8	8	-	-	-	4	4	-	-	-	53
93	39	51	1	2	129	107	20	2	-	23	22	1	-	-	54
74	34	40	-	-	72	59	12	1	-	9	9	-	-	-	55
83	36	47	-	-	97	54	42	1	-	19	16	3	-	-	56
11	6	5	-	-	14	11	3	-	-	2	2	-	-	-	57
125	34	91	-	-	67	46	20	1	-	15	15	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
14	10	4	-	-	3	2	1	-	-	2	2	-	-	-	60
23	7	16	-	-	48	28	20	-	-	6	6	-	-	-	61
117	6	29	16	66	102	14	10	55	23	15	-	-	11	4	62
35	-	1	9	25	41	2	1	30	8	7	-	-	6	1	63
9	-	-	4	5	14	-	-	9	5	1	-	-	-	-	64
8	-	-	-	8	10	1	1	8	1	-	-	-	1	-	65
18	-	1	5	12	17	1	-	13	3	5	-	-	4	1	66
3	-	-	3	5	5	1	-	3	1	-	-	-	-	-	67
39	2	12	7	18	28	4	2	16	6	4	1	-	2	1	68

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	NEBRASKA				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	364	244	31	77	12
2 DIARRHEAL DISEASES-----009	1	1	--	--	--
3 WHOOPING COUGH-----033	--	--	--	--	--
4 MENINGOCOCCAL INFECTIONS-----036	1	--	--	1	--
5 TETANUS-----037	--	--	--	--	--
6 SEPTICEMIA-----038	5	5	--	--	--
7 VIRAL DISEASES-----040-079	4	3	--	1	--
8 CONGENITAL SYPHILIS-----090	--	--	--	--	--
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1	--	--	1	--
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	2	--	--	2	--
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2	1	--	1	--
12 DISEASES OF THYRUS GLAND-----254	--	--	--	--	--
13 CYSTIC FIBROSIS-----273.0	--	--	--	--	--
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	--	--	--	--	--
15 MENINGITIS-----320	1	--	1	--	--
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	5	1	--	3	1
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	1	--	--	1	--
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	1	--	--	--	1
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	13	4	--	8	1
20 INFLUENZA-----470-474	1	--	--	1	--
21 PNEUMONIA-----480-486	12	4	--	7	1
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	1	--	--	1	--
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	3	--	--	2	1
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	5	4	--	1	--
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----595,561,563	--	--	--	--	--
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	4	1	1	1	1
27 CONGENITAL ANOMALIES-----740-759	61	41	3	17	--
28 ANENCEPHALUS-----740	5	5	--	--	--
29 SPINA BIFIDA-----741	2	1	--	1	--
30 CONGENITAL HYDROCEPHALUS-----742	4	4	--	--	--
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	8	6	--	2	--
32 CONGENITAL ANOMALIES OF HEART-----746	18	9	1	8	--
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	5	--	1	4	--
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	7	5	1	1	--
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	3	3	--	--	--
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	1	1	--	--	--
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	3	3	--	--	--
38 DOWN'S DISEASE-----759.3	1	1	--	--	--
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	4	3	--	1	--
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	--	--	--	--	--
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	204	176	25	1	2
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	--	--	--	--	--
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	6	6	--	--	--
44 SYPHILIS-----761.0	--	--	--	--	--
45 DIABETES MELLITUS-----761.1	4	4	--	--	--
46 RUBELLA-----761.3	--	--	--	--	--
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	2	2	--	--	--
48 TOXEMIA OF PREGNANCY-----762	2	2	--	--	--
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	--	--	--	--	--
50 DIFFICULT LABOR-----764-768	8	7	1	--	--
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	3	3	--	--	--
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	5	4	1	--	--
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	29	22	7	--	--
54 CONDITIONS OF PLACENTA-----770	14	13	1	--	--
55 CONDITIONS OF UMBILICAL CORD-----771	1	1	--	--	--
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	12	10	2	--	--
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	6	5	1	--	--
58 HYALINE MEMBRANE DISEASE-----776.1	29	25	4	--	--
59 RESPIRATORY DISTRESS SYNDROME-----776.2	42	33	6	1	2
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	20	19	1	--	--
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	2	2	--	--	--
62 IMMATUREITY, UNQUALIFIED-----777	22	22	--	--	--
63 POSTMATURITY-----778.1	--	--	--	--	--
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	3	2	1	--	--
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	8	7	1	--	--
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	25	1	1	19	4
67 ACCIDENTS-----E800-E949	13	2	--	11	--
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	5	1	--	4	--
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	4	--	--	4	--
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	4	1	--	3	--
71 HOMICIDE-----E960-E978	--	--	--	--	--
72 ALL OTHER CAUSES-----RESIDUAL	11	4	--	6	1

SECTION 2 · INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

NEVADA					NEW HAMPSHIRE					NEW JERSEY					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
182	91	30	48	13	162	119	2	41	-	1,510	811	318	227	154	1
-	-	-	-	-	-	-	-	-	-	16	5	5	3	3	2
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	1	1	-	-	5	3	-	2	-	17	7	6	4	-	5
-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	7
-	-	-	-	-	-	-	-	-	-	4	-	1	2	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
2	2	-	-	-	1	-	-	1	-	2	1	-	1	-	10
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	11
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	12
2	-	-	1	1	1	3	-	1	-	4	2	1	-	1	13
3	-	-	2	1	1	-	-	1	-	16	6	1	8	1	14
-	-	-	-	-	-	-	-	-	-	9	1	1	5	2	15
5	-	-	3	2	-	-	-	-	-	-	-	-	-	-	16
7	-	-	6	1	4	2	-	2	-	5	-	-	3	-	17
7	-	-	6	1	4	2	-	2	-	76	20	7	27	22	18
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	19
2	1	-	-	1	1	1	-	-	-	76	20	7	27	22	20
3	1	1	1	-	-	-	-	-	-	2	-	-	-	2	21
-	-	-	-	-	-	-	-	-	-	10	4	1	1	4	22
1	-	-	-	-	-	-	-	-	-	12	9	1	1	1	23
2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	24
3	1	1	1	-	-	-	-	-	-	8	5	1	1	1	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
21	14	-	5	2	29	21	-	8	-	256	151	22	56	27	27
1	1	-	-	-	4	4	-	-	-	22	19	3	-	-	28
1	-	-	-	-	1	1	-	-	-	14	8	3	3	-	29
1	1	-	-	-	3	2	-	1	-	14	6	1	1	6	30
1	1	-	-	-	3	2	-	-	-	12	7	2	2	1	31
4	2	-	2	-	8	6	-	2	-	89	43	8	30	8	32
2	2	-	-	-	-	-	-	-	-	21	13	1	7	-	33
-	-	-	-	-	3	1	-	2	-	16	9	-	5	2	34
3	1	-	2	-	2	1	-	1	-	9	2	1	2	4	35
1	1	-	-	-	3	2	-	1	-	8	7	-	-	1	36
1	1	-	-	-	1	-	-	-	-	10	9	-	1	-	37
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	38
7	4	-	1	2	4	4	-	-	-	34	22	3	5	4	39
-	-	-	-	-	-	-	-	-	-	5	4	-	-	1	40
98	70	26	2	-	90	86	2	2	-	864	586	261	12	5	41
-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	42
-	-	-	-	-	2	2	-	-	-	9	4	4	-	1	43
-	-	-	-	-	2	2	-	-	-	5	4	1	-	-	44
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	45
-	-	-	-	-	1	1	-	-	-	3	-	3	-	-	46
-	-	-	-	-	1	1	-	-	-	4	3	1	-	-	47
1	1	-	-	-	1	1	-	-	-	4	3	1	-	-	48
3	1	2	-	-	-	-	-	-	-	5	3	2	-	-	49
1	1	1	-	-	-	-	-	-	-	5	4	1	-	-	50
2	1	1	-	-	-	-	-	-	-	5	4	1	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
10	9	1	-	-	10	10	-	-	-	88	58	29	1	-	53
4	4	-	-	-	4	4	-	-	-	25	19	6	-	-	54
1	1	-	-	-	-	-	-	-	-	9	8	1	-	-	55
5	4	-	1	-	15	13	2	-	-	39	32	7	-	-	56
1	1	-	-	-	2	2	-	-	-	11	9	1	1	-	57
16	13	3	-	-	8	7	-	1	-	121	87	28	4	2	58
22	15	6	1	-	13	13	-	-	-	152	106	45	1	-	59
14	8	6	-	-	9	9	-	-	-	136	100	34	2	-	60
2	2	-	-	-	-	-	-	-	-	26	16	10	-	-	61
17	10	7	-	-	21	20	-	1	-	157	94	60	2	1	62
-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	63
1	1	1	-	-	3	3	-	-	-	15	9	5	1	-	64
-	-	-	-	-	-	-	-	-	-	62	34	27	-	1	65
18	1	-	14	3	18	1	-	17	-	136	5	9	63	59	66
9	-	-	7	2	4	-	-	4	-	29	3	1	15	10	67
4	-	-	2	2	-	-	-	-	-	9	2	-	5	2	68
2	-	-	2	-	-	-	-	-	-	3	-	1	2	-	69
3	-	-	3	-	-	-	-	2	-	17	1	-	8	8	70
3	-	-	3	-	-	-	-	2	-	3	-	-	1	2	71
5	1	-	3	1	2	-	-	2	-	34	4	-	19	11	72

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	NEW MEXICO				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	389	222	37	92	38
2 DIARRHEAL DISEASES-----009	7	-	1	1	5
3 WHOOPING COUGH-----033	1	-	-	1	-
4 MENINGOCOCCAL INFECTIONS-----036	1	-	-	-	1
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	9	4	3	1	1
7 VIRAL DISEASES-----040-079	1	-	-	1	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	3	-	-	3	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	-	-	-	-	-
15 MENINGITIS-----320	3	1	1	1	5
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	3	-	-	-	3
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOITIS-----466,490,491	4	-	-	3	1
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	20	6	1	9	4
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	20	6	1	9	4
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	5	-	1	4	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	5	5	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	1	-	-	1	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	1	-	-	-	-
27 CONGENITAL ANOMALIES-----740-789	66	42	6	15	3
28 ANENCEPHALUS-----740	4	3	1	-	-
29 SPINA BIFIDA-----741	4	2	-	1	1
30 CONGENITAL HYDROCEPHALUS-----742	3	2	-	1	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	1	1	-	-	-
32 CONGENITAL ANOMALIES OF HEART-----746	26	15	1	9	1
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	5	2	-	2	1
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	2	-	1	1	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	1	1	-	-	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	1	1	-	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	2	1	1	-	-
38 DOWN'S DISEASE-----759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	15	13	1	1	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	2	1	1	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	176	157	17	2	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	2	2	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	1	1	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	1	1	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	1	1	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	1	1	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	-	-	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	14	13	1	-	-
54 CONDITIONS OF PLACENTA-----770	6	5	1	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	5	5	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	10	10	-	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	2	2	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	18	18	-	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	43	35	6	2	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	28	27	1	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	12	8	4	-	-
62 IMMATUREITY, UNQUALIFIED-----777	31	27	4	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	2	2	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	2	2	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	46	5	3	32	6
67 ACCIDENTS-----E800-E949	15	-	2	10	3
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	4	-	-	4	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	3	-	-	3	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	8	-	2	3	3
71 HOMICIDE-----E960-E978	4	-	1	1	2
72 ALL OTHER CAUSES-----RESIDUAL	14	2	1	7	4

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
3,894	2,017	891	630	356	1,639	713	467	240	219	170	132	10	21	7	1
41	9	5	16	11	6	2	2	-	2	2	1	-	1	-	2
3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3
3	1	-	2	-	1	1	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
58	28	18	6	6	29	13	9	5	2	-	-	-	-	-	6
9	4	2	2	1	8	-	-	5	3	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
5	1	-	4	-	5	2	-	1	2	-	-	-	-	-	9
8	-	-	6	2	7	1	-	4	2	-	-	-	-	-	10
4	3	-	1	-	2	1	1	-	-	-	-	-	-	-	11
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	12
5	2	-	3	-	4	-	-	4	-	-	-	-	-	-	13
13	5	2	5	1	4	-	-	2	2	-	-	-	-	-	14
24	5	3	10	6	22	4	3	4	11	-	-	-	-	-	15
23	3	3	10	7	12	-	-	7	5	-	-	-	-	-	16
4	-	-	3	1	1	-	-	1	-	-	-	-	-	-	17
18	-	1	10	7	8	-	-	5	3	1	-	-	-	-	18
198	27	29	81	61	64	15	5	14	30	7	3	-	3	1	19
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	20
198	27	29	81	61	63	14	5	14	30	7	3	-	3	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
23	4	1	12	6	11	2	-	5	4	-	-	-	-	-	23
38	27	4	5	2	15	9	3	2	1	4	4	-	-	-	24
2	-	-	2	-	1	-	-	-	1	-	-	-	-	-	25
20	6	4	7	3	8	2	3	2	1	2	1	-	1	-	26
601	339	74	151	37	222	108	32	62	20	41	29	1	8	3	27
46	43	1	2	-	17	15	2	-	-	4	4	-	-	-	28
30	19	-	9	2	30	11	3	14	2	1	-	-	1	-	29
34	18	4	9	3	11	6	1	2	2	2	2	-	-	-	30
21	12	2	5	2	8	5	1	2	-	3	3	-	-	-	31
220	103	32	69	16	77	35	13	19	10	16	10	1	3	2	32
46	20	4	18	4	11	5	1	4	1	1	1	-	-	-	33
51	30	8	12	1	15	9	2	3	1	3	2	-	1	-	34
18	4	6	6	2	7	2	1	2	2	2	1	-	1	-	35
19	15	1	3	-	6	3	2	1	-	2	2	-	-	-	36
20	12	3	4	1	8	3	3	1	-	2	1	-	1	1	37
9	5	-	3	1	2	-	-	2	-	-	-	-	-	-	38
72	49	10	10	3	25	10	3	10	2	2	1	-	1	-	39
15	9	3	1	2	5	3	-	2	-	3	3	-	-	-	40
2,229	1,497	704	22	6	927	539	381	4	3	101	91	9	1	-	41
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	42
26	19	7	-	-	9	7	2	-	-	1	-	1	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
12	10	2	-	-	6	5	1	-	-	-	-	-	-	-	45
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	46
13	9	4	-	-	3	2	1	-	-	-	-	-	-	-	47
5	4	1	-	-	4	3	1	-	-	-	-	-	-	-	48
9	7	2	-	-	3	3	3	-	-	-	-	-	-	-	49
16	13	3	-	-	10	6	4	-	-	2	2	-	-	-	50
6	4	2	-	-	3	3	-	-	-	3	-	-	-	-	51
10	9	1	-	-	7	3	4	-	-	2	2	-	-	-	52
245	181	64	-	-	81	45	36	-	-	7	7	-	-	-	53
69	48	21	-	-	30	20	10	-	-	3	3	-	-	-	54
9	-	-	-	-	12	9	3	-	-	3	3	-	-	-	55
137	92	44	1	-	41	23	16	1	1	3	2	1	-	-	56
22	18	4	-	-	4	3	1	-	-	1	1	-	-	-	57
272	203	61	6	2	97	65	32	-	-	17	17	-	-	-	58
309	235	144	7	3	161	98	61	1	1	18	16	2	-	-	59
332	218	113	1	-	165	96	69	-	-	18	18	-	-	-	60
60	37	22	1	-	30	14	15	1	-	1	-	-	1	-	61
414	273	137	3	1	205	108	96	1	-	23	19	4	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
53	38	14	1	-	10	9	1	-	-	4	3	1	-	-	64
170	102	66	2	-	65	33	31	-	1	-	-	-	-	-	65
386	26	24	180	156	187	6	18	66	97	8	2	-	6	-	66
67	5	2	47	13	52	1	3	34	14	2	1	-	-	1	67
27	2	-	20	5	17	-	3	-	5	1	-	-	-	1	68
10	1	-	8	1	5	-	-	-	5	-	-	-	-	-	69
30	2	2	19	7	30	1	-	20	9	1	1	-	-	-	70
14	2	3	3	6	4	-	3	-	1	-	-	-	-	-	71
98	23	12	39	24	37	7	4	11	15	2	-	-	1	1	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	OHIO				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	2,590	1,503	384	544	159
2 DIARRHEAL DISEASES-----009	27	10	5	7	5
3 WHOOPING COUGH-----033	1	-	-	1	-
4 MENINGOCOCCAL INFECTIONS-----036	6	-	-	6	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	38	19	8	9	2
7 VIRAL DISEASES-----040-079	10	1	1	7	1
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	6	2	-	4	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	10	1	1	7	1
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	1	1	-	-	-
12 DISEASES OF THYRUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	2	-	-	2	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	11	6	-	4	1
15 MENINGITIS-----320	39	10	5	16	8
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	35	3	-	26	6
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	23	2	-	10	11
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	11	-	-	7	4
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	119	23	6	71	19
20 INFLUENZA-----470-474	3	-	-	3	-
21 PNEUMONIA-----480-486	116	23	6	68	19
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	1	-	-	1	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	30	6	-	14	10
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	28	25	1	2	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	23	7	2	12	2
27 CONGENITAL ANOMALIES-----740-759	409	247	37	105	20
28 ANENCEPHALUS-----740	51	48	2	1	-
29 SPINA BIFIDA-----741	16	10	1	4	1
30 CONGENITAL HYDROCEPHALUS-----742	13	5	1	7	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	15	6	1	7	1
32 CONGENITAL ANOMALIES OF HEART-----746	140	72	13	48	7
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	31	13	4	8	6
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	32	22	3	7	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	11	5	-	4	2
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	13	10	2	1	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	16	14	-	2	-
38 DOWN'S DISEASE-----759.3	4	1	-	3	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	61	37	9	13	2
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	6	4	1	-	1
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	1,437	1,101	308	20	8
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	1	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	12	8	3	1	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	9	7	2	-	-
46 RUBELLA-----761.3	2	-	1	1	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	1	1	-	-	-
48 TOXEMIA OF PREGNANCY-----762	5	4	1	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	8	3	4	1	-
50 DIFFICULT LABOR-----764-768	24	20	4	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	6	5	1	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----	18	15	3	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	187	142	43	2	-
54 CONDITIONS OF PLACENTA-----770	87	71	14	1	1
55 CONDITIONS OF UMBILICAL CORD-----771	16	13	3	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	66	53	13	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	25	21	4	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	173	134	34	4	1
59 RESPIRATORY DISTRESS SYNDROME-----776.2	226	177	37	7	5
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	221	181	39	1	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	36	26	10	-	-
62 IMMATURETY, UNQUALIFIED-----777	242	168	72	1	1
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	26	16	10	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	82	63	17	2	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	182	13	6	131	32
67 ACCIDENTS-----E800-E949	54	5	-	42	7
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	16	3	-	13	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	8	1	-	6	1
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	30	1	-	23	6
71 HOMICIDE-----E960-E978	12	2	1	2	7
72 ALL OTHER CAUSES-----RESIDUAL	75	19	3	38	15

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

OKLAHOMA					OREGON					PENNSYLVANIA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
741	442	88	147	64	488	311	19	144	14	2,590	1,596	421	419	154	1
10	2	1	4	3	1	-	-	1	-	17	9	4	3	1	2
-	-	-	-	-	1	-	-	-	-	3	2	-	-	1	4
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	5
14	10	1	3	-	8	8	-	-	-	52	29	9	8	6	6
1	-	-	-	1	1	-	-	1	-	11	5	-	6	-	7
4	2	-	2	-	1	1	-	-	-	5	2	-	3	-	9
2	-	-	2	-	4	1	-	3	-	9	-	-	7	2	10
2	-	-	-	-	2	1	-	1	-	2	1	-	-	1	11
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	12
3	-	-	2	1	1	-	-	-	-	2	-	-	2	-	13
-	-	-	-	-	1	1	-	-	-	11	5	2	2	2	14
13	2	-	6	5	7	3	1	1	2	26	7	1	16	2	15
9	-	-	6	3	2	-	-	1	1	16	3	-	9	4	16
3	1	-	-	2	-	-	-	-	-	3	-	-	2	1	17
1	-	-	1	-	2	-	-	2	-	6	-	-	4	2	18
55	7	4	28	16	13	5	-	4	4	112	25	10	66	11	19
55	7	4	28	16	13	5	-	4	4	112	25	10	66	11	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	2	-	1	1	2	-	-	2	-	28	4	1	19	4	22
6	4	1	-	1	3	3	-	-	-	29	18	3	5	3	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
6	1	2	3	-	4	2	-	1	1	7	-	2	4	1	25
109	67	10	30	2	94	68	1	25	-	372	238	34	79	21	26
7	5	1	1	-	14	14	-	-	-	1	34	2	-	1	27
7	3	1	3	-	3	3	-	-	-	12	8	-	3	1	28
6	2	1	2	-	1	1	-	5	-	7	3	-	3	1	29
4	2	-	2	-	1	2	1	1	-	15	10	1	4	1	30
35	23	2	9	1	34	23	-	11	-	140	84	15	46	3	31
5	3	1	1	1	6	6	-	-	-	33	19	7	3	4	32
9	6	-	3	-	11	6	-	5	-	21	15	1	1	4	33
6	3	2	1	-	5	4	-	1	-	21	7	-	11	3	34
6	4	1	1	-	4	4	-	-	-	14	13	-	-	1	35
1	1	-	-	-	3	3	-	1	-	11	9	2	-	1	36
-	-	-	-	-	2	1	-	1	-	5	2	-	2	1	37
16	12	1	3	-	3	2	-	1	-	43	32	4	6	1	38
7	3	1	3	-	-	-	-	-	-	5	2	2	-	1	39
407	339	62	5	1	220	203	15	2	-	1,555	1,195	346	10	4	40
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	41
3	3	-	-	-	6	5	-	1	-	12	9	3	-	-	42
1	1	-	-	-	1	1	-	-	-	8	6	2	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	2	-	-	-	5	4	-	1	-	4	3	1	-	-	45
3	1	2	-	-	1	1	-	-	-	3	2	1	-	-	46
3	1	-	-	-	4	4	-	-	-	10	6	4	-	-	47
3	3	-	-	-	5	4	1	-	-	19	14	4	1	-	48
3	3	-	-	-	2	1	-	-	-	5	3	2	-	-	49
51	44	6	1	-	37	35	2	-	-	14	11	2	1	-	50
17	16	1	-	-	7	7	-	-	-	3	2	1	-	-	51
4	3	1	-	-	2	2	-	-	-	19	14	4	-	-	52
37	30	6	1	-	11	11	1	-	-	5	3	2	-	-	53
7	6	-	-	-	5	5	-	-	-	17	16	1	-	-	54
69	51	12	-	-	24	23	1	-	-	198	155	38	4	1	55
67	58	7	2	-	38	37	1	-	-	165	138	24	2	1	56
66	56	10	-	-	36	30	5	1	-	276	221	53	2	-	57
5	5	-	-	-	1	1	-	-	-	34	23	10	-	-	58
44	33	10	-	1	31	27	4	-	-	227	162	65	-	1	59
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
14	11	3	-	-	3	3	-	-	-	37	21	15	-	1	61
21	17	4	-	-	9	9	-	-	-	119	80	38	1	-	62
44	2	-	29	13	86	7	2	73	4	191	15	4	110	62	63
22	-	1	14	7	14	2	-	12	-	44	5	2	26	11	64
4	-	1	2	1	-	-	-	-	-	15	2	1	6	6	65
-	-	-	-	-	3	3	-	3	-	8	3	1	7	1	66
18	-	-	12	6	11	2	-	9	-	21	3	1	13	4	67
3	-	-	-	-	-	-	-	-	-	11	3	-	2	6	68
25	3	6	8	8	21	6	-	13	2	78	30	3	36	9	69

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	RHODE ISLAND				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	177	124	14	33	6
2 DIARRHEAL DISEASES-----009	3	3	-	-	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	1	1	-	-	-
7 VIRAL DISEASES-----040-079	-	-	-	-	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	-	-	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	1	-	1	-	-
15 MENINGITIS-----320	2	1	-	-	1
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	1	-	-	1	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHOLITIS-----466,490,491	1	-	-	1	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	5	1	-	3	1
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	5	1	-	3	1
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	1	1	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	3	1	-	2	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3	2	1	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	1	-	1	-	-
27 CONGENITAL ANOMALIES-----740-759	27	18	1	7	1
28 ANENCEPHALUS-----740	-	-	-	-	-
29 SRINA BIFIDA-----741	2	1	-	1	-
30 CONGENITAL HYDROCEPHALUS-----742	-	-	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	-	-	-	-	-
32 CONGENITAL ANOMALIES OF HEART-----746	10	8	-	1	1
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	1	1	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	6	5	-	1	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	1	-	-	1	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	2	1	1	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	1	1	-	-	-
38 DOWN'S DISEASE-----759.3	2	-	-	2	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	2	1	-	1	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	-	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	105	94	10	1	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	-	-	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	-	-	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	3	3	-	-	-
50 DIFFICULT LABOR-----764-768	2	2	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	2	2	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	-	-	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	18	18	-	-	-
54 CONDITIONS OF PLACENTA-----770	7	7	-	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	-	-	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	6	5	1	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	-	-	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	10	9	1	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	8	5	3	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	23	22	1	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	3	2	1	-	-
62 IMMATURITY, UNQUALIFIED-----777	16	13	2	1	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	5	4	1	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	4	4	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	13	1	-	9	3
67 ACCIDENTS-----E800-E949	4	-	-	4	-
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	1	-	-	1	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	-	-	-	-	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	3	-	-	3	-
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	6	1	-	5	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.

Revision: International Classification of Diseases, Adapted, 1965]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
1,025	375	348	115	187	222	132	24	45	21	1,110	572	256	185	97	1
16	2	7	2	5	2	2	-	-	-	12	5	3	2	2	2
2	-	-	-	2	-	-	-	-	-	1	-	-	-	-	3
14	8	3	1	2	1	1	-	-	-	24	15	4	3	2	4
3	1	-	1	1	1	-	-	-	1	3	1	-	2	-	5
2	-	1	-	1	1	-	-	-	1	5	2	1	-	2	6
3	-	-	2	1	-	-	-	-	-	1	-	-	1	-	7
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	8
1	1	-	-	-	2	2	-	-	-	2	-	-	2	-	9
6	-	-	5	1	1	1	-	-	-	-	-	-	-	-	10
17	1	2	6	8	7	1	-	4	2	12	5	2	2	3	11
8	-	-	4	4	2	-	-	2	-	8	1	-	4	3	12
4	-	-	1	3	-	-	-	-	-	1	-	-	-	1	13
4	2	-	2	2	-	-	-	-	-	2	-	-	-	1	14
75	3	14	14	44	19	1	2	7	9	44	2	4	30	8	15
4	-	-	2	2	1	-	-	1	-	-	-	-	-	20	16
71	3	14	12	42	18	1	2	6	9	44	2	4	30	8	17
3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	18
16	4	3	1	8	2	-	-	-	-	5	2	-	2	1	19
13	8	3	2	8	3	3	-	-	-	6	4	-	2	2	20
1	-	-	-	1	-	-	-	-	-	5	3	1	1	-	21
7	-	2	3	2	1	1	-	-	-	3	1	-	1	1	22
134	61	31	22	20	36	24	1	10	1	183	106	28	37	12	23
10	9	1	-	-	3	2	-	1	-	13	11	1	1	-	24
6	1	1	2	3	2	1	-	1	-	14	9	-	5	-	25
10	5	1	3	1	1	-	-	1	-	9	5	1	2	1	26
6	2	3	1	1	2	2	-	1	-	5	5	-	-	-	27
46	17	11	12	6	10	7	1	2	1	80	42	14	16	8	28
8	4	-	1	3	1	1	-	-	-	10	7	1	2	-	29
12	7	4	1	-	3	3	-	-	-	11	5	1	4	1	30
7	2	3	1	1	2	2	-	2	-	10	5	1	4	-	31
3	1	1	1	-	4	3	-	1	-	4	3	1	1	-	32
6	5	1	-	-	1	1	-	-	-	5	2	1	1	1	33
3	-	2	-	1	1	1	-	-	-	-	-	-	-	-	34
14	8	3	-	3	6	5	-	1	-	19	11	7	-	1	35
3	-	1	1	1	1	1	-	-	-	3	1	-	2	-	36
545	272	263	3	7	115	95	20	-	-	615	405	204	5	1	37
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	39
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	41
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	42
5	4	1	-	-	1	1	-	-	-	2	1	1	-	-	43
4	3	1	-	-	1	1	-	-	-	2	1	2	-	-	44
10	3	7	-	-	1	1	-	-	-	17	13	4	-	-	45
7	3	4	-	-	1	1	-	-	-	4	4	-	-	-	46
3	-	3	-	-	-	-	-	-	-	13	9	4	-	-	47
49	29	20	-	-	17	15	2	-	-	91	57	34	-	-	48
22	9	13	-	-	2	2	-	-	-	22	17	5	-	-	49
11	3	8	-	-	1	1	-	-	-	5	5	-	-	-	50
26	14	11	1	-	8	7	1	-	-	32	20	12	-	-	51
3	1	2	-	-	-	-	-	-	-	4	3	1	-	-	52
83	48	32	1	2	16	14	2	-	-	125	87	37	1	-	53
60	37	21	2	2	26	19	7	-	-	59	42	15	2	-	54
85	45	40	-	-	11	10	1	-	-	87	57	28	2	-	55
14	5	7	1	1	2	1	1	-	-	10	8	2	-	-	56
134	54	78	-	2	20	17	3	-	-	110	73	37	-	-	57
10	6	4	-	-	4	2	2	-	-	2	1	1	-	-	58
27	10	17	-	-	6	5	1	-	-	8	4	4	-	-	59
76	6	10	16	44	11	-	1	8	2	106	11	5	51	39	60
44	3	3	20	18	12	1	-	10	1	46	3	2	26	15	61
20	2	3	7	8	4	1	-	3	-	21	2	1	14	4	62
9	-	3	4	5	3	-	-	3	-	8	-	1	4	3	63
15	1	-	9	5	5	-	-	4	-	17	1	-	8	8	64
1	-	1	-	-	1	-	-	-	-	1	-	-	1	1	65
30	5	5	9	11	6	1	-	4	1	24	6	2	10	6	66

SECTION 2 · INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	TEXAS				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	3,764	2,179	593	736	256
2 DIARRHEAL DISEASES—009	56	12	6	32	6
3 WHOOPING COUGH—033	1	—	—	1	—
4 MENINGOCOCCAL INFECTIONS—036	5	—	1	3	1
5 TETANUS—037	2	2	—	—	—
6 SEPTICEMIA—038	67	39	6	13	9
7 VIRAL DISEASES—040-079	21	5	2	11	3
8 CONGENITAL SYPHILIS—090	3	3	—	—	—
9 OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	19	6	1	11	1
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	8	—	—	5	3
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	4	1	—	2	1
12 DISEASES OF THYMUS GLAND—254	2	1	—	1	—
13 CYSTIC FIBROSIS—273.0	5	1	—	4	—
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	10	3	—	7	—
15 MENINGITIS—320	55	10	7	25	13
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	32	3	1	23	5
17 ACUTE UPPER RESPIRATORY INFECTIONS—460-465	3	—	—	2	1
18 BRONCHITIS AND BRONCHIOLITIS—466,490,491	26	—	—	16	10
19 INFLUENZA AND PNEUMONIA—470-474,480-486	219	57	14	111	37
20 INFLUENZA—470-474	3	—	—	3	—
21 PNEUMONIA—480-486	216	57	14	108	37
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	3	—	—	2	1
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492,493,500-516,518,519	26	10	1	10	5
24 HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	22	19	1	—	2
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535,561,563	6	1	—	3	2
26 OTHER DISEASES OF DIGESTIVE SYSTEM—520-534,536,537,540-543,562,564-577	28	15	2	9	2
27 CONGENITAL ANOMALIES—740-759	617	386	54	151	26
28 ANENCEPHALUS—740	52	46	5	1	—
29 SPINA BIFIDA—741	39	21	—	17	1
30 CONGENITAL HYDROCEPHALUS—742	31	16	1	13	1
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744	26	15	3	8	—
32 CONGENITAL ANOMALIES OF HEART—746	227	141	18	55	13
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	33	15	5	13	—
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	57	36	9	10	2
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	31	14	2	12	3
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752,753	18	15	2	—	1
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	19	14	2	2	1
38 DOWN'S DISEASE—759.3	5	3	—	2	—
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2,759.4-759.9	64	41	5	15	3
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745,757,758	15	9	2	3	1
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	2,002	1,512	478	9	3
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	—	—	—	—	—
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	20	19	—	—	1
44 SYPHILIS—761.0	—	—	—	—	—
45 DIABETES MELLITUS—761.1	12	12	—	—	—
46 RUBELLA—761.3	3	2	—	—	1
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2,761.4-761.7,761.9	5	5	—	—	—
48 TOXEMIA OF PREGNANCY—762	9	5	4	—	—
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	9	5	4	—	—
50 DIFFICULT LABOR—764-768	28	23	4	1	—
51 WITH MENTION OF BIRTH INJURY (.0-.3)	11	8	2	1	—
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	17	15	2	—	—
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9	206	146	59	—	1
54 CONDITIONS OF PLACENTA—770	64	60	4	—	—
55 CONDITIONS OF UMBILICAL CORD—771	24	21	3	—	—
56 BIRTH INJURY WITHOUT MENTION OF CAUSE—772	123	101	22	—	—
57 HEMOLYTIC DISEASE OF NEWBORN—774,775	16	14	2	—	—
58 HYALINE MEMBRANE DISEASE—776.1	353	292	60	1	—
59 RESPIRATORY DISTRESS SYNDROME—776.2	286	222	59	5	—
60 ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	357	268	88	1	—
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0,776.3,776.4	54	45	9	—	—
62 IMMATURITY, UNQUALIFIED—777	281	184	96	1	—
63 POSTMATURITY—778.1	2	2	—	—	—
64 HEMORRHAGIC DISEASE OF NEWBORN—778.2	51	34	17	—	—
65 ALL OTHER CONDITIONS OF NEWBORN—778.0,778.3,778.9	119	71	47	—	1
66 SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	245	48	8	123	66
67 ACCIDENTS—E800-E949	152	12	4	101	35
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911,E912	42	5	1	29	7
69 ACCIDENTAL MECHANICAL SUFFOCATION—E913	44	3	1	29	11
70 OTHER ACCIDENTAL CAUSES—E800-E910,E914-E949	66	4	2	43	17
71 HOMICIDE—E960-E978	13	3	—	6	4
72 ALL OTHER CAUSES—RESIDUAL	112	30	7	55	20

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.
 Revision International Classification of Diseases, Adapted, 1965]

TOTAL, UNDER 1 YEAR	UTAH				TOTAL, UNDER 1 YEAR	VERMONT				TOTAL, UNDER 1 YEAR	VIRGINIA					
	UNDER 28 DAYS		28 DAYS-11 MONTHS			TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER			WHITE	ALL OTHER	WHITE			ALL OTHER	WHITE	ALL OTHER	WHITE	ALL OTHER
366	261	10	84	11	97	78	-	19	-	1,201	595	313	188	105	1	
7	5	-	-	2	-	-	-	-	-	7	2	1	2	2	2	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	
5	4	-	1	-	-	-	-	-	-	26	11	5	5	5	5	
4	1	-	3	-	-	-	-	-	-	1	-	-	1	-	7	
2	1	-	1	-	1	-	-	1	-	5	-	1	3	1	8	
2	-	-	2	-	-	-	-	-	-	2	1	-	1	-	9	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	
2	1	-	1	-	-	-	-	-	-	7	3	-	2	2	13	
2	-	-	2	-	1	-	-	1	-	10	3	1	4	2	14	
-	-	-	-	-	-	-	-	-	-	18	-	1	14	3	15	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	16	
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	17	
10	2	1	4	3	2	2	-	-	-	42	7	4	18	13	18	
10	2	1	4	3	2	2	-	-	-	42	7	4	18	13	19	
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	20	
4	4	-	-	-	1	2	-	1	-	5	8	1	2	2	21	
2	1	-	1	-	3	2	-	1	-	1	1	-	2	-	22	
74	47	1	24	2	22	16	-	6	-	4	1	1	2	-	23	
6	5	1	2	1	4	4	-	-	-	194	100	39	38	17	24	
5	2	1	2	-	3	2	-	1	-	16	15	2	2	-	25	
4	4	-	2	-	3	2	-	-	-	10	6	2	2	1	26	
4	2	-	2	-	3	2	-	-	-	7	3	2	3	1	27	
22	14	-	8	-	5	3	-	2	-	11	5	3	3	5	28	
5	4	-	1	-	2	2	-	-	-	71	37	13	16	5	29	
8	2	-	6	-	3	3	-	-	-	17	9	3	3	2	30	
3	1	-	1	1	2	1	-	1	-	21	3	9	4	5	31	
4	4	-	-	-	2	1	-	-	-	3	5	1	2	1	32	
1	-	-	1	-	1	-	-	-	-	6	2	-	1	-	33	
-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	34	
9	7	-	2	-	2	1	-	1	-	21	3	9	4	5	35	
3	2	-	1	-	-	-	-	-	-	3	5	1	2	1	36	
194	184	8	2	-	53	53	-	-	-	6	2	1	1	2	37	
3	2	1	-	-	1	1	-	-	-	24	14	4	4	2	38	
2	2	-	-	-	1	1	-	-	-	2	1	-	1	-	39	
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	40	
1	-	1	-	-	-	-	-	-	-	6	5	1	-	-	41	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	42	
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	43	
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	44	
2	2	-	-	-	-	-	-	-	-	1	1	1	-	-	45	
2	2	-	-	-	-	-	-	-	-	14	10	4	-	-	46	
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	47	
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	48	
-	-	-	-	-	-	-	-	-	-	10	10	4	-	-	49	
-	-	-	-	-	-	-	-	-	-	4	4	4	-	-	50	
-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	51	
19	19	-	-	-	5	5	-	-	-	81	54	27	-	-	52	
4	3	1	-	-	3	3	-	-	-	22	16	6	-	-	53	
3	3	-	-	-	-	-	-	-	-	4	3	1	-	-	54	
10	10	-	-	-	6	6	-	-	-	32	15	15	2	-	55	
2	2	-	-	-	1	1	-	-	-	6	6	-	-	-	56	
58	56	2	-	-	3	3	-	-	-	93	65	28	-	-	57	
17	16	-	1	-	9	9	-	-	-	100	66	31	2	1	58	
27	26	1	-	-	8	8	-	-	-	96	62	34	-	-	59	
4	4	-	-	-	-	-	-	-	-	25	12	10	2	1	60	
34	32	1	1	-	12	12	-	-	-	142	76	66	-	-	61	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	
4	4	-	-	-	1	1	-	-	-	15	8	7	-	-	63	
7	5	2	-	-	4	4	-	-	-	50	33	17	-	-	64	
32	3	-	27	2	7	1	-	6	-	128	15	6	69	38	65	
11	2	-	7	2	4	1	-	3	-	18	3	2	7	6	66	
3	-	-	3	-	-	-	-	-	-	4	1	-	2	1	67	
2	-	-	1	-	1	1	-	-	-	1	-	1	-	-	68	
6	2	-	3	1	3	1	-	3	-	13	2	1	5	5	69	
1	-	-	1	-	1	-	-	-	-	3	1	-	1	1	70	
13	6	-	7	-	1	1	-	-	-	25	4	2	10	9	71	

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	WASHINGTON				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	759	474	63	200	22
2 DIARRHEAL DISEASES-----009	4	-	2	2	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	9	9	-	-	-
7 VIRAL DISEASES-----040-079	2	1	-	1	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1	1	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	4	1	-	3	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	1	-	-	1	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	2	1	-	1	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	3	1	-	1	1
15 MENINGITIS-----320	5	2	-	3	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	7	1	-	6	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	1	1	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	2	-	-	1	1
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	20	3	-	16	1
20 INFLUENZA-----470-474	1	-	-	1	-
21 PNEUMONIA-----480-486	19	3	-	15	1
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	2	2	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	9	2	-	7	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	9	7	-	2	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	1	-	-	-	1
27 CONGENITAL ANOMALIES-----740-759	126	80	8	34	4
28 ANENCEPHALUS-----740	11	11	-	-	-
29 SPINA BIFIDA-----741	4	1	1	2	-
30 CONGENITAL HYDROCEPHALUS-----742	6	3	-	3	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	6	5	-	1	-
32 CONGENITAL ANOMALIES OF HEART-----746	46	26	2	16	2
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	11	6	1	4	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	6	6	-	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	7	3	-	4	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	4	3	1	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	4	3	-	1	-
38 DOWN'S DISEASE-----759.3	1	1	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	19	11	3	3	2
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	1	1	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	399	345	50	3	1
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	3	3	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	-	-	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	3	3	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	2	2	-	-	-
50 DIFFICULT LABOR-----764-768	5	4	1	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.31)	2	2	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	3	2	1	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	42	39	3	-	-
54 CONDITIONS OF PLACENTA-----770	20	17	3	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	3	3	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	18	13	5	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	7	6	1	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	61	58	3	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	95	82	11	1	1
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	54	41	11	2	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	5	4	1	-	-
62 IMMATURETY, UNQUALIFIED-----777	59	48	11	-	-
63 POSTMATURETY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	3	3	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	22	22	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	115	9	2	95	9
67 ACCIDENTS-----E800-E949	16	1	-	14	1
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	4	-	-	4	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	1	-	-	1	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	11	1	-	9	1
71 HOMICIDE-----E960-E978	1	-	1	-	-
72 ALL OTHER CAUSES-----RESIDUAL	20	7	-	10	3

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1974—Con.

Revision International Classification of Diseases, Adapted, 1965]

WEST VIRGINIA					WISCONSIN					WYOMING					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
527	397	24	101	5	906	612	56	204	34	104	73	1	29	1	1
4	1	-	3	-	10	7	-	3	-	2	2	-	-	-	2
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
8	6	-	2	-	10	8	1	-	1	1	1	-	-	-	5
1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	6
1	-	-	1	-	2	2	-	-	-	1	-	-	1	-	7
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
2	1	-	1	-	5	2	1	2	-	-	-	-	-	-	12
2	1	-	1	-	2	1	-	-	-	-	-	-	-	-	13
4	1	-	3	-	10	2	1	7	-	1	-	-	1	-	14
7	1	-	5	1	11	4	-	7	-	2	1	-	1	-	15
-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	16
1	1	-	2	-	5	-	-	-	-	1	-	-	-	-	17
38	13	1	21	3	39	10	-	25	4	7	1	1	5	-	18
2	-	-	2	-	1	-	-	1	-	-	-	-	-	-	19
36	13	1	19	3	38	10	-	24	4	7	1	1	5	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	-	-	3	-	13	-	2	7	4	-	-	-	-	-	22
3	2	-	1	-	10	8	-	2	-	-	-	-	-	-	23
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	24
1	1	-	-	-	5	2	-	2	1	1	1	-	-	-	25
78	54	3	21	-	183	127	5	47	4	19	10	-	8	1	26
7	7	-	-	-	18	18	-	-	-	1	-	-	-	-	27
4	3	-	1	-	8	6	1	1	-	-	-	-	-	-	28
5	4	-	1	-	8	6	1	2	-	1	-	-	1	-	29
1	1	-	-	-	7	5	-	1	1	2	2	-	-	-	30
27	16	-	11	-	65	38	1	24	2	6	3	-	2	1	31
8	3	1	4	-	11	10	-	1	-	2	-	-	2	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
3	3	-	-	-	13	9	1	3	-	-	-	-	-	-	34
6	4	-	2	-	7	3	-	1	-	1	-	-	1	-	35
3	1	1	1	-	8	8	-	-	-	-	-	-	-	-	36
2	2	-	-	-	6	5	-	1	-	1	1	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
11	9	1	1	-	26	13	2	10	1	3	1	-	2	-	39
1	1	-	-	-	6	6	-	-	-	2	2	-	-	-	40
326	303	19	4	-	468	422	44	2	-	56	56	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4	4	-	-	-	4	4	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	47
3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	48
2	2	-	-	-	5	5	-	-	-	-	-	-	-	-	49
5	5	-	-	-	6	5	1	-	-	1	1	-	-	-	50
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	51
4	4	-	-	-	5	4	1	-	-	1	1	-	-	-	52
40	37	3	-	-	58	49	9	-	-	7	7	-	-	-	53
7	7	-	-	-	38	34	4	-	-	3	3	-	-	-	54
1	1	-	-	-	6	6	-	-	-	-	-	-	-	-	55
13	11	1	1	-	51	45	6	-	-	4	4	-	-	-	56
7	7	-	-	-	5	5	-	-	-	1	1	-	-	-	57
56	55	1	-	-	79	73	5	1	-	11	11	-	-	-	58
37	32	3	2	-	45	44	1	-	-	8	8	-	-	-	59
61	55	5	1	-	53	45	7	1	-	7	7	-	-	-	60
10	9	1	-	-	11	10	1	-	-	2	2	-	-	-	61
67	62	5	-	-	79	71	8	-	-	7	7	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	2	-	-	-	12	11	1	-	-	-	-	-	-	-	64
11	11	-	-	-	15	14	1	-	-	5	5	-	-	-	65
28	4	-	23	1	80	3	2	60	15	9	-	-	9	-	66
9	3	1	5	-	23	5	-	16	2	2	-	-	2	-	67
3	1	-	2	-	5	1	-	4	-	1	-	-	1	-	68
3	2	-	1	-	7	1	-	5	1	1	-	-	1	-	69
3	-	1	2	-	11	3	-	7	1	-	-	-	-	-	70
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	71
9	5	-	4	-	23	8	-	15	-	1	-	-	1	-	72

Section 3. Fetal Mortality

Table	Page
3-1. Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation: United States and each State, 1974 --	3-3
3-2. Fetal deaths and fetal-death ratios by color: United States, 1942-74 -----	3-4
3-3. Number and percent distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1974 -----	3-4
3-4. Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 38 reporting areas, 1974 -----	3-5
3-5. Fetal deaths and fetal-death rates, by plurality of birth, color, and sex: United States, 1974 -----	3-5
3-6. Fetal deaths by period of gestation and color, and fetal-death ratios by color, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1974 -----	3-6
3-7. Fetal-death ratios by color: United States, each division and State, 1970-74--	3-8
3-8. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1974 -----	3-9
3-9. Fetal deaths by month and color: United States and each State, 1974 -----	3-12
3-10. Fetal deaths by age of mother; total-birth order, color, and sex of child: United States, 1974 -----	3-16
3-11. Fetal deaths by age of mother and color: United States and each State, 1974 --	3-18
3-12. Fetal deaths by total-birth order and color: United States and each State, 1974-----	3-22
3-13. Fetal deaths by attendant, gestation group, and color: United States and each State, 1974 -----	3-26
3-14. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1974 -----	3-29
3-15. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1974-----	3-30
3-16. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1974 -----	3-31
3-17. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1974 -----	3-34

SECTION 3 - FETAL MORTALITY

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1974

[Data are by place of occurrence and include fetal deaths for nonresidents]

Area	Minimum period of gestation for which fetal-death registration is required	Total fetal deaths	Period of gestation ¹											
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated
United States----	...	53,101	12,178	2,599	4,095	4,143	3,896	4,744	1,876	5,046	3,256	2,354	1,552	7,582
Alabama-----	Advanced to 5th month (20 weeks)	894	1	10	62	107	106	86	49	77	207	13	4	153
Alaska-----	20 weeks or more ²	84	-	2	6	14	9	10	6	11	5	5	2	14
Arizona-----	After 20 weeks	379	-	2	28	40	39	53	23	74	23	39	17	41
Arkansas-----	All periods of gestation	429	3 ³	14	45	52	59	47	22	23	95	4	2	65
California-----	Advanced to 20th week ⁴	3,073	20	27	207	339	261	461	129	569	191	286	215	349
Colorado-----	All periods of gestation ⁵	426	3 ³	5	47	59	49	65	14	63	26	47	17	35
Connecticut-----	20 weeks or more	344	2	1	40	36	51	38	12	53	59	16	4	72
Delaware-----	20 weeks or more	65	1	-	7	9	14	6	2	6	13	1	-	6
District of Columbia-----	After 5th month	257	3	2	36	24	34	33	15	37	14	21	6	32
Florida-----	20 weeks or more	1,360	15	16	67	94	100	134	43	107	37	60	62	645
Georgia-----	All periods of gestation	3,110	3 ³ ,413	294	291	195	158	131	91	97	175	27	11	229
Hawaii-----	All periods of gestation ⁶	1,521	3 ³ ,1,100	122	64	57	29	23	4	32	10	11	6	63
Idaho-----	After 20 weeks	144	1	-	12	9	3	9	9	15	21	2	3	60
Illinois-----	20 weeks or more	1,934	19	44	195	226	201	295	99	818	105	151	86	195
Indiana-----	20 weeks or more	942	4	3	29	62	69	87	29	94	47	72	42	415
Iowa-----	20 weeks or more	432	-	5	53	42	43	70	30	95	33	36	30	17
Kansas-----	Weight in excess of 350 grams	373	3	9	40	42	30	55	16	74	18	40	30	18
Kentucky-----	20 weeks or more	619	6	7	37	54	54	84	26	89	44	47	35	136
Louisiana-----	After 20 weeks	800	5	7	41	51	57	82	45	81	38	27	27	341
Maine-----	All periods of gestation ⁷	439	3 ³ ,183	74	13	15	15	7	4	15	1	12	7	95
Maryland-----	20 weeks or more ⁸	507	-	3	59	64	55	91	34	84	22	29	26	40
Massachusetts-----	20 weeks or more	694	1	11	30	43	47	71	17	68	25	31	19	331
Michigan-----	Advanced through 20th week	1,441	14	23	115	139	110	202	56	227	80	87	96	292
Minnesota-----	After 20 weeks	527	2	7	41	54	57	75	26	81	33	46	25	80
Mississippi-----	All periods of gestation	2,216	3 ³ ,918	190	176	132	108	115	28	133	47	62	28	279
Missouri-----	After 20 weeks	825	3	12	48	66	72	95	28	129	40	59	41	232
Montana-----	After 20 weeks	128	-	-	7	12	18	10	11	20	7	12	8	23
Nebraska-----	Advanced to 20th week	255	3	1	22	25	30	31	16	54	22	23	11	17
Nevada-----	After 20 weeks	75	-	-	2	5	3	11	6	6	2	2	3	35
New Hampshire-----	Advanced to 20 weeks	100	-	-	3	5	9	8	-	11	3	8	2	51
New Jersey-----	20 weeks or more	1,001	11	12	72	89	87	144	39	146	49	67	58	207
New Mexico-----	After 20 weeks	193	-	-	10	14	19	24	12	20	34	11	3	46
New York-----	All periods of gestation ⁹	9,547	3 ³ ,545	796	548	414	336	391	137	439	187	215	128	1,431
North Carolina-----	After 20 weeks	1,209	11	19	114	161	122	168	59	190	64	109	99	73
North Dakota-----	Advanced to 20 weeks	109	-	1	4	11	12	14	6	21	11	7	9	13
Ohio-----	20 weeks or more	1,757	10	26	109	136	183	238	74	234	83	130	106	432
Oklahoma-----	20 weeks or more	449	3	8	28	46	37	57	21	78	26	34	29	82
Oregon-----	20 weeks or more ¹⁰	298	4	8	30	32	38	41	8	60	22	24	17	14
Pennsylvania-----	After 16 weeks ¹¹	2,329	5	386	453	296	214	245	125	197	295	66	19	32
Rhode Island-----	20 weeks or more	116	1	2	9	17	10	12	2	14	11	9	6	23
South Carolina-----	20 weeks or more (500 gram weight)	721	-	-	61	82	80	110	34	104	35	60	59	96
South Dakota-----	20 weeks or more	113	-	4	12	10	13	10	6	21	6	9	9	15
Tennessee-----	20 weeks or more	920	4	20	84	115	78	118	61	159	62	91	61	69
Texas-----	20 weeks or more	2,518	1	2	314	338	316	327	235	296	553	75	21	20
Utah-----	After 20 weeks	287	1	1	12	9	17	25	6	32	11	20	9	144
Vermont-----	20 weeks or more	68	-	3	9	12	8	6	-	10	3	7	4	6
Virginia-----	All periods of gestation	5,595	3 ³ ,858	597	274	142	107	136	60	85	165	21	8	342
Washington-----	20 weeks or more	474	2	4	24	47	38	45	25	65	29	34	28	135
West Virginia-----	Advanced to 5th month ¹²	324	1	5	23	28	29	54	13	50	26	31	25	39
Wisconsin-----	After 20 weeks	575	1	1	76	70	62	78	42	96	119	25	6	-
Wyoming-----	After 20 weeks	85	-	3	8	7	12	13	7	8	4	13	3	6

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

²Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.

³For areas which report fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Total	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Georgia-----	1,413	8	278	671	456
Hawaii-----	1,100	60	176	494	370
Mississippi-----	918	19	119	389	392
New York-----	4,545	102	601	2,173	1,669
Virginia-----	3,858	32	908	2,051	867

For explanation of the deletion of Arkansas, Colorado, and Maine from this list for 1974, see Technical Appendix.

⁴Further stipulated that "when the length of gestation is not determinable the following criteria may be used: A. weight of 400 grams or more; B. crown-heel length of 28 centimeters or more. If both of the above criteria are met the fetus should be registered as a fetal death."

⁵Although fetal deaths for all periods of gestation continue to be required for Colorado, only 5 fetal deaths under 20 weeks gestation are shown. This undercount is attributable to the fact that Colorado did not intend to forward any copies of fetal death certificates for periods of gestation under 20 weeks to the National Center for Health Statistics for data years 1973 and 1974. As a result the percentage of all fetal deaths under 20 weeks gestation decreased from 65 percent for 1972 to 2 percent for 1973 and to 1 percent for 1974.

⁶For explanation of the increase in fetal deaths between 1973 and 1974, see Technical Appendix.

⁷For Maine, the increase of the number of fetal deaths under 20 weeks gestation from 17 for 1973 to 257 for 1974 results from NCHS erroneously classifying some abortions as fetal deaths. Inasmuch as most of these abortions probably occurred before 20 weeks gestation, their erroneous inclusion should not affect appreciably the data for fetal deaths of 20 weeks or more gestation. See Technical Appendix.

⁸Further specifies that "if the gestation period is unknown but the fetus weighs 500 grams or more, a fetal death certificate must be filed."

⁹Excludes fetal deaths under 16 weeks gestation for New York City. See Technical Appendix.

¹⁰Beginning on August 15, 1973, Oregon's minimum period of gestation for which fetal-death registration is required was changed from "all periods of gestation" to "20 weeks and over."

¹¹Beginning with data for 1974, Pennsylvania was considered a "legal liberalized abortion State," and the separation of fetal deaths and "abortions" was made on the basis of information in the cause of death section of the certificate. Prior to 1974 all fetal-death certificates were processed as fetal deaths without reference to the medical section of the certificate.

¹²Further specifies "or total length of 10 inches."

SECTION 3 - FETAL MORTALITY

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: United States, 1942-74

[Fetal deaths for 1969-74 include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. For earlier years, gestational age not stated is included. Ratios per 1,000 live births in specified group]

Year	Number			Ratio		
	Total	White	All other	Total	White	All other
1974 ¹	36,281	26,365	9,916	11.5	10.2	17.0
1973 ¹	38,309	27,433	10,876	12.2	10.8	18.6
1972 ¹	41,380	29,611	11,769	12.7	11.2	19.5
1971 ¹	47,618	34,308	13,310	13.4	11.8	21.2
1970 ¹	52,961	38,481	14,480	14.2	12.4	22.6
1969	50,749	37,091	13,658	14.1	12.4	22.5
1968	55,295	40,206	15,087	15.0	13.8	25.6
1967	54,954	39,500	15,454	15.6	13.5	25.8
1966	56,637	40,627	16,010	15.7	13.6	26.1
1965	60,659	43,530	17,329	16.2	13.9	27.2
1964	65,931	47,345	18,586	16.4	14.1	28.2
1963 ²	64,640	45,495	17,075	15.8	13.7	26.7
1962 ²	66,421	47,326	17,128	15.9	13.9	26.7
1961	68,767	50,728	18,039	16.1	14.1	27.0
1960	68,480	50,894	17,586	16.1	14.1	26.8
1959	68,615	50,911	17,702	16.2	14.2	27.3
1958	69,355	51,969	17,386	16.5	14.5	27.5
1957	69,561	52,591	16,970	16.5	14.5	26.6
1956	68,659	51,865	16,794	16.5	14.8	27.2
1955	69,153	52,411	16,742	17.1	15.2	28.4
1954	70,109	53,532	16,577	17.5	15.5	28.0
1953	69,393	53,252	16,141	17.8	15.9	29.6
1952	70,447	53,541	16,906	18.3	16.1	32.2
1951	70,569	54,071	16,498	18.8	16.7	32.1
1950	68,262	52,319	15,943	19.2	17.1	32.5
1949	70,584	54,114	16,470	19.8	17.5	34.6
1948	72,638	56,232	16,406	20.6	18.3	36.5
1947	77,917	61,072	16,845	21.1	18.7	39.6
1946	74,849	58,494	16,355	22.8	20.4	40.9
1945	65,513	51,242	14,271	23.9	21.4	42.0
1944	68,374	---	---	24.5	---	---
1943	71,875	---	---	24.5	---	---
1942	72,017	---	---	25.6	---	---

¹Excludes fetal deaths among nonresidents of the United States.

²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 3-3. Number and Percent Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1974

[Includes only fetal deaths to residents of those areas in the United States which report all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York, and Virginia. However, Arkansas, Colorado, and Maine are excluded from this table. Also data for New York exclude fetal deaths under 16 weeks gestation for New York City. See Technical Appendix]

Age of mother	Period of gestation ¹							
	Number				Percent			
	Total	Under 20 weeks	20 weeks and over	Not stated	Total	Under 20 weeks	20 weeks and over	Not stated
Total	21,498	13,228	5,960	2,310	100.0	100.0	100.0	100.0
Under 15 years	125	51	54	20	0.6	0.4	0.9	0.9
15-19 years	3,459	1,918	1,159	382	16.1	14.5	19.4	16.5
20-24 years	6,247	3,864	1,758	625	29.1	29.2	29.5	27.1
25-29 years	6,029	3,853	1,569	607	28.0	29.1	26.3	26.3
30-34 years	3,302	2,066	857	379	15.4	15.6	14.4	16.4
35-39 years	1,622	997	413	212	7.5	7.5	6.9	9.2
40-44 years	628	412	138	78	2.9	3.1	2.3	3.4
45-49 years	86	67	12	7	0.4	0.5	0.2	0.3

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-5

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 38 Reporting Areas, 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. For list of States reporting legitimacy status, see Technical Appendix]

Age of mother and color	Number			Ratio		
	Total	Legitimate ¹	Illegitimate	Total	Legitimate ¹	Illegitimate
Total-----	24,653	19,923	4,730	11.7	10.9	17.0
Under 15 years-----	196	29	167	21.8	18.5	22.5
15-19 years-----	5,334	3,154	2,200	12.8	11.5	15.2
20-24 years-----	7,475	6,214	1,261	10.0	9.3	15.6
25-29 years-----	5,927	5,374	553	9.9	9.4	19.7
30-34 years-----	3,306	3,015	291	14.0	13.4	25.6
35-39 years-----	1,702	1,520	182	22.5	21.6	35.5
40 years and over-----	713	637	76	36.6	35.4	50.6
White-----	17,586	16,013	1,573	10.3	10.0	14.6
Under 15 years-----	57	22	35	16.3	16.2	16.3
15-19 years-----	3,244	2,505	739	11.2	10.6	13.3
20-24 years-----	5,456	5,035	421	8.9	8.6	13.4
25-29 years-----	4,633	4,445	189	8.9	8.7	16.8
30-34 years-----	2,526	2,415	111	12.5	12.3	24.6
35-39 years-----	1,192	1,137	55	19.5	19.3	26.7
40 years and over-----	478	456	22	31.4	31.2	35.5
All other-----	7,087	3,910	3,157	17.9	17.4	18.4
Under 15 years-----	139	7	132	25.3	33.7	25.0
15-19 years-----	2,090	629	1,461	16.6	17.1	16.4
20-24 years-----	2,019	1,179	840	15.0	13.9	17.0
25-29 years-----	1,294	931	363	17.0	15.7	21.6
30-34 years-----	780	600	180	22.3	21.4	28.2
35-39 years-----	510	383	127	34.9	33.1	41.4
40 years and over-----	235	181	54	54.9	53.3	61.2

¹Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Color, and Sex: United States, 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Rates per 1,000 live births and fetal deaths in specified group]

Plurality of birth and color	Number				Rate ¹		
	Total	Male	Female	Sex not stated	Total	Male	Female
Total-----	36,281	18,464	16,302	1,515	11.4	11.7	10.9
Fetal deaths in single deliveries-----	33,787	17,180	15,173	1,434	10.8	11.1	10.4
Fetal deaths in twin deliveries-----	2,424	1,253	1,093	78	40.2	42.7	37.7
Fetal deaths in other plural deliveries-----	70	31	36	3	65.1	59.0	71.3
White-----	26,365	13,378	11,887	1,100	10.1	10.4	9.8
Fetal deaths in single deliveries-----	24,477	12,398	11,035	1,044	9.6	9.9	9.3
Fetal deaths in twin deliveries-----	1,635	858	824	53	39.7	41.3	36.1
Fetal deaths in other plural deliveries-----	53	22	28	3	61.6	52.3	71.3
All other-----	9,916	5,086	4,415	415	16.7	17.6	15.8
Fetal deaths in single deliveries-----	9,310	4,782	4,138	390	16.0	16.9	15.1
Fetal deaths in twin deliveries-----	589	295	269	25	45.8	48.0	43.7
Fetal deaths in other plural deliveries-----	17	9	8	-	79.4	88.2	71.4

¹Figures for sex not stated are distributed.

SECTION 3 - FETAL MORTALITY

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States:1974

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix.]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation ¹				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
United States-----	36,281	4,091	4,136	22,432	5,622	11.5
White-----	26,365	2,697	2,800	16,837	4,031	10.2
All other--	9,916	1,394	1,336	5,595	1,591	17.0
Urban places-----	19,858	2,253	2,359	12,291	2,955	11.6
White-----	13,066	1,283	1,411	8,459	1,913	10.1
All other--	6,792	970	948	3,832	1,042	16.2
Balance of area-----	16,423	1,838	1,777	10,141	2,667	11.4
White-----	13,299	1,414	1,388	8,378	2,118	10.4
All other--	3,124	424	388	1,763	549	18.8
Metropolitan counties-----	25,447	2,765	2,785	14,467	3,434	11.1
White-----	16,580	1,788	1,828	10,808	2,355	9.8
All other--	8,867	977	957	3,659	1,079	16.0
Urban places-----	16,983	1,962	2,033	10,552	2,436	11.5
White-----	10,977	1,107	1,189	7,154	1,527	10.0
All other--	6,006	855	844	3,398	909	15.9
Balance of area-----	6,464	801	750	3,915	998	10.1
White-----	5,603	681	639	3,455	828	9.8
All other--	861	120	111	460	170	16.6
Nonmetropolitan counties-----	12,834	1,326	1,353	7,965	2,188	12.3
White-----	9,785	909	972	6,228	1,676	11.0
All other--	3,049	417	381	1,737	512	19.8
Urban places-----	2,875	291	326	1,739	519	12.2
White-----	2,099	176	222	1,305	366	10.7
All other--	786	115	104	434	153	19.4
Balance of area-----	9,959	1,037	1,027	6,226	1,669	12.4
White-----	7,686	733	750	4,923	1,290	11.1
All other--	2,263	304	277	1,303	379	19.9
New England-----	1,392	104	125	671	492	9.2
White-----	1,288	91	112	623	460	9.1
All other--	106	13	13	48	32	9.8
Metropolitan counties-----	1,030	76	82	475	397	9.3
White-----	929	64	70	429	366	9.2
All other--	101	12	12	46	31	10.2
Nonmetropolitan counties-----	362	28	43	196	85	8.8
White-----	357	27	42	194	84	8.9
All other--	5	1	1	2	1	5.2
Middle Atlantic-----	5,846	1,060	801	3,588	597	12.0
White-----	4,416	767	575	2,787	287	11.1
All other--	1,430	293	226	801	310	16.2
Metropolitan counties-----	4,783	873	679	2,921	510	12.2
White-----	3,404	593	455	2,143	213	11.0
All other--	1,379	280	224	778	97	18.5
Nonmetropolitan counties-----	1,063	187	122	667	87	11.5
White-----	1,012	174	120	644	74	11.5
All other--	51	13	2	23	13	11.7
East North Central-----	6,541	526	638	4,046	1,331	10.6
White-----	4,894	350	450	3,098	996	9.5
All other--	1,647	176	188	948	335	16.8
Metropolitan counties-----	4,803	423	494	2,994	902	10.7
White-----	3,259	253	299	2,104	603	9.1
All other--	1,544	170	185	890	299	16.7
Nonmetropolitan counties-----	1,738	103	154	1,052	429	10.4
White-----	1,635	97	151	994	393	10.2
All other--	103	6	3	58	36	18.3
West North Central-----	2,553	201	243	1,726	383	10.5
White-----	2,212	185	198	1,523	326	10.0
All other--	341	36	45	203	57	16.0
Metropolitan counties-----	1,180	107	112	785	176	9.9
White-----	939	82	75	639	143	9.1
All other--	241	25	37	146	33	15.2
Nonmetropolitan counties-----	1,373	94	131	941	207	11.0
White-----	1,273	85	123	884	183	10.7
All other--	100	11	8	57	24	18.6
South Atlantic-----	6,803	933	805	3,877	1,188	13.7
White-----	4,014	500	427	2,389	698	11.4
All other--	2,789	433	378	1,488	490	19.1
Metropolitan counties-----	5,508	520	428	1,902	658	12.7
White-----	2,043	282	242	1,150	369	10.7
All other--	1,465	238	186	752	289	17.5
Nonmetropolitan counties-----	3,295	413	377	1,975	530	14.9
White-----	1,971	218	185	1,239	329	12.4
All other--	1,324	195	192	736	201	21.2

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-7

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1974—Con.

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation ¹				
		20-25 weeks	24-27 weeks	28 weeks and over	Not stated	
East South Central	5,240	300	399	2,038	423	14.6
Metropolitan counties	1,900	207	205	1,222	266	11.8
Nonmetropolitan counties	1,540	173	194	816	157	22.1
White	1,240	144	164	804	128	13.8
All other	690	78	79	462	71	11.1
Metropolitan counties	850	66	85	342	57	20.1
Nonmetropolitan counties	2,000	236	235	1,234	295	15.2
White	1,210	129	126	760	195	12.3
All other	790	107	109	474	100	23.8
West South Central	4,111	426	485	2,688	512	11.6
Metropolitan counties	2,887	277	327	2,023	260	10.4
Nonmetropolitan counties	1,224	149	158	665	252	16.3
White	2,574	282	333	1,687	272	11.1
All other	1,803	193	216	1,279	115	9.9
Metropolitan counties	771	89	117	408	157	15.5
Nonmetropolitan counties	1,537	144	152	1,001	240	12.7
White	1,084	84	111	744	145	11.3
All other	453	60	41	257	85	17.7
Mountain	1,717	126	157	1,046	386	9.9
Metropolitan counties	1,502	110	142	905	345	9.5
Nonmetropolitan counties	215	18	15	141	41	13.4
White	921	66	96	572	185	9.4
All other	826	57	89	510	170	9.1
Metropolitan counties	95	9	9	62	15	13.1
Nonmetropolitan counties	796	62	59	474	201	10.5
White	676	53	53	395	175	10.1
All other	120	9	6	79	26	13.6
Pacific	4,078	333	483	2,752	510	9.8
Metropolitan counties	3,254	230	364	2,267	393	9.3
Nonmetropolitan counties	824	103	119	485	117	12.2
White	3,408	272	403	2,327	406	9.7
All other	2,687	186	303	1,893	305	9.3
Metropolitan counties	721	86	100	434	101	12.0
Nonmetropolitan counties	670	61	80	425	104	10.0
White	567	44	61	374	89	9.6
All other	103	17	19	51	16	13.2

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-9

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Unit of residence is defined as the county or county equivalent of which the mother was a resident. Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths to nonresidents]

State of occurrence	All fetal deaths occurring in State	Fetal deaths of residents occurring in county of residence	Total fetal deaths of non-residents of county	Fetal deaths of intra-state non-residents	Fetal deaths of interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Gu.	Hawaii	Idaho
United States--	36,371	28,641	7,730	6,599	1,041	31	2	10	26	11	6	8	7	7	27	20	-	11
Alabama-----	883	705	178	158	19	6	7
Alaska-----	82	68	14	15	1
Arizona-----	377	328	51	39	4	1
Arkansas ¹ -----	412	298	114	99	15	1
California-----	3,026	2,764	262	241	12	2	1
Colorado ^{1,2} -----	421	283	138	132	6
Connecticut-----	341	300	41	36	5
Delaware-----	64	53	11	7	4
District of Columbia-----	282	180	102	-	102
Florida-----	1,349	1,193	156	140	15	1	1	2
Georgia ¹ -----	1,403	895	508	443	64	16	14
Hawaii ¹ -----	245	238	5	4	1
Idaho-----	143	114	29	26	3	1
Illinois-----	1,871	1,655	216	188	30	1	1
Indiana-----	935	748	187	156	31
Iowa-----	427	287	140	109	31	1
Kansas-----	361	284	77	61	16
Kentucky-----	606	418	188	162	26
Louisiana-----	788	512	276	271	4
Maine-----	98	76	22	21	-
Maryland-----	504	344	160	136	24	1	4
Massachusetts-----	682	515	167	142	25	1
Michigan-----	1,404	1,148	256	243	12	1
Minnesota-----	518	350	168	150	18
Mississippi ¹ -----	689	535	294	270	24	6	1	1
Missouri-----	810	536	274	234	40	3	...	2
Montana-----	128	109	19	16	3
Nebraska-----	251	171	80	58	22	1
Nevada-----	75	70	5	3	2	1
New Hampshire-----	100	62	38	27	11	1
New Jersey-----	978	821	157	146	11
New Mexico-----	193	168	25	16	9
New York ¹ -----	2,939	2,600	339	274	64	6	1	1	1
North Carolina-----	1,179	900	279	253	26	1
North Dakota-----	108	72	36	31	4
Ohio-----	1,721	1,394	327	279	48
Oklahoma-----	438	343	95	81	4	2
Oregon ³ -----	280	225	55	44	11	4	4
Pennsylvania-----	1,938	1,554	384	331	53	1	1	5
Rhode Island-----	113	78	35	16	19	4
South Carolina-----	701	568	133	124	9	1	...	1
South Dakota-----	109	74	35	30	5
Tennessee-----	696	628	268	195	73	5	19	5	9
Texas-----	2,515	2,101	414	322	29	1	1	...	1
Utah-----	285	235	50	44	6	1	1	1
Vermont ³ -----	65	50	15	14	1
Virginia ¹ -----	1,029	462	567	535	32	1	...	1	1	...	1
Washington-----	468	398	70	57	13	1	6
West Virginia-----	318	202	116	81	35
Wisconsin-----	574	438	136	121	15
Wyoming-----	81	63	18	12	5	1

¹This State requires reporting of all fetal deaths regardless of period of gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

²Copies of certificates for fetal deaths under 20 weeks gestation for 1974 were not forwarded by Colorado to the National Center for Health Statistics.

³This State requires reporting of fetal deaths of 20 weeks or more gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Unit of residence is defined as the county or county equivalent of which the mother was a resident. Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths to nonresidents]

State of occurrence	Fetal deaths of interstate nonresidents by State of residence—Con.																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
United States-----	54	27	23	20	34	18	7	100	19	32	12	16	32	2	8	8	14	69	15	
Alabama-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Arkansas ¹ -----	-	1	-	-	-	1	-	-	-	-	-	-	5	-	-	-	-	-	-	-
California-----	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5	-	-	-	1
Colorado ^{1,2} -----	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Connecticut-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delaware-----	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2
District of Columbia-----	-	-	-	-	-	-	-	80	-	-	-	-	-	-	-	-	-	-	-	-
Florida-----	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Georgia ¹ -----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii ¹ -----	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Idaho-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois-----	...	10	2	-	1	-	-	-	-	4	-	-	7	-	1	-	-	-	-	-
Indiana-----	16	...	-	-	2	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-
Iowa-----	15	1	...	-	-	-	-	-	-	-	3	-	3	-	5	-	-	-	-	-
Kansas-----	-	-	-	...	-	-	-	-	-	-	-	-	13	-	-	-	-	-	-	-
Kentucky-----	2	9	-	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana-----	-	-	-	-	-	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Maine ¹ -----	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland-----	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts-----	-	-	-	-	-	-	1	-	...	-	1	-	-	-	-	-	-	13	1	-
Michigan-----	-	1	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-
Minnesota-----	-	-	2	-	-	-	-	-	-	-	...	-	1	-	-	-	-	-	1	-
Mississippi ¹ -----	-	-	-	-	-	11	-	-	-	1	-	...	1	-	-	-	-	-	-	-
Missouri-----	17	-	1	17	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
Montana-----	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-
Nebraska-----	-	-	15	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-
New Hampshire-----	-	-	-	-	-	-	5	1	2	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
New Mexico-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New York ¹ -----	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	33
North Carolina-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Dakota-----	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Ohio-----	-	4	-	-	12	-	-	-	-	11	-	-	-	-	-	-	-	-	-	2
Oklahoma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon ¹ -----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania-----	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	27
Rhode Island-----	-	-	-	-	-	-	-	-	14	-	-	-	-	-	-	-	-	1	-	-
South Carolina-----	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota-----	-	-	1	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Tennessee-----	-	-	-	-	11	-	-	-	-	-	-	14	-	-	-	-	-	-	-	-
Texas-----	-	-	-	2	-	3	-	2	-	1	-	-	-	-	-	-	-	-	-	10
Utah-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Vermont ¹ -----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia ¹ -----	-	-	-	-	1	-	-	9	-	1	-	-	-	-	-	-	-	-	2	-
Washington-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia-----	-	-	-	-	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin-----	4	1	2	-	-	-	-	-	-	7	1	-	-	-	-	-	-	-	-	-
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

¹This State requires reporting of all fetal deaths regardless of period of gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

²Copies of certificates for fetal deaths under 20 weeks gestation for 1974 were not forwarded by Colorado to the National Center for Health Statistics.

³This State requires reporting of fetal deaths of 20 weeks or more gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Unit of residence is defined as the county or county equivalent of which the mother was a resident. Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths to nonresidents.]

State of occurrence	Fetal deaths of interstate nonresidents by State of residence—Con.																			Non-residents of the United States
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States	21	27	5	39	15	9	30	5	53	6	28	17	5	2	65	4	31	21	4	90
Alabama	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1
Alaska	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	8
Arizona	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Arkansas ¹	-	-	-	-	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
California	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	9
Colorado ²	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Connecticut	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	-	-	-	-	-
Florida	1	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	1
Georgia ¹	-	3	-	1	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	1
Hawaii ¹	-	-	-	-	-	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
Indiana	-	-	-	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Kansas	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	2	-	-	-	-	-	-	4	-	-	-	3	-	6	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1
Maine ¹	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Maryland	1	1	-	-	-	-	2	-	-	-	-	-	-	-	12	-	3	-	-	-
Massachusetts	3	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Michigan	-	-	-	1	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1
Minnesota	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	11	-	-
Mississippi ¹	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Nebraska	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-
Nevada	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
New Jersey	3	-	-	-	-	-	4	-	-	-	1	-	-	-	1	-	-	-	-	-
New Mexico	-	2	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
New York ¹	...	2	-	1	-	-	19	-	-	-	1	-	-	-	2	-	-	-	-	1
North Carolina	-	...	-	-	-	-	-	-	10	-	5	-	-	-	9	-	-	-	-	-
North Dakota	-	-	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Ohio	-	1	-	...	-	2	2	-	-	-	-	1	-	-	-	-	13	-	-	-
Oklahoma	-	-	-	-	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Oregon ³	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Pennsylvania	4	1	-	5	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-
Rhode Island	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina	2	3	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	1
South Dakota	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-
Tennessee	-	2	-	-	-	-	-	-	-	-	...	-	-	-	9	-	-	1	-	-
Texas	-	-	1	-	5	-	1	-	-	-	-	-	1	-	-	-	-	63
Utah	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	1	-
Vermont ³	1	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-
Virginia ¹	-	9	-	-	-	-	-	-	-	-	-	-	-	-	...	-	6	-	-	-
Washington	1	-	-	-	-	-	5	-	-	-	-	-	-	-	-	...	-	-	-	-
West Virginia	-	2	-	22	-	-	1	-	-	-	-	-	-	-	4	-	...	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	...	1

¹This State requires reporting of all fetal deaths regardless of period of gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

²Copies of certificates for fetal deaths under 20 weeks gestation for 1974 were not forwarded by Colorado to the National Center for Health Statistics.

³This State requires reporting of fetal deaths of 20 weeks or more gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES	36,281	2,960	2,657	2,942	2,944	3,108	3,055	3,334	3,314	3,102	3,194	2,829	2,847
WHITE	26,365	2,141	1,971	2,146	2,139	2,256	2,208	2,368	2,370	2,260	2,334	2,068	2,104
ALL OTHER	9,916	819	686	796	805	852	847	966	944	842	860	761	738
ALABAMA	894	81	69	74	88	63	68	81	75	73	83	76	63
WHITE	444	40	32	43	46	27	31	37	38	36	44	39	31
ALL OTHER	450	41	37	31	42	36	37	44	37	37	39	37	32
ALASKA	83	3	5	8	9	8	5	6	7	6	11	9	6
WHITE	63	1	5	6	8	6	4	3	6	4	9	6	5
ALL OTHER	20	2	-	2	1	2	1	3	1	2	2	3	1
ARIZONA	375	37	24	31	23	34	25	29	48	20	42	33	29
WHITE	295	31	15	26	18	24	19	18	40	18	33	30	23
ALL OTHER	80	6	9	5	5	10	6	11	8	2	9	3	6
ARKANSAS ²	423	34	22	38	30	38	44	42	45	38	35	23	34
WHITE	274	22	14	21	19	20	33	25	30	24	25	17	24
ALL OTHER	149	12	8	17	11	18	11	17	15	14	10	6	10
CALIFORNIA	3,016	249	199	260	259	235	267	285	269	264	270	240	219
WHITE	2,453	204	161	215	205	189	221	234	229	214	214	198	169
ALL OTHER	563	45	38	45	54	46	46	51	40	50	56	42	50
COLORADO ^{3,12}	421	44	30	31	34	46	36	37	41	31	27	28	36
WHITE	386	43	29	29	32	44	31	31	41	26	24	24	32
ALL OTHER	35	1	1	2	2	2	5	6	-	5	3	4	4
CONNECTICUT	344	24	36	31	26	29	24	32	23	35	31	25	28
WHITE	286	22	30	25	23	26	19	28	15	31	25	19	23
ALL OTHER	58	2	6	6	3	3	5	4	8	4	6	6	5
DELAWARE	67	4	4	10	6	6	7	8	6	6	6	4	-
WHITE	46	4	3	8	2	4	6	4	5	3	4	3	-
ALL OTHER	21	-	1	2	4	2	1	4	1	3	2	1	-
DISTRICT OF COLUMBIA	157	18	11	10	8	13	13	21	10	14	15	8	16
WHITE	16	3	-	-	-	1	2	1	1	2	4	-	2
ALL OTHER	141	15	11	10	8	12	11	20	9	12	11	8	14
FLORIDA	1,360	99	80	107	120	120	112	119	130	123	141	100	109
WHITE	885	70	52	70	86	77	70	71	78	70	97	61	83
ALL OTHER	475	29	28	37	34	43	42	48	52	53	44	39	26
GEORGIA ²	1,358	123	91	111	102	130	113	122	130	98	117	107	114
WHITE	735	72	46	59	57	73	51	63	58	59	67	62	68
ALL OTHER	623	51	45	52	45	57	62	59	72	39	50	45	46
HAWAII ²	242	23	13	24	26	19	15	29	27	16	15	15	20
WHITE	78	8	5	7	5	4	6	12	5	6	10	5	5
ALL OTHER	164	15	8	17	21	15	9	17	22	10	5	10	15

See footnotes at end of table.

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
IDAHO	151	5	13	16	12	14	11	18	9	16	18	11	8
WHITE	141	4	12	15	12	12	11	17	9	16	15	10	8
ALL OTHER	10	1	1	1	-	2	-	1	-	-	3	1	-
ILLINOIS	1,895	169	147	137	166	173	143	156	161	173	166	147	157
WHITE	1,226	102	94	89	109	116	89	100	107	115	105	95	105
ALL OTHER	669	67	53	48	57	57	54	56	54	58	61	52	52
INDIANA	931	77	68	71	67	94	87	85	91	75	87	60	69
WHITE	740	61	56	51	58	65	71	62	71	62	76	50	57
ALL OTHER	191	16	12	20	9	29	16	23	20	13	11	10	12
IOWA	419	30	39	28	25	33	39	34	44	39	39	27	42
WHITE	408	29	39	28	25	31	38	32	43	37	37	27	42
ALL OTHER	11	1	-	-	-	2	1	2	1	2	2	-	-
KANSAS	365	30	25	25	26	33	31	36	26	25	30	43	35
WHITE	307	25	24	24	20	26	22	33	23	20	23	36	31
ALL OTHER	58	5	1	1	6	7	9	3	3	5	7	7	4
KENTUCKY	614	51	41	66	45	44	55	61	56	55	51	44	45
WHITE	521	44	34	57	40	37	47	48	51	47	41	37	38
ALL OTHER	93	7	7	9	5	7	8	13	5	8	10	7	7
LOUISIANA	801	67	55	64	60	61	70	77	81	66	71	73	56
WHITE	373	34	25	32	25	30	30	33	37	32	33	33	29
ALL OTHER	428	33	30	32	35	31	40	44	44	34	38	40	27
MAINE ¹	104	3	5	10	11	9	10	9	4	8	16	7	12
WHITE	104	3	5	10	11	9	10	9	4	8	16	7	12
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	580	41	39	41	51	47	55	58	59	52	49	41	47
WHITE	378	24	27	27	37	32	37	31	40	37	31	23	32
ALL OTHER	202	17	12	14	14	15	18	27	19	15	18	18	15
MASSACHUSETTS	676	47	57	52	54	53	64	65	67	56	55	56	50
WHITE	635	42	54	52	51	52	59	57	65	51	53	50	49
ALL OTHER	41	5	3	-	3	1	5	8	2	5	2	6	1
MICHIGAN	1,423	119	105	123	109	146	104	126	126	117	129	113	106
WHITE	1,045	88	71	92	79	114	82	93	91	80	91	81	83
ALL OTHER	378	31	34	31	30	32	22	33	35	37	38	32	23
MINNESOTA	512	42	47	43	45	40	47	48	44	45	43	41	27
WHITE	484	39	42	42	42	38	45	46	43	44	39	38	26
ALL OTHER	28	3	5	1	3	2	2	2	1	1	4	3	1
MISSISSIPPI ¹	881	78	57	79	70	77	74	89	70	68	79	75	65
WHITE	336	26	22	34	23	37	31	37	24	20	26	32	24
ALL OTHER	545	52	35	45	47	40	43	52	46	48	53	43	41

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MISSOURI	802	76	74	63	56	65	75	66	70	66	80	59	52
WHITE	610	60	59	46	45	46	53	47	54	53	67	44	36
ALL OTHER	192	16	15	17	11	19	22	19	16	13	13	15	16
MONTANA	127	12	11	8	6	9	10	10	15	10	14	9	13
WHITE	112	10	11	7	5	9	9	6	13	9	13	8	12
ALL OTHER	15	2	-	1	1	-	1	4	2	1	1	1	1
NEBRASKA	237	14	21	17	13	20	19	23	23	21	26	27	13
WHITE	218	14	19	15	13	18	17	21	20	19	25	26	11
ALL OTHER	19	-	2	2	-	2	2	2	3	2	1	1	2
NEVADA	81	9	7	10	6	8	4	8	3	4	9	7	6
WHITE	64	6	7	9	6	6	3	8	2	2	6	4	5
ALL OTHER	17	3	-	1	-	2	1	-	1	2	3	3	1
NEW HAMPSHIRE	103	5	5	9	6	11	10	12	13	7	10	7	8
WHITE	102	5	5	9	6	11	10	12	13	7	9	7	8
ALL OTHER	1	-	-	-	-	-	-	-	-	-	1	-	-
NEW JERSEY	1,036	80	82	93	80	87	99	90	84	96	86	78	81
WHITE	788	58	63	66	59	62	77	67	69	76	68	58	65
ALL OTHER	248	22	19	27	21	25	22	23	15	20	18	20	16
NEW MEXICO	199	12	12	17	20	17	21	20	17	17	17	13	16
WHITE	162	10	9	13	16	13	19	19	12	14	13	10	14
ALL OTHER	37	2	3	4	4	4	2	1	5	3	4	3	2
NEW YORK ¹	2,895	218	204	230	251	258	268	265	288	241	237	226	209
WHITE	2,097	150	155	171	184	195	190	201	158	166	174	161	152
ALL OTHER	798	68	49	59	67	63	78	64	90	75	63	65	57
NORTH CAROLINA	1,180	87	87	98	97	99	100	94	108	95	104	100	111
WHITE	651	52	55	56	54	45	56	55	49	55	49	67	58
ALL OTHER	529	35	32	42	43	54	44	39	59	40	55	33	53
NORTH DAKOTA	108	10	8	9	7	10	13	8	5	8	11	9	10
WHITE	91	10	7	5	6	9	11	6	3	7	11	8	8
ALL OTHER	17	-	1	4	1	1	2	2	2	1	-	1	2
OHIO	1,712	128	127	132	168	149	128	177	145	151	136	121	150
WHITE	1,376	98	101	107	121	117	103	146	115	130	113	104	121
ALL OTHER	336	30	26	25	47	32	25	31	30	21	23	17	29
OKLAHOMA	447	39	32	37	35	32	36	35	36	59	36	44	26
WHITE	343	31	28	23	30	24	30	24	26	47	24	38	18
ALL OTHER	104	8	4	14	5	8	6	11	10	12	12	6	8
OREGON ²	278	30	24	22	23	19	24	28	20	25	23	25	15
WHITE	257	25	23	20	22	17	20	26	20	25	23	24	12
ALL OTHER	21	5	1	2	1	2	4	2	-	-	-	1	3

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

3-15

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
PENNSYLVANIA	1,915	163	139	140	149	187	163	168	181	164	167	144	150
WHITE	1,531	133	116	109	120	152	126	134	142	127	135	112	125
ALL OTHER	384	30	23	31	29	35	37	34	39	37	32	32	25
RHODE ISLAND	99	11	12	6	13	5	5	15	8	6	11	4	3
WHITE	93	10	11	5	13	4	5	15	8	5	10	4	3
ALL OTHER	6	1	1	1	—	1	—	—	—	1	1	—	—
SOUTH CAROLINA	725	54	65	56	52	47	53	81	71	70	56	62	58
WHITE	323	29	29	23	24	26	19	31	29	29	27	26	31
ALL OTHER	402	25	36	33	28	21	34	50	42	41	29	36	27
SOUTH DAKOTA	110	15	7	12	9	7	8	8	13	7	8	6	10
WHITE	94	12	6	11	8	6	7	6	10	7	6	5	10
ALL OTHER	16	3	1	1	1	1	1	2	3	—	2	1	—
TENNESSEE	851	54	77	70	71	61	71	85	79	67	67	71	78
WHITE	599	35	55	46	47	46	55	61	54	43	47	51	59
ALL OTHER	252	19	22	24	24	15	16	24	25	24	20	20	19
TEXAS	2,440	198	167	191	190	188	185	225	246	220	237	199	194
WHITE	1,897	156	132	151	143	152	144	169	186	169	185	156	154
ALL OTHER	543	42	35	40	47	36	41	56	60	51	52	43	40
UTAH	284	28	15	23	22	27	16	19	21	32	26	24	31
WHITE	268	26	15	23	22	26	15	18	21	29	21	24	28
ALL OTHER	16	2	—	—	—	1	1	1	—	3	5	—	3
VERMONT ²	66	4	4	4	7	4	4	6	7	7	9	6	4
WHITE	66	4	4	4	7	4	4	6	7	7	9	6	4
ALL OTHER	—	—	—	—	—	—	—	—	—	—	—	—	—
VIRGINIA ³	1,062	93	68	91	78	101	92	94	90	89	98	79	89
WHITE	687	55	46	65	53	61	58	53	57	63	70	48	58
ALL OTHER	375	38	22	26	25	40	34	41	33	26	28	31	31
WASHINGTON	459	36	43	39	36	42	47	38	34	34	31	40	39
WHITE	403	32	40	34	33	35	39	34	29	31	27	37	32
ALL OTHER	56	4	3	5	3	7	8	4	5	3	4	3	7
WEST VIRGINIA	314	23	31	21	28	28	27	31	34	26	20	18	27
WHITE	293	20	29	20	28	24	25	29	33	25	16	17	27
ALL OTHER	21	3	2	1	—	4	2	2	1	1	4	1	—
WISCONSIN	580	52	48	47	44	54	52	51	46	52	42	43	49
WHITE	507	49	44	39	36	48	42	45	38	45	37	38	46
ALL OTHER	73	3	4	8	8	6	10	6	8	7	5	5	3
WYOMING	79	11	5	7	5	8	6	4	8	9	7	2	7
WHITE	74	10	5	7	5	6	6	4	8	8	7	2	6
ALL OTHER	5	1	—	—	—	2	—	—	—	1	—	—	1

¹This State requires reporting of all fetal deaths regardless of period of gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

²Copies of certificates for fetal deaths under 20 weeks gestation for 1974 were not forwarded by Colorado to the National Center for Health Statistics.

³This State requires reporting of fetal deaths of 20 weeks or more gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including fetal deaths. For the District of Columbia and the States of Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin, however, the fetal-death certificate provides total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation. See Technical Appendix]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Total	36,281	13,367	7,961	4,716	2,687	1,666	1,017	648	1,259	2,960
Under 15 years	281	223	16	-	-	-	-	-	-	42
15-19 years	7,899	4,877	1,364	305	64	11	6	1	1	670
20-24 years	11,002	4,779	3,011	1,410	548	206	75	27	13	933
25-29 years	9,051	2,546	2,387	1,686	941	504	250	129	119	709
30-34 years	4,972	751	871	913	693	518	339	225	327	355
35-39 years	2,546	243	248	342	341	331	253	175	435	178
40-44 years	943	62	62	71	94	87	82	78	338	71
45-49 years	87	6	2	9	8	9	12	15	26	2
Male	18,464	6,889	4,034	2,344	1,325	838	517	324	644	1,449
Under 15 years	143	115	8	-	-	-	-	-	-	20
15-19 years	3,943	2,672	723	154	30	8	4	1	-	351
20-24 years	5,519	2,461	1,494	702	266	102	33	13	4	444
25-29 years	4,507	1,191	1,194	805	468	246	131	64	58	330
30-34 years	2,547	377	443	465	349	284	186	116	162	165
35-39 years	1,281	135	140	180	161	150	127	85	219	84
40-44 years	491	31	34	49	43	32	42	42	190	35
45-49 years	33	3	1	4	2	5	4	3	11	-
Female	16,302	5,968	3,608	2,140	1,229	763	463	301	562	1,288
Under 15 years	127	101	7	-	-	-	-	-	-	19
15-19 years	3,211	2,165	590	139	31	2	2	-	1	282
20-24 years	5,032	2,164	1,399	644	251	101	36	13	9	416
25-29 years	4,085	1,072	1,087	758	429	235	108	62	52	292
30-34 years	2,199	334	303	414	316	209	144	99	145	145
35-39 years	1,158	103	101	145	156	170	117	84	203	79
40-44 years	429	26	30	37	42	42	48	32	139	33
45-49 years	51	3	1	4	4	4	8	11	14	2
Sex not stated	1,515	410	319	232	133	65	37	23	53	243
Under 15 years	11	7	1	-	-	-	-	-	-	3
15-19 years	245	140	51	13	3	1	-	-	-	37
20-24 years	451	154	118	64	31	3	6	1	1	73
25-29 years	449	83	106	103	44	23	11	3	9	67
30-34 years	226	20	35	34	28	25	9	10	20	45
35-39 years	107	5	7	17	24	11	9	6	13	15
40-44 years	23	1	1	-	3	2	2	2	9	3
45-49 years	3	-	-	1	-	-	-	1	1	-
White	26,365	9,961	5,851	3,518	1,955	1,196	703	403	701	2,077
Under 15 years	95	69	6	-	-	-	-	-	-	20
15-19 years	4,574	3,245	727	137	29	4	3	-	-	429
20-24 years	8,111	3,825	2,213	918	319	120	36	9	8	663
25-29 years	7,155	1,972	1,952	1,360	692	361	162	66	70	540
30-34 years	3,840	607	691	756	557	391	258	139	178	265
35-39 years	1,658	189	203	286	273	260	173	119	241	114
40-44 years	675	51	57	63	80	64	63	59	192	46
45-49 years	57	3	2	8	5	6	8	11	12	2
Male	13,378	5,190	2,973	1,725	957	596	364	194	354	1,026
Under 15 years	49	40	2	-	-	-	-	-	-	7
15-19 years	2,432	1,727	396	71	14	3	3	-	-	219
20-24 years	4,057	1,964	1,086	441	142	59	18	4	2	311
25-29 years	3,572	1,003	977	643	350	171	88	33	33	274
30-34 years	1,990	319	357	397	278	213	138	74	94	130
35-39 years	954	108	117	151	128	115	87	48	119	61
40-44 years	346	28	27	28	43	33	28	32	103	24
45-49 years	18	1	1	4	2	2	3	3	3	-
Female	11,867	4,470	2,642	1,622	893	548	314	194	313	891
Under 15 years	43	27	4	-	-	-	-	-	-	12
15-19 years	1,997	1,431	302	61	13	1	-	-	-	189
20-24 years	3,750	1,742	1,034	433	157	59	15	5	5	300
25-29 years	3,228	895	887	624	308	162	69	32	30	221
30-34 years	1,677	273	305	342	254	158	111	58	73	103
35-39 years	845	78	80	124	124	135	79	66	114	45
40-44 years	311	22	29	35	34	29	34	26	93	19
45-49 years	36	2	1	3	3	4	6	7	9	2
Sex not stated	1,100	301	236	171	105	52	25	15	34	161
Under 15 years	3	2	-	-	-	-	-	-	-	1
15-19 years	145	87	29	5	2	-	-	-	-	22
20-24 years	324	119	83	44	20	2	3	-	1	52
25-29 years	355	74	88	83	34	18	5	1	7	45
30-34 years	173	15	29	27	25	20	9	7	11	30
35-39 years	79	3	6	11	21	7	5	8	8	8
40-44 years	19	1	1	-	3	2	1	1	6	3
45-49 years	3	-	-	1	-	-	-	1	1	-
All other	9,916	3,406	2,110	1,198	732	470	314	245	559	883
Under 15 years	186	154	10	-	-	-	-	-	-	22
15-19 years	2,825	1,732	637	168	35	7	3	1	1	241
20-24 years	2,881	954	798	492	229	86	39	18	5	270
25-29 years	1,886	374	435	315	249	155	89	63	49	169
30-34 years	1,132	124	180	157	136	127	81	86	149	92
35-39 years	688	54	45	56	68	71	60	56	194	64
40-44 years	268	11	5	8	14	23	17	17	146	25
45-49 years	30	3	-	1	1	3	4	4	14	-

SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES	36,281	281	7,399	11,002	9,051	4,972	2,546	943	87
WHITE	26,365	95	4,574	8,111	7,155	3,840	1,858	675	57
ALL OTHER	9,916	186	2,825	2,891	1,896	1,132	688	268	30
ALABAMA	894	8	231	270	168	94	77	44	2
WHITE	444	1	88	139	103	60	37	16	-
ALL OTHER	450	7	143	131	65	34	40	28	2
ALASKA	83	-	14	34	23	10	1	1	-
WHITE	63	-	9	25	18	9	1	1	-
ALL OTHER	20	-	5	9	5	1	-	-	-
ARIZONA	375	4	75	112	93	54	25	11	1
WHITE	295	2	54	91	80	45	15	7	1
ALL OTHER	80	2	21	21	13	9	10	4	-
ARKANSAS ¹	423	5	108	156	78	40	26	8	2
WHITE	274	2	65	105	54	25	19	3	1
ALL OTHER	149	3	43	51	24	15	7	5	1
CALIFORNIA	3,016	11	492	930	817	446	232	83	5
WHITE	2,453	6	364	770	677	365	193	76	2
ALL OTHER	563	5	128	160	140	81	39	7	3
COLORADO ^{1,2}	421	1	69	130	132	59	21	9	-
WHITE	386	1	62	116	123	57	18	9	-
ALL OTHER	35	-	7	14	9	2	3	-	-
CONNECTICUT	344	4	58	101	100	51	22	7	1
WHITE	286	1	43	83	91	43	19	5	1
ALL OTHER	58	3	15	18	9	8	3	2	-
DELAWARE	67	1	10	21	22	7	2	1	3
WHITE	46	-	6	14	16	7	1	1	1
ALL OTHER	21	1	4	7	6	-	1	-	2
DISTRICT OF COLUMBIA	157	1	42	43	37	21	10	3	-
WHITE	16	-	1	5	3	6	1	-	-
ALL OTHER	141	1	41	38	34	15	9	3	-
FLORIDA	1,360	17	337	407	319	164	87	25	4
WHITE	885	3	179	283	243	114	48	14	1
ALL OTHER	475	14	158	124	76	50	39	11	3
GEORGIA ¹	1,358	19	354	434	280	162	81	23	5
WHITE	735	7	144	238	178	98	54	13	3
ALL OTHER	623	12	210	196	102	64	27	10	2
HAWAII ¹	242	-	43	71	67	42	17	2	-
WHITE	78	-	18	31	18	9	2	-	-
ALL OTHER	164	-	25	40	49	33	15	2	-

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

3-19

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IDAHO	151	1	25	51	39	26	6	3	—
WHITE	141	1	23	48	37	24	5	3	—
ALL OTHER	10	—	2	3	2	2	1	—	—
ILLINOIS	1,895	14	407	546	467	267	144	46	4
WHITE	1,226	6	203	370	333	188	92	31	3
ALL OTHER	669	8	204	176	134	79	52	15	1
INDIANA	931	5	217	307	205	122	60	15	—
WHITE	740	3	163	249	171	100	42	12	—
ALL OTHER	191	2	54	58	34	22	18	3	—
IOWA	419	—	80	124	119	57	28	11	—
WHITE	408	—	76	121	114	56	28	11	—
ALL OTHER	11	—	4	3	3	1	—	—	—
KANSAS	365	2	83	141	81	43	10	5	—
WHITE	307	1	61	125	70	37	8	5	—
ALL OTHER	58	1	22	16	11	6	2	—	—
KENTUCKY	614	5	149	182	162	64	37	14	1
WHITE	521	3	125	152	138	54	36	12	1
ALL OTHER	93	2	24	30	24	10	1	2	—
LOUISIANA	801	8	183	244	165	102	68	28	3
WHITE	373	—	74	125	94	54	16	10	—
ALL OTHER	428	8	109	119	71	48	52	18	3
MAINE	104	—	26	28	25	15	6	4	—
WHITE	104	—	26	28	25	15	6	4	—
ALL OTHER	—	—	—	—	—	—	—	—	—
MARYLAND	580	8	107	167	165	88	33	11	1
WHITE	378	2	57	102	118	63	28	7	1
ALL OTHER	202	6	50	65	47	25	5	4	—
MASSACHUSETTS	676	5	89	181	216	110	53	19	3
WHITE	635	2	83	165	204	105	50	19	3
ALL OTHER	41	3	6	12	12	5	3	—	—
MICHIGAN	1,423	5	314	443	327	195	102	36	1
WHITE	1,045	1	199	332	256	151	79	26	1
ALL OTHER	378	4	115	111	71	44	23	10	—
MINNESOTA	512	—	70	175	141	82	25	17	2
WHITE	484	—	61	166	135	79	24	17	2
ALL OTHER	28	—	9	9	6	3	1	—	—
MISSISSIPPI ¹	881	17	226	267	171	101	70	26	3
WHITE	336	1	66	114	92	38	21	3	1
ALL OTHER	545	16	160	153	79	63	49	23	2

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MISSOURI	802	3	170	253	174	121	59	20	2
WHITE	610	2	107	200	142	94	47	16	2
ALL OTHER	192	1	63	53	32	27	12	4	-
MONTANA	127	-	24	49	31	15	5	1	2
WHITE	112	-	22	44	26	12	5	1	2
ALL OTHER	15	-	2	5	5	3	-	-	-
NEBRASKA	237	1	35	77	64	36	21	3	-
WHITE	218	1	31	69	60	34	20	3	-
ALL OTHER	19	-	4	8	4	2	1	-	-
NEVADA	81	-	16	30	17	12	5	1	-
WHITE	64	-	12	26	13	9	4	-	-
ALL OTHER	17	-	4	4	4	3	1	1	-
NEW HAMPSHIRE	103	-	17	29	39	10	5	3	-
WHITE	102	-	17	29	38	10	5	3	-
ALL OTHER	1	-	-	-	1	-	-	-	-
NEW JERSEY	1,036	4	126	255	329	186	96	39	1
WHITE	788	1	73	189	269	147	81	28	-
ALL OTHER	248	3	53	66	60	39	15	11	1
NEW MEXICO	199	1	39	64	38	23	18	14	2
WHITE	162	1	35	49	29	17	16	13	2
ALL OTHER	37	-	4	15	9	6	2	1	-
NEW YORK ¹	2,895	16	393	799	897	480	235	72	3
WHITE	2,097	10	227	557	701	374	169	56	3
ALL OTHER	798	6	166	242	196	106	66	16	-
NORTH CAROLINA	1,180	15	322	347	246	135	84	28	3
WHITE	651	1	147	195	167	84	45	9	3
ALL OTHER	529	14	175	152	79	51	39	19	-
NORTH DAKOTA	108	-	19	33	32	7	11	5	1
WHITE	91	-	15	30	28	5	8	4	1
ALL OTHER	17	-	4	3	4	2	3	1	-
OHIO	1,712	15	352	543	427	203	124	43	5
WHITE	1,376	6	247	442	375	169	100	34	3
ALL OTHER	336	9	105	101	52	34	24	9	2
OKLAHOMA	447	3	112	152	99	46	24	10	1
WHITE	343	1	83	117	76	40	18	7	1
ALL OTHER	104	2	29	35	23	6	6	3	-
OREGON ²	278	1	43	91	79	40	13	9	2
WHITE	257	1	38	86	75	38	12	5	2
ALL OTHER	21	-	5	5	4	2	1	4	-

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

3-21

Table 3-11: Fetal Deaths by Age of Mother and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
PENNSYLVANIA	1,915	16	353	590	467	310	131	43	5
WHITE	1,531	6	228	477	398	266	114	38	4
ALL OTHER	384	10	125	113	69	44	17	5	1
RHODE ISLAND	99	1	28	31	19	10	8	2	-
WHITE	93	1	27	28	19	9	7	2	-
ALL OTHER	6	-	1	3	-	1	1	-	-
SOUTH CAROLINA	725	12	196	218	141	86	49	21	3
WHITE	323	3	73	99	73	45	23	7	-
ALL OTHER	402	9	123	119	68	41	25	14	3
SOUTH DAKOTA	110	1	20	40	26	14	4	4	1
WHITE	94	1	17	35	21	13	3	3	1
ALL OTHER	16	-	3	5	5	1	1	1	-
TENNESSEE	851	19	210	240	200	109	56	16	1
WHITE	599	8	118	180	158	85	39	11	-
ALL OTHER	252	11	92	60	42	24	17	5	1
TEXAS	2,440	16	543	743	577	301	176	75	9
WHITE	1,897	5	391	570	475	238	147	64	7
ALL OTHER	543	11	152	173	102	63	29	11	2
UTAH	284	-	35	89	82	44	24	10	-
WHITE	268	-	33	83	80	42	23	7	-
ALL OTHER	16	-	2	6	2	2	1	3	-
VERMONT ^a	66	-	8	22	19	10	4	3	-
WHITE	66	-	8	22	19	10	4	3	-
ALL OTHER	-	-	-	-	-	-	-	-	-
VIRGINIA ¹	1,062	10	247	316	264	144	50	29	2
WHITE	687	1	137	201	185	109	34	19	1
ALL OTHER	375	9	110	115	79	35	16	10	1
WASHINGTON	459	4	84	140	126	70	28	7	-
WHITE	403	3	68	125	116	62	22	7	-
ALL OTHER	56	1	16	15	10	8	6	-	-
WEST VIRGINIA	314	-	80	96	71	38	21	7	1
WHITE	293	-	73	87	69	36	20	7	1
ALL OTHER	21	-	7	9	2	2	1	-	-
WISCONSIN	580	1	98	161	151	93	49	25	2
WHITE	507	-	78	143	134	83	45	22	2
ALL OTHER	73	1	20	18	17	10	4	3	-
WYOMING	79	1	20	29	17	7	4	1	-
WHITE	74	-	19	27	16	7	4	1	-
ALL OTHER	5	1	1	2	1	-	-	-	-

¹This State requires reporting of all fetal deaths regardless of period of gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

^aCopies of certificates for fetal deaths under 20 weeks gestation for 1974 were not forwarded by Colorado to the National Center for Health Statistics.

^bThis State requires reporting of fetal deaths of 20 weeks or more gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including fetal deaths. For the District of Columbia and the States of Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin, however, the fetal-death certificate provides total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation; see Technical Appendix]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
UNITED STATES	36,281	13,367	7,961	4,716	2,687	1,666	1,017	648	1,259	2,960
WHITE	26,365	9,961	5,851	3,518	1,955	1,196	703	403	701	2,077
ALL OTHER	9,916	3,406	2,110	1,198	732	470	314	245	558	883
ALABAMA	894	345	213	112	73	39	28	8	56	20
WHITE	444	184	114	62	35	20	8	2	8	11
ALL OTHER	450	161	99	50	38	19	20	6	48	9
ALASKA	83	29	21	12	5	3	2	3	2	6
WHITE	63	24	16	9	4	3	-	2	-	5
ALL OTHER	20	5	5	3	1	-	2	1	2	1
ARIZONA	375	129	93	49	31	16	18	9	28	2
WHITE	295	108	75	41	22	11	13	6	17	2
ALL OTHER	80	21	18	8	9	5	5	3	11	-
ARKANSAS ¹	423	157	92	74	39	20	10	7	14	10
WHITE	274	104	63	54	22	14	4	4	2	7
ALL OTHER	149	53	29	20	17	6	6	3	12	3
CALIFORNIA	3,016	1,291	719	393	200	116	80	46	78	93
WHITE	2,453	1,051	585	319	166	94	66	36	70	66
ALL OTHER	563	240	134	74	34	22	14	10	8	27
COLORADO ^{1,2}	421	147	97	66	34	26	7	7	9	28
WHITE	386	136	88	59	31	23	6	7	9	27
ALL OTHER	35	11	9	7	3	3	1	-	-	1
CONNECTICUT	344	115	58	39	20	14	4	3	4	87
WHITE	286	94	47	37	19	13	4	3	1	68
ALL OTHER	58	21	11	2	1	1	-	-	3	19
DELAWARE	67	23	14	6	5	2	2	1	1	13
WHITE	46	13	10	5	4	2	-	-	1	11
ALL OTHER	21	10	4	1	1	-	2	1	-	2
DISTRICT OF COLUMBIA	157	74	38	13	8	8	5	1	3	7
WHITE	16	9	2	1	1	1	1	-	-	1
ALL OTHER	141	65	36	12	7	7	4	1	3	6
FLORIDA	1,360	503	260	151	86	45	36	18	34	227
WHITE	885	353	180	116	49	26	16	4	5	136
ALL OTHER	475	150	80	35	37	19	20	14	29	91
GEORGIA ¹	1,358	449	325	177	92	52	49	26	51	137
WHITE	735	237	174	96	57	28	27	12	15	89
ALL OTHER	623	212	151	81	35	24	22	14	36	48
HAWAII ¹	242	82	39	39	19	13	1	2	2	45
WHITE	78	34	10	8	8	1	-	-	1	16
ALL OTHER	164	48	29	31	11	12	1	2	1	29

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

3-23

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including fetal deaths. For the District of Columbia and the States of Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin, however, the fetal-death certificate provides total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation; see Technical Appendix]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
IDAHO	151	63	33	15	12	8	6	3	4	7
WHITE	141	58	32	14	10	8	5	3	4	7
ALL OTHER	10	5	1	1	2	—	1	—	—	—
ILLINOIS	1,895	692	445	244	146	91	64	39	82	92
WHITE	1,226	482	289	160	89	58	41	18	37	52
ALL OTHER	669	210	156	84	57	33	23	21	45	40
INDIANA	931	270	172	111	60	36	26	12	19	225
WHITE	740	225	138	93	49	20	17	9	12	167
ALL OTHER	191	45	34	18	11	6	9	3	7	58
IOWA	419	159	112	64	19	20	17	10	15	3
WHITE	408	155	108	62	19	20	17	10	14	3
ALL OTHER	11	4	4	2	—	—	—	—	1	—
KANSAS	365	145	104	51	25	14	8	9	1	8
WHITE	307	126	85	47	18	10	7	5	1	8
ALL OTHER	58	19	19	4	7	4	1	4	—	—
KENTUCKY	614	240	135	88	50	28	18	11	26	18
WHITE	521	214	109	70	46	20	18	7	19	18
ALL OTHER	93	26	26	18	4	8	—	4	7	—
LOUISIANA	801	247	123	78	64	38	20	15	48	168
WHITE	373	142	74	44	37	21	9	4	13	29
ALL OTHER	428	105	49	34	27	17	11	11	35	139
MAINE ¹	104	40	26	15	8	5	1	1	3	5
WHITE	104	40	26	15	8	5	1	1	3	5
ALL OTHER	—	—	—	—	—	—	—	—	—	—
MARYLAND	580	230	156	72	45	32	11	10	7	17
WHITE	378	143	103	53	25	24	6	7	3	14
ALL OTHER	202	87	53	19	20	8	5	3	4	3
MASSACHUSETTS	676	189	116	75	28	24	17	14	13	200
WHITE	635	179	110	67	27	23	16	12	12	189
ALL OTHER	41	10	6	8	1	1	1	2	1	11
MICHIGAN	1,423	578	301	178	121	64	50	20	39	72
WHITE	1,045	436	218	130	84	50	38	13	21	55
ALL OTHER	378	142	83	48	37	14	12	7	18	17
MINNESOTA	512	200	120	76	41	23	9	8	16	19
WHITE	484	189	112	73	39	22	9	7	15	18
ALL OTHER	28	11	8	3	2	1	—	1	1	1
MISSISSIPPI ¹	881	325	192	94	72	43	21	30	80	24
WHITE	336	133	77	47	26	14	6	8	9	16
ALL OTHER	545	192	115	47	46	29	15	22	71	8

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including fetal deaths. For the District of Columbia and the States of Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin, however, the fetal-death certificate provides total-birth order information only for previous five births and fetal deaths of 20 weeks or more gestation; see Technical Appendix]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STAYED
MISSOURI	802	259	173	106	56	40	23	15	34	96
WHITE	610	197	127	86	46	25	19	10	24	76
ALL OTHER	192	62	46	20	10	15	4	5	10	20
MONTANA	127	43	35	20	10	11	1	2	2	3
WHITE	112	42	29	16	8	10	1	1	2	3
ALL OTHER	15	1	6	4	2	1	-	1	-	-
NEBRASKA	237	87	60	28	20	13	6	6	12	5
WHITE	218	83	54	24	18	12	6	6	11	4
ALL OTHER	19	4	6	4	2	1	-	-	1	1
NEVADA	81	37	22	9	5	2	1	-	3	2
WHITE	64	30	18	8	4	1	-	-	1	2
ALL OTHER	17	7	4	1	1	1	1	-	2	-
NEW HAMPSHIRE	103	26	22	7	6	5	1	1	1	34
WHITE	102	26	22	7	6	4	1	1	1	34
ALL OTHER	1	-	-	-	-	1	-	-	-	-
NEW JERSEY	1,036	364	213	145	80	51	32	15	33	103
WHITE	788	280	166	115	57	37	27	10	18	78
ALL OTHER	248	84	47	30	23	14	5	5	15	25
NEW MEXICO	199	65	43	24	15	6	6	5	14	21
WHITE	162	56	36	19	12	4	5	3	10	17
ALL OTHER	37	9	7	5	3	2	1	2	4	4
NEW YORK ¹	2,895	739	592	431	242	149	87	61	86	508
WHITE	2,097	550	438	319	188	111	62	38	62	329
ALL OTHER	798	189	154	112	54	38	25	23	24	179
NORTH CAROLINA	1,180	502	269	160	96	54	32	22	38	7
WHITE	651	293	153	93	50	27	14	6	11	4
ALL OTHER	529	209	116	67	46	27	18	16	27	3
NORTH DAKOTA	108	43	19	15	6	5	1	7	7	5
WHITE	91	39	16	14	6	3	-	4	5	4
ALL OTHER	17	4	3	1	-	2	1	3	2	1
OHIO	1,712	587	358	215	140	98	60	26	50	178
WHITE	1,376	481	283	177	120	77	53	21	31	133
ALL OTHER	336	106	75	38	20	21	7	5	19	45
OKLAHOMA	447	149	96	58	23	24	14	5	12	66
WHITE	343	117	72	45	17	17	12	3	7	53
ALL OTHER	104	32	24	13	6	7	2	2	5	13
OREGON ³	278	93	70	36	25	11	6	4	11	22
WHITE	257	88	66	33	24	9	6	4	8	19
ALL OTHER	21	5	4	3	1	2	-	-	3	3

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

3-25

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including fetal deaths. For the District of Columbia and the States of Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin, however, the fetal-death certificate provides total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation; see Technical Appendix]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
PENNSYLVANIA	1,915	795	407	280	152	86	57	31	59	48
WHITE	1,531	631	329	226	117	71	47	26	44	40
ALL OTHER	384	164	78	54	35	15	10	5	15	8
RHODE ISLAND	99	31	19	14	4	6	2	3	2	18
WHITE	93	28	19	14	4	5	2	3	1	17
ALL OTHER	6	3	-	-	-	1	-	-	1	1
SOUTH CAROLINA	725	272	177	94	58	36	19	21	30	18
WHITE	323	131	84	39	27	18	5	6	5	8
ALL OTHER	402	141	93	55	31	18	14	15	25	10
SOUTH DAKOTA	110	38	25	16	10	3	3	1	8	6
WHITE	94	34	22	14	8	2	2	1	6	5
ALL OTHER	16	4	3	2	2	1	1	-	2	1
TENNESSEE	851	387	206	97	44	32	15	14	16	40
WHITE	599	272	152	70	29	21	6	5	7	37
ALL OTHER	252	115	54	27	15	11	9	9	9	3
TEXAS	2,440	1,075	519	299	176	127	66	49	110	19
WHITE	1,897	850	399	230	140	96	43	39	86	14
ALL OTHER	543	225	120	69	36	31	23	10	24	5
UTAH	284	62	46	26	26	19	7	5	9	84
WHITE	268	59	45	26	25	18	6	4	6	79
ALL OTHER	16	3	1	-	1	1	1	1	3	5
VERMONT ²	66	23	13	10	6	3	1	2	6	2
WHITE	66	23	13	10	6	3	1	2	6	2
ALL OTHER	-	-	-	-	-	-	-	-	-	-
VIRGINIA ¹	1,062	392	251	161	76	42	23	13	27	77
WHITE	687	261	175	99	46	25	11	7	11	52
ALL OTHER	375	131	76	62	30	17	12	6	16	25
WASHINGTON	459	173	107	59	29	9	14	11	15	42
WHITE	403	157	97	51	26	8	12	10	13	29
ALL OTHER	56	16	10	8	3	1	2	1	2	13
WEST VIRGINIA	314	129	72	31	30	12	12	5	11	12
WHITE	293	119	65	30	29	12	12	5	10	11
ALL OTHER	21	10	7	1	1	-	-	-	1	1
WISCONSIN	580	234	124	75	43	39	17	11	27	10
WHITE	507	209	107	64	41	36	14	8	22	6
ALL OTHER	73	25	17	11	2	3	3	3	5	4
WYOMING	79	40	19	8	6	3	1	-	1	1
WHITE	74	36	19	7	6	3	1	-	1	1
ALL OTHER	5	4	-	1	-	-	-	-	-	-

¹This State requires reporting of all fetal deaths regardless of period of gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

²Copies of certificates for fetal deaths under 20 weeks gestation for 1974 were not forwarded by Colorado to the National Center for Health Statistics.

³This State requires reporting of fetal deaths of 20 weeks or more gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1974

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV; see Technical Appendix]

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II--FETAL DEATHS OF 20-27 WEEKS GESTATION ¹				GROUP III--FETAL DEATHS OF 28 WEEKS GESTATION OR MORE ¹			
	TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²		
		IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL	
			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE
UNITED STATES	36,281	35,518	379	67	8,227	8,037	116	7	22,432	22,056	168	47
WHITE	26,365	25,864	250	19	5,497	5,371	78	-	16,837	16,598	111	13
ALL OTHER	9,916	9,654	129	48	2,730	2,666	38	7	5,595	5,458	57	34
ALABAMA	894	854	7	17	195	184	2	4	546	524	3	11
WHITE	444	434	3	2	90	88	1	-	275	258	2	1
ALL OTHER	450	420	4	15	105	96	1	4	271	256	1	10
ALASKA	83	82	-	1	20	20	-	-	49	49	-	-
WHITE	63	62	-	1	15	15	-	-	37	37	-	-
ALL OTHER	20	20	-	-	5	5	-	-	12	12	-	-
ARIZONA	375	370	2	1	69	69	-	-	270	268	1	1
WHITE	295	291	2	-	59	59	-	-	209	208	1	-
ALL OTHER	80	79	-	1	10	10	-	-	61	60	-	1
ARKANSAS ⁴	423	399	8	4	96	90	1	1	265	250	5	3
WHITE	274	262	4	-	57	54	-	-	175	168	3	-
ALL OTHER	149	137	4	4	39	36	1	1	90	82	2	3
CALIFORNIA	3,016	2,943	23	-	545	528	5	-	2,122	2,083	14	-
WHITE	2,453	2,395	17	-	428	416	2	-	1,763	1,731	12	-
ALL OTHER	563	548	6	-	117	112	3	-	359	352	2	-
COLORADO ^{4,5}	421	419	1	-	107	107	-	-	277	276	1	-
WHITE	386	384	1	-	95	95	-	-	258	257	1	-
ALL OTHER	35	35	-	-	12	12	-	-	19	19	-	-
CONNECTICUT	344	340	3	-	77	77	-	-	194	193	1	-
WHITE	286	283	2	-	59	59	-	-	166	166	-	-
ALL OTHER	58	57	1	-	18	18	-	-	28	27	1	-
DELAWARE	67	66	-	-	18	18	-	-	43	42	-	-
WHITE	46	46	-	-	11	11	-	-	30	30	-	-
ALL OTHER	21	20	-	-	7	7	-	-	13	12	-	-
DISTRICT OF COLUMBIA	157	155	2	-	37	37	-	-	100	98	2	-
WHITE	16	16	-	-	3	3	-	-	11	11	-	-
ALL OTHER	141	139	2	-	34	34	-	-	89	87	2	-
FLORIDA	1,360	1,331	13	8	172	167	3	-	549	541	2	4
WHITE	885	872	7	2	119	115	3	-	379	377	-	1
ALL OTHER	475	459	6	6	53	52	-	-	170	164	2	3
GEORGIA ⁴	1,358	1,314	10	2	468	454	4	-	668	650	4	2
WHITE	735	710	3	-	221	210	3	-	373	366	-	-
ALL OTHER	623	604	7	2	247	244	1	-	295	284	4	2
HAWAII ⁴	242	237	3	-	121	121	-	-	114	111	2	-
WHITE	78	75	1	-	41	41	-	-	34	32	1	-
ALL OTHER	164	162	2	-	80	80	-	-	80	79	1	-
IDAHO	151	149	-	1	24	24	-	-	68	68	-	-
WHITE	141	139	-	1	21	21	-	-	66	66	-	-
ALL OTHER	10	10	-	-	3	3	-	-	2	2	-	-
ILLINOIS	1,895	1,873	11	-	418	415	3	-	1,277	1,263	6	-
WHITE	1,226	1,211	9	-	246	243	3	-	855	847	5	-
ALL OTHER	669	662	2	-	172	172	-	-	422	416	1	-
INDIANA	931	914	14	-	98	94	4	-	420	415	4	-
WHITE	740	726	11	-	77	74	3	-	362	357	4	-
ALL OTHER	191	188	3	-	21	20	1	-	58	58	-	-
IOWA	419	414	3	-	72	72	-	-	331	328	1	-
WHITE	408	403	3	-	71	71	-	-	322	319	1	-
ALL OTHER	11	11	-	-	1	1	-	-	9	9	-	-
KANSAS	365	362	2	-	79	77	2	-	261	261	-	-
WHITE	307	305	1	-	55	54	1	-	230	230	-	-
ALL OTHER	58	57	1	-	24	23	1	-	31	31	-	-
KENTUCKY	614	599	8	1	91	90	1	-	381	372	5	1
WHITE	521	512	3	1	69	68	1	-	326	320	2	1
ALL OTHER	93	87	5	-	22	22	-	-	55	52	3	-
LOUISIANA	801	790	6	-	97	93	4	-	361	360	1	-
WHITE	373	369	3	-	53	51	2	-	186	185	1	-
ALL OTHER	428	421	3	-	44	42	2	-	175	175	-	-
MAINE ⁴	104	103	1	-	27	26	1	-	63	63	-	-
WHITE	104	103	1	-	27	26	1	-	63	63	-	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-

SEE FOOTNOTES AT END OF TABLE.

SECTION 3 - FETAL MORTALITY

3-27

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV; see Technical Appendix]

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION ¹				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE ¹			
	TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²		
		IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL	
			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE
MARYLAND	580	569	6	—	146	142	1	—	381	375	4	—
WHITE	378	373	2	—	97	95	—	—	252	250	1	—
ALL OTHER	202	196	4	—	49	47	1	—	129	125	3	—
MASSACHUSETTS	676	669	6	—	73	73	—	—	278	275	3	—
WHITE	635	630	4	—	66	66	—	—	262	259	3	—
ALL OTHER	41	39	2	—	7	7	—	—	16	16	—	—
MICHIGAN	1,423	1,411	11	—	263	261	2	—	865	861	3	—
WHITE	1,045	1,035	10	—	175	173	2	—	637	635	2	—
ALL OTHER	378	376	1	—	88	88	—	—	228	226	1	—
MINNESOTA	512	502	8	—	96	94	2	—	339	336	3	—
WHITE	484	474	8	—	90	88	2	—	327	324	3	—
ALL OTHER	28	28	—	—	6	6	—	—	12	12	—	—
MISSISSIPPI ⁴	881	857	11	10	306	301	3	1	515	499	6	8
WHITE	336	336	—	—	142	142	—	—	177	177	—	—
ALL OTHER	545	521	11	10	164	159	3	1	338	322	6	8
MISSOURI	802	780	10	—	115	113	2	—	466	460	3	—
WHITE	610	593	6	—	77	76	1	—	348	343	2	—
ALL OTHER	192	187	4	—	38	37	1	—	118	117	1	—
MONTANA	127	125	1	—	19	18	—	—	87	87	—	—
WHITE	112	110	1	—	18	17	—	—	77	77	—	—
ALL OTHER	15	15	—	—	1	1	—	—	10	10	—	—
NEBRASKA	237	234	3	—	43	42	1	—	176	175	1	—
WHITE	218	215	3	—	37	36	1	—	165	164	1	—
ALL OTHER	19	19	—	—	6	6	—	—	11	11	—	—
NEVADA	81	80	1	—	7	7	—	—	37	37	—	—
WHITE	64	63	1	—	6	6	—	—	25	25	—	—
ALL OTHER	17	17	—	—	1	1	—	—	12	12	—	—
NEW HAMPSHIRE	103	103	—	—	8	8	—	—	43	43	—	—
WHITE	102	102	—	—	8	8	—	—	43	43	—	—
ALL OTHER	1	1	—	—	—	—	—	—	—	—	—	—
NEW JERSEY	1,036	1,018	11	—	178	171	6	—	649	643	4	—
WHITE	788	774	9	—	130	124	5	—	499	496	2	—
ALL OTHER	248	244	2	—	48	47	1	—	150	147	1	—
NEW MEXICO	199	191	1	1	23	23	—	—	131	125	1	1
WHITE	162	154	1	1	18	18	—	—	103	97	1	1
ALL OTHER	37	37	—	—	5	5	—	—	28	28	—	—
NEW YORK ⁴	2,895	2,868	25	—	944	934	10	—	1,798	1,784	13	—
WHITE	2,097	2,078	17	—	693	686	7	—	1,309	1,299	9	—
ALL OTHER	798	790	8	—	251	248	3	—	489	485	4	—
NORTH CAROLINA	1,180	1,152	15	4	276	269	6	—	829	813	7	4
WHITE	651	638	5	—	135	131	3	—	483	477	1	—
ALL OTHER	529	514	10	4	141	138	3	—	346	336	6	4
NORTH DAKOTA	108	107	—	—	17	16	—	—	77	77	—	—
WHITE	91	90	—	—	15	14	—	—	66	66	—	—
ALL OTHER	17	17	—	—	2	2	—	—	11	11	—	—
OHIO	1,712	1,689	21	—	241	238	3	—	1,090	1,037	11	—
WHITE	1,376	1,353	18	—	179	177	2	—	862	851	9	—
ALL OTHER	336	332	3	—	62	61	1	—	188	186	2	—
OKLAHOMA	447	433	4	1	78	73	1	—	285	277	2	1
WHITE	343	334	2	1	60	56	1	—	218	213	1	1
ALL OTHER	104	99	2	—	18	17	—	—	67	64	1	—
OREGON ⁶	278	269	8	—	60	57	3	—	208	202	5	—
WHITE	257	249	7	—	53	51	2	—	195	189	5	—
ALL OTHER	21	20	1	—	7	6	1	—	13	13	—	—
PENNSYLVANIA	1,915	1,860	43	—	739	710	24	—	1,141	1,120	16	—
WHITE	1,531	1,487	35	—	519	496	20	—	979	962	13	—
ALL OTHER	384	373	8	—	220	214	4	—	162	158	3	—
RHODE ISLAND	99	97	2	—	23	21	2	—	54	54	—	—
WHITE	93	91	2	—	22	20	2	—	50	50	—	—
ALL OTHER	6	6	—	—	1	1	—	—	4	4	—	—
SOUTH CAROLINA	725	700	13	7	152	148	1	1	476	466	5	4
WHITE	323	314	4	1	59	57	—	—	231	228	2	1
ALL OTHER	402	386	9	6	93	91	1	1	245	238	3	3
SOUTH DAKOTA	110	107	1	—	22	22	—	—	76	75	1	—
WHITE	94	92	—	—	18	18	—	—	65	65	—	—
ALL OTHER	16	15	1	—	4	4	—	—	11	10	1	—

SEE FOOTNOTES AT END OF TABLE.

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1974—Con.

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV; see Technical Appendix]

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION ¹				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE ²			
	TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²		
		IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL	
			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE
TENNESSEE	851	833	14	2	187	183	4	—	596	587	6	1
WHITE	599	586	10	2	111	108	3	—	444	437	5	1
ALL OTHER	252	247	4	—	76	75	1	—	152	150	1	—
TEXAS	2,440	2,359	16	6	640	626	3	—	1,777	1,713	11	6
WHITE	1,897	1,834	10	6	434	425	—	—	1,444	1,393	8	6
ALL OTHER	543	525	6	—	206	201	3	—	333	320	3	—
UTAH	284	280	3	1	21	20	1	—	119	119	—	—
WHITE	268	264	3	1	21	20	1	—	114	114	—	—
ALL OTHER	16	16	—	—	—	—	—	—	5	5	—	—
VERMONT ⁶	66	65	1	—	21	21	—	—	39	38	1	—
WHITE	66	65	1	—	21	21	—	—	39	38	1	—
ALL OTHER	—	—	—	—	—	—	—	—	—	—	—	—
VIRGINIA ⁴	1,062	1,046	13	—	419	412	7	—	607	599	6	—
WHITE	687	679	6	—	235	233	2	—	422	416	4	—
ALL OTHER	375	367	7	—	184	179	5	—	185	183	2	—
WASHINGTON	459	448	6	—	70	70	—	—	259	257	1	—
WHITE	403	393	6	—	57	57	—	—	238	236	1	—
ALL OTHER	56	55	—	—	13	13	—	—	21	21	—	—
WEST VIRGINIA	314	310	4	—	50	47	3	—	224	223	1	—
WHITE	293	289	4	—	47	44	3	—	208	207	1	—
ALL OTHER	21	21	—	—	3	3	—	—	16	16	—	—
WISCONSIN	580	569	3	—	144	140	1	—	434	427	2	—
WHITE	507	498	3	—	123	120	1	—	382	376	2	—
ALL OTHER	73	71	—	—	21	20	—	—	52	51	—	—
WYOMING	79	77	1	—	15	14	—	—	57	57	—	—
WHITE	74	73	1	—	14	14	—	—	53	53	—	—
ALL OTHER	5	4	—	—	1	—	—	—	4	4	—	—

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.²Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."³Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.⁴This State requires reporting of all fetal deaths regardless of period of gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.⁵Copies of certificates for fetal deaths under 20 weeks gestation for 1974 were not forwarded by Colorado to the National Center for Health Statistics.⁶This State requires reporting of fetal deaths of 20 weeks or more gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-29

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Plurality of birth, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Total-----	58,281	3,256	6,582	3,867	3,465	3,513	3,159	3,231	2,006	727	367	232	5,876
Fetal deaths in single deliveries-----	33,787	2,675	6,027	3,608	3,218	3,282	3,052	3,165	1,985	725	368	251	5,455
Fetal deaths in twin deliveries-----	2,424	553	550	256	242	227	105	65	21	2	1	1	401
Fetal deaths in other plural deliveries-----	70	28	5	3	5	4	2	3	-	-	-	-	20
Male-----	19,464	1,622	3,538	1,852	1,802	1,831	1,606	1,620	1,091	442	230	153	2,577
Fetal deaths in single deliveries-----	17,180	1,388	3,246	1,636	1,676	1,713	1,531	1,581	1,080	442	228	152	2,346
Fetal deaths in twin deliveries-----	1,253	260	291	115	122	117	54	39	11	-	1	1	225
Fetal deaths in other plural deliveries-----	51	14	1	1	4	1	1	1	-	-	-	-	8
Female-----	16,302	1,410	2,952	1,875	1,658	1,672	1,550	1,602	909	284	137	78	2,195
Fetal deaths in single deliveries-----	15,175	1,157	2,700	1,734	1,517	1,561	1,498	1,573	899	282	137	76	2,037
Fetal deaths in twin deliveries-----	1,065	259	248	139	120	108	51	27	10	2	-	-	149
Fetal deaths in other plural deliveries-----	56	14	4	2	1	3	1	2	-	-	-	-	9
Sex not stated-----	1,515	224	92	40	25	10	3	9	6	1	-	1	1,104
Fetal deaths in single deliveries-----	1,454	190	81	38	25	8	3	9	6	1	-	1	1,072
Fetal deaths in twin deliveries-----	78	34	11	2	-	2	-	-	-	-	-	-	29
Fetal deaths in other plural deliveries-----	3	-	-	-	-	-	-	-	-	-	-	-	3
White-----	26,365	2,206	4,406	2,686	2,471	2,512	2,428	2,512	1,656	577	268	173	4,470
Fetal deaths in single deliveries-----	24,477	1,793	3,996	2,485	2,278	2,336	2,344	2,457	1,637	575	267	172	4,137
Fetal deaths in twin deliveries-----	1,835	390	406	199	181	174	84	52	19	2	1	1	316
Fetal deaths in other plural deliveries-----	53	23	4	2	2	2	-	3	-	-	-	-	17
Male-----	13,379	1,083	2,572	1,332	1,296	1,320	1,210	1,250	804	354	161	120	1,976
Fetal deaths in single deliveries-----	12,398	871	2,158	1,241	1,194	1,225	1,169	1,220	894	354	160	119	1,793
Fetal deaths in twin deliveries-----	958	202	215	90	101	94	41	29	10	-	1	1	176
Fetal deaths in other plural deliveries-----	22	10	1	1	1	1	-	1	-	-	-	-	7
Female-----	11,887	977	1,976	1,322	1,159	1,185	1,215	1,256	747	222	107	52	1,669
Fetal deaths in single deliveries-----	11,055	797	1,789	1,213	1,088	1,106	1,172	1,231	738	220	107	52	1,542
Fetal deaths in twin deliveries-----	824	167	184	108	90	78	43	23	9	2	-	-	120
Fetal deaths in other plural deliveries-----	28	13	3	1	1	1	-	2	-	-	-	-	7
Sex not stated-----	1,100	146	58	32	18	7	3	6	5	1	-	1	825
Fetal deaths in single deliveries-----	1,044	125	49	31	16	5	3	6	5	1	-	1	802
Fetal deaths in twin deliveries-----	53	21	9	1	-	2	-	-	-	-	-	-	20
Fetal deaths in other plural deliveries-----	3	-	-	-	-	-	-	-	-	-	-	-	3
All other-----	9,916	1,050	2,176	1,161	984	1,001	781	719	350	150	99	59	1,406
Fetal deaths in single deliveries-----	9,310	882	2,031	1,123	940	946	709	706	348	150	99	59	1,318
Fetal deaths in twin deliveries-----	509	163	144	57	51	53	21	13	2	-	-	-	85
Fetal deaths in other plural deliveries-----	17	5	1	1	3	2	2	-	-	-	-	-	5
Male-----	5,086	539	1,166	620	506	511	396	370	187	86	69	33	601
Fetal deaths in single deliveries-----	4,782	457	1,088	595	482	488	382	381	186	86	69	33	553
Fetal deaths in twin deliveries-----	295	78	76	25	21	23	13	9	1	-	-	-	47
Fetal deaths in other plural deliveries-----	9	4	-	-	3	-	1	-	-	-	-	-	1
Female-----	4,415	433	976	553	479	487	335	346	162	62	30	26	526
Fetal deaths in single deliveries-----	4,138	360	911	521	449	455	326	342	161	62	30	26	495
Fetal deaths in twin deliveries-----	269	72	64	31	30	30	8	4	1	-	-	-	29
Fetal deaths in other plural deliveries-----	8	1	1	1	-	2	1	-	-	-	-	-	2
Sex not stated-----	415	78	34	8	9	3	-	3	1	-	-	-	279
Fetal deaths in single deliveries-----	390	65	32	7	9	3	-	3	1	-	-	-	270
Fetal deaths in twin deliveries-----	25	13	2	1	-	-	-	-	-	-	-	-	9
Fetal deaths in other plural deliveries-----	-	-	-	-	-	-	-	-	-	-	-	-	-

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1974

Plurality of birth, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Total	36,281	4,091	4,136	3,690	4,735	1,848	5,057	3,219	3,903	5,622
Fetal deaths in single deliveries	33,787	3,629	3,733	3,416	4,440	1,754	4,684	3,063	3,900	5,288
Fetal deaths in twin deliveries	2,424	443	394	271	287	109	344	154	103	319
Fetal deaths in other plural deliveries	70	19	9	3	8	5	9	2	-	15
Male	16,464	2,030	2,057	1,864	2,426	1,001	2,632	1,857	1,898	2,809
Fetal deaths in single deliveries	17,180	1,764	1,839	1,733	2,289	951	2,459	1,580	1,841	2,724
Fetal deaths in twin deliveries	1,253	253	218	131	155	49	168	76	57	166
Fetal deaths in other plural deliveries	31	13	-	-	2	1	5	1	-	9
Female	16,302	1,418	1,767	1,669	2,216	825	2,361	1,544	1,973	2,529
Fetal deaths in single deliveries	15,173	1,242	1,594	1,537	2,073	785	2,186	1,471	1,930	2,375
Fetal deaths in twin deliveries	1,093	170	164	129	139	56	172	73	43	148
Fetal deaths in other plural deliveries	36	6	9	3	4	4	3	1	-	6
Sex not stated	1,515	643	312	157	93	22	44	18	32	194
Fetal deaths in single deliveries	1,454	623	300	146	78	18	39	12	29	189
Fetal deaths in twin deliveries	78	20	12	11	13	4	4	6	3	5
Fetal deaths in other plural deliveries	3	-	-	-	2	-	1	-	-	-
White	25,385	2,697	2,800	2,564	3,431	1,390	3,824	2,462	3,146	4,031
Fetal deaths in single deliveries	24,477	2,376	2,492	2,353	3,207	1,300	3,537	2,364	3,063	3,785
Fetal deaths in twin deliveries	1,635	308	301	208	216	88	278	117	83	236
Fetal deaths in other plural deliveries	53	15	7	3	8	2	9	1	-	10
Male	13,378	1,329	1,364	1,286	1,763	742	2,013	1,275	1,529	2,077
Fetal deaths in single deliveries	12,398	1,140	1,202	1,186	1,651	701	1,874	1,216	1,483	1,945
Fetal deaths in twin deliveries	938	180	162	100	110	40	134	59	46	127
Fetal deaths in other plural deliveries	22	9	-	-	2	1	5	-	-	5
Female	11,887	909	1,195	1,171	1,698	631	1,781	1,191	1,591	1,820
Fetal deaths in single deliveries	11,035	789	1,059	1,069	1,495	586	1,638	1,136	1,555	1,708
Fetal deaths in twin deliveries	824	116	129	99	99	44	140	54	36	107
Fetal deaths in other plural deliveries	28	4	7	3	4	1	3	1	-	5
Sex not stated	1,100	489	241	107	70	17	30	16	26	134
Fetal deaths in single deliveries	1,044	447	231	98	61	13	25	12	25	132
Fetal deaths in twin deliveries	53	12	10	9	7	4	4	4	1	2
Fetal deaths in other plural deliveries	3	-	-	-	2	-	1	-	-	-
All other	9,916	1,394	1,336	1,126	1,304	458	1,213	737	757	1,591
Fetal deaths in single deliveries	9,310	1,253	1,241	1,063	1,233	434	1,147	699	737	1,503
Fetal deaths in twin deliveries	589	135	93	63	71	21	66	37	20	63
Fetal deaths in other plural deliveries	17	6	2	-	-	3	-	1	-	5
Male	5,086	701	693	578	663	259	619	382	369	822
Fetal deaths in single deliveries	4,782	624	637	547	638	250	595	364	358	778
Fetal deaths in twin deliveries	295	73	56	31	35	9	34	17	11	39
Fetal deaths in other plural deliveries	9	4	-	-	-	-	-	1	-	4
Female	4,415	509	572	498	618	194	580	353	382	709
Fetal deaths in single deliveries	4,138	453	535	468	578	179	548	335	375	667
Fetal deaths in twin deliveries	269	54	35	30	40	12	32	18	7	41
Fetal deaths in other plural deliveries	8	2	2	-	-	3	-	-	-	1
Sex not stated	415	184	71	50	23	5	14	2	6	60
Fetal deaths in single deliveries	390	176	69	48	17	5	14	-	4	57
Fetal deaths in twin deliveries	25	8	2	2	6	-	-	2	2	3
Fetal deaths in other plural deliveries	-	-	-	-	-	-	-	-	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-31

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	BIRTH WEIGHT ¹											
		500 GRAMS OR LESS	501-1,000 GRAMS	1,001-1,500 GRAMS	1,501-2,000 GRAMS	2,001-2,500 GRAMS	2,501-3,000 GRAMS	3,001-3,500 GRAMS	3,501-4,000 GRAMS	4,001-4,500 GRAMS	4,501-5,000 GRAMS	5,001 GRAMS OR MORE	NOT STATED
UNITED STATES	36,281	3,256	6,582	3,867	3,465	3,513	3,159	3,231	2,006	727	367	232	5,876
WHITE	26,365	2,206	4,406	2,686	2,471	2,512	2,428	2,512	1,656	577	268	173	4,470
ALL OTHER	9,916	1,050	2,176	1,181	994	1,001	731	719	350	150	99	59	1,406
MALE	18,464	1,622	3,538	1,952	1,802	1,831	1,606	1,626	1,091	442	230	153	2,577
WHITE	13,378	1,083	2,372	1,332	1,296	1,320	1,210	1,250	904	354	161	120	1,976
ALL OTHER	5,086	539	1,166	620	506	511	396	370	187	88	69	33	601
FEMALE	16,302	1,410	2,952	1,875	1,638	1,672	1,550	1,602	909	284	137	78	2,195
WHITE	11,887	977	1,976	1,322	1,159	1,185	1,215	1,256	747	222	107	52	1,669
ALL OTHER	4,415	433	976	553	479	487	335	346	162	62	30	26	526
SEX NOT STATED	1,515	224	92	40	25	10	3	9	6	1	-	1	1,104
WHITE	1,100	146	58	32	16	7	3	6	5	1	-	1	825
ALL OTHER	415	78	34	8	9	3	-	3	1	-	-	-	279
ALABAMA	894	82	166	94	87	81	96	76	55	21	14	3	119
WHITE	444	41	78	45	45	40	51	44	32	8	5	1	54
ALL OTHER	450	41	88	49	42	41	45	32	23	13	9	2	65
ALASKA	83	4	13	14	8	6	4	8	4	4	-	-	18
WHITE	63	3	11	10	6	5	3	5	3	3	-	-	14
ALL OTHER	20	1	2	4	2	1	1	3	1	1	-	-	4
ARIZONA	375	26	79	41	31	39	37	35	22	7	5	2	51
WHITE	295	24	63	34	26	28	30	26	16	5	3	2	38
ALL OTHER	80	2	16	7	5	11	7	5	6	2	2	-	13
ARKANSAS ²	423	36	83	42	44	43	40	38	25	7	6	3	56
WHITE	274	23	50	26	32	24	31	27	17	5	1	2	36
ALL OTHER	149	13	33	16	12	19	9	11	8	2	5	1	20
CALIFORNIA	3,016	207	625	373	340	351	297	340	191	68	44	29	151
WHITE	2,493	153	484	307	271	282	260	290	170	59	37	27	113
ALL OTHER	563	54	141	66	69	69	37	50	21	9	7	2	38
COLORADO ^{2,3}	421	54	60	43	27	38	35	31	23	7	4	1	98
WHITE	386	46	55	36	24	36	33	31	21	5	4	1	94
ALL OTHER	35	8	5	7	3	2	2	-	2	2	-	-	4
CONNECTICUT	344	41	78	43	22	23	38	38	21	5	4	1	30
WHITE	286	35	60	35	15	19	33	34	19	5	4	1	26
ALL OTHER	58	6	18	8	7	4	5	4	2	-	-	-	4
DELAWARE	67	3	20	9	4	9	7	3	2	-	1	-	9
WHITE	46	2	11	3	2	7	7	3	2	-	1	-	8
ALL OTHER	21	1	9	6	2	2	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA	157	18	39	25	20	16	10	11	7	4	-	1	6
WHITE	16	1	2	5	2	1	-	1	2	-	-	-	1
ALL OTHER	141	17	37	20	18	15	10	10	5	3	-	1	5
FLORIDA	1,360	100	273	147	122	163	107	102	60	17	8	9	252
WHITE	885	66	168	86	75	110	80	78	42	12	4	5	159
ALL OTHER	475	34	105	61	47	53	27	24	18	5	4	4	93
GEORGIA ²	1,358	155	210	132	99	91	99	80	67	22	11	7	385
WHITE	735	74	94	64	51	52	54	42	46	13	7	4	233
ALL OTHER	623	81	116	68	48	39	45	37	21	9	4	3	152
HAWAII ²	242	50	31	23	16	16	13	13	7	-	1	1	71
WHITE	78	15	11	8	3	3	6	7	1	-	-	-	24
ALL OTHER	164	35	20	15	13	13	7	6	6	-	1	1	47
IDAH0	151	7	9	8	14	9	9	12	6	1	2	2	72
WHITE	141	5	9	8	13	8	9	11	6	1	2	2	67
ALL OTHER	10	2	-	-	1	1	-	1	-	-	-	-	5
ILLINOIS	1,895	182	432	244	211	211	173	150	115	52	23	11	91
WHITE	1,226	121	237	145	127	134	127	110	98	40	18	10	59
ALL OTHER	669	61	195	99	84	77	46	40	17	12	5	1	32
INDIANA	931	43	131	76	89	65	66	75	51	28	9	7	291
WHITE	740	34	102	55	70	53	56	64	43	24	7	6	226
ALL OTHER	191	9	29	21	19	12	10	11	8	4	2	1	65
IOWA	419	26	71	51	49	48	50	46	29	11	3	4	31
WHITE	408	25	68	49	49	47	49	44	28	11	3	4	31
ALL OTHER	11	1	3	2	-	1	1	2	1	-	-	-	-
KANSAS	365	33	77	33	36	51	39	44	25	6	1	-	20
WHITE	307	26	55	28	34	44	36	37	23	6	1	-	17
ALL OTHER	58	7	22	5	2	7	3	7	2	-	-	-	3
KENTUCKY	614	39	102	66	64	65	55	55	52	17	8	9	82
WHITE	521	29	85	50	56	56	49	50	47	13	6	7	73
ALL OTHER	93	10	17	16	8	9	6	5	5	4	2	2	9

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	BIRTH WEIGHT ¹											NOT STATED
		500 GRAMS OR LESS	501-1,000 GRAMS	1,001-1,500 GRAMS	1,501-2,000 GRAMS	2,001-2,500 GRAMS	2,501-3,000 GRAMS	3,001-3,500 GRAMS	3,501-4,000 GRAMS	4,001-4,500 GRAMS	4,501-5,000 GRAMS	5,001 GRAMS OR MORE	
LOUISIANA	801	31	141	96	92	91	73	65	46	11	10	6	137
WHITE	373	16	65	45	41	37	33	39	27	5	4	2	59
ALL OTHER	428	15	76	51	51	54	40	26	19	6	6	4	80
MAINE ²	104	7	8	16	13	11	3	8	6	-	-	2	30
WHITE	104	7	8	16	13	11	3	8	6	-	-	2	30
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	580	67	140	71	72	59	48	53	24	9	1	2	34
WHITE	378	48	79	42	42	41	33	41	19	7	-	1	25
ALL OTHER	202	19	61	29	30	18	15	12	5	2	1	1	9
MASSACHUSETTS	676	54	100	60	61	51	53	53	28	5	6	1	204
WHITE	635	47	89	58	56	50	50	52	28	5	6	1	193
ALL OTHER	41	7	11	2	5	1	3	1	-	-	-	-	11
MICHIGAN	1,423	103	285	126	123	141	130	125	74	36	20	10	246
WHITE	1,045	75	189	83	87	93	101	103	58	34	9	7	206
ALL OTHER	378	28	96	43	36	48	29	26	16	2	11	3	40
MINNESOTA	512	48	75	49	52	42	30	54	37	9	7	1	108
WHITE	484	46	72	44	51	38	27	50	37	9	7	1	102
ALL OTHER	28	2	3	5	1	4	3	4	-	-	-	-	6
MISSISSIPPI ²	881	99	119	84	76	69	57	74	41	8	11	8	235
WHITE	336	32	45	34	26	17	20	22	18	2	5	2	113
ALL OTHER	545	67	74	50	50	52	37	52	23	6	6	6	122
MISSOURI	802	33	136	75	55	68	68	70	44	16	9	4	224
WHITE	610	24	93	48	38	50	47	55	38	14	7	3	189
ALL OTHER	192	9	43	27	17	18	21	11	6	2	2	1	35
MONTANA	127	21	14	8	9	10	12	10	12	4	1	-	26
WHITE	112	21	13	6	8	8	10	9	12	1	-	-	24
ALL OTHER	15	-	1	2	1	2	2	1	-	3	1	-	2
NEBRASKA	237	11	48	15	23	33	22	24	18	5	4	-	34
WHITE	218	11	41	12	22	30	22	23	17	5	4	-	31
ALL OTHER	19	-	7	3	1	3	-	1	1	-	-	-	3
NEVADA	81	3	9	7	10	3	8	4	2	-	-	1	34
WHITE	64	3	9	5	6	1	5	3	2	-	-	-	30
ALL OTHER	17	-	-	2	4	2	3	1	-	-	-	1	4
NEW HAMPSHIRE	103	6	12	4	6	12	6	5	3	-	-	-	49
WHITE	102	6	12	4	6	11	6	5	3	-	-	-	49
ALL OTHER	1	-	-	-	-	1	-	-	-	-	-	-	-
NEW JERSEY	1,036	93	172	119	122	116	106	87	54	26	13	6	122
WHITE	788	69	121	91	88	83	87	67	46	25	8	5	98
ALL OTHER	248	24	51	28	34	33	19	20	8	1	5	1	24
NEW MEXICO	199	6	22	18	15	18	26	27	7	1	2	1	56
WHITE	162	4	19	16	10	15	19	21	6	-	2	1	49
ALL OTHER	37	2	3	2	5	3	7	6	1	1	-	-	7
NEW YORK ²	2,895	260	435	298	228	245	193	185	108	32	18	14	875
WHITE	2,097	183	275	187	159	157	128	140	92	28	17	11	720
ALL OTHER	798	77	160	111	69	88	65	49	16	4	1	3	155
NORTH CAROLINA	1,180	112	246	132	122	134	119	133	73	22	11	10	66
WHITE	651	54	132	69	65	60	83	77	49	13	7	6	36
ALL OTHER	529	58	114	63	57	74	36	56	24	9	4	4	30
NORTH DAKOTA	108	7	17	12	13	11	9	5	5	8	3	-	18
WHITE	91	6	16	9	10	11	9	5	5	5	1	-	14
ALL OTHER	17	1	1	3	3	-	-	-	-	3	2	-	4
OHIO	1,712	123	303	151	164	173	146	149	94	35	17	10	347
WHITE	1,376	93	220	120	125	144	124	128	85	33	16	10	278
ALL OTHER	336	30	83	31	39	29	22	21	9	2	1	-	69
OKLAHOMA	447	34	69	49	43	35	30	50	21	17	4	1	94
WHITE	343	25	53	38	30	26	25	37	16	10	2	1	80
ALL OTHER	104	9	16	11	13	9	5	13	5	7	2	-	14
OREGON ⁴	278	26	49	23	22	23	27	35	14	5	1	2	51
WHITE	257	25	43	20	22	21	24	33	14	4	-	2	49
ALL OTHER	21	1	6	3	-	2	3	2	-	1	1	-	2
PENNSYLVANIA	1,915	423	385	206	177	159	159	144	98	29	15	12	108
WHITE	1,531	301	275	172	155	127	137	125	92	24	14	10	99
ALL OTHER	384	122	110	34	22	32	22	19	6	5	1	2	9
RHODE ISLAND	99	8	21	6	7	9	11	8	4	1	-	-	24
WHITE	93	7	21	5	7	8	10	8	4	1	-	-	22
ALL OTHER	6	1	-	1	-	1	1	-	-	-	-	-	2
SOUTH CAROLINA	725	50	122	92	63	58	70	75	38	15	4	3	135
WHITE	323	25	44	47	26	26	36	37	25	7	1	-	49
ALL OTHER	402	25	78	45	37	32	34	38	13	8	3	3	86

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

3-33

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	BIRTH WEIGHT ¹											
		500 GRAMS OR LESS	501-1,000 GRAMS	1,001-1,500 GRAMS	1,501-2,000 GRAMS	2,001-2,500 GRAMS	2,501-3,000 GRAMS	3,001-3,500 GRAMS	3,501-4,000 GRAMS	4,001-4,500 GRAMS	4,501-5,000 GRAMS	5,001 GRAMS OR MORE	NOT STATED
SOUTH DAKOTA	110	14	15	9	8	11	17	6	8	5	—	1	16
WHITE	94	9	14	8	5	10	17	6	5	4	—	1	15
ALL OTHER	16	5	1	1	3	1	—	—	3	1	—	—	1
TENNESSEE	851	61	171	89	96	86	98	90	55	25	12	5	63
WHITE	599	42	103	62	69	57	68	70	44	20	9	3	52
ALL OTHER	252	19	68	27	27	29	30	20	11	5	3	2	11
TEXAS	2,440	167	518	297	263	257	234	292	176	61	32	27	116
WHITE	1,897	116	366	215	199	210	194	243	157	56	26	24	91
ALL OTHER	543	51	152	82	64	47	40	49	19	5	6	3	25
UTAH	284	13	23	16	9	15	15	21	6	5	1	1	159
WHITE	268	12	22	14	9	15	15	15	6	4	1	—	151
ALL OTHER	16	1	1	2	—	—	—	2	—	1	—	1	8
VERMONT ⁴	66	13	11	6	5	6	4	8	4	1	—	—	8
WHITE	66	13	11	6	5	6	4	8	4	1	—	—	8
ALL OTHER	—	—	—	—	—	—	—	—	—	—	—	—	—
VIRGINIA ²	1,062	142	190	110	95	90	76	55	47	13	4	3	233
WHITE	687	64	116	74	67	68	50	34	37	8	2	—	167
ALL OTHER	375	78	74	36	28	22	26	25	10	5	2	3	66
WASHINGTON	459	37	61	54	38	33	35	37	29	12	3	—	120
WHITE	403	31	54	46	34	27	35	33	27	12	3	—	101
ALL OTHER	56	6	7	8	4	6	—	4	2	—	—	—	19
WEST VIRGINIA	314	16	48	34	31	38	28	40	21	6	3	3	46
WHITE	293	14	44	32	29	34	26	38	21	5	3	3	44
ALL OTHER	21	2	4	2	2	4	2	2	—	1	—	—	2
WISCONSIN	580	52	109	65	60	68	63	65	42	27	10	8	11
WHITE	507	46	90	58	51	59	58	60	36	23	10	5	11
ALL OTHER	73	6	19	7	9	9	5	5	6	4	—	3	—
WYOMING	79	10	9	6	9	13	8	5	5	1	1	—	12
WHITE	74	8	9	6	9	12	8	4	4	1	1	—	12
ALL OTHER	5	2	—	—	—	1	—	1	1	—	—	—	—

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.²This State requires reporting of all fetal deaths regardless of period of gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.³Copies of certificates for fetal deaths under 20 weeks gestation for 1974 were not forwarded by Colorado to the National Center for Health Statistics.⁴This State requires reporting of fetal deaths of 20 weeks or more gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1974

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix.]

AREA, COLOR, AND SEX	TOTAL	PERIOD OF GESTATION ¹								
		20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED ²
UNITED STATES	36,281	4,091	4,136	3,690	4,735	1,848	5,037	3,219	3,903	5,622
WHITE	26,365	2,697	2,800	2,564	3,431	1,390	3,824	2,482	3,146	4,031
ALL OTHER	9,916	1,394	1,336	1,126	1,304	458	1,213	737	757	1,591
MALE	18,464	2,030	2,057	1,864	2,426	1,001	2,632	1,657	1,898	2,899
WHITE	13,378	1,329	1,364	1,286	1,763	742	2,013	1,275	1,529	2,077
ALL OTHER	5,086	701	693	578	663	259	619	382	369	822
FEMALE	16,302	1,418	1,767	1,669	2,216	825	2,361	1,544	1,973	2,529
WHITE	11,887	909	1,195	1,171	1,598	631	1,781	1,191	1,591	1,820
ALL OTHER	4,415	509	572	498	618	194	580	353	382	709
SEX NOT STATED	1,515	643	312	157	93	22	44	18	32	194
WHITE	1,100	459	241	107	70	17	30	16	26	134
ALL OTHER	415	184	71	50	23	5	14	2	6	60
ALABAMA	894	90	135	107	90	50	79	202	18	153
WHITE	444	46	44	50	49	24	44	96	12	79
ALL OTHER	450	44	61	57	41	26	35	106	6	74
ALASKA	83	6	14	8	11	6	11	6	7	14
WHITE	63	5	10	7	7	5	8	4	6	11
ALL OTHER	20	1	4	1	4	1	3	2	1	3
ARIZONA	375	28	41	40	51	24	74	25	56	36
WHITE	295	24	35	37	35	20	55	20	42	27
ALL OTHER	80	4	6	3	16	4	19	5	14	9
ARKANSAS ²	423	43	53	62	48	22	29	93	11	62
WHITE	274	23	34	39	33	15	19	60	9	42
ALL OTHER	149	20	19	23	15	7	10	33	2	20
CALIFORNIA	3,016	208	337	278	460	127	564	192	501	349
WHITE	2,453	160	268	208	365	106	484	163	437	262
ALL OTHER	563	48	69	70	95	21	80	29	64	87
COLORADO ^{2,3}	421	48	59	48	65	14	60	25	65	37
WHITE	386	41	54	46	60	11	57	23	61	33
ALL OTHER	35	7	5	2	5	3	3	2	4	4
CONNECTICUT	344	40	37	32	37	12	34	58	21	73
WHITE	286	30	29	26	33	9	27	53	18	61
ALL OTHER	58	10	8	6	4	3	7	5	3	12
DELAWARE	67	8	10	12	6	2	7	14	2	6
WHITE	46	4	7	6	3	2	4	13	2	5
ALL OTHER	21	4	3	6	3	-	3	1	-	1
DISTRICT OF COLUMBIA	157	23	14	21	20	9	21	9	20	20
WHITE	16	1	2	-	3	-	4	3	1	2
ALL OTHER	141	22	12	21	17	9	17	6	19	18
FLORIDA	1,360	72	100	102	133	44	109	39	122	639
WHITE	885	56	63	67	90	30	76	31	85	387
ALL OTHER	475	16	37	35	43	14	33	8	37	252
GEORGIA ²	1,358	275	193	156	124	87	95	168	38	222
WHITE	735	129	92	75	63	50	52	104	29	141
ALL OTHER	623	146	101	81	61	37	43	64	9	81
HAWAII ²	242	64	57	28	23	4	32	10	17	7
WHITE	78	21	20	7	6	3	10	3	5	3
ALL OTHER	164	43	37	21	17	1	22	7	12	4
IDAHO	151	12	12	4	11	9	17	21	6	59
WHITE	141	9	12	4	11	9	17	19	6	54
ALL OTHER	10	3	-	-	-	-	-	2	-	5
ILLINOIS	1,895	191	227	206	294	102	324	111	240	200
WHITE	1,226	111	135	119	183	71	219	78	185	125
ALL OTHER	669	80	92	87	111	31	105	33	55	75
INDIANA	931	33	65	62	87	26	90	45	110	413
WHITE	740	25	52	59	69	22	77	43	92	301
ALL OTHER	191	8	13	3	18	4	13	2	18	112
IOWA	419	33	39	46	74	27	92	29	63	16
WHITE	408	32	39	46	69	26	91	27	63	15
ALL OTHER	11	1	-	-	5	1	1	2	-	1
KANSAS	365	38	41	27	53	17	74	19	71	25
WHITE	307	24	31	20	48	15	64	19	64	22
ALL OTHER	58	14	10	7	5	2	10	-	7	3
KENTUCKY	614	36	55	52	87	25	88	45	84	142
WHITE	521	26	43	41	77	23	75	39	71	126
ALL OTHER	93	10	12	11	10	2	13	6	13	16

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

3-35

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	PERIOD OF GESTATION ¹								
		20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
LOUISIANA	801	46	51	57	81	44	84	39	56	343
WHITE	373	24	29	30	42	23	38	23	30	134
ALL OTHER	428	22	22	27	39	21	46	16	26	209
MAINE ²	104	13	14	13	8	4	17	1	20	14
WHITE	104	13	14	13	8	4	17	1	20	14
ALL OTHER	--	--	--	--	--	--	--	--	--	--
MARYLAND	580	74	72	65	101	37	94	26	58	53
WHITE	378	54	43	37	66	22	69	18	40	29
ALL OTHER	202	20	29	28	35	15	25	8	18	24
MASSACHUSETTS	676	32	41	48	66	16	69	29	50	325
WHITE	635	30	36	44	60	15	68	27	48	307
ALL OTHER	41	2	5	4	6	1	1	2	2	18
MICHIGAN	1,423	122	141	111	206	56	227	78	187	295
WHITE	1,045	73	102	75	145	39	171	59	148	233
ALL OTHER	378	49	39	36	61	17	56	19	39	62
MINNESOTA	512	42	54	56	75	27	81	32	68	77
WHITE	464	40	50	54	70	26	79	32	66	67
ALL OTHER	28	2	4	2	5	1	2	--	2	10
MISSISSIPPI ²	881	171	135	104	115	27	132	47	90	60
WHITE	336	85	57	39	36	7	48	13	34	17
ALL OTHER	545	86	78	65	79	20	84	34	56	43
MISSOURI	802	50	65	73	96	27	130	41	99	221
WHITE	610	37	40	45	71	17	103	31	81	185
ALL OTHER	192	13	25	28	25	10	27	10	18	36
MONTANA	127	7	12	19	9	11	20	7	21	21
WHITE	112	7	11	18	9	10	15	6	19	17
ALL OTHER	15	--	1	1	--	1	5	1	2	4
NEBRASKA	237	20	23	25	28	15	51	23	34	18
WHITE	218	17	20	23	24	15	48	22	33	16
ALL OTHER	19	3	3	2	4	--	3	1	1	2
NEVADA	81	2	5	5	11	6	8	2	5	37
WHITE	64	2	4	5	7	1	8	2	2	33
ALL OTHER	17	--	1	--	4	5	--	--	3	4
NEW HAMPSHIRE	103	3	5	8	10	1	11	3	10	52
WHITE	102	3	5	8	10	1	11	3	10	51
ALL OTHER	1	--	--	--	--	--	--	--	--	1
NEW JERSEY	1,036	79	99	98	153	44	154	53	147	209
WHITE	788	54	76	72	116	36	112	40	123	159
ALL OTHER	248	25	23	26	37	8	42	13	24	50
NEW MEXICO	199	11	12	20	27	12	24	34	14	45
WHITE	162	8	10	18	20	9	18	25	13	41
ALL OTHER	37	3	2	2	7	3	6	9	1	4
NEW YORK ²	2,895	537	407	333	370	135	432	184	344	153
WHITE	2,097	415	278	218	265	94	309	141	282	95
ALL OTHER	798	122	129	115	105	41	123	43	62	58
NORTH CAROLINA	1,180	116	160	121	188	62	185	65	208	75
WHITE	651	55	80	58	91	36	103	54	141	33
ALL OTHER	529	61	80	63	97	26	82	11	67	42
NORTH DAKOTA	108	6	11	11	14	6	20	11	15	14
WHITE	91	5	10	9	12	5	19	11	10	10
ALL OTHER	17	1	1	2	2	1	1	--	5	4
OHIO	1,712	108	133	184	235	75	233	85	238	421
WHITE	1,376	79	100	137	189	69	187	69	211	335
ALL OTHER	336	29	33	47	46	6	46	16	27	86
OKLAHOMA	447	29	49	40	59	21	76	27	62	84
WHITE	343	19	41	31	45	21	61	16	44	65
ALL OTHER	104	10	8	9	14	--	15	11	18	19
OREGON ⁴	278	32	28	40	41	7	60	21	39	10
WHITE	257	28	25	36	37	7	58	21	36	9
ALL OTHER	21	4	3	4	4	--	2	--	3	1
PENNSYLVANIA	1,915	444	295	203	247	120	196	291	84	35
WHITE	1,531	298	221	174	207	102	165	260	71	33
ALL OTHER	384	146	74	29	40	18	31	31	13	2
RHODE ISLAND	99	7	16	8	12	2	12	7	13	22
WHITE	93	6	16	7	11	2	12	6	12	21
ALL OTHER	6	1	--	1	1	--	--	1	1	1
SOUTH CAROLINA	725	69	83	84	111	35	106	39	101	97
WHITE	323	27	32	33	55	17	51	18	57	33
ALL OTHER	402	42	51	51	56	18	55	21	44	64

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1974—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	PERIOD OF GESTATION ¹								
		20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
SOUTH DAKOTA	110	12	10	15	9	7	20	6	19	12
WHITE	94	10	8	11	7	5	20	6	16	11
ALL OTHER	16	2	2	4	2	2	-	-	3	1
TENNESSEE	851	83	104	70	111	60	150	66	139	68
WHITE	599	50	61	47	89	42	106	43	117	44
ALL OTHER	252	33	43	23	22	18	44	23	22	24
TEXAS	2,440	308	332	312	319	228	290	533	95	23
WHITE	1,897	211	223	243	238	190	234	455	84	19
ALL OTHER	543	97	109	69	81	38	56	78	11	4
UTAH	284	12	9	16	25	6	31	12	29	144
WHITE	268	12	9	15	25	5	30	10	29	133
ALL OTHER	16	-	-	1	-	1	1	2	-	11
VERMONT ⁴	66	9	12	9	7	-	10	3	10	6
WHITE	66	9	12	9	7	-	10	3	10	6
ALL OTHER	-	-	-	-	-	-	-	-	-	-
VIRGINIA ²	1,062	273	146	110	141	63	94	164	35	36
WHITE	687	153	82	70	99	46	74	106	27	30
ALL OTHER	375	120	64	40	42	17	20	58	8	6
WASHINGTON	459	23	47	38	43	25	63	29	61	130
WHITE	403	16	41	36	39	23	57	29	54	108
ALL OTHER	56	7	6	2	4	2	6	-	7	22
WEST VIRGINIA	314	23	27	32	52	13	51	25	51	40
WHITE	293	21	26	29	47	12	49	24	47	38
ALL OTHER	21	2	1	3	5	1	2	1	4	2
WISCONSIN	580	72	72	60	78	42	98	121	35	2
WHITE	507	62	61	53	67	42	83	106	31	2
ALL OTHER	73	10	11	7	11	-	15	15	4	-
WYOMING	79	8	7	11	13	7	8	4	14	7
WHITE	74	7	7	10	13	6	8	4	12	7
ALL OTHER	5	1	-	1	-	1	-	-	2	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.²This State requires reporting of all fetal deaths regardless of period of gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.³Copies of certificates for fetal deaths under 20 weeks gestation for 1974 were not forwarded by Colorado to the National Center for Health Statistics.⁴This State requires reporting of fetal deaths of 20 weeks or more gestation; however, those of "not stated" period are included with those of 20 weeks or more gestation only if certain additional information on the certificate (such as birth weight) makes this presumption plausible; see Technical Appendix.

Section 4. Accident Mortality

Table		Page
4-1.	Deaths from motor vehicle accidents, by person injured, cause of death, color, and sex: United States, 1974 -----	4-2
4-2.	Deaths from motor vehicle accidents, by person injured, age, race, and sex: United States, 1974 -----	4-4
4-3.	Deaths from motor vehicle accidents, by person injured, color, and sex: United States and each State, 1974 -----	4-12
4-4.	Deaths from accidental poisoning, by age, color, and sex: United States, 1974 -----	4-17
4-5.	Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1974 -----	4-21
4-6.	Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1974 -----	4-32
4-7.	Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1974 -----	4-36

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Motor Vehicle Accidents, by Person

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification

Person injured, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Unspecified person (.9)-----	13,056	67	50	54	57	55	261	169	325	2,465
2	Male-----	9,894	25	25	32	28	19	129	104	219	1,931
3	Female-----	3,162	42	25	22	29	14	132	65	106	554
4	White-----	8,815	24	20	25	22	15	106	84	197	1,803
5	Female-----	2,852	54	21	18	29	9	111	57	89	515
6	Negro-----	915	1	4	5	6	4	20	18	19	101
7	Female-----	253	7	3	4	-	4	18	8	13	30
8	Other races-----	164	-	1	2	-	-	3	2	3	27
9	Female-----	57	1	1	-	-	1	3	-	4	9
10	Motor vehicle traffic accidents-----E810-E819	45,314	216	215	286	316	302	1,335	1,505	1,725	8,252
11	Male-----	35,304	101	113	150	174	176	714	948	1,124	6,285
12	Female-----	12,010	115	102	136	142	126	621	557	601	1,966
13	White-----	28,892	86	92	107	142	135	562	715	865	5,781
14	Female-----	10,527	96	85	99	114	92	484	421	532	1,825
15	Negro-----	3,806	12	18	38	32	37	137	221	137	411
16	Female-----	1,242	15	16	32	26	33	122	126	59	114
17	Other races-----	606	3	3	5	-	4	15	12	22	94
18	Female-----	241	4	3	5	2	1	15	10	10	26
19	Driver of motor vehicle other than motorcycle (.0)-----	13,835	-	1	1	1	1	4	2	45	2,243
20	Male-----	11,332	-	-	-	-	1	2	2	35	1,834
21	Female-----	2,503	-	1	1	1	-	3	-	10	359
22	White-----	10,044	-	-	-	-	-	1	30	1,760	1,760
23	Female-----	2,272	-	-	1	1	-	2	-	10	343
24	Negro-----	1,127	-	-	-	-	1	1	1	3	102
25	Female-----	191	-	-	-	-	-	-	-	-	13
26	Other races-----	161	-	-	-	-	-	-	-	2	22
27	Female-----	40	-	1	-	-	-	1	-	-	3
28	Passenger in motor vehicle other than motorcycle (.1)-----	7,869	142	94	90	84	74	484	300	481	2,077
29	Male-----	4,201	70	43	32	38	39	222	156	260	1,309
30	Female-----	3,668	72	51	58	46	35	262	144	221	768
31	White-----	3,607	57	38	25	33	33	186	135	227	1,179
32	Female-----	3,204	61	43	45	35	28	212	110	199	712
33	Negro-----	512	11	4	5	5	5	30	16	31	107
34	Female-----	387	8	9	9	9	7	41	31	16	47
35	Other races-----	82	2	1	2	-	1	6	5	2	23
36	Female-----	77	3	-	4	2	-	9	3	6	9
37	Motorcyclist (.2)-----	1,981	-	-	-	-	-	-	3	65	535
38	Male-----	1,933	-	-	-	-	-	-	2	59	526
39	Female-----	48	-	-	-	-	-	-	1	7	9
40	White-----	1,806	-	-	-	-	-	-	2	52	503
41	Female-----	47	-	-	-	-	-	-	-	7	9
42	Negro-----	108	-	-	-	-	-	-	-	5	18
43	Female-----	1	-	-	-	-	-	-	1	-	-
44	Other races-----	19	-	-	-	-	-	-	-	1	5
45	Female-----	-	-	-	-	-	-	-	-	-	-
46	Passenger on motorcycle (.3)-----	265	-	1	1	-	1	3	7	18	108
47	Male-----	124	-	-	1	-	-	1	4	13	56
48	Female-----	141	-	1	-	-	1	2	3	5	52
49	White-----	113	-	-	1	-	-	1	3	11	53
50	Female-----	131	-	1	-	-	1	2	2	4	49
51	Negro-----	11	-	-	-	-	-	-	1	2	3
52	Female-----	9	-	-	-	-	-	-	1	1	2
53	Other races-----	-	-	-	-	-	-	-	-	-	-
54	Female-----	1	-	-	-	-	-	-	-	-	1
55	Occupant of streetcar (.4)-----	1	-	-	-	-	-	-	-	-	-
56	Male-----	-	-	-	-	-	-	-	-	-	-
57	Female-----	1	-	-	-	-	-	-	-	-	-
58	White-----	-	-	-	-	-	-	-	-	-	-
59	Female-----	-	-	-	-	-	-	-	-	-	-
60	Negro-----	-	-	-	-	-	-	-	-	-	-
61	Female-----	1	-	-	-	-	-	-	-	-	-
62	Other races-----	-	-	-	-	-	-	-	-	-	-
63	Female-----	-	-	-	-	-	-	-	-	-	-
64	Rider of animal or occupant of animal-drawn vehicle (.5)-----	21	-	-	-	-	-	-	-	6	4
65	Male-----	16	-	-	-	-	-	-	-	5	3
66	Female-----	5	-	-	-	-	-	-	-	1	1
67	White-----	15	-	-	-	-	-	-	-	4	3
68	Female-----	5	-	-	-	-	-	-	-	1	1
69	Negro-----	1	-	-	-	-	-	-	-	1	-
70	Female-----	-	-	-	-	-	-	-	-	-	-
71	Other races-----	-	-	-	-	-	-	-	-	-	-
72	Female-----	-	-	-	-	-	-	-	-	-	-
73	Pedal cyclist (.6)-----	887	-	1	3	6	10	20	175	311	194
74	Male-----	705	-	1	1	3	6	11	130	250	157
75	Female-----	182	-	-	2	3	4	9	37	61	37
76	White-----	593	-	1	1	3	6	11	111	220	128
77	Female-----	164	-	-	1	2	4	7	31	54	36
78	Negro-----	101	-	-	-	-	-	-	27	24	28
79	Female-----	16	-	-	1	1	-	2	5	7	1
80	Other races-----	11	-	-	-	-	-	-	-	6	1
81	Female-----	2	-	-	-	-	-	-	1	-	-
82	Pedestrian (.7)-----	7,825	7	70	144	169	185	575	849	476	649
83	Male-----	5,295	6	46	87	103	112	356	541	286	461
84	Female-----	2,330	1	24	57	64	73	219	308	190	188
85	White-----	4,075	5	34	55	84	82	280	378	227	394
86	Female-----	1,877	1	18	38	48	50	155	222	168	162
87	Negro-----	1,051	-	11	30	21	27	89	158	51	62
88	Female-----	389	-	5	18	16	23	62	80	22	22
89	Other races-----	169	1	1	2	-	3	7	5	8	15
90	Female-----	64	-	1	1	-	-	2	6	-	4

Injured, Age, Race, and Sex: United States, 1974--Con.

of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Table with 17 columns representing age groups (20-24 to 100+ years) and a 'Not stated' column. The table contains numerical data for each age group and row, with a final column listing row indices from 1 to 90.

SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1974

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States	46,402	13,945	7,953	2,057	272	1	21	889	8,145	63	13,056
Male	34,133	11,432	4,289	2,007	129	-	16	707	5,836	53	9,894
Female	12,269	2,513	3,664	50	143	1	5	182	2,309	10	3,162
White	28,834	10,135	3,662	1,877	118	-	15	584	4,370	48	8,815
Female	10,757	2,280	3,228	49	133	-	5	164	2,036	10	2,852
All other	4,499	1,287	597	150	11	-	1	115	1,266	5	1,079
Female	1,512	233	466	1	10	1	-	16	473	-	310
Alabama	1,099	233	133	37	4	-	2	14	156	-	520
Male	832	185	79	36	1	-	2	10	107	-	413
Female	267	48	55	1	3	-	-	4	49	-	107
White	613	146	52	32	1	-	2	7	53	-	320
Female	207	40	42	-	2	-	-	2	26	-	95
All other	219	39	26	4	-	-	-	3	54	-	93
Female	60	8	13	1	1	-	-	2	21	-	14
Alaska	75	2	2	-	-	-	-	-	12	-	59
Male	57	2	-	-	-	-	-	-	9	-	46
Female	18	-	2	-	-	-	-	-	3	-	13
White	44	2	-	-	-	-	-	-	5	-	37
Female	12	-	-	-	-	-	-	-	1	-	11
All other	13	-	-	-	-	-	-	-	4	-	9
Female	6	-	2	-	-	-	-	-	2	-	2
Arizona	705	142	86	33	7	-	-	11	159	-	267
Male	529	124	45	32	5	-	-	7	115	-	201
Female	176	18	41	1	2	-	-	4	44	-	66
White	408	106	34	30	5	-	-	6	75	-	152
Female	125	14	29	1	2	-	-	3	27	-	49
All other	121	16	11	2	-	-	-	1	40	-	49
Female	51	4	12	-	-	-	-	1	17	-	17
Arkansas	538	22	24	1	-	-	-	5	69	-	419
Male	403	17	14	1	-	-	-	5	55	-	311
Female	135	5	10	-	-	-	-	-	13	-	107
White	351	15	11	1	-	-	-	4	39	-	261
Female	114	4	9	-	-	-	-	-	10	-	91
All other	72	2	3	-	-	-	-	1	16	-	50
Female	21	1	1	-	-	-	-	-	3	-	16
California	4,263	1,274	819	359	59	-	1	106	783	9	974
Male	3,138	1,026	446	349	28	-	-	89	522	7	673
Female	1,145	248	373	10	31	-	1	17	261	2	201
White	2,834	921	411	321	28	-	-	78	454	6	618
Female	1,024	221	344	10	30	-	1	15	221	2	180
All other	304	105	35	28	1	-	-	11	68	1	55
Female	121	27	29	-	2	-	-	2	40	-	21
Colorado	627	96	64	16	1	-	-	13	61	-	356
Male	468	74	37	16	-	-	-	10	58	-	273
Female	159	22	27	-	1	-	-	3	23	-	83
White	451	73	36	16	-	-	-	9	55	-	262
Female	153	22	26	-	1	-	-	3	20	-	81
All other	17	1	1	-	-	-	-	1	3	-	11
Female	6	-	1	-	-	-	-	-	3	-	2
Connecticut	419	156	53	32	-	-	-	3	94	-	81
Male	297	127	22	27	-	-	-	2	62	-	57
Female	122	29	31	5	-	-	-	1	32	-	24
White	276	119	18	27	-	-	-	2	57	-	53
Female	119	38	30	5	-	-	-	1	31	-	24
All other	21	8	4	-	-	-	-	4	5	-	4
Female	3	1	1	-	-	-	-	1	1	-	-
Delaware	115	29	28	4	-	-	-	2	23	-	29
Male	87	25	20	4	-	-	-	-	16	-	22
Female	28	4	8	-	-	-	-	2	7	-	7
White	63	20	12	4	-	-	-	-	11	-	16
Female	26	4	7	-	-	-	-	2	6	-	7
All other	24	5	8	-	-	-	-	-	5	-	6
Female	2	-	1	-	-	-	-	-	1	-	-
District of Columbia	82	13	15	4	-	-	-	2	35	-	13
Male	60	11	8	4	-	-	-	2	26	-	9
Female	22	2	7	-	-	-	-	-	9	-	4
White	15	3	1	2	-	-	-	-	7	-	2
Female	6	-	1	-	-	-	-	-	4	-	1
All other	45	8	7	2	-	-	-	2	19	-	7
Female	16	2	6	-	-	-	-	-	5	-	3
Florida	2,172	551	345	92	15	1	2	80	459	1	646
Male	1,550	435	170	91	11	-	2	47	306	1	487
Female	622	116	175	1	4	1	-	13	153	-	159
White	1,284	377	146	82	9	-	-	40	224	1	403
Female	518	102	151	1	4	-	-	13	115	-	132
All other	286	58	24	9	2	-	-	7	82	-	84
Female	104	14	24	-	-	1	-	-	38	-	27
Georgia	1,579	680	332	79	8	-	-	25	211	1	243
Male	1,177	574	189	77	6	-	-	19	152	-	180
Female	402	106	163	2	2	-	-	6	59	1	63
White	871	452	125	66	5	-	-	10	83	-	130
Female	310	89	129	2	2	-	-	9	37	1	48
All other	306	122	44	11	1	-	-	9	69	-	50
Female	92	17	34	-	-	-	-	4	22	-	15

SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1974—Con.

Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Minnesota	867	396	184	36	6	-	1	15	118	5	106
Male	620	330	77	35	3	-	-	11	79	5	80
Female	247	66	107	1	3	-	1	4	39	-	26
White	606	326	77	35	3	-	-	10	72	5	78
Female	243	65	105	1	3	-	1	4	37	-	26
All other	14	4	-	-	-	-	-	1	7	-	2
Female	4	-	2	-	-	-	-	-	2	-	-
Mississippi	697	215	156	27	6	-	1	8	85	-	219
Male	537	181	81	26	4	-	1	6	64	-	174
Female	160	34	55	1	2	-	-	2	21	-	45
White	565	158	55	23	3	-	1	5	24	-	114
Female	105	25	53	1	2	-	-	2	12	-	30
All other	174	43	26	3	1	-	-	1	40	-	60
Female	55	9	22	-	-	-	-	-	9	-	15
Missouri	1,020	478	223	59	6	-	-	17	146	1	90
Male	750	396	107	59	5	-	-	14	102	-	67
Female	270	82	116	-	1	-	-	3	44	1	23
White	696	375	101	58	5	-	-	10	83	-	64
Female	249	81	109	-	1	-	-	3	32	1	22
All other	54	21	6	1	-	-	-	4	19	-	3
Female	21	1	7	-	-	-	-	-	12	-	1
Montana	284	118	78	9	2	-	1	8	34	1	53
Male	197	94	39	9	1	-	1	7	24	1	21
Female	87	24	39	-	1	-	-	1	10	-	12
White	177	84	36	8	1	-	1	5	22	1	19
Female	73	21	30	-	1	-	-	1	8	-	12
All other	20	10	3	1	-	-	-	2	2	-	2
Female	14	3	9	-	-	-	-	-	2	-	-
Nebraska	409	212	97	22	1	-	-	1	40	-	36
Male	288	159	49	22	-	-	-	1	30	-	26
Female	125	53	49	-	1	-	-	-	10	-	10
White	270	152	45	20	-	-	-	1	26	-	26
Female	117	52	44	-	1	-	-	-	10	-	10
All other	16	7	5	2	-	-	-	-	4	-	-
Female	6	1	5	-	-	-	-	-	-	-	-
Nevada	185	55	27	3	1	-	-	2	22	-	75
Male	131	46	14	3	1	-	-	1	12	-	54
Female	54	9	13	-	-	-	-	1	10	-	21
White	115	40	13	3	1	-	-	1	11	-	44
Female	52	9	11	-	-	-	-	1	10	-	21
All other	18	6	1	-	-	-	-	-	1	-	10
Female	2	-	2	-	-	-	-	-	-	-	-
New Hampshire	153	53	34	6	-	-	-	6	22	-	32
Male	116	51	18	6	-	-	-	3	13	-	25
Female	37	2	16	-	-	-	-	3	9	-	7
White	115	51	18	6	-	-	-	3	12	-	25
Female	37	2	16	-	-	-	-	3	9	-	7
All other	1	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,123	465	197	46	6	-	2	20	318	2	67
Male	826	374	114	47	2	-	-	16	216	2	53
Female	297	89	83	1	4	-	-	4	102	-	14
White	706	326	100	45	2	-	2	15	170	1	45
Female	246	71	66	1	4	-	-	4	88	-	12
All other	120	48	14	2	-	-	-	1	46	1	8
Female	51	18	17	-	-	-	-	-	14	-	2
New Mexico	492	180	128	30	3	-	-	3	90	-	58
Male	376	155	72	30	2	-	-	3	72	-	42
Female	116	25	56	-	1	-	-	-	18	-	16
White	289	129	59	27	2	-	-	2	46	-	34
Female	87	17	45	-	1	-	-	-	13	-	11
All other	77	26	15	3	-	-	-	1	26	-	8
Female	29	8	11	-	-	-	-	-	5	-	5
New York	2,575	638	380	77	7	-	1	69	750	10	643
Male	1,855	528	192	77	2	-	-	51	480	8	507
Female	720	110	188	-	5	-	1	18	260	2	136
White	1,632	472	161	75	2	-	-	43	391	7	481
Female	633	95	169	-	4	-	1	16	221	2	125
All other	223	56	31	2	-	-	-	8	99	1	26
Female	87	15	19	-	1	-	-	2	39	-	11
North Carolina	1,592	642	425	57	9	-	1	28	311	1	116
Male	1,191	527	255	57	2	-	1	23	230	1	95
Female	401	115	170	-	7	-	-	5	81	-	23
White	815	377	174	47	1	-	1	15	128	1	71
Female	279	90	119	-	6	-	-	3	44	-	17
All other	376	150	81	10	1	-	-	8	102	-	24
Female	122	25	51	-	1	-	-	2	37	-	6
North Dakota	183	92	60	3	-	-	-	2	17	-	8
Male	139	79	37	3	-	-	-	1	11	-	5
Female	44	13	23	-	-	-	-	1	6	-	1
White	125	74	31	3	-	-	-	1	9	-	7
Female	58	9	20	-	-	-	-	1	5	-	1
All other	14	5	6	-	-	-	-	-	2	-	1
Female	8	4	3	-	-	-	-	-	1	-	-

SECTION 4 - ACCIDENT MORTALITY

4-17

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1974

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under	1	2	3	4	Under	5-14	15-24	25-44	45-64	65	Not stated
			1 year	year	years	years	years	5 years	years	years	years	years and over		
E850-E859	Accidental poisoning by drugs and medicaments-----	2,742	12	34	26	5	4	81	24	891	1,038	438	267	3
	Male----	1,704	10	18	13	2	3	44	13	659	719	170	97	2
	Female--	1,038	2	18	13	3	1	37	11	232	319	268	170	1
	White--Male----	1,321	7	13	12	2	2	36	8	527	534	132	82	2
	Female--	826	1	14	7	1	1	24	6	169	224	246	156	1
E850	All other--Male----	585	3	3	1	-	1	8	5	132	185	38	15	-
	Female--	212	1	4	6	2	-	13	5	63	95	22	14	-
	By antibiotics and other anti-infectives-----	9	-	-	-	-	-	-	-	1	3	1	4	-
	Male----	5	-	-	-	-	-	-	-	-	2	1	2	-
	Female--	4	-	-	-	-	-	-	-	1	1	-	2	-
.0	White--Male----	4	-	-	-	-	-	-	-	1	1	1	2	-
	Female--	4	-	-	-	-	-	-	-	1	1	-	2	-
	All other--Male----	1	-	-	-	-	-	-	-	-	1	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
	Penicillin, any-----	-	-	-	-	-	-	-	-	-	-	-	-	-
.1-.9	Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
E851	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other antibiotics and anti-infectives-----	9	-	-	-	-	-	-	-	1	3	1	4	-
	Male----	5	-	-	-	-	-	-	-	-	2	1	2	-
	Female--	4	-	-	-	-	-	-	-	1	1	1	2	-
	White--Male----	4	-	-	-	-	-	-	-	-	1	1	2	-
E851	Female--	4	-	-	-	-	-	-	-	1	1	1	2	-
	All other--Male----	1	-	-	-	-	-	-	-	-	1	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
	By hormones and synthetic substitutes-----	28	-	-	-	-	-	-	-	1	10	7	9	1
	Male----	16	-	-	-	-	-	-	-	1	6	4	4	1
Female--	12	-	-	-	-	-	-	-	-	4	3	5	1	
.6	White--Male----	9	-	-	-	-	-	-	-	-	3	3	3	-
	Female--	10	-	-	-	-	-	-	-	-	3	3	4	-
	All other--Male----	7	-	-	-	-	-	-	-	1	3	1	2	-
	Female--	2	-	-	-	-	-	-	-	-	1	-	1	-
	Progestogens-----	-	-	-	-	-	-	-	-	-	-	-	-	-
.0-.5,.7-.9	Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other hormones and synthetic substitutes-----	28	-	-	-	-	-	-	-	1	10	7	9	1
E852	Male----	16	-	-	-	-	-	-	-	1	6	4	4	-
	Female--	12	-	-	-	-	-	-	-	-	4	3	5	-
	White--Male----	9	-	-	-	-	-	-	-	-	3	3	3	-
	Female--	10	-	-	-	-	-	-	-	-	3	3	4	-
	All other--Male----	7	-	-	-	-	-	-	-	1	3	1	2	-
E852	Female--	2	-	-	-	-	-	-	-	-	1	-	1	-
	By primarily systemic and hematologic agents-----	53	-	2	4	-	1	7	4	3	5	16	18	-
	Male----	28	-	1	2	-	1	4	2	1	3	11	7	-
	Female--	25	-	1	2	-	-	3	2	2	2	5	11	-
	White--Male----	22	-	-	2	-	1	3	1	1	3	8	6	-
E853	Female--	21	-	1	-	-	-	1	2	2	1	4	11	-
	All other--Male----	6	-	1	-	-	-	1	1	-	3	1	1	-
	Female--	4	-	-	2	-	-	2	-	-	1	1	-	-
	By analgesics and antipyretics-----	967	6	14	9	3	-	32	7	367	439	77	25	-
	Male----	752	6	8	4	-	-	18	6	307	367	39	15	-
Female--	215	-	6	5	3	-	14	1	80	72	38	10	-	
.1	White--Male----	561	3	6	3	-	-	12	3	243	264	25	14	-
	Female--	154	-	4	3	1	-	8	-	58	44	34	10	-
	All other--Male----	191	3	2	1	-	-	6	3	64	103	14	1	-
	Female--	61	-	2	2	2	-	6	1	22	28	4	-	-
	Salicylates and congeners-----	83	4	13	5	2	-	24	1	9	18	12	15	-
.0,.2-.9	Male----	34	4	7	2	-	-	13	1	1	7	5	7	-
	Female--	49	-	6	3	2	-	11	-	8	9	13	8	-
	White--Male----	26	2	5	2	-	-	9	1	-	6	4	6	-
	Female--	43	-	4	2	1	-	7	-	6	9	13	8	-
	All other--Male----	8	2	2	-	-	-	4	-	1	1	1	1	-
E854	Female--	6	-	-	1	1	-	4	-	2	-	-	-	-
	All other analgesics and antipyretics-----	884	2	1	4	1	-	8	6	378	423	59	10	-
	Male----	718	2	1	2	-	-	5	5	308	360	34	8	-
	Female--	166	-	-	2	1	-	3	1	72	63	25	2	-
	White--Male----	535	1	1	1	-	-	3	2	243	258	21	8	-
E854	Female--	111	-	-	1	-	-	-	-	52	35	21	2	-
	All other--Male----	183	1	-	1	-	-	2	3	65	102	13	-	-
	Female--	55	-	-	1	1	-	2	1	20	28	4	-	-
	By other sedatives and hypnotics-----	620	-	1	-	-	2	5	1	212	220	126	37	1
	Male----	360	-	-	-	-	2	2	-	157	141	43	16	1
Female--	260	-	1	-	-	-	1	1	55	79	88	41	-	
.0	White--Male----	273	-	-	-	-	1	1	-	117	101	37	16	1
	Female--	210	-	-	-	-	-	-	-	36	55	90	41	-
	All other--Male----	87	-	-	-	-	1	1	-	40	40	6	-	-
	Female--	50	-	1	-	-	-	1	1	19	26	3	-	-
	Barbiturates-----	330	-	-	-	-	2	2	1	96	109	84	37	1
E854	Male----	161	-	-	-	-	2	2	-	61	58	29	10	1
	Female--	169	-	-	-	-	-	-	1	35	51	55	27	-
	White--Male----	137	-	-	-	-	1	1	-	80	50	25	10	1
	Female--	187	-	-	-	-	-	-	-	22	33	53	27	-
	All other--Male----	24	-	-	-	-	1	1	-	11	8	4	-	-
E854	Female--	32	-	-	-	-	-	-	1	13	16	2	-	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
.1-.9	By other sedatives and hypnotics—Con.													
	All other sedatives and hypnotics	290	-	1	-	-	-	1	-	116	111	42	20	-
	Male	199	-	1	-	-	-	-	-	96	83	14	6	-
	Female	91	-	-	-	-	-	1	-	20	28	28	14	-
	White	136	-	-	-	-	-	-	-	67	51	12	6	-
	Female	73	-	-	-	-	-	-	-	14	18	27	14	-
E855	All other—Male	63	-	-	-	-	-	-	-	29	32	2	-	-
	Female	18	-	1	-	-	-	1	-	6	10	1	-	-
	By autonomic nervous system and psychotherapeutic drugs	185	1	6	3	1	-	11	5	37	58	45	9	-
	Male	68	-	4	1	1	-	6	3	22	21	12	4	-
	Female	97	1	2	2	-	5	2	15	37	33	5	-	-
	White	61	-	4	1	1	-	6	2	21	17	11	4	-
.1	Female	78	-	2	1	-	3	2	10	29	29	5	-	-
	All other—Male	7	-	-	-	-	-	1	1	4	1	-	-	-
	Female	19	1	-	1	-	-	2	-	5	8	4	-	-
	Tranquilizers	106	1	3	1	1	-	6	2	20	38	31	9	-
	Male	46	-	2	-	1	-	3	2	13	16	8	4	-
	Female	60	1	1	1	-	3	3	7	22	23	5	-	-
.0, .2-.9	White—Male	40	-	2	-	1	-	3	1	13	12	7	4	-
	Female	48	-	1	-	-	-	1	4	17	21	5	-	-
	All other—Male	6	-	-	-	-	-	-	1	-	4	1	-	-
	Female	12	1	-	1	-	-	2	-	3	5	2	-	-
	All other autonomic nervous system and psychotherapeutic drugs	59	-	3	2	-	-	5	3	17	20	14	-	-
	Male	22	-	2	1	-	-	3	1	9	5	4	-	-
E856	Female	37	-	1	1	-	-	2	2	8	15	10	-	-
	White	21	-	2	1	-	-	3	1	8	5	4	-	-
	Female	30	-	1	1	-	-	2	2	6	12	8	-	-
	All other—Male	1	-	-	-	-	-	-	-	1	-	-	-	-
	Female	7	-	-	-	-	-	-	-	2	3	2	-	-
	By other central nervous system depressants and stimulants	40	-	1	-	-	-	1	-	18	14	4	3	-
.4	Male	28	-	-	-	-	-	-	-	13	12	2	1	-
	Female	12	-	1	-	-	-	1	-	5	2	2	2	-
	White	25	-	-	-	-	-	-	-	13	10	2	2	-
	Female	11	-	1	-	-	-	1	-	5	2	1	2	-
	All other—Male	3	-	-	-	-	-	-	-	-	2	-	1	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-
.0-.3, .8, .9	Amphetaminic	18	-	-	-	-	-	-	-	13	4	1	-	-
	Male	13	-	-	-	-	-	-	-	9	3	1	-	-
	Female	5	-	-	-	-	-	-	-	4	1	-	-	-
	White	12	-	-	-	-	-	-	-	9	2	1	-	-
	Female	5	-	-	-	-	-	-	-	4	1	-	-	-
	All other—Male	1	-	-	-	-	-	-	-	4	1	-	-	-
E857	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other central nervous system depressants and stimulants	22	-	1	-	-	-	1	-	5	10	3	3	-
	Male	15	-	-	-	-	-	-	-	4	9	1	2	-
	Female	7	-	-	-	-	-	1	-	1	1	2	1	-
	White	13	-	1	-	-	-	1	-	4	10	1	2	-
	Female	6	-	1	-	-	-	1	-	1	1	1	1	-
E858	All other—Male	2	-	-	-	-	-	-	-	-	1	-	1	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-
	By cardiovascular drugs	143	4	-	1	-	-	5	-	4	24	110	-	-
	Male	56	3	-	-	-	-	3	-	1	14	38	-	-
	Female	87	1	-	1	-	-	2	-	3	10	72	-	-
	White	42	3	-	-	-	-	3	-	1	9	29	-	-
E859	Female	70	1	-	1	-	2	-	2	2	7	59	-	-
	All other—Male	14	-	-	-	-	-	-	-	-	5	9	-	-
	Female	17	-	-	-	-	-	-	-	1	3	13	-	-
	By gastrointestinal drugs	6	-	4	2	-	-	6	-	-	-	-	-	-
	Male	3	-	1	2	-	-	3	-	-	-	-	-	-
	Female	3	-	3	-	-	-	3	-	-	-	-	-	-
E860-E869	White	3	-	1	2	-	-	3	-	-	-	-	-	-
	Female	3	-	3	-	-	-	3	-	-	-	-	-	-
	All other—Male	-	-	3	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	By other and unspecified drugs and medicaments	711	1	6	7	1	1	16	7	232	285	139	32	1
	Male	388	1	2	4	1	-	8	2	158	166	44	10	-
Female	323	-	4	3	-	1	8	5	74	119	94	22	1	
White	321	1	2	4	1	-	8	2	132	134	36	9	-	
Female	265	-	3	2	-	1	6	2	57	69	89	22	1	
E860	All other—Male	67	-	-	-	-	-	-	-	26	32	8	1	-
	Female	58	-	1	1	-	-	2	3	17	30	6	-	-
	Accidental poisoning by other solid and liquid substances	1,274	7	36	10	1	-	54	20	197	387	476	139	1
	Male	691	6	23	7	-	-	36	15	175	270	292	102	1
	Female	385	1	13	3	1	-	18	5	22	117	184	37	-
	White	676	4	9	5	-	-	18	12	147	178	230	90	1
E860	Female	305	1	8	1	-	-	10	5	15	79	161	33	-
	All other—Male	215	2	14	2	-	-	18	3	28	92	82	12	-
	Female	80	-	5	2	1	-	8	-	7	38	23	4	-
	By alcohol	370	-	1	1	-	-	2	1	30	101	212	24	-
	Male	266	-	-	1	-	-	1	-	26	72	149	18	-
	Female	104	-	1	-	-	-	1	1	4	29	63	6	-
E860	White	157	-	-	-	-	-	1	1	17	29	101	10	-
	Female	78	-	1	-	-	-	-	1	3	16	53	4	-
	All other—Male	109	-	-	1	-	-	1	1	9	43	48	8	-
	Female	26	-	-	-	-	-	-	-	1	13	10	2	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E861	By cleansing and polishing agents-----	13	-	5	1	-	-	6	2	-	2	1	2	-
	Male-----	11	-	4	1	-	-	5	2	-	1	1	2	-
	Female-----	2	-	1	-	-	-	1	-	-	1	-	-	-
	White-----	6	-	2	1	-	-	3	1	-	1	-	1	-
	Female-----	2	-	1	-	-	-	1	-	-	1	-	-	-
	All other-----	5	-	2	-	-	-	2	1	-	-	1	1	-
E862	By disinfectants-----	8	-	-	-	-	-	-	-	1	1	5	3	-
	Male-----	5	-	-	-	-	-	-	-	1	-	2	5	-
	Female-----	3	-	-	-	-	-	-	-	-	1	1	2	-
	White-----	3	-	-	-	-	-	-	-	1	-	2	3	-
	Female-----	5	-	-	-	-	-	-	-	-	1	1	5	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E863	By paints and varnishes-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	Male-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E864	By petroleum products and other solvents-----	54	4	15	1	-	-	20	2	8	7	13	4	-
	Male-----	46	4	11	1	-	-	15	2	8	7	11	3	-
	Female-----	8	-	4	1	-	-	5	-	-	-	2	1	-
	White-----	34	3	4	-	-	-	7	2	7	5	11	2	-
	Female-----	3	-	1	-	-	-	1	-	-	-	2	-	-
	All other-----	12	1	7	-	-	-	8	-	1	2	-	1	-
E865	By pesticides, fertilizers, or plant foods-----	35	1	7	5	-	-	13	1	3	5	5	8	-
	Male-----	27	1	5	4	-	-	10	1	3	4	3	6	-
	Female-----	8	-	2	1	-	-	3	-	1	1	2	2	-
	White-----	20	-	2	3	-	-	5	1	2	3	3	6	-
	Female-----	4	-	1	-	-	-	1	-	1	1	1	1	-
	All other-----	7	1	3	1	-	-	6	-	1	1	1	1	-
E866	By heavy metals and their fumes-----	23	1	3	1	1	-	6	-	-	4	9	4	-
	Male-----	14	1	1	1	-	-	1	-	-	4	6	3	-
	Female-----	9	-	2	-	1	-	5	-	-	-	3	1	-
	White-----	8	1	1	-	-	-	1	-	-	1	3	3	-
	Female-----	4	-	2	1	-	-	3	-	-	-	-	1	-
	All other-----	6	-	1	-	1	-	2	-	-	3	3	-	-
E867	By corrosives and caustics not elsewhere classifiable-----	15	-	3	-	-	-	3	1	2	2	3	2	-
	Male-----	9	-	2	-	-	-	2	1	2	1	2	1	-
	Female-----	4	-	1	-	-	-	1	-	-	1	1	1	-
	White-----	5	-	-	-	-	-	-	-	2	1	1	-	-
	Female-----	4	-	1	-	-	-	1	-	1	1	1	1	-
	All other-----	6	-	2	-	-	-	2	1	-	-	2	1	-
E868	By noxious foodstuffs and poisonous plants-----	5	-	1	-	-	-	1	-	-	-	1	3	-
	Male-----	4	-	1	-	-	-	1	-	-	-	-	3	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1	-	-
	White-----	4	-	1	-	-	-	1	-	-	-	-	3	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E869	By other and unspecified solid and liquid substances-----	752	1	1	1	-	-	3	13	152	285	229	89	1
	Male-----	510	-	-	1	-	-	1	9	134	181	118	66	1
	Female-----	242	1	1	-	-	-	2	4	18	84	111	23	-
	White-----	440	-	-	1	-	-	1	8	117	138	110	65	1
	Female-----	202	1	1	-	-	-	2	4	12	59	102	23	-
	All other-----	70	-	-	-	-	-	1	17	43	8	8	1	-
E870-E877	Accidental poisoning by gases and vapors-----	1,518	16	8	8	7	4	43	64	404	425	592	190	2
	Male-----	1,158	13	7	5	1	-	26	45	301	345	510	129	2
	Female-----	360	3	1	3	6	4	17	19	103	78	82	61	-
	White-----	986	7	3	4	-	-	14	40	270	289	266	106	1
	Female-----	286	2	1	3	4	3	13	16	78	62	64	53	-
	All other-----	172	6	4	1	1	1	12	5	31	56	44	23	1
E870	By gas distributed by pipeline-----	101	1	-	1	-	1	3	1	28	15	27	27	-
	Male-----	65	1	-	1	-	-	2	1	19	10	19	15	-
	Female-----	36	-	-	-	-	1	1	-	10	5	8	12	-
	White-----	56	-	-	1	-	-	1	-	16	8	16	13	-
	Female-----	31	-	-	-	-	1	1	-	9	4	5	12	-
	All other-----	9	1	-	-	-	-	1	1	1	2	3	2	-
E871	By liquefied petroleum gas distributed in mobile containers-----	47	-	2	-	1	-	3	3	15	11	7	7	1
	Male-----	38	-	2	-	-	-	2	3	13	10	5	4	1
	Female-----	9	-	-	-	1	-	1	-	2	1	2	3	-
	White-----	33	-	1	-	-	-	1	2	12	9	5	5	1
	Female-----	6	-	-	-	1	-	1	-	1	1	2	2	-
	All other-----	5	-	1	-	-	-	1	1	1	1	-	1	-
E872	By other utility gases-----	4	-	-	-	-	-	-	1	2	1	-	-	-
	Male-----	3	-	-	-	-	-	-	1	1	1	-	-	-
	Female-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	White-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	Female-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	All other-----	1	-	-	-	-	-	-	1	-	-	-	-	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E850-E859	Accidental poisoning by drugs and medicaments-----	2,742	1,174	4	-	2	1	33	72	30	104	1,322
	Male----	1,704	703	4	-	2	1	26	51	21	85	813
	Female----	1,038	471	-	-	-	-	7	21	9	21	509
	White-----Male----	1,321	570	4	-	1	1	20	39	15	69	802
	Female----	326	385	-	-	-	-	6	17	6	16	396
	All other--Male----	385	133	-	-	1	-	6	12	6	14	211
	Female----	212	86	-	-	-	-	1	4	3	5	113
E850	By antibiotics and other anti-infectives-----	9	1	-	-	-	-	1	1	-	1	5
	Male----	5	1	-	-	-	-	1	1	-	-	2
	Female----	4	-	-	-	-	-	-	-	-	1	3
	White-----Male----	4	1	-	-	-	-	1	-	-	-	2
	Female----	4	-	-	-	-	-	-	-	-	1	3
	All other--Male----	1	-	-	-	-	-	-	1	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
.0	Penicillin, any-----	-	-	-	-	-	-	-	-	-	-	-
	Male----	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
	White-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
	All other--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
.1-.9	All other antibiotics and anti-infectives-----	9	1	-	-	-	-	1	1	-	1	5
	Male----	5	1	-	-	-	-	1	1	-	-	2
	Female----	4	-	-	-	-	-	-	-	-	1	3
	White-----Male----	4	1	-	-	-	-	1	-	-	-	2
	Female----	4	-	-	-	-	-	-	-	-	1	3
	All other--Male----	1	-	-	-	-	-	-	1	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
E851	By hormones and synthetic substitutes-----	28	2	-	-	-	-	-	-	-	-	26
	Male----	16	1	-	-	-	-	-	-	-	-	15
	Female----	12	1	-	-	-	-	-	-	-	-	11
	White-----Male----	9	1	-	-	-	-	-	-	-	-	8
	Female----	10	1	-	-	-	-	-	-	-	-	9
	All other--Male----	7	-	-	-	-	-	-	-	-	-	7
	Female----	2	-	-	-	-	-	-	-	-	-	2
.6	Progestogens-----	-	-	-	-	-	-	-	-	-	-	-
	Male----	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
	White-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
	All other--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
.0-.5,.7-.9	All other hormones and synthetic substitutes-----	28	2	-	-	-	-	-	-	-	-	26
	Male----	16	1	-	-	-	-	-	-	-	-	15
	Female----	12	1	-	-	-	-	-	-	-	-	11
	White-----Male----	9	1	-	-	-	-	-	-	-	-	8
	Female----	10	1	-	-	-	-	-	-	-	-	9
	All other--Male----	7	-	-	-	-	-	-	-	-	-	7
	Female----	2	-	-	-	-	-	-	-	-	-	2
E852	By primarily systemic and hematologic agents-----	53	9	-	-	-	-	-	-	1	-	43
	Male----	28	6	-	-	-	-	-	-	-	-	22
	Female----	25	3	-	-	-	-	-	-	1	-	21
	White-----Male----	22	5	-	-	-	-	-	-	-	-	17
	Female----	21	2	-	-	-	-	-	-	1	-	18
	All other--Male----	6	1	-	-	-	-	-	-	-	-	5
	Female----	4	1	-	-	-	-	-	-	-	-	3
E853	By analgesics and antipyretics-----	967	466	2	-	1	-	14	32	9	45	398
	Male----	752	342	2	-	1	-	13	22	7	39	326
	Female----	215	124	-	-	-	-	1	10	2	6	72
	White-----Male----	561	260	2	-	-	-	9	15	4	33	239
	Female----	154	91	-	-	-	-	1	9	1	3	49
	All other--Male----	191	82	-	-	1	-	4	7	3	6	88
	Female----	61	33	-	-	-	-	-	1	1	3	23
.1	Salicylates and congeners-----	83	39	1	-	-	-	-	2	2	3	56
	Male----	34	15	1	-	-	-	-	-	1	1	16
	Female----	49	24	-	-	-	-	-	2	1	2	20
	White-----Male----	26	11	1	-	-	-	-	-	1	1	12
	Female----	45	19	-	-	-	-	-	2	-	2	20
	All other--Male----	8	4	-	-	-	-	-	-	-	-	4
	Female----	6	5	-	-	-	-	-	-	1	-	-
.0,.2-.9	All other analgesics and antipyretics-----	664	427	1	-	1	-	14	30	7	42	362
	Male----	718	327	1	-	1	-	13	22	6	38	310
	Female----	166	100	-	-	-	-	1	8	1	4	52
	White-----Male----	535	249	1	-	-	-	9	15	3	32	226
	Female----	111	72	-	-	-	-	1	7	1	1	29
	All other--Male----	163	78	-	-	1	-	4	7	3	6	84
	Female----	55	28	-	-	-	-	-	1	-	3	23

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
E854	By other sedatives and hypnotics-----	620	289	-	-	-	-	-	8	19	3	18	283
	Male-----	380	143	-	-	-	-	-	6	16	3	17	175
	Female-----	240	146	-	-	-	-	-	2	3	-	1	108
	White-----	273	116	-	-	-	-	-	6	14	3	14	120
	Female-----	210	124	-	-	-	-	-	1	2	-	1	82
	All other-----	87	27	-	-	-	-	-	-	2	-	3	55
	Female-----	50	22	-	-	-	-	-	1	1	-	-	26
	0	Barbiturates-----	330	194	-	-	-	-	3	11	1	9	112
	Male-----	161	87	-	-	-	-	-	2	10	1	8	53
	Female-----	169	107	-	-	-	-	-	1	1	-	1	59
White-----	137	75	-	-	-	-	-	2	10	1	8	41	
Female-----	137	81	-	-	-	-	-	-	1	-	1	44	
All other-----	24	12	-	-	-	-	-	-	-	-	-	12	
Female-----	52	16	-	-	-	-	-	1	-	-	-	15	
1-9	All other sedatives and hypnotics-----	280	95	-	-	-	-	5	8	2	9	171	
	Male-----	199	56	-	-	-	-	4	6	2	9	122	
	Female-----	81	39	-	-	-	-	1	2	-	-	49	
	White-----	136	41	-	-	-	-	4	4	2	6	79	
	Female-----	73	33	-	-	-	-	1	1	-	-	38	
	All other-----	63	15	-	-	-	-	-	2	-	3	43	
	Female-----	18	6	-	-	-	-	-	1	-	-	11	
	E855	By autonomic nervous system and psychotherapeutic drugs-----	165	83	-	-	1	1	1	3	6	6	82
		Male-----	68	35	-	-	1	1	1	2	2	4	22
		Female-----	97	48	-	-	-	-	-	1	4	4	40
White-----		61	31	-	-	1	1	1	2	2	3	20	
Female-----		78	43	-	-	-	-	-	1	2	4	28	
All other-----		7	4	-	-	-	-	-	-	-	1	2	
Female-----		19	5	-	-	-	-	-	-	2	-	12	
1		Tranquillizers-----	106	49	-	-	1	1	1	2	5	2	45
		Male-----	46	25	-	-	1	1	1	1	1	1	15
		Female-----	60	24	-	-	-	-	-	1	4	1	30
	White-----	40	22	-	-	1	1	1	1	1	1	13	
	Female-----	48	21	-	-	-	-	-	1	2	1	23	
	All other-----	6	3	-	-	-	-	-	-	-	1	2	
	Female-----	12	3	-	-	-	-	-	-	2	-	7	
	0,2-9	All other autonomic nervous system and psychotherapeutic drugs-----	59	34	-	-	-	-	-	1	1	6	17
		Male-----	22	10	-	-	-	-	-	1	1	3	7
		Female-----	37	24	-	-	-	-	-	-	-	3	10
White-----		21	9	-	-	-	-	-	1	1	3	7	
Female-----		30	22	-	-	-	-	-	-	-	3	5	
All other-----		1	1	-	-	-	-	-	-	-	-	1	
Female-----		7	2	-	-	-	-	-	-	-	-	5	
E856		By other central nervous system depressants and stimulants-----	40	13	-	-	-	-	-	2	3	7	15
		Male-----	28	9	-	-	-	-	-	1	3	4	11
		Female-----	12	4	-	-	-	-	-	1	-	3	4
	White-----	25	9	-	-	-	-	-	1	3	4	9	
	Female-----	11	4	-	-	-	-	-	1	-	3	3	
	All other-----	3	1	-	-	-	-	-	-	-	-	2	
	Female-----	1	-	-	-	-	-	-	-	-	-	1	
	4	Amphetamine-----	18	4	-	-	-	-	-	1	-	4	9
		Male-----	13	3	-	-	-	-	-	1	-	1	8
		Female-----	5	1	-	-	-	-	-	-	-	3	1
White-----		12	3	-	-	-	-	-	1	-	1	7	
Female-----		5	1	-	-	-	-	-	-	-	3	1	
All other-----		1	-	-	-	-	-	-	-	-	-	1	
Female-----		-	-	-	-	-	-	-	-	-	-	-	
0-3,8,9		All other central nervous system depressants and stimulants-----	22	9	-	-	-	-	-	1	3	3	6
		Male-----	15	6	-	-	-	-	-	-	3	3	3
		Female-----	7	3	-	-	-	-	-	1	-	-	3
	White-----	13	5	-	-	-	-	-	-	3	3	2	
	Female-----	6	3	-	-	-	-	-	1	-	-	2	
	All other-----	2	1	-	-	-	-	-	-	-	-	1	
	Female-----	1	-	-	-	-	-	-	-	-	-	1	
	E857	By cardiovascular drugs-----	143	6	1	-	-	-	-	1	-	1	134
		Male-----	56	3	1	-	-	-	-	-	-	-	52
		Female-----	87	3	-	-	-	-	-	1	-	1	82
White-----		42	2	1	-	-	-	-	-	-	-	39	
Female-----		70	3	-	-	-	-	-	1	-	1	65	
All other-----		14	1	-	-	-	-	-	-	-	-	13	
Female-----		17	-	-	-	-	-	-	-	-	-	17	
E858		By gastrointestinal drugs-----	6	4	-	-	-	-	-	-	-	1	1
		Male-----	3	1	-	-	-	-	-	-	-	1	1
		Female-----	3	3	-	-	-	-	-	-	-	-	-
	White-----	3	1	-	-	-	-	-	-	-	1	1	
	Female-----	3	3	-	-	-	-	-	-	-	-	-	
	All other-----	-	-	-	-	-	-	-	-	-	-	-	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

4-23

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex; United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
E859	By other and unspecified drugs and medicaments-----	711	301	1	-	-	-	-	8	15	7	24	355
	Male-----	388	162	1	-	-	-	-	5	9	6	18	187
	Female-----	323	139	-	-	-	-	-	3	6	1	6	168
	White-----	321	145	1	-	-	-	-	3	7	3	14	148
	Female-----	265	114	-	-	-	-	-	3	4	1	4	139
	All other-----	67	17	-	-	-	-	-	2	2	3	4	39
	Female-----	58	25	-	-	-	-	-	-	2	-	2	29
E860-E869	Accidental poisoning by other solid and liquid substances-----	1,274	528	6	-	7	-	3	15	37	21	52	605
	Male-----	891	324	5	-	7	-	3	13	31	14	45	449
	Female-----	383	204	1	-	-	-	2	6	7	7	7	156
	White-----	676	248	3	-	6	-	3	8	26	8	33	341
	Female-----	305	169	-	-	-	-	1	4	4	6	4	119
	All other-----	215	76	2	-	1	-	-	5	5	6	12	108
	Female-----	60	35	1	-	-	-	-	1	2	1	3	37
E860	By alcohol-----	370	136	2	-	1	-	-	4	11	9	13	194
	Male-----	266	82	2	-	1	-	-	4	10	8	12	147
	Female-----	104	54	-	-	-	-	-	-	1	1	1	47
	White-----	157	48	1	-	-	-	-	1	8	4	9	87
	Female-----	78	44	-	-	-	-	-	-	1	1	-	32
	All other-----	109	34	1	-	1	-	-	3	2	4	4	60
	Female-----	26	10	-	-	-	-	-	-	-	-	1	15
E861	By cleansing and polishing agents-----	13	6	-	-	-	-	-	-	-	2	-	3
	Male-----	11	6	-	-	-	-	-	-	-	2	-	3
	Female-----	2	2	-	-	-	-	-	-	-	-	-	-
	White-----	6	3	-	-	-	-	-	-	-	1	-	2
	Female-----	2	2	-	-	-	-	-	-	-	-	-	-
	All other-----	5	3	-	-	-	-	-	-	-	1	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
E862	By disinfectants-----	8	2	-	-	-	-	-	-	-	2	-	4
	Male-----	3	-	-	-	-	-	-	-	-	-	-	3
	Female-----	5	2	-	-	-	-	-	-	-	2	-	1
	White-----	3	-	-	-	-	-	-	-	-	-	-	3
	Female-----	5	2	-	-	-	-	-	-	-	2	-	1
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
E863	By paints and varnishes-----	1	-	-	-	-	-	-	-	-	-	-	1
	Male-----	1	-	-	-	-	-	-	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	1	-	-	-	-	-	-	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
E864	By petroleum products and other solvents-----	54	28	-	-	2	-	-	-	1	1	4	18
	Male-----	46	26	-	-	2	-	-	-	1	1	4	12
	Female-----	8	2	-	-	-	-	-	-	-	-	-	6
	White-----	34	19	-	-	2	-	-	-	-	1	4	8
	Female-----	3	-	-	-	-	-	-	-	-	-	-	3
	All other-----	12	7	-	-	-	-	-	-	1	-	-	4
	Female-----	5	2	-	-	-	-	-	-	-	-	-	3
E865	By pesticides, fertilizers, or plant foods-----	35	14	4	-	1	-	-	-	1	-	2	13
	Male-----	27	12	3	-	1	-	-	-	1	-	1	9
	Female-----	8	2	1	-	-	-	-	-	-	-	1	4
	White-----	20	9	2	-	1	-	-	-	1	-	1	6
	Female-----	4	2	-	-	-	-	-	-	-	-	1	1
	All other-----	7	3	1	-	-	-	-	-	-	-	-	3
	Female-----	4	-	1	-	-	-	-	-	-	-	-	3
E866	By heavy metals and their fumes-----	23	5	-	-	-	-	-	-	-	-	-	18
	Male-----	14	2	-	-	-	-	-	-	-	-	-	12
	Female-----	9	3	-	-	-	-	-	-	-	-	-	6
	White-----	8	1	-	-	-	-	-	-	-	-	-	7
	Female-----	4	2	-	-	-	-	-	-	-	-	-	2
	All other-----	6	1	-	-	-	-	-	-	-	-	-	5
	Female-----	5	1	-	-	-	-	-	-	-	-	-	4
E867	By corrosives and caustics not elsewhere classifiable-----	13	4	-	-	-	-	-	-	2	-	-	7
	Male-----	9	2	-	-	-	-	-	-	1	-	-	6
	Female-----	4	2	-	-	-	-	-	-	1	-	-	1
	White-----	3	1	-	-	-	-	-	-	-	-	-	2
	Female-----	4	2	-	-	-	-	-	-	1	-	-	1
	All other-----	6	1	-	-	-	-	-	-	1	-	-	4
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
E868	By noxious foodstuffs and poisonous plants-----	5	1	-	-	-	-	-	-	-	-	-	4
	Male-----	4	1	-	-	-	-	-	-	-	-	-	3
	Female-----	1	-	-	-	-	-	-	-	-	-	-	1
	White-----	4	1	-	-	-	-	-	-	-	-	-	3
	Female-----	1	-	-	-	-	-	-	-	-	-	-	1
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E869	By other and unspecified solid and liquid substances-----	752	330	-	-	3	3	11	22	7	33	343
	Male-----	510	193	-	-	3	3	9	16	3	28	253
	Female-----	242	137	-	-	-	-	2	4	4	5	90
	White-----	440	166	-	-	3	3	7	17	2	20	222
	Male-----	202	115	-	-	-	-	1	2	3	3	78
	Female-----	70	27	-	-	-	-	2	1	1	8	51
	All other-----	40	22	-	-	-	-	1	2	1	2	12
	Female-----											
E870-E877	Accidental poisoning by gases and vapors-----	1,618	651	31	2	67	14	116	62	8	188	379
	Male-----	1,158	475	24	1	62	13	93	48	7	162	275
	Female-----	360	176	7	1	5	1	23	14	1	26	106
	White-----	985	408	19	1	54	11	72	42	7	139	233
	Male-----	286	140	5	1	5	1	17	11	1	20	95
	Female-----	172	67	5	-	8	2	21	6	-	23	40
	All other-----	74	36	2	-	-	-	6	3	-	6	21
	Female-----											
E870	By gas distributed by pipeline-----	101	87	1	-	-	-	1	4	-	3	5
	Male-----	65	54	1	-	-	-	1	4	-	3	2
	Female-----	36	33	-	-	-	-	-	-	-	-	3
	White-----	56	46	1	-	-	-	1	4	-	2	2
	Male-----	31	29	-	-	-	-	-	-	-	-	2
	Female-----	9	8	-	-	-	-	-	-	-	-	1
	All other-----	5	4	-	-	-	-	-	-	-	-	1
	Female-----											
E871	By liquefied petroleum gas distributed in mobile containers-----	47	20	1	-	-	2	3	3	-	8	10
	Male-----	38	15	1	-	-	2	3	3	-	7	7
	Female-----	9	5	-	-	-	-	-	-	-	1	3
	White-----	33	10	1	-	-	2	3	3	-	7	7
	Male-----	6	2	-	-	-	-	-	-	-	1	3
	Female-----	5	5	-	-	-	-	-	-	-	-	-
	All other-----	3	3	-	-	-	-	-	-	-	-	-
	Female-----											
E872	By other utility gases-----	4	1	-	-	-	-	-	-	-	3	-
	Male-----	3	1	-	-	-	-	-	-	-	2	-
	Female-----	1	-	-	-	-	-	-	-	-	1	-
	White-----	2	-	-	-	-	-	-	-	-	2	-
	Male-----	1	-	-	-	-	-	-	-	-	1	-
	Female-----	1	1	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----											
E873	By motor vehicle exhaust gas-----	689	261	23	2	27	2	97	34	1	135	107
	Male-----	554	211	17	1	22	2	77	24	1	115	84
	Female-----	135	50	6	1	5	-	20	10	-	20	23
	White-----	464	189	12	1	18	1	57	19	1	97	69
	Male-----	107	46	4	1	5	-	15	7	-	16	13
	Female-----	90	22	5	-	4	1	20	5	-	18	15
	All other-----	28	4	2	-	-	-	5	3	-	4	10
	Female-----											
E874	By carbon monoxide from incomplete combustion of domestic fuels-----	154	106	-	-	-	7	-	7	3	0	23
	Male-----	112	72	-	-	-	6	-	5	2	7	20
	Female-----	42	34	-	-	-	1	-	2	1	1	3
	White-----	98	59	-	-	-	5	-	5	2	7	20
	Male-----	25	18	-	-	-	1	-	2	1	-	3
	Female-----	14	13	-	-	-	1	-	-	-	-	-
	All other-----	17	16	-	-	-	-	-	-	-	1	-
	Female-----											
E875	By other carbon monoxide-----	278	86	2	-	8	3	7	7	1	0	156
	Male-----	198	56	1	-	8	3	4	5	1	7	113
	Female-----	80	30	1	-	-	-	3	2	-	1	43
	White-----	169	45	1	-	6	3	4	5	1	7	97
	Male-----	69	26	1	-	-	-	2	2	-	1	37
	Female-----	29	11	-	-	2	-	-	-	-	-	16
	All other-----	11	4	-	-	-	-	1	-	-	-	6
	Female-----											
E876	By other gases and vapors-----	226	81	4	-	30	-	8	6	3	20	74
	Male-----	172	59	4	-	30	-	8	6	3	18	44
	Female-----	54	22	-	-	-	-	-	-	-	2	30
	White-----	150	54	4	-	28	-	7	5	3	14	35
	Male-----	44	17	-	-	-	-	-	-	-	1	26
	Female-----	22	5	-	-	2	-	1	1	-	4	9
	All other-----	10	5	-	-	-	-	-	-	-	1	4
	Female-----											
E877	By unspecified gases and vapors-----	19	9	-	-	2	-	-	1	-	3	4
	Male-----	16	7	-	-	2	-	-	1	-	3	3
	Female-----	3	2	-	-	-	-	-	-	-	-	1
	White-----	14	5	-	-	2	-	-	1	-	3	3
	Male-----	3	2	-	-	-	-	-	-	-	-	1
	Female-----	2	2	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----											
E880-E887	Accidental falls-----	16,339	6,841	118	7	370	59	657	507	2,309	786	4,705
	Male-----	8,369	3,357	108	7	363	48	488	381	902	645	2,070
	Female-----	7,970	3,484	10	-	7	11	149	126	1,407	141	2,636
	White-----	7,445	2,958	101	6	326	46	391	342	851	550	1,874
	Male-----	7,485	3,213	9	-	6	11	131	118	1,368	130	2,497
	Female-----	924	399	7	1	37	2	97	39	51	95	196
	All other-----	487	271	1	-	1	-	16	8	39	11	138
	Female-----											

¹Including home premises and any noninstitutional place of residence.

²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
E860	Fall on or from stairs or steps-----	1,506	1,179	3	-	7	-	2	16	106	47	46	100
	Male-----	856	651	3	-	6	-	2	13	66	26	36	53
	Female-----	650	528	-	-	1	-	-	3	40	21	10	47
	White-----	740	557	3	-	5	-	2	11	64	26	29	43
	Female-----	609	493	-	-	1	-	-	2	38	21	9	45
	All other-----	116	94	-	-	1	-	-	2	2	-	7	10
Female-----	41	35	-	-	-	-	-	1	2	-	1	2	
E881	Fall on or from ladder or scaffolding-----	404	174	6	2	83	-	1	14	31	8	47	36
	Male-----	393	168	6	2	83	-	1	13	30	8	46	36
	Female-----	11	8	-	-	-	-	-	1	1	-	1	-
	White-----	356	155	6	2	76	-	1	12	27	8	36	29
	Female-----	11	8	-	-	-	-	-	1	1	-	1	-
	All other-----	37	11	-	-	5	-	-	1	3	-	10	7
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	
E882	Fall from or out of building or other structure-----	751	315	24	-	95	-	-	45	66	30	118	58
	Male-----	644	244	22	-	95	-	-	39	61	24	106	53
	Female-----	107	71	2	-	-	-	-	6	5	6	12	5
	White-----	505	170	19	-	88	-	-	33	51	17	85	42
	Female-----	60	54	2	-	-	-	-	3	4	4	9	4
	All other-----	189	74	3	-	7	-	-	6	10	7	21	11
Female-----	27	17	-	-	-	-	-	3	1	2	3	1	
E883	Fall into hole or other opening in surface-----	146	21	7	3	24	-	2	2	17	2	55	13
	Male-----	133	17	7	3	24	-	1	2	14	1	51	13
	Female-----	13	4	-	-	-	-	-	-	3	1	4	-
	White-----	116	14	7	3	22	-	1	2	12	-	43	12
	Female-----	11	3	-	-	-	-	-	-	2	1	4	-
	All other-----	17	3	-	-	2	-	-	-	2	1	8	1
Female-----	2	1	-	-	-	-	-	-	1	-	-	-	
E884	Other falls from one level to another-----	1,411	458	44	2	69	-	29	36	65	369	237	104
	Male-----	927	244	40	2	69	-	27	33	52	158	209	73
	Female-----	484	194	4	-	-	-	2	3	11	211	28	31
	White-----	849	214	37	1	83	-	26	28	47	154	198	61
	Female-----	452	170	3	-	-	-	2	3	10	207	27	30
	All other-----	78	30	3	1	6	-	1	5	5	4	11	12
Female-----	32	24	1	-	-	-	-	-	1	4	1	1	
E885	Fall on same level from slipping, stumbling, or tripping-----	600	308	7	-	6	-	7	70	23	111	53	35
	Male-----	283	122	7	-	5	-	5	38	18	48	22	18
	Female-----	317	186	-	-	1	-	2	32	5	63	11	17
	White-----	265	116	7	-	4	-	5	34	17	47	19	16
	Female-----	299	176	-	-	-	-	2	30	5	61	10	15
	All other-----	18	6	-	-	1	-	-	4	1	1	3	2
Female-----	18	10	-	-	1	-	-	2	-	2	1	2	
E886	Fall on same level from collision with or pushing or shoving by another person-----	22	2	-	-	-	-	2	-	2	9	4	3
	Male-----	17	2	-	-	-	-	2	-	2	6	2	3
	Female-----	5	-	-	-	-	-	-	-	-	3	2	-
	White-----	14	1	-	-	-	-	2	-	2	5	2	2
	Female-----	5	-	-	-	-	-	-	-	-	3	2	-
	All other-----	3	1	-	-	-	-	-	-	-	1	-	1
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	
E887	Other and unspecified falls-----	11,499	4,404	25	-	66	-	16	454	199	1,733	246	4,356
	Male-----	5,116	1,911	21	-	61	-	10	380	138	631	173	1,821
	Female-----	6,383	2,493	4	-	5	-	6	104	61	1,102	73	2,535
	White-----	4,600	1,731	20	-	46	-	9	271	122	594	138	1,669
	Female-----	6,016	2,308	4	-	5	-	6	92	58	1,071	68	2,403
	All other-----	516	180	1	-	15	-	1	79	16	37	35	152
Female-----	367	184	-	-	-	-	-	12	3	31	5	132	
E890-E899	Accidents caused by fires and flames-----	6,256	5,272	30	-	80	-	5	21	147	134	135	412
	Male-----	3,021	3,156	27	-	77	-	3	15	124	96	115	236
	Female-----	2,415	2,156	3	-	3	-	2	6	23	48	20	174
	White-----	2,674	2,311	26	-	61	-	3	10	107	75	98	183
	Female-----	1,769	1,574	2	-	2	-	2	5	20	43	14	107
	All other-----	947	825	1	-	16	-	-	5	17	11	17	55
Female-----	646	562	1	-	1	-	-	1	3	5	6	67	
E890	By conflagration in private dwelling-----	4,298	4,292	-	-	-	-	-	-	-	-	6	-
	Male-----	2,604	2,599	-	-	-	-	-	-	-	-	5	-
	Female-----	1,694	1,693	-	-	-	-	-	-	-	-	1	-
	White-----	1,804	1,699	-	-	-	-	-	-	-	-	5	-
	Female-----	1,229	1,228	-	-	-	-	-	-	-	-	1	-
	All other-----	700	700	-	-	-	-	-	-	-	-	-	-
Female-----	465	465	-	-	-	-	-	-	-	-	-	-	
E891	By conflagration in other building or structure-----	217	10	4	-	32	-	2	-	100	31	29	9
	Male-----	178	9	4	-	31	-	1	-	81	18	26	8
	Female-----	39	1	-	-	1	-	1	-	19	13	3	1
	White-----	151	8	4	-	21	-	1	-	73	15	22	7
	Female-----	35	1	-	-	1	-	1	-	16	12	3	1
	All other-----	27	1	-	-	10	-	-	-	8	3	4	1
Female-----	4	-	-	-	-	-	-	-	3	1	-	-	

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E892	By conflagration not in building or structure-----	54	8	9	-	1	1	4	1	1	20	9
	Male-----	44	5	8	-	1	-	3	1	1	16	9
	Female-----	10	3	1	-	-	1	1	-	-	4	-
	White-----	38	5	7	-	1	-	3	1	1	12	8
	Female-----	8	3	1	-	-	1	1	-	-	2	-
	All other-----	6	-	1	-	-	-	-	-	-	4	1
	Female-----	2	-	-	-	-	-	-	-	-	2	-
E893	By ignition of clothing-----	445	341	4	-	5	-	4	5	41	14	31
	Male-----	188	120	4	-	5	-	4	5	28	10	12
	Female-----	257	221	-	-	-	-	-	-	13	4	19
	White-----	159	99	4	-	5	-	3	3	25	9	11
	Female-----	207	177	-	-	-	-	-	-	11	3	16
	All other-----	29	21	-	-	-	-	1	2	3	1	1
	Female-----	50	44	-	-	-	-	-	-	2	1	3
E894	By ignition of highly inflammable material-----	185	101	6	-	20	-	4	14	5	20	15
	Male-----	146	76	5	-	19	-	2	13	3	19	9
	Female-----	39	25	1	-	1	-	2	1	2	1	6
	White-----	115	56	5	-	14	-	1	11	3	17	8
	Female-----	27	19	-	-	-	-	2	1	2	1	2
	All other-----	51	20	-	-	5	-	1	2	-	2	1
	Female-----	12	6	1	-	1	-	-	-	-	-	4
E895	By controlled fire in private dwelling-----	71	69	-	-	-	-	-	-	-	2	-
	Male-----	38	37	-	-	-	-	-	-	-	1	-
	Female-----	33	32	-	-	-	-	-	-	-	1	-
	White-----	24	24	-	-	-	-	-	-	-	-	-
	Female-----	20	20	-	-	-	-	-	-	-	-	-
	All other-----	14	13	-	-	-	-	-	-	-	1	-
	Female-----	13	12	-	-	-	-	-	-	-	1	-
E896	By controlled fire in other building or structure-----	7	3	-	-	-	-	-	2	1	-	1
	Male-----	4	1	-	-	-	-	-	2	1	-	-
	Female-----	3	2	-	-	-	-	-	-	-	-	1
	White-----	3	1	-	-	-	-	-	2	-	-	-
	Female-----	2	1	-	-	-	-	-	-	-	-	1
	All other-----	1	-	-	-	-	-	-	-	1	-	-
	Female-----	1	1	-	-	-	-	-	-	-	-	-
E897	By controlled fire not in building or structure-----	21	14	2	-	1	1	-	-	-	1	2
	Male-----	16	9	2	-	1	1	-	-	-	1	2
	Female-----	5	5	-	-	-	-	-	-	-	-	-
	White-----	16	9	2	-	1	1	-	-	-	1	2
	Female-----	5	5	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E898	By other specified fires or flames-----	403	289	-	-	1	-	3	17	48	21	24
	Male-----	275	191	-	-	1	-	2	14	31	17	19
	Female-----	128	98	-	-	-	-	1	3	17	4	5
	White-----	222	151	-	-	1	-	2	11	28	14	15
	Female-----	113	87	-	-	-	-	1	3	15	3	4
	All other-----	53	40	-	-	-	-	-	3	3	3	4
	Female-----	15	11	-	-	-	-	-	-	2	1	1
E899	By unspecified fire-----	535	145	5	-	20	1	6	8	7	22	321
	Male-----	328	89	4	-	19	1	4	8	4	20	179
	Female-----	207	56	1	-	1	-	2	-	3	2	142
	White-----	242	59	4	-	18	1	1	6	3	18	132
	Female-----	123	33	1	-	1	-	-	3	1	83	85
	All other-----	86	30	-	-	1	-	3	2	1	2	47
	Female-----	84	23	-	-	-	-	1	-	-	1	59
E900-E903	Accidents due to natural and environmental factors-----	1,427	371	95	1	8	30	84	36	11	237	554
	Male-----	949	182	76	1	7	18	58	22	6	190	393
	Female-----	478	189	19	-	1	12	29	14	5	47	161
	White-----	737	153	65	1	6	15	45	20	5	145	282
	Female-----	401	161	17	-	1	11	25	13	6	37	130
	All other-----	212	29	11	-	1	3	10	2	-	45	111
	Female-----	77	28	2	-	-	1	4	1	-	10	31
E900	Excessive heat-----	140	17	1	-	1	-	12	1	2	24	82
	Male-----	95	11	1	-	1	-	4	1	-	21	58
	Female-----	45	6	-	-	-	-	8	-	2	3	26
	White-----	71	7	1	-	1	-	2	1	-	17	42
	Female-----	36	3	-	-	-	-	5	-	2	3	22
	All other-----	24	4	-	-	-	-	2	-	-	4	14
	Female-----	9	3	-	-	-	-	2	-	-	-	4
E901	Excessive cold-----	348	44	9	-	1	2	21	5	3	77	186
	Male-----	272	31	7	-	1	1	16	5	3	64	144
	Female-----	76	13	2	-	-	1	5	-	-	13	42
	White-----	169	18	3	-	-	1	10	4	3	39	91
	Female-----	60	10	2	-	-	1	3	-	-	10	34
	All other-----	103	13	4	-	1	-	6	1	-	25	53
	Female-----	18	3	-	-	-	-	2	-	-	3	8

¹Including home premises and any noninstitutional place of residence.

²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident											
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified		
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)		
E902	High and low air pressure-----	24	2	-	1	-	1	-	-	-	-	-	11	9
	Male-----	19	1	-	1	-	-	-	-	-	-	-	11	6
	Female-----	5	1	-	-	-	1	-	-	-	-	-	-	3
	White-----	17	1	-	1	-	-	-	-	-	-	-	11	4
	Female-----	3	-	-	-	-	1	-	-	-	-	-	-	2
	All other-----	2	-	-	-	-	-	-	-	-	-	-	-	2
E903	Effects of travel and motion-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E904	Hunger, thirst, exposure, and neglect-----	201	10	4	-	-	1	1	1	1	1	35	148	
	Male-----	132	6	2	-	-	-	1	1	1	1	27	94	
	Female-----	69	4	2	-	-	1	-	-	-	-	8	54	
	White-----	94	6	2	-	-	-	1	1	1	1	18	65	
	Female-----	51	4	1	-	-	1	-	-	-	-	7	38	
	All other-----	58	-	-	-	-	-	-	-	-	-	9	28	
E905	Bites and stings of venomous animals and insects-----	53	13	4	-	-	3	-	2	2	-	3	28	
	Male-----	43	8	3	-	-	3	-	2	2	-	3	24	
	Female-----	10	5	1	-	-	-	-	-	-	-	-	4	
	White-----	57	8	3	-	-	3	-	2	2	-	2	19	
	Female-----	9	4	1	-	-	-	-	-	-	-	-	4	
	All other-----	6	-	-	-	-	-	-	-	-	-	1	5	
E906	Other accidents caused by animals-----	139	26	50	-	2	9	3	3	-	-	22	24	
	Male-----	107	19	42	-	2	5	2	2	-	-	17	18	
	Female-----	32	7	8	-	-	4	1	1	-	-	5	6	
	White-----	96	18	39	-	2	3	2	2	-	-	14	16	
	Female-----	28	6	8	-	-	5	1	1	-	-	3	6	
	All other-----	11	1	3	-	-	2	-	-	-	-	3	2	
E907	Lightning-----	112	16	21	-	2	6	9	11	-	-	22	25	
	Male-----	88	9	18	-	2	5	9	5	-	-	18	22	
	Female-----	24	7	3	-	-	1	-	6	-	-	4	3	
	White-----	79	7	14	-	2	4	9	5	-	-	17	21	
	Female-----	21	5	2	-	-	1	6	6	-	-	4	3	
	All other-----	9	2	4	-	-	1	-	-	-	-	1	1	
E908	Cataclysm-----	394	240	6	-	1	8	37	13	5	24	50		
	Male-----	172	96	3	-	-	4	22	6	1	13	27		
	Female-----	212	144	3	-	1	4	15	7	4	11	23		
	White-----	153	87	3	-	-	4	20	5	1	11	22		
	Female-----	188	127	3	-	1	4	15	6	4	7	21		
	All other-----	19	9	-	-	-	-	2	1	-	2	5		
E909	Accidents due to other natural and environmental factors-----	26	3	-	-	1	-	1	-	-	-	19	2	
	Male-----	21	1	-	-	1	-	1	-	-	-	16	2	
	Female-----	5	2	-	-	-	-	-	-	-	-	3	-	
	White-----	21	1	-	-	1	-	1	-	-	-	16	2	
	Female-----	5	2	-	-	-	-	-	-	-	-	3	-	
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	
E910-E929	Other accidents-----	20,711	4,249	1,333	148	1,225	288	580	539	387	5,434	6,528		
	Male-----	16,578	2,991	1,251	144	1,205	248	534	445	203	4,816	4,741		
	Female-----	4,133	1,258	82	4	20	40	46	94	184	618	1,787		
	White-----	13,539	2,516	1,127	134	1,044	195	439	368	182	3,809	5,725		
	Female-----	3,373	1,023	74	3	17	33	33	84	170	492	1,444		
	All other-----	3,039	475	124	10	161	53	98	77	21	1,007	1,016		
E910	Accidental drowning and submersion-----	6,465	794	234	43	34	194	51	108	28	3,939	1,038		
	Male-----	5,396	503	208	39	33	163	49	91	19	3,408	883		
	Female-----	1,067	291	26	4	1	31	2	17	9	531	155		
	White-----	4,105	431	149	31	24	116	34	63	16	2,580	651		
	Female-----	867	256	24	3	1	24	2	13	8	418	118		
	All other-----	1,291	72	59	8	9	47	15	28	3	818	232		
.0	In recreational activities-----	2,001	38	90	27	4	77	3	29	1	1,580	142		
	Male-----	1,796	30	80	27	4	63	3	25	1	1,434	129		
	Female-----	205	8	10	-	-	14	-	4	-	156	13		
	White-----	1,319	25	47	20	2	45	2	14	1	1,078	87		
	Female-----	151	7	8	-	-	10	-	3	-	112	11		
	All other-----	477	5	35	7	2	20	1	11	-	356	42		

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes].

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident												
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified			
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)			
.9	Accidental drowning and submersion—Con.														
	Other and unspecified-----	4,462	756	144	16	30	117	48	79	27	2,349	896			
	Male----	3,600	473	128	12	29	100	46	66	18	1,974	754			
	Female--	862	283	16	4	1	17	2	13	9	375	142			
	White-----Male----	2,786	406	102	11	22	73	32	49	15	1,512	564			
	Female--	715	249	16	3	1	14	2	10	6	306	107			
All other--Male----	814	67	26	1	7	27	14	17	3	462	190				
Female--	146	34	-	1	-	3	-	3	1	69	35				
E911	Inhalation and ingestion of food causing obstruction or suffocation-----	2,181	454	6	-	4	4	13	102	217	48	1,333			
	Male----	1,286	263	5	-	4	4	12	69	107	37	785			
	Female--	895	191	1	-	-	-	1	33	110	11	548			
	White-----Male----	1,105	227	5	-	3	3	10	68	98	34	657			
	Female--	768	157	1	-	-	-	1	32	104	11	462			
	All other--Male----	161	36	-	-	1	1	2	1	9	3	128			
Female--	127	34	-	-	-	-	-	1	6	-	86				
E912	Inhalation and ingestion of other object causing obstruction or suffocation-----	810	76	2	1	4	1	4	3	20	14	685			
	Male----	496	49	2	1	4	1	3	3	8	11	414			
	Female--	314	27	-	-	-	-	1	-	12	3	271			
	White-----Male----	398	39	2	1	3	-	1	1	8	9	334			
	Female--	247	18	-	-	-	-	1	-	11	1	216			
	All other--Male----	98	10	-	-	1	1	2	2	-	2	80			
Female--	67	9	-	-	-	-	-	-	1	2	55				
E913	Accidental mechanical suffocation-----	1,085	512	42	7	68	3	51	15	30	114	261			
	Male----	793	336	39	7	65	2	28	14	12	108	182			
	Female--	290	176	3	-	3	1	3	1	18	6	79			
	White-----Male----	667	282	39	7	59	2	22	10	12	97	139			
	Female--	223	136	3	-	3	1	3	1	15	4	57			
	All other--Male----	126	54	1	-	7	-	6	4	-	11	43			
Female--	67	40	-	-	-	-	-	-	3	2	22				
.0	In bed or cradle-----	234	166	-	-	-	-	1	3	9	4	51			
	Male----	116	77	-	-	-	-	-	2	5	4	28			
	Female--	118	89	-	-	-	-	1	1	4	-	23			
	White-----Male----	83	53	-	-	-	-	-	1	5	4	20			
	Female--	91	69	-	-	-	-	1	1	4	-	16			
	All other--Male----	33	24	-	-	-	-	-	1	-	-	8			
Female--	27	20	-	-	-	-	-	-	-	-	7				
.9	Other and unspecified-----	849	346	42	7	68	3	30	12	21	110	210			
	Male----	677	259	39	7	65	2	28	12	7	104	154			
	Female--	172	87	3	-	3	1	2	-	14	6	56			
	White-----Male----	584	229	38	7	58	2	22	9	7	93	119			
	Female--	132	67	3	-	3	1	2	-	11	4	41			
	All other--Male----	93	30	1	-	7	-	6	3	-	11	35			
Female--	40	20	-	-	-	-	-	-	3	2	15				
E914	Foreign body accidentally entering eye and adnexa-----														
	Male----														
	Female--														
	White-----Male----														
	Female--														
	All other--Male----														
Female--															
E915	Foreign bodies accidentally entering other orifices-----	72	11	-	-	-	-	-	-	5	1	55			
	Male----	50	8	-	-	-	-	-	-	3	1	38			
	Female--	22	3	-	-	-	-	-	-	2	-	17			
	White-----Male----	42	6	-	-	-	-	-	-	3	1	32			
	Female--	17	3	-	-	-	-	-	-	2	-	12			
	All other--Male----	8	2	-	-	-	-	-	-	-	-	6			
Female--	5	-	-	-	-	-	-	-	-	-	5				
E916	Struck accidentally by falling objects-----	1,145	244	122	38	246	12	54	45	4	293	65			
	Male----	1,077	218	120	38	242	9	50	38	3	280	79			
	Female--	66	26	2	-	4	3	4	7	1	13	8			
	White-----Male----	927	196	109	38	213	9	44	32	3	225	59			
	Female--	56	28	2	-	3	3	2	7	1	11	4			
	All other--Male----	150	22	11	-	29	1	6	6	-	55	20			
Female--	10	3	-	-	1	-	2	-	-	2	2				
E917	Striking against or struck accidentally by objects-----	927	191	170	12	187	17	55	34	16	144	101			
	Male----	783	105	154	12	183	16	53	27	6	135	92			
	Female--	144	86	16	-	4	1	2	7	10	9	9			
	White-----Male----	681	90	142	12	155	16	46	25	6	114	75			
	Female--	130	77	13	-	4	1	2	7	10	9	7			
	All other--Male----	102	15	12	-	28	-	7	2	-	21	17			
Female--	14	9	3	-	-	-	-	-	-	-	2				
E918	Caught accidentally in or between objects-----	521	44	124	14	196	4	13	28	8	57	33			
	Male----	490	35	117	14	195	3	13	25	5	55	28			
	Female--	31	9	7	-	1	1	-	3	3	2	5			
	White-----Male----	430	30	112	14	170	2	8	23	5	47	19			
	Female--	28	7	7	-	-	1	-	3	3	1	4			
	All other--Male----	60	5	5	-	25	1	5	2	-	8	9			
Female--	5	2	-	-	1	-	-	-	-	1	1				

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident												
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified			
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)			
E819	Over exertion and strenuous movements-----	8	2	-	-	-	-	-	-	-	-	-	-	-	6
	Male----	8	2	-	-	-	-	-	-	-	-	-	-	-	6
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--Male----	8	2	-	-	-	-	-	-	-	-	-	-	-	6
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E820	Accident caused by cutting or piercing instrument-----	112	55	4	1	10	-	4	7	1	19	11			
	Male----	90	40	4	1	10	-	3	5	1	17	9			
	Female--	22	15	-	-	-	-	1	2	-	2	2			
	White--Male----	71	31	3	1	9	-	2	5	1	15	6			
	Female--	14	9	-	-	-	-	-	2	-	1	2			
.0	Powered hand tool-----	10	4	-	-	-	-	1	-	-	5	-			
	Male----	9	3	-	-	-	-	1	-	-	5	-			
	Female--	1	1	-	-	-	-	-	-	-	-	-			
	White--Male----	7	3	-	-	-	-	1	-	-	3	-			
	Female--	1	1	-	-	-	-	-	-	-	2	-			
.1	Other hand tools-----	18	7	1	-	1	-	1	1	-	1	6			
	Male----	16	5	1	-	1	-	1	1	-	1	6			
	Female--	2	2	-	-	-	-	-	-	-	-	-			
	White--Male----	14	5	1	-	1	-	1	1	-	1	4			
	Female--	-	-	-	-	-	-	-	-	-	-	-			
.2	Other machinery-----	18	1	3	1	6	-	1	1	1	4	-			
	Male----	18	1	3	1	6	-	1	1	1	4	-			
	Female--	-	-	-	-	-	-	-	-	-	-	-			
	White--Male----	16	1	2	1	6	-	-	1	1	4	-			
	Female--	-	-	-	-	-	-	-	-	-	-	-			
.8	Other-----	49	35	-	-	3	-	-	3	-	4	2			
	Male----	35	26	-	-	3	-	-	3	-	2	1			
	Female--	14	9	-	-	-	-	-	2	-	2	1			
	White--Male----	29	21	-	-	2	-	-	3	-	2	1			
	Female--	11	7	-	-	-	-	-	2	-	1	1			
.9	Unspecified-----	17	8	-	-	-	-	1	-	-	5	3			
	Male----	12	5	-	-	-	-	-	-	-	5	2			
	Female--	5	3	-	-	-	-	1	-	-	-	1			
	White--Male----	5	1	-	-	-	-	-	-	-	3	1			
	Female--	2	1	-	-	-	-	-	-	-	1	1			
E921	Accident caused by explosion of pressure vessel-----	57	14	5	-	14	-	2	5	2	8	7			
	Male----	52	9	5	-	14	-	2	5	2	8	7			
	Female--	5	5	-	-	-	-	-	-	-	-	-			
	White--Male----	46	9	5	-	11	-	1	5	2	8	5			
	Female--	5	5	-	-	-	-	-	-	-	-	-			
.0	Boiler-----	18	7	-	-	6	-	-	1	1	3	-			
	Male----	14	3	-	-	6	-	-	1	1	3	-			
	Female--	4	4	-	-	-	-	-	-	-	-	-			
	White--Male----	14	3	-	-	6	-	-	1	1	3	-			
	Female--	4	4	-	-	-	-	-	-	-	-	-			
.1	Gas cylinder-----	5	2	1	-	-	-	-	-	-	1	1			
	Male----	4	1	1	-	-	-	-	-	-	1	1			
	Female--	1	1	-	-	-	-	-	-	-	-	-			
	White--Male----	4	1	1	-	-	-	-	-	-	1	1			
	Female--	1	1	-	-	-	-	-	-	-	-	-			
.8	Other-----	34	5	4	-	8	-	2	4	1	4	6			
	Male----	34	5	4	-	8	-	2	4	1	4	6			
	Female--	-	-	-	-	-	-	-	-	-	-	-			
	White--Male----	28	5	4	-	5	-	1	4	1	4	4			
	Female--	-	-	-	-	-	-	-	-	-	-	-			

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
E922	Accident caused by firearm missile-----	2,515	1,065	109	2	4	4	102	75	-	512	640	
	Male-----	2,127	868	106	2	4	4	88	64	-	292	699	
	Female-----	386	197	3	-	-	-	14	11	-	20	141	
	White-----	1,681	696	99	2	4	3	65	45	-	254	513	
	Female-----	280	145	3	-	-	-	7	8	-	17	100	
	All other-----	446	172	7	-	-	1	23	19	-	39	186	
	Female-----	106	52	-	-	-	-	7	3	-	3	41	
	.0	Accidentally self-inflicted-----	512	289	18	1	1	2	16	18	-	54	113
		Male-----	467	265	18	1	1	2	16	18	-	51	105
		Female-----	45	34	-	-	-	-	-	-	-	3	8
		White-----	391	211	17	1	1	2	13	11	-	42	93
		Female-----	38	27	-	-	-	-	-	-	-	3	8
All other-----		76	44	1	-	-	-	3	7	-	9	12	
Female-----		7	7	-	-	-	-	-	-	-	-	-	
.9		Other and unspecified-----	2,001	776	91	1	3	2	86	57	-	258	727
		Male-----	1,660	613	89	1	3	2	72	46	-	241	594
		Female-----	341	163	3	-	-	-	14	11	-	17	133
		White-----	1,290	485	82	1	3	1	52	34	-	212	420
		Female-----	242	118	3	-	-	-	7	8	-	14	92
	All other-----	370	128	6	-	-	1	20	12	-	29	174	
	Female-----	99	45	-	-	-	-	7	3	-	3	41	
	E923	Accident caused by explosive material-----	459	171	24	6	100	-	9	35	2	59	53
		Male-----	376	112	21	6	96	-	7	30	2	57	45
		Female-----	83	59	3	-	4	-	2	5	-	2	8
		White-----	331	93	20	5	98	-	5	26	2	51	41
		Female-----	67	47	3	-	3	-	2	5	-	1	6
All other-----		45	19	1	1	8	-	2	4	-	6	4	
Female-----		16	12	1	-	1	-	-	-	-	1	2	
0		Fireworks-----	3	-	-	-	3	-	-	-	-	-	-
		Male-----	3	-	-	-	3	-	-	-	-	-	-
		Female-----	-	-	-	-	-	-	-	-	-	-	-
		White-----	3	-	-	-	3	-	-	-	-	-	-
		Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	
	.1	Blasting material-----	24	2	5	4	7	-	-	-	-	4	2
		Male-----	22	2	5	4	6	-	-	-	-	3	2
		Female-----	2	-	-	-	1	-	-	-	-	1	-
		White-----	20	2	5	3	6	-	-	-	-	2	2
		Female-----	-	-	-	-	-	-	-	-	-	-	-
All other-----		2	-	-	1	-	-	-	-	-	1	-	
Female-----		2	-	-	1	-	-	-	-	-	1	-	
.2		Explosive gas-----	230	111	11	1	32	-	6	20	1	27	21
		Male-----	176	71	8	1	32	-	4	15	1	27	17
		Female-----	54	40	3	-	-	-	2	5	-	-	4
		White-----	154	60	7	1	31	-	3	12	1	23	16
		Female-----	45	33	3	-	-	-	2	5	-	-	2
	All other-----	22	11	1	-	1	-	1	3	-	4	1	
	Female-----	9	7	-	-	-	-	-	-	-	-	2	
	.8	Other-----	78	20	-	-	27	-	-	2	1	15	13
		Male-----	68	14	-	-	26	-	-	2	1	15	10
		Female-----	10	6	-	-	1	-	-	-	-	-	3
		White-----	62	11	-	-	23	-	-	2	1	15	10
		Female-----	7	3	-	-	1	-	-	-	-	-	3
All other-----		6	3	-	-	3	-	-	-	-	-	-	
Female-----		3	3	-	-	-	-	-	-	-	-	-	
.9		Unspecified-----	124	38	8	1	31	-	3	13	-	13	17
		Male-----	107	25	8	1	29	-	3	13	-	12	16
		Female-----	17	13	-	-	2	-	-	-	-	1	1
		White-----	92	20	8	1	25	-	2	12	-	11	15
		Female-----	15	11	-	-	2	-	-	-	-	1	1
	All other-----	15	5	-	-	4	-	1	1	-	1	3	
	Female-----	2	2	-	-	-	-	-	-	-	-	-	
	E924	Accident caused by hot substance, corrosive liquid, and steam-----	216	141	1	-	23	-	-	4	18	7	22
		Male-----	180	72	1	-	23	-	-	4	11	6	13
		Female-----	86	69	-	-	-	-	-	-	7	1	9
		White-----	93	46	1	-	18	-	-	4	8	4	12
		Female-----	60	45	-	-	-	-	-	-	6	1	7
All other-----		37	26	-	-	5	-	-	-	3	2	1	
Female-----		26	23	-	-	-	-	-	-	1	-	2	
E925		Accident caused by electric current-----	1,157	283	86	2	161	10	111	45	4	175	280
		Male-----	1,078	251	83	2	159	10	110	42	4	173	264
		Female-----	79	52	3	-	2	-	1	3	-	2	16
		White-----	980	219	77	2	144	10	96	38	3	157	234
		Female-----	71	48	1	-	2	-	1	3	-	2	14
	All other-----	98	12	6	-	15	-	14	4	1	16	30	
	Female-----	8	4	2	-	-	-	-	-	-	-	2	

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

4-31

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1974—Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident																	
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified								
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)								
.0	Accident caused by electric current—Con.																			
	Home wiring and appliance-----	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Industrial wiring and appliance-----	163	-	-	2	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	161	-	-	2	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	146	-	-	2	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	15	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	636	80	86	-	-	-	10	111	45	4	175	125							
	Male-----	610	67	83	-	-	-	10	110	42	4	173	121							
	Female-----	26	13	3	-	-	-	-	1	3	-	2	4							
	White-----	550	64	77	-	-	-	10	96	38	3	157	105							
	Female-----	22	12	1	-	-	-	-	1	3	-	2	3							
	All other-----	60	3	6	-	-	-	-	14	4	1	16	16							
.9	Unspecified-----	155	-	-	-	-	-	-	-	-	-	-	155							
	Male-----	143	-	-	-	-	-	-	-	-	-	-	143							
	Female-----	12	-	-	-	-	-	-	-	-	-	-	12							
	White-----	129	-	-	-	-	-	-	-	-	-	-	129							
	Female-----	11	-	-	-	-	-	-	-	-	-	-	11							
	All other-----	14	-	-	-	-	-	-	-	-	-	-	14							
E926	Accident caused by radiation-----	1	-	-	-	-	-	-	-	-	-	-	1							
	Male-----	1	-	-	-	-	-	-	-	-	-	-	1							
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-							
	White-----	1	-	-	-	-	-	-	-	-	-	-	1							
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-							
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-							
.0	Nonionizing-----	-	-	-	-	-	-	-	-	-	-	-	-							
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-							
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-							
	White-----	-	-	-	-	-	-	-	-	-	-	-	-							
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-							
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-							
.1	Ionizing-----	1	-	-	-	-	-	-	-	-	-	-	1							
	Male-----	1	-	-	-	-	-	-	-	-	-	-	1							
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-							
	White-----	1	-	-	-	-	-	-	-	-	-	-	1							
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-							
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-							
E927	Vehicle accidents not elsewhere classifiable-----	210	10	9	7	30	20	18	5	1	84	26								
	Male-----	186	8	7	7	29	17	17	4	1	72	24								
	Female-----	24	2	2	-	1	3	1	1	-	12	2								
	White-----	172	8	7	7	22	17	16	3	-	71	21								
	Female-----	23	2	2	-	1	3	1	1	-	11	2								
	All other-----	14	-	-	-	7	-	1	1	1	1	3								
E928	Machinery accidents not elsewhere classifiable-----	783	69	377	10	87	10	56	9	2	90	73								
	Male-----	759	64	362	10	87	10	56	9	2	90	69								
	Female-----	24	5	15	-	-	-	-	-	-	-	4								
	White-----	705	62	341	9	75	9	54	9	2	81	65								
	Female-----	23	5	14	-	-	-	-	-	-	-	4								
	All other-----	54	2	21	1	12	1	2	-	-	9	6								
E929	Other and unspecified accidents-----	1,995	113	18	5	57	9	57	19	29	70	1,618								
	Male-----	1,400	68	17	5	57	9	45	15	17	66	1,103								
	Female-----	595	45	1	-	-	-	14	4	12	4	515								
	White-----	1,096	49	17	5	47	9	35	11	13	53	857								
	Female-----	498	39	1	-	-	-	11	2	10	4	429								
	All other-----	304	19	-	-	10	-	8	4	4	13	246								
	Female-----	99	6	-	-	-	-	3	2	2	-	86								

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification

Place of accident, race, and sex		Total	Under 1 year	1 year	2-3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All nontransport accidents-----E850-E929	50,247	1,174	794	1,241	431	3,640	1,484	1,915	3,642
2	Male----	35,470	689	455	820	289	2,253	1,039	1,504	3,106
3	Female--	16,777	485	339	421	142	1,387	445	411	536
4	White-----Male----	27,578	477	351	671	209	1,708	789	1,194	2,572
5	Female--	14,441	388	288	288	102	977	332	313	428
6	Negro-----Male----	5,398	202	95	140	73	508	229	288	488
7	Female--	2,139	145	85	112	34	374	104	92	95
8	Other races--Male----	494	10	11	9	7	57	21	22	48
9	Female--	198	12	4	14	6	56	9	6	13
10	Home ¹ (0)-----	19,086	619	542	759	256	2,178	636	603	779
11	Male----	11,168	355	311	473	174	1,313	396	425	592
12	Female--	7,918	264	231	286	84	865	262	177	187
13	White-----Male----	9,164	252	257	376	117	982	284	357	507
14	Female--	6,665	173	170	195	57	595	185	129	149
15	Negro-----Male----	1,865	98	67	95	52	312	100	61	76
16	Female--	1,156	62	59	65	23	249	73	44	32
17	Other races--Male----	139	5	2	2	5	19	12	8	9
18	Female--	97	9	7	6	4	21	6	4	6
19	Farm ² (1)-----	1,617	2	14	38	20	74	78	142	181
20	Male----	1,495	2	7	32	16	57	64	121	168
21	Female--	122	2	7	6	4	17	14	21	13
22	White-----Male----	1,345	2	7	31	13	53	57	102	147
23	Female--	107	2	6	6	4	16	11	20	10
24	Negro-----Male----	139	2	1	1	3	4	7	18	20
25	Female--	14	2	1	1	1	1	2	1	3
26	Other races--Male----	11	2	1	1	1	1	1	1	1
27	Female--	1	1	1	1	1	1	1	1	1
28	Mine and quarry (2)-----	158	1	1	1	1	2	2	5	23
29	Male----	153	1	1	1	1	1	2	4	22
30	Female--	5	1	1	1	1	1	1	1	1
31	White-----Male----	142	1	1	1	1	1	1	3	19
32	Female--	4	1	1	1	1	1	1	1	1
33	Negro-----Male----	10	1	1	1	1	1	1	1	3
34	Female--	1	1	1	1	1	1	1	1	1
35	Other races--Male----	1	1	1	1	1	1	1	1	1
36	Female--	1	1	1	1	1	1	1	1	1
37	Industrial place (3)-----	1,759	5	8	14	3	30	21	47	132
38	Male----	1,723	4	5	8	1	18	15	10	153
39	Female--	36	1	3	6	2	12	6	7	22
40	White-----Male----	1,498	3	2	6	1	11	15	30	91
41	Female--	31	2	2	2	1	7	2	6	19
42	Negro-----Male----	216	2	2	2	1	6	4	9	18
43	Female--	5	2	2	2	1	4	1	1	3
44	Other races--Male----	9	1	1	1	1	1	1	1	1
45	Female--	1	1	1	1	1	1	1	1	1
46	Place for recreation or sport (4)-----	400	1	5	17	5	28	41	53	75
47	Male----	334	1	3	12	3	18	33	41	69
48	Female--	66	1	2	5	2	10	8	12	7
49	White-----Male----	274	1	2	9	2	13	25	30	54
50	Female--	58	1	2	4	2	9	8	7	6
51	Negro-----Male----	50	1	1	2	1	4	8	11	10
52	Female--	7	1	1	1	1	1	1	1	1
53	Other races--Male----	10	1	1	1	1	1	1	1	4
54	Female--	1	1	1	1	1	1	1	1	1
55	Street and highway (5)-----	1,486	5	8	14	3	30	21	47	132
56	Male----	1,224	4	5	8	1	18	19	40	110
57	Female--	262	1	3	6	2	12	2	7	22
58	White-----Male----	985	2	2	6	1	11	15	30	91
59	Female--	219	1	1	4	1	7	2	6	19
60	Negro-----Male----	216	2	2	2	1	6	4	9	18
61	Female--	41	2	2	2	1	4	1	1	3
62	Other races--Male----	23	1	1	1	1	1	1	1	1
63	Female--	3	1	1	1	1	1	1	1	1
64	Public building (6)-----	1,400	6	4	6	3	21	46	40	139
65	Male----	1,102	5	2	5	2	14	34	28	113
66	Female--	298	3	2	1	1	7	12	12	26
67	White-----Male----	944	2	2	5	2	11	24	20	97
68	Female--	267	2	2	1	1	5	9	11	21
69	Negro-----Male----	149	2	2	2	1	2	9	8	15
70	Female--	27	1	1	1	1	2	3	1	5
71	Other races--Male----	9	1	1	1	1	1	1	1	1
72	Female--	4	1	1	1	1	1	1	1	1
73	Resident institution (7)-----	2,900	6	1	6	1	13	8	10	45
74	Male----	1,238	5	1	4	1	9	4	7	32
75	Female--	1,662	1	1	2	1	4	4	3	13
76	White-----Male----	1,143	3	1	3	1	6	4	6	18
77	Female--	1,600	1	1	1	1	3	4	2	11
78	Negro-----Male----	85	2	1	1	1	3	1	1	13
79	Female--	57	1	1	1	1	1	1	1	1
80	Other races--Male----	10	1	1	1	1	1	1	1	1
81	Female--	5	1	1	1	1	1	1	1	2
82	Other specified places (8)-----	6,936	25	63	217	61	386	385	652	1,262
83	Male----	6,056	18	37	155	51	261	314	550	1,154
84	Female--	880	7	26	62	30	125	71	102	108
85	White-----Male----	4,843	13	34	138	43	228	247	411	950
86	Female--	713	4	28	51	24	104	56	71	83
87	Negro-----Male----	1,088	4	2	14	6	26	60	134	189
88	Female--	140	2	1	7	5	15	14	29	22
89	Other races--Male----	125	1	1	3	2	7	5	5	16
90	Female--	27	1	1	4	1	6	1	2	3

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification]

Place of accident, race, and sex		Total	Under 1 year	1 year	2-3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Place not specified (9)-----	14,505	507	157	178	61	903	225	352	850
2	Male----	8,977	300	90	126	42	558	158	277	694
3	Female--	5,528	207	67	52	19	345	67	75	156
4	White-----Male----	7,240	203	67	99	31	400	122	225	555
5	Female--	4,778	145	45	33	13	236	54	66	125
6	Negro-----Male----	1,580	94	21	24	11	150	35	46	126
7	Female--	690	80	20	17	6	103	12	9	29
8	Other races--Male----	157	3	2	3	-	8	1	6	13
9	Female--	60	2	2	2	-	6	1	-	2

SECTION 4 - ACCIDENT MORTALITY

4-35

of Accident, Age, Race, and Sex: United States, 1974—Con.

of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
958	744	561	475	601	684	658	692	755	743	816	1,087	1,276	1,186	670	199	39	31	1
790	599	443	350	452	468	471	500	490	482	440	528	519	441	224	58	10	25	2
168	145	118	125	149	216	187	192	285	261	376	559	757	745	446	141	29	6	3
605	449	321	245	324	341	356	400	415	410	391	464	466	421	211	51	9	19	4
120	95	78	89	110	168	150	161	225	223	331	522	730	714	424	131	22	4	5
163	141	115	96	115	118	102	92	65	64	45	39	28	17	10	7	1	6	6
44	47	35	30	35	39	35	30	40	36	42	35	24	25	21	10	7	2	7
22	9	7	9	13	9	13	8	10	8	4	6	5	3	3	-	-	-	8
4	3	5	6	4	9	2	1	-	2	3	2	3	6	1	-	-	-	9

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1974

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
United States-----	50,247	19,086	1,617	158	1,759	400	1,486	1,400	2,900	6,936	14,506
Male----	33,470	11,168	1,495	153	1,723	334	1,224	1,102	1,238	6,056	8,977
Female----	16,777	7,918	122	5	36	66	262	298	1,662	880	5,528
White-----Male----	27,578	9,164	1,345	142	1,498	274	985	944	1,143	4,843	7,240
Female----	14,441	6,665	107	4	31	58	216	267	1,600	713	4,778
All other--Male----	5,892	2,004	150	11	225	60	239	158	95	1,213	1,737
Female----	2,356	1,253	15	1	5	8	44	31	62	167	750
Alabama-----	1,150	364	38	2	48	3	31	22	21	156	485
Male----	784	210	37	2	47	2	23	18	10	125	310
Female----	366	154	1	1	1	1	8	4	11	11	175
White-----Male----	542	144	27	2	41	1	15	14	10	72	216
Female----	245	99	1	1	1	1	6	3	9	8	117
All other--Male----	242	66	10	-	6	1	8	4	1	53	94
Female----	121	55	-	-	-	-	2	1	2	3	58
Alaska-----	219	52	1	-	3	4	1	1	-	37	120
Male----	177	40	-	-	3	2	1	1	-	33	97
Female----	42	12	1	-	-	2	-	-	-	4	23
White-----Male----	100	14	-	-	3	1	1	-	-	24	57
Female----	26	5	1	-	-	1	-	-	-	2	17
All other--Male----	77	26	-	-	-	-	-	1	-	9	40
Female----	16	7	-	-	-	1	-	-	-	2	6
Arizona-----	651	261	12	7	19	1	26	25	20	148	132
Male----	463	159	12	7	19	1	21	19	13	122	90
Female----	188	102	-	-	-	-	5	6	7	26	42
White-----Male----	368	135	9	7	18	-	16	15	12	86	70
Female----	180	89	-	-	-	-	3	6	7	22	33
All other--Male----	95	24	3	-	1	1	5	4	1	36	20
Female----	28	13	-	-	-	-	2	-	-	4	9
Arkansas-----	631	164	29	1	18	3	12	8	11	83	302
Male----	464	111	28	1	18	3	10	6	10	76	201
Female----	167	53	1	-	-	-	2	2	1	7	101
White-----Male----	362	87	23	1	16	2	8	6	10	53	136
Female----	120	33	1	-	-	-	1	2	1	7	75
All other--Male----	102	24	5	-	2	1	2	-	-	23	45
Female----	47	20	-	-	-	-	1	-	-	-	26
California-----	4,967	2,417	54	1	92	54	165	165	389	758	871
Male----	3,247	1,384	52	1	81	42	129	131	152	643	622
Female----	1,720	1,033	2	-	1	12	37	34	237	115	249
White-----Male----	2,766	1,172	50	1	80	36	111	109	142	571	494
Female----	1,490	903	1	-	-	10	32	32	228	96	188
All other--Male----	481	212	2	-	11	6	18	22	10	72	128
Female----	230	130	1	-	1	2	5	2	9	19	61
Colorado-----	584	189	24	5	15	11	7	24	43	91	175
Male----	403	120	23	5	15	10	7	18	22	79	104
Female----	181	69	1	-	-	1	6	6	21	12	71
White-----Male----	384	112	23	5	15	10	7	18	21	74	99
Female----	169	62	1	-	-	1	5	20	11	69	69
All other--Male----	19	8	-	-	-	-	-	1	5	5	5
Female----	12	7	-	-	-	-	-	1	1	1	2
Connecticut-----	527	196	2	-	11	4	16	12	43	84	178
Male----	318	101	2	-	11	4	14	10	23	54	99
Female----	209	95	-	-	-	-	2	2	20	10	80
White-----Male----	282	93	2	-	10	3	14	10	21	44	85
Female----	199	92	-	-	-	-	2	2	18	9	76
All other--Male----	36	8	-	-	1	1	-	-	2	10	14
Female----	10	3	-	-	-	-	-	-	2	1	4
Delaware-----	83	23	-	-	9	-	-	-	4	16	41
Male----	58	13	-	-	9	-	-	-	3	11	22
Female----	35	10	-	-	-	-	-	-	1	5	19
White-----Male----	45	10	-	-	6	-	-	-	3	9	17
Female----	32	10	-	-	-	-	-	-	1	6	16
All other--Male----	13	3	-	-	3	-	-	-	2	5	5
Female----	3	-	-	-	-	-	-	-	-	-	3
District of Columbia-----	208	81	-	-	5	1	8	7	7	27	72
Male----	135	49	-	-	5	1	6	5	3	24	42
Female----	73	32	-	-	-	-	2	2	4	3	30
White-----Male----	39	14	-	-	1	-	-	2	2	6	14
Female----	33	13	-	-	-	-	-	-	3	1	15
All other--Male----	96	35	-	-	4	1	6	3	1	18	28
Female----	40	19	-	-	-	-	1	2	1	2	15
Florida-----	2,029	776	54	5	90	16	58	73	98	420	459
Male----	1,361	470	28	4	89	13	48	55	32	354	287
Female----	668	306	6	1	1	3	10	17	66	66	192
White-----Male----	1,056	377	22	2	78	12	37	44	29	247	208
Female----	571	259	5	1	1	3	9	15	63	55	161
All other--Male----	305	93	6	2	11	1	11	12	3	107	59
Female----	97	47	1	1	-	-	1	2	3	11	31
Georgia-----	1,388	617	60	1	36	3	49	43	68	213	288
Male----	948	370	56	-	34	2	43	37	24	194	188
Female----	440	247	4	1	2	1	6	6	44	19	110
White-----Male----	644	252	43	-	24	2	23	28	23	129	120
Female----	312	174	2	1	-	-	3	5	42	12	73
All other--Male----	304	118	13	-	10	-	20	9	1	65	68
Female----	128	73	2	-	2	1	3	1	2	7	37

See footnotes at end of table.

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1974—Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Hawaii	117	29	3	-	3	3	3	4	3	45	26
Male	85	15	3	-	3	3	2	3	3	31	20
Female	34	14	-	-	-	-	1	-	-	12	6
White	40	8	1	-	1	1	1	3	3	17	5
Female	12	4	-	-	-	-	1	-	-	5	1
All other	43	7	2	-	2	2	1	-	-	14	15
Female	22	10	-	-	-	-	-	-	-	7	5
Idaho	283	68	12	2	16	1	9	3	20	67	85
Male	205	40	11	2	15	1	8	2	6	62	58
Female	78	28	1	-	1	-	1	1	14	5	27
White	200	40	11	2	15	1	8	1	6	61	55
Female	78	28	1	-	1	-	1	1	14	4	26
All other	5	-	-	-	-	-	-	1	-	1	3
Female	2	-	-	-	-	-	-	-	-	1	1
Illinois	2,223	862	85	14	113	27	83	103	104	299	533
Male	1,540	538	80	14	110	25	68	77	45	263	322
Female	683	324	5	-	3	2	15	26	59	36	211
White	1,225	390	78	12	94	18	54	60	42	210	267
Female	581	260	5	-	3	1	9	23	57	30	193
All other	315	146	2	2	16	7	14	17	3	53	55
Female	102	66	-	-	-	1	6	3	2	6	18
Indiana	1,146	387	52	5	56	5	27	24	38	95	459
Male	747	242	44	5	55	4	23	20	16	88	250
Female	399	145	8	-	1	1	4	4	20	7	209
White	679	220	44	4	49	2	18	16	15	78	233
Female	369	128	8	-	1	1	4	4	20	6	197
All other	68	22	1	1	6	2	5	4	1	10	17
Female	30	17	-	-	-	-	-	-	-	1	12
Iowa	715	238	81	5	34	7	24	24	98	66	138
Male	475	154	75	5	34	7	20	21	40	58	80
Female	240	104	6	-	-	-	4	3	58	7	58
White	460	128	75	4	34	7	19	21	39	57	76
Female	235	102	6	-	-	-	4	3	57	7	56
All other	15	6	1	1	-	-	-	-	1	2	4
Female	5	2	-	-	-	-	-	-	1	-	2
Kansas	576	183	37	-	17	2	15	11	32	65	216
Male	379	113	34	-	17	2	14	8	17	57	117
Female	197	70	3	-	-	-	1	3	15	6	99
White	350	104	34	-	16	2	14	8	16	48	109
Female	188	66	3	-	-	-	1	3	14	5	93
All other	29	9	-	-	1	-	-	-	1	9	9
Female	12	4	-	-	-	-	-	-	1	1	6
Kentucky	1,012	377	65	4	35	3	26	32	35	120	315
Male	673	211	57	4	34	3	25	27	15	109	188
Female	339	166	8	-	1	-	1	5	20	11	127
White	609	183	54	4	30	2	24	26	13	103	170
Female	305	149	8	-	1	-	1	3	19	11	113
All other	64	28	3	-	4	1	1	1	2	6	16
Female	34	17	-	-	-	-	-	2	1	-	14
Louisiana	1,189	259	35	-	56	6	33	22	7	258	533
Male	877	163	33	-	56	5	29	19	3	217	352
Female	312	96	2	-	-	1	4	3	4	21	181
White	570	115	24	-	43	3	18	13	3	140	211
Female	206	58	-	-	-	1	3	2	3	12	129
All other	307	48	9	-	13	2	11	6	-	77	141
Female	106	40	2	-	-	-	1	1	1	9	82
Maine	291	121	9	-	5	-	6	6	12	52	80
Male	185	71	8	-	4	-	4	4	3	41	50
Female	106	50	1	-	1	-	2	2	9	11	30
White	183	70	8	-	4	-	4	4	3	41	49
Female	103	50	1	-	1	-	1	2	9	9	30
All other	2	1	-	-	-	-	-	-	-	-	1
Female	3	-	-	-	-	-	1	-	-	2	-
Maryland	743	328	11	3	18	6	28	12	51	106	180
Male	494	194	10	3	18	4	25	9	18	94	119
Female	249	134	1	-	-	2	3	3	33	12	61
White	344	142	8	3	10	3	14	7	17	71	69
Female	188	93	1	-	-	1	3	3	32	8	46
All other	150	52	2	-	8	1	11	2	1	23	50
Female	61	41	-	-	-	-	-	-	1	4	15
Massachusetts	1,382	585	4	-	32	5	18	58	157	129	394
Male	807	309	4	-	30	3	14	47	65	110	227
Female	575	276	-	-	2	2	4	11	94	19	167
White	762	296	4	-	28	3	13	46	61	100	211
Female	556	263	-	-	2	2	4	11	91	19	164
All other	45	13	-	-	2	-	1	1	2	10	16
Female	19	13	-	-	-	-	-	-	3	-	3
Michigan	2,109	889	31	8	68	30	66	40	103	244	632
Male	1,390	544	28	8	65	28	51	36	47	218	365
Female	719	345	3	-	1	2	15	4	56	26	267
White	1,154	421	28	8	57	24	41	31	41	182	321
Female	635	284	3	-	1	2	13	4	53	23	252
All other	236	123	-	-	8	4	10	5	6	36	44
Female	84	61	-	-	-	-	2	-	3	3	15

See footnotes at end of table.

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1974—Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Minnesota-----	909	269	51	3	24	14	33	20	81	126	268
Male----	606	183	40	3	24	13	28	15	38	107	175
Female--	303	106	11	-	-	1	5	5	43	19	113
White-----	580	158	40	3	23	12	26	13	38	101	166
Male----	301	105	11	-	-	1	5	5	43	19	112
Female--	26	5	-	-	1	1	2	2	-	6	9
All other--	2	1	-	-	-	-	-	-	-	-	1
Male----	721	222	41	2	17	4	18	9	15	108	265
Female--	516	149	39	2	17	4	12	7	9	102	175
White-----	205	73	2	-	-	-	6	2	6	5	110
Male----	287	73	28	2	11	4	7	4	9	47	102
Female--	103	33	1	-	-	-	5	2	5	1	62
All other--	229	76	11	-	6	-	5	3	5	55	73
Male----	96	40	1	-	-	-	1	-	1	5	48
Female--	1,294	540	77	2	34	6	38	31	115	146	305
Male----	857	309	72	2	34	2	27	21	48	126	196
Female--	437	231	5	-	-	4	11	10	67	20	109
White-----	729	265	72	2	31	2	24	18	44	102	169
Male----	411	205	5	-	-	2	7	10	65	16	101
Female--	108	44	-	-	3	-	3	3	4	24	27
All other--	46	26	-	-	-	2	4	-	2	4	8
Male----	258	82	7	1	8	2	14	8	12	51	53
Female--	161	53	7	1	8	2	11	7	9	51	33
White-----	87	28	-	-	-	-	3	1	4	-	20
Male----	164	49	7	1	8	2	7	7	7	44	32
Female--	53	27	-	-	-	-	3	1	3	-	19
All other--	17	4	-	-	-	-	4	-	1	7	1
Male----	4	2	-	-	-	-	-	-	1	-	1
Female--	429	170	38	4	12	4	17	21	47	46	70
Male----	283	100	36	4	12	4	14	18	16	40	39
Female--	146	70	2	-	-	-	3	3	31	6	31
White-----	266	92	36	4	12	4	13	17	18	58	34
Male----	140	64	2	-	-	-	3	3	31	6	31
Female--	17	8	-	-	-	-	1	1	-	2	5
All other--	6	6	-	-	-	-	-	-	-	-	-
Male----	158	50	-	-	1	9	3	5	4	56	50
Female--	116	35	-	-	1	3	3	3	2	32	35
White-----	42	15	-	-	-	4	2	2	2	4	15
Male----	102	31	-	-	-	5	3	3	2	27	31
Female--	39	14	-	-	-	4	-	2	1	3	15
All other--	14	4	-	-	1	-	-	-	1	5	4
Male----	3	1	-	-	-	-	-	-	1	1	-
Female--	163	79	1	-	6	2	3	3	17	18	34
Male----	92	36	1	-	6	2	2	3	8	16	18
Female--	71	43	-	-	-	1	1	9	2	2	16
White-----	92	36	1	-	6	2	2	3	8	16	18
Male----	70	42	-	-	-	1	-	9	2	2	16
Female--	-	-	-	-	-	-	-	-	-	-	-
All other--	1	1	-	-	-	-	-	-	-	-	-
Male----	1,346	602	7	2	52	8	59	36	81	132	367
Female--	824	300	6	2	52	5	48	25	40	115	251
White-----	522	302	1	-	-	3	11	11	41	17	136
Male----	647	243	6	2	42	5	35	24	34	60	176
Female--	454	264	1	-	-	3	9	9	41	13	114
All other--	177	57	-	-	10	-	13	1	6	35	55
Male----	68	38	-	-	-	-	2	2	-	4	22
Female--	558	117	11	1	10	3	10	8	14	56	128
Male----	254	73	11	1	10	2	7	6	8	50	86
Female--	104	44	-	-	-	1	3	2	6	6	42
White-----	204	65	9	1	9	1	4	6	6	31	72
Male----	87	36	-	-	-	1	3	2	6	3	36
Female--	50	8	2	-	1	1	3	2	2	19	14
All other--	17	8	-	-	-	-	-	-	-	3	6
Male----	2,651	974	33	3	57	13	77	71	198	258	1,167
Female--	1,729	523	29	3	55	13	60	52	79	227	688
White-----	1,122	451	4	-	-	2	17	19	119	31	479
Male----	1,503	463	27	3	48	12	45	43	74	169	599
Female--	1,026	404	4	-	2	-	15	18	117	25	441
All other--	226	60	2	-	7	1	15	9	5	58	89
Male----	96	47	-	-	-	-	2	1	2	6	39
Female--	1,408	484	77	3	52	3	27	23	40	180	519
Male----	1,000	308	68	3	51	2	24	20	20	166	338
Female--	408	176	9	-	1	1	3	3	20	14	181
White-----	626	208	34	2	30	1	7	17	13	105	209
Male----	303	123	5	-	1	1	2	2	19	7	143
Female--	374	100	34	1	21	1	17	3	7	61	129
All other--	105	53	4	-	-	-	1	1	1	7	38
Male----	188	73	21	1	5	1	3	14	27	17	26
Female--	127	50	21	1	5	1	3	10	9	15	12
White-----	61	23	-	-	-	-	-	4	18	2	14
Male----	119	47	20	1	5	1	2	9	9	15	10
Female--	85	19	-	-	-	-	-	4	18	2	12
All other--	6	3	1	-	-	-	1	1	-	-	2
Male----	6	4	-	-	-	-	-	-	-	-	2
Female--											

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1974—Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Ohio-----	2,589	969	62	7	105	19	58	69	159	210	733
Male-----	1,513	562	58	6	101	17	48	52	89	181	419
Female----	876	407	4	1	2	2	10	17	90	29	314
White-----	1,358	488	56	5	89	14	42	45	61	158	390
Male-----	786	352	4	1	1	1	9	14	86	24	294
Female----	175	74	2	1	12	3	6	7	8	23	39
All other--	90	55	-	-	1	1	1	3	4	5	20
Female----											
Oklahoma-----	825	254	46	1	29	7	22	17	59	76	314
Male-----	547	146	43	1	26	7	16	11	26	67	200
Female----	270	108	3	-	1	4	4	6	33	9	114
White-----	494	150	40	1	28	6	16	10	23	60	180
Male-----	248	88	2	1	1	1	2	5	33	8	104
Female----	53	16	3	-	-	1	4	2	3	7	20
All other--	33	20	1	-	-	-	-	1	-	1	10
Female----											
Oregon-----	586	216	19	1	26	8	19	21	33	154	89
Male-----	404	130	17	1	26	8	15	15	14	140	51
Female----	182	96	2	-	-	3	4	6	19	14	38
White-----	389	115	17	1	26	5	15	15	13	135	47
Male-----	174	92	2	-	-	3	4	5	19	14	35
Female----	15	5	-	-	-	-	-	-	1	5	4
All other--	8	4	-	-	-	-	-	1	-	-	3
Female----											
Pennsylvania-----	2,502	1,004	64	15	111	13	82	66	80	296	771
Male-----	1,599	551	59	15	107	12	70	49	41	252	443
Female----	903	453	5	-	4	1	12	17	39	44	328
White-----	1,377	453	59	15	100	11	55	45	38	212	569
Male-----	797	384	5	3	5	1	12	16	36	38	300
Female----	222	98	-	-	1	1	15	4	3	40	54
All other--	106	69	-	-	1	-	-	1	1	6	28
Female----											
Rhode Island-----	196	124	-	-	4	-	2	3	23	26	14
Male-----	111	66	-	-	4	-	1	3	10	19	9
Female----	85	58	-	-	-	-	1	-	13	8	5
White-----	103	61	-	-	4	-	1	3	8	17	9
Male-----	82	56	-	-	-	-	1	-	13	8	4
Female----	8	5	-	-	-	-	-	-	2	1	1
All other--	3	2	-	-	-	-	-	-	-	-	1
Female----											
South Carolina-----	861	274	34	-	26	1	21	17	11	131	346
Male-----	610	174	33	-	25	1	17	15	5	107	233
Female----	251	100	1	-	1	-	4	2	6	24	113
White-----	365	108	18	-	18	1	9	12	4	60	133
Male-----	183	61	1	-	1	-	3	1	4	16	76
Female----	247	66	15	-	7	-	6	3	1	47	100
All other--	88	39	-	-	-	-	1	1	2	8	37
Female----											
South Dakota-----	215	65	32	1	10	1	11	2	21	17	55
Male-----	159	39	31	1	9	1	10	2	9	17	40
Female----	57	27	1	-	1	-	1	-	12	-	15
White-----	139	31	31	1	8	1	10	2	9	14	31
Male-----	48	22	1	-	1	-	-	-	12	-	12
Female----	20	7	-	-	1	-	-	-	-	3	9
All other--	9	5	-	-	-	-	1	-	-	-	3
Female----											
Tennessee-----	1,091	466	46	4	41	8	29	30	36	135	274
Male-----	698	252	42	4	41	7	26	28	13	120	165
Female----	393	234	4	-	-	1	3	2	25	15	109
White-----	566	197	39	4	34	5	22	23	10	94	158
Male-----	319	185	3	-	7	1	3	1	22	12	93
Female----	152	55	3	-	2	4	4	5	3	26	27
All other--	75	51	1	-	-	-	-	1	3	3	15
Female----											
Texas-----	3,051	1,010	111	5	137	41	103	84	195	548	817
Male-----	2,139	613	108	4	134	34	87	71	81	474	533
Female----	912	397	3	1	3	7	16	13	114	74	284
White-----	1,737	496	97	3	115	21	76	60	72	370	427
Male-----	705	332	3	1	3	7	12	12	108	56	251
Female----	402	117	11	1	19	15	11	11	9	104	106
All other--	127	65	-	-	-	-	4	1	6	18	33
Female----											
Utah-----	296	107	10	5	17	7	8	10	21	50	61
Male-----	192	53	7	5	17	4	8	8	6	43	41
Female----	104	54	3	-	-	3	-	2	15	7	20
White-----	182	52	4	-	16	3	8	8	6	41	37
Male-----	100	51	2	-	3	3	-	2	15	7	20
Female----	10	1	1	-	1	1	-	-	-	2	4
All other--	4	5	1	-	-	-	-	-	-	-	-
Female----											
Vermont-----	109	30	6	1	3	-	3	1	6	18	41
Male-----	75	23	6	1	3	-	2	1	4	14	21
Female----	34	7	-	-	-	-	1	-	2	4	20
White-----	74	25	6	1	3	-	2	1	4	15	21
Male-----	34	7	-	-	-	-	1	-	2	4	20
Female----	1	-	-	-	-	-	-	-	-	1	-
All other--	-	-	-	-	-	-	-	-	-	-	-
Female----											
Virginia-----	1,354	539	41	8	54	11	32	39	81	199	351
Male-----	926	321	39	8	52	10	27	33	35	181	220
Female----	428	218	2	-	2	1	5	5	46	18	131
White-----	702	234	32	8	45	7	23	24	32	142	155
Male-----	350	177	1	-	2	1	4	5	42	11	107
Female----	224	87	7	-	7	3	4	9	3	39	65
All other--	78	41	1	-	-	-	1	-	4	7	24
Female----											

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1974—Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Washington	828	315	20	1	38	8	32	27	71	178	138
Male	558	184	19	1	38	8	27	21	29	148	83
Female	270	131	1	-	-	-	5	6	42	30	55
White	526	176	19	-	36	8	27	20	28	138	74
Female	245	113	1	-	-	-	5	4	42	27	51
All other	32	8	-	1	2	-	-	1	1	10	9
Female	27	18	-	-	-	-	-	2	-	3	4
West Virginia	510	153	16	19	32	2	13	16	6	61	192
Male	373	97	15	19	31	2	12	10	4	56	127
Female	137	56	1	-	1	-	1	6	2	5	65
White	356	91	14	19	30	2	12	9	4	54	121
Female	131	55	1	-	1	-	1	6	2	5	60
All other	17	6	1	-	1	-	-	1	-	2	6
Female	6	1	-	-	-	-	-	-	-	-	5
Wisconsin	974	372	59	5	41	10	33	27	60	119	228
Male	660	239	56	4	39	6	29	19	38	104	129
Female	314	134	3	1	3	4	5	8	22	15	99
White	629	222	55	4	36	6	28	18	38	98	124
Female	294	126	3	1	3	4	4	7	41	13	92
All other	31	16	1	-	2	-	-	1	-	6	5
Female	20	8	-	-	-	-	1	1	1	2	7
Wyoming	164	40	8	-	12	-	4	4	3	29	64
Male	129	32	7	-	12	-	4	3	1	23	47
Female	35	8	1	-	-	-	-	1	2	6	17
White	121	30	7	-	12	-	4	3	1	19	45
Female	35	8	1	-	-	-	-	1	2	6	17
All other	8	2	-	-	-	-	-	-	-	4	2
Female	-	-	-	-	-	-	-	-	-	-	-

¹Including home premises and any noninstitutional place of residence.

²Including buildings and land under cultivation, but excluding farm home and home premises.

Section 5. Life Tables

	Page
Explanation of the columns of the life table -----	5-2
Tables	
5-1. Abridged life tables by color and sex: United States, 1974 -----	5-4
5-2. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1974 -----	5-7
5-3. Expectation of life at single years of age, by color and sex: United States, 1974 -----	5-8
5-4. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1974 -----	5-9
5-5. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-74 -----	5-11

Explanation of the Columns of the Life Table

*Column 1—Age interval (x to $x + n$).—*The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

*Column 2—Proportion dying (${}_nq_x$).—*This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0106—out of every 1,000 males alive and exactly 20 years old at the beginning of the period about 11 will die before reaching their 25th birthday. In other words, the ${}_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

*Column 3—Number surviving (l_x).—*This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the ${}_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus out of 100,000 male babies born alive, 98,126 will complete the first year of life and enter the second; 97,808 will begin the sixth year; 96,595 will reach age 20; and 14,611 will live to age 85.

*Column 4—Number dying (${}_nd_x$).—*This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 1,874 die in the first year of life, 318 in the succeeding 4 years, 1,020 in the 5-year period between exact ages 20 and 25, and 14,611 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

*Columns 5 and 6—Stationary population (${}_nL_x$ and T_x).—*Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual

left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 480,456. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 480,456 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,863,303 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,814,371.

*Column 7—Average remaining lifetime (e_x).—*The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 480,456 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 96,595 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,863,303) in col-

umn 6 is the total number of years lived after attaining age 20 by the 96,595 reaching that age. This number of years divided by the number of persons (4,863,303 divided by 96,595) gives 50.3 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing that the average remaining lifetime of white persons is greater than for those in the all other category, one should not conclude that the oldest ages reached by

white persons necessarily exceed those attained by the most long-lived of the all other group. The difference in the average length of life results from the fact that a greater proportion of all other persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among all other persons; yet the average length of life remaining at age 65 is nearly the same for both groups.

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1974

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL (7)
x to $x+n$	nq_x	l_x	$n d_x$	$n L_x$	T_x	e_x
TOTAL						
0-1	0.0167	100,000	1,675	98,503	7,191,375	71.9
1-5	.0029	98,325	287	392,633	7,092,872	72.1
5-10	.0019	98,038	185	489,693	6,700,239	68.3
10-15	.0019	97,853	190	488,864	6,210,546	63.5
15-20	.0053	97,663	519	487,138	5,721,682	58.6
20-25	.0070	97,144	677	484,049	5,234,544	53.9
25-30	.0068	96,467	660	480,685	4,750,495	49.2
30-35	.0079	95,807	756	477,227	4,269,810	44.6
35-40	.0108	95,051	1,030	472,845	3,792,583	39.9
40-45	.0168	94,021	1,579	466,417	3,319,738	35.3
45-50	.0267	92,442	2,470	456,421	2,853,321	30.9
50-55	.0397	89,972	3,574	441,480	2,396,900	26.6
55-60	.0608	86,398	5,249	419,575	1,955,420	22.6
60-65	.0904	81,149	7,339	388,244	1,535,845	18.9
65-70	.1270	73,810	9,373	346,531	1,147,601	15.5
70-75	.1908	64,437	12,293	292,426	801,070	12.4
75-80	.2790	52,144	14,549	224,856	508,644	9.8
80-85	.3829	37,595	14,394	151,407	283,788	7.5
85 AND OVER	1.0000	23,201	23,201	132,381	132,381	5.7
MALE						
0-1	0.0187	100,000	1,874	98,323	6,814,371	68.1
1-5	.0032	98,126	318	391,773	6,716,068	68.4
5-10	.0022	97,808	220	486,454	6,324,275	64.7
10-15	.0024	97,588	238	487,459	5,835,821	59.8
15-20	.0078	97,350	755	485,059	5,348,362	54.9
20-25	.0106	96,595	1,020	480,456	4,863,303	50.3
25-30	.0098	95,575	938	475,492	4,382,847	45.9
30-35	.0107	94,637	1,011	470,744	3,907,355	41.3
35-40	.0141	93,626	1,323	465,025	3,436,611	36.7
40-45	.0213	92,303	1,970	456,917	2,971,586	32.2
45-50	.0349	90,333	3,151	444,297	2,514,669	27.8
50-55	.0524	87,182	4,567	425,232	2,070,372	23.7
55-60	.0815	82,615	6,729	397,159	1,645,140	19.9
60-65	.1223	75,886	9,282	357,178	1,247,981	16.4
65-70	.1741	66,604	11,599	304,825	890,803	13.4
70-75	.2510	55,005	13,807	240,962	585,978	10.7
75-80	.3505	41,198	14,441	169,512	345,016	8.4
80-85	.4539	26,757	12,146	102,127	175,504	6.6
85 AND OVER	1.0000	14,611	14,611	73,377	73,377	5.0
FEMALE						
0-1	0.0146	100,000	1,465	98,694	7,581,958	75.8
1-5	.0026	98,535	255	393,540	7,483,264	75.9
5-10	.0015	98,280	149	490,997	7,089,724	72.1
10-15	.0014	98,131	138	490,345	6,598,727	67.2
15-20	.0028	97,993	275	489,325	6,108,382	62.3
20-25	.0034	97,718	333	487,772	5,619,057	57.5
25-30	.0039	97,385	383	485,999	5,131,285	52.7
30-35	.0052	97,002	503	483,831	4,645,286	47.9
35-40	.0077	96,499	744	480,762	4,161,455	43.1
40-45	.0124	95,755	1,190	475,992	3,680,693	38.4
45-50	.0190	94,565	1,798	468,594	3,204,701	33.9
50-55	.0278	92,767	2,581	457,748	2,736,107	29.5
55-60	.0415	90,186	3,742	442,066	2,278,359	25.3
60-65	.0617	86,444	5,330	419,622	1,836,293	21.2
65-70	.0877	81,114	7,111	388,798	1,416,671	17.5
70-75	.1438	74,003	10,639	344,843	1,027,873	13.9
75-80	.2285	63,364	14,477	281,990	683,030	10.8
80-85	.3381	48,887	16,529	203,325	401,040	8.2
85 AND OVER	1.0000	32,358	32,358	197,715	197,715	6.1

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1974—Con.

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	nq_x	l_x	nd_x	${}_nL_x$	T_x	e_x
WHITE						
0-1	0.0149	100,000	1,490	98,660	7,266,747	72.7
1-5	.0027	98,510	261	393,440	7,168,087	72.8
5-10	.0018	98,249	175	490,777	6,774,647	69.0
10-15	.0019	98,074	183	489,983	6,283,870	64.1
15-20	.0052	97,891	504	488,303	5,793,887	59.2
20-25	.0062	97,387	605	485,427	5,305,584	54.5
25-30	.0058	96,782	563	482,493	4,820,157	49.8
30-35	.0065	96,219	627	479,595	4,337,664	45.1
35-40	.0091	95,592	868	475,944	3,858,069	40.4
40-45	.0145	94,724	1,373	470,441	3,382,125	35.7
45-50	.0242	93,351	2,256	461,499	2,911,684	31.2
50-55	.0366	91,095	3,337	447,691	2,450,185	26.9
55-60	.0574	87,758	5,034	426,928	2,002,494	22.8
60-65	.0867	82,724	7,171	396,559	1,575,566	19.0
65-70	.1239	75,553	9,362	355,342	1,179,007	15.6
70-75	.1847	66,191	12,222	301,472	823,665	12.4
75-80	.2780	53,969	15,003	232,973	522,193	9.7
80-85	.3885	38,966	15,140	156,410	289,220	7.4
85 AND OVER	1.0000	23,826	23,826	132,810	132,810	5.6
WHITE, MALE						
0-1	0.0168	100,000	1,682	98,484	6,893,421	68.9
1-5	.0030	98,318	293	392,604	6,794,937	69.1
5-10	.0021	98,025	207	489,576	6,402,333	65.3
10-15	.0024	97,818	230	488,626	5,912,757	60.4
15-20	.0075	97,588	735	486,283	5,424,131	55.6
20-25	.0095	96,853	916	481,985	4,937,848	51.0
25-30	.0083	95,937	795	477,651	4,455,863	46.4
30-35	.0087	95,142	832	473,701	3,978,212	41.8
35-40	.0118	94,310	1,109	468,970	3,504,511	37.2
40-45	.0185	93,201	1,720	462,025	3,035,541	32.6
45-50	.0317	91,481	2,903	450,659	2,573,516	28.1
50-55	.0487	88,578	4,316	432,854	2,122,857	24.0
55-60	.0775	84,262	6,528	405,934	1,690,003	20.1
60-65	.1187	77,734	9,227	366,610	1,284,069	16.5
65-70	.1718	68,507	11,770	313,986	917,459	13.4
70-75	.2466	56,737	13,994	249,232	603,473	10.6
75-80	.3511	42,743	15,006	175,887	354,241	8.3
80-85	.4624	27,737	12,825	105,276	178,354	6.4
85 AND OVER	1.0000	14,912	14,912	73,078	73,078	4.9
WHITE, FEMALE						
0-1	0.0129	100,000	1,286	98,846	7,655,120	76.6
1-5	.0023	98,714	228	394,327	7,556,274	76.5
5-10	.0014	98,486	141	492,049	7,161,947	72.7
10-15	.0014	98,345	134	491,421	6,669,898	67.8
15-20	.0027	98,211	264	490,437	6,178,477	62.9
20-25	.0030	97,947	290	489,017	5,688,040	58.1
25-30	.0033	97,657	325	487,496	5,199,023	53.2
30-35	.0043	97,332	419	485,675	4,711,527	48.4
35-40	.0065	96,913	627	483,113	4,225,852	43.6
40-45	.0106	96,286	1,021	479,062	3,742,739	38.9
45-50	.0169	95,265	1,613	472,549	3,263,677	34.3
50-55	.0251	93,652	2,355	462,730	2,791,128	29.8
55-60	.0385	91,297	3,516	448,180	2,328,398	25.5
60-65	.0576	87,781	5,053	426,989	1,880,218	21.4
65-70	.0838	82,728	6,931	397,379	1,453,229	17.6
70-75	.1365	75,797	10,347	354,650	1,055,850	13.9
75-80	.2265	65,450	14,827	291,716	701,200	10.7
80-85	.3420	50,623	17,312	210,117	409,484	8.1
85 AND OVER	1.0000	33,311	33,311	199,367	199,367	6.0

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1974—Con.

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL (7)
x to $x+n$	nq_x	I_x	n^d_x	nL_x	T_x	e_x
ALL OTHER						
0-1	0.0249	100,000	2,489	97,813	6,699,921	67.0
1-5	.0042	97,511	407	389,070	6,602,108	67.7
5-10	.0025	97,104	240	484,860	6,213,038	64.0
10-15	.0023	96,864	221	483,853	5,728,178	59.1
15-20	.0063	96,643	606	481,885	5,244,325	54.3
20-25	.0117	96,037	1,127	477,505	4,762,440	49.6
25-30	.0142	94,910	1,346	471,254	4,284,935	45.1
30-35	.0173	93,564	1,620	463,949	3,813,681	40.8
35-40	.0232	91,944	2,129	454,669	3,349,732	36.4
40-45	.0330	89,815	2,964	442,012	2,895,063	32.2
45-50	.0469	86,851	4,076	424,512	2,453,051	28.2
50-55	.0660	82,775	5,462	400,764	2,028,539	24.5
55-60	.0930	77,313	7,192	369,188	1,627,775	21.1
60-65	.1246	70,121	8,734	329,384	1,258,587	17.9
65-70	.1540	61,387	9,454	283,746	929,203	15.1
70-75	.2554	51,933	13,264	226,739	645,457	12.4
75-80	.2906	38,669	11,238	164,648	418,718	10.8
80-85	.3144	27,431	8,625	114,810	254,070	9.3
85 AND OVER	1.0000	18,806	18,806	139,260	139,260	7.4
ALL OTHER, MALE						
0-1	0.0273	100,000	2,728	97,603	6,286,599	62.9
1-5	.0045	97,272	442	388,043	6,188,996	63.6
5-10	.0030	96,830	288	483,367	5,800,953	59.9
10-15	.0029	96,542	282	482,137	5,317,586	55.1
15-20	.0091	96,260	876	479,410	4,835,449	50.2
20-25	.0179	95,384	1,712	472,863	4,356,039	45.7
25-30	.0215	93,672	2,013	463,361	3,883,176	41.5
30-35	.0251	91,659	2,303	452,728	3,419,815	37.3
35-40	.0322	89,356	2,876	439,909	2,967,087	33.2
40-45	.0433	86,480	3,745	423,424	2,527,178	29.2
45-50	.0609	82,735	5,037	401,581	2,103,754	25.4
50-55	.0846	77,698	6,572	372,664	1,702,273	21.9
55-60	.1204	71,126	8,567	334,796	1,329,509	18.7
60-65	.1552	62,559	9,708	288,993	994,713	15.9
65-70	.1951	52,851	10,314	238,736	705,720	13.4
70-75	.2925	42,537	12,440	181,491	466,984	11.0
75-80	.3443	30,097	10,361	123,645	285,493	9.5
80-85	.3600	19,736	7,106	79,946	161,848	8.2
85 AND OVER	1.0000	12,630	12,630	81,902	81,902	6.5
ALL OTHER, FEMALE						
0-1	0.0224	100,000	2,241	98,031	7,125,521	71.3
1-5	.0038	97,759	372	390,134	7,027,490	71.9
5-10	.0020	97,387	192	486,401	6,637,356	68.2
10-15	.0016	97,195	160	485,619	6,150,955	63.3
15-20	.0035	97,035	337	484,418	5,665,336	58.4
20-25	.0061	96,698	590	482,091	5,180,918	53.6
25-30	.0079	96,108	759	478,735	4,698,827	48.9
30-35	.0107	95,349	1,019	474,363	4,220,092	44.3
35-40	.0157	94,330	1,477	468,183	3,745,729	39.7
40-45	.0243	92,853	2,261	458,907	3,277,546	35.3
45-50	.0346	90,592	3,134	445,496	2,818,639	31.1
50-55	.0495	87,458	4,332	426,916	2,373,143	27.1
55-60	.0686	83,126	5,700	401,948	1,946,227	23.4
60-65	.0972	77,426	7,525	369,053	1,544,279	19.9
65-70	.1204	69,901	8,419	329,044	1,175,226	16.8
70-75	.2218	61,482	13,639	273,868	846,182	13.8
75-80	.2472	47,843	11,826	209,437	572,314	12.0
80-85	.2821	36,017	10,161	154,182	362,877	10.1
85 AND OVER	1.0000	25,856	25,856	208,695	208,695	8.1

SECTION 5 - LIFE TABLES

Table 5-2. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1974

AGE	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,325	98,126	98,535	98,510	98,318	98,714	97,511	97,272	97,759
2	98,228	98,017	98,450	98,421	98,216	98,638	97,378	97,130	97,636
3	98,152	97,933	98,382	98,352	98,139	98,577	97,269	97,013	97,535
4	98,090	97,865	98,326	98,296	98,077	98,527	97,179	96,914	97,453
5	98,038	97,808	98,280	98,249	98,025	98,486	97,104	96,830	97,387
6	97,993	97,756	98,242	98,207	97,977	98,451	97,041	96,757	97,334
7	97,953	97,708	98,209	98,169	97,932	98,420	96,987	96,693	97,290
8	97,916	97,663	98,180	98,134	97,890	98,393	96,940	96,636	97,254
9	97,883	97,623	98,154	98,102	97,852	98,368	96,900	96,586	97,223
10	97,853	97,588	98,131	98,074	97,818	98,345	96,864	96,542	97,195
11	97,826	97,557	98,109	98,048	97,789	98,323	96,831	96,502	97,168
12	97,799	97,526	98,086	98,022	97,760	98,301	96,797	96,461	97,141
13	97,767	97,487	98,060	97,991	97,723	98,276	96,758	96,413	97,111
14	97,723	97,431	98,030	97,949	97,668	98,247	96,708	96,348	97,076
15	97,663	97,350	97,993	97,891	97,588	98,211	96,643	96,260	97,035
16	97,586	97,261	97,949	97,815	97,481	98,168	96,561	96,146	96,986
17	97,492	97,107	97,898	97,722	97,348	98,118	96,462	96,006	96,929
18	97,384	96,951	97,841	97,616	97,194	98,063	96,343	95,835	96,862
19	97,267	96,779	97,780	97,503	97,027	98,005	96,202	95,628	96,785
20	97,144	96,595	97,718	97,387	96,853	97,947	96,037	95,384	96,698
21	97,015	96,401	97,655	97,268	96,673	97,890	95,848	95,099	96,599
22	96,880	96,197	97,590	97,146	96,487	97,833	95,635	94,776	96,488
23	96,742	95,987	97,523	97,023	96,299	97,775	95,403	94,423	96,368
24	96,603	95,778	97,455	96,901	96,115	97,717	95,160	94,052	96,241
25	96,467	95,575	97,385	96,782	95,937	97,657	94,910	93,672	96,108
26	96,334	95,380	97,313	96,666	95,768	97,596	94,655	93,286	95,971
27	96,203	95,191	97,240	96,554	95,607	97,533	94,394	92,892	95,827
28	96,073	95,007	97,164	96,443	95,451	97,469	94,126	92,491	95,676
29	95,942	94,823	97,085	96,332	95,297	97,402	93,850	92,080	95,517
30	95,807	94,637	97,002	96,219	95,142	97,332	93,564	91,659	95,349
31	95,668	94,447	96,914	96,103	94,985	97,259	93,267	91,227	95,171
32	95,524	94,253	96,821	95,984	94,825	97,181	92,959	90,784	94,981
33	95,374	94,052	96,721	95,860	94,661	97,098	92,637	90,327	94,779
34	95,217	93,844	96,614	95,730	94,490	97,009	92,300	89,852	94,562
35	95,051	93,626	96,499	95,592	94,310	96,913	91,944	89,356	94,330
36	94,875	93,395	96,375	95,445	94,119	96,809	91,568	88,836	94,081
37	94,686	93,149	96,241	95,287	93,915	96,696	91,170	88,290	93,813
38	94,482	92,887	96,094	95,115	93,695	96,573	90,748	87,717	93,522
39	94,261	92,606	95,933	94,928	93,458	96,437	90,297	87,114	93,203
40	94,021	92,303	95,755	94,724	93,201	96,286	89,815	86,480	92,853
41	93,760	91,976	95,558	94,501	92,922	96,120	89,299	85,813	92,469
42	93,475	91,622	95,342	94,257	92,618	95,936	88,746	85,110	92,049
43	93,163	91,235	95,105	93,987	92,282	95,734	88,155	84,366	91,595
44	92,820	90,807	94,846	93,686	91,905	95,511	87,524	83,576	91,109
45	92,442	90,333	94,565	93,351	91,481	95,265	86,851	82,735	90,592
46	92,027	89,807	94,259	92,978	91,005	94,994	86,133	81,840	90,043
47	91,572	89,227	93,926	92,565	90,475	94,697	85,368	80,889	89,459
48	91,077	88,595	93,567	92,112	89,892	94,374	84,555	79,882	88,837
49	90,544	87,913	93,181	91,622	89,259	94,026	83,691	78,818	88,171
50	89,972	87,182	92,767	91,095	88,578	93,652	82,775	77,698	87,458
51	89,360	86,401	92,323	90,529	87,848	93,251	81,805	76,522	86,694
52	88,703	85,563	91,846	89,920	87,061	92,819	80,779	75,287	85,878
53	87,995	84,660	91,334	89,260	86,209	92,353	79,693	73,984	85,011
54	87,229	83,680	90,782	88,542	85,279	91,847	78,539	72,600	84,094
55	86,398	82,615	90,186	87,758	84,262	91,297	77,313	71,126	83,126
56	85,499	81,460	89,544	86,904	83,154	90,699	76,015	69,559	82,111
57	84,529	80,215	88,854	85,978	81,953	90,052	74,646	67,906	81,044
58	83,484	78,874	88,110	84,976	80,653	89,352	73,207	66,178	79,916
59	82,359	77,432	87,308	83,893	79,248	88,596	71,698	64,391	78,713
60	81,149	75,886	86,444	82,724	77,734	87,781	70,121	62,559	77,426
61	79,850	74,233	85,510	81,465	76,107	86,901	68,468	60,682	76,039
62	78,460	72,474	84,503	80,115	74,368	85,953	66,741	58,760	74,556
63	76,985	70,612	83,430	78,676	72,519	84,939	64,955	56,806	73,010
64	75,433	68,654	82,299	77,154	70,564	83,864	63,174	54,833	71,449
65	73,810	66,604	81,114	75,553	68,507	82,728	61,387	52,851	69,901
66	72,120	64,469	79,876	73,872	66,350	81,529	59,631	50,877	68,396
67	70,355	62,248	78,572	72,107	64,096	80,255	57,889	48,905	66,910
68	68,500	59,935	77,179	70,247	61,743	78,890	56,087	46,893	65,344
69	66,532	57,522	75,664	68,278	59,290	77,410	54,124	44,783	63,564
70	64,437	55,005	74,003	66,191	56,737	75,797	51,933	42,537	61,482
71	62,214	52,391	72,190	63,988	54,093	74,049	49,488	40,143	59,060
72	59,870	49,691	70,226	61,673	51,368	72,161	46,834	37,632	56,352
73	57,407	46,916	68,104	59,237	48,565	70,113	44,064	35,067	53,475
74	54,829	44,080	65,817	56,670	45,687	67,881	41,309	32,533	50,597
75	52,144	41,198	63,564	53,969	42,743	65,450	38,669	30,097	47,843
76	49,362	38,287	60,748	51,141	39,748	62,819	36,186	27,790	45,262
77	46,498	35,365	57,877	48,202	36,722	60,000	33,855	25,615	42,841
78	43,568	32,454	55,065	45,175	33,692	57,011	31,642	23,558	40,529
79	40,593	29,576	52,029	42,087	30,687	53,877	29,509	21,601	38,267
80	37,595	26,757	48,887	38,966	27,737	50,623	27,431	19,736	36,017
81	34,598	24,025	45,659	35,840	24,873	47,271	25,408	17,969	33,770
82	31,630	21,410	42,347	32,736	22,126	43,845	23,465	16,325	31,550
83	28,720	18,946	39,036	29,682	19,529	40,364	21,658	14,845	29,421
84	25,859	16,667	35,690	26,705	17,113	36,847	20,069	13,588	27,479
85	23,201	14,611	32,358	23,826	14,912	33,311	18,806	12,630	25,856

SECTION 5 - LIFE TABLES

Table 5-3. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1974

AGE	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0	71.9	68.1	75.8	72.7	68.9	76.6	67.0	62.9	71.3
1	72.1	68.4	75.9	72.8	69.1	76.5	67.7	63.6	71.9
2	71.2	67.5	75.0	71.8	68.2	75.6	66.8	62.7	71.0
3	70.3	66.6	74.1	70.9	67.2	74.7	65.9	61.8	70.0
4	69.3	65.6	73.1	69.9	66.3	73.7	64.9	60.9	69.1
5	68.3	64.7	72.1	69.0	65.3	72.7	64.0	59.9	68.2
6	67.4	63.7	71.2	68.0	64.3	71.7	63.0	59.0	67.2
7	66.4	62.7	70.2	67.0	63.4	70.8	62.1	58.0	66.2
8	65.4	61.8	69.2	66.0	62.4	69.8	61.1	57.0	65.2
9	64.4	60.8	68.2	65.1	61.4	68.8	60.1	56.1	64.3
10	63.5	59.8	67.2	64.1	60.4	67.8	59.1	55.1	63.3
11	62.5	58.8	66.3	63.1	59.5	66.8	58.2	54.1	62.3
12	61.5	57.8	65.3	62.1	58.5	65.9	57.2	53.1	61.3
13	60.5	56.9	64.3	61.1	57.5	64.9	56.2	52.2	60.3
14	59.5	55.9	63.3	60.2	56.5	63.9	55.2	51.2	59.4
15	58.6	54.9	62.3	59.2	55.6	62.9	54.3	50.2	58.4
16	57.6	54.0	61.4	58.2	54.6	61.9	53.3	49.3	57.4
17	56.7	53.1	60.4	57.3	53.7	61.0	52.4	48.4	56.4
18	55.7	52.2	59.4	56.3	52.8	60.0	51.4	47.4	55.5
19	54.8	51.3	58.5	55.4	51.9	59.0	50.5	46.6	54.5
20	53.9	50.3	57.5	54.5	51.0	58.1	49.6	45.7	53.6
21	53.0	49.4	56.5	53.5	50.1	57.1	48.7	44.8	52.6
22	52.0	48.6	55.6	52.6	49.2	56.1	47.8	44.0	51.7
23	51.1	47.7	54.6	51.7	48.3	55.2	46.9	43.1	50.8
24	50.2	46.8	53.7	50.7	47.4	54.2	46.0	42.3	49.8
25	49.2	45.9	52.7	49.8	46.4	53.2	45.1	41.5	48.9
26	48.3	45.0	51.7	48.9	45.5	52.3	44.3	40.6	48.0
27	47.4	44.0	50.8	47.9	44.6	51.3	43.4	39.8	47.0
28	46.4	43.1	49.8	47.0	43.7	50.3	42.5	39.0	46.1
29	45.5	42.2	48.8	46.0	42.7	49.4	41.6	38.1	45.2
30	44.6	41.3	47.9	45.1	41.8	48.4	40.8	37.3	44.3
31	43.6	40.4	46.9	44.1	40.9	47.4	39.9	36.5	43.3
32	42.7	39.5	46.0	43.2	39.9	46.5	39.0	35.7	42.4
33	41.8	38.5	45.0	42.2	39.0	45.5	38.2	34.8	41.5
34	40.8	37.6	44.1	41.3	38.1	44.6	37.3	34.0	40.6
35	39.9	36.7	43.1	40.4	37.2	43.6	36.4	33.2	39.7
36	39.0	35.8	42.2	39.4	36.2	42.7	35.6	32.4	38.8
37	38.1	34.9	41.2	38.5	35.3	41.7	34.7	31.6	37.9
38	37.1	34.0	40.3	37.6	34.4	40.8	33.9	30.8	37.0
39	36.2	33.1	39.4	36.6	33.5	39.8	33.1	30.0	36.2
40	35.3	32.2	38.4	35.7	32.6	38.9	32.2	29.2	35.3
41	34.4	31.3	37.5	34.8	31.7	37.9	31.4	28.4	34.4
42	33.5	30.4	36.6	33.9	30.8	37.0	30.6	27.7	33.6
43	32.6	29.6	35.7	33.0	29.9	36.1	29.8	26.9	32.8
44	31.7	28.7	34.8	32.1	29.0	35.2	29.0	26.2	31.9
45	30.9	27.8	33.9	31.2	28.1	34.3	28.2	25.4	31.1
46	30.0	27.0	33.0	30.3	27.3	33.4	27.5	24.7	30.3
47	29.1	26.2	32.1	29.4	26.4	32.5	26.7	24.0	29.5
48	28.3	25.4	31.2	28.6	25.6	31.6	26.0	23.3	28.7
49	27.5	24.5	30.4	27.7	24.8	30.7	25.2	22.6	27.9
50	26.6	23.7	29.5	26.9	24.0	29.8	24.5	21.9	27.1
51	25.8	23.0	28.6	26.1	23.2	28.9	23.8	21.2	26.4
52	25.0	22.2	27.8	25.2	22.4	28.1	23.1	20.6	25.6
53	24.2	21.4	26.9	24.4	21.6	27.2	22.4	19.9	24.9
54	23.4	20.7	26.1	23.6	20.8	26.3	21.7	19.3	24.1
55	22.6	19.9	25.3	22.8	20.1	25.5	21.1	18.7	23.4
56	21.9	19.2	24.4	22.0	19.3	24.7	20.4	18.1	22.7
57	21.1	18.5	23.6	21.3	18.6	23.8	19.8	17.5	22.0
58	20.4	17.8	22.8	20.5	17.9	23.0	19.2	17.0	21.3
59	19.6	17.1	22.0	19.8	17.2	22.2	18.5	16.4	20.6
60	18.9	16.4	21.2	19.0	16.5	21.4	17.9	15.9	19.9
61	18.2	15.8	20.5	18.3	15.9	20.6	17.4	15.4	19.3
62	17.5	15.2	19.7	17.6	15.2	19.9	16.8	14.9	18.7
63	16.9	14.6	19.0	16.9	14.6	19.1	16.2	14.4	18.1
64	16.2	14.0	18.2	16.3	14.0	18.3	15.7	13.9	17.4
65	15.5	13.4	17.5	15.6	13.4	17.6	15.1	13.4	16.8
66	14.9	12.8	16.7	14.9	12.8	16.8	14.6	12.9	16.2
67	14.3	12.2	16.0	14.3	12.2	16.1	14.0	12.4	15.5
68	13.6	11.7	15.3	13.7	11.7	15.3	13.4	11.9	14.9
69	13.0	11.2	14.6	13.0	11.2	14.6	12.9	11.4	14.3
70	12.4	10.7	13.9	12.4	10.6	13.9	12.4	11.0	13.8
71	11.9	10.2	13.2	11.9	10.1	13.2	12.0	10.6	13.3
72	11.3	9.7	12.6	11.3	9.6	12.6	11.7	10.3	12.9
73	10.8	9.2	12.0	10.7	9.2	11.9	11.4	10.0	12.6
74	10.3	8.8	11.4	10.2	8.7	11.3	11.1	9.7	12.3
75	9.8	8.4	10.8	9.7	8.3	10.7	10.8	9.5	12.0
76	9.3	8.0	10.2	9.2	7.9	10.1	10.5	9.2	11.6
77	8.8	7.6	9.7	8.7	7.5	9.6	10.2	9.0	11.2
78	8.4	7.2	9.2	8.3	7.1	9.1	9.9	8.7	10.8
79	8.0	6.9	8.7	7.8	6.8	8.6	9.6	8.5	10.5
80	7.5	6.6	8.2	7.4	6.4	8.1	9.3	8.2	10.1
81	7.2	6.2	7.7	7.0	6.1	7.6	9.0	7.9	9.7
82	6.8	5.9	7.3	6.6	5.8	7.2	8.6	7.7	9.3
83	6.4	5.6	6.9	6.3	5.5	6.8	8.3	7.4	9.0
84	6.1	5.3	6.5	5.9	5.2	6.4	7.9	7.0	8.6
85	5.7	5.0	6.1	5.6	4.9	6.0	7.4	6.5	8.1

SECTION 5 - LIFE TABLES

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1974

[Alaska and Hawaii included beginning in 1959. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for "All other, male" and "All other, female" cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding "All other" population.]

AGE, COLOR, AND SEX	NUMBER OF SURVIVORS OUT OF 100,000 BORN ALIVE (l_x)								
	1974 ¹	1969-71 ¹	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,318	97,994	97,408	96,931	95,188	93,768	91,975	87,674	86,655
5	98,025	97,671	97,015	96,403	94,150	91,738	88,842	82,972	80,864
10	97,818	97,441	96,759	96,069	93,601	90,810	87,530	81,519	79,109
15	97,588	97,208	96,503	95,728	93,089	90,074	86,546	80,549	78,037
20	96,853	96,480	95,908	95,104	92,293	88,904	84,997	79,116	76,376
25	95,937	95,524	95,106	94,294	91,241	87,371	83,061	77,047	73,907
30	95,142	94,716	94,401	93,489	90,092	85,707	80,888	74,810	71,219
35	94,310	93,843	93,589	92,543	88,713	83,812	78,441	72,108	68,245
40	93,201	92,631	92,427	91,173	86,880	81,457	75,733	68,848	64,954
45	91,481	90,725	90,533	89,002	84,285	78,345	72,696	65,115	61,369
50	89,578	87,690	87,424	85,601	80,521	74,288	69,107	60,741	57,274
55	84,262	83,001	82,463	80,496	75,156	68,981	64,574	55,622	52,491
60	77,734	75,969	75,485	73,172	67,787	61,933	58,498	48,987	46,452
65	68,507	66,343	65,834	63,561	58,305	52,964	50,663	40,862	39,245
70	56,737	54,138	53,825	51,735	46,739	41,880	40,873	31,527	30,640
75	42,743	40,324	40,207	38,104	33,404	29,471	29,205	21,585	21,387
80	27,737	25,885	25,993	24,005	19,860	17,221	17,655	12,160	12,266
85	14,912	13,527	13,065	12,015	9,013	7,572	8,154	5,145	5,252
ALL OTHER, MALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,272	96,592	95,301	94,911	91,696	91,268	89,499	78,065	74,674
5	96,830	96,038	94,570	93,921	89,920	88,412	85,195	68,589	64,385
10	96,542	95,716	94,234	93,453	89,211	87,311	83,768	66,377	61,730
15	96,260	95,385	93,874	92,965	88,417	86,152	82,332	64,478	59,667
20	95,384	94,293	93,108	91,941	86,770	83,621	79,057	61,426	56,733
25	93,672	92,267	91,825	90,285	84,055	79,516	74,540	57,736	53,285
30	91,659	90,106	90,270	88,327	80,865	75,083	70,344	54,073	49,867
35	89,356	87,597	88,331	85,940	77,185	70,049	65,873	49,865	46,541
40	86,480	84,378	85,744	82,832	72,830	64,710	61,353	45,414	42,989
45	82,735	80,163	82,075	78,686	67,514	58,432	56,589	40,563	39,230
50	77,698	74,748	77,239	72,891	60,766	51,748	51,880	35,427	34,766
55	71,126	67,808	70,351	65,122	52,867	44,436	46,581	29,754	29,987
60	62,559	59,396	61,669	55,535	44,370	36,790	40,506	23,750	24,194
65	52,851	49,607	51,392	45,198	35,912	29,314	34,042	17,806	19,015
70	42,537	39,025	39,914	35,018	27,688	21,741	26,923	12,295	13,829
75	30,097	27,789	29,064	25,472	19,765	14,419	18,854	7,494	8,892
80	19,736	17,999	19,994	16,904	12,352	8,239	11,615	3,894	4,831
85	12,630	10,811	11,620	9,898	6,492	3,660	5,605	1,747	2,030
WHITE, FEMALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,714	98,468	98,034	97,645	96,211	95,037	93,608	89,774	88,939
5	98,486	98,203	97,709	97,199	95,309	93,216	90,721	85,349	83,426
10	98,345	98,042	97,525	96,960	94,890	92,466	89,564	83,979	81,723
15	98,211	97,902	97,375	96,756	94,534	91,894	88,712	83,093	80,680
20	97,947	97,618	97,135	96,454	93,984	90,939	87,281	81,750	78,978
25	97,657	97,299	96,844	96,072	93,228	89,524	85,163	79,865	76,588
30	97,332	96,945	96,499	95,605	92,320	87,972	82,740	77,676	73,887
35	96,913	96,474	96,026	94,977	91,211	86,248	80,206	75,200	70,971
40	96,286	95,762	95,326	94,080	89,805	84,256	77,624	72,425	67,935
45	95,265	94,649	94,228	92,725	87,920	81,780	74,871	69,341	64,677
50	93,652	92,924	92,522	90,685	85,267	78,572	71,547	65,629	61,005
55	91,297	90,383	89,967	87,699	81,520	74,321	67,323	61,053	56,509
60	87,781	86,726	86,339	83,279	76,200	68,462	61,704	54,900	50,752
65	82,728	81,579	80,739	76,773	68,701	60,499	54,299	47,086	43,806
70	75,797	74,101	72,507	67,545	58,363	49,932	44,638	37,482	35,206
75	65,450	63,290	60,461	54,397	44,685	37,024	32,777	26,569	25,362
80	50,623	48,182	44,676	38,026	28,882	23,053	20,492	15,929	15,349
85	33,311	30,490	26,046	21,348	14,487	10,937	9,909	7,152	7,149
ALL OTHER, FEMALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,759	97,235	96,172	95,913	93,318	92,796	91,251	81,493	78,525
5	97,387	96,772	95,543	95,055	91,710	90,185	87,149	72,768	68,056
10	97,195	96,546	95,265	94,679	91,092	89,201	85,607	70,508	65,111
15	97,035	96,353	95,057	94,343	90,363	88,088	83,954	68,218	62,384
20	96,698	95,917	94,660	93,544	88,505	85,078	80,154	64,764	59,053
25	96,108	95,247	94,005	92,336	85,961	81,067	75,359	61,430	55,795
30	95,349	94,370	93,070	90,799	83,147	76,816	70,633	58,281	52,773
35	94,330	93,123	91,670	88,805	79,879	72,192	65,857	54,595	49,567
40	92,853	91,247	89,676	86,052	75,908	67,271	61,130	50,568	46,146
45	90,592	88,608	86,793	82,257	71,061	61,365	56,230	45,947	42,279
50	87,458	84,964	82,979	77,007	64,386	54,920	50,780	40,886	37,681
55	83,126	80,162	77,362	70,196	57,419	47,074	44,742	35,415	33,124
60	77,426	73,984	69,941	61,758	49,102	38,761	37,954	28,908	27,524
65	69,901	66,064	60,825	52,358	40,718	30,852	31,044	22,302	21,995
70	61,482	56,378	51,274	42,612	32,579	23,341	24,107	15,871	16,140
75	47,843	44,841	40,540	32,981	24,668	16,576	17,216	10,657	11,066
80	36,017	33,373	30,315	23,712	17,157	10,822	11,151	6,324	6,708
85	25,856	22,763	19,744	15,550	10,658	6,033	5,972	3,029	3,567

¹Deaths of nonresidents of the United States were excluded beginning in 1970.

SECTION 5 - LIFE TABLES

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1974

[See headnote at beginning of table]

AGE, COLOR, AND SEX	AVERAGE NUMBER OF YEARS OF LIFE REMAINING(e_x)								
	1974 ¹	1969-71 ¹	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE									
0	68.9	67.9	67.55	66.31	62.81	59.12	56.34	50.23	48.23
1	69.1	68.3	68.34	67.41	64.98	62.04	60.24	56.26	54.61
5	65.3	64.5	64.61	63.77	61.68	59.38	58.31	55.37	54.43
10	60.4	59.6	59.78	58.98	57.03	54.96	54.15	51.32	50.59
15	55.6	54.8	54.93	54.18	52.33	50.39	49.74	46.91	46.25
20	51.0	50.2	50.25	49.52	47.76	46.02	45.60	42.71	42.19
25	46.4	45.7	45.65	44.93	43.28	41.78	41.60	38.79	38.52
30	41.8	41.0	40.97	40.29	38.80	37.54	37.65	34.87	34.88
35	37.2	36.4	36.31	35.68	34.36	33.33	33.74	31.08	31.29
40	32.6	31.8	31.73	31.17	30.03	29.22	29.86	27.43	27.74
45	28.1	27.4	27.34	26.87	25.87	25.28	26.00	23.86	24.21
50	24.0	23.3	23.22	22.83	21.96	21.51	22.22	20.39	20.76
55	20.1	19.5	19.45	19.11	18.34	17.97	18.59	17.03	17.42
60	16.5	16.0	16.01	15.76	15.05	14.72	15.25	13.98	14.35
65	13.4	13.0	12.97	12.75	12.07	11.77	12.21	11.25	11.51
70	10.6	10.3	10.29	10.07	9.42	9.20	9.51	8.83	9.03
75	8.3	8.0	7.92	7.77	7.17	7.02	7.30	6.75	6.84
80	6.4	6.1	6.08	5.88	5.38	5.26	5.47	5.09	5.10
85	4.9	4.6	4.54	4.35	4.02	3.99	4.06	3.88	3.81
ALL OTHER, MALE									
0	62.9	60.9	61.48	58.91	52.33	47.55	47.14	34.05	32.54
1	63.6	62.1	63.50	61.06	56.05	51.08	51.63	42.53	42.46
5	59.9	58.4	59.98	57.69	53.13	48.69	50.18	44.25	45.06
10	55.1	53.6	55.19	52.96	48.54	44.27	45.99	40.65	41.90
15	50.2	48.8	50.39	48.23	43.95	39.83	41.75	36.77	38.26
20	45.7	44.3	45.78	43.73	39.74	35.95	38.36	33.46	35.11
25	41.5	40.2	41.38	39.49	35.94	32.67	35.54	30.44	32.21
30	37.3	36.2	37.05	35.31	32.25	29.45	32.51	27.33	29.25
35	33.2	32.1	32.81	31.21	28.67	26.39	29.54	24.42	26.16
40	29.2	28.2	28.72	27.29	25.23	23.36	26.53	21.57	23.12
45	25.4	24.6	24.89	23.59	22.02	20.59	23.55	18.85	20.09
50	21.9	21.2	21.28	20.25	19.18	17.92	20.47	16.21	17.34
55	18.7	18.1	18.11	17.36	16.67	15.46	17.50	13.82	14.69
60	15.9	15.3	15.29	14.91	14.38	13.15	14.74	11.67	12.62
65	13.4	12.8	12.84	12.75	12.18	10.87	12.07	9.74	10.38
70	11.0	10.6	10.81	10.74	10.06	8.78	9.58	8.00	8.33
75	9.5	9.2	9.33	9.23	8.09	6.99	7.61	6.58	6.60
80	8.2	7.5	7.87	7.77	6.46	5.42	5.83	5.53	5.12
85	6.5	6.0	6.08	5.38	5.08	4.30	4.53	4.48	4.04
WHITE, FEMALE									
0	76.6	75.4	74.19	72.03	67.29	62.67	58.53	53.62	51.08
1	76.5	75.6	74.68	72.77	68.93	64.93	61.51	56.69	56.39
5	72.7	71.8	70.92	69.09	65.57	62.17	59.43	57.67	56.03
10	67.8	66.9	66.05	64.26	60.85	57.65	55.17	53.57	52.15
15	62.9	62.0	61.15	59.39	56.07	53.00	50.67	49.12	47.79
20	58.1	57.2	56.29	54.56	51.38	48.52	46.46	44.88	43.77
25	53.2	52.4	51.45	49.77	46.78	44.25	42.55	40.88	40.05
30	48.4	47.6	46.63	45.00	42.21	39.99	38.72	36.96	36.42
35	43.6	42.8	41.84	40.28	37.70	35.73	34.86	33.09	32.82
40	38.9	38.1	37.13	35.64	33.25	31.52	30.94	29.26	29.17
45	34.3	33.5	32.53	31.12	28.90	27.39	26.98	25.45	25.51
50	29.8	29.1	28.08	26.76	24.72	23.41	23.12	21.74	21.89
55	25.5	24.8	23.81	22.58	20.73	19.60	19.40	18.18	18.43
60	21.4	20.7	19.69	18.64	17.00	16.05	15.93	14.92	15.25
65	17.6	16.9	15.88	15.00	13.56	12.81	12.75	11.97	12.25
70	13.9	13.3	12.38	11.68	10.50	9.98	9.94	9.38	9.59
75	10.7	10.2	9.28	8.87	7.92	7.56	7.62	7.20	7.33
80	8.1	7.5	6.67	6.59	5.88	5.63	5.70	5.35	5.50
85	6.0	5.5	4.66	4.83	4.34	4.24	4.24	4.06	4.10
ALL OTHER, FEMALE									
0	71.3	69.0	66.47	62.70	55.51	49.51	46.92	37.67	35.04
1	71.9	70.0	68.10	64.37	58.47	52.33	50.39	45.15	43.54
5	68.2	66.3	64.54	60.93	55.47	49.81	48.70	46.42	46.04
10	63.3	61.4	59.72	56.17	50.83	45.33	44.54	42.84	43.02
15	58.4	56.6	54.85	51.36	46.22	40.87	40.36	39.18	39.79
20	53.6	51.8	50.07	46.77	42.14	37.22	37.15	36.14	36.89
25	48.9	47.1	45.40	42.35	38.31	33.93	34.35	32.97	33.90
30	44.3	42.6	40.83	38.02	34.52	30.67	31.48	29.61	30.70
35	39.7	38.1	36.41	33.82	30.83	27.47	28.58	26.44	27.52
40	35.3	33.8	32.16	29.82	27.31	24.30	25.60	23.34	24.37
45	31.1	29.8	28.14	26.07	24.00	21.39	22.61	20.43	21.36
50	27.1	25.9	24.31	22.67	21.04	18.60	19.76	17.65	18.67
55	23.4	22.3	20.89	19.62	18.44	16.27	17.09	14.98	15.88
60	19.9	19.0	17.83	16.95	16.14	14.22	14.69	12.78	13.60
65	16.8	15.9	15.12	14.54	13.95	12.24	12.41	10.82	11.38
70	13.8	13.3	12.46	12.29	11.81	10.38	10.25	9.22	9.62
75	12.0	11.0	10.10	10.15	9.80	8.62	8.37	7.55	7.90
80	10.1	9.0	7.66	8.15	8.00	6.90	6.58	6.05	6.48
85	8.1	7.0	5.44	6.15	6.38	5.48	5.22	5.09	5.10

¹Deaths of nonresidents of the United States were excluded beginning in 1970.

SECTION 5 - LIFE TABLES

5-11

Table 5-5. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-74

[Estimates based on life table values shown in table 5-4]

AREA AND YEAR	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
UNITED STATES									
1974 ¹	71.9	68.1	75.8	72.7	68.9	76.6	67.0	62.9	71.3
1973 ¹	71.3	67.6	75.3	72.2	68.4	76.1	65.9	61.9	70.1
1972 ^{1,2}	71.1	67.4	75.1	72.0	68.3	75.9	65.6	61.5	69.9
1971 ¹	71.1	67.4	75.0	72.0	68.3	75.8	65.6	61.6	69.7
1970 ¹	70.9	67.1	74.8	71.7	68.0	75.6	65.3	61.3	69.4
1969	70.4	66.8	74.3	71.3	67.8	75.1	64.3	60.5	68.4
1968	70.2	66.6	74.0	71.1	67.5	74.9	63.7	60.1	67.5
1967	70.5	67.0	74.2	71.3	67.9	75.1	64.6	61.1	68.2
1966	70.1	66.7	73.8	71.0	67.6	74.7	64.0	60.7	67.4
1965	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1964	70.2	66.9	73.7	71.0	67.7	74.6	64.1	61.1	67.2
1963 ³	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962 ³	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.9	66.8	73.2	70.7	67.5	74.2	63.9	61.3	66.5
1958	69.6	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8
1957	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
1956	69.7	66.7	72.9	70.5	67.5	73.9	63.6	61.3	66.1
1955	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1
1954	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9
1953	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
1952	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
1951	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	62.1	62.0	62.0	60.5	63.9	48.2	47.6	48.9
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	58.1	56.5	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	46.3	47.7	48.9
1922	59.6	61.0	60.4	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920	54.1	53.4	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.8	44.5	44.4
1918	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	46.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

¹Includes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Section 6. Technical Appendix

	Page		Page
Sources of data -----	6-3	Mortality by month and date of death -----	6-18
Death and fetal-death statistics---	6-3		
Standard certificates -----	6-3		
History -----	6-5	Quality of data -----	6-19
Classification of data -----	6-6	Completeness of registration-----	6-19
Classification by occurrence and residence -----	6-6	Massachusetts data -----	6-19
Geographic classification -----	6-7	Quality control procedures -----	6-19
Age -----	6-8	Estimates of errors arising from 50-percent sample for 1972 -----	6-20
Race and color -----	6-8	Computation of rates and other measures -----	6-20
Fetal deaths-----	6-9	Population bases -----	6-20
Cause of death -----	6-12	Age-adjusted death rates -----	6-21
Maternal deaths -----	6-18	Symbols used in tables -----	6-21
Report of autopsy -----	6-18		
Figures			
6-A. Standard Certificate of Death -----			6-4
6-B. Standard Certificate of Fetal Death -----			6-5
Population tables			
6-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1974 -----			6-22
6-2. Estimates of total resident population of the United States, by age, race, and sex: July 1, 1974 -----			6-23
6-3. Estimates of total resident population by age, for the United States, each division and State, Guam, Puerto Rico, and Virgin Islands: July 1, 1974---			6-24

SECTION 6 - TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal-death statistics

Mortality statistics for 1974 are again, as for all previous years except 1972, based on information from all death records received by the National Center for Health Statistics (NCHS). The records are furnished by all the States, the District of Columbia, and the registration area of New York City. Mortality statistics for 1972 were based on information obtained from a 50-percent sample of death records instead of from all records. The reduction to a 50-percent sample resulted from personnel and budgetary restrictions and was in effect only for 1972. Fetal-death statistics for 1974 were based, as always, on all fetal-death records received.

Although the United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, the Virgin Island, and Guam in the statistical tabulations, in this report *United States* refers only to the aggregate of the 50 States and the District of Columbia.

Death statistics for Puerto Rico, the Virgin Islands, and Guam were not included for 1972 but are included in 1973 and 1974 reports. The Virgin Islands was admitted to the "registration area" for deaths in 1924; Puerto Rico, in 1932; and Guam, in 1970. Tabulations for Puerto Rico and the Virgin Islands have been regularly shown in the annual volumes from the year of their admission through 1971, except for the years 1967 through 1969. Tabulations for Guam have been included only for the years 1970 and 1971. Information for 1972 for these three areas is published in the respective annual vital statistics reports of the Department of Health of the Commonwealth of Puerto Rico, the Department of Health of the Virgin Islands, and the Department of Public Health and Social Services of the Government of Guam.

Another change from procedures for prior years, begun for 1971 and continued for 1972 through 1974, is that tabulations of deaths are based on information from two sources. Before 1971 tabulations of deaths and fetal deaths were based solely on information obtained from copies of the original certificates. The information from these copies was edited, classified, and tabulated. For 1960 and for each year thereafter through 1970 all mortality information taken from these records has been

transferred by NCHS to magnetic tape for computer processing.

However, beginning with 1971 demographic data tabulations are based on information derived from computer tapes of data coded by an increasing number of States and provided to NCHS through the Cooperative Health Statistics System. The year in which utilization of State-coded data was begun is shown below for each of the 16 States now furnishing demographic data.

1971

Florida

1972

Maine

Missouri

New Hampshire

Rhode Island

Vermont

1973

Colorado

Michigan

New York (except New York City)

1974

Illinois

Iowa

Kansas

Montana

Nebraska

Oregon

South Carolina

In 1974 Iowa and Michigan also sent in State-coded medical data.

For the remaining 34 States, the District of Columbia, and New York City (5 burroughs), mortality statistics for 1974 are again based on information obtained directly from copies of the original certificates received from the registration offices. All fetal-death data are obtained directly from copies of the original certificates.

Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining

uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health,

social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

New revisions of the standard certificates of death and fetal death have been recommended for State use beginning January 1, 1968. These standard certificates are shown in figures 6-A and 6-B. The certificate of death shown in figure 6-A is for use by either a physician or a medical examiner or coroner.

FIGURE 6-A

(PHYSICIAN)
U.S. STANDARD
CERTIFICATE OF DEATH

U.S. GOVERNMENT PRINTING OFFICE : 1967 OF-241-661

FORM APPROVED
BUREAU NO. 58-81901

TYPE, OR PRINT IN PERMANENT INK
SEE HANDBOOK FOR INSTRUCTIONS

LOCAL FILE NUMBER _____ STATE FILE NUMBER _____

1. DECEASED—NAME FIRST MIDDLE LAST		SEX		2. DATE OF DEATH (MONTH, DAY, YEAR)	
3. RACE WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY)		4. AGE—LAST BIRTHDAY (YEARS)		5. UNDER 1 YEAR UNDER 1 DAY	
6. CITY, TOWN, OR LOCATION OF DEATH		7. INSIDE CITY LIMITS (SPECIFY YES OR NO)		8. HOSPITAL OR OTHER INSTITUTION—NAME (IF NOT IN EITHER, GIVE STREET AND NUMBER)	
9. STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)		10. CITIZEN OF WHAT COUNTRY		11. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY)	
12. SOCIAL SECURITY NUMBER		13. USUAL OCCUPATION (GIVE KIND OF WORK DONE DURING MOST OF WORKING LIFE, EVEN IF RETIRED)		14. KIND OF BUSINESS OR INDUSTRY	
15. RESIDENCE—STATE COUNTY		16. CITY, TOWN, OR LOCATION		17. INSIDE CITY LIMITS (SPECIFY YES OR NO) STREET AND NUMBER	
18. FATHER—NAME FIRST MIDDLE LAST		19. MOTHER—MAIDEN NAME FIRST MIDDLE LAST			
20. INFORMANT—NAME		21. MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)			
PART I. DEATH WAS CAUSED BY: [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)]					
18. IMMEDIATE CAUSE				APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH	
(a) DUE TO, OR AS A CONSEQUENCE OF:					
(b) DUE TO, OR AS A CONSEQUENCE OF:					
(c) DUE TO, OR AS A CONSEQUENCE OF:					
PART II. OTHER SIGNIFICANT CONDITIONS: CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (a)					
19. ACCIDENT (SPECIFY YES OR NO)		20. DATE OF INJURY (MONTH, DAY, YEAR)		21. HOUR	
22. INJURY AT WORK (SPECIFY YES OR NO)		23. PLACE OF INJURY AT HOME, FARM, STREET, FACTORY, OFFICE BLDG., ETC. (SPECIFY)		24. LOCATION (STREET OR R.F.D. NO., CITY OR TOWN, STATE)	
25. CERTIFICATION—PHYSICIAN— I ATTENDED THE DECEASED FROM:		26. MONTH DAY YEAR		27. AND LAST SAW HIM/HER ALIVE ON MONTH DAY YEAR	
28. PHYSICIAN—NAME (TYPE OR PRINT)		29. SIGNATURE		30. DEGREE OR TITLE	
31. MAILING ADDRESS—PHYSICIAN		32. STREET OR R.F.D. NO.		33. CITY OR TOWN STATE ZIP	
34. BURIAL, CREMATION, REMOVAL (SPECIFY)		35. CEMETERY OR CREMATORY—NAME		36. LOCATION CITY OR TOWN STATE	
37. DATE (MONTH, DAY, YEAR)		38. FUNERAL HOME—NAME AND ADDRESS		39. STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP	
40. FUNERAL DIRECTOR—SIGNATURE		41. REGISTRAR—SIGNATURE		42. DATE RECEIVED BY LOCAL REGISTRAR	
43.		44.		45.	

DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE—NATIONAL CENTER FOR HEALTH STATISTICS

1968 REVISION

PHS-797-3 REV. 1-68

Two other forms of the Standard Certificate of Death are available; they are similar to the one shown except that the section on certification is designed for the physician's signature on one while the other is designed for the medical examiner's or coroner's signature.

of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and census enumeration, these reports were inaccurate and incomplete.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths. By 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but the figures for the entire

FIGURE 6-B

FORM APPROVED
BUDGET BUREAU NO. 48-81002

U.S. STANDARD
CERTIFICATE OF FETAL DEATH

LOCAL FILE NUMBER STATE FILE NUMBER

TYPE, OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

FETUS

1. FETUS—NAME FIRST MIDDLE LAST 2a. DATE OF DELIVERY (MONTH, DAY, YEAR) 2b. HOUR M.

3. SEX THIS DELIVERY—SINGLE, TWIN, TRIPLET, ETC. (SPECIFY) 4c. IF NOT SINGLE DELIVERY BORN FIRST, SECOND, THIRD, ETC. (SPECIFY) 5a. COUNTY OF DELIVERY

6. CITY, TOWN, OR LOCATION OF DELIVERY 6c. INSIDE CITY LIMITS (SPECIFY YES OR NO) 6d. HOSPITAL—NAME (IF NOT IN HOSPITAL, GIVE STREET AND NUMBER)

MOTHER

7a. MOTHER—MAIDEN NAME FIRST MIDDLE LAST 7b. AGE (AT TIME OF THIS DELIVERY) 7c. STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

8a. RESIDENCE—STATE COUNTY CITY, TOWN, OR LOCATION 8b. INSIDE CITY LIMITS (SPECIFY YES OR NO) 8c. STREET AND NUMBER

FATHER

9a. FATHER—NAME FIRST MIDDLE LAST 9b. AGE (AT TIME OF THIS DELIVERY) 9c. STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

CAUSE

9. PART I. FETAL DEATH WAS CAUSED BY: [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)] SPECIFY FETAL OR MATERNAL

(a) IMMEDIATE CAUSE FETAL OR MATERNAL CONDITION DIRECTLY CAUSED FETAL DEATH

(b) DUE TO, OR AS A CONSEQUENCE OF: FETAL AND/OR MATERNAL CONDITIONS, IF ANY, GIVING RISE TO THE IMMEDIATE CAUSE (a), STATING THE UNDERLYING CAUSE LAST

(c) DUE TO, OR AS A CONSEQUENCE OF:

PART II. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: CONDITIONS CONTRIBUTING TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (a) FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (SPECIFY) 10. 11a. AUTOPSY (SPECIFY YES OR NO) 11b. IF YES, WERE FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH 11c.

CERTIFIER

12a. I CERTIFY THAT THIS DELIVERY OCCURRED ON THE DATE STATED ABOVE AND THE FETUS WAS BORN DEAD 12b. DATE SIGNED (MONTH, DAY, YEAR) 12c. ATTENDANT—M.D., D.O., MIDWIFE, OTHER (SPECIFY)

12d. SIGNATURE 12e. CERTIFIER—MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP) 12f. AUTHORIZED OFFICIAL (IF DELIVERY NOT ATTENDED BY PHYSICIAN) 12g. SIGNATURE

BURIAL

13a. BURIAL, CREMATION, OR REMOVAL (SPECIFY) 13b. CEMETERY OR CREMATORY—NAME 13c. LOCATION (CITY OR TOWN, STATE)

14a. DATE (MONTH, DAY, YEAR) 14b. FUNERAL HOME—NAME AND ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

14c. FUNERAL DIRECTOR—SIGNATURE 14d. REGISTRAR—SIGNATURE 14e. DATE RECEIVED BY LOCAL REGISTRAR MONTH DAY YEAR

FATHER

15a. RACE—FATHER (SPECIFY) 15b. EDUCATION—SPECIFY HIGHEST GRADE COMPLETED (0, 1, 2, 3, 4, ... OR 8) 15c. COLLEGE (1, 2, 3, 4, OR 5+) 15d. PREVIOUS DELIVERIES—HOW MANY OTHER CHILDREN ARE NOW LIVING 15e. WERE BORN ALIVE—NOW DEAD 15f. WERE BORN DEAD (FETAL DEATH AT ANY TIME AFTER CONCEPTION) 15g.

MOTHER

16a. RACE—MOTHER (SPECIFY) 16b. EDUCATION—SPECIFY HIGHEST GRADE COMPLETED (0, 1, 2, 3, 4, ... OR 8) 16c. COLLEGE (1, 2, 3, 4, OR 5+) 16d. DATE OF LAST LIVE BIRTH MONTH DAY YEAR 16e. DATE OF LAST FETAL DEATH MONTH DAY YEAR

17a. DATE LAST NORMAL MENSTRUATION BEGAN (MONTH, DAY, YEAR) 17b. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2D, ETC. (SPECIFY)) 17c. PRENATAL VISITS TOTAL NUMBER 17d. LEGITIMATE (SPECIFY YES OR NO) 17e. BIRTH WEIGHT

18a. COMPLICATIONS RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE") 18b. BIRTH INJURIES TO FETUS (DESCRIBE OR WRITE "NONE")

19a. COMPLICATIONS NOT RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE") 19b. CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (DESCRIBE OR WRITE "NONE")

20a. COMPLICATIONS OF LABOR (DESCRIBE OR WRITE "NONE") 20b.

21.

PHS-798 REV. 1-68 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE—NATIONAL CENTER FOR HEALTH STATISTICS 1968 REVISION

GPO : 1967 OF-241-682

country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of States and Cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly enforced. The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922 statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and the estimated midyear population of the States included in the registration system. Both registration areas included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the

entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as the original registration States or the registration States in 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals*, Part 3, "Classification and Encoder Instructions for Live Births and Fetal-Death Records, 1974," and Part 4, "Demographic Classification and Encoder Instructions for Death Records, 1974."

The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

Tabulations for the United States and specified geographic areas in this report are by place of residence unless stated as by place of occurrence. Before 1970 resident mortality statistics for the United States included all deaths occurring in the 50 States and the District of Columbia, with deaths of "nonresidents of the United States" assigned to place of death. "Deaths of nonresidents of the United States" refers to deaths that occur in the United States to nonresident aliens, nationals residing abroad, and residents of Puerto Rico, the Virgin Islands, and other possessions of the United States.

Tables by place of occurrence, on the other hand, include both deaths to residents and to nonresidents of the United States. Consequently, for each year during 1970-74, the total number of deaths in the United States by place of occurrence is somewhat greater than the total by place of residence. For 1974 this difference amounts to 2,088 deaths.

Mortality statistics by place of occurrence are shown in tables 1-10, 1-19, 1-20, 1-30, 3-1, 3-8, 7-1, and 7-7.

Except for the years 1964 and 1965, deaths to nonresidents of the United States occurring in the United States have been treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. In 1964 and 1965 deaths occurring in the United States to nonresidents of the United States were allocated as deaths to residents of the balance of the country in which they occurred.

Residence error.—Results of a 1960 study show that the classification of residence information on the death certificates corresponded closely to the residence classification of the census records for the decedents whose records were matched.¹

A comparison of the results of this study of deaths with those for a previous matched record study of births² shows that considerable improvement in the quality of residence data had taken place since 1950. The results were the same—an overstatement of events in urban areas by NCHS compared with the U.S. Bureau of the Census classification. The magnitude of the difference was substantially less for deaths in 1960 than it was for births in 1950. Two factors contribute to this difference in magnitude. First, addition in 1956 of an item asking if residence is inside or outside city limits on the standard certificate aided in properly allocating the residence of persons living near cities but outside the corporate limits. The second factor is that there is more likelihood of movement for hospital utilization for births than for deaths.

Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously.

The geographic codes assigned by the National Center for Health Statistics during data reduction of source information on birth, death, and fetal-death records are given in *Vital Statistics Instruction Man-*

ual, Part 8, "Vital Records Geographic Classification, 1970."

For 1974 there is also available upon request an unpublished computer listing of the geographic codes contained in the computer tapes. The 13-digit codes in this listing are not the same codes as the 5-digit codes for the State-city or State-balance of county in the above-mentioned manual entitled "Vital Records Geographic Classification, 1970." Instead each of these 13-digit codes is a conversion of the two 5-digit codes into a combination code for the State-county-city (7 digits), together with codes for "population size," SMSA's and MSEA's, and metropolitan and nonmetropolitan counties. This listing for 1974 is the same as that used for 1970-73. It is planned to use it also for each of the remaining years in this decade.

Standard metropolitan statistical areas.—Except in the New England States, a standard metropolitan statistical area (SMSA) is a county or a group of contiguous counties containing at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1970 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metropolitan in character and are socially and economically integrated with the central city or cities.³

In New England the U.S. Office of Management and Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the U.S. Bureau of the Census, which is made up of county units, is used.⁴

For tables in this report numbered 7-4 and 7-8 the SMSA's and their component counties are those established by the Office of Management and Budget as of 1970 (except in the New England States) and used by the Bureau of the Census.

Tables 1-18 and 2-8, however, are limited to the 50 largest SMSA's and MSEA's (in the New England

¹National Center for Health Statistics: Comparison of the classification of place of residence on death certificates and matching census records, United States, May-August 1960. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 30. Public Health Service. Washington. U.S. Government Printing Office, Jan. 1969.

²National Vital Statistics Division: Matched record comparison of birth certificate and census information, United States, 1950, *Vital Statistics-Special Reports*, Vol. 47, No. 12. Public Health Service. Washington, D.C. Mar. 1962.

³For a more complete discussion, see U.S. Bureau of the Census, *U.S. Census of Population, 1970, Number of Inhabitants*, Final Report, PC(1) -A1, United States Summary, Washington, U.S. Government Printing Office, 1971, and U.S. Bureau of the Budget, *Standard Metropolitan Statistical Areas*, Washington, U.S. Government Printing Office, 1967.

⁴For discussion of MSEA's see U.S. Bureau of the Census, *State Economic Areas*, Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 3.

States) established by the Office of Management and Budget for 1974. These 50 largest units and their component counties for 1974 are different from those for 1971-73.

The lists of 50 largest units for 1971-73 and for 1974 also differed from the list for 1970. Moreover, the county components for some of the SMSA's and MSEA's that appear on both lists are different for 1974 from the components for 1970.

As a result, sometimes the number of deaths shown for the same-named SMSA or MSEA in tables 7-4 and 7-8 based on units established for 1970 will differ from the number of deaths shown in tables 1-18 and 2-8 based on units established for 1974.

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.⁵

Metropolitan and nonmetropolitan counties.—Counties included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Population-size groups (formerly "urban" and "rural" areas).—Vital Statistics data for cities and certain other urban places in 1974 are classified according to the population enumerated in the 1970 Census of Population. In this report "Population-size groups" refers to two groups, "Urban places" and "Balance of area." "Urban places" consists of the following places:

1. Each incorporated city and other urban places of 10,000 inhabitants or more.
2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Virginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

Before 1964 places were classified as "urban" or

"rural." The Technical Appendixes for earlier years discuss the previous classification system.

Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

Race and color

Deaths in the United States in 1974 are classified by race for vital statistics into white, Negro, Indian, Chinese, Japanese, and other races.

The category "white" includes in addition to persons reported as "white," those reported as Mexican, Puerto Rican, Cuban, and all other Caucasians. The category Indian includes "American," "Alaskan," "Canadian," "Eskimo," and "Aleut." If the racial entry on the death certificate indicates a mixture of Hawaiian and any other race, the entry is coded to Hawaiian. If the race is given as a mixture of white and any other race, the entry is coded to the appropriate other race. If a mixture of races other than white is given (except Hawaiian), the entry is coded to the first race listed. This procedure for coding the first race listed has been in use for each year of the period 1969-74. Prior to 1969 if the entry for race was a mixture of Negro and any other race, except Hawaiian, the entry was coded to Negro.

Most of the tables in this report, however, do not show data for this extended classification by race. In some tables the divisions are "white," "Negro," and "other." In other tables where the main purpose is to isolate the major group, the classifications are simply "white" and "all other."

Race not stated.—For 1974 the number of death records for which the race was not stated was 5,833 or 0.3 percent of the total deaths. Of the 5,833 records, 4,939 come from New York. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment is made to white; if the code is other than white, the assignment is made to Negro. For years prior to 1964 all records with race not stated were assigned to white except records of residents of New Jersey for 1962-64.

New Jersey, 1962-64.—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963

⁵See footnote 3.

exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item.

Adjustments made in vital statistics to take into account the omission of the race item in New Jersey for part of the certificates filed during 1962-64 are described in the Technical Appendix of *Vital Statistics of the United States* for each of these data years.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles."⁶ The term "fetal death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as still-birth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth." The new definition has been adopted by about half the States. In most other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.⁷

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)	Group II
28 completed weeks of gestation and over (late fetal deaths)	Group III
Gestation period not classifiable in groups I, II, and III.....	Group IV

Until 1939 the nationally recommended procedure for registration of fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949, 1955, 1956, and 1968 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States required registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation required by each State for death registration. There is substantial evidence that not all fetal deaths for which registration is required are reported.⁸

Underregistration is more of a problem near the lower limit for States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimating the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

In order to maximize the comparability of data by year and by State, most of the tables in Section 3 are based on fetal deaths occurring at gestations of 20 weeks or more. These tables also include fetal deaths of not stated or unknown gestation for those States requiring registration at 20 or more weeks only. Before 1969 all fetal deaths of unknown gestation were included. Beginning with 1969 fetal deaths of not stated gestation were excluded for States requiring registration of all products of conception, unless there was evidence such as high birth weight, that those fetuses were of 20 weeks or more gestation.

⁶National Office of Vital Statistics: *International Recommendations on Definitions of Live Birth and Fetal Death*. PHS Pub. No. 39. Public Health Service, Washington, U.S. Government Printing Office, Oct. 1950.

⁷For definitions used by the States, see National Center for Health Statistics, *State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered*, Public Health Service, Washington, D.C., May 1966.

⁸Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

The data in table 3-3 include only fetal deaths to residents of those areas in the United States which report all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York, Oregon, and Virginia. However, Arkansas, Colorado, and Maine are excluded from this table.

Arkansas has had a form for confidential reporting of abortions beginning with data year 1971. The abortions reported on this form are not limited by legislation to those described as "induced." It is believed, therefore, that most spontaneous abortions occurring in this State are also reported on this form rather than on fetal-death certificates. The introduction of this confidential form resulted in more complete reporting of all terminations of pregnancies.

Although fetal deaths for all periods of gestation continue to be required for Colorado, only five fetal deaths under 20 weeks gestation are shown. This undercount is attributable to the fact that Colorado did not intend to forward any copies of fetal-death certificates for periods of gestation under 20 weeks to the National Center for Health Statistics for data years 1973-74. As a result the percentage of all fetal deaths under 20 weeks gestation decreased from 65 percent for 1972, to 2 percent for 1973, and to 1 percent for 1974.

The large increase in the number of fetal deaths reported for Hawaii for 1974 over the number reported for 1973 results from the fact that to obtain the total number of fetal deaths for 1974, the cause of death section of both the short and long forms of the fetal-death certificates used by this State were examined. Hawaii became a legal liberalized abortion State in 1970. For the years 1970-73, NCHS accepted the short form as an "Abortion form" without examining the cause of death. When the short forms for 1974 were examined, it was found that they were used to report other fetal deaths as well as abortion.

For Maine the increase in the number of fetal deaths under 20 weeks gestation from 17 for 1973 to 257 for 1974 results from NCHS erroneously classifying some induced abortions as fetal deaths. Inasmuch as most of these abortions probably occurred before 20 weeks gestation, their erroneous inclusion should not affect appreciably the data for fetal deaths of 20 weeks or more gestation.

Some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States lacking a precise definition of fetal deaths.

Massachusetts.—Figures for 1967 exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the

city of Worcester. Figures for 1966 and those for 1963 exclude approximately 300 fetal deaths that were recorded in Boston, to residents of Suffolk County, for the most part. Microfilm copies of these records were not received by NCHS, and as a result numbers of fetal deaths for these cities and counties and for the State are understated. The fetal-death ratio for the State is understated by about 8 percent for 1967, and by about 23 percent for 1966.

Period of gestation.—The period of gestation is the number of completed weeks elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in months on the certificate, it is allocated to gestation intervals in weeks as follows:

- 1 - 3 months to under 16 weeks
- 4 months to 16 - 19 weeks
- 5 months to 20 - 23 weeks
- 6 months to 24 - 27 weeks
- 7 months to 28 - 31 weeks
- 8 months to 32 - 35 weeks
- 9 months to 40 weeks
- 10 months and over to 43 weeks and over

With the adoption of the 1968 revision of the fetal-death certificate and the increased use of the first day of LMP by the reporting areas, the errors in reporting length of gestation have been minimized. The proportion of fetal deaths assigned to gestation of 36 and 40 weeks has diminished, while the proportion of gestations of 37-39 weeks and 41 weeks and gestation length not stated has increased. In 1974 the areas using LMP were as follows:

Alaska	Maine	North Dakota
Arizona	Maryland	Ohio
California	Massachusetts	Oklahoma
Colorado	Michigan	Oregon
District of Columbia	Minnesota	Rhode Island
Florida	Mississippi	South Carolina
Hawaii	Missouri	South Dakota
Illinois	Montana	Tennessee
Indiana	Nebraska	Utah
Iowa	Nevada	Vermont
Kansas	New Hampshire	Washington
Kentucky	New Jersey	West Virginia
Louisiana	New York	Wyoming
	North Carolina	

Birth weight.—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system has been used in tabulating and presenting the statistics to facilitate comparison with other data published in the United States. The equivalents of the gram intervals in pounds and ounces are as follows:

500 grams or less	=	1 lb. 1 oz. or less
501 - 1,000 grams	=	1 lb. 2 oz. - 2 lb. 3 oz.
1,001 - 1,500 grams	=	2 lb. 4 oz. - 3 lb. 4 oz.
1,501 - 2,000 grams	=	3 lb. 5 oz. - 4 lb. 6 oz.
2,001 - 2,500 grams	=	4 lb. 7 oz. - 5 lb. 8 oz.
2,501 - 3,000 grams	=	5 lb. 9 oz. - 6 lb. 9 oz.
3,001 - 3,500 grams	=	6 lb. 10 oz. - 7 lb. 11 oz.
3,501 - 4,000 grams	=	7 lb. 12 oz. - 8 lb. 13 oz.
4,001 - 4,500 grams	=	8 lb. 14 oz. - 9 lb. 14 oz.
4,501 - 5,000 grams	=	9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	=	11 lb. 1 oz. or more

Race and color.—The race of the fetus is ordinarily classified to the race of the parents. If the parents are of different races, the following rules apply: (1) When only one parent is white, the fetus is assigned the other parent's race. (2) When neither parent is white, the fetus is assigned the father's race with one exception: If the mother is Hawaiian or Part-Hawaiian, the fetus is classified as Hawaiian.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated to the specific race of the fetus on preceding record.

Total-birth order.—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 and 1968 revisions of the Standard Certificate of Fetal Death, the item on previous fetal loss included all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years before 1956.

The following registration States requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of live birth and fetal death in use during 1974.

Alaska	Maine	Ohio
Arizona	Maryland	Oklahoma
Arkansas	Massachusetts	Oregon
Colorado	Michigan	Pennsylvania
Connecticut	Minnesota	Rhode Island
Delaware	Mississippi	South Carolina
Florida	Missouri	South Dakota
Georgia	Montana	Utah
Hawaii	Nebraska	Vermont
Illinois	Nevada	Virginia
Indiana	New Hampshire	Washington
Iowa	New Jersey	West Virginia
Kansas	New York	Wyoming
Kentucky	North Carolina	
Louisiana	North Dakota	

The total number of fetal deaths shown in tables 3-10 and 3-12 is limited to those with stated or presumed period of gestation of 20 weeks or more. The determination, however, of the total-birth order for these fetal deaths is based on the number of previous live births and fetal deaths for all periods of gestation, except for those live births and fetal deaths occurring to residents of the District of Columbia and the following seven States: Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin. The fetal-death certificates of these States provide total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation.

Thus the total-birth order for the District of Columbia and these 7 States is based on fewer fetal deaths than would be the case if their fetal-death certificates had requested the number of previous fetal deaths for all periods of gestation, as do the certificates used by the other 43 States. It follows, therefore, that the total-birth order given in table 3-12 for these 43 States is not strictly comparable with that given for the District of Columbia and the remaining 7 States.

Legitimacy status.—Tabulations with legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1974. These States are as follows:

Alabama	Hawaii	Michigan
Alaska	Illinois	Minnesota
Arizona	Indiana	Mississippi
Colorado	Iowa	Missouri
Delaware	Kansas	Nebraska
District of Columbia	Kentucky	New Hampshire
Florida	Louisiana	New Jersey
	Maine	North Carolina

North Dakota	South Carolina	Virginia
Oklahoma	South Dakota	Washington
Oregon	Tennessee	West Virginia
Pennsylvania	Texas	Wisconsin
Rhode Island	Utah	Wyoming

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. Underregistration may be greater in the illegitimate group than in the legitimate.

Age of mother.—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 10 years of age or age 50 years and above, the age of the mother is considered not stated and is assigned as follows: Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and having the same total-birth order (total of fetal deaths and live births).

Cause of death

Beginning with data year 1968 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*,⁹ which is based on the 1965 Revision of the *International Classification of Diseases (ICD)*.¹⁰ The ICDA gives greater detail and specificity in some categories than is provided by the Eighth Revision of the ICD. Complete correspondence between these two classifications was maintained at the three-digit level, but new four-digit subdivisions were created in various parts of the ICDA. Where necessary, existing four-digit subdivisions are renumbered to accommodate the additional subcategories in logical sequence. In the ICDA, subdivisions which do not correspond exactly with the ICD are identified by asterisks. In this report the four-digit subcategory numbers which differ from those in the ICD are also shown with asterisks.

⁹National Center for Health Statistics: *Eighth Revision International Classification of Diseases, Adapted for Use in the United States*. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office. 1967.

¹⁰World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Eighth Revision Conference, 1965. Geneva. World Health Organization, 1967.

In addition to specifying that the Classification be used, the World Health Organization recommended special lists for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the List of 150 Causes for Tabulation of Morbidity and Mortality; List B, the List of 50 Causes for Tabulation of Mortality; and List P, the List of 100 Causes for Tabulation of Perinatal Morbidity and Mortality. The recommended tabulation lists have been modified for use in the National Center for Health Statistics.

The Each-Cause List is made up of each three-digit category of the Detailed List to which deaths may be assigned and each four-digit subcategory of the ICDA to which deaths may be assigned. For category 412 the fourth digits .1, .2, .3, and .4 are used instead of the fourth digits .0 and .9 which appear in the ICDA. The each-cause table (1-23) does not show the fourth-digit subcategories provided for Motor vehicle accidents (E810-E823). However, these subcategories, which identify persons injured, are shown in the accident tables (Sec. 4). Special fifth-digit subcategories are also used in the accident tables to identify place of accident when deaths from nontransport accidents are shown.

The List of 281 Selected Causes of Death is an extension of List A designed so that with one exception the original groups can be obtained by combining titles. The individual titles in List A for Certain causes of mortality in early infancy are shown as one group title in tables using the List of 281 Selected Causes. The individual categories are shown in tables using the List of 65 Selected Causes of Infant Death, which was created by extending some titles in List P and by combining others. Titles in List P not shown in this list may be found in the each-cause table with the exception of causes of death in List P that are applicable only to fetal deaths.

The List of 69 Selected Causes of Death is an extension of List B; however, certain causes of low frequency in the United States are not shown separately. These causes are Cholera, Typhoid fever, Plague, Diphtheria, Smallpox, Typhus and other rickettsioses, and Malaria.

The List of 34 Selected Causes of Death for Detailed Geographic Areas was created by combining titles in the List of 69 Selected Causes.

These lists were designed to be as comparable as possible to the NCHS lists most recently in use under the Seventh Revision. In several instances this could not be done. No attempt will be made here to enumerate these changes. However, the following changes are especially worth noting. The group title Major cardiovascular diseases (ICDA Nos. 390-448)

includes all of the titles in "Section VII. Diseases of the circulatory system" of the Eighth Revision except the following one: Diseases of veins and lymphatics and other diseases of circulatory system (ICDA Nos. 450-458).

The most nearly comparable group title in the Seventh Revision is Diseases of cardiovascular system (ICD Nos. 330-334, 400-468).

Both of these group titles include the first and third leading causes of death—Diseases of heart (ICDA Nos. 390-398, 402, 404, 410-429) and Cerebrovascular diseases (ICDA Nos. 430-438). They also both include Diseases of arteries, arterioles, and capillaries (ICDA Nos. 440-448). The comparable title in the Seventh Revision for these latter diseases is Diseases of arteries (ICD Nos. 450-456). But the group title Diseases of Cardiovascular system (ICD Nos. 330-334, 400-468) in the Seventh Revision includes also the title Diseases of veins and other diseases of circulatory system (ICD Nos. 460-468). These diseases of veins and other diseases of circulatory system (assigned by the Eighth Revision to ICDA Nos. 450-458) are not included, however, under the Eighth Revision group title Major cardiovascular diseases (ICDA Nos. 390-448).

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions, the continuity in the mortality trends is not considered a problem of great concern. Van Buren described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death.¹¹ Dunn and Shackley measured the change in mortality statistics by cause due to the Fifth Revision.¹² This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth

Revision and changes in the joint-cause selection procedure.

Sixth Revision.—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July 1948 and used for mortality data in the United States from 1949 to 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Comparability between the Sixth and Fifth Revisions.—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth

¹¹U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics-Special Reports*, Vol. 12, No. 13. Washington, D.C., Jan. 1940.

¹²U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics-Special Reports*, Vol. 19, No. 14. Washington, D.C., June 1944.

Revision divided by the number of deaths assigned to that cause using the Fifth Revision.^{13,14}

Seventh Revision.—Beginning with 1955 the decennial conferences for revision of the International Lists are held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time to assess the effect of new provisions and variations in interpretation before the next census. Thus stable mortality data will be available for use with the population figures from the decennial census.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum¹⁵ were integrated into the manual.¹⁶ Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume I, of *Vital Statistics of the United States, 1958*. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions,

or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause starting the train of events leading directly to death. In recasting the rules, some interpretations were modified—mainly those involving selection of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

Comparability between the Seventh and Sixth Revisions.—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in "Comparability of Mortality Statistics for the Sixth and Seventh Revisions, United States, 1958."¹⁷

Eighth Revision.—The Eighth Revision contains major modifications in several sections of the lists. Also, the international rules for selecting the underlying cause have been simplified. In addition, changes have been introduced in the special rules and decisions which adapt the coding procedures to reporting practices in the United States.

The Detailed List of the Eighth Revision consists of 671 categories of diseases and morbid conditions, 182 categories for classification of the external cause of injury, and 187 categories for characterization of injuries according to the nature of the lesion. These detailed categories are designated by three-digit num-

¹³National Center for Health Statistics: Comparability of mortality Statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics-Special Reports*. Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

¹⁴National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1959 by M. M. Faust and A. B. Dolman. *Vital Statistics-Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

¹⁵World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Addendum 1, *Supplementary Interpretations and Instructions for Coding Causes of Death*. Geneva. World Health Organization, 1953.

¹⁶World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955. Geneva. World Health Organization, 1957.

¹⁷National Center for Health Statistics: Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958, by M. M. Faust and A. B. Dolman. *Vital Statistics-Special Reports*, Vol. 51, No. 4. Public Health Service. Washington, D.C., Mar. 1965.

bers. There are also four-digit subcategories in the ICDA that provide further specificity or more information regarding etiology or manifestations of the disease. The classification is arranged in 17 main sections, or chapters. The important changes are summarized for each of these sections in the introduction to the ICDA, pages xxiv-xxviii. Following are some of the many changes made:

Infective and parasitic diseases.—In the Seventh Revision, list titles for diarrheal conditions were scattered over several sections of the Classification. In the Eighth Revision all the Seventh Revision subdivisions for these conditions, including those for infants, are brought together under one category, Diarrheal diseases (009).

Diseases of the nervous system and sense organs.—Vascular lesions affecting central nervous system (330-334) in the Seventh Revision has been transferred in the Eighth Revision to Section VII, Diseases of the circulatory system, where they appear as Cerebrovascular diseases (430-438).

Certain causes of perinatal morbidity and mortality.—This section represents an integration of Section XV (Certain diseases of early infancy) and Classification of causes of stillbirth (Y30-Y39) in the Seventh Revision. The age qualifications used in previous revisions to classify the same conditions in or outside this section have been deleted. For example, Pneumonia of newborn (763) of the Seventh Revision is no longer in this section. Instead, it is included in the Eighth Revision with Pneumonia (480-486), to which pneumonias are assigned without regard to age.

Accidents, poisonings, and violence.—A new subsection (E980-E989) has been introduced for the classification of deaths where it was not possible for the certifier to determine whether the injuries were accidentally or purposely inflicted.

Comparability between the Eighth and Seventh Revisions.—In order to measure the degree of discontinuity in cause-of-death statistics resulting from the introduction of the Eighth Revision, provisional estimates of selected comparability ratios based on dual coding of a stratified sample of 1966 death certificates by the Seventh and Eighth Revisions of the International Classification of Diseases were computed. These ratios appear in the *Monthly Vital Statistics Report* of the National Center for Health Statistics, Volume 17, Number 8, Supplement; and in *Comparability of Mortality Statistics for the Seventh*

and Eighth Revisions of the International Classification of Diseases, United States, *Vital and Health Statistics*, Series 2, No. 66, DHEW Pub. No. (HRA)76-1340.

Coding in 1974.—The National Center for Health Statistics usually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply each year. These manuals are revised annually chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate inconsistencies in coding procedures.¹⁸ No significant coding changes occurred for 1974.

Significant coding changes during the Eighth Revision.—Beginning with 1969 a special four-digit subcategory Chronic obstructive lung disease (*519.3) has been added to obtain the number of certificates on which medical certifiers have entered this more general term rather than a more specific diagnosis of chronic bronchitis, emphysema, or asthma. The number of certificates assigned to (*519.3) increased from 2,704 for 1969 to 14,299 for 1974. It is necessary to add together the number of deaths assigned to this new four-digit category and the number of deaths assigned to Bronchitis, emphysema, and asthma (ICDA Nos. 490-493) to obtain a measure of mortality from all chronic obstructive lung diseases.

To provide that deaths would not be assigned to Chronic obstructive lung disease (*519.3) if a more specific diagnosis such as chronic bronchitis, emphysema, or asthma also appeared on the death certificate, the coding procedures were updated for 1971 and 1972 data years in accordance with the linkages below:

*519.3 Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema

Excludes conditions in *519.3 with conditions in:
490 Bronchitis (491) (Chronic bronchitis)
491 (Chronic bronchitis) (491)
492 (Emphysema) (492)
493 (Asthma) (493)

But the limitation imposed by these linkage provisions did not alter the upward trend in the number of deaths assigned to Chronic obstructive lung disease

¹⁸National Center for Health Statistics: Vital statistics, instructions for classifying the underlying cause of death, 1974. *NCHS Instruction Manual*, Part 2a. Public Health Service. Rockville, Md., 1973.

without mention of asthma, bronchitis, or emphysema (*519.3). The number of deaths assigned to (*519.3) increased from 6,321 for 1971 to 8,210 for 1972.

Under the Eighth Revision of the ICDA, deaths assigned to "chronic obstructive lung disease," or "chronic obstructive pulmonary disease," were assigned to Other diseases of lung (ICDA No. 519.2). Despite the transfer of these deaths from this category to the new category Chronic obstructive lung disease (*No. 519.3), the number of deaths assigned to Other diseases of lung (ICDA No. 519.2) also continued to increase—from 1,306 deaths for 1969 to 1,977 for 1974.

Also beginning with 1971, a special four-digit subcategory (*E854.8) has been added to identify "Acute narcotism, not otherwise specified," whether or not the circumstances were undetermined. Also, a preference will be given to Drug dependence (ICDA No. 304) when a statement of drug dependence or a synonymous term appears on the certificate with mention of poisoning by certain addictive drugs.

In addition, beginning with 1971, the term cerebral sclerosis (general) is classified to Generalized ischemic cerebrovascular disease (ICDA No. 437) rather than to Other demyelinating diseases of central nervous system (ICDA No. 341). As a result of this transfer the number of deaths assigned to this latter category decreased from 569 for 1970 to 96 for 1971.

For 1973 the significant coding changes were concerned with the "sudden infant death syndrome" (SIDS).

SIDS, frequently called "crib death" or "cot death," has been defined as the sudden and unexpected death of a previously healthy infant (usually between 1 and 6 months of age) which remains unexplained after careful post mortem studies. SIDS almost always occurs during sleep periods. This phenomenon seldom occurs in an infant under 1 month or over 1 year of age. There are no specific symptoms identifiable with SIDS. Therefore SIDS cannot be predicted, even by a physician, and in the light of present knowledge SIDS cannot be prevented. An autopsy usually reveals congestion and edema of the lungs and minor inflammatory changes in the respiratory system. In about 85 percent of the cases intrathoracic petechial hemorrhages are found. However, evidence of a conventionally accepted lethal lesion(s) is lacking. Because of these characteristic features, experts and researchers in the field consider SIDS a clearly identifiable distinctive entity even though the cause and mechanism of death remain unknown.

Estimates of the number of SIDS deaths vary, but

the figure most commonly quoted by researchers is about 10,000. Efforts to obtain accurate data on the incidence of SIDS have been hampered by a number of factors. Among these are

1. The failure of a number of physicians, coroners, and medical examiners to diagnose and/or report SIDS as the cause of death.
2. The lack of uniformity in the terminology used to describe SIDS.
3. The absence of a category in the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States* (ICDA), which identifies SIDS.
4. The reluctance on the part of certifiers to report conditions that they feel may be regarded as unacceptable by vital statistics offices.
5. The reporting of conditions, including incidental autopsy findings, that were in fact unrelated to death on the certificates of death for infants who actually died from SIDS.

NCHS has modified the ICDA and the procedures for classifying information recorded on the death certificate to facilitate the identification and analysis of data related to known and suspected cases of SIDS.

Three fourth-digit subdivisions have been created under ICDA category 795 (Sudden death). These subdivisions together with the inclusion terms are as follows:

- *795.0 Sudden infant death syndrome, under
 - 1 year of age
 - Acute fatal infant syndrome
 - Cause unknown
 - Cot or crib death
 - Died without sign of disease, so stated
 - Found dead (in bed, cot, cradle, crib, etc.) (infant)
 - Infant found in bed
 - Other unknown and unspecified causes, so stated
 - SDII, SID, SIDS, SUD, SUDI, SUID
 - Sudden death (infancy) (infant) (syndrome) (unattended) (unexpected) (unexplained)
 - Underdetermined (cause) (in infancy) (infant)
 - Unexpected death (in infancy) (infant)
 - Unexplained death (in infancy) (infant)
 - Unknown (cause)
- *795.1 Sudden death syndrome, 1 year of age

The same terms listed under *795.0 when age is 1 year.

*795.2 All other sudden deaths, age 2 years and over

Died suddenly	Fell dead
Dropped dead	Sudden death

It should be noted that two of the above subdivisions (i.e., *795.0 and *795.1) include several terms that were previously included under ICDA categories 796.2, Found dead (cause unknown), 796.3, Died without sign of disease, and 796.9, Other unknown and specified causes. The decision to include these terms in the categories that have been created for Sudden infant death syndrome, under 1 year of age, and Sudden death syndrome, 1 year of age, was made after consultation with experts in the field. This decision was based on conclusions drawn from a recent study that relatively few infant deaths that were not sudden and unexpected are certified as found dead, "died without sign of disease," or other unknown and unspecified causes.

The third subdivision (i.e., *795.2) does not include terms previously classifiable to ICDA categories 796.2, 796.3, or 796.9. Coders should continue to classify these terms to categories 796.2, 796.3, and 796.9 if the decedent was 2 years of age or over.

A distinction has been made between Sudden infant death syndrome, under 1 year of age, and Sudden death syndrome, 1 year of age (but less than 2), because there is some difference of opinion about whether SIDS does in fact occur at ages 1 year and above. National data for 1973, the first year NCHS used the new coding rules show 3,264 and 75 deaths coded to categories *795.0 and *795.1, respectively.

Apparently, some vital statistics offices have, perhaps unintentionally, created the impression that SIDS is not an acceptable cause of death. This is unfortunate since it is important that SIDS be cited officially as the cause of death when the certifier believes this to be the case. This diagnosis as well as other terms that are being used to describe SIDS should be accepted as a valid cause of death without querying the certifier. Past experience has shown that some certifiers are reluctant to use terminology that they have reason to believe will be queried by vital statistics offices.

Since 1968 the use of an automated system for obtaining the underlying cause requires special coding procedures in NCHS. (See Quality Control Procedures under Quality of Data.) The automated system was designed to assign the underlying cause according to the international rules just as if a manual process were to be used.

Medical certification.—The use of a standard

classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician, a medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.¹⁹

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to the hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for cardiovascular, renal diseases as a whole, it is estimated that

¹⁹For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am. J. Pub. Health*, Vol. 48, No. 10, pp. 1376-1387.

70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."²⁰

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Eighth Revision category numbers 780-792, 795, and 796, which are the rubrics for symptoms and ill-defined conditions. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1974, 1.5 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.3 to 7.0 percent.

Ranking causes of death.—The causes included in the List of 69 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, Major cardiovascular diseases and Symptoms and ill-defined conditions, are not ranked. In addition, category titles that begin with the words "Other" or "All other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of Tuberculosis, all forms, its component parts (in this case, Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the underlying cause of death. The maternal conditions are those assigned to Complications of pregnancy, childbirth, and puerperium (630-678).

Report of autopsy

Prior to 1972 the last year for which autopsy data were tabulated was 1958. For 1972-74 all registration areas requested information on the death certificate as to whether autopsies were performed. For 1974 autopsies were reported, however, on only 355,515 death certificates (18.4 percent of the total, table

1-28). All but eight registration areas (New York City, Delaware, Georgia, Idaho, Massachusetts, Pennsylvania, Texas, and Virginia) also requested for 1974 information on nearly all their certificates as to whether the autopsy findings were used in determining the causes of deaths.

The distribution of deaths for which autopsies were performed according to the entry for the item "autopsy findings used" was as shown in the table below.

Entry for item "autopsy findings used"	Number	Percent
All autopsies	355,515	100.0
Autopsy findings used	201,838	56.7
Autopsy findings not used	15,312	4.3
Item not checked	61,466	17.2
Item not on certificate	76,899	21.6

Data presented in table 1-29 on "findings used" refer not to all deaths for which autopsies were performed (355,515) but only to those for which information on "findings used" was also requested on the certificates (278,616 deaths for which autopsies were performed).

For only seven of the cause-of-death categories shown in table 1-29 were autopsies reported as performed for 50 percent or more of all deaths: Meningococcal infections; Meningitis; Abortions; Other complications of pregnancy, childbirth, and the puerperium; Congenital anomalies; Homicide; and Other external causes.

There were nine other categories for which 40 percent or more death certificates reported autopsies. Autopsies were reported for only 11.4 percent of the major cardiovascular diseases. Among all causes other than the major cardiovascular group, autopsies were reported for 26.1 percent of all deaths.

Mortality by month and date of death

Deaths by month have been regularly tabulated and published in the annual report for each year beginning with data year 1900. For 1974 deaths by month are shown in this report in tables 1-20, 1-21, 1-24, 1-30, 2-10, 2-12, and 3-9.

Death rates by month reflect most clearly the influence of the respiratory diseases. Again for 1974, as for each year since the early 1920's, when the summer peak of mortality was eliminated, the curve of mortality falls to a low during the summer months,

²⁰Moriyama, I. M., and others: Evaluations of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

and reaches a peak during the winter months. The curve by month for the number of deaths from influenza and pneumonia for 1974 parallels quite closely that for the curve for the number of deaths from all causes. The greatest number of deaths from influenza and pneumonia occurred in March for 1974 (table 1-24).

The year 1972 was the first data year for which not only month of death but also date of death were published (table 1-30). Unpublished data for selected causes, by date of death, however, for 1962 are available in NCHS.

Number of deaths by date of death in this report are shown for 1974 for the total number of deaths and for the number of deaths for the following three causes, for which the greatest general interest in date of occurrence of death has been expressed: Motor vehicle accidents, Suicide, and Homicide.

These data in table 1-30 show the frequency distribution of deaths for the selected causes by day of week. They also make it possible to identify holidays with peak numbers of deaths from specified causes.

QUALITY OF DATA

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.²¹ A similar situation may exist in other States.

²¹Tennessee Department of Public Health: Results of survey of death-registration completeness. *The Spotlight*, Jan. 1954.

As stated above, reporting requirements for fetal deaths vary from State to State, and registration is probably incomplete in all areas.

Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts, primarily to residents of the State. Microfilm copies of these records were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

Quality control procedures

Demographic items on the death certificates.—As indicated above, for 1974 the mortality data for these items were obtained from two sources: (1) microfilm images of the original certificates furnished by 34 States, the District of Columbia, and New York City; and (2) records on data tape furnished by the remaining 16 States. For the 34 States, the District of Columbia, and New York City, that send only microfilm images of the original certificates, the demographic items on a 10-percent sample of the certificates were dependently verified. For the nine States (Colorado, Florida, Maine, Michigan, Missouri, New Hampshire, New York, exclusive of New York City, Rhode Island, and Vermont) that furnished records on data tape prior to 1974 the demographic items on about 200 records per State per month were independently verified. For the seven States (Illinois, Iowa, Kansas, Montana, Nebraska, Oregon, and South Carolina) that furnished records on data tape for the first time for 1974, the demographic items were independently verified for a 50-percent sample for the first 3 months, and for about 200 records per State for each of the last 9 months of 1974.

Except for cause-of-death coding discussed below, the above-mentioned verification procedures involve controlling two types of error (coding and entering into the data record tape) at the same time, and the error rates are a combined measure of both types. While it may be assumed that the entering errors are randomly distributed across all items on the record, this assumption cannot be made as readily for coding errors. Systematic errors in coding infrequent events may escape detection during sample verification. This type of error is partially controlled by reverifying randomly selected lots from each operator's work.

Medical items on the death certificate.—The "Automated Classification of Medical Entities" (ACME), a computer system for assigning the underlying cause of death which was introduced in 1968, was used for assigning the 1974 underlying causes of

death.²² The ACME rules for coding conditions are very specific, fewer in number, and far less complicated than the international rules for selecting the underlying cause of death.²³

The coder produces condition codes which the ACME computer program matches against decision tables to select the underlying cause of death for each record according to the international rules. These decision tables serve two primary purposes. They provide a comprehensive guide for the relationship between conditions classifiable to different categories in ICDA when applying rules of selection and modification, and they also provide decisions used when the underlying cause is assigned by the ACME system. The tables were developed from the decisions and conclusions employed by NCHS in arriving at the underlying causes of death. Relationships between medical conditions involve varying or contradictory opinions. Therefore further refinements of the decision tables will be required periodically.

The decision table instruction manual for 1970-71²⁴ was again used for 1973 and 1974.

For the States that did not furnish State-coded medical data, the medical items were coded for 100 percent of death records. Then the medical items on a 10-percent sample of the records were independently verified.

For the States (Iowa, Nebraska, and Michigan) that furnish State-coded medical data, the medical items were independently verified on a 100-percent basis for the first 3 months, and for about 200 records per State, for each of the last 9 months of 1974.

For cause-of-death coding, systematic errors in coding infrequent events is controlled by listing the rare and impossible codes from the computer and reverifying the cause-of-death assignment.

Demographic items on fetal-death certificates.—As stated above, fetal-death certificates for 1974 are based on all fetal-death records received. Moreover the coding and entering on data tape of fetal-death records was verified completely because of their relatively small number. (Again for 1974, as for prior

years, medical items on the fetal-death certificates were not coded.)

Other control procedures.—After completing coding and entering on data tape, record counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are either corrected by reference to the source record or adjusted by arbitrary code assignment. All subsequent operations in tabulating and in table preparation are verified either during the computer processing or by statistical clerks.

Estimates of errors arising from 50-percent sample for 1972

Death statistics for 1972 in this report (excluding fetal-death statistics) are based on a 50-percent sample of all deaths occurring in the 50 States and the District of Columbia.

A description of the sample design and a table of the percent errors of the estimated numbers of deaths by size of estimate and total deaths in the area are shown in the Technical Appendix of *Vital Statistics of the United States*, Volume II, Part A, 1972.

COMPUTATION OF RATES AND OTHER MEASURES

Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, 1960, and 1970 are based on the populations enumerated as of April 1 in the censuses of those years. Rates for all other years are based on the estimated midyear (July 1) population for the respective years.

Population estimates for 1974.—Estimates of the total resident population of the United States by age, race, and sex in 1974 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 529, and are shown in table 6-2. Total estimated populations for States shown in table 6-3 are published in Series P-25, Number 533; populations by broad age groups were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 Series.

The populations of the 50 largest SMSA's and their component counties were obtained from the Bureau of the Census for July 1, 1974, as shown in selected reports from Series P-26.

Population estimates for 1971.—The rates by age, color, and sex in Section 1 of *Vital Statistics of the*

²²Automated Classification of Medical Entities (ACME) for Selection of Causes of Death. Unpublished paper presented at the annual meeting of the American Public Health Association, Houston, Tex., Oct. 1970.

²³National Center for Health Statistics: Vital statistics, instructions for classifying the underlying cause of death, 1974. *NCHS Instruction Manual*, Part 2a. Public Health Service. Rockville, Md., 1973.

²⁴National Center for Health Statistics: Vital statistics, ICDA Eighth Revision decision tables for classifying underlying causes of death, 1970-1971. *NCHS Instruction Manual*, Part 2a. Public Health Service. Rockville, Md., 1972.

United States, 1971, were based on provisional estimates of the 1971 population; but the life table values for 1971 in Section 5 were based on revised estimates of the 1971 population. These revised estimates are shown in *Current Population Reports*, Series P-25, Number 519, Washington, D.C., 1974. These revised estimates differed considerably from the provisional estimates for a number of age-color-sex groups. Table 6-4 of the report for 1971 shows, for example, that the revised estimates are 7 to 25 percent lower than the provisional estimates for persons other than white in the youngest (under 10 years) and oldest (80 years and over) age groups. The limited number of statistics for 1971 shown in this report are based on the revised populations. Also available in NCHS is a set of unpublished trend tables for which the rates for 1971 are based on the revised population. These tables include age-color-sex-cause specific death rates for both the List of 69 Selected Causes of Death and the List of 281 Selected Causes of Death.

Population estimates for 1961-69.—Comparison of revised populations for 1969 (and several earlier years since 1960) with the provisional populations which were used to calculate annual death rates for these same age, color, and sex groups indicated a similar problem. Caution should be exercised in utilizing death rates published in Section 1 and life expectancy values in Section 5 of the 1969 and other volumes until such time as revised rates are published.

Rates and ratios based on live births.—Infant, neonatal, and maternal mortality rates, and fetal-death rates and ratios are computed on the basis of the estimated number of live births instead of the estimated population under 1 year of age.

New Jersey.—As indicated previously, data by race or color are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used to estimate the revised population excluding New Jersey is discussed in the technical appendixes of the 1962 and 1963 reports.

Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as the standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was like that of the United States in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

SYMBOLS USED IN TABLES

Data not available.....	---
Category not applicable.....	...
Quantity zero.....	-
Quantity more than 0 but less than 0.05.....	0.0
Figure does not meet standards of reliability or precision.....	*

SECTION 6 - TECHNICAL APPENDIX

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1974

[Population enumerated as of April 1 for 1940, 1950, 1960, and 1970 and estimated as of July 1 for all other years]

Year	United States ¹		Year	United States ¹		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States ²	Population residing in area	Number of States ²	Population residing in area
1974	211,909,000	211,590,000	1937	128,961,000	128,824,829
1973	210,404,000	209,851,000	1936	128,181,000	128,053,180
1972	208,842,000	208,230,000	1935	127,562,000	127,250,232
1971	207,045,000	206,212,000	1934	126,485,000	126,373,773
1970	204,270,000	203,211,926	1933	125,680,000	125,578,763
1969	203,216,000	201,921,000	1932	124,949,000	124,840,471	47	118,903,899	47	116,905,699
1968	201,166,000	199,861,000	1931	124,149,000	124,039,648	46	117,455,229	47	116,146,987
1967	199,118,000	197,863,000	1930	123,188,000	123,076,741	46	116,544,946	47	117,238,276
1966	196,842,000	195,857,000	1929	---	121,769,939	46	115,317,450	46	115,517,450
1965	194,583,000	193,818,000	1928	---	120,501,115	44	113,636,160	44	113,636,160
1964	192,119,000	191,371,000	1927	---	119,038,062	40	104,320,630	42	107,084,532
1963	189,417,000	189,698,000	1926	---	117,399,225	35	90,400,590	41	103,622,683
1962	186,656,000	185,880,000	1925	---	115,851,963	33	88,294,584	40	102,031,555
1961	183,758,000	183,057,000	1924	---	114,115,463	33	87,000,295	39	99,518,098
1960	180,007,000	179,323,175	1923	---	111,949,945	30	81,072,125	36	96,788,197
1959	177,264,000	176,513,000	1922	---	110,054,778	30	79,580,745	37	92,702,901
1958	174,141,000	173,320,000	1921	---	108,541,489	27	70,807,030	34	87,614,447
1957	171,274,000	170,371,000	1920	---	106,456,420	23	65,597,307	34	86,078,263
1956	168,321,000	167,308,000	1919	105,063,000	104,512,110	22	61,212,076	33	83,157,982
1955	165,275,000	164,308,000	1918	104,550,000	103,202,601	20	55,133,762	30	79,000,412
1954	162,391,000	161,164,000	1917	103,414,000	103,265,915	20	55,197,952	27	70,234,775
1953	159,585,000	158,242,000	1916	---	101,965,984	11	32,944,013	26	66,971,177
1952	156,954,000	155,687,000	1915	---	100,549,013	10	31,006,697	24	61,684,647
1951	154,287,000	153,510,000	1914	---	99,117,567	24	60,883,309
1950	151,132,000	150,697,561	1913	---	97,226,814	23	58,156,740
1949	149,188,000	148,865,000	1912	---	95,331,300	22	54,847,700
1948	146,631,000	146,093,000	1911	---	93,867,814	22	53,929,644
1947	144,126,000	143,446,000	1910	---	92,406,536	20	47,470,437
1946	141,389,000	140,054,000	1909	---	90,491,525	18	44,223,513
1945	139,928,000	138,481,000	1908	---	88,708,976	17	38,634,759
1944	138,397,000	137,885,000	1907	---	87,000,271	15	34,552,837
1943	136,739,000	134,245,000	1906	---	85,436,556	15	33,782,288
1942	134,860,000	133,920,000	1905	---	83,819,666	10	21,767,960
1941	133,402,000	133,121,000	1904	---	82,164,974	10	21,338,076
1940	131,820,000	131,669,275	1903	---	80,632,152	10	20,943,222
1939	131,028,000	130,879,718	1902	---	79,160,196	10	20,582,907
1938	129,969,000	129,824,939	1901	---	77,585,728	10	20,237,453
1937	---	---	1900	---	76,094,134	10	19,965,446

¹Alaska included beginning 1959 and Hawaii, 1960.

²The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Source: The populations in this table were published by the U.S. Bureau of the Census, unless otherwise specified, in Current Population Reports, Series P-25. The numbers of these reports together with the years for which data were furnished are shown below:

Year for which data were furnished	Series P-25 number	Year for which data were furnished	Series P-25 number	Year for which data were furnished	Series P-25 number
1974	529	1967	385	1930-39	499 and VSR ^b
1971-73	519	1966	352	1920-29	VSR ^b
1970	CP ^a	1960-65	321	1917-19	499 and VSR ^b
1969	441	1951-59	310	1900-16	VSR ^b
1968	416	1940-50	499		

^aU.S. Bureau of the Census, U.S. Census of Population: 1970, Number of Inhabitants, Final Report PC(1)-A-1, United States Summary, 1971.
^bNational Office of Vital Statistics, Vital Statistics Rates in the United States, 1900-1940, 1947.

Table 6-2. Estimates of Total Resident Population of the United States, by Age, Race, and Sex: July 1, 1974

[Figures include Armed Forces stationed in the United States and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age	Total			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Negro		
							Both sexes	Male	Female	Both sexes	Male	Female
All ages-----	211,390,000	102,945,000	108,446,000	184,109,000	89,919,000	94,190,000	27,281,000	13,026,000	14,255,000	24,126,000	11,490,000	12,635,000
Under 1 year-----	3,006,000	1,538,000	1,468,000	2,509,000	1,286,000	1,222,000	497,000	252,000	246,000	443,000	224,000	219,000
1-4 years-----	13,298,000	6,791,000	6,508,000	11,067,000	5,668,000	5,399,000	2,231,000	1,123,000	1,108,000	1,996,000	999,000	987,000
5-9 years-----	17,592,000	8,984,000	8,629,000	14,737,000	7,531,000	7,205,000	2,856,000	1,432,000	1,424,000	2,549,000	1,277,000	1,272,000
10-14 years-----	20,719,000	10,564,000	10,155,000	17,506,000	8,950,000	8,556,000	3,214,000	1,615,000	1,599,000	2,907,000	1,460,000	1,447,000
15-19 years-----	20,760,000	10,508,000	10,252,000	17,677,000	8,971,000	8,705,000	3,084,000	1,557,000	1,547,000	2,768,000	1,377,000	1,390,000
20-24 years-----	18,507,000	9,198,000	9,311,000	15,969,000	7,990,000	7,978,000	2,540,000	1,206,000	1,354,000	2,224,000	1,055,000	1,169,000
25-29 years-----	16,131,000	7,983,000	8,147,000	14,145,000	7,068,000	7,077,000	1,986,000	915,000	1,070,000	1,691,000	783,000	908,000
30-34 years-----	13,487,000	6,637,000	6,851,000	11,786,000	5,856,000	5,930,000	1,702,000	780,000	921,000	1,438,000	655,000	783,000
35-39 years-----	11,396,000	5,545,000	5,851,000	9,976,000	4,906,000	5,070,000	1,420,000	640,000	781,000	1,238,000	557,000	680,000
40-44 years-----	11,358,000	5,544,000	5,814,000	9,958,000	4,907,000	5,051,000	1,401,000	637,000	763,000	1,209,000	551,000	658,000
45-49 years-----	11,847,000	5,740,000	6,107,000	10,531,000	5,129,000	5,401,000	1,316,000	611,000	706,000	1,180,000	534,000	616,000
50-54 years-----	11,966,000	5,758,000	6,208,000	10,724,000	5,178,000	5,545,000	1,243,000	573,000	663,000	1,104,000	512,000	592,000
55-59 years-----	10,302,000	4,912,000	5,390,000	9,341,000	4,466,000	4,875,000	961,000	446,000	515,000	865,000	399,000	467,000
60-64 years-----	9,205,000	4,299,000	4,906,000	8,304,000	3,885,000	4,421,000	900,000	418,000	485,000	822,000	373,000	449,000
65-69 years-----	7,635,000	3,473,000	4,362,000	7,051,000	3,127,000	3,924,000	785,000	348,000	438,000	723,000	312,000	412,000
70-74 years-----	5,702,000	2,411,000	3,291,000	5,223,000	2,193,000	3,031,000	478,000	219,000	260,000	421,000	188,000	233,000
75-79 years-----	5,828,000	1,851,000	2,378,000	5,623,000	1,419,000	2,204,000	306,000	132,000	174,000	266,000	113,000	153,000
80-84 years-----	2,606,000	954,000	1,652,000	2,397,000	870,000	1,527,000	209,000	84,000	125,000	186,000	72,000	113,000
85 years and over-----	1,744,000	577,000	1,166,000	1,589,000	520,000	1,069,000	154,000	57,000	97,000	136,000	48,000	88,000

Source: U.S. Bureau of the Census: Current Population Reports, Series P-25, No. 529.

Table 6-3. Estimates of Total Resident Population, by Age, for the United States, Each Division and State, Guam, Puerto Rico, and Virgin Islands: July 1, 1974

[Figures include Armed Forces stationed in each area, and exclude Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States ¹	211,390,000	16,301,000	59,072,000	70,860,000	43,322,000	21,816,000
Geographic divisions:						
New England	12,150,000	849,000	3,366,000	4,008,000	2,861,000	1,345,000
Middle Atlantic	37,276,000	2,613,000	9,970,000	12,178,000	8,420,000	4,095,000
East North Central	40,862,000	3,211,000	11,735,000	13,655,000	8,271,000	4,009,000
West North Central	16,882,000	1,234,000	4,720,000	5,397,000	3,320,000	2,011,000
South Atlantic	33,206,000	2,602,000	9,176,000	11,273,000	6,716,000	3,440,000
East South Central	15,397,000	1,120,000	3,811,000	4,417,000	2,835,000	1,404,000
West South Central	20,594,000	1,768,000	5,905,000	6,817,000	3,848,000	2,049,000
Mountain	9,411,000	628,000	2,784,000	3,213,000	1,775,000	811,000
Pacific	27,833,000	2,076,000	7,607,000	9,842,000	5,658,000	2,652,000
New England:						
Maine	1,047,000	61,000	298,000	331,000	214,000	122,000
New Hampshire	808,000	62,000	228,000	273,000	159,000	86,000
Vermont	470,000	37,000	137,000	157,000	88,000	51,000
Massachusetts	5,800,000	384,000	1,599,000	1,938,000	1,228,000	681,000
Rhode Island	957,000	67,000	252,000	297,000	210,000	111,000
Connecticut	3,088,000	208,000	852,000	1,032,000	682,000	314,000
Middle Atlantic:						
New York	18,111,000	1,282,000	4,796,000	6,035,000	4,000,000	1,999,000
New Jersey	7,330,000	515,000	2,005,000	2,380,000	1,671,000	749,000
Pennsylvania	11,635,000	816,000	3,189,000	3,753,000	2,749,000	1,348,000
East North Central:						
Ohio	10,737,000	843,000	3,056,000	3,582,000	2,206,000	1,050,000
Indiana	5,330,000	432,000	1,531,000	1,791,000	1,053,000	522,000
Illinois	11,131,000	866,000	3,106,000	3,706,000	2,319,000	1,134,000
Michigan	9,098,000	737,000	2,698,000	3,073,000	1,792,000	798,000
Wisconsin	4,566,000	333,000	1,344,000	1,485,000	901,000	505,000
West North Central:						
Minnesota	5,917,000	291,000	1,159,000	1,299,000	737,000	432,000
Iowa	2,855,000	205,000	809,000	898,000	582,000	360,000
Missouri	4,777,000	354,000	1,307,000	1,551,000	974,000	591,000
North Dakota	657,000	49,000	190,000	200,000	127,000	72,000
South Dakota	692,000	53,000	201,000	206,000	139,000	84,000
Nebraska	1,543,000	117,000	434,000	498,000	303,000	181,000
Kansas	2,270,000	164,000	620,000	745,000	459,000	281,000
South Atlantic:						
Delaware	573,000	45,000	167,000	199,000	114,000	48,000
Maryland	4,084,000	298,000	1,185,000	1,448,000	831,000	333,000
District of Columbia	723,000	55,000	180,000	273,000	143,000	71,000
Virginia	4,909,000	376,000	1,398,000	1,789,000	976,000	410,000
West Virginia	1,791,000	140,000	478,000	564,000	402,000	206,000
North Carolina	5,563,000	439,000	1,506,000	1,882,000	1,063,000	473,000
South Carolina	2,784,000	244,000	827,000	972,000	522,000	219,000
Georgia	4,882,000	435,000	1,413,000	1,711,000	910,000	413,000
Florida	8,090,000	570,000	2,032,000	2,485,000	1,755,000	1,267,000
East South Central:						
Kentucky	3,357,000	275,000	945,000	1,109,000	664,000	364,000
Tennessee	4,129,000	327,000	1,129,000	1,408,000	836,000	429,000
Alabama	3,577,000	299,000	1,030,000	1,173,000	710,000	365,000
Mississippi	2,324,000	219,000	707,000	727,000	425,000	246,000
West South Central:						
Arkansas	2,062,000	167,000	587,000	644,000	420,000	264,000
Louisiana	3,764,000	331,000	1,159,000	1,241,000	686,000	337,000
Oklahoma	2,709,000	208,000	725,000	893,000	553,000	328,000
Texas	12,060,000	1,062,000	3,452,000	4,139,000	2,277,000	1,120,000
Mountain:						
Montana	735,000	57,000	217,000	237,000	151,000	73,000
Idaho	799,000	71,000	257,000	257,000	159,000	76,000
Wyoming	369,000	30,000	104,000	119,000	74,000	32,000
Colorado	2,496,000	199,000	717,000	817,000	460,000	204,000
New Mexico	1,122,000	103,000	358,000	375,000	202,000	86,000
Arizona	2,153,000	191,000	623,000	711,000	416,000	211,000
Utah	1,173,000	130,000	367,000	395,000	193,000	89,000
Nevada	573,000	47,000	163,000	202,000	121,000	41,000
Pacific:						
Washington	3,476,000	255,000	971,000	1,204,000	693,000	354,000
Oregon	2,266,000	164,000	612,000	762,000	476,000	251,000
California	20,907,000	1,549,000	5,688,000	7,427,000	4,279,000	1,988,000
Alaska	337,000	34,000	111,000	136,000	47,000	8,000
Hawaii	847,000	74,000	245,000	313,000	161,000	53,000
Guam	96,000	---	---	---	---	---
Puerto Rico	88,400	---	---	---	---	---
Virgin Islands	3,021,000	---	---	---	---	---

¹Excludes Guam, Puerto Rico, and Virgin Islands.

Source: U.S. Bureau of the Census: Current Population Reports, Series P-25, No. 533, and official records.